From: Meyer, Lisa A
To: Howell, Tonya
Cc: Miller, Barbara J
Subject: Re: SMP for Ameren Huster Levee Improvement Project
Date: Friday, October 14, 2022 10:54:06 AM

Tonya,
The transformer replacement project has been pushed to spring, but the levee improvement project is still slated to begin this fall.
Lisa

From: Howell, Tonya <Howell.Tonya@epa.gov>
Sent: Friday, October 14, 2022 10:25:21 AM
To: Meyer, Lisa A <LMeyer2@ameren.com>
Subject: [EXTERNAL] RE: SMP for Ameren Huster Levee Improvement Project

EXTERNAL SENDER **STOP.THINK.QUESTION.**
Verify unexpected requests before opening links or attachments.

Lisa, can you confirm the urgency for a review of this document, plus the other soil management project regarding the transformer replacement. I want to get comments back to you as soon as possible, but based on our previous conversation, there was no longer a rush in order to get the work done by the end of the calendar year. Is this still the case? I don't want to hold anything up on your end, but I have a lot of competing high priorities right now so I'm trying to balance.

Tonya Howell
Remedial Project Manager / Superfund Redevelopment Coordinator
Superfund and Emergency Management Division
U.S. Environmental Protection Agency, Region 7
913-551-7589

From: Meyer, Lisa A <LMeyer2@ameren.com>
Sent: Tuesday, September 27, 2022 5:13 PM
To: Howell, Tonya <Howell.Tonya@epa.gov>
Cc: Miller, Barbara J <BMiller2@ameren.com>; Meyer, Lisa A <LMeyer2@ameren.com>; Schuette, Daniel R <DSchuette@ameren.com>
Subject: SMP for Ameren Huster Levee Improvement Project

Importance: High

Tonya,

And attached is the most current revision of the Huster Soil Management Plan for the Levee Improvement Project.
Thanks,

::::::::::::::::::::::::
LISA A. MEYER
Consulting Engineer, Environmental Services
C 314.488.0151
E Lmeyer2@ameren.com
.....
Ameren Missouri
1901 Chouteau Ave.
P.O. Box 66149, MC 602
St. Louis, MO 63166-6149
Ameren.com
Please consider the environment before printing this e-mail.

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.
This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.