FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

September 14, 2010

Mr. David Young
California Regional Water Quality Control Board
Los Angeles Region
Site Cleanup Program
320 West 4th Street, Suite 200
Los Angeles, California 90013

Groundwater Monitoring Well Installation and Sampling Report
Continental Heat Treating
10643 Norwalk Boulevard, Santa Fe Springs, California
(Site Id. No. 204GW00, SCP No. 1057)

Fero Environmental Engineering, Inc. (Fero) submits this groundwater monitoring well installation and sampling report for groundwater assessment work conducted at Continental Heat Treating, Inc., the subject site, in response to the Regional Water Quality Control Board – Los Angeles Region (RWQCB), consistent with the March 4, 2002, Environmental Site Technologies (EST), *Work Plan for Well Installation and Monitoring* (Workplan) which was approved by the RWQCB in a letter dated April 16, 2010.

Groundwater Well Installations

Fero obtained permits from the Los Angeles County Department of Public Health to construct three groundwater monitoring wells on the subject property (copies included in Attachment A). BC2 Environmental Corporation was subsequently retained to install the wells during the period from August 3 - 5, 2010. Well MW1 was installed southwest of the onsite building near the southern property line in an anticipated down gradient groundwater flow direction, well MW2 was located near the northwestern corner of the site, and well MW3 was located near the northeastern corner of the site. Wells MW1 & 2 were installed using a CME-75 drill rig fitted with 8 inch diameter hollow stem augers. Because of limitations due to overhead power lines and trees, well MW3 was installed with a limited access rig fitted with the same 8 inch diameter augers. Well locations are indicated on Figure 1.

Soil samples were obtained from each of the well boreholes at five foot intervals in an undisturbed state utilizing a stainless steel California modified split spoon drive sampler fitted with three stainless steel sleeves. Upon removing the soil from the specified depths and locations, the soil in the lead sample sleeve was subsequently sampled with an Easy Draw Syringe consistent with EPA Method 5035 low-level VOC sampling protocol. The syringe was inserted into the soil within the sample tube in such a way that no headspace was allowed and 5 grams of soil was retained in the

syringe. The sample was then injected into a 40-ml vial containing preservative. This process was repeated four times for each sample location, resulting in four vials of soil in appropriate preservatives. The vials were immediately capped, appropriately labeled, stored in a cooler at a temperature near 4° C, and delivered at the end of the day under proper chain of custody documentation to Enviro-Chem, Inc. in Pomona, a State of California certified laboratory. Enviro-Chem analyzed all the soil samples for VOCs using EPA Method 8260b.

The well borings were logged by a Fero geologist and were visually classified in the field in accordance with the Unified Soil Classification System (USCS) and American Society for Testing and Materials (ASTM) which include evaluations of moisture content, consistency, texture, and soil characteristics. The soils generally consisted of sands and silts. Soil samples were obtained at five foot intervals to a depth of 95 feet in all borings. Groundwater was encountered at a depth of approximately 98 feet in the well borings. The well boring logs are included as Attachment B.

Table 1
Soil Analytical Results
Continental Heat Treating
10643 Norwalk Boulevard, Santa Fe Springs
August 3-5, 2010

Sample Point/ Depth	Benzene (mg/Kg)	sec-butyl Benzene (mg/Kg)	cis-1,2-DCE (mg/Kg)	n-propyl Benzene (mg/Kg)	PCE (mg/Kg)	TCE (mg/Kg)
MW1-5'	ND	ND	ND	ND	0.021	0.005
MW1-10'	ND	ND	ND	ND	0.028	0.009
MW1-15'	ND	ND	ND	ND	0.003	ND
MW1-20'	ND	ND	ND	ND	0.017	0.005
MW1-25'	ND	ND	ND	ND	0.078	0.013
MW1-30'	ND	ND	0.022	ND	0.119	0.028
MW1-35'	ND	ND	0.068	ND	0.040	0.020
MW1-40'	ND	ND	ND	ND	ND	ND
MW1-45'	ND	ND	ND	ND	ND	ND
MW1-50'	ND	ND	ND	ND	ND	ND
MW1-55'	ND	ND	0.004	ND	ND	ND
MW1-60'	ND	ND	ND	ND	ND	ND
MW1-65'	ND	ND	ND	ND	ND	ND
MW1-70'	ND	ND	ND	ND	ND	ND
MW1-75'	ND	ND	ND	ND	ND	ND
MW1-80'	ND	ND	ND	ND	ND	ND
MW1-85'	ND	0.008	ND	ND	ND	ND
MW1-90'	ND	0.003	0.002	ND	ND	ND
MW1-95'	ND	ND	0.009	ND	ND	ND

ND = Not Detected at laboratory detection limits, DCE = Dichloroethene, PCE = Tetrachloroethene, TCE = Trichloroethene.

Table 1 cont.
Soil Analytical Results
Continental Heat Treating
10643 Norwalk Boulevard, Santa Fe Springs
August 3-5, 2010

Sample Point/ Depth	Benzene (mg/Kg)	sec-butyl Benzene (mg/Kg)	cis-1,2-DCE (mg/Kg)	n-propyl Benzene (mg/Kg)	PCE (mg/Kg)	TCE (mg/Kg)
MW2-5'	ND	ND	ND	ND	0.433	0.009
MW2-10'	ND	ND	ND	ND	0.665	0.009
MW2-15'	ND	ND	ND	ND	2.31	0.014
MW2-20'	ND	ND	0.007	ND	1.54	0.015
MW2-25'	ND	ND	0.012	ND	1.85	0.018
MW2-30'	ND	ND	0.015	ND	1.26	0.011
MW2-35'	ND	ND	0.096	ND	3.25	0.038
MW2-40'	ND	ND	ND	ND	0.003	ND
MW2-45'	0.005	ND	0.287	ND	2.07	0.058
MW2-50'	ND	ND	ND	ND	0.007	ND
MW2-55'	ND	ND	0.003	ND	0.010	ND
MW2-60'	ND	ND	ND	ND	0.008	ND
MW2-65'	ND	ND	0.005	ND	0.015	ND
MW2-70'	ND	ND	0.006	ND	0.009	ND
MW2-75'	ND	ND	0.040	ND	0.051	ND
MW2-80'	ND	ND	ND	ND	0.003	ND
MW2-85'	ND	ND	ND	ND	ND	ND
MW2-90'	ND	ND	0.003	ND	0.002	ND
MW2-95'	ND	ND	0.004	ND	0.002	ND
MW3-5'	ND	ND	ND	ND	ND	ND
MW3-10'	ND	ND	ND	ND	0.004	ND
MW3-15'	ND	ND	ND	ND	0.005	ND
MW3-20'	ND	ND	ND	ND	ND	ND
MW3-25'	ND	ND	ND	ND	ND	ND
MW3-30'	ND	ND	ND	ND	ND	ND
MW3-35'	ND	ND	ND	ND	ND	ND
MW3-40'	ND	ND	0.002	ND	0.020	0.003
MW3-45'	ND	ND	0.007	ND	0.017	0.007
MW3-50'	ND	ND	ND	ND	0.015	0.009
MW3-55'	ND	ND	0.003	ND	0.005	0.007
MW3-60'	ND	ND	0.029	ND	0.031	0.072
MW3-65'	ND	ND	ND	ND	ND	ND
MW3-70'	ND	ND	ND	ND	ND	ND
MW3-75'	ND	ND	0.033	ND	ND	0.004
MW3-80'	ND	ND	ND	0.002	ND	ND
MW3-85'	ND	ND	ND	0.025	ND	ND
MW3-90'	ND	ND	ND	ND	ND	ND
MW3-95'	ND	ND	ND	ND	ND	ND

ND = Not Detected at laboratory detection limits, DCE – Dichloroethene, PCE = Tetrachloroethene, TCE = Trichloroethene.

A small amount soil from the remaining sleeves was place in a zip lock plastic bag and screened with a photo ionization detector (PID). The screening results are included on the soil boring logs. Soil analytical results are summarized in Table 1. Complete analytical results and chain of custody documentation for the above-mentioned samples are included as Attachment C. Cuttings from the borings were contained onsite in DOT approved water tight containers, the cuttings were characterized and removed for proper disposal on September 13, 2010.

The monitoring wells were constructed of 2 inch diameter Schedule 40 PVC casing to a depth of 120 feet below grade (fbg) with a 30 foot screened interval. The screen consisted of 0.020 inch slotted pipe and the filter pack in the annular space to approximately 2 foot above the screened section consisted of #3 Monterey sand. Four to five feet of hydrated bentonite chips were paced on top of the sand pack and the annulus from the bentonite seal to approximately 1 fbg was filled (tremie method) with Portland type III cement slurry and the installations were completed at grade with concrete and a traffic-rated well vault. A copy of the well as-builts is included on the boring logs included in Attachment B.

On August 9, 2010, each of the wells were subsequently developed using a Smeal development rig. The development was conducted using a decontaminated suction bailer, a surging assembly and well pump until water flowed unhindered through the well screens of each well and the development water appeared free of soil fines. During the development process 110 gallons were removed from wells MW1 and MW2 and 55 gallons were removed from MW3. All development water was contained onsite in DOT approved water tight containers, the water was characterized and removed from the site for proper disposal on September 13, 2010.

On August 20, 2010, after the wells had time to stabilize, the depth to the water surface in each well was measured with electronic gauging equipment which allows an accuracy of 0.01 feet. Table 2 provides the gauging data. The well casings were surveyed on August 10, 2010 with respect to Mean Sea Level and proper lateral controls by Dulin & Boynton. A copy of the survey is included in Attachment D. The survey data, well location data and groundwater depth information were used in a contouring program to develop a planar representation of the water table surface to evaluate the groundwater flow direction and gradient. The representation is superimposed on Figure 1. The groundwater flow direction was slightly (approx. 11°) to the west of south under a gradient of approximately 0.0091 ft/ft.

Table 2
Groundwater Elevation
Continental Heat Treating
10643 Norwalk Boulevard, Santa Fe Springs
(ft MSL)

Well	TOC elev. (ft)	Aug. '10
MW1	137.07	39.52
MW2	137.43	40.79
MW3	137.71	41.22

Following gauging and prior to sampling, all of the subject site groundwater monitoring wells MW1-MW3 were purged of 50 gallons of water, the volume of which was based upon the volume of free standing water in the wells and the observed stabilization of physical/chemical parameters during

purging. The monitoring wells were purged with a variable speed 120-volt AC powered two stage centrifugal Stainless Steel purge pump until pH, color, conductivity, and temperature had stabilized. Groundwater was pumped from the monitoring wells at a rate of approximately 2 gallon per minute. Physical and chemical purge monitoring parameters were measured in the field at the discharge line of the pump. Well purging data is attached hereto as Attachment E. All purge water was contained onsite in DOT approved water tight containers, the water was characterized and removed from the site for proper disposal on September 13, 2010.

Subsequent to purging each well, the pump rate was reduced to approximately 100 ml/min whereupon a representative sample of groundwater was collected from the discharge line using 40 ml VOA sample vials fitted with plastic caps and Teflon septa. The samples were stored in a cooler containing ice and delivered at the end of the day under proper chain-of-custody documentation to Enviro-Chem Laboratory for analysis of VOCs using EPA Method 8260b. Results of the analytical testing are provided in Table 3. Copies of the laboratory data sheets are included in Attachment F.

Table 3
Summary of Groundwater Analyses
Continental Heat Treating
10643 Norwalk Boulevard, Santa Fe Springs
(µg/L)

Well	Date	Ben	Chl	1,4-DCB	1,1-DCA	cis-1,2-DCE	T-1,2-DCE	1,2-DCA	1,1-DCE	HCB	NAP	1,1,2,2-TCA	PCE	1,2,3-TCB	1,2,4-TCB	TCE	TFM	VC
MW1	8/10	ND	0.97	ND	17.3	12.2	ND	113	224	ND	ND	ND	184	ND	ND	154	2.79	5.96
MW2	8/10	ND	1.71	0.78	21.8	59.6	0.76	5.43	126	1.14	2.47	0.92	235	2.72	1.24	178	9.49	0.89
MW3	8/10	4.50	ND	ND	6.19	38.9	4.13	ND	57.1	1.18	2.43	ND	56.9	3.26	1.29	160	1.22	ND

ND = Not Detected at laboratory detection limits , Ben - Benzene, Chl - Chloroform, DCB - Dichlorobenzene, DCA - Dichloroethane, DCE - Dichlorethene, HCB – Hexachlorobutadiene, NAP – Naphalene, TCA – Tetracholoroethane, PCE – Tetrachloroethene, TCB – Tricholorobenzene, TCE – Trichloroethene, TFM – Trichlorofluoromethane , VC – Vinyl Chloride

Discussion

Fero compared the soils data collected during this investigation to data collected in 1994 on the adjacent, former Mobil Oil site to the north. During their investigation of that site, Mclaren Hart collected soil samples less than 10 feet north of the property line with the subject site which contained 27,000 mg/Kg of PCE at 10 fbg or approximately 10,000 times more PCE than was identified in soils on the subject site. This suggests a migration issue from the Mobil Oil site onto the subject site.

In addition, the distribution of chlorinated hydrocarbons in the groundwater suggests migration from offsite to the north. The highest concentration of PCE occurred in MW2 which is immediately downgradient of the former Mobil Oil suggesting migration from the Mobil Oil site. PCE was identified in MW3 which indicates migration from a yet unidentified source to the north.

The organics are degrading as they migrate beneath the subject site as indicated in the increase in PCE degradation by-products, particularly the increase in vinyl chloride, in MW1 from those identified in the upgradient wells. Fero will proceed with the next phase of investigation which includes site wide soil gas sampling and soil sampling following approval by the RWQCB.

Should you have any questions regarding these groundwater assessment results, please do not hesitate to call the undersigned at (714) 256-2737.

Respectfully,
Fero Environmental Engineering, Inc.

Rick L. Fero, P.E.
President

REGISTERED PROFESSIONAL ENGINEER
RICK L. FERO
No. 43927
Exp. 06/30/11
CIVIL
STATE OF CALIFORNIA

RLF: jbp
[758PhIIGWRpt]

Attachment A

Well Permits

WELL PERMIT APPLICATION - NON PRODUCTION WELLS

DRINKING WATER PROGRAM - ENVIRONMENTAL HEALTH DIVISION
5050 COMMERCE DRIVE, BALDWIN PARK, CA 91706 TELE (626) 430-5420 FAX (626) 813-3016

DATE 7-19-10

☐ NEW WELL CONSTRUCTION ☐ RECONSTRUCTION OR RENOVATION ☐ DECOMMISSIONING ☐ OTHER:
☒ MONITORING ☐ CATHODIC ☐ INJECTION ☐ EXTRACTION ☐ HEAT EXCHANGE
☐ HYDROPUNCH ☐ C.P.T. (For Ground Water Sampling) ☐ OTHER:

SITE LOCATION

Site Address: 10643 Norwalk Blvd, City: Santa Fe Springs, CA, Zip Code: 90670
Nearest Intersection: Norwalk / Florence, Thomas Guide Map Book Page/Grid: 705 H/5, Number of Wells in Each Parcel: 3

WELL STRUCTURE

Total Depth of Wells: 90' Depth of Well Casing: 90' Sanitary / Annular Sealing Material: Neat Cement
Depth of Sanitary / Annular Seal: 54' - 57' Conductor Casing Seal: 1'-54'

OWNER INFORMATION

Owner's Name: Continental Heat Treating Telephone Number: 562 944 8808
Address: 10643 So. Norwalk Blvd. City: Santa Fe Springs Zip Code: 90670

DRILLER INFORMATION

Driller's Name: BC2 Telephone Number: 714 744 2990 C-57 License Number: 686255
Address: 1150 W. Trenton Ave City: Orange Zip Code: 92867

WELL DECOMMISSIONING INFORMATION

Well Depth: 90' ☐ log/records Method of Well Assessment: Hollow Stem Depth and Number of Perforations: 60'-90'
Type and Amount of Sealant: Neat Cement Type of Perforator: Factory Slots Size of Perforations: .02" Method of Upper Seal Pressure Application: Tremie

CONSULTANT INFORMATION

Company: Fero Engineering
Address: 431 W. Lambert Rd #305 City: Brea State: CA Zip Code: 92821
Project Manager: John Petersen Telephone Number: 714 256 2737 Fax Number: 714 256 1505

ATTENTION: WORK PLAN MODIFICATIONS MAY BE REQUIRED IF WELL AND GEOLOGIC CONDITIONS ENCOUNTERED AT THE SITE INSPECTION ARE FOUND TO DIFFER FROM THE SCOPE OF WORK PRESENTED TO THIS DEPARTMENT.

I hereby agree to comply in every respect with all the regulations of the County Environmental Health Division and with all ordinances and laws of the County of Los Angeles and the State of California pertaining to well construction, reconstruction, and decommissioning data deemed necessary by the County Environmental Health Division Of Los Angeles County.

Signature of Applicant: [signature] Printed Name: John Petersen

THIS PERMIT IS NOT COMPLETE UNTIL ALL OF THE FOLLOWING REQUIREMENTS ARE SIGNED OFF BY THE DEPUTY HEALTH OFFICER. WELL CONSTRUCTION OR DECOMMISSIONING CANNOT BE INITIATED WITHOUT A WORK PLAN APPROVAL FROM THIS DEPARTMENT.

**********(DEPARTMENT USE ONLY)**********

	REHS: Juan Rodriguez DATE: 7/22/10
Conditions: On 7/20/10 $603 was paid for permit #890622 to install 3 mw(s). Observed work plan details submitted. Notify this office at 626-430-5398 prior to the work being done.	jurodriguez@ph.lacounty.gov.
	REHS DATE

NOTICE

This well permit approval is limited to compliance with the California Well Standards and the Los Angeles County Code and does not grant any rights to construct, reconstruct, or decommission any well. The applicant is responsible for securing all other necessary permits.

Attachment B

Soil Boring Logs & Well As-Builts

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW1 **SHEET** 1 of 5
DATE 8/03/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 17' North and 120' East of the SW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2.
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE: BULK	SAMPLE: UNDISTURBED	SAMPLE: BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	Asphalt
5'		X	7 9	SM	1	Medium brown sandy silt, medium dense, slightly moist, no odor
10'		X	19 21	SM	1.5	Medium brown silty fine to medium sand, dense, sl. moist, no odor
15'		X	19 20	SP	0.5	Tan fine to medium sand, dense, sl. moist, no odor
20'		X	20 27	ML	10.5	Light brown silt, dense, sl. moist, no odor
25'		X	19 23	ML	12.8	Light brown silt, dense, sl. moist, no odor



FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW1 **SHEET** 2 of 5
DATE 8/03/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 17' North and 120' East of the SW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
30'		X	21 26	ML	10.2	Light brown silt, dense, sl. moist, no odor
35'		X	25 30	ML	11.7	Light brown silty very fine sand, dense, sl. moist, no odor
40'		X	25 50	SP	12.5	Light gray fine sand, dense, sl. moist, no odor
45'		X	25 30	SP	5.8	Tan fine to medium sand, dense, sl. moist, no odor
50'		X	25 27	SM	10.6	Tan fine to medium sand, dense, sl. moist, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW1 **SHEET** 3 of 5
DATE 8/03/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 17' North and 120' East of the SW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
55'		X	30 50	SP	12.2	Tan fine to medium sand, dense, sl. moist, no odor
60'		X	10 14	SP	7.7	Tan fine to mediumsand with minor gravel, dense, sl. moist, no odor
65'		X	27 50	SP	6.2	Tan fine to medium sand, dense, sl. moist, no odor
70'		X	7 10	SP	7.4	Tan fine to medium sand, dense, sl. moist, no odor
75'		X	35 50	SP	8.4	Brown silty fine to medium sand, medium dense, sl. moist, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW1 **SHEET** 4 of 5
DATE 8/03/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 17' North and 120' East of the SW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
80'		X	37 50	SP	7.1	Tan fine to medium sand, dense, sl. moist, no odor
85'		X	26 60	SP	18.4	Gray fine to medium sand, dense, sl. moist, no odor
90'		X	29 50	SP	10.2	Gray fine to medium sand, dense, sl. moist, petroleum odor
95'		X	30 50	SP	24	Tan fine to medium sand, dense, sl. moist, no odor
100'		X		SP	0	Tan fine to medium sand, medium dense, saturated, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW1 **SHEET** 5 of 5
DATE 8/03/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 17' North and 120' East of the SW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
105'		X		SP		Tan fine to medium sand, medium dense, saturated, no odor
110'		X		SP		Tan fine to medium sand, medium dense, saturated, no odor
115'		X		SP		Tan fine to medium with some coarse sand, medium dense, saturated, no odor
120'		X		SP		Tan fine to medium with some coarse sand, medium dense, saturated, no odor



FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW2 **SHEET** 1 of 5
DATE 8/04/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 8' South and 81' East of the NW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2.
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE: BULK	SAMPLE: UNDISTURBED	SAMPLE: BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	Asphalt
5'		X	7 9	SM	1	Medium brown sandy silt, medium dense, slightly moist, no odor
10'		X	6 10	SM	0.5	Lt. brown silty fine to medium sand, dense, sl. moist, no odor
15'		X	11 12	ML	5.9	Lt. brown silt, med. dense, sl. moist, no odor
20'		X	12 17	ML	1.6	Lt. brown silt, med. dense, sl. moist, no odor
25'		X	12 16	ML	3.6	Lt. brown silt, med. dense, sl. moist, no odor



FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW2 **SHEET** 2 of 5
DATE 8/04/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 8' South and 81' East of the NW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE: BULK	SAMPLE: UNDISTURBED	SAMPLE: BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
30'		X	14 18	ML	2.7	Light brown silt, med. dense, sl. moist, no odor
35'		X	19 23	ML	1.6	Light brown silty very fine sand, dense, sl. moist, no odor
40'		X	35 32	SP	5.6	Tan fine to med sand, dense, sl. moist, no odor
45'		X	25 32	ML	6.5	Light brown silt, med. dense, sl. moist, no odor
50'		X	45 32	SP	1.7	Tan fine to medium sand, dense, sl. moist, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW2 **SHEET** 3 of 5
DATE 8/04/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 8' South and 81' East of the NW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
55'		X	28 35	SP	3.5	Tan fine to coarse sand, dense, sl. moist, no odor
60'		X	55 50	SM	4.1	Tan silty fine to coarse sand, dense, sl. moist, no odor
65'		X	50	SP	5.3	Olive tan fine to coarse sand, dense, sl. moist, no odor
70'		X	28 50	SP	6.1	Tan fine to medium sand, dense, sl. moist, no odor
75'		X	26 50	SP	8.4	Olive tan fine to coarse sand, dense, sl. moist, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW2 **SHEET** 4 of 5
DATE 8/04/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 8' South and 81' East of the NW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE: BULK	SAMPLE: UNDISTURBED	SAMPLE: BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
80'		X	34 35	SP	3.3	lt. grayish tan fine to medium sand, dense, sl. moist, no odor
85'		X	30 50	SP	7.1	Gray fine to medium sand, dense, sl. moist, no odor
90'		X	28 50	SP	7.8	Tan fine to coarse sand, dense, sl. moist, no odor
95'		X	25 50	SP	13	Tan fine to medium sand, dense,very moist, no odor
100'		X	14 25	SP		Olive tan fine to coarse sand, medium dense, saturated, no odor



FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW2 **SHEET** 5 of 5
DATE 8/04/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 8' South and 81' East of the NW property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
105'		X	18 28	SM		Olive tan silty fine to medium sand, medium dense, saturated, no odor
110'		X	15 20	SM		Olive tan silty fine to medium sand, medium dense, saturated, no odor
115'		X	11 13	SP		Olive tan fine to coarse sand, medium dense, saturated, no odor
120'		X	14 19	SP		Olive tan fine to coarse sand, medium dense, saturated, no odor



FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW3 **SHEET** 1 of 5
DATE 8/05/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 5' West and 26' South of the NE property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2.
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE: BULK	SAMPLE: UNDISTURBED	SAMPLE: BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	Asphalt
5'		X	6 7	SM	1.7	Rusty brown sandy silt, medium dense, slightly moist, no odor
10'		X	10 12	SM	0.1	Rusty brown sandy silt, medium dense, slightly moist, no odor
15'		X	10 50	ML	0.9	Light brown silt, medium dense, sl. moist, no odor
20'		X	25 50	ML	1.0	Light brown silt, dense, sl. moist, no odor
25'		X	50	ML	0.7	Brown silty very fine sand, dense, sl. moist, no odor



FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW3 **SHEET** 2 of 5
DATE 8/05/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 5' West and 26' South of the NE property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
30'		X	10 30	ML	1.2	Medium brown silt, dense, sl. moist, no odor
35'		X	5 50	ML	1.0	Light brown silty very fine sand, dense, sl. moist, no odor
40'		X	50	ML	1.3	Light brown silt, dense, sl. moist, no odor
45'		X	27 50	ML	0.7	Light brown fine sandy silt, dense, sl. moist, no odor
50'		X	22 50	ML	1.5	Reddish brown fine sandy silt, dense, sl. moist, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW3 **SHEET** 3 of 5
DATE 8/05/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 5' West and 26' South of the NE property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
55'		X	17 20	SM	0.4	Brown silty fine to medium sand, dense, sl. moist, no odor
60'		X	20 25	CL	0.2	Light brown silty clay, stiff, sl. moist, no odor
65'		X	19 23	SP	0.7	Olive tan fine to medium sand, dense, sl. moist, no odor
70'		X	22 28	SP	0.8	Olive tan fine sand, dense, sl. moist, no odor
75'		X	27 50	ML	2.4	Olive silt, medium dense, moist, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW3 **SHEET** 4 of 5
DATE 8/05/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 5' West and 26' South of the NE property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
80'		X	37 50	SP	1.7	Gray fine to medium sand, dense, sl. moist, petrileum odor
85'		X	20 50	SP	23.8	Gray fine to medium sand, dense, sl. moist, petroleum odor
90'		X	27 50	SP	10.2	Gray fine to medium sand, dense, sl. moist, no odor
95'		X	50	SP	1.3	Gray fine to medium sand, dense, sl. moist, petroleum odor
100'		X		SP		Gray silty fine to coarse sand, dense, saturated, no odor

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

BORING LOG

PROJECT: Continental Heat Treating
JOB NO. 10-758
SITE: 10643 So. Norwalk Boulevard
Santa Fe Springs, California
BORING MW3 **SHEET** 5 of 5
DATE 8/05/10 **BY** J. Petersen
BORING LOCATION/CONDITIONS: 5' West and 26' South of the NE property corner
SAMPLE METHOD Drive/ Undisturbed
OBSERVERS/SAMPLERS: JBP
DRILLERS: BC2
EQUIPMENT: PID for H&S monitoring
EQUIPMENT: CME 75 with Split Spoon Sampler

Casing: 2" PVC flush thread w/ .02" slots
Vault: 10" traffic rated, water tight, bolt

- Concrete
- Cement Grout
- No. 3 Sand

DEPTH (FT.)	SAMPLE BULK	SAMPLE UNDISTURBED	SAMPLE BLOWS/ FT	USCS CLASSIFICATION	MONITORING BACKGROUND/ SAMPLE	DESCRIPTION
					ppm	
105'		X		SM		Medium gray silty fine tocoarse sand, dense, saturated, no odor
110'		X		SM		Medium gray silty fine tocoarse sand, dense, saturated, no odor
115'		X		SP		Gray fine to medium sand, medium dense, saturated, no odor
120'		X		SP		Gray fine to medium sand, medium dense, saturated, no odor



Attachment C

Soil Analytical Data
and Chain of Custody Documentation

Date: August 10, 2010

Mr. John Petersen
Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

Project: **Continental Heat Treating / 10-758**
Lab ID: **100804-17 to -54**

Dear Mr. Petersen:

The **analytical results** for the soil samples received by our laboratory on August 4, 2010, are attached. All samples were received chilled, intact and accompanying chain of custody record.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Andy Wang
Lab Manager

Eric Lu, Ph.D.
Chief Chemist

LABORATORY REPORT FORM

LABORATORY NAME: ENVIRO-CHEM, INC.

ADDRESS: 1214 E. LEXINGTON AVE., POMONA, CA 91766

LABORATORY CERTIFICATION
(ELAP) No.: 1555 EXPIRATION DATE: 06/30/2011

LABORATORY DIRECTOR'S NAME: CURTIS DESILETS

LABORATORY'S DIRECTOR SIGNATURE: _____

CLIENT: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

PROJECT: Continental Heat Treating / 10-758

ANALYTICAL METHODS: EPA 5035/8260B

SAMPLING DATE(S): 08/03-04/10 DATE RECEIVED: 08/05/10

DATE REPORTED: 08/10/10 SAMPLE MATRIX: SOIL

EXTRACTION METHOD: SEE ATTACHMENTS

EXTRACTION MATERIAL: PER THE METHODS

CHAIN OF CUSTODY RECEIVED: YES NO

---- SAMPLE HEADSPACE DESCRIPTION (%): NOT APPLICABLE

---- SAMPLE CONTAINER MATERIAL: PRE-WEIGHED 40 ML VOA (4)

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

LABORATORY REPORT FORM (COVER PAGE 2)

ORGANIC ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	38	0

SAMPLE CONDITION: PRE-WEIGHED 40 ML VOA (4)

INORGANIC ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

MICROBIOLOGICAL ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

OTHER TYPES OF ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/03/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-17
CLIENT SAMPLE I.D.	MW1-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-17
CLIENT SAMPLE I.D.	MW1-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-17
CLIENT SAMPLE I.D.	MW1-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.021
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4 TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.005
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-18
CLIENT SAMPLE I.D.	MW1-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-18
CLIENT SAMPLE I.D.	MW1-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-18
CLIENT SAMPLE I.D.	MW1-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.028
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.009
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-19
CLIENT SAMPLE I.D.	MW1-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-19
CLIENT SAMPLE I.D.	MW1-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-19
CLIENT SAMPLE I.D.	MW1-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.003
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-20
CLIENT SAMPLE I.D.	MW1-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-20
CLIENT SAMPLE I.D.	MW1-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-20
CLIENT SAMPLE I.D.	MW1-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.017
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4 TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.005
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-21
CLIENT SAMPLE I.D.	MW1-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-21
CLIENT SAMPLE I.D.	MW1-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-21
CLIENT SAMPLE I.D.	MW1-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.078
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.013
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-22
CLIENT SAMPLE I.D.	MW1-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-22
CLIENT SAMPLE I.D.	MW1-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.022
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-22
CLIENT SAMPLE I.D.	MW1-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.119
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.028
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-23
CLIENT SAMPLE I.D.	MW1-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-23
CLIENT SAMPLE I.D.	MW1-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.068
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-23
CLIENT SAMPLE I.D.	MW1-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.040
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.020
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-24
CLIENT SAMPLE I.D.	MW1-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-24
CLIENT SAMPLE I.D.	MW1-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-24
CLIENT SAMPLE I.D.	MW1-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-25
CLIENT SAMPLE I.D.	MW1-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-25
CLIENT SAMPLE I.D.	MW1-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-25
CLIENT SAMPLE I.D.	MW1-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-26
CLIENT SAMPLE I.D.	MW1-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-26
CLIENT SAMPLE I.D.	MW1-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-26
CLIENT SAMPLE I.D.	MW1-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-27
CLIENT SAMPLE I.D.	MW1-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-27
CLIENT SAMPLE I.D.	MW1-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.004
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-27
CLIENT SAMPLE I.D.	MW1-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/03/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-28
CLIENT SAMPLE I.D.	MW1-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-28
CLIENT SAMPLE I.D.	MW1-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-28
CLIENT SAMPLE I.D.	MW1-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-29
CLIENT SAMPLE I.D.	MW1-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/03/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-29
CLIENT SAMPLE I.D.	MW1-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-29
CLIENT SAMPLE I.D.	MW1-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-30
CLIENT SAMPLE I.D.	MW1-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-30
CLIENT SAMPLE I.D.	MW1-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-30
CLIENT SAMPLE I.D.	MW1-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/03/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-31
CLIENT SAMPLE I.D.	MW1-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-31
CLIENT SAMPLE I.D.	MW1-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-31
CLIENT SAMPLE I.D.	MW1-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/03/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-32
CLIENT SAMPLE I.D.	MW1-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-32
CLIENT SAMPLE I.D.	MW1-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-32
CLIENT SAMPLE I.D.	MW1-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-33
CLIENT SAMPLE I.D.	MW1-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	0.008
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-33
CLIENT SAMPLE I.D.	MW1-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-33
CLIENT SAMPLE I.D.	MW1-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-34
CLIENT SAMPLE I.D.	MW1-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	0.003
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-34
CLIENT SAMPLE I.D.	MW1-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.002
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-34
CLIENT SAMPLE I.D.	MW1-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-35
CLIENT SAMPLE I.D.	MW1-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-35
CLIENT SAMPLE I.D.	MW1-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.009
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-35
CLIENT SAMPLE I.D.	MW1-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-36
CLIENT SAMPLE I.D.	MW2-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-36
CLIENT SAMPLE I.D.	MW2-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-36
CLIENT SAMPLE I.D.	MW2-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.433 (DF=5)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.009
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: [illegible]

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-37
CLIENT SAMPLE I.D.	MW2-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-37
CLIENT SAMPLE I.D.	MW2-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-37
CLIENT SAMPLE I.D.	MW2-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.665 (DF=5)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.009
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-38
CLIENT SAMPLE I.D.	MW2-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-38
CLIENT SAMPLE I.D.	MW2-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-38
CLIENT SAMPLE I.D.	MW2-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	2.31 (DF=50)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.014
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-39
CLIENT SAMPLE I.D.	MW2-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/04/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-39
CLIENT SAMPLE I.D.	MW2-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.007
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-39
CLIENT SAMPLE I.D.	MW2-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	1.54 (DF=10)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.015
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-40
CLIENT SAMPLE I.D.	MW2-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-40
CLIENT SAMPLE I.D.	MW2-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.012
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-40
CLIENT SAMPLE I.D.	MW2-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	1.85 (DF=10)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.018
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-41
CLIENT SAMPLE I.D.	MW2-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-41
CLIENT SAMPLE I.D.	MW2-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.015
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-41
CLIENT SAMPLE I.D.	MW2-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	1.26 (DF=10)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.011
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-42
CLIENT SAMPLE I.D.	MW2-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-42
CLIENT SAMPLE I.D.	MW2-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.096
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-42
CLIENT SAMPLE I.D.	MW2-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	3.25 (DF=50)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.038
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-43
CLIENT SAMPLE I.D.	MW2-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-43
CLIENT SAMPLE I.D.	MW2-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-43
CLIENT SAMPLE I.D.	MW2-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.003
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-44
CLIENT SAMPLE I.D.	MW2-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	0.005
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-44
CLIENT SAMPLE I.D.	MW2-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.287 (DF=50)
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-44
CLIENT SAMPLE I.D.	MW2-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	2.07 (DF=50)
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.058
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-45
CLIENT SAMPLE I.D.	MW2-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-45
CLIENT SAMPLE I.D.	MW2-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL TERT-BUTYL ETHER	0.012	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-45
CLIENT SAMPLE I.D.	MW2-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.007
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-46
CLIENT SAMPLE I.D.	MW2-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-40
CLIENT SAMPLE I.D.	MW2-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.003
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-46
CLIENT SAMPLE I.D.	MW2-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.010
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-47
CLIENT SAMPLE I.D.	MW2-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/04/10 DATE RECEIVED:08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-47
CLIENT SAMPLE I.D.	MW2-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3 DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-47
CLIENT SAMPLE I.D.	MW2-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.008
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-48
CLIENT SAMPLE I.D.	MW2-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-48
CLIENT SAMPLE I.D.	MW2-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.005
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3 DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-48
CLIENT SAMPLE I.D.	MW2-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.015
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-49
CLIENT SAMPLE I.D.	MW2-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-49
CLIENT SAMPLE I.D.	MW2-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.006
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-49
CLIENT SAMPLE I.D.	MW2-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.009
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-50
CLIENT SAMPLE I.D.	MW2-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-50
CLIENT SAMPLE I.D.	MW2-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.040
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-50
CLIENT SAMPLE I.D.	MW2-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.051
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-51
CLIENT SAMPLE I.D.	MW2-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-51
CLIENT SAMPLE I.D.	MW2-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-51
CLIENT SAMPLE I.D.	MW2-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.003
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-52
CLIENT SAMPLE I.D.	MW2-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-52
CLIENT SAMPLE I.D.	MW2-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-52
CLIENT SAMPLE I.D.	MW2-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3 TRICHLOROBENZENE	0.002	ND	ND
1,2,4 TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-53
CLIENT SAMPLE I.D.	MW2-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-53
CLIENT SAMPLE I.D.	MW2-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.003
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-53
CLIENT SAMPLE I.D.	MW2-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.002
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-54
CLIENT SAMPLE I.D.	MW2-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-54
CLIENT SAMPLE I.D.	MW2-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.004
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10
LAB SAMPLE I.D.	100804-54
CLIENT SAMPLE I.D.	MW2-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.002
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

QA/QC REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 10 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/03-04/10 DATE RECEIVED: 08/04/10

DATE ANALYZED	08/05/10
DATE EXTRACTED	08/05/10

SEE ATTACHED PAGES (9)

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 8/4~5/2010 **Matrix:** Soil
Method: 8260C047 **Unit:** mg/Kg (PPM) (1)
Machine: C

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 100803-92 MS/MSD

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Cis-1,2-Dichloroethene	0.00	0.050	0.054	108%	0.055	110%	2%	80-120	0-20
Ethylbenzene	0.00	0.050	0.049	98%	0.052	104%	6%	80-120	0-20
Tetrachloroethene	0.00	0.050	0.050	100%	0.042	84%	17%	80-120	0-20
Toluene	0.00	0.050	0.054	108%	0.052	104%	4%	80-120	0-20
Trichloroethene	0.00	0.050	0.051	102%	0.052	104%	2%	80-120	0-20

Lab Control Spike (LCS)

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.044	88%	80-120
Chloroform	0.050	0.050	100%	80-120
Ethylbenzene	0.050	0.050	100%	80-120
Tetrachloroethene	0.050	0.047	94%	80-120
Toluene	0.050	0.055	110%	80-120
1,1,1-Trichloroethane	0.050	0.045	90%	80-120

Continuing Calibration Check (CCC) **Calibration date:** 05/18/10

Analyte	AvgRF	CCRF	%Dev	%RSD
Chloroform	1.135	1.205	6.17	7.40
Cis-1,2-Dichloroethene	1.714	1.644	4.08	6.91
Tetrachloroethene	2.225	2.150	3.37	4.91
Toluene	1.738	1.749	0.63	5.54
1,1,1-Trichloroethane	0.825	0.889	7.76	4.72
Trichloroethene	0.578	0.570	1.38	6.38

Surrogate Recovery	spk conc	ACP%	MB %RC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.			**M-BLK**	**100803-92**	**100803-93**	**100804-17**	**100804-18**	**100804-19**	**100804-20**
Dibromofluoromethane	50.0	75-125	98%	114%	117%	102%	110%	104%	94%
Toluene-d8	50.0	75-125	85%	96%	122%	115%	100%	97%	96%
4-Bromofluorobenzene	50.0	75-125	98%	99%	95%	92%	89%	91%	89%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			**100804-21**	**100804-22**	**100804-23**	**100804-24**	**100804-25**	**100804-26**	**100804-27**
Dibromofluoromethane	50.0	75-125	101%	99%	100%	107%	95%	93%	102%
Toluene-d8	50.0	75-125	117%	95%	104%	109%	112%	102%	100%
4-Bromofluorobenzene	50.0	75-125	90%	91%	86%	89%	84%	90%	88%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			**100804-28**	**100804-29**	**100804-30**	**100804-31**	**100804-34**	**100804-35**	**100804-36**
Dibromofluoromethane	50.0	75-125	105%	99%	106%	113%	118%	112%	101%
Toluene-d8	50.0	75-125	113%	98%	107%	100%	105%	115%	92%
4-Bromofluorobenzene	50.0	75-125	88%	90%	90%	91%	93%	97%	94%

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 8/5/2010 **Matrix:** Soil
Method: 8260C047 **Unit:** mg/Kg (PPM)
Machine: C

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 100804-46 MS/MSD

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Cis-1,2-Dichloroethene	0.00	0.050	0.050	100%	0.051	102%	2%	80-120	0-20
Ethylbenzene	0.00	0.050	0.049	98%	0.049	98%	0%	80-120	0-20
Tetrachloroethene	0.00	0.050	0.045	90%	0.047	94%	4%	80-120	0-20
Toluene	0.00	0.050	0.050	100%	0.052	104%	4%	80-120	0-20
Trichloroethene	0.00	0.050	0.050	100%	0.050	100%	0%	80-120	0-20

Lab Control Spike (LCS)

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.054	108%	80-120
Chloroform	0.050	0.045	90%	80-120
Ethylbenzene	0.050	0.042	84%	80-120
Tetrachloroethene	0.050	0.041	82%	80-120
Toluene	0.050	0.056	112%	80-120
1,1,1-Trichloroethane	0.050	0.053	106%	80-120

Continuing Calibration Check (CCC) **Calibration date:** 05/18/10

Analyte	AvgRF	CCRF	%Dev	%RSD
Chloroform	1.135	1.205	6.17	7.40
Cis-1,2-Dichloroethene	1.714	1.644	4.08	6.91
Tetrachloroethene	2.225	2.150	3.37	4.91
Toluene	1.738	1.749	0.63	5.54
1,1,1-Trichloroethane	0.825	0.889	7.76	4.72
Trichloroethene	0.578	0.570	1.38	6.38

Surrogate Recovery	spk conc	ACP%	MB %RC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.			**M-BLK**	**100804-32**	**100804-33**	**100804-37**	**100804-38**	**100804-39**	**100804-40**
Dibromofluoromethane	50.0	75-125	100%	105%	105%	113%	109%	101%	107%
Toluene-d8	50.0	75-125	113%	114%	117%	121%	114%	98%	100%
4-Bromofluorobenzene	50.0	75-125	95%	94%	94%	96%	93%	91%	92%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			**100804-41**	**100804-42**	**100804-43**	**100804-44**	**100804-45**	**100804-46**	**100804-47**
Dibromofluoromethane	50.0	75-125	108%	92%	89%	112%	93%	101%	91%
Toluene-d8	50.0	75-125	97%	112%	115%	107%	94%	94%	95%
4-Bromofluorobenzene	50.0	75-125	92%	89%	95%	88%	91%	91%	88%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			**100804-48**	**100804-49**	**100804-50**	**100804-51**	**100804-52**	**100804-53**	**100804-54**
Dibromofluoromethane	50.0	75-125	93%	87%	106%	94%	104%	109%	92%
Toluene-d8	50.0	75-125	96%	101%	102%	106%	97%	95%	111%
4-Bromofluorobenzene	50.0	75-125	90%	90%	88%	91%	90%	91%	84%

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	Initia
2296	In/Surr 8260.	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	detail In Log Book A2 P. 87. X =		3/16/2010.	9/16/2010	Sil
2297	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 2.00mL = 50ppm		3/22/10	3/28/10	su
2248	CCV 8260 Mix	Name: Source: Cat #: detail Lot #: Exp. Date:	Name: Source: Cat #: In Log Book Lot #: Exp. Date:	Book A2 P. 88 =		3/23/10	9/23/10	Su
2299	8260 LCS.	Name: Source: Cat #: detail Lot #: Exp. Date:	Name: Source: Cat #: In Log Lot #: Exp. Date:	Book x A2 P. 89 =		3/23/10	9/23/10	Su
2300	Acrolein	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: Acrolein Source: Aldrich Cat #: 110221 Lot #: 15575PB Exp. Date:	0.1mL x 90% / 45.0mL = 2000ppm		3/23/10	4/23/11	Su
2301	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 2.00mL = 50ppm		3/29/10	4/6/10	Su
2302	8021 internal standard +	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	detail in Log book X = A2 P. 90		4/2/10	4/1/11	Su

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	I
2310	8141 LCS	Name: Hexane Source: Fisher Cat #: 14307-4 Lot #: 094324 Exp. Date:	Name: 9410P standards Source: Restek Cat #: 32277 Lot #: A067858 Exp. Date: 05/2010	X = 200 ppm		4/2/2010	5/31/2010	
2311	8141 CCV	Name: Hexane Source: Fisher Cat #: 14307-4 Lot #: 094324 Exp. Date:	Name: Organophosphorus Pes. Std. Source: Ultra Cat #: SPM-824 Lot #: CG-0274 Exp. Date: 5/2010	X = 200 ppm		4/2/2010	5/31/2010	
2312	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 10.00mL = 50 ppm		4/5/10'	4/12/10'	
2313	8260 OXY	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 OXY Source: Ultra Scientific Cat #: RGO-422 Lot #: CD-3554 Exp. Date: 12/30/2010	4%, 7.3% 12.5mL x / 10.0mL = 50, 91.25 ppm		4/5/10'	10/5/10'	
2314	8270 Spike I	Name: CH_2Cl_2 Source: Fisher Cat #: D37-4 Lot #: 073870 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	Check log book A2-92 X = 2000ppm	A2 S 92	4/6/10	4/6/11	
2315	8270 LCS	Name: CH_2Cl_2 Source: Fisher Cat #: D37-4 Lot #: 073870 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	X =	A2 S P3	4/6/10	5/31/11	
2316	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 10.00mL = 50ppm		4/12/10'	4/18/10'	

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	Initial
2331	Diesel CCV	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 090870 Exp. Date:	Name: Diesel Standard Source: GC 2326 Cat #: Lot #: Exp. Date: 4/30/2011	5ml x 50000ppm / 50ml = 5000 ppm		4/30/2010	4/30/2011	zd
2332	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25ml x 2000ppm / 1.00mL = 50 ppm		5/3/2010	5/10/2010	SLM
2333	Hydrolic fluid standard	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 090870 Exp. Date:	Name: Hydrolic fluid Source: Accu Standard Cat #: FU-020-P-40X Lot #: B4010233 Exp. Date: JAN/22/2014	20000ppm x 0.5ml / 5ml = 2000ppm		5/5/2010	5/4/2011	zd
2334	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25ml x 2000 ppm / 1.00mL = 50 ppm		5/10/2010	5/17/2010	SLM
2335	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25 mL x 2000 ppm / 1.00mL = 50 ppm		5/17/2010	5/24/2010	SLM
2336	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50 ppm		5/24/2010	5/31/2010	SLM
2337	8260 Inter/Surr	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Detail Cat #: Lot #: Exp. Date:	In Logbook A3 P. 96 x =		5/26/2010	10/26/2010	SLM

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation (STD V X STD Conc. / Total Volume = Final Conc.)	Ref./ Page	Prep. Date	Exp. Date	Initial
2352	8081 Degradation	Name: ~~Acetone~~ Hexane Source: Fisher Cat #: H302-4 Lot #: 094324 Exp. Date:	Name: 4,4-DDT & Endrin. Source: Accu std Cat #: M-8081-DS Lot #: 209051232-01 Exp. Date: 12/1/2010	200ppm x 25uL / 50mL = 0.1ppm		7/9/10	12/1/10	ZZ
2353	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra scientific Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 1.00mL = 50 ppm		7/12/2010	7/18/2010	sch
2354	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Scientific Cat #: DWM-544 Lot #: CD-3141 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50ppm		7/19/2010	7/26/2010	sch
2355	Glycol CCV	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 093870 Exp. Date:	Name: Mix Glycol standard Source: GC-2347 Cat #: Lot #: Exp. Date: 6/30/2010	0.05mL x 10000ppm / 5mL = 100 ppm		7/21/2010	~~7~~ 6/30/2010	sch.
2356	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Scientific Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50ppm		7/26/2010	7/31/2010	sch
2357	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Scientific Cat #: DWM-544 Lot #: CD-3151 Exp. Date:	0.25mL x 2000 ppm / 1.00mL = 50 ppm		8/2/2010	8/8/2010	sch
2358	8270 CCV	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	X = 200 ppm	43 page. 34	8/2/2010		sch

Standard Name: 8260 In/surr **Analyst:** SLh **GC #:** 2337

Preparation Date: 5/26/2010 **Expiration Date:** 10/26/2010

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume =Final Conc	Initial
8260 Internal standard	ultra	STM-330N	CE-3401	10/31/2011	0.625mL X 2000ppm / 25.0mL = 50ppm	SLh
8260 Surrogate	"	STM-341N	CE-2154	7/31/2011	0.625mL X 2000ppm / 25.0mL = 50ppm	SLh
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	

Total Standard Volume: 1.25 mL Added Solvent Volume: 23.75 mL Final Volume: 25.0 mL

Standard Name: 8260 MIX **Analyst:** SM **GC #:** 2298

Preparation Date: 3/23/10 **Expiration Date:** 9/23/10

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume =Final Conc	Initial
VOC Calibration	Cerilliant	ERS-079	ER10160701	10/2012	0.625 X 2000ppm / 25mL = 50 ppm	SM
VOC Mixture	Ultra Scientific	DWM-592-1	~~CD-2270~~ CF-0062	~~8/31/2010~~	0.625 X 2000ppm / 25mL = 50 ppm	SM
Acrolein	GC-2230			7/28/2012	0.625 X 2000ppm / 25mL = 50 ppm	SM
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	

Cerilliant® 811 Paloma Dr., Ste. A Round Rock, TX 78664 800.848.7837
VOC CALIBRATION STANDARD
Catalog #: ERS-079
Conc.: 2000 µg/mL each analyte
Solvent: 1.2 mL Methanol
Lot No.: ER101607-01
Storage: Freezer
Exp. Date: 10/12
FLAMMABLE, POISON
FOR LABORATORY USE ONLY

Total Standard Volume: 1.875mL Added Solvent Volume: 23.125mL Final Volume: 25mL

Standard Name: 8260 LCS **Analyst:** SM **GC #:** 2299

Preparation Date: 3/23/10 **Expiration Date:** 9/23/10

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc Total Volume =Final Conc	Initial
Acrolein	GL-2230				0.625 X 2000ppm = 25mL 50ppm	SM
VOC ~~Calibration Mixture~~ mixture	ultra	DWM-589	CF-2912	8/31/2010	0.625 X 2000ppm = 25mL 50 ppm	SM
Voc Mixture	ultra	DWM-592-1	CF-0062	2/28/2012	0.625 X 2000ppm = 25mL 50ppm	SM
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	

DWM-592-1
Lot: CF-0062
Exp: 02/28/2012
ULTRA 1 mL
VOC Mixture
24 analyte(s) at 2000 µg/mL in methanol
250 Smith St, No Kingstown, RI 02852 USA
For Lab Use Only

DWM-589N-1
Lot: CF-2912
Exp: 08/31/2012
ULTRA 1 mL
VOC Mixture
54 analyte(s) at 2000 µg/mL in methanol
250 Smith St, No Kingstown, RI 02852 USA
For Lab Use Only

Total Standard Volume: 1.875mL Added Solvent Volume: 23.125mL Final Volume: 25mL

(17)

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
~~0~~ 1 Week (Standard)
Other:

Misc./PO#: XLA RWQCB Format

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION 5035	VOCs 8260B	COMMENTS
MW1-5'	108047	8/3/10		Soil	4	4°C		X	
MW1-10'	-18							X	
MW1-15'	-19							X	
MW1-20'	-20							X	
MW1-25'	-21							X	
MW1-30'	-22							X	
MW1-35'	-23							X	
MW1-40'	-24							X	
MW1-45'	-25							X	
MW1-50'	-26							X	
MW1-55'	-27							X	
MW1-60'	-28							X	
MW1-65'	-29							X	
MW1-70'	-30							X	
MW1-75'	-31							X	

Analysis Required

Company Name: Fesco Eng
Address: 431 W Lambert Rd #305
City/State/Zip: Brea CA 92821

Project Contact: John Peterson
Tel: 714 256 2737
Fax:

Sampler's Signature: John Peterson
Project Name/ID: Continental Heart Treating 10-758

Relinquished by: John Peterson
Relinquished by:
Relinquished by:

Received by:
Received by:
Received by:

Date & Time: 8/4/10 1510
Date & Time:
Date & Time:

Instructions for Sample Storage After Analysis:
O Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

WHITE WITH SAMPLE • YELLOW TO CLIENT

Page 1 of 3

Date:

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
~~0~~ 1 Week (Standard)
Other:

Misc./PO#: YLA RWQCB Format

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	VOCs 8260B	COMMENTS
MW1-80'	100804-32	8/3/10		Soil	A	4°C	5035	X	
MW1-85'	-33							X	
MW1-90'	-34							X	
MW1-95'	-35							X	
MW2-5'	-36	8/4/10						X	
MW2-10'	-37							X	
MW2-15'	-38							X	
MW2-20'	-39							X	
MW2-25'	-40							X	
MW2-30'	-41							X	
MW2-35'	-42							X	
MW2-40'	-43							X	
MW2-45'	-44							X	
MW2-50'	-45							X	
MW2-55	-46							X	

Analysis Required

Company Name: Tetra Eng
Address:
City/State/Zip: Brea CA

Project Contact: John Pedersen
Tel:
Fax:

Sampler's Signature:
Project Name/ID: Continental Heat Treating

Relinquished by:
Relinquished by:
Relinquished by:

Received by:
Received by:
Received by:

Date & Time: 8/4/10 1515
Date & Time:
Date & Time:

Instructions for Sample Storage After Analysis:
O Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

WHITE WITH SAMPLE • YELLOW TO CLIENT

Date:

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
✓ 0 1 Week (Standard)
Other:

Misc./PO#: CA RWQCB Format

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION (5035)	Analysis Required: VOCs 8260B	COMMENTS
MW2-60'	100804-47	8/4/10		Soil	4	YC		X	
MW2-65'	-48							X	
MW2-70'	-49							X	
MW2-75'	-50							X	
MW2-80'	-51							X	
MW2-85'	-52							X	
MW2-90'	-53							X	
MW2-95'	-54							X	

Company Name: Fero Eng
Address:
City/State/Zip: Brea CA

Project Contact: John Peterson
Tel:
Fax:

Sampler's Signature: [signature]
Project Name/ID: Continental 10-758 Heat Treating

Relinquished by: [signature]
Relinquished by:
Relinquished by:

Received by: [signature]
Received by:
Received by:

Date & Time: 8/4/10 / 1515
Date & Time:
Date & Time:

Instructions for Sample Storage After Analysis:
✓ Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

WHITE WITH SAMPLE • YELLOW TO CLIENT

Date:

Date: August 11, 2010

Mr. John Petersen
Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

Project: **Continental Heat Treating / 10-758**
Lab ID: **100805-26 to -44**

Dear Mr. Petersen:

The **analytical results** for the soil samples received by our laboratory on August 5, 2010, are attached. All samples were received chilled, intact and accompanying chain of custody record.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Andy Wang
Lab Manager

Eric Lu, Ph.D.
Chief Chemist

LABORATORY REPORT FORM

LABORATORY NAME: ENVIRO-CHEM, INC.

ADDRESS: 1214 E. LEXINGTON AVE., POMONA, CA 91766

LABORATORY CERTIFICATION
(ELAP) No.: 1555 EXPIRATION DATE: 06/30/2011

LABORATORY DIRECTOR'S NAME: CURTIS DESILETS

LABORATORY'S DIRECTOR SIGNATURE: _____

CLIENT: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

PROJECT: Continental Heat Treating / 10-758

ANALYTICAL METHODS: EPA 5035/8260B

SAMPLING DATE(S): 08/05/10 DATE RECEIVED: 08/05/10

DATE REPORTED: 08/11/10 SAMPLE MATRIX: SOIL

EXTRACTION METHOD: SEE ATTACHMENTS

EXTRACTION MATERIAL: PER THE METHODS

CHAIN OF CUSTODY RECEIVED: YES NO

---- SAMPLE HEADSPACE DESCRIPTION (%): NOT APPLICABLE

---- SAMPLE CONTAINER MATERIAL: PRE-WEIGHED 40 ML VOA (4)

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

LABORATORY REPORT FORM (COVER PAGE 2)

ORGANIC ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	19	0

SAMPLE CONDITION: PRE-WEIGHED 40 ML VOA (4)

INORGANIC ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

MICROBIOLOGICAL ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

OTHER TYPES OF ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-26
CLIENT SAMPLE I.D.	MW3-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-26
CLIENT SAMPLE I.D.	MW3-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-26
CLIENT SAMPLE I.D.	MW3-5'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1 TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-27
CLIENT SAMPLE I.D.	MW3-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-27
CLIENT SAMPLE I.D.	MW3-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-27
CLIENT SAMPLE I.D.	MW3-10'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.004
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-28
CLIENT SAMPLE I.D.	MW3-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-28
CLIENT SAMPLE I.D.	MW3-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3 DICHLOROPROPENE	0.002	ND	ND
TRANS 1,3 DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-28
CLIENT SAMPLE I.D.	MW3-15'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.005
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-29
CLIENT SAMPLE I.D.	MW3-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-29
CLIENT SAMPLE I.D.	MW3-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-29
CLIENT SAMPLE I.D.	MW3-20'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-30
CLIENT SAMPLE I.D.	MW3-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-30
CLIENT SAMPLE I.D.	MW3-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-30
CLIENT SAMPLE I.D.	MW3-25'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-31
CLIENT SAMPLE I.D.	MW3-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-31
CLIENT SAMPLE I.D.	MW3-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-31
CLIENT SAMPLE I.D.	MW3-30'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-32
CLIENT SAMPLE I.D.	MW3-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-32
CLIENT SAMPLE I.D.	MW3-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-32
CLIENT SAMPLE I.D.	MW3-35'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-33
CLIENT SAMPLE I.D.	MW3-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-33
CLIENT SAMPLE I.D.	MW3-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.002
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-33
CLIENT SAMPLE I.D.	MW3-40'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.020
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.003
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-34
CLIENT SAMPLE I.D.	MW3-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-34
CLIENT SAMPLE I.D.	MW3-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.007
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-34
CLIENT SAMPLE I.D.	MW3-45'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.017
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.007
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-35
CLIENT SAMPLE I.D.	MW3-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-35
CLIENT SAMPLE I.D.	MW3-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3 DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-35
CLIENT SAMPLE I.D.	MW3-50'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.015
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4 TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.009
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-36
CLIENT SAMPLE I.D.	MW3-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-36
CLIENT SAMPLE I.D.	MW3-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.003
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-36
CLIENT SAMPLE I.D.	MW3-55'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.005
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1 TRICHLOROETHANE	0.002	ND	ND
1,1,2 TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.007
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-37
CLIENT SAMPLE I.D.	MW3-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-37
CLIENT SAMPLE I.D.	MW3-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.029
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-37
CLIENT SAMPLE I.D.	MW3-60'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	0.031
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4 TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2 TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.072
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-38
CLIENT SAMPLE I.D.	MW3-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-38
CLIENT SAMPLE I.D.	MW3-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-38
CLIENT SAMPLE I.D.	MW3-65'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4 TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-39
CLIENT SAMPLE I.D.	MW3-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-39
CLIENT SAMPLE I.D.	MW3-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-39
CLIENT SAMPLE I.D.	MW3-70'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4 TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-40
CLIENT SAMPLE I.D.	MW3-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-40
CLIENT SAMPLE I.D.	MW3-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	0.033
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-40
CLIENT SAMPLE I.D.	MW3-75'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	0.004
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-41
CLIENT SAMPLE I.D.	MW3-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-41
CLIENT SAMPLE I.D.	MW3-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS 1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	0.002
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-41
CLIENT SAMPLE I.D.	MW3-80'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-42
CLIENT SAMPLE I.D.	MW3-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	10*

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-42
CLIENT SAMPLE I.D.	MW3-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	10*

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3 DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	0.025
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-42
CLIENT SAMPLE I.D.	MW3-85'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	10*

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5 TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL
* = DILUTED 10X DUE TO MATRIX INTERFERENCE (SEE ATTACHED)

DATA APPROVED BY: _____

Data Path : D:\Data\C100805\
Data File : C10080555.D
Acq On : 6 Aug 2010 7:27 pm
Operator :
Sample : 100805- 42 5035 0.5G 10X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 06 20:07:05 2010
Quant Method : D:\Methods\8260C047.M
Quant Title : VOCs Method for 524.2
QLast Update : Tue May 18 14:20:20 2010
Response via : Initial Calibration

* MATRIX INTERFERENCE (@ DF=10)



LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-43
CLIENT SAMPLE I.D.	MW3-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 2 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-43
CLIENT SAMPLE I.D.	MW3-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-43
CLIENT SAMPLE I.D.	MW3-90'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1 TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX:SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED:08/05/10 DATE RECEIVED:08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-44
CLIENT SAMPLE I.D.	MW3-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
ACETONE	0.008	ND	ND
BENZENE	0.002	ND	ND
BROMOBENZENE	0.002	ND	ND
BROMOCHLOROMETHANE	0.002	ND	ND
BROMODICHLOROMETHANE	0.002	ND	ND
BROMOFORM	0.002	ND	ND
BROMOMETHANE	0.002	ND	ND
2-BUTANONE (MEK)	0.008	ND	ND
N-BUTYLBENZENE	0.002	ND	ND
SEC-BUTYLBENZENE	0.002	ND	ND
TERT-BUTYLBENZENE	0.002	ND	ND
CARBON DISULFIDE	0.008	ND	ND
CARBON TETRACHLORIDE	0.002	ND	ND
CHLOROBENZENE	0.002	ND	ND
CHLOROETHANE	0.002	ND	ND
CHLOROFORM	0.002	ND	ND
CHLOROMETHANE	0.002	ND	ND
2-CHLOROTOLUENE	0.002	ND	ND
4-CHLOROTOLUENE	0.002	ND	ND
DIBROMOCHLOROMETHANE	0.002	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.002	ND	ND
1,2-DIBROMOETHANE	0.002	ND	ND
DIBROMOMETHANE	0.002	ND	ND
1,2-DICHLOROBENZENE	0.002	ND	ND
1,3-DICHLOROBENZENE	0.002	ND	ND
1,4-DICHLOROBENZENE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
 PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-44
CLIENT SAMPLE I.D.	MW3-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.002	ND	ND
1,1-DICHLOROETHANE	0.002	ND	ND
CIS-1,2-DICHLOROETHENE	0.002	ND	ND
TRANS-1,2-DICHLOROETHENE	0.002	ND	ND
1,2-DICHLOROPROPANE	0.002	ND	ND
1,2-DICHLOROETHANE	0.002	ND	ND
1,1-DICHLOROETHENE	0.002	ND	ND
1,3-DICHLOROPROPANE	0.002	ND	ND
2,2-DICHLOROPROPANE	0.002	ND	ND
1,1-DICHLOROPROPENE	0.002	ND	ND
CIS-1,3-DICHLOROPROPENE	0.002	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.002	ND	ND
ETHYLBENZENE	0.002	ND	ND
2-HEXANONE	0.008	ND	ND
HEXACHLOROBUTADIENE	0.002	ND	ND
IODOMETHANE	0.002	ND	ND
ISOPROPYLBENZENE	0.002	ND	ND
4-ISOPROPYLTOLUENE	0.002	ND	ND
4-METHYL-2-PENTANONE (MIBK)	0.008	ND	ND
METHYL tert-BUTYL ETHER	0.002	ND	ND
METHYLENE CHLORIDE	0.004	ND	ND
NAPHTHALENE	0.002	ND	ND
N-PROPYLBENZENE	0.002	ND	ND
STYRENE	0.002	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.002	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 3 OF 3 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10
LAB SAMPLE I.D.	100805-44
CLIENT SAMPLE I.D.	MW3-95'
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5035
DILUTION FACTOR (DF)	1

COMPOUND	CRDL	MB	RESULT
1,1,2,2-TETRACHLOROETHANE	0.002	ND	ND
TETRACHLOROETHENE (PCE)	0.002	ND	ND
TOLUENE	0.002	ND	ND
1,2,3-TRICHLOROBENZENE	0.002	ND	ND
1,2,4-TRICHLOROBENZENE	0.002	ND	ND
1,1,1-TRICHLOROETHANE	0.002	ND	ND
1,1,2-TRICHLOROETHANE	0.002	ND	ND
TRICHLOROETHENE (TCE)	0.002	ND	ND
TRICHLOROFLUOROMETHANE	0.002	ND	ND
1,2,3-TRICHLOROPROPANE	0.002	ND	ND
1,2,4-TRIMETHYLBENZENE	0.002	ND	ND
1,3,5-TRIMETHYLBENZENE	0.002	ND	ND
VINYL CHLORIDE	0.002	ND	ND
M,P-XYLENE	0.004	ND	ND
O-XYLENE	0.002	ND	ND

MG/KG = MILLIGRAM PER KILOGRAM = PPM
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

QA/QC REPORT

METHOD: EPA 8260B MATRIX: SOIL REPORTING UNIT: MG/KG (PPM)
PAGE: 1 OF 9 PAGES PROJECT: Continental Heat Treating / 10-758

CUSTOMER: Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/05/10 DATE RECEIVED: 08/05/10

DATE ANALYZED	08/06/10
DATE EXTRACTED	08/06/10

SEE ATTACHED PAGES (9)

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

(1)

Date Analyzed: 8/6/2010 **Matrix:** Soil
Method: 8260C047 **Unit:** mg/Kg (PPM)
Machine: C

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 100805-26 MS/MSD

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Cis-1,2-Dichloroethene	0.00	0.050	0.052	104%	0.052	104%	0%	80-120	0-20
Ethylbenzene	0.00	0.050	0.049	98%	0.047	94%	4%	80-120	0-20
Tetrachloroethene	0.00	0.050	0.052	104%	0.049	98%	6%	80-120	0-20
Toluene	0.00	0.050	0.050	100%	0.050	100%	0%	80-120	0-20
Trichloroethene	0.00	0.050	0.052	104%	0.050	100%	4%	80-120	0-20

Lab Control Spike (LCS)

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.050	100%	80-120
Chloroform	0.050	0.050	100%	80-120
Ethylbenzene	0.050	0.049	98%	80-120
Tetrachloroethene	0.050	0.047	94%	80-120
Toluene	0.050	0.051	102%	80-120
1,1,1-Trichloroethane	0.050	0.049	98%	80-120

Continuing Calibration Check (CCC) **Calibration date:** 05/18/10

Analyte	AvgRF	CCRF	%Dev	%RSD
Chloroform	1.135	1.205	6.17	7.40
Cis-1,2-Dichloroethene	1.714	1.644	4.08	6.91
Tetrachloroethene	2.225	2.150	3.37	4.91
Toluene	1.738	1.749	0.63	5.54
1,1,1-Trichloroethane	0.825	0.889	7.76	4.72
Trichloroethene	0.578	0.570	1.38	6.38

Surrogate Recovery	spk conc	ACP%	MB %RC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.			**M-BLK**	**100805-26**	**100805-27**	**100805-28**	**100805-29**	**100805-30**	**100805-31**
Dibromofluoromethane	50.0	75-125	99%	102%	113%	113%	110%	112%	109%
Toluene-d8	50.0	75-125	94%	95%	96%	93%	97%	103%	111%
4-Bromofluorobenzene	50.0	75-125	89%	88%	89%	86%	88%	86%	91%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			**100805-32**	**100805-33**	**100805-34**	**100805-35**	**100805-36**	**100805-37**	**100805-38**
Dibromofluoromethane	50.0	75-125	106%	104%	104%	93%	108%	100%	104%
Toluene-d8	50.0	75-125	94%	100%	102%	105%	97%	95%	118%
4-Bromofluorobenzene	50.0	75-125	87%	89%	84%	84%	87%	85%	88%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			**100805-39**	**100805-40**	**100805-41**	**100805-42**	**100805-43**	**100805-44**	
Dibromofluoromethane	50.0	75-125	99%	105%	114%	96%	96%	92%	
Toluene-d8	50.0	75-125	108%	106%	82%	88%	101%	102%	
4-Bromofluorobenzene	50.0	75-125	91%	88%	103%	103%	90%	92%	

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: Sih

Final Reviewer: OR

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation (STD V X STD Conc. / Total Volume = Final Conc.)	Ref./ Page	Prep. Date	Exp. Date	Init.
2296	In/Surr 8260.	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	detail In Log Book A2 P. 87.		3/16/2010.	9/16/2010	Sz
2297	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 2.00mL = 50ppm		3/22/10	3/28/10	Sc
2298	CCV 8260 Mix	Name: Source: Cat #: detail Lot #: Exp. Date:	Name: Source: Cat #: In Log Book A2 P. 88 Lot #: Exp. Date:			3/23/10	9/23/10	S
2299	8260 LCS.	Name: Source: Cat #: detail Lot #: Exp. Date:	Name: Source: In Log Cat #: Lot #: Exp. Date:	Book x A2 P. 89 =		3/23/10	9/23/10	S
2300	Acrolein	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: Acrolein Source: Aldrich Cat #: 110221 Lot #: 15575PB Exp. Date:	0.1mL x 90% / 45.0mL = 2000ppm		3/23/10	4/23/11	S
2301	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 2.00mL = 50ppm		3/29/10	4/6/10	
2302	8021 internal standard +	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	detail in Log book A2 P. 90		4/2/10	4/1/11	c

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date
2310	8141 LCS	Name: Hexane Source: Fisher Cat #: H307-4 Lot #: 094324 Exp. Date:	Name: 8141OP standards. Source: Restek Cat #: 32277 Lot #: A067858 Exp. Date: 05/2010	X = 200 ppm		4/2/2010	5/31/2010
2311	8141 CCV	Name: Hexane Source: Fisher Cat #: H307-4 Lot #: 094324 Exp. Date:	Name: Organophosphorus Pes. Std. Source: Ultra Cat #: SPM-824 Lot #: CG-0274 Exp. Date: 5/2010	X = 200 ppm		4/2/2010	5/31/2010
2312	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CD3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 10.00mL = 50 ppm		4/5/10'	4/12/10'
2313	8260 OXY	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 OXY Source: Ultra Scientific Cat #: RGO-422 Lot #: CD-3554 Exp. Date: 12/30/2010	4%, 7.3% 12.5mL x / 10.0mL = 50, 91.25 ppm		4/5/10'	10/5/10'
2314	8270 Spike I	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 093870 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	Check log book A2-92 X = 2000ppm	A2 S 92	4/6/10	4/6/11
2315	8270 LCS	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 093870 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	X =	A2 S P3	4/6/10	5/31/11
2316	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 10.00mL = 50ppm		4/12/10'	4/18/10'

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	Initia
2331	Diesel CCV	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 090870 Exp. Date:	Name: Diesel Standard Source: GC2326 Cat #: Lot #: Exp. Date: 4/30/2011	2ml x 50000ppm / 50ml = 2000 ppm		4/30/2010	4/30/2011	ZD
2332	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 1.00mL = 50 ppm		5/3/2010	5/10/2010	SLL
2333	Hydrolic fluid standard	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 090870 Exp. Date:	Name: Hydrolic fluid Source: Accu Standard Cat #: FU-020-P-40X Lot #: B4010233 Exp. Date: JAN/22/2014	20000ppm x 0.5ml / 5ml = 2000ppm		5/5/2010	5/4/2011	ZD
2334	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50 ppm		5/10/2010	5/17/2010	SLL
2335	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25 mL x 2000 ppm / 1.00mL = 50 ppm		5/17/2010	5/24/2010	SLL
2336	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CP-3151 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50 ppm		5/24/2010	5/31/2010	SLL
2337	8260 Inter/Surr	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Detail Cat #: Lot #: Exp. Date:	In Logbook A3 P. 96 x =		5/26/2010	10/26/2010	SLL

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation (STD V X STD Conc. / Total Volume = Final Conc.)	Ref./ Page	Prep. Date	Exp. Date	Initial
2352	8081 Degradation	Name: ~~Accu Std~~ Hexane Source: Fisher Cat #: H302-4 Lot #: 094324 Exp. Date:	Name: 4,4-DDT & Endrin. Source: Accu std. Cat #: M-8081-DS Lot #: 209051232-01 Exp. Date: 12/1/2010	200ppm x 25uL / 50mL = 0.1ppm		7/9/10	12/1/10	ZZ
2353	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra scientific Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 1.00mL = 50 ppm		7/12/2010	7/18/2010	SCH
2354	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Scientific Cat #: DWM-544 Lot #: CD-3141 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50ppm		7/19/2010	7/26/2010	SCH
2355	Glycol CCV	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 093870 Exp. Date:	Name: Mix Glycol standard Source: GC-2347 Cat #: Lot #: Exp. Date: 6/30/2010	0.05mL x 10000ppm / 5mL = 100 ppm		7/21/2010	~~7~~ 6/30/2010	SCH
2356	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Scientific Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50ppm		7/26/2010	7/31/2010	SCH
2357	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Scientific Cat #: DWM-544 Lot #: CD-3151 Exp. Date:	0.25mL x 2000 ppm / 1.00mL = 50 ppm		8/2/2010	8/8/2010	SCH
2358	8270 CCV	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	X = 200 ppm	A3 page. 3	8/2/2010		SCH

Standard Name: 8260 In/surr **Analyst:** SLh **GC #:** 2337

Preparation Date: 5/26/2010 **Expiration Date:** 10/26/2010

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume =Final Conc	Initial
8260 Internal standard	ultra	STM-330N	CE-3401	10/31/2011	0.625mL X 2000ppm / 25.0mL = 50ppm	SLh
8260 Surrogate	"	STM-341N	CE-2154	7/31/2011	0.625mL X 2000ppm / 25.0mL = 50ppm	SLh
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	

Total Standard Volume: 1.25 mL Added Solvent Volume: 23.75 mL Final Volume: 25.0 mL

Standard Name: 8260 MIX **Analyst:** SM **GC #:** 2298

Preparation Date: 3/23/10 **Expiration Date:** 9/23/10

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume =Final Conc	Initial
VOC Calibration	Cerilliant	ERS-079	ER10160701	10/2012	0.625 X 2000ppm / 25mL = 50 ppm	SM
VOC Mixture	Ultra Scientific	DWM-592-1	~~CD-2270~~ CT-0062	~~8/31/2010~~	0.625 X 2000ppm / 25mL = 50 ppm	SM
Acrolein	GC-2230			7/28/2012	0.625 X 2000ppm / 25mL = 50 ppm	SM
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	

Cerilliant 811 Paloma Dr., Ste. A Round Rock, TX 78664 800.848.7837
VOC CALIBRATION STANDARD
Catalog # ERS-079
Conc. 2000 µg/mL each analyte
Solvent 1.2 mL Methanol
Lot No. ER101607-01
Storage Freezer
Exp. Date 10/12
FLAMMABLE POISON
FOR LABORATORY USE ONLY

Total Standard Volume: 1.875mL Added Solvent Volume: 23.125mL Final Volume: 25mL

11

Standard Name: 8260 LCS **Analyst:** SM **GC #:** 2299

Preparation Date: 3/23/10 **Expiration Date:** 9/23/10

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume =Final Conc	Initial
Acrolein	GL-2230				0.625 X 2000ppm / 25mL = 50ppm	SM
VOC ~~Calibration Mixture~~ mixture	ultra	DWM-589	CF-2912	8/31/2010	0.625 X 2000ppm / 25mL = 50 ppm	SM
Voc Mixture	ultra	DWM-592-1	CF-0062	2/28/2012	0.625 X 2000ppm / 25mL = 50ppm	SM
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	

DWM-592-1
Lot: CF-0062
Exp: 02/28/2012
ULTRA 1 mL
VOC Mixture
24 analyte(s) at 2000 µg/mL in methanol
250 Smith St, Ste Kingstown, RI 02852 USA
For Lab Use Only

DWM-589N-1
Lot: CF-2912
Exp: 08/31/2012
ULTRA 1 mL
VOC Mixture
54 analyte(s) at 2000 µg/mL in methanol
250 Smith St, Ste Kingstown, RI 02852 USA
For Lab Use Only

Total Standard Volume: 1.875mL Added Solvent Volume: 23.125mL Final Volume: 25mL

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
0 1 Week (Standard)
Other:

Misc./PO#: LA RWQCB Format

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	VOCs 8260B	COMMENTS
MW3-80'	0805-41	8/5/10		Soil	4		5035	X	
MW3-85'	-42	↓		↓	↓		↓	X	
MW3-90	-43	↓		↓	↓		↓	X	
MW3-95'	-44	↓		↓	↓		↓	X	

Company Name: Fevo Eng
Address: 431 W. Lambert Rd #302
City/State/Zip: Brea CA 928

Project Contact: John Peterser
Tel: 7142562737
Fax:

Sampler's Signature: John Peterser
Project Name/ID: Continental Heat Treating 10-758

Relinquished by: John Peterser
Relinquished by:
Relinquished by:

Received by:
Received by:
Received by:

Date & Time: 8/5/10 1350
Date & Time: 8/5/10 1350
Date & Time:

Instructions for Sample Storage After Analysis:
✓ Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

Date:

WHITE WITH SAMPLE • YELLOW TO CLIENT

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
✓ 1 Week (Standard)
Other:

Misc./PO# # LA RWQCB Format

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	VOCs 8260B	COMMENTS
MW3-5'	00805-26	8/5/10		Soil	4		ICE	X	
MW3-10'	-27	↓		↓	↓		↓	X	
MW3-15'	-28							X	
MW3-20'	-29							X	
MW3-25'	-30							X	
MW3-30'	-31							X	
MW3-35'	-32							X	
MW3-40'	-33							X	
MW3-45'	-34							X	
MW3-50'	-35							X	
MW3-55'	-36							X	
MW3-60'	-37							X	
MW3-65'	-38							X	
MW3-70'	-39							X	
MW3-75'	-40	↓		↓	↓		↓	X	

Analysis Required

Company Name: Fero Eng
Address: 431 W. Lambert Rd #305
City/State/Zip: Brea, CA 92821

Project Contact: John Peterser
Tel: 7142562737
Fax:

Sampler's Signature: John Peterser
Project Name/ID: Continental Heat Treating 10-758

Relinquished by:	Received by:	Date & Time: 8/5/10 1350	Instructions for Sample Storage After Analysis:
Relinquished by:	Received by:	Date & Time: 8/6/10 1:50	✓ Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

WHITE WITH SAMPLE • YELLOW TO CLIENT

Date: _____

Attachment D

Survey

Attachment E

Well Purge Data

FERO
10643 NORWALK BLVD
SANTA FE SPRINGS, CA

WELL	ELEV	DESC	NORTH	EAST
MW-1	137.07	2" PVC (N)	1799357.8	6539284.4
MW-1	137.52	RIM		
MW-1	137.51	ASPHALT		
MW-2	137.43	2" PVC (N)	1799506.3	6539246.5
MW-2	137.89	RIM		
MW-2	137.88	ASPHALT		
MW-3	137.71	2" PVC (N)	1799488.3	6539559.7
MW-3	138.16	RIM		
MW-3	138.1	GROUND		



BENCHMARK:

VERTICAL DATUM NAVD88

COUNTY OF LOS ANGELES BM #Y9667, RDBM TAG IN N WALL C. B.
20' N/O BCR AT NW COR NORWALK BLVD AND FLORENCE AVE

2005 ELEV= 136.173 FEET NAVD88

HORIZONTAL DATUM NAD83, ZONE 5

NGS PID STATIONS AI4489 AND AJ1841 EPOCH DATE 2000.35

Prepared by:
DULIN and BOYNTON

Date of Survey:
10 AUG 10

GLOBAL_ID	FIELD_PT_NAME	ELEV_SURVEY_DATE	ELEVATION	ELEV_METHOD	ELEV_DATUM	ELEV_ACC_VAL	ELEV_SURVEY_ORG	RISER_HT	ELEV_DESC	EFFECTIVE_DATE
	MW-1 2" PVC (N)	8/10/2010	137.07	DIG	88	3	DOUGLAS BOYNTON PLS, LS4787	-0.44	COUNTY OF LA BM #Y9667 2005 ELEV= 136.173 FEET	
	MW-2 2" PVC (N)	8/10/2010	137.43	DIG	88	3	DOUGLAS BOYNTON PLS, LS4787	-0.45	COUNTY OF LA BM #Y9667 2005 ELEV= 136.173 FEET	
	MW-3 2" PVC (N)	8/10/2010	137.71	DIG	88	3	DOUGLAS BOYNTON PLS, LS4787	-0.39	COUNTY OF LA BM #Y9667 2005 ELEV= 136.173 FEET	

LICENSED LAND SURVEYOR
DOUGLAS A. BOYNTON
EXP. 30 SEP 12
L.S. 4787
STATE OF CALIFORNIA

GLOBAL_ID	FIELD_PT_NAME	FIELD_PT_CLASS	XY_SURVEY_DATE	LATITUDE	LONGITUDE	XY_METHOD	XY_DATUM	XY_ACC_VAL	XY_SURVEY_ORG	GPS_EQUIP_TYPE	XY_SURVEY_DESC	EFFECTIVE_DATE
	MW-1		8/10/2010	33.9367101	-118.0737883	CGPS	NAD83	20	DOUGLAS BOYNTON PLS, LS4787	L399	NGS PID AI4489 AND AJ1841 EPOCH DATE 2000.35	
	MW-2		8/10/2010	33.9371181	-118.0739136	CGPS	NAD83	20	DOUGLAS BOYNTON PLS, LS4787	L399	NGS PID AI4489 AND AJ1841 EPOCH DATE 2000.35	
	MW-3		8/10/2010	33.9370691	-118.0728810	CGPS	NAD83	20	DOUGLAS BOYNTON PLS, LS4787	L399	NGS PID AI4489 AND AJ1841 EPOCH DATE 2000.35	

LICENSED LAND SURVEYOR
DOUGLAS A. BOYNTON
EXP. 30 SEP 12
L.S. 4787
STATE OF CALIFORNIA

Groundwater Well Monitoring Data

Site: Continental Heat Treating **Job Number:** 10-0758

Well I.D.: Well MW1 **Date:** 08/20/10

Purge Data

Volume (gal.)	Temp (F)	pH	Conduc. (µmho)
10	79	7.07	1552
20	77.2	7.06	1558
30	76.6	7.09	1543
40	76.2	7.10	1510
50	75.8	7.10	1510

Groundwater Well Monitoring Data

Site: Continental Heat Treating **Job Number:** 10-758

Well I.D.: Well MW2 **Date:** 08/20/10

Purge Data

Volume (gal.)	Temp (F)	pH	Conduc. (μmho)
10	77.8	7.16	2500
20	76.5	7.18	2480
30	76.3	7.20	2470
40	76.0	7.23	2470
50	75.9	7.22	2460

Groundwater Well Monitoring Data

Site: Continental Heat Treating

Job Number: 10-0758

Well I.D.: Well MW3

Date: 08/20/10

Purge Data

Volume (gal.)	Temp (F)	pH	Conduc. (μmho)
10	77.5	7.06	1702
20	75.7	7.12	1649
30	75.2	7.15	1592
40	75.4	7.16	1676
50	75.5	7.17	1622

Attachment F

Groundwater Analytical Data
and Chain of Custody Documentation

Date: August 27, 2010

Mr. John Petersen
Fero Environmental Engineering, Inc.
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

Project: **Continental Heat Treating / 10-758**
Lab ID: **100820-157 to -159**

Dear Mr. Petersen:

The **analytical results** for the water samples, received by our laboratory on August 20, 2010, are attached. All samples were received chilled, intact, and accompanying chain of custody record.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Andy Wang
Laboratory Manager

Eric Lu, Ph.D.
Chief Chemist

LABORATORY REPORT FORM

LABORATORY NAME: ENVIRO-CHEM, INC.

ADDRESS: 1214 E. LEXINGTON AVE., POMONA, CA 91766

LABORATORY CERTIFICATION
(ELAP) No.: 1555 EXPIRATION DATE: 06/30/2011

LABORATORY DIRECTOR'S NAME: CURTIS DESILETS

LABORATORY'S DIRECTOR SIGNATURE:

CLIENT: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

PROJECT: **Continental Heat Treating / 10-758**

ANALYTICAL METHODS: EPA 5030B/8260B(VOCs)

SAMPLING DATE(S): 08/20/10 DATE RECEIVED: 08/20/10

DATE REPORTED: 08/27/10 SAMPLE MATRIX: WATER

EXTRACTION METHOD: SEE ATTACHMENTS

EXTRACTION MATERIAL: PER THE METHODS

CHAIN OF CUSTODY RECEIVED: (YES) NO

---- SAMPLE HEADSPACE DESCRIPTION (%): 0 %

---- SAMPLE CONTAINER MATERIAL: 40 ML VOA VIALS (6)
1 L AMBER JAR (1)

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

LABORATORY REPORT FORM (COVER PAGE 2)

ORGANIC ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	3	0

SAMPLE CONDITION: CHILLED, INTACT, % HEADSPACE: 0%

INORGANIC ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

MICROBIOLOGICAL ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

OTHER TYPES OF ANALYSES	# OF SAMPLES	# OF SAMPLES SUBCONTRACTED
	0	0

SAMPLE CONDITION:

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 1 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/23/10
DATE EXTRACTED	08/23/10
LAB SAMPLE I.D.	100820-1[illegible]
CLIENT SAMPLE I.D.	**MW1**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (15 MLs PURGED)

COMPOUND	**CRDL**	**MB**	**RESULT**
ACETONE	2.0	ND	ND
BENZENE	0.5	ND	ND
BROMOBENZENE	0.5	ND	ND
BROMOCHLOROMETHANE	0.5	ND	ND
BROMODICHLOROMETHANE	0.5	ND	ND
BROMOFORM	0.5	ND	ND
BROMOMETHANE	0.5	ND	ND
2-BUTANONE (MEK)	2.0	ND	ND
N-BUTYLBENZENE	0.5	ND	ND
SEC-BUTYLBENZENE	0.5	ND	ND
TERT BUTYLBENZENE	0.5	ND	ND
CARBON DISULFIDE	2.0	ND	ND
CARBON TETRACHLORIDE	0.5	ND	ND
CHLOROBENZENE	0.5	ND	ND
CHLOROETHANE	0.5	ND	ND
CHLOROFORM	0.5	ND	0.97
CHLOROMETHANE	0.5	ND	ND
2-CHLOROTOLUENE	0.5	ND	ND
4-CHLOROTOLUENE	0.5	ND	ND
DIBROMOCHLOROMETHANE	0.5	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.5	ND	ND
1,2 DIBROMOETHANE	0.5	ND	ND
DIBROMOMETHANE	0.5	ND	ND
1,2 DICHLOROBENZENE	0.5	ND	ND
1,3-DICHLOROBENZENE	0.5	ND	ND
1,4 DICHLOROBENZENE	0.5	ND	ND

CONTINUED

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 2 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/23/10
DATE EXTRACTED	08/23/10
LAB SAMPLE I.D.	100820-157
CLIENT SAMPLE I.D.	**MW1**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (10 MLs PURGED)

COMPOUND	**CRDL**	**MB**	**RESULT**
DICHLORODIFLUOROMETHANE	0.5	ND	ND
1,1-DICHLOROETHANE	0.5	ND	17.4
CIS-1,2-DICHLOROETHENE	0.5	ND	12.2
TRANS-1,2-DICHLOROETHENE	0.5	ND	ND
1,2-DICHLOROPROPANE	0.5	ND	ND
1,2-DICHLOROETHANE	0.5	ND	[illegible]
1,1-DICHLOROETHENE	0.5	ND	324 (DF=5)
1,3-DICHLOROPROPANE	0.5	ND	ND
2,2-DICHLOROPROPANE	0.5	ND	ND
1,1-DICHLOROPROPENE	0.5	ND	ND
CIS-1,3-DICHLOROPROPENE	0.5	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.5	ND	ND
ETHYLBENZENE	0.5	ND	ND
2-HEXANONE	2.0	ND	ND
HEXACHLOROBUTADIENE	0.5	ND	ND
IODOMETHANE	0.5	ND	ND
ISOPROPYLBENZENE	0.5	ND	ND
4-ISOPROPYLTOLUENE	0.5	ND	ND
4-METHYL-2-PENTANONE (MIBK)	2.0	ND	ND
METHYL tert-BUTYL ETHER	0.5	ND	ND
METHYLENE CHLORIDE	2.0	ND	ND
NAPHTHALENE	0.5	ND	ND
N-PROPYLBENZENE	0.5	ND	ND
STYRENE	0.5	ND	ND
1,1,1,2-TETRACHLOROETHANE	0.5	ND	ND

CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 3 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/23/10
DATE EXTRACTED	08/23/10
LAB SAMPLE I.D.	100820-157
CLIENT SAMPLE I.D.	**MW1**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (10 ML PURGED)

COMPOUND	**CRDL**	**MB**	**RESULT**
1,1,2,2 TETRACHLOROETHANE	0.5	ND	ND
TETRACHLOROETHENE (PCE)	0.5	ND	184
TOLUENE	0.5	ND	ND
1,2,3 TRICHLOROBENZENE	0.5	ND	ND
1,2,4-TRICHLOROBENZENE	0.5	ND	ND
1,1,1-TRICHLOROETHANE	0.5	ND	ND
1,1,2-TRICHLOROETHANE	0.5	ND	ND
TRICHLOROETHENE (TCE)	0.5	ND	154
TRICHLOROFLUOROMETHANE	0.5	ND	2.79
1,2,3-TRICHLOROPROPANE	0.5	ND	ND
1,2,4 TRIMETHYLBENZENE	0.5	ND	ND
1,3,5 TRIMETHYLBENZENE	0.5	ND	ND
VINYL CHLORIDE	0.5	ND	5.96
M,P-XYLENE	1.0	ND	ND
O-XYLENE	0.5	ND	ND

uG/L = MICROGRAM PER LITER = PPB
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 1 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/24/10
DATE EXTRACTED	08/24/10
LAB SAMPLE I.D.	100820-158
CLIENT SAMPLE I.D.	**MW2**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (15 ML PURGED)

COMPOUND	**CRDL**	**MB**	**RESULT**
ACETONE	2.0	ND	ND
BENZENE	0.5	ND	ND
BROMOBENZENE	0.5	ND	ND
BROMOCHLOROMETHANE	0.5	ND	ND
BROMODICHLOROMETHANE	0.5	ND	ND
BROMOFORM	0.5	ND	ND
BROMOMETHANE	0.5	ND	ND
2-BUTANONE (MEK)	2.0	ND	ND
N-BUTYLBENZENE	0.5	ND	ND
SEC-BUTYLBENZENE	0.5	ND	ND
TERT-BUTYLBENZENE	0.5	ND	ND
CARBON DISULFIDE	2.0	ND	ND
CARBON TETRACHLORIDE	0.5	ND	ND
CHLOROBENZENE	0.5	ND	ND
CHLOROETHANE	0.5	ND	ND
CHLOROFORM	0.5	ND	1.7[illegible]
CHLOROMETHANE	0.5	ND	ND
2-CHLOROTOLUENE	0.5	ND	ND
4-CHLOROTOLUENE	0.5	ND	ND
DIBROMOCHLOROMETHANE	0.5	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.5	ND	ND
1,2-DIBROMOETHANE	0.5	ND	ND
DIBROMOMETHANE	0.5	ND	ND
1,2-DICHLOROBENZENE	0.5	ND	ND
1,3-DICHLOROBENZENE	0.5	ND	ND
1,4-DICHLOROBENZENE	0.5	ND	0.7[illegible]

CONTINUED

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 2 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/24/10
DATE EXTRACTED	08/24/10
LAB SAMPLE I.D.	100820-158
CLIENT SAMPLE I.D.	**MW2**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (5 ML PURGED)

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.5	ND	ND
1,1 DICHLOROETHANE	0.5	ND	21.8
CIS-1,2-DICHLOROETHENE	0.5	ND	59.6
TRANS-1,2-DICHLOROETHENE	0.5	ND	0.76
1,2-DICHLOROPROPANE	0.5	ND	ND
1,1 DICHLOROETHANE	0.5	ND	5.43
1,1-DICHLOROETHENE	0.5	ND	126
1,3-DICHLOROPROPANE	0.5	ND	ND
2,2 DICHLOROPROPANE	0.5	ND	ND
1,1-DICHLOROPROPENE	0.5	ND	ND
CIS-1,3-DICHLOROPROPENE	0.5	ND	ND
TRANS-1,3 DICHLOROPROPENE	0.5	ND	ND
ETHYLBENZENE	0.5	ND	ND
2-HEXANONE	2.0	ND	ND
HEXACHLOROBUTADIENE	0.5	ND	1.14
IODOMETHANE	0.5	ND	ND
ISOPROPYLBENZENE	0.5	ND	ND
4 ISOPROPYLTOLUENE	0.5	ND	ND
4-METHYL-2-PENTANONE (MIBK)	2.0	ND	ND
METHYL tert BUTYL ETHER	0.5	ND	ND
METHYLENE CHLORIDE	2.0	ND	ND
NAPHTHALENE	0.5	ND	2.47
N-PROPYLBENZENE	0.5	ND	ND
STYRENE	0.5	ND	ND
1,1,1,2 TETRACHLOROETHANE	0.5	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 3 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/24/10
DATE EXTRACTED	08/24/10
LAB SAMPLE I.D.	100820-158
CLIENT SAMPLE I.D.	**MW2**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (15 MLs PURGED)

COMPOUND	**CRDL**	**MB**	**RESULT**
1,1,2,2-TETRACHLOROETHANE	0.5	ND	0.92
TETRACHLOROETHENE (PCE)	0.5	ND	235 (DF=5)
TOLUENE	0.5	ND	ND
1,2,3-TRICHLOROBENZENE	0.5	ND	2.72
1,2,4-TRICHLOROBENZENE	0.5	ND	1.24
1,1,1-TRICHLOROETHANE	0.5	ND	ND
1,1,2-TRICHLOROETHANE	0.5	ND	ND
TRICHLOROETHENE (TCE)	0.5	ND	178
TRICHLOROFLUOROMETHANE	0.5	ND	9.49
1,2,3-TRICHLOROPROPANE	0.5	ND	ND
1,2,4-TRIMETHYLBENZENE	0.5	ND	ND
1,3,5-TRIMETHYLBENZENE	0.5	ND	ND
VINYL CHLORIDE	0.5	ND	0.89
M,P-XYLENE	1.0	ND	ND
O-XYLENE	0.5	ND	ND

uG/L = MICROGRAM PER LITER = PPB
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON-DETECTED OR BELOW THE CRDL

DATA APPROVED BY: _____

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 1 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/24/10
DATE EXTRACTED	08/24/10
LAB SAMPLE I.D.	100820 159
CLIENT SAMPLE I.D.	MW3
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (15 MLs PURGED)

COMPOUND	CRDL	MB	RESULT
ACETONE	2.0	ND	ND
BENZENE	0.5	ND	4.50
BROMOBENZENE	0.5	ND	ND
BROMOCHLOROMETHANE	0.5	ND	ND
BROMODICHLOROMETHANE	0.5	ND	ND
BROMOFORM	0.5	ND	ND
BROMOMETHANE	0.5	ND	ND
2-BUTANONE (MEK)	2.0	ND	ND
N-BUTYLBENZENE	0.5	ND	ND
SEC-BUTYLBENZENE	0.5	ND	ND
TERT-BUTYLBENZENE	0.5	ND	ND
CARBON DISULFIDE	2.0	ND	ND
CARBON TETRACHLORIDE	0.5	ND	ND
CHLOROBENZENE	0.5	ND	ND
CHLOROETHANE	0.5	ND	ND
CHLOROFORM	0.5	ND	ND
CHLOROMETHANE	0.5	ND	ND
2-CHLOROTOLUENE	0.5	ND	ND
4-CHLOROTOLUENE	0.5	ND	ND
DIBROMOCHLOROMETHANE	0.5	ND	ND
1,2-DIBROMO-3-CHLOROPROPANE	0.5	ND	ND
1,2-DIBROMOETHANE	0.5	ND	ND
DIBROMOMETHANE	0.5	ND	ND
1,2-DICHLOROBENZENE	0.5	ND	ND
1,3-DICHLOROBENZENE	0.5	ND	ND
1,4-DICHLOROBENZENE	0.5	ND	ND

- CONTINUED -

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 2 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/24/10
DATE EXTRACTED	08/24/10
LAB SAMPLE I.D.	100820-159
CLIENT SAMPLE I.D.	MW3
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF:	NONE [illegible] ML PURGED

COMPOUND	CRDL	MB	RESULT
DICHLORODIFLUOROMETHANE	0.5	ND	ND
1,1-DICHLOROETHANE	0.5	ND	5.18
CIS-1,2-DICHLOROETHENE	0.5	ND	38.9
TRANS 1,2-DICHLOROETHENE	0.5	ND	4.23
1,2-DICHLOROPROPANE	0.5	ND	ND
1,2-DICHLOROETHANE	0.5	ND	ND
1,1-DICHLOROETHENE	0.5	ND	5.11
1,3-DICHLOROPROPANE	0.5	ND	ND
2,2-DICHLOROPROPANE	0.5	ND	ND
1,1-DICHLOROPROPENE	0.5	ND	ND
CIS-1,3-DICHLOROPROPENE	0.5	ND	ND
TRANS-1,3-DICHLOROPROPENE	0.5	ND	ND
ETHYLBENZENE	0.5	ND	ND
2-HEXANONE	2.0	ND	ND
HEXACHLOROBUTADIENE	0.5	ND	1.18
IODOMETHANE	0.5	ND	ND
ISOPROPYLBENZENE	0.5	ND	ND
4-ISOPROPYLTOLUENE	0.5	ND	ND
4 METHYL 2-PENTANONE (MIBK)	2.0	ND	ND
METHYL tert BUTYL ETHER	0.5	ND	ND
METHYLENE CHLORIDE	2.0	ND	ND
NAPHTHALENE	0.5	ND	3.45
N-PROPYLBENZENE	0.5	ND	ND
STYRENE	0.5	ND	ND
1,1,1,2 TETRACHLOROETHANE	0.5	ND	ND

- CONTINUED

LABORATORY REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 3 OF 3 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED	08/24/10
DATE EXTRACTED	08/24/10
LAB SAMPLE I.D.	100820-159
CLIENT SAMPLE I.D.	**MW3**
EXTRACTION SOLVENT	HELIUM GAS/WATER
EXTRACTION METHOD	EPA 5030B
DILUTION FACTOR (DF)	NONE (15 MLs PURGED)

COMPOUND	**CRDL**	**MB**	**RESULT**
1,1,2,2-TETRACHLOROETHANE	0.5	ND	ND
TETRACHLOROETHENE (PCE)	0.5	ND	56.9
TOLUENE	0.5	ND	ND
1,2,3-TRICHLOROBENZENE	0.5	ND	3.26
1,2,4-TRICHLOROBENZENE	0.5	ND	1.29
1,1,1-TRICHLOROETHANE	0.5	ND	ND
1,1,2-TRICHLOROETHANE	0.5	ND	ND
TRICHLOROETHENE (TCE)	0.5	ND	160
TRICHLOROFLUOROMETHANE	0.5	ND	1.22
1,2,3-TRICHLOROPROPANE	0.5	ND	ND
1,2,4-TRIMETHYLBENZENE	0.5	ND	ND
1,3,5-TRIMETHYLBENZENE	0.5	ND	ND
VINYL CHLORIDE	0.5	ND	ND
M,P-XYLENE	1.0	ND	ND
O-XYLENE	0.5	ND	ND

uG/L = MICROGRAM PER LITER = PPB
CRDL = CONTRACT REQUIRED DETECTION LIMIT
MB = METHOD BLANK
ND = NON DETECTED OR BELOW THE CRDL

DATA APPROVED BY:

QA/QC REPORT

METHOD: EPA 8260B MATRIX: WATER REPORTING UNIT: uG/L(PPB)
PAGE: 1 OF 9 PAGES PROJECT: **Continental Heat Treating / 10-758**

CUSTOMER: **Fero Environmental Engineering, Inc.**
431 W. Lambert Road, Suite 305
Brea, CA 92821
Tel(714)256-2737 Fax(714)256-1505

DATE SAMPLED: 08/20/10 DATE RECEIVED: 08/20/10

DATE ANALYZED 08/23-24/10
DATE EXTRACTED 08/23-24/10

SEE ATTACHED PAGES (8)

Enviro-Chem, Inc.

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 8/23~24/2010
Method: 524BW137
Machine: B

Matrix: Water
Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 100823-4 MS/MSD

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Trichloroethene	0.00	25.0	25.0	100%	23.3	93%	7%	80-120	0-20
Toluene	0.00	25.0	25.3	101%	23.7	95%	7%	80-120	0-20
Ethylbenzene	0.00	25.0	26.0	104%	24.3	97%	7%	80-120	0-20
Cis-1,2-Dichloroethene	0.00	25.0	27.0	108%	23.4	94%	14%	80-120	0-20
Tetrachloroethene	0.00	25.0	27.8	111%	27.9	112%	0%	80-120	0-20

Lab Control Spike (LCS)

Analyte	spk conc	LCS	%RC	ACP %RC
1,1,1-TCA	25.0	26.5	106%	80-120
Tetrachloroethene	25.0	20.8	83%	80-120
Benzene	25.0	25.6	102%	80-120
Toluene	25.0	23.5	94%	80-120
Ethylbenzene	25.0	24.3	97%	80-120
Chloroform	25.0	25.3	101%	80-120

Calibration date: 5/14/2010

Continuing Calibration Check (CCC)

Analyte	AvgRF	CCRF	%Dev	%RSD
1,1,1-TCA	0.728	0.799	9.75	7.74
Trichloroethene	0.350	0.383	9.43	6.00
Tetrachloroethene	1.094	1.199	9.60	9.74
Toluene	1.378	1.518	10.16	6.54
Chloroform	0.727	0.749	3.03	6.46
Cis-1,2-Dichloroethene	0.331	0.350	5.74	6.41

Surrogate Recovery	spk conc	ACP%	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			M-BLK	100823-157	100823-158	100823-159	100823-165	100823-161	100823-162
Dibromofluoromethane	25.0	75-125	105%	103%	112%	93%	102%	97%	95%
Toluene-d8	25.0	75-125	91%	96%	92%	91%	94%	92%	92%
4-Bromofluorobenzene	25.0	75-125	90%	92%	89%	101%	93%	93%	93%

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			100823-163	100823-164					
Dibromofluoromethane	25.0	75-125	95%	106%					
Toluene-d8	25.0	75-125	91%	95%					
4-Bromofluorobenzene	25.0	75-125	91%	90%					

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	75-125							
Toluene-d8	25.0	75-125							
4-Bromofluorobenzene	25.0	75-125							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results
spk conc = Spike Concentration
MS = Matrix Spike
%RC = Percent Recovery
ACP %RC = Accepted Percent Recovery
MSD = Matrix Spike Duplicate

Analyzed/Reviewed By: _____

Final Reviewer: _____

Standard Name: 8260 MIX **Analyst:** SM **GC #:** 2298

Preparation Date: 3/23/10 **Expiration Date:** 9/23/10

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume = Final Conc	Initial
VOC Calibration	Cerilliant	ERS-079	ER10160701	10/2012	0.625 X 2000ppm / 25mL = 50 ppm	SM
VOC Mixture	Ultra Scientific	DWM-592-1	~~CD-2270~~ CF-0062	~~8/31/2010~~	0.625 X 2000ppm / 25mL = 50 ppm	SM
Acrolein	GC-2230			2/28/2012	0.625 X 2000ppm / 25mL = 50 ppm	SM
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	



Total Standard Volume: 1.875mL Added Solvent Volume: 23.125mL Final Volume: 25mL

Standard Name: 8260 LCS **Analyst:** SM **GC #:** 2299

Preparation Date: 3/23/10 **Expiration Date:** 9/23/10

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume =Final Conc	Initial
					0.625 X 2000ppm / 25mL = 50ppm	SM
Acrolein	GL-2230					
VOC ~~Calibration~~ ~~Mixture~~ Mixture	Ultra	DWM-589	CF-2912	8/31/2010	0.625 X 2000ppm / 25mL = 50 ppm	SM
VOC Mixture	Ultra	DWM-592-1	CF-0062	2/28/2012	0.625 X 2000ppm / 25mL = 50ppm	SM
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	
					X =	



Total Standard Volume: 1.875mL Added Solvent Volume: 23.125mL Final Volume: 25mL

Standard Name: 8260 In/surr **Analyst:** SLh **GC #:** 2337

Preparation Date: 5/26/2010 **Expiration Date:** 10/26/2010

Compound Name	Source	Catalog #	Lot #	Exp date	Calculation STD V x STD Conc / Total Volume = Final Conc		Initial
8260 Internal standard	ultra	STM-330N	CE-3401	10/31/2011	0.625mL X 2000ppm / 25.0mL =	50ppm	SLh
8260 Surrogate	"	STM-341N	CE-2154	7/31/2011	0.625mL X 2000ppm / 25.0mL =	50ppm	SLh
					X =		
					X		
					X =		
					X =		
					X =		
					X =		
					X =		
					X =		
					X =		
					X =		

Total Standard Volume: 1.25 mL Added Solvent Volume: 23.75 mL Final Volume: 25.0 mL

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	Initial
2267	8260 Gas	Name: Methanol Source: Fisher Cat #: A-553-1 Lot #: 094163 Exp. Date: —	Name: 8260 Gas Source: Ultra Cat #: DWM-584 Lot #: CD-3157 Exp. Date: 11/30/2010	0.25mL x 200ppm / 1.00mL = 50ppm		8/23/2010	8/29/2010	SLH
		Name Source: Cat #: Lot #: Exp. Date:	Name: Source Cat #: Lot #: Exp. Date:	X				
		Name Source Cat #: Lot #: Exp. Date:	Name Source Cat #: Lot #: Exp. Date:	X				
		Name Source Cat #: Lot #: Exp. Date:	Name Source Cat #: Lot #: Exp. Date:	X =				
		Name Source Cat #: Lot #: Exp. Date:	Name Source Cat #: Lot #: Exp. Date:	X =				
		Name Source Cat #: Lot #: Exp. Date:	Name Source Cat #: Lot #: Exp. Date:	X =				
		Name Source Cat #: Lot #: Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	X				

5

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	Init:
2296	In/Surr 8260.	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	detail In Log Book A2 P. 87. x		3/16/2010.	~~[illegible]~~ 9/16/2010	Sc
2297	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 2.00mL = 50ppm		3/22/10	3/28/10	Sc
2298	CCV 8260 Mix	Name: Source: Cat #: detail Lot #: Exp. Date:	Name: Source: Cat #: In Log Book A2 P. 88 Lot #: Exp. Date:	=		3/23/10	9/23/10	S
2299	8260 LCS.	Name: Source: Cat #: detail Lot #: Exp. Date:	Name: Source: In Log Cat #: Lot #: Exp. Date:	Book x A2 P. 89 =		3/23/10	9/23/10	S
2300	Acrolein	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: Acrolein Source: Aldrich Cat #: 110221 Lot #: 15375PB Exp. Date:	2.1mL x 90% / 45.0mL = 2000ppm		3/23/10	4/23/11	S
2301	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 2.00mL = 50ppm		3/29/10	4/6/10	
2302	8021 internal standard	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	detail in Log book x = A2 P. 90		4/2/10	4/1/11	

9

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date
2310	8141 LCS	Name: Hexane Source: Fisher Cat #: H307-4 Lot #: 094324 Exp. Date:	Name: 8141 Op standards Source: Restek Cat #: 32277 Lot #: A067958 Exp. Date: 05/2010	X = 200 ppm		4/2/2010	5/31/2010
2311	8141 CCV	Name: Hexane Source: Fisher Cat #: H307-4 Lot #: 094324 Exp. Date:	Name: Organophosphorus Pes. Std. Source: Ultra Cat #: SPM-824 Lot #: CG-0274 Exp. Date: 5/2010	X = 200 ppm		4/2/2010	5/31/2010
2312	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CD3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 10.00mL = 50 ppm		4/5/10'	4/12/10'
2313	8260 OXY	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 OXY Source: Ultra Scientific Cat #: RGO-422 Lot #: CD-3534 Exp. Date: 12/30/2010	4%, 7.3% 12.5uL x / 10.0mL = 50, 91.25 ppm		4/5/10'	10/5/10'
2314	8270 Spike I	Name: CH_2Cl_2 Source: Fisher Cat #: D37-4 Lot #: 093870 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	Check log book A2-92 X 2000ppm	A2 S 92	4/6/10	4/6/11
2315	8270 LCS	Name: CH_2Cl_2 Source: Fisher Cat #: D37-4 Lot #: 093870 Exp. Date:	Name: Source: Cat #: Lot #: Exp. Date:	X =	A2 S P3	4/6/10	5/31/11
2316	8260 Gas	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000ppm / 10.00mL 50ppm		4/12/10'	4/18/10'

GC Sequence #	Standard Name:	Solvent	Stock Standard	Calculation STD V X STD Conc. / Total Volume = Final Conc.	Ref./ Page	Prep. Date	Exp. Date	Initial
2331	Diesel CCV	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 0P0870 Exp. Date:	Name: Diesel Standard Source: GC2326 Cat #: Lot #: Exp. Date: 4/30/2011	2ml x 50000ppm / 50ml = 2000 ppm		4/30/2010	4/30/2011	ZD
2332	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: Ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25ml x 2000ppm / 1.00mL = 50 ppm		5/3/2010	5/10/2010	SLL
2333	Hydrolic fluid standard	Name: CH2Cl2 Source: Fisher Cat #: D37-4 Lot #: 0P0870 Exp. Date:	Name: Hydrolic fluid Source: Accu Standard Cat #: FU-020-P-40X Lot #: B4010233 Exp. Date: JAN/22/2014	20000ppm x 0.5ml / 5ml = 2000ppm		5/5/2010	5/4/2011	ZD
2334	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25ml x 2000 ppm / 1.00mL = 50 ppm		5/10/2010	5/17/2010	SLL
2335	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25 mL x 2000 ppm / 1.00mL = 50 ppm		5/17/2010	5/24/2010	SLL
2336	Gas 8260	Name: MeOH Source: Fisher Cat #: A453-1 Lot #: 091463 Exp. Date:	Name: 8260 Gas Source: ultra Cat #: DWM-544 Lot #: CD-3151 Exp. Date: 11/30/2010	0.25mL x 2000 ppm / 1.00mL = 50 ppm		5/24/2010	5/31/2010	SLL
2337	8260 Inter/Surr	Name: Source: Cat #: Lot #: Exp. Date:	Name: Source: Detail Cat #: Lot #: Exp. Date:	In Logbook A3 p. 96 x =		5/26/2010	10/26/2010	SLL

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
✓ 1 Week (Standard)
Other

Misc./PO# XLA RWQCB

VOCs 8260B

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	Analysis Required	COMMENTS
MW1	100820-157	8/20/10	1:45	H2O	2			+	
MW2	↓ -158	↓	4:00	↓	2			+	
MW3	↓ -159	↓	2:30	↓	2			+	

Company Name: Fero Eng
Address: 431 W. Lambert Rd #305
City/State/Zip: Brea, CA 92821

Project Contact: John Peterse
Tel: 714 256 2737
Fax: 256 1505

Sampler's Signature: [signature]
Project Name/ID: Continental Heat Treating
10-758

Relinquished by: [signature]
Relinquished by:
Relinquished by:

Received by: [signature]
Received by:
Received by:

Date & Time: 1702 8/20/10
Date & Time:
Date & Time:

Instructions for Sample Storage After Analysis:
✓ Dispose of O Return to Client O Store (30 Days)
O Other

CHAIN OF CUSTODY RECORD

WHITE WITH SAMPLE · YELLOW TO CLIENT

Page 1 of 1

Date:



Legend

- Groundwater Monitoring Well

Base Map Source: Trilogy Regulatory Services

FERO ENGINEERING
ENVIRONMENTAL ENGINEERING & CONSULTING

Groundwater Well Locations & Flow Contours (8/9/10) Continental Heat Treating, Inc.

10643 South Norwalk Boulevard
Santa Fe Springs, California

[758gwel810]

Figure 1