From: Ellinger, Scott
To: Dougall James Miln Harvey
Subject: Re: I downloaded the Zip file
Date: Wednesday, February 06, 2013 1:45:05 PM

Okay, I tried it again.

From: Dougall James Miln Harvey <MHarvey4@slb.com>

To: Scott Ellinger/R6/USEPA/US@EPA

Date: 02/06/2013 01:12 PM

Subject: I downloaded the Zip file

Scott,

I received the Zip file containing the MODFLOW .VMF file. So, the Dropfile process works.

Now, could you send me all the files in the model folder. That is, could you zip up the entire folder and upload it to the Dropfile?

Cheers,

Miln Harvey, Ph.D., P.Eng.

Senior Hydrogeologist

Schlumberger Water Services

72 Victoria Street South, Suite 202

Kitchener, Ontario, Canada N2G 4Y9

Ph: 519-746-1798 x233

Ce: 519-212-5681

Fx: 519-885-5262

www.swstechnology.com

The information in this message is directed in confidence solely to the person(s) named above and may not be otherwise distributed, copied or disclosed. The message may contain information that is privileged. If you have received this message in error, please notify the sender immediately and delete the message without making a copy. Thank you.

From: Ellinger.Scott@epamail.epa.gov [mailto:Ellinger.Scott@epamail.epa.gov]

Sent: Wednesday, February 06, 2013 12:58 PM

To: Dougall James Miln Harvey

Subject: RE: what time would be goo for a phone call this morning about the EMS

1pm is fine.

From: Dougall James Miln Harvey <MHarvey4@slb.com>

To: Scott Ellinger/R6/USEPA/US@EPA

Date: 02/06/2013 11:03 AM

Subject: RE: what time would be goo for a phone call this morning about the EMS

Scott,

Perfect. Just got done the meetings.

How about 1:00 EST? I will call the number below (214-665-8408).

Cheers,

Miln Harvey, Ph.D., P.Eng.

Senior Hydrogeologist

Schlumberger Water Services

72 Victoria Street South, Suite 202

Kitchener, Ontario, Canada N2G 4Y9

Ph: 519-746-1798 x233

Ce: 519-212-5681

Fx: 519-885-5262

www.swstechnology.com

The information in this message is directed in confidence solely to the person(s) named above and may not be otherwise distributed, copied or disclosed. The message may contain information that is privileged. If you have received this message in error, please notify the sender immediately and delete the message without making a copy. Thank you.

From: Ellinger.Scott@epamail.epa.gov [mailto:Ellinger.Scott@epamail.epa.gov]

Sent: Wednesday, February 06, 2013 11:02 AM

To: Dougall James Miln Harvey

Subject: RE: what time would be goo for a phone call this morning about the EMS

How about an early-mid afternoon time?

From: Dougall James Miln Harvey <MHarvey4@slb.com>

To: Scott Ellinger/R6/USEPA/US@EPA

Date: 02/06/2013 09:46 AM

Subject: RE: what time would be goo for a phone call this morning about the EMS

Scott,

I have another meeting in about 20 minutes. I will call after that meeting, probably about 11:30 am.

Sorry, it got busy this morning.

Cheers,

Miln Harvey, Ph.D., P.Eng.

Senior Hydrogeologist

Schlumberger Water Services

72 Victoria Street South, Suite 202

Kitchener, Ontario, Canada N2G 4Y9

Ph: 519-746-1798 x233

Ce: 519-212-5681

Fx: 519-885-5262

www.swstechnology.com

The information in this message is directed in confidence solely to the person(s) named above and may not be otherwise distributed, copied or disclosed. The message may contain information that is privileged. If you have received this message in error, please notify the sender immediately and delete the message without making a copy. Thank you.

From: Ellinger.Scott@epamail.epa.gov [mailto:Ellinger.Scott@epamail.epa.gov]

Sent: Wednesday, February 06, 2013 9:23 AM

To: Dougall James Miln Harvey

Subject: Re: what time would be goo for a phone call this morning about the EMS

How about 10am. My number is 214-665-8408.

From: Dougall James Miln Harvey <MHarvey4@slb.com>

To: Scott Ellinger/R6/USEPA/US@EPA

Date: 02/06/2013 07:34 AM

Subject: what time would be goo for a phone call this morning about the EMS

Scott,

What would be a good time to call this morning to discuss the EMS work?

I am in all day (and the rest of the week), and I have time to discuss the EMS.

Cheers,

Miln Harvey, Ph.D., P.Eng.

Senior Hydrogeologist

Schlumberger Water Services

72 Victoria Street South, Suite 202

Kitchener, Ontario, Canada N2G 4Y9

Ph: 519-746-1798 x233

Ce: 519-212-5681

Fx: 519-885-5262

www.swstechnology.com

The information in this message is directed in confidence solely to the person(s) named above and may not be otherwise distributed, copied or disclosed. The message may contain information that is privileged. If you have received this message in error, please notify the sender immediately and delete the message without making a copy. Thank you.

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could

contain a computer virus which could cause harm to EPA's computers,

network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced

into the EPA network. EPA is deleting all computer program attachments

sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could

contain a computer virus which could cause harm to EPA's computers,

network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced

into the EPA network. EPA is deleting all computer program attachments

sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you

should contact the sender and request that they rename the file name

extension and resend the Email with the renamed attachment. After

receiving the revised Email, containing the renamed attachment, you can

rename the file extension to its correct name.

For further information, please contact the EPA Call Center at

(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********