PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
001	3M	5635K	Cold Shrink QT-II Termination Kit 3M™, 5 to 15 kV, 0.84-1.33 in (21-34 mm) Cable Insulation O.D.	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
002	3M	72-N3	3M™ Scotchcast™ Inline Splice Kit 72-N3, Cable O.D. Range 0.625–1.50 in (15.9–38.1 mm), 10 per case	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
003	3M	8983-07	RIGID BODY CLOSURE KIT W/4407 COMPOUND	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
004	3M	1196	6 in. DYNA-COUPLER W/POUCH	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
005	3M	80-6113-1618-5	1185 BATTERY PACK NIMH FOR 965 AMS SERIES /// Battery Pack NIMH 1185 for 965AMS Series testers.	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
006	ADB AIRFIELD SOLUTIONS	IRCL-111110	L-850A IN PAVEMENT RUNWAY CENTERLINE WHITE/WHITE	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
007	ADB AIRFIELD SOLUTIONS	TDZL-21110	L-850B LED TOUCHDOWN TOE-IN RIGHT	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
008	ADB AIRFIELD SOLUTIONS	44A6247-1121	L-850D STYLE 2 THRESHOLD AND RUNWAY END LIGHT BI-DIRECTIONAL, GREEN STRAIGHT, RED STRAIGHT, ONE CORD SET	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
009	ADB AIRFIELD SOLUTIONS	48A0091	300W-20A Q20/PAR 56, ELEVATED APPROACH LAMP, AIRPORT LIGHTING, HALOGEN, 20 AMP, 300 WATT, PAR 56 MEDIUM SHATTER SHIELD COATED FLOOD LENS, MOGUL END PRONG CONNECTIONS, FAA APPROVED	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
010	ADB AIRFIELD SOLUTIONS	35C0081	L-830-5 ISOL TX 100W 20A/606A	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
011	ALLIED STEEL	103101	2" RIGID CONDUIT 10' L	EA	$ [redacted]	FT	$ [redacted]	FT	$ [redacted]
012	ALLIED STEEL	746057	3/4 in. GALVANIZED RIGID CONDUIT (GRC) 10' L (PRICE PER FT)	FT	$ [redacted]	FT	$ [redacted]	FT	$ [redacted]
013	ALLIED STEEL	848532	2 in. (EMT) STEEL THINWALL COND 10' L (PRICE PER FT)	FT	$ [redacted]	FT	$ [redacted]	FT	$ [redacted]
014	ALLIED STEEL	869609	Conduit, EMT, 3/4in, 5Ft, Steel (PRICE PER FT)	FT	$ [redacted]	FT	$ [redacted]	FT	$ [redacted]
015	STANLEY SECURITY SOLUTIONS/HCM	1C6E2-626	Standard Keyed Core	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
016	CROUSE HINDS	MHUB6	CONDUIT HUB, 2", MALLEABLE IRON	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
017	ADB AIRFIELD SOLUTIONS	44A2071-1151	L-862 Q 120W C/C 24 in. OAH 2 in. FRANGIBE	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
018	ADB AIRFIELD SOLUTIONS	ETEL/1512	L-861T LED BLUE 24 in. OAH 2 in. COUPLING TAXIWAY EDGE	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
019	ADB AIRFIELD SOLUTIONS	44A6248-4210	L-850E STYLE 2 THRESHOLD UNIDIRECTIONAL GREEN	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
021	ANVIL	B300CAPK	2 BLK MI 300# CAP	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
022	ANVIL	BSSPG	1 BLK STL SQ HD PLUG	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
023	ANVIL	BSSPF	3/4 BLK STL SQ HD PLUG	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
024	ANVIL	BSSPD	1/2 BLK STL SQ HD PLUG	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
025	ARMSTRONG PUMPS	570109-382	CBV-10FS ARMSTRONG 10 IN. FLANGE WATER AND STEAM CIRCUIT BALANCING VALVE, FLANGED-STRAIGHT	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
026	ARMSTRONG PUMPS	570109-378	CBV-4FS ARMSTRONG 4 IN. FLANGE WATER AND STEAM CIRCUIT BALANCING VALVE, FLANGED-STRAIGHT	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
027	ARMSTRONG PUMPS	570109-380	CBV-6FS ARMSTRONG 6 IN. FLANGE WATER AND STEAM CIRCUIT BALANCING VALVE, FLANGED-STRAIGHT	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
028	ARROW FASTENERS	257	T-25 7/16 in. ROUND CROWN WIDTH 5/16 in. WIRE STAPLES 1000 PER PACK	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
029	AUTOMATIC LIGHTNING PROTECTION	RSP13	Rod is 12" x 3/8" dia. This can be used on any flat surface with any degree pitch and the lightning rod can be adjusted with the swivel. Especially useful on rubber roofs, metal roofs or any roof you do not want to penetrate the surface with screws or nails. These are adhesive glue down bases. Apply the #UC Adhesive liberally to the base and put in place. Allow this to cure for 12 to 24 hours before connecting cable to it. The adhesive will cure faster under wet or more moist conditions. This adhesive will have a rubbery texture like silicone caulk when dry, but it will be secure.	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
030	BOSS BLADE	MSC09908B	BLADE CRATE,RT3 8'2 in. V,09+	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
031	CAPITAL INDUSTRIES	7DB-30	BIN TYPE ROLL-OFF DROP BOX SIZE 30 YD USE: REFUSE	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
032	CAPITAL INDUSTRIES	7FL-60	BIN TYPE DROP BOX SIZE 6 YD USE: REFUSE	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
033	CAPITAL INDUSTRIES	7DB-20	BIN TYPE ROLL-OFF DROP BOX SIZE 20 YD USE: REFUSE	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
035	CASE CONSTRUCTION EQUIPMENT	76082416	EDGE TYPE LOADER MATERIAL STEEL SIZE	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
036	CASE CONSTRUCTION EQUIPMENT	372081A1	EDGE TYPE CTK LOADER MATERIAL STEEL SIZE	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
037	AKRO-MILS	37278	1L X 1W (IN), Mesh Side/Solid Base 15-3/4" x11-3/4" x 8-1/4"	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
038	CLARK RELIANCE CORP	H350W	Audible Alarm Horn, Weatherproof Model, (for 120VAC) 4 3/4" x 4 3/4" x 2 1/2". 100DB at 10 ft.	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
039	LAWSON PRODUCTS	A12	Adjustable Vertical Drawer, 3" H x 18" W x 12" D	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
040	LEVITON	80781-W	F Connector Wall Plate, Type Single Flush Mount, White	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
041	CLARK-RELIANCE	SWA-180-7	SIMPUPORT 180 Water Level Gage System /// 180 DEGREE VIEWING ILLUMINATOR AND HOOD	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
042	COOPER B-LINE SYSTEMS	B54SHGALV10	CHANNEL, 13/16" X 1 5/8", 9/16" X 1 1/8" SLOTTED HOLES, 14 GA., 120" (10 FT), GALVANIZED	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
043	COOPER B-LINE SYSTEMS	B280SQZN	POST BASE FOR 1 5/8" X 1 5/8" CHANNEL, 6" X 6" X 3 1/2" BASE, SQUARE, ZINC PLATED	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
044	COOPER B-LINE SYSTEMS	B22SHGALV10	CHANNEL, 1 5/8" X 1 5/8", 9/16" X 1 1/8" SLOTTED HOLES, 12 GA., 120" (10 FT), GALVANIZED	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
047	COOPER CROUSE-HINDS	TOL-LED	Omnidirectional Taxiway Edge Light; L-852T PAN ASSY	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
048	COOPER CROUSE-HINDS	HRLQ-5	HRLQ-5 High Intensity Runway Light/Quartz; L-862, 120W C/C 24 in. OAH 2 in. FRANGIBLE	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
049	COOPER CROUSE-HINDS	TOL	Omnidirectional Taxiway Light; L-830 ISOL TX100W 20A/606A	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
050	COOPER CROUSE-HINDS	LBH60	2 CNDT OUTLET BODY, Conduit Type: Rigid, Connection Type: Threaded, Trade Size (in): 2, Style: LBH, Shape: LB, Number of Hubs: 2, Cover Included, Gasket Included, Composition: Iron Alloy, Exposure Rating: Indoor;Outdoor, Hazardous Rated: Yes, Approvals: UL;CSA	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]
051	COOPER CROUSE-HINDS	LB67	CONDUIT FITTING, 2", LB TYPE THREADED RIGID, W/O COVER & GASKET FORM 7, FERALOY IRON ALLOY Conduit Outlet Bodies, CONDULET Series. Compatible with Rigid and Intermediate Conduit For Indoor/Outdoor Use Threaded Connections Trade Sizes 1/2"-4 Inches Various Styles/Shapes Available Cast Iron/Cast Aluminum Construction	EA	$ [redacted]	EA	$ [redacted]	EA	[redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
052	COOPER CROUSE-HINDS	GASK576	Conduit Outlet Body Gaskets, Series: CONDULET Trade Size (in): 2 Style: Form 7 Composition: Neoprene Exposure Rating: Indoor;Outdoor Approvals: UL;CSA Picture No.: COHI-BODYGASK-F7 H x W x D (in.): .1 x 3 x 7 Net Weight: .64 OZ Gross Weight: .64 OZ	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
053	COOPER POWER SYSTEMS	URT09050A1A1B1A	UltraSIL Polymer-Housed VariSTAR Surge Arrester 9KV	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
054	CORNING CABLE SYSTEMS	616102RS120003M	Fiber Optic Jumper, 2 F, ST® Compatible to ST Compatible, Zipcord Tight-Buffered Cable, Riser, with 2.0 mm legs, Single-mode (OS2), 3 m, Application Vertical Riser, General Building Applications Fiber Category Single-mode (OS2) Length 3 m (9.8 ft) Flame-retardant jacket, Units per Delivery 1/1	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
055	CORNING CABLE SYSTEMS	616102RS120002M	Fiber Optic Jumper, 2 F, ST® Compatible to ST Compatible, Zipcord Tight-Buffered Cable, Riser, with 2.0 mm legs, Single-mode (OS2), 3 m, Application Vertical Riser, General Building Applications Fiber Category Single-mode (OS2) Length 2 m (6.6 ft) Flame-retardant jacket, Units per Delivery 1/1	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
056	CORNING CABLE SYSTEMS	616102RS120001M	Fiber Optic Jumper, 2 F, ST® Compatible to ST Compatible, Zipcord Tight-Buffered Cable, Riser, with 2.0 mm legs, Single-mode (OS2), 3 m, Application Vertical Riser, General Building Applications Fiber Category Single-mode (OS2) Length 1 m (3.3 ft) Flame-retardant jacket, Units per Delivery 1/1	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
057	CORNING CABLE SYSTEMS	WCH-02P	Wall-Mountable Closet Housing (WCH), holds 2 CCH connector panels, no holes. Corning Cable Systems Wall-Mountable Connector Housing (WCH) provides interconnect or cross-connect capabilities between the outside plant, riser or distribution cables and the opto-electronics.Units accept standard closet connector housing (CCH) connector panels and modules and options include jumper routing guides and a bracket for securing buffer tube fan-out kits. The cable strain-relief kit (WCH-STRNRLF-KIT) is designed for easier installation and the standoff bracket (WCH-STDOFF-BKT) extends the WCH from the wall to allow cable routing behind the housing. Brackets can also be stacked to increase the amount of space for routing.An optional field-installable lock kit is available for additional security.	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
058	CRAFCO INC	231	CRAFCO ROADSAVER 231: 30 LB/BX	BX	$ [redacted]	BX	$ [redacted]	BX	$ [redacted]
059	CREE RUUD LIGHTING	STR-LWY-3M-HT-08-D-SV-S2S-43K-R	LED STREETLIGHT FIXTURE 80 LED	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
060	CROSBY GROUP	S-209 #1018589	1-1/4 in. SCREW PIN ANCHOR SHACKLE 12-TON SELF COLORED	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
061	CROUSE HINDS AIRPORT LIGHTING	8S8SS-31-S-12	LED S23 SF ST 3 2M 12V	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
062	CROUSE HINDS AIRPORT LIGHTING	8S0A3-CR-12F-P1	RUNWAY LIGHT CENTERLINE WITH RING PRO III	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
063	CROUSE HINDS AIRPORT LIGHTING	8S0A3-CC-12F-P1	RUNWAY LIGHT CENTERLINE WITH RING PRO III	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
065	LAWSON PRODUCTS	A24S	Bin Stand With 8" Legs, 8" H x 35-9/16" W x 12" D	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
066	DONALDSON - TORIT	CPV-3	PowerCore CPV-3 Dust Collector, 460V 60Hz 3-phase, 1000-1500 cfm, Includes Ultra-Web filter packs, standard blue paint finish, NEMA Type 4 Control Box w/ Timer, Solenoid Enclosure, and Magnehelic Guage, unpowered-without fan	EA	[redacted]	EA	[redacted]	EA	$ [redacted]
067	DOW CHEMICAL COMPANY	DOW 25 PSI	DOW 25 PSI 2 In. 4X8 BLUE BOARD INSULATION	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
068	EDCO	EDCO C-10-13H	EDCO C-10-13H CRACK CHASING SAW	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
069	EDWARDS MANUFACTURING	HAT4020	40 TON SHOP PRESS WITH 220 VOLT 3 PHASE PORTA POWER	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
071	ELLIOT TOOL TECHNOLOGIES LTD	99150-110-7P	ELECTRIC ROLLING MOTOR For 1/2" – 1-1/2" (12.7mm – 38.1mm) Tube O.D. Single Phase Voltage 110 Rated Power Input (Watts): 1100 Frequency: 40 – 60 Hz Max. Amperage: 10A (110V)	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
072	ELLIOT TOOL TECHNOLOGIES LTD	24160	24 Series Condenser Expander, standard reach tool for expanding tubes in chillers, heat exchangers, feedwater heaters, fin fan coolers, and surface condensers. For Size 1-3/8" x 14 to 17 guage and 1-1/2" x 9 to 10 guage (BWG) tube	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
073	ELLIOT TOOL TECHNOLOGIES LTD	24129	24 Series Condenser Expander, standard reach tool for expanding tubes in chillers, heat exchangers, feedwater heaters, fin fan coolers, and surface condensers. For Size 5/8" x 15 to 16 guage and 3/4" x 10 guage (BWG) tube	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
074	ELLIOT TOOL TECHNOLOGIES LTD	24134	24 Series Condenser Expander, standard reach tool for expanding tubes in chillers, heat exchangers, feedwater heaters, fin fan coolers, and surface condensers. For Size 3/4" x 15 to 16 guage and 7/8" x 10 guage (BWG) tube	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
076	FERGUSON ENTERPRISES DOMESTIC	DBSPA106BJ	BLACK STEEL PIPE, 1-1/2 In. DOMESTIC SEAMLESS Plain End A106B Schedule 40 SRL Pipe price per ft.	FT	$ [redacted]	FT	$ [redacted]	FT	$ [redacted]
077	FERGUSON ENTERPRISES DOMESTIC	DBSPA106BH	BLACK STEEL PIPE, 1-1/4 In. DOMESTIC SEAMLESS Plain End A106B Schedule 40 SRL Pipe price per ft.	FT	$ [redacted]	FT	$ [redacted]	FT	$ [redacted]
079	FLIR COMMERCIAL SYSTEMS INC	FLIR T640 KIT	FLIR T640 25 DEGREE 24.6 MM, FLIR T640 CAMERA TEMP	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
080	FLUKE CORPORATION	FLUKE-87V/IMSK	Digital Multimeter, Max. AC Volts 1000, Max. DC Volts 1000, Max. AC Amps 10, Max. DC Amps 10, Max. Ohms 50 M Ohms, Basic DC Accuracy +/-(0.05 Percent + 1 Digit), Counts 6000/19, 999, Battery Type 9V Alkaline, Safety Rating CAT III 1000V, CAT IV 600VAC Response True RMS, Capacitance Range 0.01nf to 9999uF, Frequency Counter Range 0.01 Hz to 200 kHzincludes Current Clamp, Thermocouple Bead Probe, Test Leads, Alligator Clips	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
081	FLUKE CORPORATION	AC175	Alligator Clip Set, Slide-on, (red, black) for TL71/TL75, Jaws provide 8 mm opening, CAT IV 600 V, CAT III 1000 V, 10 A rating. UL listed, One year warranty	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
082	FLUKE NETWORKS, INC.	44300000	ELECTRICIAN D SNIPS	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
083	FROST FIGHTER	47102A	12" X 25' (304.8 mm x 7.62 m) Black PVC Flexible Coiled Hose Duct with Buckle	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
084	PHILIPS ADVANCE	71A6452001D	HID Ballast Kit Lamp Type Metal HalideLamp Watts 750 ANSI Code M149 Input Watts 818 Input Voltage 120/208/240/277/480 Ballast Type Core and Coil Ballast Family HID Magnetic Number of Lamps 1 Min.	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
085	GENERAL MONITORS	45213-1	GENERAL MONITORS OXYGEN DEFICIECY SENSOR	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
086	GENERAL MONITORS	45123-7	GENERAL MONITORS NITRIC OXIDE SENSORS	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
087	GENERAL MONITORS	45123-3	GENERAL MONIOTRS CARBON MONOXIDE SENSORS	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
088	GENERIC VENDOR - LUMBER	1/2 IN. CDX	1/2 15/32 CDX PLYWOOD 4' X 8'	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]
089	GENERIC VENDOR - LUMBER	2X4X16	2" X 4" X 16' HEM FIR DRIED LUMBER	EA	$ [redacted]	EA	$ [redacted]	EA	$ [redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
090	GLOBAL INDUSTRIAL EQUIPMENT CO	B432072	HE40 STD2 24X24X2 FILTERS	EA	[redacted]	EA	[redacted]	EA	[redacted]
091	GOODWAY TECHNOLOGIES	GTC-200BQ-5/8	BRASS CHILLER TUBE CLEANING BRUSH 5/8, QUICK CONNECT	EA	[redacted]	EA	[redacted]	EA	[redacted]
092	GOODWAY TECHNOLOGIES	GTC-703Q-4S-R5	GALVANIZED SPRING STEEL FLEXIBLE SHAFT 45', NYLON CASING, QUICK CONNECT COUPLING, R5 FOR USE WITH RAM-SSF SPEED-FEED TUBE CLEANER	EA	[redacted]	EA	[redacted]	EA	[redacted]
094	GREENLEE TEXTRON INC	EK12IDL11	Dieless Cordless Crimper	EA	[redacted]	EA	[redacted]	EA	[redacted]
095	HACH COMPANY	DR 2800	PORTABLE BENCH TOP SPECTROPHOTOMETER FOR LAB TEST WITH LITHIUM-ION BATTERY PRODUCT DR2800-01B1	EA	[redacted]	EA	[redacted]	EA	[redacted]
096	H E WILLIAMS	DIG-S22-317-WPR-EBD3-LU-HILUME-3D	FIXTURE FLUORESCENT SIZE 2' X 2', 3 LAMPS 17-WATT T8, LUTRON HI LUME 3D DIMMING BALLAST	EA	[redacted]	EA	[redacted]	EA	[redacted]
097	HENKE	AHW 12RR	14 FOOT Industrial Snow Wing Moldboard Height: 28" inboard 38" outboard, All hydraulic wing for popular graders• Nylatron slide guide prevents binding•Positive & Negative embankment sloping capability• 3/16" grade 50 - box paneled moldboard• T1 100,000 psi link lifts wing• MUDROC hydraulic valve is standard feature on all wings. This important safety feature prevents mechanical binding and provides for limited wing down pressure.	EA	[redacted]	EA	[redacted]	EA	[redacted]
098	HILMAN ROLLERS	KRS-15-SLD	Steel Chain Roller Kit; 15-ton kit capacity; four 3.75-ton diamond steel top swivel chain rollers w/ lock, 2 knock down style handles; 27-3/4 x 14-1/4 x 9-1/4 Steel Case	EA	[redacted]	EA	[redacted]	EA	[redacted]
099	HOFFMAN PROCESS INC	BELL END FINNED TUBES	TUBES: 5/8 IN. OD X 16 BWG (0.065 IN.) MINIMUM WALL SB-111 ANNEALED ALLOY #443 ADMIRALTY BRASS; LENGTH: 62 IN.; FINS: 0.406 IN. HIGH X 0.015 IN. THICK X 9 FINS/INCH COPPER; FIN ATTACHMENT: SOLDERED; BARE ENDS: 1.5 IN. AND 3.5 IN.; WEIGHT PER FINNED TUBE: 6.52 LBS.; TUBES ARE BELLED AT ONE END TO 1.438 IN. OD X 2.25 IN. MINIMUM STRAIGHT LENGTH; TUBES HAVE ONE PACKED FIN COLLAR X 1.5 IN. LONG, PRICE PER EACH TUBE	EA	[redacted]	EA	[redacted]	EA	[redacted]
102	EDWARDS SIGNALING	107XBRBMR120A	Xtra-Brite Led Haz Location Beacon. Bracket Mount. Red Lens, 120 VAC	EA	[redacted]	EA	[redacted]	EA	[redacted]
103	JET TOOLS	JET414471	JET 414471 13 X 21 3 PHASE HORIZONTAL BANDSAW WITH	EA	[redacted]	EA	[redacted]	EA	[redacted]
104	JOHN DEERE	T223495	RH END BIT DEERE 950C	EA	[redacted]	EA	[redacted]	EA	[redacted]
105	JOHN DEERE	T223494	LH END BIT DEERE 950C	EA	[redacted]	EA	[redacted]	EA	[redacted]
106	JOHN DEERE	T223493	END CUTTING EDGE DEERE 950C	EA	[redacted]	EA	[redacted]	EA	[redacted]
107	JOHN DEERE	T223468	CENTER CUTTING EDGE DEERE 950C	EA	[redacted]	EA	[redacted]	EA	[redacted]
108	JUNO LIGHTING INC	T8E632UH24S	FIXTURE TYPE FLUORSCENT SIZE 6 LAMP T8 H	EA	[redacted]	EA	[redacted]	EA	[redacted]
109	KABA-ILCO	5021-B-WL-26D-41	PUSHBUTTON ACCESS CONTROL, COMBINATION LOCK	EA	[redacted]	EA	[redacted]	EA	[redacted]
110	KABA-ILCO	1021-B-26D-41	MECHANICAL PUSHBUTTON COMBINATION LOCK	EA	[redacted]	EA	[redacted]	EA	[redacted]
111	KLEIN TOOLS INC	K44	5/16" SCREWDRIVER SLOTTED SCREW	EA	[redacted]	EA	[redacted]	EA	[redacted]
112	KLEIN TOOLS INC	K28	3/16" SCREWDRIVER SLOTTED SCREW	EA	[redacted]	EA	[redacted]	EA	[redacted]
113	LEVITON	49991-SST	FastCAM Pre-polished Connector, ST (blue), Single-mode	EA	[redacted]	EA	[redacted]	EA	[redacted]
114	LEVITON	69586-U48	EXTREME 6+ UNIVERSAL PATCH PANEL	EA	[redacted]	EA	[redacted]	EA	[redacted]
115	LEVITON	61110-RW6	EXTREME CAT 6 QUICK PORT RJ-45 CONNECTOR, WHITE	EA	[redacted]	EA	[redacted]	EA	[redacted]
116	LEVITON	492SC-BCM	FIVE RING HORIZONTAL PATCH CORD ORGANIZER W/COVER	EA	[redacted]	EA	[redacted]	EA	[redacted]
117	LITHONIA	LHQM S W 3 G	EXIT SIGN W/EMERGENCY LIGHTS, 3.3W, Green	EA	[redacted]	EA	[redacted]	EA	[redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
118	LMI MILTON ROY	B911-297	B911-297 MILITON ROY LMI METERING PUMP 1.6 GPH	EA	[redacted]	EA	[redacted]	EA	[redacted]
119	LOCHINVAR	EPN150-085	COMMERCIAL GAS WATER HEATER 85 GALLON HIGH EFFICIENCY	EA	[redacted]	EA	[redacted]	EA	[redacted]
120	MAGNUM POWER PRODUCTS LLC (owned by Generac Power) Systems)	MCPS51S-1	MCPS51S-1 3" Electric Diaphragm Pump, Electric Powered, Single Phase	EA	[redacted]	EA	[redacted]	EA	[redacted]
121	MASTER APPLIANCE	10067	Wire Harness Connector Kit, 120 Piece	EA	[redacted]	EA	[redacted]	EA	[redacted]
122	MASTER LOCK	6121KALJ	Keyed Padlock, Weather Resistant, Locks Keyed-Alike, not necessarily keyed to match any specific key number currently in use by customer	EA	[redacted]	EA	[redacted]	EA	[redacted]
123	MILLER ELECTRIC MFG CO	951273	MILLER DIMENSIONS 452 STATIONARY PACKAGE, RUNNING	EA	[redacted]	EA	[redacted]	EA	[redacted]
124	MILLER ELECTRIC MFG CO	903826	MODEL SSW-2020ATT SPOT WELDER 230 VAC 90AMP/// SSW-2020ATT STATIONARY W/WELD & SQUEEZE TIMER 230V	EA	[redacted]	EA	[redacted]	EA	[redacted]
125	MILLER ELECTRIC MFG CO	907500	WELDER/GENERATOR USED FOR STICK AND FLUX-CORED WELDING /// BOBCAT 250 (KOHLER), GFCI	EA	[redacted]	EA	[redacted]	EA	[redacted]
126	MILLER ELECTRIC MFG CO	043007	SPOT WELDER COOLING SYSTEM /// Coolmate™ 3 115 VAC, 50/60 Hz	EA	[redacted]	EA	[redacted]	EA	[redacted]
127	MILLER ELECTRIC MFG CO	040 220	Miller® Standard 18" Water Cooled Tongs (SPOT WELDER TONGS)	EA	[redacted]	EA	[redacted]	EA	[redacted]
128	MILLER ELECTRIC MFG CO	040 219	Miller® Standard 12" Water Cooled Tongs (SPOT WELDER TONGS)	EA	[redacted]	EA	[redacted]	EA	[redacted]
129	MILLER ELECTRIC MFG CO	040 218	Miller® Standard 6" Water Cooled Tongs (SPOT WELDER TONGS)	EA	[redacted]	EA	[redacted]	EA	[redacted]
130	MILLER ELECTRIC MFG CO	040 228	SPOT WELD TIP DRESSER USE WITH POINTED TIPS NUMBER 4 AND NUMBER 5RW ELECTRODES MILLER ELECTRIC	EA	[redacted]	EA	[redacted]	EA	[redacted]
131	MILLER ELECTRIC MFG CO	300919	Protective Cover, Engine Drive (Previous item P/N 195333, Protective Cover, Bobcat/Trailblazer Gas)	EA	[redacted]	EA	[redacted]	EA	[redacted]
132	MILWAUKEE VALVE	F-2885-FP 6	MILWAUKEE F-2885-FP 6 INCH GATE VALVE	EA	[redacted]	EA	[redacted]	EA	[redacted]
133	MODERN EQUIPMENT COMPANY INC	XU1664	MECO Omaha 16" Upright x 64" Base, Single Sided Rack, Series 5000 Extra Heavy Duty Cantilever Rack for use with 48" Arm	EA	[redacted]	EA	[redacted]	EA	[redacted]
134	MSA	10076109	Rechargeable Lithium Ion Battery Pack	EA	[redacted]	EA	[redacted]	EA	[redacted]
135	MUELLER INDUSTRIES	429-020	Coupling, 2 in Slip, PVC, Schedule 40	EA	[redacted]	EA	[redacted]	EA	[redacted]
137	NIBCO	NT473BJ	1-1/2 BRZ 300# IPS CHCK VLV	EA	[redacted]	EA	[redacted]	EA	[redacted]
138	NIBCO	NT473BG	VALVE, Bronze 300 # Threaded Check, Dezincification resistant Y Pattern, Valve Body Material : Bronze, 600 PSI CWP/300 PSI SWP, Renewable Seat and Disc, End Connection 1 : IPS	EA	[redacted]	EA	[redacted]	EA	[redacted]
139	NIBCO	NT134G	1 BRZ 150# IPS RS GATE VLV	EA	[redacted]	EA	[redacted]	EA	[redacted]
140	NIBCO	NT174SSF	3/4 BRZ 300# IPS RS SS GATE VALVE	EA	[redacted]	EA	[redacted]	EA	[redacted]
141	VELAN INC	VS2054W02TYG	1 Forged Steel 800# Threaded Outside Stem & Yoke Gate Valve	EA	[redacted]	EA	[redacted]	EA	[redacted]
142	NIBCO	NTS8570G	1 in. Bronze 600 # Threaded Full Port Ball Valve	EA	[redacted]	EA	[redacted]	EA	[redacted]
143	NIBCO	NTS8570F	3/4 in. Bronze 600 # Threaded Full Port Ball Valve	EA	[redacted]	EA	[redacted]	EA	[redacted]
144	ORTRONICS LEGRAND	OR-S225E00	SERIES II CAT 5E TWO JACK PORT MODULE, CLARITY 5E, T568A/B , FOG WHITE	EA	[redacted]	EA	[redacted]	EA	[redacted]
146	POWELL	PGA08SA58GBJ	1-1/2 Forged Steel 800# A105 SW Gate Valve Bolted Bonnet	EA	[redacted]	EA	[redacted]	EA	[redacted]
147	POWER TEMP SYSTEMS	P2003T	PORTABLE POWER DISTRIBUTION PANEL 200 AMP 208V, SIX 50 AMP 125/250V POWER OUTLETS	EA	[redacted]	EA	[redacted]	EA	[redacted]
148	PREFORMED LINE PRODUCTS	8006671	COYOTE RUNT CLOSURE FIBER OPTIC	EA	[redacted]	EA	[redacted]	EA	[redacted]
149	PREFORMED LINE PRODUCTS	8006366	4" X 25" ARMADILLO STAINLESS STEEL SPLICE CASE KIT FILLING FLANGE WITH DRILLABLE END PLATES	EA	[redacted]	EA	[redacted]	EA	[redacted]
150	PREFORMED LINE PRODUCTS	80806033	STANDARD SPLICE TRAY FOR COYOTE CLOSURE	EA	[redacted]	EA	[redacted]	EA	[redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
151	LAWSON PRODUCTS	A33L	Heavy-Duty Rack with Locking Bars, 14-3/4" H x 20-1/2" W x 16-3/4" D	EA	[redacted]	EA	[redacted]	EA	[redacted]
152	LAWSON PRODUCTS	1148176	40 Compartment Heavy-Duty Storage Bin With Lockable Doors	EA	[redacted]	EA	[redacted]	EA	[redacted]
153	PUROLATOR	HE40-STD2 - 20" X 25" X 2"	Filter, 20" X 25" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
154	PUROLATOR	HE40-STD2 - 20" X 20" X 2"	Filter, 20" X 20" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
155	PUROLATOR	HE40-STD2 - 16" X 25" X 2"	Filter, 16" X 25" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
156	PUROLATOR	HE40-STD2 - 20" X 24" X 2"	Filter, 20" X 24" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
157	PUROLATOR	HE40-STD2 - 16" X 20" X 2"	Filter, 16" X 20" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
158	PUROLATOR	HE40-STD2 - 12" X 24" X 2"	Filter, 12" X 24" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
159	PUROLATOR	HE40-STD4 - 20" X 25" X 4"	Filter, 20" X 25" X 4", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
160	PUROLATOR	MP20x20x1	Filter, 20" X 20" X 1", Medium Efficiency, Monobond Frame, Pleated	EA	[redacted]	EA	[redacted]	EA	[redacted]
161	PUROLATOR	HE40-STD2 - 20" X 30" X 2"	Filter, 20" X 30" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
162	PUROLATOR	HE40-STD2 - 25" X 25" X 2"	Filter, 25" X 25" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
163	PUROLATOR	HE40-STD2 - 18" X 25" X 2"	Filter, 18" X 25" X 2", Medium Efficiency, High-E 40, Extended Surface Pleated, MERV Rating: 8	EA	[redacted]	EA	[redacted]	EA	[redacted]
164	PHILIPS ADVANCE	71A8970-001D	Ballast Kits: Ballast Type - HID Core & Coil Kit; Lamp Type - High Pressure Sodium; Lamp Watts - 200; Circuit - CWA; Voltage - 120/208/240/277VAC; ANSI Code - S66; Min Temp (F) - -40; Kit Contents - Ballast, Capacitor(dry-film), Bracket	EA	[redacted]	EA	[redacted]	EA	[redacted]
165	REARVIEW SYSTEMS LLC	STM704QHDZM	HEAVY DUTY 7 IN. COLOR LED BACKLIT LCD DIGITAL MONITOR WITH DIMMER, SWIVEL MOUNT FOR BACK UP CAMERA SYSTEM	EA	[redacted]	EA	[redacted]	EA	[redacted]
166	REARVIEW SYSTEMS LLC	STMS600DK	COMMERCIAL DUTY 5.6" REAR VIEW CAMERA KIT INCL. 5.6" COLOR MONITOR, 130 DEGREE HEAVY DUTY CAMERA WITH HIGH IMPACT GLASS COVER, AND 66 FT. SHIELDED CABLE	EA	[redacted]	EA	[redacted]	EA	[redacted]
167	RIDGE TOOL	R63882	KJ-2200-C WATER JETTER DRAIN MACHINE 1-1/4 in. -6	EA	[redacted]	EA	[redacted]	EA	[redacted]
168	ROBERT H WAGER COMPANY	000162NAVY / 1352-SS-O	3/8" AUTOMATIC SPRING CHECK VALVE (SCAVENGER AIR VALVE) FOR SOOT BLOWERS	EA	[redacted]	EA	[redacted]	EA	[redacted]
169	S&C ELECTRIC	147413R4-S1-S2	S AND C 147413R4-S1-S2 V1 - OMNI RUPTER OVERHEAD SWITCH 25KV 900AMP UPRIGHT MOUNTED; -S1 One 2½-Inch Diameter Tubular Fiberglass Insulating Section in vertical operating shaft (rotating-type operating mechanism); -S2 One Cypoxy Insulator Unit in vertical operating shaft; -V1 Extra Height—one 6-foot, 10-inch galvanized operating pipe section, with rigid pipe coupling and guide bearing (rotating-type mechanism)	EA	[redacted]	EA	[redacted]	EA	[redacted]
170	SANDUSKY LEE	EACR362478-02	ELITE COMBINATION CABINET, CHARCOAL, RECESSED HANDLE, 36" X 24" X 78"	EA	[redacted]	EA	[redacted]	EA	[redacted]
171	EATON CORPORATION	08U-X60	U SERIES MALE PIPE SWIVEL 90° ELBOW 1/2H S/BT, 2 per PACK	PK	[redacted]	PK	[redacted]	PK	[redacted]
172	SNOQUIP INC	90070B51	51" Snow Blower Blade, CUTTING EDGE	EA	[redacted]	EA	[redacted]	EA	[redacted]
173	LAWSON PRODUCTS	A7	16 Compartment Steel/Plastic Drawer, 3" H x 18" W x 12" D	EA	[redacted]	EA	[redacted]	EA	[redacted]

PEL LINE ITEM #	MANUFACTURER	MANUFACTURER PART NUMBER	ITEM DESCRIPTION	Pricing Period 1 (24 Months) UNIT OF ISSUE	Pricing Period 1 (24 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 2 (18 Months) UNIT OF ISSUE	Pricing Period 2 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)	Pricing Period 3 (18 Months) UNIT OF ISSUE	Pricing Period 3 (18 Months) ACQUISITION CEILING PRICE (PER UNIT OF ISSUE)
174	STANLEY SECURITY SOLUTIONS/HCM	VPD-BB	VPD VANTAGE POINT ACCESSORIES BATTERY	EA	[redacted]	EA	[redacted]	EA	[redacted]
175	TE CONNECTIVITY	244271-1	VS-3 HAND TOOL KIT	EA	[redacted]	EA	[redacted]	EA	[redacted]
176	THOMAS & BETTS	AMTSR10	AMT Port Splice PVC Connector for Wire Range 1/0-14 Str	EA	[redacted]	EA	[redacted]	EA	[redacted]
177	THOMAS & BETTS	EK 406	2 in. Three piece Coupling, Steel-Zinc Plated. For use with Rigid/IMC Conduit.	EA	[redacted]	EA	[redacted]	EA	[redacted]
178	THOMAS & BETTS	EK 403	1 in. Three piece Coupling, Steel-Zinc Plated. For use with Rigid/IMC Conduit	EA	[redacted]	EA	[redacted]	EA	[redacted]
179	THOMAS & BETTS	HC 406	2 in. Steel Compression Connector. For use with Rigid Conduit.	EA	[redacted]	EA	[redacted]	EA	[redacted]
180	THOMAS & BETTS	DIH3-3-LM	1-gang 17 cu. in. Universal weatherproof Box with Three 1 in. Holes and Mounting Lugs - Silver	EA	[redacted]	EA	[redacted]	EA	[redacted]
181	THOMAS & BETTS	703 2 EG	2 in. Steel Universal Clamp with SilverGalv finish. For use with Rigid/IMC, EMT conduit and Pipe	EA	[redacted]	EA	[redacted]	EA	[redacted]
182	THOMAS & BETTS	60507	SPLICE, 2 WAY, GRAY, 6AWG	EA	[redacted]	EA	[redacted]	EA	[redacted]
183	THOMAS & BETTS	IH5-2-LM	1-gang Silver Universal Box with mounting lugs, two closure plugs and ground screw	EA	[redacted]	EA	[redacted]	EA	[redacted]
184	THOMAS & BETTS	IH5-1-LM	LE IH51LM 1/2IN D-T DEV	EA	[redacted]	EA	[redacted]	EA	[redacted]
185	THOMAS & BETTS	S4815	SPLICE, LONG BARREL, RED, 350 AWG	EA	[redacted]	EA	[redacted]	EA	[redacted]
186	TIMKEN	SAOL3-3/16	3-3/16 IN. UNIVERSAL PILLOW BLOCK FIXED/FLOATING	EA	[redacted]	EA	[redacted]	EA	[redacted]
187	TOTEM EQUIP & SUPP, INC	TOTEM SCD	500,000 BTU INDIRECT FIRED HEATER TRAILER	EA	[redacted]	EA	[redacted]	EA	[redacted]
189	UNITED ROTARY BRUSH CORP	04-100320PC	POLY WAFER REPLACEMENT BROOM FILLERS	EA	[redacted]	EA	[redacted]	EA	[redacted]
190	VICTOR TECHNOLOGIES INTERNATIONAL INC	94251200	Tweco 2-MPC Cable Connection, Full Connect (1/0-2/0-3/0) Clamshell, 1 ea. Male/Female	EA	[redacted]	EA	[redacted]	EA	[redacted]
191	VICTOR TECHNOLOGIES INTERNATIONAL INC	9S101110	Twecolugs 2-AF Screw On Terminal Lug (2 & 4-MPC Male, 45 DEG)	EA	[redacted]	EA	[redacted]	EA	[redacted]
192	EATON CORPORATION	08U-258	Weatherhead® U Series Female Pipe NPTF Straight 1/2 (-8)x 1/2-14 (-8) Crimp-on End Fitting	EA	[redacted]	EA	[redacted]	EA	[redacted]
193	BURNDY	U27ART	U COMPRESSION DIE, 3/0 ALUMINUM, RUBY, 467	EA	[redacted]	EA	[redacted]	EA	[redacted]
194	BURNDY	U28RT	U CONNECTOR DIE, 4/0 AWG, PURPLE, 15	EA	[redacted]	EA	[redacted]	EA	[redacted]
195	VOLVO	11011413	FRONT CUTTING EDGE END FOR 2.5 CU YARD PSM VOLVO L120	EA	[redacted]	EA	[redacted]	EA	[redacted]
196	VOLVO	11156579	BOLT ON END FOR VOLVO L60E LOADER	EA	[redacted]	EA	[redacted]	EA	[redacted]
197	WALWORTH	XWALS247-8	8 in. GATE VALVE 900#	EA	[redacted]	EA	[redacted]	EA	[redacted]
198	WALWORTH	XWALS247-4	4 in. GATE VALVE 900#	EA	[redacted]	EA	[redacted]	EA	[redacted]
199	WELBEND	D600RFSOFJ	1-1/2 Carbon Steel 600 # Raised Face Slip On Flange	EA	[redacted]	EA	[redacted]	EA	[redacted]
200	STANLEY SECURITY SOLUTIONS	1C7R1-626	STANDARD UNCOMBINATED CORE	EA	[redacted]	EA	[redacted]	EA	[redacted]