Ar rtical
Laboratory Services, Inc.
Environmental • Industrial Hygiene • Field Services
34 Dogwood Lane • Middletown, PA 17057 • 717.944.5541 • Fax: 717.944.1430

# CHAIN OF C STODY/ REQUEST FOR ANALYSIS

**ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER. INSTRUCTIONS ON THE BACK.**

Page ___ of ___
Courier:
Tracking #:

**COC#**

**Co. Name:** Siemens Water Technologies Corp.
**Contact** (Report to): Vadim Zolotarsky **Phone:** (908) 851-6957
**Address:** 2 Milltown Ct., Union, NJ 07083

**Bill to** (if different than Report to): **PO#:** 29-1378

**Project Name/#:** GSI Freshwater Study **ALSI Quote #:** 139449

TAT: [X] Normal-Standard TAT is 10-12 business days. Date Required:
[ ] Rush-Subject to ALSI approval and surcharges. Approved By:

Email? [X] -Y vadim.zolotarsky@siemens.com; tamburri@cbl.umces.edu
Fax? [ ] -Y No.:

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Container Type | | | | | | 40ml VOA | 250ml | 250ml | 250ml | 250ml | 250ml | | | | | |
| ***Container Size | | | | | | 250mL | | | | | | | | | | |
| *** Preservative | | | | | | None | | | | | | | | | | |
| | | | | | | ANALYSES/METHOD REQUESTED | | | | | | | | | | |
| | | | | | | GC Analysis | | | | | | | | | | |
| Sample Description/Location (as it will appear on the lab report) | COC Comments | Sample Date | Military Time | *G or C | **Matrix | Enter Number of Containers Per Analysis | | | | | | | | | | |
| 1 Trial 1-D-Control | | 8/31/2009 | 10:50 | G | W | 1 | | | | | | | | | | |
| 2 Trial 1-D-Treatment | | 8/31/2009 | 12:30 | G | W | 1 | | | | | | | | | | |
| 3 Trial 2-D-Treatment | | 9/1/2009 | 10:10 | G | W | 1 | | | | | | | | | | |
| 4 Trial 2-D-Control | | 9/1/2009 | 13:00 | G | W | 1 | | | | | | | | | | |
| 5 Trial 3-F-BW | | 9/4/2009 | 10:40 | G | W | 1 | | | | | | | | | | |
| 6 Trial 3-F-Tub 6 | | 9/4/2009 | 11:00 | G | W | 1 | | | | | | | | | | |
| 7 Trial 3-D-Treatment | | 9/9/2009 | 13:50 | G | W | 1 | | | | | | | | | | |
| 8 Trial 3-D-Control | | 9/9/2009 | 16:10 | G | W | 1 | | | | | | | | | | |

**Receipt Information** (completed by Sample Receiving)
Performed by: INITIAL HERE
Cooler Temp:
Therm. ID:
No. of Coolers:
Notes:

| Correct containers? | Correct sample volume? | Correct preservation? | Headspace/Volatiles? | Circle appropriate Y or N. |
|---|---|---|---|---|
| Y | Y | Y | Y | |
| N | N | N | N | |

| Custody seals Present? | (if present) Seals intact? | Received on ice? | COC/Labels complete/accurate? | Container in good condition? |
|---|---|---|---|---|
| Y | Y | Y | Y | Y |
| N | N | N | N | N |

**SAMPLED BY** (Please Print): Tom Markee
LOGGED BY(signature): DATE: TIME:
REVIEWED BY(signature): DATE: TIME:

| Relinquished By / Company Name | Date | Time | Received By / Company Name | Date | Time |
|---|---|---|---|---|---|
| 1 Tom Markee UW-Superior | 9-28-09 | 13:50 | 2 | | |
| 3 | | | 4 | | |
| 5 | | | 6 | | |
| 7 | | | 8 | | |
| 9 | | | 10 | | |

Data Deliverables: [X] Standard; [ ] CLP-like; [ ] NJ-Reduced; [ ] NJ-Full; (other) [ ]
EDDs Required? [ ] If yes, format type:
DOD Criteria Required?

SDWA Forms? yes [ ] yes [ ] yes [ ] yes [ ]
State Samples Collected In? MD [ ] NJ [ ] NY [ ] PA [ ]
Other WI
PWSID

**ALSI FIELD SERVICES**
[ ] Pickup
[ ] Labor
[ ] Composite Sampling
[ ] Rental Equipment
[ ] Other:

* G=Grab; C=Composite **Matrix: AI=Air; DW=Drinking Water; GW=Groundwater; OI=Oil; OL=Other Liquid; SL=Sludge; SO=Soil; WP=Wipe; WW=Wastewater
***Container Type: AG-Amber Glass; CG-Clear Glass, PL-Plastic. Container Size: 250ml, 500ml, 1L, 8oz., etc. Preservative: HCl, HNO3, NaOH, etc.

Copies: WHITE - ORIGINAL CANARY - CUSTOMER COPY

Rev 08-2008

**Ar tical Laboratory Services, Inc.**

*Environmental • Industrial Hygiene • Field Services*

34 Dogwood Lane • Middletown, PA 17057 • 717.944.5541 • Fax: 717.944.1430

# CHAIN OF C STODY/ REQUEST FOR ANALYSIS

**ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER. INSTRUCTIONS ON THE BACK.**

Page ___ of ___

Courier:

Tracking #:

**COC#**

**Co. Name:** Siemens Water Technologies Corp.

**Contact** (Report to): Vadim Zolotarsky **Phone:** (908) 851-6957

**Address:** 2 Milltown Ct., Union, NJ 07083

**Bill to** (if different than Report to): **PO#:** 29-1378

**Project Name/#:** GSI Freshwater Study **ALSI Quote #:** 139449

**TAT:** [X] Normal-Standard TAT is 10-12 business days. Date Required:

[ ] Rush-Subject to ALSI approval and surcharges. Approved By:

Email? [X] -Y vadim.zolotarsky@siemens.com; tamburri@cbl.umces.edu

Fax? [ ] -Y No.:

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | ***Container Type | 40ml VOA | 250ml | 250ml | 250ml | 250ml | 250ml | | | | | | | | | |
| | | | | | | | | ***Container Size | 250mL | | | | | | | | | | | | | | |
| | | | | | | | | *** Preservative | None | | | | | | | | | | | | | | |
| | | | | | | | | ANALYSES/METHOD REQUESTED | | | | | | | | | | | | | | | |
| Sample Description/Location (as it will appear on the lab report) | COC Comments | Sample Date | Military Time | *G or C | **Matrix | GC Analysis | | | | | | | | | | | | | | | | | |
| | | | | | | Enter Number of Containers Per Analysis | | | | | | | | | | | | | | | | | |
| 1 Trial 4-F-BW | | 9/11/2009 | 10:45 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 2 Trial 4-F-Tub 6 | | 9/11/2009 | 10:56 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 3 Trial 4-D-Control | | 9/16/2009 | 10:00 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 4 Trial 4-D-Treatment | | 9/16/2009 | 12:45 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 5 Trial 5-F-BW | | 9/12/2009 | 10:53 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 6 Trial 5-F-Tub 6 | | 9/12/2009 | 11:03 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 7 Trial 5-D-Treatment | | 9/17/2009 | 10:03 | G | W | 1 | | | | | | | | | | | | | | | | | |
| 8 Trial 5-D-Control | | 9/17/2009 | 12:55 | G | W | 1 | | | | | | | | | | | | | | | | | |

**Receipt Information** (completed by Sample Receiving)

Performed by: INITIAL HERE

Cooler Temp:

Therm. ID:

No. of Coolers:

Notes:

| Circle appropriate Y or N. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Correct containers? | Y | N | Correct sample volume? | Y | N | Correct preservation? | Y | N | Headspace/Volatiles? Y N |
| Custody seals Present? | Y | N | (if present) Seals intact? | Y | N | Received on ice? | Y | N | COC/Labels complete/accurate? Y N |
| Container in good condition? | Y | N | | | | | | | |

**SAMPLED BY** (Please Print): Tom Markee

LOGGED BY(signature): DATE: TIME:

REVIEWED BY(signature): DATE: TIME:

| Relinquished By / Company Name | Date | Time | Received By / Company Name | Date | Time |
|---|---|---|---|---|---|
| 1 [signature] 2W-Superior | 9-28-09 | 13:00 | 2 | | |
| 3 | | | 4 | | |
| 5 | | | 6 | | |
| 7 | | | 8 | | |
| 9 | | | 10 | | |

**Data Deliverables:** [X] Standard; [ ] CLP-like; [ ] NJ-Reduced; [ ] NJ-Full; [ ] (other)

EDDs Required? [ ] If yes, format type:

DOD Criteria Required?

SDWA Forms? yes [ ] yes [ ] yes [ ] yes [ ]

State Samples Collected In? MD [ ] NJ [ ] NY [ ] PA [ ] Other WI

PWSID

**ALSI FIELD SERVICES**

[ ] Pickup

[ ] Labor

[ ] Composite Sampling

[ ] Rental Equipment

[ ] Other:

* G=Grab; C=Composite **Matrix: AI=Air; DW=Drinking Water; GW=Groundwater; OI=Oil; OL=Other Liquid; SL=Sludge; SO=Soil; WP=Wipe; WW=Wastewater

Copies: WHITE - ORIGINAL CANARY - CUSTOMER COPY

***Container Type: AG-Amber Glass; CG-Clear Glass, PL-Plastic. Container Size: 250ml, 500ml, 1L, 8oz., etc. Preservative: HCl, HNO3, NaOH, etc.

Rev 08-2008

Ar rtical
Laboratory Services, Inc.
Environmental • Industrial Hygiene • Field Services
34 Dogwood Lane • Middletown, PA 17057 • 717.944.5541 • Fax: 717.944.1430

# CHAIN OF C STODY/ REQUEST FOR ANALYSIS

**ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER. INSTRUCTIONS ON THE BACK.**

Page ___ of ___
Courier:
Tracking #:

**COC#**

**Co. Name:** Siemens Water Technologies Corp.
**Contact** (Report to): Vadim Zolotarsky **Phone:** (908) 851-6957
**Address:** 2 Milltown Ct., Union, NJ 07083

**Bill to** (if different than Report to): **PO#:** 29-1378

**Project Name/#:** GSI Freshwater Study **ALSI Quote #:** 139449

TAT: [X] Normal-Standard TAT is 10-12 business days. Date Required:
[ ] Rush-Subject to ALSI approval and surcharges. Approved By:

Email? [X] -Y vadim.zolotarsky@siemens.com; tamburri@cbl.umces.edu
Fax? [ ] -Y No.:

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ***Container Type | 40ml VOA | 250ml | 250ml | 250ml | 250ml | 250ml | | | | | | | | | |
| ***Container Size | 250mL | | | | | | | | | | | | | | |
| *** Preservative | None | | | | | | | | | | | | | | |

**ANALYSES/METHOD REQUESTED**

| | Sample Description/Location (as it will appear on the lab report) | COC Comments | Sample Date | Military Time | *G or C | **Matrix | GC Analysis | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | Trial 6-F-BW | | 9/20/2009 | 10:25 | G | W | 1 | | | | | | | | | |
| 2 | Trial 6-F-Tub 6 | | 9/20/2009 | 10:39 | G | W | 1 | | | | | | | | | |
| 3 | Trial 6-D-Control | | 9/25/2009 | 9:45 | G | W | 1 | | | | | | | | | |
| 4 | Trial 6-D-Treatment | | 9/25/2009 | 12:05 | G | W | 1 | | | | | | | | | |
| 5 | Trial 7-F-BW | | 9/21/2009 | 10:25 | G | W | 1 | | | | | | | | | |
| 6 | Trial 7-F-Tub 6 | | 9/21/2009 | 10:45 | G | W | 1 | | | | | | | | | |
| 7 | Trial 7-D-Treatment | | 9/26/2009 | 10:02 | G | W | 1 | | | | | | | | | |
| 8 | Trial 7-D-Control | | 9/26/2009 | 12:32 | G | W | 1 | | | | | | | | | |

**Enter Number of Containers Per Analysis**

**Receipt Information** (completed by Sample Receiving)
Performed by: INITIAL HERE
Cooler Temp:
Therm. ID:
No. of Coolers:
Notes:

| Circle appropriate Y or N. | Headspace/Volatiles? | Correct preservation? | Correct sample volume? | Correct containers? |
|---|---|---|---|---|
| Y | Y | Y | Y | Y |
| N | N | N | N | N |

| Container in good condition? | COC/Labels complete/accurate? | Received on ice? | (if present) Seals intact? | Custody seals Present? |
|---|---|---|---|---|
| Y | Y | Y | Y | Y |
| N | N | N | N | N |

**SAMPLED BY** (Please Print): Tom Markee
LOGGED BY(signature): DATE: TIME:
REVIEWED BY(signature): DATE: TIME:

| Relinquished By / Company Name | Date | Time | Received By / Company Name | Date | Time |
|---|---|---|---|---|---|
| 1 Tom Markee UW-Superior | 9-28-09 | 13:00 | 2 | | |
| 3 | | | 4 | | |
| 5 | | | 6 | | |
| 7 | | | 8 | | |
| 9 | | | 10 | | |

Data Deliverables: [X] Standard; [ ] CLP-like; [ ] NJ-Reduced; [ ] NJ-Full; (other)
EDDs Required? [ ] If yes, format type:
DOD Criteria Required?

SDWA Forms? yes [ ] yes [ ] yes [ ] yes [ ]
State Samples Collected In? MD [ ] NJ [ ] NY [ ] PA [ ]
Other WI
PWSID

**ALSI FIELD SERVICES**
[ ] Pickup
[ ] Labor
[ ] Composite Sampling
[ ] Rental Equipment
[ ] Other:

* G=Grab; C=Composite **Matrix: Al=Air; DW=Drinking Water; GW=Groundwater; Ol=Oil; OL=Other Liquid; SL=Sludge; SO=Soil; WP=Wipe; WW=Wastewater
***Container Type: AG-Amber Glass; CG-Clear Glass, PL-Plastic. Container Size: 250ml, 500ml, 1L, 8oz., etc. Preservative: HCl, HNO3, NaOH, etc.

Copies: WHITE - ORIGINAL CANARY - CUSTOMER COPY

Rev 08-2008