7428 Rockville Road, Indianapolis, IN 46214

July 1, 2016

Mr. Juan Thomas
United States Environmental Protection Agency Region 5
RCRA Enforcement and Compliance Assurance Branch, DE-9J
77 West Jackson Boulevard
Chicago, IL 60604

**Re: Implemented Corrective Measures – Groundwater Recovery and Treatment System Semi-Annual Post Closure Monitoring Report**
Former Amphenol Facility #IND 044 587 848
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Thomas:

This Implemented Corrective Measures – Groundwater Recovery and Treatment System (ICM-GRTS) Report is submitted on behalf of the "Performing Respondent", Amphenol Corporation. This report summarizes the "Work Efforts" completed during the first semi-annual period (October 30, 2015 through April 29, 2016) of the calendar year 2016. The "Work Efforts" were conducted pursuant to Section VIII of the Administrative Order on Consent for Corrective Measures Implementation (CMI) for the above referenced site and in accordance with the approved Post Closure Monitoring Work Plan submitted to the USEPA in March 2000.

The "Work Efforts" performed at the site included:

- Operations and Maintenance of the Groundwater Recovery and Treatment System
- Groundwater Elevation Monitoring
- Quarterly Sampling and Analysis of the Groundwater Recovery and Treatment System
- Semi-Annual Groundwater Sampling and Analysis

**Groundwater Recovery and Treatment System – Operations and Maintenance**

The Implemented Corrective Measure (ICM) at the site is a groundwater pump and treat system consisting of five (5) recovery wells (RW-1 through RW-5). Recovery wells RW-1, RW-2, and RW-3 have 5 foot screened intervals at depths of approximately 15 to 20 ft BGS and 2 foot sumps. Recovery well RW-4 has a 10 foot screened interval at a depth of approximately 13 to 23 ft BGS and a 4-foot sump. An additional recovery well (RW-5) was installed in June 2010 and activated in July 2010 in conjunction with supplemental bioremediation activities completed at the site. Recovery well RW-5 has a 10 foot screened interval at a depth of approximately 14 to 24 feet BGS and a 2-foot sump. Electric submersible pumps are used to pump groundwater from the recovery wells to an air stripper where volatile organic compounds (VOCs) are volatilized and exhausted to the atmosphere. Groundwater effluent from the air stripper is discharged to the City of Franklin municipal sanitary sewer system. In addition to VOC removal, the ICM is designed to lower the potentiometric groundwater surface to below the level of the existing storm sewer invert.

To ensure proper performance of the groundwater recovery and treatment system, IWM Consulting Group, LLC (IWM) personnel conducted routine operation and maintenance (O&M) inspections. Bi-weekly O&M duties include measurement of influent flow rates, measurement of groundwater elevations of the recovery wells, routine inspections and necessary repairs of influent and effluent lines, and air stripper maintenance. On a monthly basis, depth to groundwater is recorded in monitoring wells IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-24, MW-26, MW-27, MW-28, MW-29, MW-30, and recovery wells RW-1 through RW-5. The air stripper trays and effluent discharge line are inspected and cleaned as necessary during monthly O&M activities. Also, influent sediment filters are replaced monthly. Quarterly O&M activities include complete disassembly and cleaning of the air stripper trays and sump. The sequestering agent system is also maintained on a quarterly basis. The air stripper blower lubrication and integrity is inspected on a quarterly basis. All recovery well pumps are also removed and cleaned on a quarterly basis. Monthly O&M reports are attached in **Appendix A**.

During this reporting period (October 30, 2015 through April 29, 2016), approximately 7,473,104 gallons of groundwater were recovered, treated, and discharged. The combined average influent flow rate for the period was 28.5 gallons per minute (gpm). To date, approximately 223,253,493 gallons have been recovered since the groundwater recovery and treatment system was activated in February 1995. Groundwater recovery rates to date are provided in **Table 1**.

Overall the groundwater recovery and treatment system was very reliable and was operational during the majority of this reporting period. However, the following operational issues were encountered:

IWM personnel mobilized to the site on November 13, 2015 to complete bi-weekly, monthly, and quarterly system operation and maintenance activities. The pump and float sensors inside RW-2 appeared to be functioning incorrectly by exhibiting sporadic flow rates and were replaced. The recovery well resumed normal function following the pump and float sensor replacement. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 13, 2015.

## Groundwater Level Measurements

IWM personnel gauged select monitoring wells (IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-23, MW-24, MW-26, MW-27, MW-28, MW-29, and MW-30) at the site on a monthly basis using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. For this semi-annual reporting period, depth to water in the monitoring wells ranged from 7.73 feet below top of casing (TOC) in MW-9 to 18.38 feet below TOC in MW-22. During this reporting period, neither light non-aqueous phase liquids (LNAPL) nor dense non-aqueous phase liquids (DNAPL) were detected within the monitoring and recovery well network at the site. Additionally, the water table has fluctuated slightly from October 2015 to April 2016. The groundwater elevation data indicates that the groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume. **Figure 1** is a site plan illustrating pertinent site features and well locations. A groundwater elevation contour map based on the most recent gauging event (April 1, 2016) is provided as **Figure 2**. Historic groundwater elevation data and groundwater contour maps for this reporting period are provided in each monthly O&M report included in **Appendix A**. Groundwater elevations during this semi-annual reporting period are provided in **Table 2**.

## Quarterly Treatment System Sampling and Analysis

On November 25, 2015, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for VOC analysis by SW-846 Method 8260.

Laboratory analytical results from the November 25, 2015 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery well RW-2. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-3 and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No VOCs were detected in the system's effluent sample.

On February 19, 2016, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace for VOC analysis by SW-846 Method 8260.

Laboratory analytical results from the February 19, 2016 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater sample obtained from recovery well RW-2. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. No VOCs were detected in the system's combined effluent sample.

The analytical reports for the quarterly system sampling events are included in **Appendix B**. A summary of quarterly system sampling results is included in **Table 3**.

## Semi-Annual Groundwater Sampling and Analysis

On April 19, 2016, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace for VOC analysis using US EPA SW 846 Method 8260. Groundwater sampling logs are provided in **Appendix C**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-12R (675.2 µg/L total VOCs) located adjacent to recovery well RW-2 and monitoring well MW-22 (667.3 µg/L total VOCs) located 30 feet northwest of recovery well RW-3. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration.

Trichloroethene was detected in monitoring wells IT-2, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2 and MW-12R. 1,1,1-Trichloroethane was detected in monitoring wells MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

No VOCs were detected in the groundwater samples obtained from monitoring wells IT-3, MW-20, and MW-29.

Overall, the groundwater recovery and treatment system, along with supplemental activities completed in 2010 and 2011, appear to be effectively reducing VOC concentrations at the site. When comparing the highest observed historical total VOC concentrations (generally before or immediately following the start of the groundwater recovery and treatment system in March 1995) to the results of the April 2016 groundwater sampling event, the following total VOC concentration reductions have been observed:

| Well ID | Highest Total VOC Concentration (Date) | April 2016 Total VOC Concentration | Percent Reduction |
|---|---|---|---|
| IT-2 | 289 µg/L (8/1/86) | 27.8 µg/L | 90.38% |
| IT-3 | 560 µg/L (2/1/86) | Non-detect | 99.99% |
| MW-12/12R | 64,680 µg/L (5/1/86) | 675.2 µg/L | 98.96% |
| MW-22 | 6,600 µg/L (10/9/96) | 667.3 µg/L | 89.89% |
| MW-28 | 1,015 µg/L (2/17/93) | 42.5 µg/L | 95.81% |
| MW-30 | 106 (9/29/00) | 7.6 µg/L | 92.83% |

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Laboratory data sheets are provided in **Appendix D**. A summary of groundwater analytical results is included in **Table 4**.

## Conclusions

Based on the data collected during this semi-annual post closure monitoring period, the following conclusions can be asserted:

1. The groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume.

2. The cone of influence developed by the on-site recovery wells extends beyond the downgradient site property boundary.

3. The average combined influent rate for the groundwater recovery system is approximately 28.5 gpm.

4. The highest dissolved PCE concentrations were detected near the suspected release area where the sanitary sewer crosses the existing storm sewer.

5. The highest VOC concentrations were detected in the groundwater samples obtained from monitoring wells MW-22 and MW-12R, located in the vicinity of recovery wells RW-3 and RW-2, respectively. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentrations.

6. Following activation of the groundwater recovery and treatment system, total dissolved VOC concentrations decreased substantially. Since initial startup of the remedial system, total VOC concentrations have displayed decreasing trends in monitoring wells IT-2, IT-3, MW-12/12R, MW-22, MW-28, and MW-30.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG
Project Manager

Bradley E. Gentry, LPG
Vice-President/Brownfield Coordinator

*Attachments*
cc: Mr. Joseph Bianchi, Amphenol Aerospace

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2 GROUNDWATER ELEVATION MAP (04/01/2016) | FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

# TABLES

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |
| 12/14/2015 | 22,341,225 | 37,897,543 | 61,092,029 | 73,453,206 | 22,738,113 | 217,543,343 |
| 12/24/2015 | 22,353,695 | 37,914,595 | 61,192,112 | 73,591,349 | 22,849,163 | 217,922,141 |
| 1/8/2016 | 22,396,764 | 37,960,917 | 61,367,870 | 73,803,185 | 23,017,304 | 218,567,267 |
| 1/21/2016 | 22,440,091 | 38,006,786 | 61,527,455 | 73,983,596 | 23,159,279 | 219,138,434 |
| 2/4/2016 | 22,483,110 | 38,050,370 | 61,695,059 | 74,176,614 | 23,310,181 | 219,736,561 |
| 2/19/2016 | 22,512,701 | 38,109,165 | 61,876,065 | 74,385,025 | 23,467,583 | 220,371,766 |
| 3/4/2016 | 22,522,123 | 38,165,386 | 62,047,797 | 74,583,131 | 23,615,567 | 220,955,231 |
| 3/18/2016 | 22,522,638 | 38,228,796 | 62,223,241 | 74,777,171 | 23,762,706 | 221,535,779 |
| 4/1/2016 | 22,522,783 | 38,285,705 | 62,396,246 | 74,969,982 | 23,908,428 | 222,104,371 |
| 4/15/2016 | 22,522,940 | 38,337,341 | 62,573,509 | 75,164,601 | 24,054,143 | 222,673,761 |
| 4/22/2016 | 22,523,966 | 38,363,033 | 62,664,996 | 75,266,762 | 24,129,358 | 222,969,342 |
| 4/29/2016 | 22,524,797 | 38,388,598 | 62,751,445 | 75,365,543 | 24,201,883 | 223,253,493 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |
| | 12/14/15 | | 13.38 | 718.87 |
| | 01/21/16 | | 12.32 | 719.93 |
| | 02/04/16 | | 12.40 | 719.85 |
| | 03/04/16 | | 12.08 | 720.17 |
| | 04/01/16 | | 12.15 | 720.10 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |
| | 12/14/15 | | 11.31 | 717.40 |
| | 01/21/16 | | 10.91 | 717.80 |
| | 02/04/16 | | 10.90 | 717.81 |
| | 03/04/16 | | 10.75 | 717.96 |
| | 04/01/16 | | 10.80 | 717.91 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |
| | 12/14/15 | | 16.23 | 720.21 |
| | 01/21/16 | | 14.87 | 721.57 |
| | 02/04/16 | | 15.00 | 721.44 |
| | 03/04/16 | | 14.59 | 721.85 |
| | 04/01/16 | | 14.56 | 721.88 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |
| | 12/14/15 | | 10.06 | 722.98 |
| | 01/21/16 | | 8.31 | 724.73 |
| | 02/04/16 | | 8.15 | 724.89 |
| | 03/04/16 | | 7.79 | 725.25 |
| | 04/01/16 | | 7.73 | 725.31 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |
| | 12/14/15 | | 17.69 | 718.46 |
| | 01/21/16 | | 16.66 | 719.49 |
| | 02/04/16 | | 16.72 | 719.43 |
| | 03/04/16 | | 16.40 | 719.75 |
| | 04/01/16 | | 16.43 | 719.72 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |
| | 12/14/15 | | 11.18 | 722.85 |
| | 01/21/16 | | 9.50 | 724.53 |
| | 02/04/16 | | 9.40 | 724.63 |
| | 03/04/16 | | 9.07 | 724.96 |
| | 04/01/16 | | 9.03 | 725.00 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |
| | 12/14/15 | | 17.91 | 720.00 |
| | 01/21/16 | | 16.55 | 721.36 |
| | 02/04/16 | | 16.70 | 721.21 |
| | 03/04/16 | | 16.30 | 721.61 |
| | 04/01/16 | | 16.28 | 721.63 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |
| | 12/14/15 | | 18.38 | 719.26 |
| | 01/21/16 | | 17.22 | 720.42 |
| | 02/04/16 | | 17.32 | 720.32 |
| | 03/04/16 | | 16.98 | 720.66 |
| | 04/01/16 | | 16.99 | 720.65 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |
| | 12/14/15 | | 16.40 | 719.62 |
| | 01/21/16 | | 15.34 | 720.68 |
| | 02/04/16 | | 15.43 | 720.59 |
| | 03/04/16 | | 15.04 | 720.98 |
| | 04/01/16 | | 15.03 | 720.99 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |
| | 12/14/15 | | 14.15 | 722.24 |
| | 01/21/16 | | 12.58 | 723.81 |
| | 02/04/16 | | 12.49 | 723.90 |
| | 03/04/16 | | 12.16 | 724.23 |
| | 04/01/16 | | 12.06 | 724.33 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |
| | 12/14/15 | | 16.61 | 720.02 |
| | 01/21/16 | | 15.22 | 721.41 |
| | 02/04/16 | | 15.36 | 721.27 |
| | 03/04/16 | | 14.92 | 721.71 |
| | 04/01/16 | | 14.92 | 721.71 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |
| | 12/14/15 | | 18.23 | 719.81 |
| | 01/21/16 | | 16.91 | 721.13 |
| | 02/04/16 | | 17.05 | 720.99 |
| | 03/04/16 | | 16.64 | 721.40 |
| | 04/01/16 | | 16.64 | 721.40 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |
| | 12/14/15 | | 18.06 | 719.55 |
| | 01/21/16 | | 16.73 | 720.88 |
| | 02/04/16 | | 16.90 | 720.71 |
| | 03/04/16 | | 16.46 | 721.15 |
| | 04/01/16 | | 16.48 | 721.13 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |
| | 12/14/15 | | 15.91 | 718.93 |
| | 01/21/16 | | 15.45 | 719.39 |
| | 02/04/16 | | 15.49 | 719.35 |
| | 03/04/16 | | 14.89 | 719.95 |
| | 04/01/16 | | 14.93 | 719.91 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |
| | 12/14/15 | | 12.72 | 718.25 |
| | 01/21/16 | | 12.90 | 718.07 |
| | 02/04/16 | | 12.90 | 718.07 |
| | 03/04/16 | | 12.71 | 718.26 |
| | 04/01/16 | | 12.12 | 718.85 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |
| | 12/14/15 | | 14.35 | 717.70 |
| | 01/21/16 | | 14.45 | 717.60 |
| | 02/04/16 | | 14.00 | 718.05 |
| | 03/04/16 | | 14.38 | 717.67 |
| | 04/01/16 | | 14.30 | 717.75 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |
| | 12/14/15 | | 18.65 | 714.54 |
| | 01/21/16 | | 18.51 | 714.68 |
| | 02/04/16 | | 18.78 | 714.41 |
| | 03/04/16 | | 18.30 | 714.89 |
| | 04/01/16 | | 17.95 | 715.24 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |
| | 12/14/15 | | 19.71 | 715.77 |
| | 01/21/16 | | 17.74 | 717.74 |
| | 02/04/16 | | 17.88 | 717.60 |
| | 03/04/16 | | 17.10 | 718.38 |
| | 04/01/16 | | 17.23 | 718.25 |

**Table 2**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |
| | 12/14/15 | | 15.02 | 716.94 |
| | 01/21/16 | | 14.15 | 717.81 |
| | 02/04/16 | | 13.82 | 718.14 |
| | 03/04/16 | | 14.03 | 717.93 |
| | 04/01/16 | | 14.28 | 717.68 |

NR-Not Recorded
NG-Not Gauged

**Table 3**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-1 | 5/3/1995 | 33 | ND | ND(1) | ND | ND | 100 | 200 | ND | 520 | ND | ND | ND | ND | ND | ND | 853 |
| | 8/3/1995 | 31 | ND | ND | ND | ND | 170 | 180 | ND | 400 | ND | ND | ND | ND | ND | ND | 781 |
| | 11/7/1995 | 30 | ND | ND | ND | ND | ND | 190 | ND | 390 | ND | ND | ND | ND | ND | ND | 610 |
| | 2/26/2010 | ND | ND | ND | 22.5 | ND | 192 | 47.2 | ND | 71.8 | ND | ND | ND | ND | ND | ND | 333.5 |
| | 5/21/2010 | ND | ND | ND | 14.8 | ND | 103 | 32.0 | ND | 58.8 | ND | ND | ND | ND | ND | ND | 208.6 |
| | 8/26/2010 | ND | ND | ND | ND | ND | ND | 23.3 | ND | 39.9 | ND | ND | ND | ND | ND | ND | 63.2 |
| | 11/19/2010 | ND | ND | ND | 190 | 5.1 | 159 | 41.0 | ND | 96.3 | ND | ND | ND | ND | ND | ND | 491.4 |
| | 2/11/2011 | ND | ND | ND | 5.3 | ND | 9.3 | 20.3 | ND | 37.7 | ND | ND | ND | ND | ND | ND | 72.6 |
| | 5/20/2011 | ND | ND | ND | 5.5 | ND | 5.6 | 14.6 | ND | 29 | ND | ND | ND | ND | ND | ND | 54.7 |
| | 8/25/2011 | ND | ND | ND | 51.5 | ND | 131 | 27.3 | ND | 72 | ND | ND | ND | ND | ND | ND | 281.8 |
| | 11/18/2011 | ND | ND | ND | ND | ND | ND | 24.2 | ND | 29.8 | ND | ND | ND | ND | ND | ND | 54 |
| | 2/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | 31 | ND | ND | ND | ND | ND | ND | 31 |
| | 5/22/2012 | ND | ND | ND | ND | ND | ND | 15.9 | ND | 32.8 | ND | ND | ND | ND | ND | ND | 48.7 |
| | 8/24/2012 | ND | ND | ND | 93.6 | ND | 286 | 37.7 | ND | 156 | ND | ND | ND | ND | ND | ND | 573.3 |
| | 11/16/2012 | ND | ND | ND | 28.3 | ND | 109 | 28.7 | ND | 74.7 | ND | ND | ND | ND | ND | ND | 240.7 |
| | 2/25/2013 | ND | ND | ND | ND | ND | ND | 12.2 | ND | 25.0 | ND | ND | ND | ND | ND | ND | 37.2 |
| | 5/30/2013 | ND | ND | ND | ND | ND | ND | 12.6 | ND | 26.3 | ND | ND | ND | ND | ND | ND | 38.9 |
| | 8/23/2013 | ND | ND | ND | ND | ND | 10.9 | 14.6 | ND | 30.9 | ND | ND | ND | ND | ND | ND | 56.4 |
| | 11/13/2013 | ND | ND | ND | 5.9 | ND | 9.2 | 16.5 | ND | 24.8 | ND | ND | ND | ND | ND | ND | 56.4 |
| | 2/19/2014 | ND | ND | ND | 6.5 | ND | 26.9 | 18.0 | ND | 38.1 | ND | ND | ND | ND | ND | ND | 89.5 |
| | 5/16/2014 | ND | ND | ND | 9.3 | ND | 27.8 | 13.6 | ND | 29.0 | ND | ND | ND | ND | ND | ND | 79.7 |
| | 8/22/2014 | ND | ND | ND | ND | ND | ND | 9.7 | ND | 17.9 | ND | ND | ND | ND | ND | ND | 27.6 |
| | 11/24/2014 | ND | ND | ND | 30.7 | ND | 98.6 | 14.6 | ND | 50.7 | ND | ND | ND | ND | ND | ND | 194.6 |
| | 3/13/2015 | ND | ND | ND | ND | ND | 8.2 | 11.0 | ND | 17.3 | ND | ND | ND | ND | ND | ND | 36.5 |
| | 5/27/2015 | ND | ND | ND | ND | ND | ND | 10.5 | ND | 18.1 | ND | ND | ND | ND | ND | ND | 28.6 |
| | 8/21/2015 | ND | ND | ND | ND | ND | ND | 13.1 | ND | 19.6 | ND | ND | ND | ND | ND | ND | 32.7 |
| | 11/25/2015 | ND | ND | ND | ND | ND | 7.8 | 14.3 | ND | 16.9 | ND | ND | ND | ND | ND | ND | 39.0 |
| | 2/19/2016 | ND | ND | ND | ND | ND | ND | 11.2 | ND | 15.3 | ND | ND | ND | ND | ND | ND | 26.5 |

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Results from 1997 through 2004 are not displayed.

**Table 3 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-2 | 5/3/1995 | 47 | ND | 8.1 | 3.9 | ND | 1,500 | 960 | ND | 4,300 | ND | ND | ND | ND | ND | ND | 6,819 |
| | 8/3/1995 | 48 | ND | ND | ND | ND | 1,500 | 1,100 | ND | 3,000 | ND | ND | ND | ND | ND | ND | 5,648 |
| | 11/7/1995 | 58 | ND | 9.1 | 5.3 | ND | 2,100 | 1,300 | ND | 2,200 | ND | ND | ND | ND | ND | ND | 5,672 |
| | 2/26/2010 | 13.2 | ND | ND | 181 | ND | 973 | 168 | ND | 297 | ND | ND | ND | ND | ND | ND | 1,632.2 |
| | 5/21/2010 | ND | ND | ND | 164 | ND | 1,610 | 128 | ND | 493 | ND | ND | ND | ND | ND | ND | 2,395.0 |
| | 8/26/2010 | 10.6 | ND | ND | 202 | ND | 1,230 | 132 | ND | 332 | ND | ND | ND | ND | ND | ND | 1,906.6 |
| | 11/19/2010 | 8.6 | ND | ND | 6.3 | ND | 297 | 151 | ND | 160 | ND | ND | ND | ND | ND | ND | 622.9 |
| | 2/11/2011 | 12.2 | ND | ND | 51 | ND | 579 | 99.6 | ND | 196 | ND | ND | ND | ND | ND | ND | 937.8 |
| | 5/20/2011 | 9.1 | ND | ND | 1,000 | ND | 812 | 78.5 | ND | 196 | ND | ND | ND | ND | ND | ND | 2,095.6 |
| | 8/25/2011 | ND | ND | ND | 17.9 | ND | 164 | 44.7 | ND | 68.1 | ND | ND | ND | ND | ND | ND | 294.7 |
| | 11/18/2011 | 11 | ND | ND | 8.5 | ND | 213 | 103 | ND | 173 | ND | ND | ND | ND | ND | ND | 508.5 |
| | 2/24/2012 | 5 | ND | ND | 83.7 | ND | 131 | 53.7 | ND | 74 | ND | ND | ND | ND | ND | ND | 347.4 |
| | 5/22/2012 | 9.5 | ND | ND | 252 | ND | 330 | 84.9 | ND | 231 | ND | ND | ND | ND | ND | ND | 907.4 |
| | 8/24/2012 | ND | ND | ND | 21 | ND | 77.1 | 44.1 | ND | 47.7 | ND | ND | ND | ND | ND | ND | 189.9 |
| | 11/16/2012 | ND | ND | ND | 24.7 | ND | 98.0 | 37.9 | ND | 47.7 | ND | ND | ND | ND | ND | ND | 208.3 |
| | 2/25/2013 | ND | ND | ND | 80.6 | ND | 154.0 | 41.5 | ND | 93.3 | ND | ND | ND | ND | ND | ND | 369.4 |
| | 5/30/2013 | 5.1 | ND | ND | 14.6 | ND | 206.0 | 72.4 | ND | 125.0 | ND | ND | ND | ND | ND | ND | 423.1 |
| | 8/23/2013 | 9.3 | ND | ND | ND | ND | 195.0 | 76.4 | ND | 148.0 | ND | ND | ND | ND | ND | ND | 428.7 |
| | 11/13/2013 | 5.7 | ND | ND | ND | ND | 118.0 | 70.0 | ND | 87.2 | ND | ND | ND | ND | ND | ND | 280.9 |
| | 2/19/2014 | 12.9 | ND | ND | ND | ND | 195.0 | 89.0 | ND | 165.0 | ND | ND | ND | ND | ND | ND | 461.9 |
| | 5/16/2014 | 9.6 | ND | ND | 14.2 | ND | 171.0 | 72.6 | ND | 129.0 | ND | ND | ND | ND | ND | ND | 396.4 |
| | 8/22/2014 | 7 | ND | ND | ND | ND | 139.0 | 58.4 | ND | 107.0 | ND | ND | ND | ND | ND | ND | 311.4 |
| | 11/24/2014 | ND | ND | ND | ND | ND | 89.6 | 32.0 | ND | 56.5 | ND | ND | ND | ND | ND | ND | 178.1 |
| | 3/13/2015 | 7 | ND | ND | 6.2 | ND | 132.0 | 46.5 | ND | 74.2 | ND | ND | ND | ND | ND | ND | 265.9 |
| | 5/27/2015 | ND | ND | ND | 10.0 | ND | 92.4 | 40.1 | ND | 49.5 | ND | ND | ND | ND | ND | ND | 192.0 |
| | 8/21/2015 | 6.7 | ND | ND | 67.5 | ND | 196.0 | 71.9 | ND | 106.0 | ND | ND | ND | ND | ND | ND | 448.1 |
| | 11/25/2015 | 7.4 | ND | ND | ND | ND | 131.0 | 70.8 | ND | 101.0 | ND | ND | ND | ND | ND | ND | 310.2 |
| | 2/19/2016 | 6.8 | ND | ND | 7.2 | ND | 137.0 | 50.3 | ND | 101.0 | ND | ND | ND | ND | ND | ND | 302.3 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 3 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-3 | 5/3/1995 | 28 | ND | ND | ND | ND | 160 | 540 | ND | 2,900 | ND | ND | ND | ND | ND | ND | 3,628 |
| | 8/3/1995 | 53 | ND | ND | ND | ND | 16 | 560 | ND | 870 | ND | ND | ND | ND | ND | ND | 1,499 |
| | 11/7/1995 | 48 | ND | 6.9 | ND | ND | 1,400 | 950 | ND | 1,700 | ND | ND | ND | ND | ND | ND | 4,105 |
| | 2/26/2010 | 6.5 | ND | ND | 33.4 | ND | 262 | 111 | ND | 80 | ND | ND | ND | ND | ND | ND | 492.9 |
| | 5/21/2010 | ND | ND | ND | 21.9 | ND | 292 | 93.4 | ND | 70.2 | ND | ND | ND | ND | ND | ND | 477.5 |
| | 8/26/2010 | 5.3 | ND | ND | 5.2 | ND | 177 | 84 | ND | 49.9 | ND | ND | ND | ND | ND | ND | 321.4 |
| | 11/19/2010 | 9.2 | ND | ND | 382 | 6.9 | 162 | 137 | ND | 121 | ND | ND | ND | ND | ND | ND | 818.1 |
| | 2/11/2011 | 8.8 | ND | ND | 605 | ND | 81.8 | 118 | ND | 134 | ND | ND | ND | ND | ND | ND | 947.6 |
| | 5/20/2011 | 6 | ND | ND | 59 | ND | 69.6 | 88.8 | ND | 53.4 | ND | ND | ND | ND | ND | ND | 276.8 |
| | 8/25/2011 | ND | ND | ND | 55.3 | ND | 96.1 | 68.4 | ND | 50.8 | ND | ND | ND | ND | ND | ND | 270.6 |
| | 11/18/2011 | 6.7 | ND | ND | 138 | ND | 126 | 86.7 | ND | 77.4 | ND | ND | ND | ND | ND | ND | 434.8 |
| | 2/24/2012 | ND | ND | ND | 55.7 | ND | 83.6 | ND | ND | 61.4 | ND | ND | ND | ND | ND | ND | 200.7 |
| | 5/22/2012 | 5.5 | ND | ND | 44 | ND | 122 | 71 | ND | 58.7 | ND | ND | ND | ND | ND | ND | 301.2 |
| | 8/24/2012 | 6.3 | ND | ND | 77.5 | ND | 143 | 75.8 | ND | 74.6 | ND | ND | ND | ND | ND | ND | 377.2 |
| | 11/16/2012 | 5.9 | ND | ND | 80.5 | ND | 154 | 66.6 | ND | 68.4 | ND | ND | ND | ND | ND | ND | 375.4 |
| | 2/25/2013 | ND | ND | ND | 47 | ND | 110 | 53.3 | ND | 66.1 | ND | ND | ND | ND | ND | ND | 276.4 |
| | 5/30/2013 | ND | ND | ND | 21.5 | ND | 99 | 48.8 | ND | 40.2 | ND | ND | ND | ND | ND | ND | 209.0 |
| | 8/23/2013 | 5.3 | ND | ND | 25.9 | ND | 135 | 48.8 | ND | 53.3 | ND | ND | ND | ND | ND | ND | 268.3 |
| | 11/13/2013 | 5.5 | ND | ND | 31.6 | ND | 157 | 52.0 | ND | 51.8 | ND | ND | ND | ND | ND | ND | 297.9 |
| | 2/19/2014 | 6.5 | ND | ND | 21.8 | ND | 144 | 62.6 | ND | 58.1 | ND | ND | ND | ND | ND | ND | 293.0 |
| | 5/16/2014 | 5.8 | ND | ND | 8.2 | ND | 93 | 50.8 | ND | 35.7 | ND | ND | ND | ND | ND | ND | 193.0 |
| | 8/22/2014 | ND | ND | ND | 7.3 | ND | 86.9 | 41.3 | ND | 32.8 | ND | ND | ND | ND | ND | ND | 168.3 |
| | 11/24/2014 | ND | ND | ND | 13.8 | ND | 123.0 | 38.0 | ND | 41.5 | ND | ND | ND | ND | ND | ND | 216.3 |
| | 3/13/2015 | ND | ND | ND | 21.4 | ND | 114.0 | 35.3 | ND | 35.9 | ND | ND | ND | ND | ND | ND | 206.6 |
| | 5/27/2015 | ND | ND | ND | 6.7 | ND | 89.1 | 40.2 | ND | 34.3 | ND | ND | ND | ND | ND | ND | 170.3 |
| | 8/21/2015 | 5.9 | ND | ND | ND | ND | 83.5 | 53.3 | ND | 34.2 | ND | ND | ND | ND | ND | ND | 176.9 |
| | 11/25/2015 | ND | ND | ND | 11.4 | ND | 97.7 | 38.9 | ND | 32.5 | ND | ND | ND | ND | ND | ND | 180.5 |
| | 2/19/2016 | ND | ND | ND | 16.6 | ND | 101.0 | 31.3 | ND | 35.4 | ND | ND | ND | ND | ND | ND | 184.3 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 3 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-4 | 2/17/2005 | 7.4 | ND | ND | ND | ND | 350 | 210 | ND | 140 | ND | ND | ND | ND | ND | ND | 707 |
| | 4/28/2005 | ND | ND | ND | ND | ND | 25 | 6.2 | ND | ND | ND | ND | ND | ND | ND | ND | 31 |
| | 8/19/2005 | ND | ND | ND | ND | ND | 35.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 35.4 |
| | 11/11/2005 | ND | ND | ND | ND | ND | 20 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 20 |
| | 2/26/2010 | ND | ND | ND | ND | ND | 19.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 19.8 |
| | 5/21/2010 | ND | ND | ND | ND | ND | 16.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 16.3 |
| | 8/26/2010 | ND | ND | ND | ND | ND | 14.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 14.2 |
| | 11/19/2010 | ND | ND | ND | ND | ND | 8.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.2 |
| | 2/11/2011 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 5/20/2011 | ND | ND | ND | ND | ND | 13.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.7 |
| | 8/25/2011 | ND | ND | ND | ND | ND | 10.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.1 |
| | 11/18/2011 | ND | ND | ND | ND | ND | 12 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 12.0 |
| | 2/24/2012 | ND | ND | ND | ND | ND | 7.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.6 |
| | 5/22/2012 | ND | ND | ND | ND | ND | 15.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 15.4 |
| | 8/24/2012 | ND | ND | ND | ND | ND | 6.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 6.8 |
| | 11/16/2012 | ND | ND | ND | ND | ND | 7.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.9 |
| | 2/25/2013 | ND | ND | ND | ND | ND | 10.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.1 |
| | 5/30/2013 | ND | ND | ND | ND | ND | 7.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.7 |
| | 8/23/2013 | ND | ND | ND | ND | ND | 9.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 9.6 |
| | 11/13/2013 | ND | ND | ND | ND | ND | 7.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.9 |
| | 2/19/2014 | ND | ND | ND | ND | ND | 10.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.3 |
| | 5/16/2014 | ND | ND | ND | ND | ND | 9.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 9.7 |
| | 8/22/2014 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 11/24/2014 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 3/13/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/27/2015 | ND | ND | ND | ND | ND | 7.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.5 |
| | 8/21/2015 | ND | ND | ND | ND | ND | 13.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.6 |
| | 11/25/2015 | ND | ND | ND | ND | ND | 6.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 6.7 |
| | 2/19/2016 | ND | ND | ND | ND | ND | 7.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.5 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 3 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-5 | 7/22/2010 | ND | ND | ND | ND | ND | 1,120 | 132 | ND | 253 | ND | ND | ND | 8,890 | ND | ND | 10,395 |
| | 8/26/2010 | ND | ND | ND | 99.3 | ND | 669 | 114 | ND | 281 | ND | ND | ND | ND | ND | ND | 1,163 |
| | 11/19/2010 | 8.2 | ND | ND | 1,020 | 6.3 | 907 | 106 | ND | 355 | ND | ND | ND | ND | ND | ND | 2,403 |
| | 2/11/2011 | 5.2 | ND | ND | 766 | ND | 721 | 73.6 | ND | 325 | ND | ND | ND | ND | ND | ND | 1,890.8 |
| | 5/20/2011 | ND | ND | ND | 251 | ND | 440 | 87.6 | ND | 262 | ND | ND | ND | ND | ND | ND | 1,040.6 |
| | 8/25/2011 | ND | ND | ND | 244 | ND | 262 | 21 | ND | 135 | ND | ND | ND | ND | ND | ND | 662 |
| | 11/18/2011 | ND | ND | ND | 442 | ND | 579 | 67 | ND | 447 | ND | ND | ND | ND | ND | ND | 1,535 |
| | 2/24/2012 | ND | ND | ND | 228 | ND | 345 | ND | ND | 305 | ND | ND | ND | ND | ND | ND | 878 |
| | 5/22/2012 | ND | ND | ND | 127 | ND | 549 | 46.8 | ND | 288 | ND | ND | ND | ND | ND | ND | 1,010.8 |
| | 8/24/2012 | 5.1 | ND | ND | 254 | ND | 585 | 68.1 | ND | 351 | ND | ND | ND | ND | ND | ND | 1,263.2 |
| | 11/16/2012 | ND | ND | ND | 172 | ND | 534 | 68.0 | ND | 279 | ND | ND | ND | ND | ND | ND | 1,053.0 |
| | 2/25/2013 | ND | ND | ND | 29.3 | ND | 122 | 27.8 | ND | 72.1 | ND | ND | ND | ND | ND | ND | 251.2 |
| | 5/30/2013 | ND | ND | ND | 128.0 | ND | 614 | 38.7 | ND | 242.0 | ND | ND | ND | ND | ND | ND | 1,022.7 |
| | 8/23/2013 | ND | ND | ND | 194.0 | ND | 580 | 39.9 | ND | 305.0 | ND | ND | ND | ND | ND | ND | 1,118.9 |
| | 11/13/2013 | ND | ND | ND | 148.0 | ND | 570 | 42.7 | ND | 265.0 | ND | ND | ND | ND | ND | ND | 1,025.7 |
| | 2/19/2014 | ND | ND | ND | 202.0 | ND | 538 | 47.5 | ND | 290.0 | ND | ND | ND | ND | ND | ND | 1,077.5 |
| | 5/16/2014 | ND | ND | ND | 181.0 | ND | 397 | 36.4 | ND | 228.0 | ND | ND | ND | ND | ND | ND | 842.4 |
| | 8/22/2014 | ND | ND | ND | 169.0 | ND | 418 | 28.8 | ND | 211.0 | ND | ND | ND | ND | ND | ND | 826.8 |
| | 11/24/2014 | ND | ND | ND | 210.0 | ND | 442 | 27.5 | ND | 258.0 | ND | ND | ND | ND | ND | ND | 937.5 |
| | 3/13/2015 | ND | ND | ND | 60.7 | ND | 336 | 30.5 | ND | 159.0 | ND | ND | ND | ND | ND | ND | 586.2 |
| | 5/27/2015 | ND | ND | ND | 151.0 | ND | 500 | 31.4 | ND | 198.0 | ND | ND | ND | ND | ND | ND | 880.4 |
| | 8/21/2015 | ND | ND | ND | 130.0 | ND | 364 | 39.1 | ND | 208.0 | ND | ND | ND | ND | ND | ND | 741.1 |
| | 11/25/2015 | ND | ND | ND | 111.0 | ND | 414 | 35.0 | ND | 180.0 | ND | ND | ND | ND | ND | ND | 740.0 |
| | 2/19/2016 | ND | ND | ND | 79.2 | ND | 344 | 29.4 | ND | 173.0 | ND | ND | ND | ND | ND | ND | 625.6 |

Notes:
Results in micrograms per liter (ug/l).
Results from 1997 through 2004 are not displayed.

**Table 3 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| Effluent | 2/17/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 4/28/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/19/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/11/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/26/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/21/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/26/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/19/2010 | ND | ND | ND | 55.9 | ND | 15.7 | ND | ND | 10.3 | ND | ND | ND | ND | ND | ND | 81.9 |
| | 12/8/2010 | ND | ND | ND | 57.9 | ND | 24.4 | ND | ND | 11.8 | ND | ND | ND | ND | ND | ND | 94.1 |
| | 12/10/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/11/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/20/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/25/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/18/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/22/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/16/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/25/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/30/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/23/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/13/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/19/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/16/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/22/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/24/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 3/13/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/27/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/21/2015 | ND | ND | ND | 6 | ND | 9 | ND | ND | 5.7 | ND | ND | ND | ND | ND | ND | 20.7 |
| | 9/10/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/25/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/19/2016 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

Results from 1997 through 2004 are not displayed.

**Table 4**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| IT-2 | 2/1/1986 | NA | 15 | NR | 1.5 | 90 | 88 | NR | NR | ND | ND | ND | 195 |
| | 5/1/1986 | NA | 10 | NR | 7.5 | 64 | 93 | NR | NR | ND | ND | ND | 175 |
| | 8/1/1986 | NA | 11 | NR | 38 | 120 | 120 | NR | NR | ND | ND | ND | 289 |
| | 11/1/1986 | NA | 34 | NR | 55 | 39 | 130 | NR | NR | ND | ND | ND | 258 |
| | 3/5/1992 | NA | 41 | 78 | ND | 25 | 18 | NR | NR | ND | ND | ND | 162 |
| | 7/27/1992 | NA | 17 | 30 | ND | 28 | 39 | NR | NR | ND | ND | ND | 114 |
| | 2/16/1993 | NA | 18 | 51 | 5J | 29 | 29 | NR | NR | ND | ND | ND | 127 |
| | 10/9/1996 | NA | 18 | 79 | 17 | 9 | 18 | NR | NR | ND | ND | ND | 141 |
| | 9/29/2000 | 12.40 | 16 | 87 | ND | ND | 14 | ND | ND | ND | ND | ND | 117 |
| | 4/2/2001 | 13.12 | 11 | 56 | ND | 26 | 60 | ND | ND | ND | ND | ND | 153 |
| | 10/19/2001 | 12.53 | 14 | 70 | ND | 10 | 20 | ND | ND | ND | ND | ND | 114 |
| | 4/16/2002 | 11.65 | ND | 24 | ND | ND | 10 | ND | ND | ND | ND | ND | 34 |
| | 10/17/2002 | 13.13 | 8.8 | 46 | ND | ND | 14 | ND | ND | ND | ND | ND | 69 |
| | 4/30/2003 | 12.75 | ND | 31 | ND | 8.8 | 21 | ND | ND | ND | ND | ND | 61 |
| | 10/3/2003 | 12.23 | 8.8 | 50 | ND | ND | 11 | ND | ND | ND | ND | ND | 70 |
| | 4/2/2004 | 12.47 | ND | 43 | ND | ND | 15 | ND | ND | ND | ND | ND | 58 |
| | 10/4/2004 | 12.61 | 9.4 | 60 | 6.1 | 12 | 36 | ND | ND | ND | ND | ND | 124 |
| | 4/1/2005 | 12.46 | 6.3 | 29 | ND | 5.4 | 18 | ND | ND | ND | ND | ND | 59 |
| | 10/14/2005 | 12.38 | 8 | 52 | ND | ND | 9 | ND | ND | ND | ND | ND | 69 |
| | 4/27/2006 | 11.75 | ND | 25.5 | ND | 4.98 | 14.6 | ND | ND | ND | ND | ND | 45.1 |
| | 10/13/2006 | 12.47 | ND | 36.6 | ND | ND | 13.6 | ND | ND | ND | ND | ND | 50.2 |
| | 4/17/2007 | 11.96 | ND | 13.1 | ND | ND | 8.9 | ND | ND | ND | ND | ND | 22 |
| | 10/12/2007 | 13.38 | 8.4 | 42.7 | ND | ND | 8.2 | ND | ND | ND | ND | ND | 59.3 |
| | 4/4/2008 | 11.13 | ND | 19.1 | ND | ND | 10.7 | ND | ND | ND | ND | ND | 29.8 |
| | 10/10/2008 | 12.78 | ND | 18 | ND | ND | 5.5 | ND | ND | ND | ND | ND | 23.5 |
| | 4/9/2009 | 12.22 | ND | 17.3 | ND | 6.2 | 10.1 | ND | ND | ND | ND | ND | 33.6 |
| | 10/9/2009 | 12.29 | ND | 11.4 | ND | ND | 10.3 | ND | ND | ND | ND | ND | 21.7 |
| | 4/8/2010 | 12.19 | ND | 5.4 | ND | ND | ND | ND | ND | ND | ND | ND | 5.4 |
| | 10/7/2010 | 14.04 | 6.3 | 29.7 | ND | ND | 15.6 | ND | ND | ND | ND | ND | 51.6 |
| | 4/14/2011 | 11.93 | ND | 15.4 | ND | ND | 10.8 | ND | ND | ND | ND | ND | 26.2 |
| | 10/5/2011 | 13.30 | 6.5 | 30.4 | ND | 5.7 | 18.7 | ND | ND | ND | ND | ND | 61.3 |
| | 4/6/2012 | 12.31 | ND | 18.3 | ND | ND | 8.5 | ND | ND | ND | ND | ND | 26.8 |
| | 10/5/2012 | 13.56 | ND | 33.3 | ND | 5.6 | 31.7 | ND | ND | ND | ND | ND | 70.6 |
| | 4/5/2013 | 12.58 | 8 | 27.6 | ND | 5.5 | 26.7 | ND | ND | ND | ND | ND | 67.8 |
| | 10/1/2013 | 13.95 | 10 | 35.2 | ND | 6.5 | 22.2 | ND | ND | ND | ND | ND | 73.9 |
| | 4/11/2014 | 11.79 | 5 | 15 | ND | 6.5 | 36.8 | ND | ND | ND | ND | ND | 63.3 |
| | 10/8/2014 | 13.23 | 9.4 | 51.7 | ND | ND | 9.4 | ND | ND | ND | ND | ND | 70.5 |
| | 4/10/2015 | 12.02 | 7.3 | 29.4 | ND | ND | 16.1 | ND | ND | ND | ND | ND | 52.8 |
| | 10/12/2015 | 13.00 | 6 | 24.8 | ND | ND | 8.6 | ND | ND | ND | ND | ND | 39.4 |
| | 4/19/2016 | 11.98 | ND | 20.5 | ND | ND | 7.3 | ND | ND | ND | ND | ND | 27.8 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| IT-3 | 2/1/1986 | NA | 13 | NR | 290 | 190 | 67 | NR | NR | ND | ND | ND | 560 |
| | 5/1/1986 | NA | 10 | NR | NA | 200 | 27 | NR | NR | ND | ND | ND | 237 |
| | 8/1/1986 | NA | 7.5 | NR | 24 | 150 | 50 | NR | NR | ND | ND | ND | 232 |
| | 11/1/1986 | NA | 7.9 | NR | 16 | 160 | 72 | NR | NR | ND | ND | ND | 256 |
| | 3/5/1992 | NA | 4J | ND | ND | 83 | 34 | NR | NR | ND | ND | ND | 117 |
| | 7/27/1992 | NA | 4J | ND | 8 | 67 | 22 | NR | NR | ND | ND | ND | 97 |
| | 2/16/1993 | NA | 5J | ND | ND | 71 | 29 | NR | NR | ND | ND | ND | 100 |
| | 10/9/1996 | NA | 5 | ND | ND | 49 | 58 | NR | NR | ND | ND | ND | 112 |
| | 9/29/2000 | 10.74 | ND | ND | ND | 23 | 17 | ND | ND | ND | ND | ND | 40 |
| | 4/2/2001 | 11.30 | ND | ND | ND | 14 | 14 | ND | ND | ND | ND | ND | 28 |
| | 10/19/2001 | 10.78 | ND | ND | ND | 23 | 16 | ND | ND | ND | ND | ND | 39 |
| | 4/16/2002 | 10.72 | ND | ND | ND | 22 | 11 | ND | ND | ND | ND | ND | 33 |
| | 10/17/2002 | 11.25 | ND | ND | ND | 18 | 16 | ND | ND | ND | ND | ND | 34 |
| | 4/30/2003 | 11.21 | ND | ND | ND | 19 | 11 | ND | ND | ND | ND | ND | 30 |
| | 10/3/2003 | 10.91 | ND | ND | ND | 17 | 9.5 | ND | ND | ND | ND | ND | 27 |
| | 4/2/2004 | 10.97 | ND | ND | ND | 12 | 6 | ND | ND | ND | ND | ND | 18 |
| | 10/4/2004 | 11.03 | ND | ND | 5.3 | 11 | 5.8 | ND | ND | ND | ND | ND | 22 |
| | 4/1/2005 | 10.94 | ND | ND | ND | 8.1 | ND | ND | ND | ND | ND | ND | 8.1 |
| | 10/14/2005 | 10.91 | ND | ND | ND | 7 | ND | ND | ND | ND | ND | ND | 7.0 |
| | 4/27/2006 | 10.75 | ND | ND | ND | 12.9 | ND | ND | ND | ND | ND | ND | 12.9 |
| | 10/13/2006 | 10.95 | ND | ND | ND | 11.1 | 5.78 | ND | ND | ND | ND | ND | 16.9 |
| | 4/17/2007 | 10.83 | ND | ND | ND | 12.4 | 7.6 | ND | ND | ND | ND | 5.7 | 25.7 |
| | 10/12/2007 | 11.35 | ND | ND | ND | 12.9 | 10.2 | ND | ND | ND | ND | ND | 23.1 |
| | 4/4/2008 | 10.11 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 10/10/2008 | 11.04 | ND | ND | ND | 19.9 | 18.7 | ND | ND | ND | ND | ND | 38.6 |
| | 4/9/2009 | 10.86 | ND | ND | ND | 11.4 | 16.3 | ND | ND | ND | ND | ND | 27.7 |
| | 10/9/2009 | 10.77 | ND | ND | ND | 18.9 | 25.7 | ND | ND | ND | ND | ND | 44.6 |
| | 4/8/2010 | 10.75 | ND | ND | ND | 5.6 | 17.8 | ND | ND | ND | ND | ND | 23.4 |
| | 10/7/2010 | 11.33 | ND | ND | ND | 21.6 | 32.5 | ND | ND | ND | ND | ND | 54.1 |
| | 4/14/2011 | 10.52 | ND | ND | ND | ND | 6.5 | ND | ND | ND | ND | ND | 6.5 |
| | 10/5/2011 | 11.07 | ND | ND | ND | 10.4 | 13.3 | ND | ND | ND | ND | ND | 23.7 |
| | 4/6/2012 | 10.73 | ND | ND | ND | ND | 7.2 | ND | ND | ND | ND | ND | 7.2 |
| | 10/5/2012 | 11.24 | ND | ND | ND | 6.6 | 7 | ND | ND | ND | ND | ND | 13.6 |
| | 4/5/2013 | 10.86 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/1/2013 | 11.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/11/2014 | 10.29 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/8/2014 | 10.95 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/10/2015 | 10.60 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2015 | 11.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/19/2016 | 10.73 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-12 | 2/1/1986 | NA | 360 | NR | 17,000 | 19,000 | 7,400 | NR | NR | ND | ND | ND | 43,760 |
| | 5/1/1986 | NA | 280 | NR | 34,000 | 25,000 | 5,400 | NR | NR | ND | ND | ND | 64,680 |
| | 8/1/1986 | NA | 310 | NR | 18,000 | 9,600 | 6,100 | NR | NR | ND | ND | ND | 34,010 |
| | 11/1/1986 | NA | 440 | NR | 26,000 | 24,000 | 9,100 | NR | NR | ND | ND | ND | 59,540 |
| | 10/9/1996 | NA | 26 | ND | 2,000 | 910 | 1,200 | NR | NR | ND | ND | ND | 4,136 |
| | 9/29/2000 | 16.56 | 11 | ND | 860 | 290 | 880 | ND | ND | ND | ND | ND | 2,041 |
| | 4/2/2001 | 17.31 | 9.3 | ND | 650 | 170 | 760 | ND | ND | ND | ND | ND | 1,589 |
| | 10/19/2001 | 16.67 | 14 | ND | 320 | 240 | 690 | ND | ND | ND | ND | ND | 1,264 |
| | 4/16/2002 | 15.86 | 12 | ND | 1,300 | 580 | 2,600 | 25 | 30 | ND | ND | ND | 4,547 |
| | 10/17/2002 | 17.36 | 18 | ND | 1,100 | 390 | 980 | ND | ND | ND | ND | ND | 2,488 |
| | 4/30/2003 | 16.92 | 12 | ND | 650 | 310 | 900 | 22 | ND | ND | ND | ND | 1,894 |
| | 10/3/2003 | 16.32 | 9.8 | ND | 550 | 190 | 810 | ND | ND | ND | ND | ND | 1,560 |
| | 4/2/2004 | 16.67 | ND | ND | 450 | 170 | 780 | ND | ND | ND | ND | ND | 1,400 |
| | 10/4/2004 | 16.72 | 14 | ND | 520 | 300 | 890 | ND | ND | ND | ND | ND | 1,724 |
| | 4/1/2005 | 16.67 | 7 | ND | 570 | 180 | 810 | ND | ND | ND | ND | ND | 1,567 |
| | 10/14/2005 | 16.53 | 10 | ND | 540 | 171 | 508 | ND | ND | ND | ND | ND | 1,229 |
| | 4/27/2006 | 15.83 | 59.6 | ND | 873 | 582 | 635 | ND | ND | 6.25 | 14.7 | ND | 2,170.55 |
| | 10/13/2006 | 16.56 | ND | ND | 788 | 502 | 574 | ND | ND | ND | 9.74 | ND | 1,873.74 |
| | 4/17/2007 | 15.16 | 7.5 | ND | 1,020 | 162 | 635 | ND | ND | ND | ND | ND | 1,824.5 |
| | 10/12/2007 | 17.47 | 22.8 | 124 | 1,380 | 360 | 571 | ND | 53.1 | ND | ND | ND | 2,510.9 |
| | 4/4/2008 | 15.41 | 28.9 | 11.4 | 1,590 | 331 | 698 | ND | ND | ND | ND | ND | 2,659.3 |
| MW-12R | 10/10/2008 | 16.85 | ND | ND | 352 | 90 | 320 | ND | ND | ND | ND | ND | 762 |
| | 4/9/2009 | 16.38 | 5.8 | ND | 444 | 100 | 208 | ND | ND | ND | ND | ND | 757.8 |
| | 10/9/2009 | 16.41 | 9.3 | ND | 552 | 152 | 288 | ND | ND | ND | ND | ND | 1,001.3 |
| | 4/8/2010 | 16.32 | ND | ND | 331 | 63.3 | 182 | ND | ND | ND | ND | ND | 576.3 |
| | 10/7/2010 | 18.41 | 21.6 | 703 | 1,040 | 222 | 580 | ND | ND | ND | ND | ND | 2,566.6 |
| | 4/14/2011 | 16.34 | ND | 46.1 | 477 | 68.9 | 289 | ND | ND | ND | ND | ND | 881 |
| | 10/5/2011 | 17.63 | ND | 159 | 2,470 | 67.2 | 272 | ND | ND | ND | ND | ND | 2,968.2 |
| | 4/6/2012 | 16.74 | ND | 81.4 | 884 | 56.3 | 234 | ND | ND | ND | ND | ND | 1,255.7 |
| | 10/5/2012 | 17.95 | ND | 23 | 687 | 45.6 | 135 | ND | ND | ND | ND | ND | 890.6 |
| | 4/5/2013 | 16.09 | 5.3 | 154 | 665 | 56.9 | 170 | ND | ND | ND | ND | ND | 1,051.2 |
| | 10/1/2013 | 18.22 | ND | 10.1 | 392 | 39.2 | 66 | ND | ND | ND | ND | ND | 507.3 |
| | 4/11/2014 | 16.21 | 5 | 47.1 | 458 | 49 | 79.4 | ND | ND | ND | ND | ND | 638.5 |
| | 10/8/2014 | 17.51 | ND | 12.9 | 378 | 55.1 | 48.5 | ND | ND | ND | ND | ND | 494.5 |
| | 4/10/2015 | 16.34 | 13.2 | 124 | 757 | 102 | 135 | ND | ND | ND | ND | ND | 1,131.2 |
| | 10/12/2015 | 17.25 | 5.7 | 128 | 453 | 66.9 | 85.1 | ND | ND | ND | ND | ND | 738.7 |
| | 4/19/2016 | 16.30 | ND | 104 | 440 | 59 | 72.2 | ND | ND | ND | ND | ND | 675.2 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-20 | 3/5/1992 | NA | ND | ND | ND | ND | ND | NR | NR | ND | ND | ND | ND |
| | 9/29/2000 | 8.98 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/2/2001 | 11.05 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/19/2001 | 9.95 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/16/2002 | 8.22 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/17/2002 | 11.86 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/30/2003 | 9.72 | ND | ND | ND | ND | 5.4 | ND | ND | ND | ND | ND | 5 |
| | 10/3/2003 | 9.62 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/2/2004 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/4/2004 | 11.02 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/1/2005 | 9.12 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/14/2005 | 10.18 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/27/2006 | 9.09 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/13/2006 | 10.57 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/17/2007 | 9.19 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2007 | 12.02 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/4/2008 | 7.87 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/10/2008 | 10.51 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/9/2009 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/9/2009 | 9.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/8/2010 | 8.53 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/7/2010 | 11.76 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/14/2011 | 8.34 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2011 | 10.67 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/6/2012 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2012 | 11.10 | ND | ND | 5 | ND | ND | ND | ND | ND | ND | ND | 5 |
| | 4/5/2013 | 9.39 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/1/2013 | 11.43 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | Duplicate | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/11/2014 | 8.39 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/8/2014 | 10.87 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/10/2015 | 8.51 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2015 | 10.78 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/19/2016 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-22 | 10/9/1996 | NA | ND | ND | 5,600 | ND | 1,000 | NR | NR | ND | ND | ND | 6,600 |
| | 9/29/2000 | 16.98 | ND | ND | 3,300 | 41 | 230 | ND | ND | ND | ND | ND | 3,571 |
| | 4/2/2001 | 17.88 | 14 | ND | 4,400 | 37 | 220 | ND | ND | ND | ND | ND | 4,671 |
| | 10/19/2001 | 17.29 | ND | ND | 2,000 | 53 | 290 | 120 | ND | ND | ND | ND | 2,463 |
| | 4/16/2002 | 16.51 | ND | ND | 4,100 | 34 | 400 | 110 | ND | ND | ND | ND | 4,644 |
| | 10/17/2002 | 18.08 | ND | ND | 2,600 | 26 | 250 | ND | ND | ND | ND | ND | 2,876 |
| | 4/30/2003 | 17.32 | ND | ND | 3,500 | 31 | 570 | ND | ND | ND | ND | ND | 4,101 |
| | Duplicate | | ND | ND | 3,200 | 30 | 580 | ND | ND | ND | ND | ND | 3,810 |
| | 10/3/2003 | 17.01 | ND | ND | 3,100 | 27 | 230 | ND | ND | ND | ND | ND | 3,357 |
| | Duplicate | | ND | ND | 3,200 | 27 | 220 J | ND | ND | ND | ND | ND | 3,227 |
| | 4/2/2004 | 17.03 | ND | ND | ND | 15 | 140 | ND | ND | ND | ND | ND | 155 |
| | Duplicate | | ND | ND | ND | 18 | 140 | ND | ND | ND | ND | ND | 158 |
| | 10/4/2004 | 17.52 | ND | ND | 2,400 | 18 | 190 | ND | ND | ND | ND | ND | 2,608 |
| | Duplicate | | ND | ND | 2,400 | 19 | 200 | ND | ND | ND | ND | ND | 2,619 |
| | 4/1/2005 | 17.07 | ND | ND | 1,900 | 20 | 170 | ND | ND | ND | ND | ND | 2,090 |
| | Duplicate | | ND | ND | 1,900 | 19 | 160 | ND | ND | ND | ND | ND | 2,079 |
| | 10/14/2005 | 17.16 | ND | ND | 1,720 | 15 | 136 | ND | ND | ND | ND | ND | 1,871 |
| | Duplicate | | ND | ND | 1,730 | 15 | 141 | ND | ND | ND | ND | ND | 1,886 |
| | 4/27/2006 | 16.65 | ND | ND | 2,710 | 24.7 | 159 | ND | ND | ND | ND | ND | 2,894 |
| | Duplicate | | ND | ND | 2,600 | 23.9 | 147 | ND | ND | ND | ND | ND | 2,770.9 |
| | 10/13/2006 | 17.56 | ND | ND | 1,830 | 20 | 146 | ND | ND | ND | ND | ND | 1,996 |
| | Duplicate | | ND | ND | 1,880 | 19 | 151 | ND | ND | ND | ND | ND | 2,050.0 |
| | 4/17/2007 | 16.80 | ND | 8.5 | 1,320 | 6.8 | 68.2 | ND | ND | ND | ND | ND | 1,403.5 |
| | Duplicate | | ND | 8.3 | 1,420 | 7.4 | 71.1 | ND | ND | ND | ND | ND | 1,506.8 |
| | 10/12/2007 | 18.62 | ND | 58.3 | 1,190 | 10 | 51.4 | ND | ND | ND | ND | ND | 1,309.7 |
| | Duplicate | | ND | 68.3 | 1,160 | 10.9 | 58.8 | ND | ND | ND | ND | ND | 1,298.0 |
| | 4/4/2008 | 16.07 | ND | ND | 1,030 | 14 | 99.4 | ND | ND | ND | ND | ND | 1,143.4 |
| | Duplicate | | ND | ND | 1,280 | 13.5 | 98.4 | ND | ND | ND | ND | ND | 1,391.9 |
| | 10/10/2008 | 17.87 | ND | ND | 1,210 | 13.2 | 106 | ND | ND | ND | ND | ND | 1,329.2 |
| | Duplicate | | ND | ND | 1,170 | 11.9 | 95.1 | ND | ND | ND | ND | ND | 1,277.0 |
| | 4/9/2009 | 17.23 | ND | ND | 1,230 | 17.5 | 87.9 | ND | ND | ND | ND | ND | 1,335.4 |
| | Duplicate | | ND | ND | 1,300 | 17.7 | 90.4 | ND | ND | ND | ND | ND | 1,408.1 |
| | 10/9/2009 | 17.36 | ND | ND | 1,600 | 13.4 | 96.1 | ND | ND | ND | ND | ND | 1,709.5 |
| | Duplicate | | ND | ND | 1,610 | 13.2 | 97 | ND | ND | ND | ND | ND | 1,720.2 |
| | 4/8/2010 | 17.14 | ND | ND | 1,380 | 10.1 | 61.8 | ND | ND | ND | ND | ND | 1,451.9 |
| | Duplicate | | ND | ND | 1,660 | 10.6 | 64.5 | ND | ND | ND | ND | ND | 1,735.1 |
| | 10/7/2010 | 18.64 | ND | 428 | 797 | 10.6 | 84.3 | ND | ND | ND | ND | ND | 1,319.9 |
| | Duplicate | | ND | 403 | 746 | 10.3 | 83.1 | ND | ND | ND | ND | ND | 1,242.4 |
| | 4/14/2011 | 16.63 | ND | 487 | 1,070 | ND | 35.3 | ND | ND | ND | ND | ND | 1,592.3 |
| | Duplicate | | ND | 473 | 1,030 | ND | 34.1 | ND | ND | ND | ND | ND | 1,537.1 |
| | 10/5/2011 | 18.06 | ND | 136 | 1,150 | ND | 58.5 | ND | ND | ND | ND | ND | 1,344.5 |
| | Duplicate | | ND | 131 | 1,100 | ND | 54.8 | ND | ND | ND | ND | ND | 1,285.8 |
| | 4/6/2012 | 17.06 | ND | 87.8 | 656 | 7.7 | 95.9 | ND | ND | ND | ND | ND | 847.4 |
| | Duplicate | | ND | 74.7 | 468 | 8.7 | 82.3 | ND | ND | ND | ND | ND | 633.7 |
| | 10/5/2012 | 18.52 | ND | 69.3 | 710 | 10.2 | 111 | ND | ND | ND | ND | ND | 900.5 |
| | Duplicate | | ND | 65.4 | 722 | 9.9 | 108 | ND | ND | ND | ND | ND | 905.3 |
| | 4/5/2013 | 17.29 | ND | 27 | 745 | 10.1 | 107 | ND | ND | ND | ND | ND | 889.1 |
| | Duplicate | | ND | 71.2 | 1,000 | 14 | 176 | ND | ND | ND | ND | ND | 1,261.2 |
| | 10/1/2013 | 18.71 | ND | 32.8 | 638 | 8.5 | 96.5 | ND | ND | ND | ND | ND | 775.8 |
| | 4/11/2014 | 16.66 | ND | 11.7 | 744 | 9.2 | 65.2 | ND | ND | ND | ND | ND | 830.1 |
| | Duplicate | | ND | 50.8 | 901 | 14.7 | 154 | ND | ND | ND | ND | ND | 1,120.5 |
| | 10/8/2014 | 18.05 | ND | 25.2 | 555 | 11.7 | 76.5 | ND | ND | ND | ND | ND | 668.4 |
| | 4/10/2015 | 16.79 | ND | 11.8 | 699 | 9.4 | 64.4 | ND | ND | ND | ND | ND | 784.6 |
| | Duplicate | | ND | 10.3 | 718 | 9.5 | 64.2 | ND | ND | ND | ND | ND | 802.0 |
| | 10/12/2015 | 17.89 | ND | 11.2 | 654 | 8.1 | 52.2 | ND | ND | ND | ND | ND | 725.5 |
| | Duplicate | | ND | 11.2 | 617 | 8.4 | 52.5 | ND | ND | ND | ND | ND | 689.1 |
| | 4/19/2016 | 16.89 | ND | ND | 620 | 6.6 | 40.7 | ND | ND | ND | ND | ND | 667.3 |
| | Duplicate | | ND | ND | 596 | 6.6 | 40 | ND | ND | ND | ND | ND | 642.6 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-28 | 2/17/1993 | NA | ND | ND | 318 | 415 | 230 | NR | 52 | ND | ND | ND | 1,015 |
| | 10/9/1996 | NA | ND | ND | 54 | 36 | 38 | NR | NR | ND | ND | ND | 128 |
| | 9/29/2000 | 16.92 | ND | ND | 51 | 49 | 44 | ND | ND | ND | ND | ND | 144 |
| | 4/2/2001 | 17.97 | ND | ND | 30 | 49 | 42 | ND | ND | ND | ND | ND | 121 |
| | 10/19/2001 | 17.22 | ND | ND | 30 | 37 | 37 | ND | ND | ND | ND | ND | 104 |
| | 4/16/2002 | 16.37 | ND | ND | 26 | 43 | 29 | ND | ND | ND | ND | ND | 98 |
| | 10/17/2002 | 18.35 | ND | ND | 27 | 41 | 34 | ND | ND | ND | ND | ND | 102 |
| | 4/30/2003 | 17.33 | ND | ND | 40 | 36 | 35 | ND | ND | ND | ND | ND | 111 |
| | 10/3/2003 | 17.05 | ND | ND | 46 | 35 | 36 | ND | ND | ND | ND | ND | 117 |
| | 4/2/2004 | 16.96 | ND | ND | 32 | 27 | 27 | ND | ND | ND | ND | ND | 86 |
| | 10/4/2004 | 17.81 | ND | ND | 33 | 41 | 48 | ND | ND | ND | ND | ND | 122 |
| | 4/1/2005 | 17.05 | ND | ND | 30 | 37 | 35 | ND | ND | ND | ND | ND | 102 |
| | 10/14/2005 | 17.26 | ND | ND | 29 | 25 | 36 | ND | ND | ND | ND | ND | 90 |
| | 4/27/2006 | 16.39 | ND | ND | 19.1 | 17.1 | 20.2 | ND | ND | ND | ND | ND | 56.4 |
| | 10/13/2006 | 17.42 | ND | ND | 23.2 | 41.5 | 47 | ND | ND | ND | ND | ND | 111.7 |
| | 4/17/2007 | 16.67 | ND | ND | 25.6 | 24 | 27.1 | ND | ND | ND | ND | ND | 76.7 |
| | 10/12/2007 | 18.61 | ND | ND | 30.2 | 39.4 | 26.1 | ND | 5.8 | ND | ND | ND | 101.5 |
| | 4/4/2008 | 15.67 | ND | ND | 34.4 | 23.1 | 25.7 | ND | ND | ND | ND | ND | 83.2 |
| | 10/10/2008 | 17.71 | ND | ND | 30.5 | 29 | 34.7 | ND | ND | ND | ND | ND | 94.2 |
| | 4/9/2009 | 16.87 | ND | ND | 33.7 | 21.9 | 25.6 | ND | ND | ND | ND | ND | 81.2 |
| | 10/9/2009 | 17.11 | ND | ND | 34.9 | 22.1 | 30.1 | ND | ND | ND | ND | ND | 87.1 |
| | 4/8/2010 | 16.82 | ND | ND | 29.7 | 15.1 | 18.8 | ND | ND | ND | ND | ND | 63.6 |
| | 10/7/2010 | 18.57 | ND | ND | 23.8 | 21.9 | 21.2 | ND | ND | ND | ND | ND | 66.9 |
| | 4/14/2011 | 16.18 | ND | ND | 18.9 | 9.5 | 11.4 | ND | ND | ND | ND | ND | 39.8 |
| | 10/5/2011 | 17.93 | ND | ND | 29.4 | 14.7 | 19.3 | ND | ND | ND | ND | ND | 63.4 |
| | 4/6/2012 | 16.66 | ND | ND | 29.9 | 9.1 | 13.9 | ND | ND | ND | ND | ND | 52.9 |
| | 10/5/2012 | 18.35 | ND | ND | 32.7 | 13.4 | 13.9 | ND | ND | ND | ND | ND | 60.0 |
| | 4/5/2013 | 16.99 | ND | ND | 29.1 | 11.3 | 17.1 | ND | ND | ND | ND | ND | 57.5 |
| | 10/1/2013 | 18.57 | ND | ND | 19 | 11.6 | 8.8 | ND | ND | ND | ND | ND | 39.4 |
| | 4/11/2014 | 16.13 | ND | ND | 29.5 | 10.7 | 10.8 | ND | ND | ND | ND | ND | 51.0 |
| | 10/8/2014 | 17.97 | ND | ND | 24 | 9.8 | 12.6 | ND | ND | ND | ND | ND | 46.4 |
| | 4/10/2015 | 16.62 | ND | ND | 38.6 | 10.3 | 12.6 | ND | ND | ND | ND | ND | 61.5 |
| | 10/12/2015 | 17.80 | ND | ND | 27.1 | 10.2 | 13.9 | ND | ND | ND | ND | ND | 51.2 |
| | 4/19/2016 | 16.50 | ND | ND | 23.8 | 8.6 | 10.1 | ND | ND | ND | ND | ND | 42.5 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-29 | 9/29/2000 | 16.71 | ND | ND | 11 | ND | ND | ND | ND | ND | ND | ND | 11 |
| | 4/2/2001 | 17.75 | ND | ND | 5.1 | ND | ND | ND | ND | ND | ND | ND | 5 |
| | 10/19/2001 | 17.18 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/16/2002 | 16.15 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/17/2002 | 18.74 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/30/2003 | 16.02 | ND | ND | 8.8 | ND | ND | ND | ND | ND | ND | ND | 9 |
| | 10/3/2003 | 16.83 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/2/2004 | 16.80 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/4/2004 | 17.84 | ND | ND | 6.7 | ND | ND | ND | ND | ND | ND | ND | 6.7 |
| | 4/1/2005 | 16.88 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/14/2005 | 17.05 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/27/2006 | 16.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/13/2006 | 17.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/17/2007 | 16.48 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2007 | 18.45 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/4/2008 | 15.59 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/10/2008 | 17.55 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/9/2009 | 16.84 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/9/2009 | 16.92 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/8/2010 | 16.61 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/7/2010 | 18.45 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/14/2011 | 16.01 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2011 | 17.68 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/6/2012 | 16.48 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2012 | 18.15 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/5/2013 | 16.80 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/1/2013 | 18.43 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/11/2014 | 16.01 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/8/2014 | 17.85 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/10/2015 | 16.58 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2015 | 17.69 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/19/2016 | 16.31 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 4 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-30 | 9/29/2000 | 15.76 | ND | ND | ND | 36 | 70 | ND | ND | ND | ND | ND | 106 |
| | 4/2/2001 | 16.18 | ND | ND | ND | 31 | 50 | ND | ND | ND | ND | ND | 81 |
| | 10/19/2001 | 13.78 | ND | ND | ND | 37 | 48 | ND | ND | ND | ND | ND | 85 |
| | 4/16/2002 | 15.26 | ND | ND | ND | 39 | 37 | ND | ND | ND | ND | ND | 76 |
| | 10/17/2002 | 16.00 | ND | ND | ND | 29 | 42 | ND | ND | ND | ND | ND | 71 |
| | 4/30/2003 | 9.72* | ND | ND | ND | 32 | 35 | ND | ND | ND | ND | ND | 67 |
| | 10/3/2003 | 15.63 | ND | ND | ND | 25 | 26 | ND | ND | ND | ND | ND | 51 |
| | 4/2/2004 | 15.75 | ND | ND | ND | 20 | 19 | ND | ND | ND | ND | ND | 39 |
| | 10/4/2004 | 15.51 | ND | ND | 6.3 | 26 | 27 | ND | ND | ND | ND | ND | 59 |
| | 4/1/2005 | 15.46 | ND | ND | ND | 31 | 28 | ND | ND | ND | ND | ND | 59 |
| | 10/14/2005 | 15.45 | ND | ND | ND | 22 | 33 | ND | ND | ND | ND | ND | 55 |
| | 4/27/2006 | 14.90 | ND | ND | ND | 12.2 | 16.8 | ND | ND | ND | ND | ND | 29 |
| | 10/13/2006 | 15.45 | ND | ND | ND | 33.3 | 30.5 | ND | ND | ND | ND | ND | 64 |
| | 4/17/2007 | 15.34 | ND | ND | ND | 14.1 | 14.7 | ND | ND | ND | ND | ND | 28.8 |
| | 10/12/2007 | 16.06 | ND | ND | ND | 39.6 | 27.6 | ND | 5.7 | ND | ND | ND | 72.9 |
| | 4/4/2008 | 14.57 | ND | ND | ND | 15.9 | 15.2 | ND | ND | ND | ND | ND | 31.1 |
| | 10/10/2008 | 15.92 | ND | ND | ND | 18.2 | 12.7 | ND | ND | ND | ND | ND | 30.9 |
| | 4/9/2009 | 15.66 | ND | ND | ND | 15.6 | 9.9 | ND | ND | ND | ND | ND | 25.5 |
| | 10/9/2009 | 15.67 | ND | ND | ND | 15.2 | 7.9 | ND | ND | ND | ND | ND | 23.1 |
| | 4/8/2010 | 15.48 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/7/2010 | 16.12 | ND | ND | ND | 24.3 | 10.1 | ND | ND | ND | ND | ND | 34.4 |
| | 4/14/2011 | 15.17 | ND | ND | ND | 7.7 | ND | ND | ND | ND | ND | ND | 7.7 |
| | 10/5/2011 | 15.87 | ND | ND | ND | 13.5 | ND | ND | ND | ND | ND | ND | 13.5 |
| | 4/6/2012 | 15.31 | ND | ND | ND | 6.6 | ND | ND | ND | ND | ND | ND | 6.6 |
| | 10/5/2012 | 15.94 | ND | ND | ND | 15.4 | 5 | ND | ND | ND | ND | ND | 20.4 |
| | 4/5/2013 | 15.45 | ND | ND | ND | 10.9 | ND | ND | ND | ND | ND | ND | 10.9 |
| | 10/1/2013 | 15.95 | ND | ND | ND | 13.5 | ND | ND | ND | ND | ND | ND | 13.5 |
| | 4/11/2014 | 14.96 | ND | ND | ND | 8.8 | ND | ND | ND | ND | ND | ND | 8.8 |
| | 10/8/2014 | 15.72 | ND | ND | ND | 10.5 | ND | ND | ND | ND | ND | ND | 10.5 |
| | Duplicate | | ND | ND | ND | 11.9 | ND | ND | ND | ND | ND | ND | 11.9 |
| | 4/10/2015 | 15.20 | ND | ND | ND | 8.1 | ND | ND | ND | ND | ND | ND | 8.1 |
| | 10/12/2015 | 15.70 | ND | ND | ND | 10.8 | ND | ND | ND | ND | ND | ND | 10.8 |
| | 4/19/2016 | 14.79 | ND | ND | ND | 7.6 | ND | ND | ND | ND | ND | ND | 7.6 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

# APPENDIX A

## Monthly O&M Reports

7428 Rockville Road, Indianapolis, IN 46214

December 10, 2015

Mr. Joseph Bianchi
Group Manager, EHS & Support Services
AMPHENOL AEROSPACE
40-60 Delaware Avenue
Sidney, NY 13838

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Bianchi:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the October 30 through November 25, 2015 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

## Groundwater Level Measurements

On November 13, 2015, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.09 feet below top of casing (TOC) in MW-9 to 18.23 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the November 13, 2015 depth to water measurements has been included as **Figure 2**.

## Groundwater Treatment System

From October 30 through November 25, 2015, approximately 1,018,156 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 216,798,545 gallons. The average influent groundwater recovery rate from October 30 through November 25, 2015 was approximately 27.19 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on November 13, 2015 to complete bi-weekly, monthly, and quarterly system operation and maintenance activities. The pump and float sensors inside RW-2 appeared to be functioning incorrectly by exhibiting sporadic flow rates and were replaced. The recovery well resumed normal function following the pump and float sensor replacement. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 13, 2015.

IWM personnel mobilized to the site on November 25, 2015 to complete bi-weekly system operation and maintenance activities and to obtain quarterly system samples. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 25, 2015.

**Quarterly Treatment System Sampling**

On November 25, 2015, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260.

Laboratory analytical results from the November 25, 2015 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery well RW-2. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-3 and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No VOCs were detected in the system's effluent sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

**Schedule of Activities**

Monthly and biweekly system operation and maintenance activities are scheduled for the month of December 2015. Site visits are scheduled for the weeks beginning December 7 and December 21, 2015. The information from these site inspections will be included in the December 2015 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

*Attachments*
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2 GROUNDWATER ELEVATION MAP (11/13/2015) | FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

**TABLES**

**Table 1**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-1 | 5/3/1995 | 33 | ND | ND(1) | ND | ND | 100 | 200 | ND | 520 | ND | ND | ND | ND | ND | ND | 853 |
| | 8/3/1995 | 31 | ND | ND | ND | ND | 170 | 180 | ND | 400 | ND | ND | ND | ND | ND | ND | 781 |
| | 11/7/1995 | 30 | ND | ND | ND | ND | ND | 190 | ND | 390 | ND | ND | ND | ND | ND | ND | 610 |
| | 4/12/1996 | NS(2) | ND | NS | NS | ND | NS | NS | ND | NS | ND | ND | ND | ND | ND | ND | 0 |
| | 7/8/1996 | 14 | ND | ND | ND | ND | 31 | 120 | ND | 350 | ND | ND | ND | ND | ND | ND | 515 |
| | 10/17/1996 | 15 | ND | ND | ND | ND | 29 | 150 | ND | 1,800 | ND | ND | ND | ND | ND | ND | 1,994 |
| | 2/17/2005 | ND | ND | ND | ND | ND | 6 | 32 | ND | 83 | ND | ND | ND | ND | ND | ND | 121 |
| | 4/28/2005 | ND | ND | ND | ND | ND | ND | 32 | ND | 73 | ND | ND | ND | ND | ND | ND | 105 |
| | 8/19/2005 | 5.51 | ND | ND | ND | ND | 5.02 | 56.2 | ND | 103 | ND | ND | ND | ND | ND | ND | 170 |
| | 11/11/2005 | 9 | ND | ND | ND | ND | 222 | 105 | ND | 200 | ND | ND | ND | ND | ND | ND | 536 |
| | 1/6/2006 | ND | ND | ND | ND | ND | 5.99 | 51.8 | ND | 90.2 | ND | ND | ND | ND | ND | ND | 147.99 |
| | 5/25/2006 | ND | ND | ND | ND | ND | 7.65 | 36.7 | ND | 71.0 | ND | ND | ND | ND | ND | ND | 115.35 |
| | 8/18/2006 | ND | ND | ND | ND | ND | ND | 45.0 | ND | 87.2 | ND | ND | ND | ND | ND | ND | 132.20 |
| | 10/27/2006 | 5.01 | ND | ND | ND | ND | ND | 45.2 | ND | 92.6 | ND | ND | ND | ND | ND | ND | 142.81 |
| | 1/16/2007 | ND | ND | ND | ND | ND | ND | 26.0 | ND | 62.0 | ND | ND | ND | ND | ND | ND | 88.00 |
| | 4/17/2007 | ND | ND | ND | ND | ND | 70.8 | 28 | ND | 56.9 | ND | ND | ND | ND | ND | ND | 155.7 |
| | 7/17/2007 | ND | ND | ND | ND | ND | ND | 33.8 | ND | 68 | ND | ND | ND | ND | ND | 6.3 | 108.1 |
| | 10/26/2007 | 5.9 | ND | ND | ND | ND | ND | 49.8 | ND | 74.1 | ND | ND | ND | ND | ND | ND | 129.8 |
| | 1/4/2008 | ND | ND | ND | ND | ND | ND | 48 | ND | 83.8 | ND | ND | ND | ND | ND | 8.3 | 140.1 |
| | 4/25/2008 | ND | ND | ND | ND | ND | 50 | 22.2 | ND | ND | ND | ND | ND | ND | ND | ND | 72.2 |
| | 7/3/2008 | ND | ND | ND | ND | ND | ND | 22.9 | ND | 38.4 | ND | ND | ND | ND | ND | ND | 61.3 |
| | 11/21/2008 | ND | ND | ND | ND | ND | 9.5 | 33.8 | ND | 73.5 | ND | ND | ND | ND | ND | ND | 116.8 |
| | 2/27/2009 | ND | ND | ND | ND | ND | 5.5 | 28.3 | ND | 56.4 | ND | ND | ND | ND | ND | ND | 90.2 |
| | 5/22/2009 | ND | ND | ND | ND | ND | 5.3 | 24.5 | ND | 53.3 | ND | ND | ND | ND | ND | ND | 83.1 |
| | 8/28/2009 | ND | ND | ND | ND | ND | 6.7 | 23.8 | ND | 51.0 | ND | ND | ND | ND | ND | ND | 81.5 |
| | 11/19/2009 | ND | ND | ND | ND | ND | 5.3 | 28.5 | ND | 63.1 | ND | ND | ND | ND | ND | ND | 96.9 |
| | 2/26/2010 | ND | ND | ND | 22.5 | ND | 192 | 47.2 | ND | 71.8 | ND | ND | ND | ND | ND | ND | 333.5 |
| | 5/21/2010 | ND | ND | ND | 14.8 | ND | 103 | 32.0 | ND | 58.8 | ND | ND | ND | ND | ND | ND | 208.6 |
| | 8/26/2010 | ND | ND | ND | ND | ND | ND | 23.3 | ND | 39.9 | ND | ND | ND | ND | ND | ND | 63.2 |
| | 11/19/2010 | ND | ND | ND | 190 | 5.1 | 159 | 41.0 | ND | 96.3 | ND | ND | ND | ND | ND | ND | 491.4 |
| | 2/11/2011 | ND | ND | ND | 5.3 | ND | 9.3 | 20.3 | ND | 37.7 | ND | ND | ND | ND | ND | ND | 72.6 |
| | 5/20/2011 | ND | ND | ND | 5.5 | ND | 5.6 | 14.6 | ND | 29 | ND | ND | ND | ND | ND | ND | 54.7 |
| | 8/25/2011 | ND | ND | ND | 51.5 | ND | 131 | 27.3 | ND | 72 | ND | ND | ND | ND | ND | ND | 281.8 |
| | 11/18/2011 | ND | ND | ND | ND | ND | ND | 24.2 | ND | 29.8 | ND | ND | ND | ND | ND | ND | 54 |
| | 2/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | 31 | ND | ND | ND | ND | ND | ND | 31 |
| | 5/22/2012 | ND | ND | ND | ND | ND | ND | 15.9 | ND | 32.8 | ND | ND | ND | ND | ND | ND | 48.7 |
| | 8/24/2012 | ND | ND | ND | 93.6 | ND | 286 | 37.7 | ND | 156 | ND | ND | ND | ND | ND | ND | 573.3 |
| | 11/16/2012 | ND | ND | ND | 28.3 | ND | 109 | 28.7 | ND | 74.7 | ND | ND | ND | ND | ND | ND | 240.7 |
| | 2/25/2013 | ND | ND | ND | ND | ND | ND | 12.2 | ND | 25.0 | ND | ND | ND | ND | ND | ND | 37.2 |
| | 5/30/2013 | ND | ND | ND | ND | ND | ND | 12.6 | ND | 26.3 | ND | ND | ND | ND | ND | ND | 38.9 |
| | 8/23/2013 | ND | ND | ND | ND | ND | 10.9 | 14.6 | ND | 30.9 | ND | ND | ND | ND | ND | ND | 56.4 |
| | 11/13/2013 | ND | ND | ND | 5.9 | ND | 9.2 | 16.5 | ND | 24.8 | ND | ND | ND | ND | ND | ND | 56.4 |
| | 2/19/2014 | ND | ND | ND | 6.5 | ND | 26.9 | 18.0 | ND | 38.1 | ND | ND | ND | ND | ND | ND | 89.5 |
| | 5/16/2014 | ND | ND | ND | 9.3 | ND | 27.8 | 13.6 | ND | 29.0 | ND | ND | ND | ND | ND | ND | 79.7 |
| | 8/22/2014 | ND | ND | ND | ND | ND | ND | 9.7 | ND | 17.9 | ND | ND | ND | ND | ND | ND | 27.6 |
| | 11/24/2014 | ND | ND | ND | 30.7 | ND | 98.6 | 14.6 | ND | 50.7 | ND | ND | ND | ND | ND | ND | 194.6 |
| | 3/13/2015 | ND | ND | ND | ND | ND | 8.2 | 11.0 | ND | 17.3 | ND | ND | ND | ND | ND | ND | 36.5 |
| | 5/27/2015 | ND | ND | ND | ND | ND | ND | 10.5 | ND | 18.1 | ND | ND | ND | ND | ND | ND | 28.6 |
| | 8/21/2015 | ND | ND | ND | ND | ND | ND | 13.1 | ND | 19.6 | ND | ND | ND | ND | ND | ND | 32.7 |
| | 11/25/2015 | ND | ND | ND | ND | ND | 7.8 | 14.3 | ND | 16.9 | ND | ND | ND | ND | ND | ND | 39.0 |

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-2 | 5/3/1995 | 47 | ND | 8.1 | 3.9 | ND | 1,500 | 960 | ND | 4,300 | ND | ND | ND | ND | ND | ND | 6,819 |
| | 8/3/1995 | 48 | ND | ND | ND | ND | 1,500 | 1,100 | ND | 3,000 | ND | ND | ND | ND | ND | ND | 5,648 |
| | 11/7/1995 | 58 | ND | 9.1 | 5.3 | ND | 2,100 | 1,300 | ND | 2,200 | ND | ND | ND | ND | ND | ND | 5,672 |
| | 4/12/1996 | ND | ND | ND | ND | ND | 980 | 530 | ND | 1,500 | ND | ND | ND | ND | ND | ND | 3,010 |
| | 7/8/1996 | 31 | ND | 7.3 | ND | ND | 2,100 | 1,200 | ND | 2,100 | ND | ND | ND | ND | ND | ND | 5,438 |
| | 10/17/1996 | 33 | ND | ND | ND | ND | 2,600 | 680 | ND | 2,900 | ND | ND | ND | ND | ND | ND | 6,213 |
| | 2/17/2005 | 18 | ND | ND | ND | ND | 1,600 | 280 | ND | 690 | ND | ND | ND | ND | ND | ND | 2,588 |
| | 4/28/2005 | 13 | ND | ND | ND | ND | 1,300 | 200 | ND | 550 | ND | ND | ND | ND | ND | ND | 2,063 |
| | 8/19/2005 | ND | ND | ND | ND | ND | 129 | 109 | ND | 58.9 | ND | ND | ND | ND | ND | ND | 297 |
| | 11/11/2005 | 30 | ND | ND | 7 | ND | 1,390 | 238 | ND | 534 | ND | ND | ND | ND | ND | ND | 2,199 |
| | 1/6/2006 | 18.4 | ND | ND | ND | ND | 2,220 | 380 | ND | 699 | 6.04 | ND | ND | ND | ND | ND | 3,323.44 |
| | 5/25/2006 | 20.8 | ND | ND | 14.4 | ND | 1,874 | 296 | ND | 570 | ND | ND | ND | ND | ND | ND | 2,775.20 |
| | 9/1/2006 | 10.5 | ND | ND | 12.1 | ND | 842 | 121 | ND | 266 | ND | ND | ND | ND | ND | ND | 1,251.60 |
| | 10/27/2006 | 20.2 | ND | ND | 19.2 | ND | 1,590 | 181 | ND | 510 | ND | ND | ND | ND | ND | ND | 2,320.40 |
| | 1/16/2007 | 17 | ND | ND | 32 | ND | 1,600 | 200 | ND | 500 | ND | ND | ND | ND | ND | ND | 2,349 |
| | 4/17/2007 | 12.2 | ND | ND | 34.1 | ND | 1,760 | 162 | ND | 445 | ND | ND | ND | ND | ND | ND | 2,413.3 |
| | 7/17/2007 | 16.1 | ND | 5 | 325 | ND | 1,960 | 176 | ND | 530 | ND | ND | ND | ND | ND | ND | 3,012.1 |
| | 10/26/2007 | 18.8 | ND | ND | 577 | ND | 1,000 | 169 | ND | 407 | ND | ND | ND | ND | ND | 31.5 | 2,203.3 |
| | 1/4/2008 | 18.6 | ND | ND | 770 | ND | 1,610 | 158 | ND | 425 | ND | ND | ND | ND | ND | ND | 2,981.6 |
| | 4/25/2008 | 28.4 | ND | 28.4 | 535 | ND | 1,880 | 206 | ND | 529 | ND | ND | ND | ND | ND | ND | 3,206.8 |
| | 7/3/2008 | 17.6 | ND | ND | 291 | ND | 1,390 | 178 | ND | 461 | ND | ND | ND | ND | ND | ND | 2,337.6 |
| | 11/21/2008 | 13.8 | ND | ND | 190 | ND | 1,900 | 177 | ND | 498 | ND | ND | ND | ND | ND | ND | 2,778.8 |
| | 2/27/2009 | 14.4 | ND | ND | 144 | ND | 1,390 | 158 | ND | 411 | ND | ND | ND | ND | ND | ND | 2,117.4 |
| | 5/22/2009 | 15.7 | ND | ND | 159 | ND | 1,280 | 199 | ND | 397 | ND | ND | ND | ND | ND | ND | 2,050.7 |
| | 8/28/2009 | 11.2 | ND | ND | 145 | ND | 1,340 | 193 | ND | 355 | ND | ND | ND | ND | ND | ND | 2,044.2 |
| | 11/19/2009 | 17.1 | ND | ND | 225 | ND | 1,630 | 214 | ND | 428 | ND | ND | ND | ND | ND | ND | 2,514.1 |
| | 2/26/2010 | 13.2 | ND | ND | 181 | ND | 973 | 168 | ND | 297 | ND | ND | ND | ND | ND | ND | 1,632.2 |
| | 5/21/2010 | ND | ND | ND | 164 | ND | 1,610 | 128 | ND | 493 | ND | ND | ND | ND | ND | ND | 2,395.0 |
| | 8/26/2010 | 10.6 | ND | ND | 202 | ND | 1,230 | 132 | ND | 332 | ND | ND | ND | ND | ND | ND | 1,906.6 |
| | 11/19/2010 | 8.6 | ND | ND | 6.3 | ND | 297 | 151 | ND | 160 | ND | ND | ND | ND | ND | ND | 622.9 |
| | 2/11/2011 | 12.2 | ND | ND | 51 | ND | 579 | 99.6 | ND | 196 | ND | ND | ND | ND | ND | ND | 937.8 |
| | 5/20/2011 | 9.1 | ND | ND | 1,000 | ND | 812 | 78.5 | ND | 196 | ND | ND | ND | ND | ND | ND | 2,095.6 |
| | 8/25/2011 | ND | ND | ND | 17.9 | ND | 164 | 44.7 | ND | 68.1 | ND | ND | ND | ND | ND | ND | 294.7 |
| | 11/18/2011 | 11 | ND | ND | 8.5 | ND | 213 | 103 | ND | 173 | ND | ND | ND | ND | ND | ND | 508.5 |
| | 2/24/2012 | 5 | ND | ND | 83.7 | ND | 131 | 53.7 | ND | 74 | ND | ND | ND | ND | ND | ND | 347.4 |
| | 5/22/2012 | 9.5 | ND | ND | 252 | ND | 330 | 84.9 | ND | 231 | ND | ND | ND | ND | ND | ND | 907.4 |
| | 8/24/2012 | ND | ND | ND | 21 | ND | 77.1 | 44.1 | ND | 47.7 | ND | ND | ND | ND | ND | ND | 189.9 |
| | 11/16/2012 | ND | ND | ND | 24.7 | ND | 98.0 | 37.9 | ND | 47.7 | ND | ND | ND | ND | ND | ND | 208.3 |
| | 2/25/2013 | ND | ND | ND | 80.6 | ND | 154.0 | 41.5 | ND | 93.3 | ND | ND | ND | ND | ND | ND | 369.4 |
| | 5/30/2013 | 5.1 | ND | ND | 14.6 | ND | 206.0 | 72.4 | ND | 125.0 | ND | ND | ND | ND | ND | ND | 423.1 |
| | 8/23/2013 | 9.3 | ND | ND | ND | ND | 195.0 | 76.4 | ND | 148.0 | ND | ND | ND | ND | ND | ND | 428.7 |
| | 11/13/2013 | 5.7 | ND | ND | ND | ND | 118.0 | 70.0 | ND | 87.2 | ND | ND | ND | ND | ND | ND | 280.9 |
| | 2/19/2014 | 12.9 | ND | ND | ND | ND | 195.0 | 89.0 | ND | 165.0 | ND | ND | ND | ND | ND | ND | 461.9 |
| | 5/16/2014 | 9.6 | ND | ND | 14.2 | ND | 171.0 | 72.6 | ND | 129.0 | ND | ND | ND | ND | ND | ND | 396.4 |
| | 8/22/2014 | 7 | ND | ND | ND | ND | 139.0 | 58.4 | ND | 107.0 | ND | ND | ND | ND | ND | ND | 311.4 |
| | 11/24/2014 | ND | ND | ND | ND | ND | 89.6 | 32.0 | ND | 56.5 | ND | ND | ND | ND | ND | ND | 178.1 |
| | 3/13/2015 | 7 | ND | ND | 6.2 | ND | 132.0 | 46.5 | ND | 74.2 | ND | ND | ND | ND | ND | ND | 265.9 |
| | 5/27/2015 | ND | ND | ND | 10.0 | ND | 92.4 | 40.1 | ND | 49.5 | ND | ND | ND | ND | ND | ND | 192.0 |
| | 8/21/2015 | 6.7 | ND | ND | 67.5 | ND | 196.0 | 71.9 | ND | 106.0 | ND | ND | ND | ND | ND | ND | 448.1 |
| | 11/25/2015 | 7.4 | ND | ND | ND | ND | 131.0 | 70.8 | ND | 101.0 | ND | ND | ND | ND | ND | ND | 310.2 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-3 | 5/3/1995 | 28 | ND | ND | ND | ND | 160 | 540 | ND | 2,900 | ND | ND | ND | ND | ND | ND | 3,628 |
| | 8/3/1995 | 53 | ND | ND | ND | ND | 16 | 560 | ND | 870 | ND | ND | ND | ND | ND | ND | 1,499 |
| | 11/7/1995 | 48 | ND | 6.9 | ND | ND | 1,400 | 950 | ND | 1,700 | ND | ND | ND | ND | ND | ND | 4,105 |
| | 4/12/1996 | ND | ND | ND | ND | ND | 93 | 450 | ND | 1,200 | ND | ND | ND | ND | ND | ND | 1,743 |
| | 7/8/1996 | 39 | ND | 6.5 | ND | ND | 45 | 820 | ND | 1,100 | ND | ND | ND | ND | ND | ND | 2,011 |
| | 10/17/1996 | 34 | ND | ND | ND | ND | 2,600 | 720 | ND | 2,900 | ND | ND | ND | ND | ND | ND | 6,254 |
| | 2/17/2005 | ND | ND | ND | ND | ND | 25 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 25 |
| | 4/28/2005 | 31 | ND | ND | ND | ND | 100 | 660 | ND | 85 | ND | ND | ND | ND | ND | ND | 876 |
| | 8/19/2005 | 12.5 | ND | ND | ND | ND | 269 | 282 | ND | 150 | ND | ND | ND | ND | ND | ND | 714 |
| | 11/11/2005 | 20 | ND | ND | ND | ND | 299 | 235 | ND | 128 | ND | ND | ND | ND | ND | ND | 682 |
| | 1/16/2006 | ND | ND | ND | ND | ND | 207 | 400 | ND | 156 | ND | ND | ND | ND | ND | ND | 763 |
| | 5/25/2006 | 22.8 | ND | ND | ND | ND | 295 | 412 | ND | 145 | ND | ND | ND | ND | ND | ND | 875 |
| | 8/18/2006 | 14.6 | ND | ND | ND | ND | 217 | 223 | ND | 154 | ND | ND | ND | ND | ND | ND | 609 |
| | 10/27/2006 | 13.8 | ND | ND | ND | ND | 199 | 168 | ND | 154 | ND | ND | ND | ND | ND | ND | 535 |
| | 1/16/2007 | 13 | ND | ND | ND | ND | 240 | 240 | ND | 110 | ND | ND | ND | ND | ND | ND | 603 |
| | 4/17/2007 | 6.9 | ND | ND | ND | ND | 165 | 146 | ND | 73 | ND | ND | ND | ND | ND | ND | 391 |
| | 7/17/2007 | 11.5 | ND | 5.1 | 87.3 | ND | 223 | 234 | ND | 107 | ND | ND | ND | ND | ND | ND | 667.9 |
| | 10/26/2007 | 11.8 | ND | ND | 160 | ND | 146 | 191 | ND | 96.1 | ND | ND | ND | ND | ND | ND | 604.9 |
| | 1/4/2008 | 9.3 | ND | ND | 141 | ND | 292 | 195 | ND | 109 | ND | ND | ND | ND | ND | ND | 746.3 |
| | 4/25/2008 | 13.6 | ND | ND | ND | ND | 154 | 252 | ND | 83.9 | ND | ND | ND | ND | ND | ND | 503.5 |
| | 7/3/2008 | 16.8 | ND | ND | ND | ND | 87.6 | 300 | ND | 72.9 | ND | ND | ND | ND | ND | ND | 477.3 |
| | 11/21/2008 | 8 | ND | ND | 45.2 | ND | 269 | 145 | ND | 95.7 | ND | ND | ND | ND | ND | ND | 562.9 |
| | 2/27/2009 | 6.5 | ND | ND | 61.1 | ND | 219 | 148 | ND | 103.0 | ND | ND | ND | ND | ND | ND | 537.6 |
| | 5/22/2009 | 7.5 | ND | ND | 25.7 | ND | 239 | 164 | ND | 86.7 | ND | ND | ND | ND | ND | ND | 522.9 |
| | 8/28/2009 | 6.3 | ND | ND | 13.6 | ND | 267 | 126 | ND | 76.4 | ND | ND | ND | ND | ND | ND | 489.3 |
| | 11/19/2009 | 7.6 | ND | ND | 33.4 | ND | 272 | 138 | ND | 90.9 | ND | ND | ND | ND | ND | ND | 541.9 |
| | 2/26/2010 | 6.5 | ND | ND | 33.4 | ND | 262 | 111 | ND | 80 | ND | ND | ND | ND | ND | ND | 492.9 |
| | 5/21/2010 | ND | ND | ND | 21.9 | ND | 292 | 93.4 | ND | 70.2 | ND | ND | ND | ND | ND | ND | 477.5 |
| | 8/26/2010 | 5.3 | ND | ND | 5.2 | ND | 177 | 84 | ND | 49.9 | ND | ND | ND | ND | ND | ND | 321.4 |
| | 11/19/2010 | 9.2 | ND | ND | 382 | 6.9 | 162 | 137 | ND | 121 | ND | ND | ND | ND | ND | ND | 818.1 |
| | 2/11/2011 | 8.8 | ND | ND | 605 | ND | 81.8 | 118 | ND | 134 | ND | ND | ND | ND | ND | ND | 947.6 |
| | 5/20/2011 | 6 | ND | ND | 59 | ND | 69.6 | 88.8 | ND | 53.4 | ND | ND | ND | ND | ND | ND | 276.8 |
| | 8/25/2011 | ND | ND | ND | 55.3 | ND | 96.1 | 68.4 | ND | 50.8 | ND | ND | ND | ND | ND | ND | 270.6 |
| | 11/18/2011 | 6.7 | ND | ND | 138 | ND | 126 | 86.7 | ND | 77.4 | ND | ND | ND | ND | ND | ND | 434.8 |
| | 2/24/2012 | ND | ND | ND | 55.7 | ND | 83.6 | ND | ND | 61.4 | ND | ND | ND | ND | ND | ND | 200.7 |
| | 5/22/2012 | 5.5 | ND | ND | 44 | ND | 122 | 71 | ND | 58.7 | ND | ND | ND | ND | ND | ND | 301.2 |
| | 8/24/2012 | 6.3 | ND | ND | 77.5 | ND | 143 | 75.8 | ND | 74.6 | ND | ND | ND | ND | ND | ND | 377.2 |
| | 11/16/2012 | 5.9 | ND | ND | 80.5 | ND | 154 | 66.6 | ND | 68.4 | ND | ND | ND | ND | ND | ND | 375.4 |
| | 2/25/2013 | ND | ND | ND | 47 | ND | 110 | 53.3 | ND | 66.1 | ND | ND | ND | ND | ND | ND | 276.4 |
| | 5/30/2013 | ND | ND | ND | 21.5 | ND | 99 | 48.8 | ND | 40.2 | ND | ND | ND | ND | ND | ND | 209.0 |
| | 8/23/2013 | 5.3 | ND | ND | 25.9 | ND | 135 | 48.8 | ND | 53.3 | ND | ND | ND | ND | ND | ND | 268.3 |
| | 11/13/2013 | 5.5 | ND | ND | 31.6 | ND | 157 | 52.0 | ND | 51.8 | ND | ND | ND | ND | ND | ND | 297.9 |
| | 2/19/2014 | 6.5 | ND | ND | 21.8 | ND | 144 | 62.6 | ND | 58.1 | ND | ND | ND | ND | ND | ND | 293.0 |
| | 5/16/2014 | 5.8 | ND | ND | 8.2 | ND | 93 | 50.8 | ND | 35.7 | ND | ND | ND | ND | ND | ND | 193.0 |
| | 8/22/2014 | ND | ND | ND | 7.3 | ND | 86.9 | 41.3 | ND | 32.8 | ND | ND | ND | ND | ND | ND | 168.3 |
| | 11/24/2014 | ND | ND | ND | 13.8 | ND | 123.0 | 38.0 | ND | 41.5 | ND | ND | ND | ND | ND | ND | 216.3 |
| | 3/13/2015 | ND | ND | ND | 21.4 | ND | 114.0 | 35.3 | ND | 35.9 | ND | ND | ND | ND | ND | ND | 206.6 |
| | 5/27/2015 | ND | ND | ND | 6.7 | ND | 89.1 | 40.2 | ND | 34.3 | ND | ND | ND | ND | ND | ND | 170.3 |
| | 8/21/2015 | 5.9 | ND | ND | ND | ND | 83.5 | 53.3 | ND | 34.2 | ND | ND | ND | ND | ND | ND | 176.9 |
| | 11/25/2015 | ND | ND | ND | 11.4 | ND | 97.7 | 38.9 | ND | 32.5 | ND | ND | ND | ND | ND | ND | 180.5 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-4 | 2/17/2005 | 7.4 | ND | ND | ND | ND | 350 | 210 | ND | 140 | ND | ND | ND | ND | ND | ND | 707 |
| | 4/28/2005 | ND | ND | ND | ND | ND | 25 | 6.2 | ND | ND | ND | ND | ND | ND | ND | ND | 31 |
| | 8/19/2005 | ND | ND | ND | ND | ND | 35.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 35.4 |
| | 11/11/2005 | ND | ND | ND | ND | ND | 20 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 20 |
| | 1/6/2006 | ND | ND | ND | ND | ND | 39.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 39.4 |
| | 5/25/2006 | ND | ND | ND | ND | ND | 47.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 47.1 |
| | 8/18/2006 | ND | ND | ND | ND | ND | 27.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 27.3 |
| | 10/27/2006 | ND | ND | ND | ND | ND | 34.0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 34.0 |
| | 1/16/2007 | ND | ND | ND | ND | ND | 34.0 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 34 |
| | 4/17/2007 | ND | ND | ND | ND | ND | 23 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 23 |
| | 7/17/2007 | ND | ND | ND | ND | ND | 21.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 21.9 |
| | 10/26/2007 | ND | ND | ND | ND | ND | 5.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 5.5 |
| | 1/4/2008 | ND | ND | ND | ND | ND | 13.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.4 |
| | 4/25/2008 | ND | ND | ND | ND | ND | 20.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 20.4 |
| | 7/3/2008 | ND | ND | ND | ND | ND | 31.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 31.3 |
| | 11/21/2008 | ND | ND | ND | ND | ND | 16 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 16 |
| | 2/27/2009 | ND | ND | ND | ND | ND | 20.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 20.3 |
| | 5/22/2009 | ND | ND | ND | ND | ND | 23.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 23.7 |
| | 8/28/2009 | ND | ND | ND | ND | ND | 30.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 30.9 |
| | 11/19/2009 | ND | ND | ND | ND | ND | 23.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 23.8 |
| | 2/26/2010 | ND | ND | ND | ND | ND | 19.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 19.8 |
| | 5/21/2010 | ND | ND | ND | ND | ND | 16.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 16.3 |
| | 8/26/2010 | ND | ND | ND | ND | ND | 14.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 14.2 |
| | 11/19/2010 | ND | ND | ND | ND | ND | 8.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.2 |
| | 2/11/2011 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 5/20/2011 | ND | ND | ND | ND | ND | 13.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.7 |
| | 8/25/2011 | ND | ND | ND | ND | ND | 10.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.1 |
| | 11/18/2011 | ND | ND | ND | ND | ND | 12 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 12.0 |
| | 2/24/2012 | ND | ND | ND | ND | ND | 7.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.6 |
| | 5/22/2012 | ND | ND | ND | ND | ND | 15.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 15.4 |
| | 8/24/2012 | ND | ND | ND | ND | ND | 6.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 6.8 |
| | 11/16/2012 | ND | ND | ND | ND | ND | 7.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.9 |
| | 2/25/2013 | ND | ND | ND | ND | ND | 10.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.1 |
| | 5/30/2013 | ND | ND | ND | ND | ND | 7.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.7 |
| | 8/23/2013 | ND | ND | ND | ND | ND | 9.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 9.6 |
| | 11/13/2013 | ND | ND | ND | ND | ND | 7.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.9 |
| | 2/19/2014 | ND | ND | ND | ND | ND | 10.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.3 |
| | 5/16/2014 | ND | ND | ND | ND | ND | 9.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 9.7 |
| | 8/22/2014 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 11/24/2014 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 3/13/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/27/2015 | ND | ND | ND | ND | ND | 7.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.5 |
| | 8/21/2015 | ND | ND | ND | ND | ND | 13.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.6 |
| | 11/25/2015 | ND | ND | ND | ND | ND | 6.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 6.7 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-5 | 7/22/2010 | ND | ND | ND | ND | ND | 1,120 | 132 | ND | 253 | ND | ND | ND | 8,890 | ND | ND | 10,395 |
| | 8/26/2010 | ND | ND | ND | 99.3 | ND | 669 | 114 | ND | 281 | ND | ND | ND | ND | ND | ND | 1,163 |
| | 11/19/2010 | 8.2 | ND | ND | 1,020 | 6.3 | 907 | 106 | ND | 355 | ND | ND | ND | ND | ND | ND | 2,403 |
| | 2/11/2011 | 5.2 | ND | ND | 766 | ND | 721 | 73.6 | ND | 325 | ND | ND | ND | ND | ND | ND | 1,890.8 |
| | 5/20/2011 | ND | ND | ND | 251 | ND | 440 | 87.6 | ND | 262 | ND | ND | ND | ND | ND | ND | 1,040.6 |
| | 8/25/2011 | ND | ND | ND | 244 | ND | 262 | 21 | ND | 135 | ND | ND | ND | ND | ND | ND | 662 |
| | 11/18/2011 | ND | ND | ND | 442 | ND | 579 | 67 | ND | 447 | ND | ND | ND | ND | ND | ND | 1,535 |
| | 2/24/2012 | ND | ND | ND | 228 | ND | 345 | ND | ND | 305 | ND | ND | ND | ND | ND | ND | 878 |
| | 5/22/2012 | ND | ND | ND | 127 | ND | 549 | 46.8 | ND | 288 | ND | ND | ND | ND | ND | ND | 1,010.8 |
| | 8/24/2012 | 5.1 | ND | ND | 254 | ND | 585 | 68.1 | ND | 351 | ND | ND | ND | ND | ND | ND | 1,263.2 |
| | 11/16/2012 | ND | ND | ND | 172 | ND | 534 | 68.0 | ND | 279 | ND | ND | ND | ND | ND | ND | 1,053.0 |
| | 2/25/2013 | ND | ND | ND | 29.3 | ND | 122 | 27.8 | ND | 72.1 | ND | ND | ND | ND | ND | ND | 251.2 |
| | 5/30/2013 | ND | ND | ND | 128.0 | ND | 614 | 38.7 | ND | 242.0 | ND | ND | ND | ND | ND | ND | 1,022.7 |
| | 8/23/2013 | ND | ND | ND | 194.0 | ND | 580 | 39.9 | ND | 305.0 | ND | ND | ND | ND | ND | ND | 1,118.9 |
| | 11/13/2013 | ND | ND | ND | 148.0 | ND | 570 | 42.7 | ND | 265.0 | ND | ND | ND | ND | ND | ND | 1,025.7 |
| | 2/19/2014 | ND | ND | ND | 202.0 | ND | 538 | 47.5 | ND | 290.0 | ND | ND | ND | ND | ND | ND | 1,077.5 |
| | 5/16/2014 | ND | ND | ND | 181.0 | ND | 397 | 36.4 | ND | 228.0 | ND | ND | ND | ND | ND | ND | 842.4 |
| | 8/22/2014 | ND | ND | ND | 169.0 | ND | 418 | 28.8 | ND | 211.0 | ND | ND | ND | ND | ND | ND | 826.8 |
| | 11/24/2014 | ND | ND | ND | 210.0 | ND | 442 | 27.5 | ND | 258.0 | ND | ND | ND | ND | ND | ND | 937.5 |
| | 3/13/2015 | ND | ND | ND | 60.7 | ND | 336 | 30.5 | ND | 159.0 | ND | ND | ND | ND | ND | ND | 586.2 |
| | 5/27/2015 | ND | ND | ND | 151.0 | ND | 500 | 31.4 | ND | 198.0 | ND | ND | ND | ND | ND | ND | 880.4 |
| | 8/21/2015 | ND | ND | ND | 130.0 | ND | 364 | 39.1 | ND | 208.0 | ND | ND | ND | ND | ND | ND | 741.1 |
| | 11/25/2015 | ND | ND | ND | 111.0 | ND | 414 | 35.0 | ND | 180.0 | ND | ND | ND | ND | ND | ND | 740.0 |

Notes:
Results in micrograms per liter (ug/l).
Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| Effluent | 2/17/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 4/28/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/19/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/11/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 1/6/2006 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/25/2006 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/18/2006 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 10/27/2006 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 1/16/2007 | ND | ND | ND | ND | ND | 73 | 19 | ND | 35 | ND | ND | ND | ND | ND | ND | 127 |
| | 2/1/2007 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 4/17/2007 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 7/17/2007 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 10/26/2007 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 1/4/2008 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 4/25/2008 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 7/3/2008 | ND | ND | ND | ND | ND | 10.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.7 |
| | 7/18/2008 | ND | ND | ND | ND | ND | 5.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 5.7 |
| | 7/22/2008 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/21/2008 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/27/2009 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/22/2009 | ND | ND | ND | ND | ND | 5.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 5.9 |
| | 6/9/2009 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/28/2009 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/19/2009 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/26/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/21/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/26/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/19/2010 | ND | ND | ND | 55.9 | ND | 15.7 | ND | ND | 10.3 | ND | ND | ND | ND | ND | ND | 81.9 |
| | 12/8/2010 | ND | ND | ND | 57.9 | ND | 24.4 | ND | ND | 11.8 | ND | ND | ND | ND | ND | ND | 94.1 |
| | 12/10/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/11/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/20/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/25/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/18/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/22/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/16/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/25/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/30/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/23/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/13/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/19/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/16/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/22/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/24/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 3/13/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/27/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/21/2015 | ND | ND | ND | 6 | ND | 9 | ND | ND | 5.7 | ND | ND | ND | ND | ND | ND | 20.7 |
| | 9/10/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/25/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

Results from 1997 through 2004 are not displayed.

**ATTACHMENT A**

**Groundwater Level Measurements**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |

NR-Not Recorded
NG-Not Gauged

**ATTACHMENT B**

**Groundwater Recovery**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

**CUMULATIVE PUMPAGE**



**ATTACHMENT C**

**Field Notes**

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 11-13-15
IWM Personnel: R. Mien, D. White
Arrival Time: 9:15
Departure Time: 3:05
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 3666947.0 RW-2 22352411.0 RW-3 44261099.0 RW-4 13021255.0 RW-5 26317133.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 3.3 RW-2 3.8 RW-3 3.3 RW-4 4.1 RW-5 3.8

Air Stripper Pressure: 16 Inches of Water

Effluent Clarity: Clear

Building Temperature: 56° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

RW-2 Pump + Float sensors replaced

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | (NO) | YES | Repaired | |
| Lines | (NO) | YES | Repaired | |
| Stripper | (NO) | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: yes

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 11-25-15
IWM Personnel: R. Mieir
Arrival Time: 9:15
Departure Time: 11:30
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 3685641.0 RW-2 22171248.0 RW-3 4439 0348.0 RW-4 13187442.0 RW-5 2766386.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.25 RW-4 10.00 RW-5 6.00

Pump Running Amps RW-1 3.1 RW-2 3.3 RW-3 3.4 RW-4 4.2 RW-5 3.5

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: Clean

Building Temperature: 56 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | (NO) | YES | Repaired | |
| Lines | (NO) | YES | Repaired | |
| Stripper | (NO) | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

**ATTACHMENT D**

**System Sample Laboratory Analytical Report**

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

December 04, 2015

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50133305

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on November 25, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# CERTIFICATIONS

| | |
|---|---|
| Project: | Amphenol |
| Pace Project No.: | 50133305 |

**Indiana Certification IDs**
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #:E-10177
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Louisiana Certification #: 04076
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Texas Certification #: T104704355-15-9
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50133305

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|---|---|---|---|---|
| **50133305001** | **RW-1** | Water | 11/25/15 10:10 | 11/25/15 14:29 |
| **50133305002** | **RW-2** | Water | 11/25/15 10:05 | 11/25/15 14:29 |
| **50133305003** | **RW-3** | Water | 11/25/15 09:55 | 11/25/15 14:29 |
| **50133305004** | **RW-4** | Water | 11/25/15 09:50 | 11/25/15 14:29 |
| **50133305005** | **RW-5** | Water | 11/25/15 09:45 | 11/25/15 14:29 |
| **50133305006** | **Effluent** | Water | 11/25/15 09:30 | 11/25/15 14:29 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50133305

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|---|---|---|---|---|
| **50133305001** | **RW-1** | EPA 8260 | DAE | 72 |
| **50133305002** | **RW-2** | EPA 8260 | DAE | 72 |
| **50133305003** | **RW-3** | EPA 8260 | DAE | 72 |
| **50133305004** | **RW-4** | EPA 8260 | DAE | 72 |
| **50133305005** | **RW-5** | EPA 8260 | DAE | 72 |
| **50133305006** | **Effluent** | EPA 8260 | DAE | 72 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50133305

| Lab Sample ID / Method | Client Sample ID / Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|---|
| **50133305001** | **RW-1** | | | | | |
| EPA 8260 | Tetrachloroethene | 7.8 | ug/L | 5.0 | 12/03/15 14:14 | |
| EPA 8260 | 1,1,1-Trichloroethane | 14.3 | ug/L | 5.0 | 12/03/15 14:14 | |
| EPA 8260 | Trichloroethene | 16.9 | ug/L | 5.0 | 12/03/15 14:14 | |
| **50133305002** | **RW-2** | | | | | |
| EPA 8260 | 1,1-Dichloroethane | 7.4 | ug/L | 5.0 | 12/03/15 14:47 | |
| EPA 8260 | Tetrachloroethene | 131 | ug/L | 5.0 | 12/03/15 14:47 | |
| EPA 8260 | 1,1,1-Trichloroethane | 70.8 | ug/L | 5.0 | 12/03/15 14:47 | |
| EPA 8260 | Trichloroethene | 101 | ug/L | 5.0 | 12/03/15 14:47 | |
| **50133305003** | **RW-3** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 11.4 | ug/L | 5.0 | 12/03/15 15:20 | |
| EPA 8260 | Tetrachloroethene | 97.7 | ug/L | 5.0 | 12/03/15 15:20 | |
| EPA 8260 | 1,1,1-Trichloroethane | 38.9 | ug/L | 5.0 | 12/03/15 15:20 | |
| EPA 8260 | Trichloroethene | 32.5 | ug/L | 5.0 | 12/03/15 15:20 | |
| **50133305004** | **RW-4** | | | | | |
| EPA 8260 | Tetrachloroethene | 6.7 | ug/L | 5.0 | 12/04/15 03:36 | |
| **50133305005** | **RW-5** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 111 | ug/L | 5.0 | 12/03/15 16:25 | |
| EPA 8260 | Tetrachloroethene | 414 | ug/L | 50.0 | 12/03/15 16:58 | |
| EPA 8260 | 1,1,1-Trichloroethane | 35.0 | ug/L | 5.0 | 12/03/15 16:25 | |
| EPA 8260 | Trichloroethene | 180 | ug/L | 5.0 | 12/03/15 16:25 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-1** **Lab ID: 50133305001** Collected: 11/25/15 10:10 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 14:14 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:14 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 14:14 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 14:14 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 14:14 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-1** **Lab ID: 50133305001** Collected: 11/25/15 10:10 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:14 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 14:14 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 79-34-5 | |
| Tetrachloroethene | **7.8** | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 120-82-1 | |
| 1,1,1-Trichloroethane | **14.3** | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 79-00-5 | |
| Trichloroethene | **16.9** | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 14:14 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 14:14 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 14:14 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 79-116 | 1 | | 12/03/15 14:14 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 100 | %. | 80-114 | 1 | | 12/03/15 14:14 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 14:14 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-2** **Lab ID: 50133305002** Collected: 11/25/15 10:05 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 14:47 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:47 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 14:47 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-71-8 | |
| 1,1-Dichloroethane | **7.4** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 14:47 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 14:47 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-2** **Lab ID: 50133305002** Collected: 11/25/15 10:05 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:47 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 14:47 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 79-34-5 | |
| Tetrachloroethene | **131** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 120-82-1 | |
| 1,1,1-Trichloroethane | **70.8** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 79-00-5 | |
| Trichloroethene | **101** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 14:47 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 14:47 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 14:47 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 109 | %. | 79-116 | 1 | | 12/03/15 14:47 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 99 | %. | 80-114 | 1 | | 12/03/15 14:47 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 14:47 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-3** **Lab ID: 50133305003** Collected: 11/25/15 09:55 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 15:20 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 15:20 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 15:20 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-35-4 | |
| cis-1,2-Dichloroethene | **11.4** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 15:20 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 15:20 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-3** **Lab ID: 50133305003** Collected: 11/25/15 09:55 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 15:20 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 15:20 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 79-34-5 | |
| Tetrachloroethene | **97.7** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 120-82-1 | |
| 1,1,1-Trichloroethane | **38.9** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 79-00-5 | |
| Trichloroethene | **32.5** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 15:20 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 15:20 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 15:20 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 113 | %. | 79-116 | 1 | | 12/03/15 15:20 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 100 | %. | 80-114 | 1 | | 12/03/15 15:20 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 15:20 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-4** **Lab ID: 50133305004** Collected: 11/25/15 09:50 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/04/15 03:36 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/04/15 03:36 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/04/15 03:36 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/04/15 03:36 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/04/15 03:36 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-4** **Lab ID: 50133305004** Collected: 11/25/15 09:50 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/04/15 03:36 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/04/15 03:36 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 79-34-5 | |
| Tetrachloroethene | **6.7** | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/04/15 03:36 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/04/15 03:36 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/04/15 03:36 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 106 | %. | 79-116 | 1 | | 12/04/15 03:36 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 102 | %. | 80-114 | 1 | | 12/04/15 03:36 | 460-00-4 | |
| Toluene-d8 (S) | 95 | %. | 81-110 | 1 | | 12/04/15 03:36 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-5** **Lab ID: 50133305005** Collected: 11/25/15 09:45 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 16:25 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 16:25 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 16:25 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-35-4 | |
| cis-1,2-Dichloroethene | **111** | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 16:25 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 16:25 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-5** **Lab ID: 50133305005** Collected: 11/25/15 09:45 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 16:25 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 16:25 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 79-34-5 | |
| Tetrachloroethene | **414** | ug/L | 50.0 | 10 | | 12/03/15 16:58 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 120-82-1 | |
| 1,1,1-Trichloroethane | **35.0** | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 79-00-5 | |
| Trichloroethene | **180** | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 16:25 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 16:25 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 16:25 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 109 | %. | 79-116 | 1 | | 12/03/15 16:25 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 99 | %. | 80-114 | 1 | | 12/03/15 16:25 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 16:25 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: Effluent** **Lab ID: 50133305006** Collected: 11/25/15 09:30 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 17:31 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 17:31 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 17:31 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 17:31 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 17:31 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: Effluent** **Lab ID: 50133305006** Collected: 11/25/15 09:30 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 17:31 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 17:31 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 17:31 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 17:31 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 17:31 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 79-116 | 1 | | 12/03/15 17:31 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 101 | %. | 80-114 | 1 | | 12/03/15 17:31 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 17:31 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

QC Batch: MSV/84455 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50133305001, 50133305002, 50133305003, 50133305005, 50133305006

METHOD BLANK: 1437428 Matrix: Water
Associated Lab Samples: 50133305001, 50133305002, 50133305003, 50133305005, 50133305006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 12/03/15 13:42 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 2-Hexanone | ug/L | ND | 25.0 | 12/03/15 13:42 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 12/03/15 13:42 | |
| Acetone | ug/L | ND | 100 | 12/03/15 13:42 | |
| Acrolein | ug/L | ND | 50.0 | 12/03/15 13:42 | |
| Acrylonitrile | ug/L | ND | 100 | 12/03/15 13:42 | |
| Benzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromochloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromoform | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromomethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Carbon disulfide | ug/L | ND | 10.0 | 12/03/15 13:42 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chloroform | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

METHOD BLANK: 1437428 Matrix: Water
Associated Lab Samples: 50133305001, 50133305002, 50133305003, 50133305005, 50133305006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Dibromomethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Ethyl methacrylate | ug/L | ND | 100 | 12/03/15 13:42 | |
| Ethylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Iodomethane | ug/L | ND | 10.0 | 12/03/15 13:42 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 12/03/15 13:42 | |
| Methylene Chloride | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Naphthalene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Styrene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Toluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 12/03/15 13:42 | |
| Trichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Vinyl acetate | ug/L | ND | 50.0 | 12/03/15 13:42 | |
| Vinyl chloride | ug/L | ND | 2.0 | 12/03/15 13:42 | |
| Xylene (Total) | ug/L | ND | 10.0 | 12/03/15 13:42 | |
| 4-Bromofluorobenzene (S) | %. | 99 | 80-114 | 12/03/15 13:42 | |
| Dibromofluoromethane (S) | %. | 113 | 79-116 | 12/03/15 13:42 | |
| Toluene-d8 (S) | %. | 93 | 81-110 | 12/03/15 13:42 | |

LABORATORY CONTROL SAMPLE: 1437429

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | 50 | 54.8 | 110 | 61-135 | |
| 1,1,1-Trichloroethane | ug/L | 50 | 49.0 | 98 | 71-129 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 44.5 | 89 | 66-126 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 50.2 | 100 | 77-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 44.8 | 90 | 75-130 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.1 | 94 | 68-127 | |
| 1,1-Dichloropropene | ug/L | 50 | 51.5 | 103 | 78-130 | |
| 1,2,3-Trichlorobenzene | ug/L | 50 | 56.1 | 112 | 70-130 | |
| 1,2,3-Trichloropropane | ug/L | 50 | 48.6 | 97 | 58-142 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437429

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,2,4-Trichlorobenzene | ug/L | 50 | 56.4 | 113 | 68-131 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 48.9 | 98 | 69-127 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 51.6 | 103 | 76-125 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 47.3 | 95 | 75-123 | |
| 1,2-Dichloroethane | ug/L | 50 | 47.6 | 95 | 75-128 | |
| 1,2-Dichloropropane | ug/L | 50 | 48.3 | 97 | 74-121 | |
| 1,3,5-Trimethylbenzene | ug/L | 50 | 48.4 | 97 | 70-126 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 51.0 | 102 | 74-122 | |
| 1,3-Dichloropropane | ug/L | 50 | 50.5 | 101 | 74-123 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 48.6 | 97 | 76-120 | |
| 2,2-Dichloropropane | ug/L | 50 | 53.2 | 106 | 50-137 | |
| 2-Butanone (MEK) | ug/L | 250 | 258 | 103 | 58-139 | |
| 2-Chlorotoluene | ug/L | 50 | 45.9 | 92 | 74-122 | |
| 2-Hexanone | ug/L | 250 | 282 | 113 | 54-140 | |
| 4-Chlorotoluene | ug/L | 50 | 47.8 | 96 | 77-123 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | 250 | 286 | 114 | 58-138 | |
| Acetone | ug/L | 250 | 247 | 99 | 49-150 | |
| Acrolein | ug/L | 1000 | 1030 | 103 | 41-200 | |
| Acrylonitrile | ug/L | 200 | 181 | 90 | 63-137 | |
| Benzene | ug/L | 50 | 47.3 | 95 | 74-122 | |
| Bromobenzene | ug/L | 50 | 46.6 | 93 | 72-127 | |
| Bromochloromethane | ug/L | 50 | 44.7 | 89 | 63-132 | |
| Bromodichloromethane | ug/L | 50 | 49.6 | 99 | 62-136 | |
| Bromoform | ug/L | 50 | 40.0 | 80 | 44-134 | |
| Bromomethane | ug/L | 50 | 55.8 | 112 | 22-181 | |
| Carbon disulfide | ug/L | 50 | 61.3 | 123 | 59-132 | |
| Carbon tetrachloride | ug/L | 50 | 51.7 | 103 | 56-137 | |
| Chlorobenzene | ug/L | 50 | 48.2 | 96 | 78-123 | |
| Chloroethane | ug/L | 50 | 51.4 | 103 | 60-144 | |
| Chloroform | ug/L | 50 | 47.6 | 95 | 78-126 | |
| Chloromethane | ug/L | 50 | 49.5 | 99 | 42-134 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 48.1 | 96 | 75-122 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 52.1 | 104 | 64-126 | |
| Dibromochloromethane | ug/L | 50 | 53.1 | 106 | 58-128 | |
| Dibromomethane | ug/L | 50 | 51.5 | 103 | 73-125 | |
| Dichlorodifluoromethane | ug/L | 50 | 42.3 | 85 | 35-181 | |
| Ethyl methacrylate | ug/L | 200 | 218 | 109 | 69-133 | |
| Ethylbenzene | ug/L | 50 | 49.2 | 98 | 66-133 | |
| Hexachloro-1,3-butadiene | ug/L | 50 | 49.3 | 99 | 59-145 | |
| Iodomethane | ug/L | 100 | 110 | 110 | 21-170 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 55.5 | 111 | 69-124 | |
| Methyl-tert-butyl ether | ug/L | 50 | 53.9 | 108 | 69-122 | |
| Methylene Chloride | ug/L | 50 | 47.3 | 95 | 68-132 | |
| n-Butylbenzene | ug/L | 50 | 49.3 | 99 | 70-126 | |
| n-Propylbenzene | ug/L | 50 | 50.1 | 100 | 71-122 | |
| Naphthalene | ug/L | 50 | 47.4 | 95 | 68-127 | |
| p-Isopropyltoluene | ug/L | 50 | 51.5 | 103 | 72-132 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437429

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| sec-Butylbenzene | ug/L | 50 | 52.2 | 104 | 70-128 | |
| Styrene | ug/L | 50 | 52.4 | 105 | 74-126 | |
| tert-Butylbenzene | ug/L | 50 | 45.2 | 90 | 51-118 | |
| Tetrachloroethene | ug/L | 50 | 49.5 | 99 | 69-130 | |
| Toluene | ug/L | 50 | 45.9 | 92 | 72-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 45.6 | 91 | 72-124 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 52.5 | 105 | 64-121 | |
| trans-1,4-Dichloro-2-butene | ug/L | 200 | 136 | 68 | 56-133 | |
| Trichloroethene | ug/L | 50 | 48.5 | 97 | 76-126 | |
| Trichlorofluoromethane | ug/L | 50 | 52.2 | 104 | 76-149 | |
| Vinyl acetate | ug/L | 200 | 240 | 120 | 45-151 | |
| Vinyl chloride | ug/L | 50 | 46.5 | 93 | 59-126 | |
| Xylene (Total) | ug/L | 150 | 150 | 100 | 70-124 | |
| 4-Bromofluorobenzene (S) | %. | | | 101 | 80-114 | |
| Dibromofluoromethane (S) | %. | | | 96 | 79-116 | |
| Toluene-d8 (S) | %. | | | 98 | 81-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

QC Batch: MSV/84465
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Associated Lab Samples: 50133305004

METHOD BLANK: 1437555
Matrix: Water
Associated Lab Samples: 50133305004

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 12/04/15 01:25 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 2-Hexanone | ug/L | ND | 25.0 | 12/04/15 01:25 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 12/04/15 01:25 | |
| Acetone | ug/L | ND | 100 | 12/04/15 01:25 | |
| Acrolein | ug/L | ND | 50.0 | 12/04/15 01:25 | |
| Acrylonitrile | ug/L | ND | 100 | 12/04/15 01:25 | |
| Benzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromochloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromoform | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromomethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Carbon disulfide | ug/L | ND | 10.0 | 12/04/15 01:25 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chloroform | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

METHOD BLANK: 1437555 Matrix: Water
Associated Lab Samples: 50133305004

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Dibromomethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Ethyl methacrylate | ug/L | ND | 100 | 12/04/15 01:25 | |
| Ethylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Iodomethane | ug/L | ND | 10.0 | 12/04/15 01:25 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 12/04/15 01:25 | |
| Methylene Chloride | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Naphthalene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Styrene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Toluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 12/04/15 01:25 | |
| Trichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Vinyl acetate | ug/L | ND | 50.0 | 12/04/15 01:25 | |
| Vinyl chloride | ug/L | ND | 2.0 | 12/04/15 01:25 | |
| Xylene (Total) | ug/L | ND | 10.0 | 12/04/15 01:25 | |
| 4-Bromofluorobenzene (S) | %. | 103 | 80-114 | 12/04/15 01:25 | |
| Dibromofluoromethane (S) | %. | 103 | 79-116 | 12/04/15 01:25 | |
| Toluene-d8 (S) | %. | 95 | 81-110 | 12/04/15 01:25 | |

LABORATORY CONTROL SAMPLE: 1437556

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | 50 | 49.4 | 99 | 61-135 | |
| 1,1,1-Trichloroethane | ug/L | 50 | 46.1 | 92 | 71-129 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 43.0 | 86 | 66-126 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 45.3 | 91 | 77-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 45.0 | 90 | 75-130 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.2 | 94 | 68-127 | |
| 1,1-Dichloropropene | ug/L | 50 | 46.0 | 92 | 78-130 | |
| 1,2,3-Trichlorobenzene | ug/L | 50 | 53.6 | 107 | 70-130 | |
| 1,2,3-Trichloropropane | ug/L | 50 | 44.0 | 88 | 58-142 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437556

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,2,4-Trichlorobenzene | ug/L | 50 | 51.0 | 102 | 68-131 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 45.8 | 92 | 69-127 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 46.4 | 93 | 76-125 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 46.6 | 93 | 75-123 | |
| 1,2-Dichloroethane | ug/L | 50 | 48.0 | 96 | 75-128 | |
| 1,2-Dichloropropane | ug/L | 50 | 43.1 | 86 | 74-121 | |
| 1,3,5-Trimethylbenzene | ug/L | 50 | 45.7 | 91 | 70-126 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 46.2 | 92 | 74-122 | |
| 1,3-Dichloropropane | ug/L | 50 | 44.5 | 89 | 74-123 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 47.8 | 96 | 76-120 | |
| 2,2-Dichloropropane | ug/L | 50 | 36.5 | 73 | 50-137 | |
| 2-Butanone (MEK) | ug/L | 250 | 238 | 95 | 58-139 | |
| 2-Chlorotoluene | ug/L | 50 | 43.3 | 87 | 74-122 | |
| 2-Hexanone | ug/L | 250 | 262 | 105 | 54-140 | |
| 4-Chlorotoluene | ug/L | 50 | 43.6 | 87 | 77-123 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | 250 | 257 | 103 | 58-138 | |
| Acetone | ug/L | 250 | 244 | 97 | 49-150 | |
| Acrolein | ug/L | 1000 | 679 | 68 | 41-200 | |
| Acrylonitrile | ug/L | 200 | 181 | 90 | 63-137 | |
| Benzene | ug/L | 50 | 43.6 | 87 | 74-122 | |
| Bromobenzene | ug/L | 50 | 46.0 | 92 | 72-127 | |
| Bromochloromethane | ug/L | 50 | 41.4 | 83 | 63-132 | |
| Bromodichloromethane | ug/L | 50 | 46.8 | 94 | 62-136 | |
| Bromoform | ug/L | 50 | 39.1 | 78 | 44-134 | |
| Bromomethane | ug/L | 50 | 38.8 | 78 | 22-181 | |
| Carbon disulfide | ug/L | 50 | 48.4 | 97 | 59-132 | |
| Carbon tetrachloride | ug/L | 50 | 43.9 | 88 | 56-137 | |
| Chlorobenzene | ug/L | 50 | 43.0 | 86 | 78-123 | |
| Chloroethane | ug/L | 50 | 48.7 | 97 | 60-144 | |
| Chloroform | ug/L | 50 | 45.3 | 91 | 78-126 | |
| Chloromethane | ug/L | 50 | 42.1 | 84 | 42-134 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 46.7 | 93 | 75-122 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 43.9 | 88 | 64-126 | |
| Dibromochloromethane | ug/L | 50 | 48.9 | 98 | 58-128 | |
| Dibromomethane | ug/L | 50 | 44.6 | 89 | 73-125 | |
| Dichlorodifluoromethane | ug/L | 50 | 37.6 | 75 | 35-181 | |
| Ethyl methacrylate | ug/L | 200 | 201 | 101 | 69-133 | |
| Ethylbenzene | ug/L | 50 | 46.5 | 93 | 66-133 | |
| Hexachloro-1,3-butadiene | ug/L | 50 | 44.0 | 88 | 59-145 | |
| Iodomethane | ug/L | 100 | 90.8 | 91 | 21-170 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 51.0 | 102 | 69-124 | |
| Methyl-tert-butyl ether | ug/L | 50 | 47.5 | 95 | 69-122 | |
| Methylene Chloride | ug/L | 50 | 45.6 | 91 | 68-132 | |
| n-Butylbenzene | ug/L | 50 | 48.0 | 96 | 70-126 | |
| n-Propylbenzene | ug/L | 50 | 48.6 | 97 | 71-122 | |
| Naphthalene | ug/L | 50 | 55.6 | 111 | 68-127 | |
| p-Isopropyltoluene | ug/L | 50 | 47.5 | 95 | 72-132 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437556

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| sec-Butylbenzene | ug/L | 50 | 49.3 | 99 | 70-128 | |
| Styrene | ug/L | 50 | 50.0 | 100 | 74-126 | |
| tert-Butylbenzene | ug/L | 50 | 42.8 | 86 | 51-118 | |
| Tetrachloroethene | ug/L | 50 | 44.0 | 88 | 69-130 | |
| Toluene | ug/L | 50 | 47.6 | 95 | 72-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 42.3 | 85 | 72-124 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 46.7 | 93 | 64-121 | |
| trans-1,4-Dichloro-2-butene | ug/L | 200 | 94.4J | 47 | 56-133 | L0 |
| Trichloroethene | ug/L | 50 | 45.9 | 92 | 76-126 | |
| Trichlorofluoromethane | ug/L | 50 | 49.4 | 99 | 76-149 | |
| Vinyl acetate | ug/L | 200 | 207 | 103 | 45-151 | |
| Vinyl chloride | ug/L | 50 | 42.6 | 85 | 59-126 | |
| Xylene (Total) | ug/L | 150 | 143 | 95 | 70-124 | |
| 4-Bromofluorobenzene (S) | %. | | | 102 | 80-114 | |
| Dibromofluoromethane (S) | %. | | | 100 | 79-116 | |
| Toluene-d8 (S) | %. | | | 98 | 81-110 | |

MATRIX SPIKE SAMPLE: 1437558

| Parameter | Units | 50133331012 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 50 | 52.4 | 105 | 50-132 | |
| 1,1,1-Trichloroethane | ug/L | ND | 50 | 54.4 | 109 | 60-138 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 50 | 41.4 | 83 | 55-128 | |
| 1,1,2-Trichloroethane | ug/L | ND | 50 | 44.1 | 88 | 61-139 | |
| 1,1-Dichloroethane | ug/L | ND | 50 | 48.7 | 97 | 57-147 | |
| 1,1-Dichloroethene | ug/L | ND | 50 | 53.5 | 107 | 55-145 | |
| 1,1-Dichloropropene | ug/L | ND | 50 | 50.8 | 102 | 55-147 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 50 | 52.7 | 105 | 31-141 | |
| 1,2,3-Trichloropropane | ug/L | ND | 50 | 43.0 | 86 | 58-133 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 50 | 49.9 | 100 | 25-143 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 50 | 46.5 | 93 | 18-149 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 50 | 45.8 | 92 | 63-129 | |
| 1,2-Dichlorobenzene | ug/L | ND | 50 | 47.4 | 95 | 38-136 | |
| 1,2-Dichloroethane | ug/L | ND | 50 | 52.7 | 105 | 62-138 | |
| 1,2-Dichloropropane | ug/L | ND | 50 | 45.2 | 90 | 59-130 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 50 | 46.5 | 93 | 20-147 | |
| 1,3-Dichlorobenzene | ug/L | ND | 50 | 46.1 | 92 | 28-141 | |
| 1,3-Dichloropropane | ug/L | ND | 50 | 44.6 | 89 | 62-127 | |
| 1,4-Dichlorobenzene | ug/L | ND | 50 | 46.3 | 93 | 30-139 | |
| 2,2-Dichloropropane | ug/L | ND | 50 | 36.3 | 73 | 37-139 | |
| 2-Butanone (MEK) | ug/L | ND | 250 | 218 | 87 | 37-156 | |
| 2-Chlorotoluene | ug/L | ND | 50 | 43.8 | 88 | 27-142 | |
| 2-Hexanone | ug/L | ND | 250 | 239 | 96 | 44-143 | |
| 4-Chlorotoluene | ug/L | ND | 50 | 44.2 | 88 | 27-144 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 250 | 238 | 95 | 46-144 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

MATRIX SPIKE SAMPLE: 1437558

| Parameter | Units | 50133331012 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| Acetone | ug/L | ND | 250 | 239 | 96 | 39-156 | |
| Acrolein | ug/L | ND | 1000 | 1000 | 100 | 33-200 | |
| Acrylonitrile | ug/L | ND | 200 | 168 | 84 | 48-149 | |
| Benzene | ug/L | ND | 50 | 46.4 | 93 | 62-129 | |
| Bromobenzene | ug/L | ND | 50 | 47.6 | 95 | 39-140 | |
| Bromochloromethane | ug/L | ND | 50 | 43.3 | 87 | 49-142 | |
| Bromodichloromethane | ug/L | ND | 50 | 50.2 | 100 | 50-142 | |
| Bromoform | ug/L | ND | 50 | 36.0 | 72 | 36-125 | |
| Bromomethane | ug/L | ND | 50 | 46.8 | 94 | 13-179 | |
| Carbon disulfide | ug/L | ND | 50 | 55.8 | 112 | 45-142 | |
| Carbon tetrachloride | ug/L | ND | 50 | 53.4 | 107 | 46-142 | |
| Chlorobenzene | ug/L | ND | 50 | 43.8 | 88 | 49-136 | |
| Chloroethane | ug/L | ND | 50 | 57.4 | 115 | 47-160 | |
| Chloroform | ug/L | ND | 50 | 50.6 | 101 | 54-150 | |
| Chloromethane | ug/L | ND | 50 | 48.7 | 97 | 30-148 | |
| cis-1,2-Dichloroethene | ug/L | ND | 50 | 49.4 | 99 | 60-135 | |
| cis-1,3-Dichloropropene | ug/L | ND | 50 | 42.0 | 84 | 52-123 | |
| Dibromochloromethane | ug/L | ND | 50 | 50.0 | 100 | 48-125 | |
| Dibromomethane | ug/L | ND | 50 | 46.7 | 93 | 59-134 | |
| Dichlorodifluoromethane | ug/L | ND | 50 | 46.9 | 94 | 24-197 | |
| Ethyl methacrylate | ug/L | ND | 200 | 194 | 97 | 55-139 | |
| Ethylbenzene | ug/L | ND | 50 | 47.1 | 94 | 28-153 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 50 | 45.5 | 91 | 10-176 | |
| Iodomethane | ug/L | ND | 100 | 79.8 | 80 | 17-157 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 50 | 55.1 | 110 | 18-152 | |
| Methyl-tert-butyl ether | ug/L | ND | 50 | 50.0 | 100 | 63-130 | |
| Methylene Chloride | ug/L | ND | 50 | 49.2 | 98 | 45-156 | |
| n-Butylbenzene | ug/L | ND | 50 | 49.3 | 99 | 10-161 | |
| n-Propylbenzene | ug/L | ND | 50 | 49.7 | 99 | 16-150 | |
| Naphthalene | ug/L | ND | 50 | 54.2 | 108 | 39-140 | |
| p-Isopropyltoluene | ug/L | ND | 50 | 49.5 | 99 | 10-163 | |
| sec-Butylbenzene | ug/L | ND | 50 | 50.6 | 101 | 10-160 | |
| Styrene | ug/L | ND | 50 | 51.1 | 102 | 36-139 | |
| tert-Butylbenzene | ug/L | ND | 50 | 44.8 | 90 | 12-134 | |
| Tetrachloroethene | ug/L | ND | 50 | 46.1 | 92 | 33-151 | |
| Toluene | ug/L | ND | 50 | 48.6 | 97 | 50-132 | |
| trans-1,2-Dichloroethene | ug/L | ND | 50 | 46.0 | 92 | 40-153 | |
| trans-1,3-Dichloropropene | ug/L | ND | 50 | 45.9 | 92 | 48-122 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 200 | 104 | 52 | 32-139 | |
| Trichloroethene | ug/L | 6.5 | 50 | 55.9 | 99 | 50-143 | |
| Trichlorofluoromethane | ug/L | ND | 50 | 60.4 | 121 | 60-175 | |
| Vinyl acetate | ug/L | ND | 200 | 144 | 72 | 17-142 | |
| Vinyl chloride | ug/L | ND | 50 | 49.8 | 100 | 44-145 | |
| Xylene (Total) | ug/L | ND | 150 | 150 | 100 | 29-145 | |
| 4-Bromofluorobenzene (S) | %. | | | | 104 | 80-114 | |
| Dibromofluoromethane (S) | %. | | | | 106 | 79-116 | |
| Toluene-d8 (S) | %. | | | | 96 | 81-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

SAMPLE DUPLICATE: 1437557

| Parameter | Units | 50133331011 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,1-Trichloroethane | ug/L | ND | ND | | 20 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,2-Trichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethene | ug/L | ND | ND | | 20 | |
| 1,1-Dichloropropene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichloropropane | ug/L | ND | ND | | 20 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | ND | | 20 | |
| 1,2-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,4-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 2,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 2-Butanone (MEK) | ug/L | ND | ND | | 20 | |
| 2-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 2-Hexanone | ug/L | ND | ND | | 20 | |
| 4-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | ND | | 20 | |
| Acetone | ug/L | ND | ND | | 20 | |
| Acrolein | ug/L | ND | ND | | 20 | |
| Acrylonitrile | ug/L | ND | ND | | 20 | |
| Benzene | ug/L | ND | ND | | 20 | |
| Bromobenzene | ug/L | ND | ND | | 20 | |
| Bromochloromethane | ug/L | ND | ND | | 20 | |
| Bromodichloromethane | ug/L | ND | ND | | 20 | |
| Bromoform | ug/L | ND | ND | | 20 | |
| Bromomethane | ug/L | ND | ND | | 20 | |
| Carbon disulfide | ug/L | ND | ND | | 20 | |
| Carbon tetrachloride | ug/L | ND | ND | | 20 | |
| Chlorobenzene | ug/L | ND | ND | | 20 | |
| Chloroethane | ug/L | ND | ND | | 20 | |
| Chloroform | ug/L | ND | ND | | 20 | |
| Chloromethane | ug/L | ND | ND | | 20 | |
| cis-1,2-Dichloroethene | ug/L | ND | 1.6J | | 20 | |
| cis-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| Dibromochloromethane | ug/L | ND | ND | | 20 | |
| Dibromomethane | ug/L | ND | ND | | 20 | |
| Dichlorodifluoromethane | ug/L | ND | ND | | 20 | |
| Ethyl methacrylate | ug/L | ND | ND | | 20 | |
| Ethylbenzene | ug/L | ND | ND | | 20 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

SAMPLE DUPLICATE: 1437557

| Parameter | Units | 50133331011 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| Hexachloro-1,3-butadiene | ug/L | ND | ND | | 20 | |
| Iodomethane | ug/L | ND | ND | | 20 | |
| Isopropylbenzene (Cumene) | ug/L | ND | ND | | 20 | |
| Methyl-tert-butyl ether | ug/L | ND | ND | | 20 | |
| Methylene Chloride | ug/L | ND | ND | | 20 | |
| n-Butylbenzene | ug/L | ND | ND | | 20 | |
| n-Propylbenzene | ug/L | ND | ND | | 20 | |
| Naphthalene | ug/L | ND | ND | | 20 | |
| p-Isopropyltoluene | ug/L | ND | ND | | 20 | |
| sec-Butylbenzene | ug/L | ND | ND | | 20 | |
| Styrene | ug/L | ND | ND | | 20 | |
| tert-Butylbenzene | ug/L | ND | ND | | 20 | |
| Tetrachloroethene | ug/L | ND | ND | | 20 | |
| Toluene | ug/L | ND | ND | | 20 | |
| trans-1,2-Dichloroethene | ug/L | ND | ND | | 20 | |
| trans-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | ND | | 20 | |
| Trichloroethene | ug/L | 10.7 | 10.4 | 3 | 20 | |
| Trichlorofluoromethane | ug/L | ND | ND | | 20 | |
| Vinyl acetate | ug/L | ND | ND | | 20 | |
| Vinyl chloride | ug/L | ND | ND | | 20 | |
| Xylene (Total) | ug/L | ND | ND | | 20 | |
| 4-Bromofluorobenzene (S) | %. | 102 | 104 | 2 | | |
| Dibromofluoromethane (S) | %. | 106 | 108 | 2 | | |
| Toluene-d8 (S) | %. | 94 | 95 | 0 | | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALIFIERS

Project: Amphenol
Pace Project No.: 50133305

## DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50133305

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---|---|---|---|---|---|
| **50133305001** | **RW-1** | EPA 8260 | MSV/84455 | | |
| **50133305002** | **RW-2** | EPA 8260 | MSV/84455 | | |
| **50133305003** | **RW-3** | EPA 8260 | MSV/84455 | | |
| **50133305004** | **RW-4** | EPA 8260 | MSV/84465 | | |
| **50133305005** | **RW-5** | EPA 8260 | MSV/84455 | | |
| **50133305006** | **Effluent** | EPA 8260 | MSV/84455 | | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

50133305

1034

Page : 1 Of 1

**Section A** Required Client Information:

| | |
|---|---|
| Company: | IWM Consulting |
| Address: | 7428 Rockville Road |
| | Indianapolis, IN 46214 |
| Email To: | cnewell@iwmconsult.com |
| Phone: 347-1111 | Fax: |
| Requested Due Date/TAT: | 10 Day (Default) |

**Section B** Required Project Information:

| | |
|---|---|
| Report To: | Chris Newell |
| Copy To: | |
| Purchase Order No. | |
| Client Project ID: | Amphenol |
| Container Order Number: | |

**Section C** Invoice Information:

| | |
|---|---|
| Attention: | Chris Newell |
| Company Name: | IWM Consulting |
| Address: | 7428 Rockville Road, Indianapolis, IN 462 |
| Pace Quote Reference: | |
| Pace Project Manager: | Hunt, Kenneth |
| Pace Profile #: | |

| Regulatory Agency |
|---|
| RCRA - Resource Conservation and Recovery Act |
| State / Location |
| Indiana |

Requested Analysis Filtered (Y/N)

| ITEM# | SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique) | MATRIX CODE (see valid codes to left) | SAMPLE TYPE (G=GRAB C=COMP) | COLLECTED START DATE | COLLECTED START TIME | COLLECTED END DATE | COLLECTED END TIME | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Preservatives: Unpreserved | H2SO4 | HNO3 | HCl | NaOH | Na2S2O3 | Methanol | Other | Analyses Test (Y/N): VOC 8260 WT | Residual Chlorine (Y/N) | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | RW-1 | WT | | 11-25-15 | 10:10 | | | | 3 | | | | X | | | | | X | | 001 |
| 2 | RW-2 | WT | | | 10:05 | | | | 3 | | | | X | | | | | X | | 002 |
| 3 | RW-3 | WT | | | 9:55 | | | | 3 | | | | X | | | | | X | | 003 |
| 4 | RW-4 | WT | | | 9:50 | | | | 3 | | | | X | | | | | X | | 004 |
| 5 | RW-5 | WT | | | 9:45 | | | | 3 | | | | X | | | | | X | | 005 |
| 6 | EFFLUENT | WT | | | 9:30 | | | | 3 | | | | X | | | | | X | | 006 |
| 7 | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | |

MATRIX CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS

| ADDITIONAL COMMENTS | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Ralph Mien IWM | 11-25-15 | 229 | | 11/25/15 | 1429 | 0.6 | Y | N | Y |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| SAMPLER NAME AND SIGNATURE | |
|---|---|
| PRINT Name of SAMPLER: | Ralph Mien |
| SIGNATURE of SAMPLER: | Ralph Mien |
| DATE Signed: | 11-25-15 |

| TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) |
|---|---|---|---|

# Sample Condition Upon Receipt

Pace Analytical

Client Name: Fwm

Project # 5013330S

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 0.6/0.6 Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and initials of person examining contents: TMW 11/25/15

| | | Comments: |
|---|---|---|
| Are samples from West Virginia? Document any containers out of temp. | ☐Yes ☑No | 1. |
| Chain of Custody Present: | ☑Yes ☐No ☐N/A | 2. |
| Chain of Custody Filled Out: | ☑Yes ☐No ☐N/A | 3. |
| Chain of Custody Relinquished: | ☑Yes ☐No ☐N/A | 4. |
| Sampler Name & Signature on COC: | ☑Yes ☐No ☐N/A | 5. |
| Short Hold Time Analysis (<72hr): | ☐Yes ☑No ☐N/A | 6. |
| Rush Turn Around Time Requested: | ☐Yes ☑No ☐N/A | 7. |
| Containers Intact: | ☑Yes ☐No ☐N/A | 8. |
| Sample Labels match COC: -Includes date/time/ID/Analysis | ☑Yes ☐No ☐N/A | 9. |
| All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted. | ☐Yes ☐No ☑N/A | 10 (Circle) HNO3 H2SO4 NaOH NaOH/ZnAc |
| Residual Chlorine Check (SVOC 625 Pest/PCB 608) | | 11. Present Absent |
| Residual Chlorine Check (Total/Amenable/Free Cyanide) | | 12. Present Absent |
| Headspace in VOA Vials ( >6mm): | ☑Yes ☐No ☐N/A | 13 RW-3 8/3, RW-5 4/3 |
| Headspace Wisconsin Sulfide | ☐Yes ☐No | 14 |
| Trip Blank Present: | ☐Yes ☑No ☐N/A | 15 |
| Trip Blank Custody Seals Present | ☐Yes ☐No ☑N/A | |
| **Project Manager Review** | | |
| Samples Arrived within Hold Time: | ☑Yes ☐No ☐N/A | 15. |
| Sufficient Volume: | ☑Yes ☐No ☐N/A | 16. |
| Correct Containers Used: | ☑Yes ☐No ☐N/A | 17. |

**Client Notification/ Resolution:** Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution:

**Project Manager Review:** CAA **Date:** 11-25-15

Form F-IN-Q-290-rev.09, 13Oct2015

# Sample Container Count

CLIENT: S0133305

COC PAGE ____ of ____

COC ID# _____

Project # _____

| Sample Line Item | DG9H | AG1U | WGFU | AG0U | R 4 / 6 | BP2N | BP2U | BP2S | BP3N | BP3U | BP3S | AG3S | AG1H | BP3C | BP1U | SP5T | AG2U | | | | | pH <2 | pH >9 | pH>12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | |

Container Codes

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DG9H | 40mL HCL amber voa vial | AG0U | 100mL unpreserved amber glass | BP1N | 1 liter HNO3 plastic | DG9P | 40mL TSP amber vial |
| AG1U | 1liter unpreserved amber glass | AG1H | 1 liter HCL amber glass | BP1S | 1 liter H2SO4 plastic | DG9S | 40mL H2SO4 amber vial |
| WGFU | 4oz clear soil jar | AG1S | 1 liter H2SO4 amber glass | BP1U | 1 liter unpreserved plastic | DG9T | 40mL Na Thio amber vial |
| R | terra core kit | AG1T | 1 liter Na Thiosulfate amber glass | BP1Z | 1 liter NaOH, Zn, Ac | DG9U | 40mL unpreserved **amber** vial |
| BP2N | 500mL HNO3 plastic | AG2N | 500mL HNO3 amber glass | BP2A | 500mL NaOH, Asc Acid plastic | SP5T | 120mL Coliform Na Thiosulfate |
| BP2U | 500mL unpreserved plastic | AG2S | 500mL H2SO4 amber glass | BP2O | 500mL NaOH plastic | JGFU | 4oz unpreserved amber wide |
| BP2S | 500mL H2SO4 plastic | AG2U | 500mL unpreserved amber glass | BP2Z | 500mL NaOH, Zn Ac | U | Summa Can |
| BP3N | 250mL HNO3 plastic | AG3U | 250mL unpreserved amber glass | AF | Air Filter | VG9H | 40mL HCL clear vial |
| BP3U | 250mL unpreserved plastic | BG1H | 1 liter HCL clear glass | BP3C | 250mL NaOH plastic | VG9T | 40mL Na Thio. clear vial |
| BP3S | 250mL H2SO4 plastic | BG1S | 1 liter H2SO4 clear glass | BP3Z | 250mL NaOH, Zn Ac plastic | VG9U | 40mL unpreserved **clear** vial |
| AG3S | 250mL H2SO4 glass amber | BG1T | 1 liter Na Thiosulfate clear glass | C | Air Cassettes | VSG | Headspace septa vial & HCL |
| AG1S | 1 liter H2SO4 amber glass | BG1U | 1 liter unpreserved glass | DG9B | 40mL Na Bisulfate amber vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1U | 1 liter unpreserved plastic | BP1A | 1 liter NaOH, Asc Acid plastic | DG9M | 40mL MeOH clear vial | ZPLC | Ziploc Bag |

7428 Rockville Road, Indianapolis, IN 46214

January 11, 2016

Mr. Joseph Bianchi
Group Manager, EHS & Support Services
AMPHENOL AEROSPACE
40-60 Delaware Avenue
Sidney, NY 13838

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Bianchi:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the November 25 through December 24, 2015 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

## Groundwater Level Measurements

On December 14, 2015, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.06 feet below top of casing (TOC) in MW-9 to 18.38 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the December 14, 2015 depth to water measurements has been included as **Figure 2**.

## Groundwater Treatment System

From November 25 through December 24, 2015, approximately 1,123,596 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 217,922,141 gallons. The average influent groundwater recovery rate from November 25 through December 24, 2015 was approximately 26.91 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on December 14, 2015 to complete bi-weekly and monthly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 14, 2015.

IWM personnel mobilized to the site on December 24, 2015 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 24, 2015.

**Schedule of Activities**

Monthly and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of January 2016. Site visits are scheduled for the weeks beginning January 4 and January 18, 2016. The information from these site inspections will be included in the January 2016 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG #2397
Project Manager

Bradley E. Gentry, LPG #2165
Vice-President

*Attachments*
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2<br>GROUNDWATER<br>ELEVATION MAP<br>(12/14/2015) | FORMER AMPHENOL RFI/CMS<br>980 HURRICANE ROAD<br>FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

**ATTACHMENT A**

**Groundwater Level Measurements**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |
| | 12/14/15 | | 13.38 | 718.87 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |
| | 12/14/15 | | 11.31 | 717.40 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |
| | 12/14/15 | | 16.23 | 720.21 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |
| | 12/14/15 | | 10.06 | 722.98 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |
| | 12/14/15 | | 17.69 | 718.46 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |
| | 12/14/15 | | 11.18 | 722.85 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |
| | 12/14/15 | | 17.91 | 720.00 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |
| | 12/14/15 | | 18.38 | 719.26 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |
| | 12/14/15 | | 16.40 | 719.62 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |
| | 12/14/15 | | 14.15 | 722.24 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |
| | 12/14/15 | | 16.61 | 720.02 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |
| | 12/14/15 | | 18.23 | 719.81 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |
| | 12/14/15 | | 18.06 | 719.55 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |
| | 12/14/15 | | 15.91 | 718.93 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |
| | 12/14/15 | | 12.72 | 718.25 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |
| | 12/14/15 | | 14.35 | 717.70 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |
| | 12/14/15 | | 18.65 | 714.54 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |
| | 12/14/15 | | 19.71 | 715.77 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |
| | 12/14/15 | | 15.02 | 716.94 |

NR-Not Recorded
NG-Not Gauged

**ATTACHMENT B**

**Groundwater Recovery**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |
| 12/14/2015 | 22,341,225 | 37,897,543 | 61,092,029 | 73,453,206 | 22,738,113 | 217,543,343 |
| 12/24/2015 | 22,353,695 | 37,914,595 | 61,192,112 | 73,591,349 | 22,849,163 | 217,922,141 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

**CUMULATIVE PUMPAGE**



**ATTACHMENT C**

**Field Notes**

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 12-14-15
IWM Personnel: R. Mien
Arrival Time: 9:25
Departure Time: 1:00
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 37136760 RW-2 22808199.0 RW-3 44591301.0 RW-4 73453206 RW-5 29299481.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.00 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 3.2 RW-2 3.4 RW-3 3.1 RW-4 4.2 RW-5 3.4

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: clean

Building Temperature: 60° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | (NO) | YES | Repaired | |
| Lines | (NO) | YES | Repaired | |
| Stripper | (NO) | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: No

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 12-24-15
IWM Personnel: David Molin
Arrival Time: 0920
Departure Time: 1000
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3726146 RW-2 22825251 RW-3 44691384 RW-4 73591349 RW-5 3090541

Flow Rate GPM: RW-1 2 RW-2 8 RW-3 7.5 RW-4 10 RW-5 1

Pump Running Amps RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 60 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | NO | YES | Repaired | |
| Lines | NO | YES | Repaired | |
| Stripper | NO | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

February 11, 2016

Mr. Joseph Bianchi
Group Manager, EHS & Support Services
AMPHENOL AEROSPACE
40-60 Delaware Avenue
Sidney, NY 13838

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Bianchi:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the December 24, 2015 through January 21, 2016 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

**Groundwater Level Measurements**

On January 21, 2016, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.31 feet below top of casing (TOC) in MW-9 to 17.22 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the January 21, 2016 depth to water measurements has been included as **Figure 2**.

**Groundwater Treatment System**

From December 24, 2015 through January 21, 2016, approximately 1,216,293 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 219,138,434 gallons. The average influent groundwater recovery rate from December 24, 2015 through January 21, 2016 was approximately 30.17 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on January 8, 2016 to complete monthly and biweekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 8, 2016.

IWM personnel mobilized to the site on January 21, 2016 to complete biweekly system operation and maintenance activities and to gauge the monitoring well network. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 21, 2016.

**Schedule of Activities**

Quarterly, monthly, and biweekly system operation and maintenance activities are scheduled for the month of February 2016. Site visits are scheduled for the weeks beginning February 1 and February 15, 2016. The information from these site inspections will be included in the February 2016 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG #2397
Project Manager

Bradley E. Gentry, LPG #2165
Vice-President

*Attachments*
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2 GROUNDWATER ELEVATION MAP (01/21/2016) | FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

**ATTACHMENT A**

**Groundwater Level Measurements**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |
| | 12/14/15 | | 13.38 | 718.87 |
| | 01/21/16 | | 12.32 | 719.93 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |
| | 12/14/15 | | 11.31 | 717.40 |
| | 01/21/16 | | 10.91 | 717.80 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |
| | 12/14/15 | | 16.23 | 720.21 |
| | 01/21/16 | | 14.87 | 721.57 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |
| | 12/14/15 | | 10.06 | 722.98 |
| | 01/21/16 | | 8.31 | 724.73 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |
| | 12/14/15 | | 17.69 | 718.46 |
| | 01/21/16 | | 16.66 | 719.49 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |
| | 12/14/15 | | 11.18 | 722.85 |
| | 01/21/16 | | 9.50 | 724.53 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |
| | 12/14/15 | | 17.91 | 720.00 |
| | 01/21/16 | | 16.55 | 721.36 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |
| | 12/14/15 | | 18.38 | 719.26 |
| | 01/21/16 | | 17.22 | 720.42 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |
| | 12/14/15 | | 16.40 | 719.62 |
| | 01/21/16 | | 15.34 | 720.68 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |
| | 12/14/15 | | 14.15 | 722.24 |
| | 01/21/16 | | 12.58 | 723.81 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |
| | 12/14/15 | | 16.61 | 720.02 |
| | 01/21/16 | | 15.22 | 721.41 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |
| | 12/14/15 | | 18.23 | 719.81 |
| | 01/21/16 | | 16.91 | 721.13 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |
| | 12/14/15 | | 18.06 | 719.55 |
| | 01/21/16 | | 16.73 | 720.88 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |
| | 12/14/15 | | 15.91 | 718.93 |
| | 01/21/16 | | 15.45 | 719.39 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |
| | 12/14/15 | | 12.72 | 718.25 |
| | 01/21/16 | | 12.90 | 718.07 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |
| | 12/14/15 | | 14.35 | 717.70 |
| | 01/21/16 | | 14.45 | 717.60 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |
| | 12/14/15 | | 18.65 | 714.54 |
| | 01/21/16 | | 18.51 | 714.68 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |
| | 12/14/15 | | 19.71 | 715.77 |
| | 01/21/16 | | 17.74 | 717.74 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |
| | 12/14/15 | | 15.02 | 716.94 |
| | 01/21/16 | | 14.15 | 717.81 |

NR-Not Recorded
NG-Not Gauged

**ATTACHMENT B**

**Groundwater Recovery**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |
| 12/14/2015 | 22,341,225 | 37,897,543 | 61,092,029 | 73,453,206 | 22,738,113 | 217,543,343 |
| 12/24/2015 | 22,353,695 | 37,914,595 | 61,192,112 | 73,591,349 | 22,849,163 | 217,922,141 |
| 1/8/2016 | 22,396,764 | 37,960,917 | 61,367,870 | 73,803,185 | 23,017,304 | 218,567,267 |
| 1/21/2016 | 22,440,091 | 38,006,786 | 61,527,455 | 73,983,596 | 23,159,279 | 219,138,434 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

**CUMULATIVE PUMPAGE**



**ATTACHMENT C**

**Field Notes**

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 1-8-16
IWM Personnel: R. Mien
Arrival Time: 1:45
Departure Time: 4:25
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 37692150 RW-2 22871530 RW-3 44867142.0 RW-4 73803185.0 RW-5 32586820

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.50 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 3.1 RW-2 3.4 RW-3 3.2 RW-4 4.0 RW-5 3.6

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: clean

Building Temperature: 52 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | NO | YES | Repaired | |
| Lines | NO | YES | Repaired | |
| Stripper | NO | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 1-21-16
IWM Personnel: R. Mien
Arrival Time: 11:30
Departure Time: 2:15
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 3812542.0 RW-2 22917442.0 RW-3 45026727.0 RW-4 73983596.0 RW-5 34006572.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.25 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.4 RW-4 4.1 RW-5 3.5

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 56° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | (NO) | YES | Repaired | |
| Lines | (NO) | YES | Repaired | |
| Stripper | (NO) | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

March 10, 2016

Mr. Joseph Bianchi
Group Manager, EHS & Support Services
AMPHENOL AEROSPACE
40-60 Delaware Avenue
Sidney, NY 13838

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Bianchi:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the January 21 through February 19, 2016 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

**Groundwater Level Measurements**

On February 4, 2016, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.15 feet below top of casing (TOC) in MW-9 to 17.32 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the February 4, 2016 depth to water measurements has been included as **Figure 2**.

**Groundwater Treatment System**

From January 21 through February 19, 2016, approximately 1,233,332 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 220,371,766 gallons. The average influent groundwater recovery rate from January 21 through February 19, 2016 was approximately 29.53 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on February 4, 2016 to complete bi-weekly, monthly, and quarterly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on February 4, 2016.

IWM personnel mobilized to the site on February 19, 2016 to complete bi-weekly system operation and maintenance activities and to obtain quarterly system samples. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on February 19, 2016.

**Quarterly Treatment System Sampling**

On February 19, 2016, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260.

Laboratory analytical results from the February 19, 2016 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater sample obtained from recovery well RW-2. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. No VOCs were detected in the system's combined effluent sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

**Schedule of Activities**

Monthly and biweekly system operation and maintenance activities are scheduled for the month of March 2016. Site visits are scheduled for the weeks beginning February 29 and March 14, 2016. The information from these site inspections will be included in the March 2016 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

*Attachments*
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2<br>GROUNDWATER<br>ELEVATION MAP<br>(02/04/2016) | FORMER AMPHENOL RFI/CMS<br>980 HURRICANE ROAD<br>FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

**TABLES**

**Table 1**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-1 | 5/3/1995 | 33 | ND | ND(1) | ND | ND | 100 | 200 | ND | 520 | ND | ND | ND | ND | ND | ND | 853 |
| | 8/3/1995 | 31 | ND | ND | ND | ND | 170 | 180 | ND | 400 | ND | ND | ND | ND | ND | ND | 781 |
| | 11/7/1995 | 30 | ND | ND | ND | ND | ND | 190 | ND | 390 | ND | ND | ND | ND | ND | ND | 610 |
| | 2/26/2010 | ND | ND | ND | 22.5 | ND | 192 | 47.2 | ND | 71.8 | ND | ND | ND | ND | ND | ND | 333.5 |
| | 5/21/2010 | ND | ND | ND | 14.8 | ND | 103 | 32.0 | ND | 58.8 | ND | ND | ND | ND | ND | ND | 208.6 |
| | 8/26/2010 | ND | ND | ND | ND | ND | ND | 23.3 | ND | 39.9 | ND | ND | ND | ND | ND | ND | 63.2 |
| | 11/19/2010 | ND | ND | ND | 190 | 5.1 | 159 | 41.0 | ND | 96.3 | ND | ND | ND | ND | ND | ND | 491.4 |
| | 2/11/2011 | ND | ND | ND | 5.3 | ND | 9.3 | 20.3 | ND | 37.7 | ND | ND | ND | ND | ND | ND | 72.6 |
| | 5/20/2011 | ND | ND | ND | 5.5 | ND | 5.6 | 14.6 | ND | 29 | ND | ND | ND | ND | ND | ND | 54.7 |
| | 8/25/2011 | ND | ND | ND | 51.5 | ND | 131 | 27.3 | ND | 72 | ND | ND | ND | ND | ND | ND | 281.8 |
| | 11/18/2011 | ND | ND | ND | ND | ND | ND | 24.2 | ND | 29.8 | ND | ND | ND | ND | ND | ND | 54 |
| | 2/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | 31 | ND | ND | ND | ND | ND | ND | 31 |
| | 5/22/2012 | ND | ND | ND | ND | ND | ND | 15.9 | ND | 32.8 | ND | ND | ND | ND | ND | ND | 48.7 |
| | 8/24/2012 | ND | ND | ND | 93.6 | ND | 286 | 37.7 | ND | 156 | ND | ND | ND | ND | ND | ND | 573.3 |
| | 11/16/2012 | ND | ND | ND | 28.3 | ND | 109 | 28.7 | ND | 74.7 | ND | ND | ND | ND | ND | ND | 240.7 |
| | 2/25/2013 | ND | ND | ND | ND | ND | ND | 12.2 | ND | 25.0 | ND | ND | ND | ND | ND | ND | 37.2 |
| | 5/30/2013 | ND | ND | ND | ND | ND | ND | 12.6 | ND | 26.3 | ND | ND | ND | ND | ND | ND | 38.9 |
| | 8/23/2013 | ND | ND | ND | ND | ND | 10.9 | 14.6 | ND | 30.9 | ND | ND | ND | ND | ND | ND | 56.4 |
| | 11/13/2013 | ND | ND | ND | 5.9 | ND | 9.2 | 16.5 | ND | 24.8 | ND | ND | ND | ND | ND | ND | 56.4 |
| | 2/19/2014 | ND | ND | ND | 6.5 | ND | 26.9 | 18.0 | ND | 38.1 | ND | ND | ND | ND | ND | ND | 89.5 |
| | 5/16/2014 | ND | ND | ND | 9.3 | ND | 27.8 | 13.6 | ND | 29.0 | ND | ND | ND | ND | ND | ND | 79.7 |
| | 8/22/2014 | ND | ND | ND | ND | ND | ND | 9.7 | ND | 17.9 | ND | ND | ND | ND | ND | ND | 27.6 |
| | 11/24/2014 | ND | ND | ND | 30.7 | ND | 98.6 | 14.6 | ND | 50.7 | ND | ND | ND | ND | ND | ND | 194.6 |
| | 3/13/2015 | ND | ND | ND | ND | ND | 8.2 | 11.0 | ND | 17.3 | ND | ND | ND | ND | ND | ND | 36.5 |
| | 5/27/2015 | ND | ND | ND | ND | ND | ND | 10.5 | ND | 18.1 | ND | ND | ND | ND | ND | ND | 28.6 |
| | 8/21/2015 | ND | ND | ND | ND | ND | ND | 13.1 | ND | 19.6 | ND | ND | ND | ND | ND | ND | 32.7 |
| | 11/25/2015 | ND | ND | ND | ND | ND | 7.8 | 14.3 | ND | 16.9 | ND | ND | ND | ND | ND | ND | 39.0 |
| | 2/19/2016 | ND | ND | ND | ND | ND | ND | 11.2 | ND | 15.3 | ND | ND | ND | ND | ND | ND | 26.5 |

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-2 | 5/3/1995 | 47 | ND | 8.1 | 3.9 | ND | 1,500 | 960 | ND | 4,300 | ND | ND | ND | ND | ND | ND | 6,819 |
| | 8/3/1995 | 48 | ND | ND | ND | ND | 1,500 | 1,100 | ND | 3,000 | ND | ND | ND | ND | ND | ND | 5,648 |
| | 11/7/1995 | 58 | ND | 9.1 | 5.3 | ND | 2,100 | 1,300 | ND | 2,200 | ND | ND | ND | ND | ND | ND | 5,672 |
| | 2/26/2010 | 13.2 | ND | ND | 181 | ND | 973 | 168 | ND | 297 | ND | ND | ND | ND | ND | ND | 1,632.2 |
| | 5/21/2010 | ND | ND | ND | 164 | ND | 1,610 | 128 | ND | 493 | ND | ND | ND | ND | ND | ND | 2,395.0 |
| | 8/26/2010 | 10.6 | ND | ND | 202 | ND | 1,230 | 132 | ND | 332 | ND | ND | ND | ND | ND | ND | 1,906.6 |
| | 11/19/2010 | 8.6 | ND | ND | 6.3 | ND | 297 | 151 | ND | 160 | ND | ND | ND | ND | ND | ND | 622.9 |
| | 2/11/2011 | 12.2 | ND | ND | 51 | ND | 579 | 99.6 | ND | 196 | ND | ND | ND | ND | ND | ND | 937.8 |
| | 5/20/2011 | 9.1 | ND | ND | 1,000 | ND | 812 | 78.5 | ND | 196 | ND | ND | ND | ND | ND | ND | 2,095.6 |
| | 8/25/2011 | ND | ND | ND | 17.9 | ND | 164 | 44.7 | ND | 68.1 | ND | ND | ND | ND | ND | ND | 294.7 |
| | 11/18/2011 | 11 | ND | ND | 8.5 | ND | 213 | 103 | ND | 173 | ND | ND | ND | ND | ND | ND | 508.5 |
| | 2/24/2012 | 5 | ND | ND | 83.7 | ND | 131 | 53.7 | ND | 74 | ND | ND | ND | ND | ND | ND | 347.4 |
| | 5/22/2012 | 9.5 | ND | ND | 252 | ND | 330 | 84.9 | ND | 231 | ND | ND | ND | ND | ND | ND | 907.4 |
| | 8/24/2012 | ND | ND | ND | 21 | ND | 77.1 | 44.1 | ND | 47.7 | ND | ND | ND | ND | ND | ND | 189.9 |
| | 11/16/2012 | ND | ND | ND | 24.7 | ND | 98.0 | 37.9 | ND | 47.7 | ND | ND | ND | ND | ND | ND | 208.3 |
| | 2/25/2013 | ND | ND | ND | 80.6 | ND | 154.0 | 41.5 | ND | 93.3 | ND | ND | ND | ND | ND | ND | 369.4 |
| | 5/30/2013 | 5.1 | ND | ND | 14.6 | ND | 206.0 | 72.4 | ND | 125.0 | ND | ND | ND | ND | ND | ND | 423.1 |
| | 8/23/2013 | 9.3 | ND | ND | ND | ND | 195.0 | 76.4 | ND | 148.0 | ND | ND | ND | ND | ND | ND | 428.7 |
| | 11/13/2013 | 5.7 | ND | ND | ND | ND | 118.0 | 70.0 | ND | 87.2 | ND | ND | ND | ND | ND | ND | 280.9 |
| | 2/19/2014 | 12.9 | ND | ND | ND | ND | 195.0 | 89.0 | ND | 165.0 | ND | ND | ND | ND | ND | ND | 461.9 |
| | 5/16/2014 | 9.6 | ND | ND | 14.2 | ND | 171.0 | 72.6 | ND | 129.0 | ND | ND | ND | ND | ND | ND | 396.4 |
| | 8/22/2014 | 7 | ND | ND | ND | ND | 139.0 | 58.4 | ND | 107.0 | ND | ND | ND | ND | ND | ND | 311.4 |
| | 11/24/2014 | ND | ND | ND | ND | ND | 89.6 | 32.0 | ND | 56.5 | ND | ND | ND | ND | ND | ND | 178.1 |
| | 3/13/2015 | 7 | ND | ND | 6.2 | ND | 132.0 | 46.5 | ND | 74.2 | ND | ND | ND | ND | ND | ND | 265.9 |
| | 5/27/2015 | ND | ND | ND | 10.0 | ND | 92.4 | 40.1 | ND | 49.5 | ND | ND | ND | ND | ND | ND | 192.0 |
| | 8/21/2015 | 6.7 | ND | ND | 67.5 | ND | 196.0 | 71.9 | ND | 106.0 | ND | ND | ND | ND | ND | ND | 448.1 |
| | 11/25/2015 | 7.4 | ND | ND | ND | ND | 131.0 | 70.8 | ND | 101.0 | ND | ND | ND | ND | ND | ND | 310.2 |
| | 2/19/2016 | 6.8 | ND | ND | 7.2 | ND | 137.0 | 50.3 | ND | 101.0 | ND | ND | ND | ND | ND | ND | 302.3 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-3 | 5/3/1995 | 28 | ND | ND | ND | ND | 160 | 540 | ND | 2,900 | ND | ND | ND | ND | ND | ND | 3,628 |
| | 8/3/1995 | 53 | ND | ND | ND | ND | 16 | 560 | ND | 870 | ND | ND | ND | ND | ND | ND | 1,499 |
| | 11/7/1995 | 48 | ND | 6.9 | ND | ND | 1,400 | 950 | ND | 1,700 | ND | ND | ND | ND | ND | ND | 4,105 |
| | 2/26/2010 | 6.5 | ND | ND | 33.4 | ND | 262 | 111 | ND | 80 | ND | ND | ND | ND | ND | ND | 492.9 |
| | 5/21/2010 | ND | ND | ND | 21.9 | ND | 292 | 93.4 | ND | 70.2 | ND | ND | ND | ND | ND | ND | 477.5 |
| | 8/26/2010 | 5.3 | ND | ND | 5.2 | ND | 177 | 84 | ND | 49.9 | ND | ND | ND | ND | ND | ND | 321.4 |
| | 11/19/2010 | 9.2 | ND | ND | 382 | 6.9 | 162 | 137 | ND | 121 | ND | ND | ND | ND | ND | ND | 818.1 |
| | 2/11/2011 | 8.8 | ND | ND | 605 | ND | 81.8 | 118 | ND | 134 | ND | ND | ND | ND | ND | ND | 947.6 |
| | 5/20/2011 | 6 | ND | ND | 59 | ND | 69.6 | 88.8 | ND | 53.4 | ND | ND | ND | ND | ND | ND | 276.8 |
| | 8/25/2011 | ND | ND | ND | 55.3 | ND | 96.1 | 68.4 | ND | 50.8 | ND | ND | ND | ND | ND | ND | 270.6 |
| | 11/18/2011 | 6.7 | ND | ND | 138 | ND | 126 | 86.7 | ND | 77.4 | ND | ND | ND | ND | ND | ND | 434.8 |
| | 2/24/2012 | ND | ND | ND | 55.7 | ND | 83.6 | ND | ND | 61.4 | ND | ND | ND | ND | ND | ND | 200.7 |
| | 5/22/2012 | 5.5 | ND | ND | 44 | ND | 122 | 71 | ND | 58.7 | ND | ND | ND | ND | ND | ND | 301.2 |
| | 8/24/2012 | 6.3 | ND | ND | 77.5 | ND | 143 | 75.8 | ND | 74.6 | ND | ND | ND | ND | ND | ND | 377.2 |
| | 11/16/2012 | 5.9 | ND | ND | 80.5 | ND | 154 | 66.6 | ND | 68.4 | ND | ND | ND | ND | ND | ND | 375.4 |
| | 2/25/2013 | ND | ND | ND | 47 | ND | 110 | 53.3 | ND | 66.1 | ND | ND | ND | ND | ND | ND | 276.4 |
| | 5/30/2013 | ND | ND | ND | 21.5 | ND | 99 | 48.8 | ND | 40.2 | ND | ND | ND | ND | ND | ND | 209.0 |
| | 8/23/2013 | 5.3 | ND | ND | 25.9 | ND | 135 | 48.8 | ND | 53.3 | ND | ND | ND | ND | ND | ND | 268.3 |
| | 11/13/2013 | 5.5 | ND | ND | 31.6 | ND | 157 | 52.0 | ND | 51.8 | ND | ND | ND | ND | ND | ND | 297.9 |
| | 2/19/2014 | 6.5 | ND | ND | 21.8 | ND | 144 | 62.6 | ND | 58.1 | ND | ND | ND | ND | ND | ND | 293.0 |
| | 5/16/2014 | 5.8 | ND | ND | 8.2 | ND | 93 | 50.8 | ND | 35.7 | ND | ND | ND | ND | ND | ND | 193.0 |
| | 8/22/2014 | ND | ND | ND | 7.3 | ND | 86.9 | 41.3 | ND | 32.8 | ND | ND | ND | ND | ND | ND | 168.3 |
| | 11/24/2014 | ND | ND | ND | 13.8 | ND | 123.0 | 38.0 | ND | 41.5 | ND | ND | ND | ND | ND | ND | 216.3 |
| | 3/13/2015 | ND | ND | ND | 21.4 | ND | 114.0 | 35.3 | ND | 35.9 | ND | ND | ND | ND | ND | ND | 206.6 |
| | 5/27/2015 | ND | ND | ND | 6.7 | ND | 89.1 | 40.2 | ND | 34.3 | ND | ND | ND | ND | ND | ND | 170.3 |
| | 8/21/2015 | 5.9 | ND | ND | ND | ND | 83.5 | 53.3 | ND | 34.2 | ND | ND | ND | ND | ND | ND | 176.9 |
| | 11/25/2015 | ND | ND | ND | 11.4 | ND | 97.7 | 38.9 | ND | 32.5 | ND | ND | ND | ND | ND | ND | 180.5 |
| | 2/19/2016 | ND | ND | ND | 16.6 | ND | 101.0 | 31.3 | ND | 35.4 | ND | ND | ND | ND | ND | ND | 184.3 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-4 | 2/17/2005 | 7.4 | ND | ND | ND | ND | 350 | 210 | ND | 140 | ND | ND | ND | ND | ND | ND | 707 |
| | 4/28/2005 | ND | ND | ND | ND | ND | 25 | 6.2 | ND | ND | ND | ND | ND | ND | ND | ND | 31 |
| | 8/19/2005 | ND | ND | ND | ND | ND | 35.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 35.4 |
| | 11/11/2005 | ND | ND | ND | ND | ND | 20 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 20 |
| | 2/26/2010 | ND | ND | ND | ND | ND | 19.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 19.8 |
| | 5/21/2010 | ND | ND | ND | ND | ND | 16.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 16.3 |
| | 8/26/2010 | ND | ND | ND | ND | ND | 14.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 14.2 |
| | 11/19/2010 | ND | ND | ND | ND | ND | 8.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.2 |
| | 2/11/2011 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 5/20/2011 | ND | ND | ND | ND | ND | 13.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.7 |
| | 8/25/2011 | ND | ND | ND | ND | ND | 10.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.1 |
| | 11/18/2011 | ND | ND | ND | ND | ND | 12 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 12.0 |
| | 2/24/2012 | ND | ND | ND | ND | ND | 7.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.6 |
| | 5/22/2012 | ND | ND | ND | ND | ND | 15.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 15.4 |
| | 8/24/2012 | ND | ND | ND | ND | ND | 6.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 6.8 |
| | 11/16/2012 | ND | ND | ND | ND | ND | 7.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.9 |
| | 2/25/2013 | ND | ND | ND | ND | ND | 10.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.1 |
| | 5/30/2013 | ND | ND | ND | ND | ND | 7.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.7 |
| | 8/23/2013 | ND | ND | ND | ND | ND | 9.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 9.6 |
| | 11/13/2013 | ND | ND | ND | ND | ND | 7.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.9 |
| | 2/19/2014 | ND | ND | ND | ND | ND | 10.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 10.3 |
| | 5/16/2014 | ND | ND | ND | ND | ND | 9.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 9.7 |
| | 8/22/2014 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 11/24/2014 | ND | ND | ND | ND | ND | 8.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.6 |
| | 3/13/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/27/2015 | ND | ND | ND | ND | ND | 7.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.5 |
| | 8/21/2015 | ND | ND | ND | ND | ND | 13.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.6 |
| | 11/25/2015 | ND | ND | ND | ND | ND | 6.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 6.7 |
| | 2/19/2016 | ND | ND | ND | ND | ND | 7.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 7.5 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| RW-5 | 7/22/2010 | ND | ND | ND | ND | ND | 1,120 | 132 | ND | 253 | ND | ND | ND | 8,890 | ND | ND | 10,395 |
| | 8/26/2010 | ND | ND | ND | 99.3 | ND | 669 | 114 | ND | 281 | ND | ND | ND | ND | ND | ND | 1,163 |
| | 11/19/2010 | 8.2 | ND | ND | 1,020 | 6.3 | 907 | 106 | ND | 355 | ND | ND | ND | ND | ND | ND | 2,403 |
| | 2/11/2011 | 5.2 | ND | ND | 766 | ND | 721 | 73.6 | ND | 325 | ND | ND | ND | ND | ND | ND | 1,890.8 |
| | 5/20/2011 | ND | ND | ND | 251 | ND | 440 | 87.6 | ND | 262 | ND | ND | ND | ND | ND | ND | 1,040.6 |
| | 8/25/2011 | ND | ND | ND | 244 | ND | 262 | 21 | ND | 135 | ND | ND | ND | ND | ND | ND | 662 |
| | 11/18/2011 | ND | ND | ND | 442 | ND | 579 | 67 | ND | 447 | ND | ND | ND | ND | ND | ND | 1,535 |
| | 2/24/2012 | ND | ND | ND | 228 | ND | 345 | ND | ND | 305 | ND | ND | ND | ND | ND | ND | 878 |
| | 5/22/2012 | ND | ND | ND | 127 | ND | 549 | 46.8 | ND | 288 | ND | ND | ND | ND | ND | ND | 1,010.8 |
| | 8/24/2012 | 5.1 | ND | ND | 254 | ND | 585 | 68.1 | ND | 351 | ND | ND | ND | ND | ND | ND | 1,263.2 |
| | 11/16/2012 | ND | ND | ND | 172 | ND | 534 | 68.0 | ND | 279 | ND | ND | ND | ND | ND | ND | 1,053.0 |
| | 2/25/2013 | ND | ND | ND | 29.3 | ND | 122 | 27.8 | ND | 72.1 | ND | ND | ND | ND | ND | ND | 251.2 |
| | 5/30/2013 | ND | ND | ND | 128.0 | ND | 614 | 38.7 | ND | 242.0 | ND | ND | ND | ND | ND | ND | 1,022.7 |
| | 8/23/2013 | ND | ND | ND | 194.0 | ND | 580 | 39.9 | ND | 305.0 | ND | ND | ND | ND | ND | ND | 1,118.9 |
| | 11/13/2013 | ND | ND | ND | 148.0 | ND | 570 | 42.7 | ND | 265.0 | ND | ND | ND | ND | ND | ND | 1,025.7 |
| | 2/19/2014 | ND | ND | ND | 202.0 | ND | 538 | 47.5 | ND | 290.0 | ND | ND | ND | ND | ND | ND | 1,077.5 |
| | 5/16/2014 | ND | ND | ND | 181.0 | ND | 397 | 36.4 | ND | 228.0 | ND | ND | ND | ND | ND | ND | 842.4 |
| | 8/22/2014 | ND | ND | ND | 169.0 | ND | 418 | 28.8 | ND | 211.0 | ND | ND | ND | ND | ND | ND | 826.8 |
| | 11/24/2014 | ND | ND | ND | 210.0 | ND | 442 | 27.5 | ND | 258.0 | ND | ND | ND | ND | ND | ND | 937.5 |
| | 3/13/2015 | ND | ND | ND | 60.7 | ND | 336 | 30.5 | ND | 159.0 | ND | ND | ND | ND | ND | ND | 586.2 |
| | 5/27/2015 | ND | ND | ND | 151.0 | ND | 500 | 31.4 | ND | 198.0 | ND | ND | ND | ND | ND | ND | 880.4 |
| | 8/21/2015 | ND | ND | ND | 130.0 | ND | 364 | 39.1 | ND | 208.0 | ND | ND | ND | ND | ND | ND | 741.1 |
| | 11/25/2015 | ND | ND | ND | 111.0 | ND | 414 | 35.0 | ND | 180.0 | ND | ND | ND | ND | ND | ND | 740.0 |
| | 2/19/2016 | ND | ND | ND | 79.2 | ND | 344 | 29.4 | ND | 173.0 | ND | ND | ND | ND | ND | ND | 625.6 |

Notes:
Results in micrograms per liter (ug/l).

Results from 1997 through 2004 are not displayed.

**Table 1 (continued)**
**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Treatment System Laboratory Analytical Results**

| Well Number | Sample Date | Analytes | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1,1 -Dichloro-ethane | 1,2 -Dichloro-ethane | 1,1 -Dichloro-ethene | cis-1,2 -Dichloro-ethene | trans-1,2 -Dichloro-ethene | Tetrachloro-ethene | 1,1,1 -Trichloro-ethane | 1,2,3 -Trichloro-benzene | Trichloro-ethene | Trichloro-fluoromethane | Naphthalene | Methyl-tert-butyl-ether | Methyl-Ethyl-Ketone | 1,1,2-Trichloro-ethane | Carbon Tetrachloride | Total VOC's |
| Effluent | 2/17/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 4/28/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/19/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/11/2005 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/26/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/21/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/26/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/19/2010 | ND | ND | ND | 55.9 | ND | 15.7 | ND | ND | 10.3 | ND | ND | ND | ND | ND | ND | 81.9 |
| | 12/8/2010 | ND | ND | ND | 57.9 | ND | 24.4 | ND | ND | 11.8 | ND | ND | ND | ND | ND | ND | 94.1 |
| | 12/10/2010 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/11/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/20/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/25/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/18/2011 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/22/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/24/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/16/2012 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/25/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/30/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/23/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/13/2013 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/19/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/16/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/22/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/24/2014 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 3/13/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 5/27/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 8/21/2015 | ND | ND | ND | 6 | ND | 9 | ND | ND | 5.7 | ND | ND | ND | ND | ND | ND | 20.7 |
| | 9/10/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 11/25/2015 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 2/19/2016 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

Results from 1997 through 2004 are not displayed.

**ATTACHMENT A**

**Groundwater Level Measurements**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |
| | 12/14/15 | | 13.38 | 718.87 |
| | 01/21/16 | | 12.32 | 719.93 |
| | 02/04/16 | | 12.40 | 719.85 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |
| | 12/14/15 | | 11.31 | 717.40 |
| | 01/21/16 | | 10.91 | 717.80 |
| | 02/04/16 | | 10.90 | 717.81 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |
| | 12/14/15 | | 16.23 | 720.21 |
| | 01/21/16 | | 14.87 | 721.57 |
| | 02/04/16 | | 15.00 | 721.44 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |
| | 12/14/15 | | 10.06 | 722.98 |
| | 01/21/16 | | 8.31 | 724.73 |
| | 02/04/16 | | 8.15 | 724.89 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |
| | 12/14/15 | | 17.69 | 718.46 |
| | 01/21/16 | | 16.66 | 719.49 |
| | 02/04/16 | | 16.72 | 719.43 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |
| | 12/14/15 | | 11.18 | 722.85 |
| | 01/21/16 | | 9.50 | 724.53 |
| | 02/04/16 | | 9.40 | 724.63 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |
| | 12/14/15 | | 17.91 | 720.00 |
| | 01/21/16 | | 16.55 | 721.36 |
| | 02/04/16 | | 16.70 | 721.21 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |
| | 12/14/15 | | 18.38 | 719.26 |
| | 01/21/16 | | 17.22 | 720.42 |
| | 02/04/16 | | 17.32 | 720.32 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |
| | 12/14/15 | | 16.40 | 719.62 |
| | 01/21/16 | | 15.34 | 720.68 |
| | 02/04/16 | | 15.43 | 720.59 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |
| | 12/14/15 | | 14.15 | 722.24 |
| | 01/21/16 | | 12.58 | 723.81 |
| | 02/04/16 | | 12.49 | 723.90 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |
| | 12/14/15 | | 16.61 | 720.02 |
| | 01/21/16 | | 15.22 | 721.41 |
| | 02/04/16 | | 15.36 | 721.27 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |
| | 12/14/15 | | 18.23 | 719.81 |
| | 01/21/16 | | 16.91 | 721.13 |
| | 02/04/16 | | 17.05 | 720.99 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |
| | 12/14/15 | | 18.06 | 719.55 |
| | 01/21/16 | | 16.73 | 720.88 |
| | 02/04/16 | | 16.90 | 720.71 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |
| | 12/14/15 | | 15.91 | 718.93 |
| | 01/21/16 | | 15.45 | 719.39 |
| | 02/04/16 | | 15.49 | 719.35 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |
| | 12/14/15 | | 12.72 | 718.25 |
| | 01/21/16 | | 12.90 | 718.07 |
| | 02/04/16 | | 12.90 | 718.07 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |
| | 12/14/15 | | 14.35 | 717.70 |
| | 01/21/16 | | 14.45 | 717.60 |
| | 02/04/16 | | 14.00 | 718.05 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |
| | 12/14/15 | | 18.65 | 714.54 |
| | 01/21/16 | | 18.51 | 714.68 |
| | 02/04/16 | | 18.78 | 714.41 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |
| | 12/14/15 | | 19.71 | 715.77 |
| | 01/21/16 | | 17.74 | 717.74 |
| | 02/04/16 | | 17.88 | 717.60 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |
| | 12/14/15 | | 15.02 | 716.94 |
| | 01/21/16 | | 14.15 | 717.81 |
| | 02/04/16 | | 13.82 | 718.14 |

NR-Not Recorded
NG-Not Gauged

**ATTACHMENT B**

**Groundwater Recovery**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |
| 12/14/2015 | 22,341,225 | 37,897,543 | 61,092,029 | 73,453,206 | 22,738,113 | 217,543,343 |
| 12/24/2015 | 22,353,695 | 37,914,595 | 61,192,112 | 73,591,349 | 22,849,163 | 217,922,141 |
| 1/8/2016 | 22,396,764 | 37,960,917 | 61,367,870 | 73,803,185 | 23,017,304 | 218,567,267 |
| 1/21/2016 | 22,440,091 | 38,006,786 | 61,527,455 | 73,983,596 | 23,159,279 | 219,138,434 |
| 2/4/2016 | 22,483,110 | 38,050,370 | 61,695,059 | 74,176,614 | 23,310,181 | 219,736,561 |
| 2/19/2016 | 22,512,701 | 38,109,165 | 61,876,065 | 74,385,025 | 23,467,583 | 220,371,766 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

**CUMULATIVE PUMPAGE**



**ATTACHMENT C**

**Field Notes**

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 2-4-16
IWM Personnel: R. Mien, D. Molin
Arrival Time: 9:15
Departure Time: 2:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

| | | | | | |
|---|---|---|---|---|---|
| Totalizer Readings: | RW-1 38555561.0 | RW-2 22961026.0 | RW-3 45194331.0 | RW-4 74176614.0 | RW-5 3551559.0 |
| Flow Rate GPM: | RW-1 cycling | RW-2 cycling | RW-3 8.25 | RW-4 10.00 | RW-5 8.00 |
| Pump Running Amps | RW-1 3.3 | RW-2 3.2 | RW-3 3.4 | RW-4 4.2 | RW-5 3.1 |

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 57 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | |
|---|---|---|---|
| Manholes | NO | YES | Repaired |
| Lines | NO | YES | Repaired |
| Stripper | NO | YES | Repaired |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: yes

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 2-19-16
IWM Personnel: R. Mien
Arrival Time: 9:00
Departure Time: 11:10
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 38851520 RW-2 23019821.0 RW-3 45375337.0 RW-4 7438 5025.0 RW-5 37089961.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.25 RW-4 10.0 RW-5 8.00

Pump Running Amps RW-1 3.2 RW-2 3.4 RW-3 3.1 RW-4 4.0 RW-5 3.3

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 60 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | |
|---|---|---|---|
| Manholes | (NO) | YES | Repaired |
| Lines | (NO) | YES | Repaired |
| Stripper | (NO) | YES | Repaired |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

**ATTACHMENT D**

**System Sample Laboratory Analytical Report**

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

February 23, 2016

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50138850

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# CERTIFICATIONS

| | |
|---|---|
| Project: | Amphenol |
| Pace Project No.: | 50138850 |

**Indiana Certification IDs**
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas/NELAP Certification #:E-10177
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Texas Certification #: T104704355-15-9
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50138850

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|---|---|---|---|---|
| **50138850001** | **RW-1** | Water | 02/19/16 10:25 | 02/19/16 15:37 |
| **50138850002** | **RW-2** | Water | 02/19/16 10:15 | 02/19/16 15:37 |
| **50138850003** | **RW-3** | Water | 02/19/16 10:08 | 02/19/16 15:37 |
| **50138850004** | **RW-4** | Water | 02/19/16 09:58 | 02/19/16 15:37 |
| **50138850005** | **RW-5** | Water | 02/19/16 09:50 | 02/19/16 15:37 |
| **50138850006** | **EFFLUENT** | Water | 02/19/16 09:45 | 02/19/16 15:37 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50138850

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|---|---|---|---|---|
| **50138850001** | **RW-1** | EPA 8260 | DAE | 72 |
| **50138850002** | **RW-2** | EPA 8260 | DAE | 72 |
| **50138850003** | **RW-3** | EPA 8260 | DAE | 72 |
| **50138850004** | **RW-4** | EPA 8260 | DAE | 72 |
| **50138850005** | **RW-5** | EPA 8260 | DAE | 72 |
| **50138850006** | **EFFLUENT** | EPA 8260 | DAE | 72 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50138850

| Lab Sample ID / Method | Client Sample ID / Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|---|
| **50138850001** | **RW-1** | | | | | |
| EPA 8260 | 1,1,1-Trichloroethane | 11.2 | ug/L | 5.0 | 02/23/16 06:35 | |
| EPA 8260 | Trichloroethene | 15.3 | ug/L | 5.0 | 02/23/16 06:35 | |
| **50138850002** | **RW-2** | | | | | |
| EPA 8260 | 1,1-Dichloroethane | 6.8 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | cis-1,2-Dichloroethene | 7.2 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | Tetrachloroethene | 137 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | 1,1,1-Trichloroethane | 50.3 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | Trichloroethene | 101 | ug/L | 5.0 | 02/23/16 03:51 | |
| **50138850003** | **RW-3** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 16.6 | ug/L | 5.0 | 02/23/16 04:24 | |
| EPA 8260 | Tetrachloroethene | 101 | ug/L | 5.0 | 02/23/16 04:24 | |
| EPA 8260 | 1,1,1-Trichloroethane | 31.3 | ug/L | 5.0 | 02/23/16 04:24 | |
| EPA 8260 | Trichloroethene | 35.4 | ug/L | 5.0 | 02/23/16 04:24 | |
| **50138850004** | **RW-4** | | | | | |
| EPA 8260 | Tetrachloroethene | 7.5 | ug/L | 5.0 | 02/23/16 04:57 | |
| **50138850005** | **RW-5** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 79.2 | ug/L | 5.0 | 02/23/16 05:29 | |
| EPA 8260 | Tetrachloroethene | 344 | ug/L | 50.0 | 02/23/16 06:02 | |
| EPA 8260 | 1,1,1-Trichloroethane | 29.4 | ug/L | 5.0 | 02/23/16 05:29 | |
| EPA 8260 | Trichloroethene | 173 | ug/L | 5.0 | 02/23/16 05:29 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-1** **Lab ID: 50138850001** Collected: 02/19/16 10:25 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 06:35 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 06:35 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 06:35 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 06:35 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 06:35 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-1** **Lab ID: 50138850001** Collected: 02/19/16 10:25 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 06:35 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 06:35 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 120-82-1 | |
| 1,1,1-Trichloroethane | **11.2** | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 79-00-5 | |
| Trichloroethene | **15.3** | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 06:35 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 06:35 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 06:35 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 106 | %. | 84-118 | 1 | | 02/23/16 06:35 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 06:35 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 06:35 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-2** **Lab ID: 50138850002** Collected: 02/19/16 10:15 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 03:51 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 03:51 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 03:51 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-71-8 | |
| 1,1-Dichloroethane | **6.8** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-35-4 | |
| cis-1,2-Dichloroethene | **7.2** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 03:51 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 03:51 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-2** **Lab ID: 50138850002** Collected: 02/19/16 10:15 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 03:51 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 03:51 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 79-34-5 | |
| Tetrachloroethene | **137** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 120-82-1 | |
| 1,1,1-Trichloroethane | **50.3** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 79-00-5 | |
| Trichloroethene | **101** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 03:51 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 03:51 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 03:51 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 98 | %. | 84-118 | 1 | | 02/23/16 03:51 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 03:51 | 460-00-4 | |
| Toluene-d8 (S) | 98 | %. | 86-110 | 1 | | 02/23/16 03:51 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-3** **Lab ID: 50138850003** Collected: 02/19/16 10:08 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 04:24 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:24 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 04:24 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-35-4 | |
| cis-1,2-Dichloroethene | **16.6** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 04:24 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 04:24 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-3** **Lab ID: 50138850003** Collected: 02/19/16 10:08 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:24 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 04:24 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 79-34-5 | |
| Tetrachloroethene | **101** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 120-82-1 | |
| 1,1,1-Trichloroethane | **31.3** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 79-00-5 | |
| Trichloroethene | **35.4** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 04:24 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 04:24 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 04:24 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 102 | %. | 84-118 | 1 | | 02/23/16 04:24 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 04:24 | 460-00-4 | |
| Toluene-d8 (S) | 109 | %. | 86-110 | 1 | | 02/23/16 04:24 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-4** **Lab ID: 50138850004** Collected: 02/19/16 09:58 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 04:57 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:57 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 04:57 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 04:57 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 04:57 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-4** **Lab ID: 50138850004** Collected: 02/19/16 09:58 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:57 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 04:57 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 79-34-5 | |
| Tetrachloroethene | **7.5** | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 04:57 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 04:57 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 04:57 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 104 | %. | 84-118 | 1 | | 02/23/16 04:57 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 99 | %. | 79-116 | 1 | | 02/23/16 04:57 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 04:57 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-5** **Lab ID: 50138850005** Collected: 02/19/16 09:50 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 05:29 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 05:29 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 05:29 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-35-4 | |
| cis-1,2-Dichloroethene | **79.2** | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 05:29 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 05:29 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-5** **Lab ID: 50138850005** Collected: 02/19/16 09:50 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 05:29 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 05:29 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 79-34-5 | |
| Tetrachloroethene | **344** | ug/L | 50.0 | 10 | | 02/23/16 06:02 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 120-82-1 | |
| 1,1,1-Trichloroethane | **29.4** | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 79-00-5 | |
| Trichloroethene | **173** | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 05:29 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 05:29 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 05:29 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 100 | %. | 84-118 | 1 | | 02/23/16 05:29 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 97 | %. | 79-116 | 1 | | 02/23/16 05:29 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 05:29 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: EFFLUENT** **Lab ID: 50138850006** Collected: 02/19/16 09:45 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 07:41 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 07:41 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 07:41 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 07:41 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 07:41 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: EFFLUENT** **Lab ID: 50138850006** Collected: 02/19/16 09:45 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 07:41 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 07:41 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 07:41 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 07:41 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 07:41 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 102 | %. | 84-118 | 1 | | 02/23/16 07:41 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 07:41 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 07:41 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

QC Batch: MSV/87067 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50138850001, 50138850002, 50138850003, 50138850004, 50138850005, 50138850006

METHOD BLANK: 1481729 Matrix: Water
Associated Lab Samples: 50138850001, 50138850002, 50138850003, 50138850004, 50138850005, 50138850006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 02/22/16 23:27 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 2-Hexanone | ug/L | ND | 25.0 | 02/22/16 23:27 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 02/22/16 23:27 | |
| Acetone | ug/L | ND | 100 | 02/22/16 23:27 | |
| Acrolein | ug/L | ND | 50.0 | 02/22/16 23:27 | |
| Acrylonitrile | ug/L | ND | 100 | 02/22/16 23:27 | |
| Benzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromochloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromoform | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromomethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Carbon disulfide | ug/L | ND | 10.0 | 02/22/16 23:27 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chloroform | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

METHOD BLANK: 1481729 Matrix: Water
Associated Lab Samples: 50138850001, 50138850002, 50138850003, 50138850004, 50138850005, 50138850006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Dibromomethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Ethyl methacrylate | ug/L | ND | 100 | 02/22/16 23:27 | |
| Ethylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Iodomethane | ug/L | ND | 10.0 | 02/22/16 23:27 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 02/22/16 23:27 | |
| Methylene Chloride | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Naphthalene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Styrene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Toluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 02/22/16 23:27 | |
| Trichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Vinyl acetate | ug/L | ND | 50.0 | 02/22/16 23:27 | |
| Vinyl chloride | ug/L | ND | 2.0 | 02/22/16 23:27 | |
| Xylene (Total) | ug/L | ND | 10.0 | 02/22/16 23:27 | |
| 4-Bromofluorobenzene (S) | %. | 97 | 79-116 | 02/22/16 23:27 | |
| Dibromofluoromethane (S) | %. | 104 | 84-118 | 02/22/16 23:27 | |
| Toluene-d8 (S) | %. | 97 | 86-110 | 02/22/16 23:27 | |

LABORATORY CONTROL SAMPLE: 1481730

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | 50 | 57.7 | 115 | 74-130 | |
| 1,1,1-Trichloroethane | ug/L | 50 | 49.1 | 98 | 72-123 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 52.5 | 105 | 72-124 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 56.4 | 113 | 75-125 | |
| 1,1-Dichloroethane | ug/L | 50 | 47.5 | 95 | 70-120 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.1 | 94 | 69-127 | |
| 1,1-Dichloropropene | ug/L | 50 | 51.1 | 102 | 81-129 | |
| 1,2,3-Trichlorobenzene | ug/L | 50 | 54.2 | 108 | 71-130 | |
| 1,2,3-Trichloropropane | ug/L | 50 | 53.7 | 107 | 77-127 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

LABORATORY CONTROL SAMPLE: 1481730

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,2,4-Trichlorobenzene | ug/L | 50 | 54.4 | 109 | 66-126 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 56.5 | 113 | 73-125 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 57.4 | 115 | 76-125 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 50.2 | 100 | 77-122 | |
| 1,2-Dichloroethane | ug/L | 50 | 47.2 | 94 | 70-123 | |
| 1,2-Dichloropropane | ug/L | 50 | 54.4 | 109 | 77-124 | |
| 1,3,5-Trimethylbenzene | ug/L | 50 | 57.4 | 115 | 75-124 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 52.2 | 104 | 76-124 | |
| 1,3-Dichloropropane | ug/L | 50 | 55.5 | 111 | 77-123 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 49.9 | 100 | 75-117 | |
| 2,2-Dichloropropane | ug/L | 50 | 36.2 | 72 | 44-147 | |
| 2-Butanone (MEK) | ug/L | 250 | 276 | 110 | 60-135 | |
| 2-Chlorotoluene | ug/L | 50 | 53.4 | 107 | 75-124 | |
| 2-Hexanone | ug/L | 250 | 319 | 128 | 65-139 | |
| 4-Chlorotoluene | ug/L | 50 | 52.9 | 106 | 75-124 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | 250 | 333 | 133 | 66-134 | |
| Acetone | ug/L | 250 | 264 | 106 | 47-144 | |
| Acrolein | ug/L | 1000 | 824 | 82 | 31-200 | |
| Acrylonitrile | ug/L | 200 | 189 | 94 | 64-133 | |
| Benzene | ug/L | 50 | 50.6 | 101 | 76-122 | |
| Bromobenzene | ug/L | 50 | 51.0 | 102 | 75-117 | |
| Bromochloromethane | ug/L | 50 | 52.7 | 105 | 74-134 | |
| Bromodichloromethane | ug/L | 50 | 52.4 | 105 | 71-124 | |
| Bromoform | ug/L | 50 | 50.8 | 102 | 60-125 | |
| Bromomethane | ug/L | 50 | 64.1 | 128 | 23-194 | |
| Carbon disulfide | ug/L | 50 | 42.9 | 86 | 63-130 | |
| Carbon tetrachloride | ug/L | 50 | 50.3 | 101 | 73-133 | |
| Chlorobenzene | ug/L | 50 | 50.4 | 101 | 76-118 | |
| Chloroethane | ug/L | 50 | 49.6 | 99 | 50-147 | |
| Chloroform | ug/L | 50 | 49.6 | 99 | 70-119 | |
| Chloromethane | ug/L | 50 | 54.6 | 109 | 52-136 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 49.7 | 99 | 74-120 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 61.8 | 124 | 71-134 | |
| Dibromochloromethane | ug/L | 50 | 59.1 | 118 | 73-127 | |
| Dibromomethane | ug/L | 50 | 51.8 | 104 | 75-124 | |
| Dichlorodifluoromethane | ug/L | 50 | 51.5 | 103 | 39-166 | |
| Ethyl methacrylate | ug/L | 200 | 249 | 124 | 73-136 | |
| Ethylbenzene | ug/L | 50 | 52.3 | 105 | 75-123 | |
| Hexachloro-1,3-butadiene | ug/L | 50 | 48.2 | 96 | 70-125 | |
| Iodomethane | ug/L | 100 | 97.6 | 98 | 56-142 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 57.6 | 115 | 84-134 | |
| Methyl-tert-butyl ether | ug/L | 50 | 51.9 | 104 | 65-131 | |
| Methylene Chloride | ug/L | 50 | 61.2 | 122 | 66-130 | |
| n-Butylbenzene | ug/L | 50 | 55.4 | 111 | 70-127 | |
| n-Propylbenzene | ug/L | 50 | 56.2 | 112 | 78-131 | |
| Naphthalene | ug/L | 50 | 62.1 | 124 | 65-134 | |
| p-Isopropyltoluene | ug/L | 50 | 56.0 | 112 | 75-124 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

LABORATORY CONTROL SAMPLE: 1481730

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| sec-Butylbenzene | ug/L | 50 | 58.9 | 118 | 83-135 | |
| Styrene | ug/L | 50 | 56.6 | 113 | 78-128 | |
| tert-Butylbenzene | ug/L | 50 | 50.6 | 101 | 62-114 | |
| Tetrachloroethene | ug/L | 50 | 49.3 | 99 | 69-119 | |
| Toluene | ug/L | 50 | 51.8 | 104 | 74-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 49.7 | 99 | 72-122 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 44.6 | 89 | 66-135 | |
| trans-1,4-Dichloro-2-butene | ug/L | 200 | 228 | 114 | 39-153 | |
| Trichloroethene | ug/L | 50 | 56.4 | 113 | 75-123 | |
| Trichlorofluoromethane | ug/L | 50 | 56.1 | 112 | 58-148 | |
| Vinyl acetate | ug/L | 200 | 258 | 129 | 67-154 | |
| Vinyl chloride | ug/L | 50 | 56.3 | 113 | 61-147 | |
| Xylene (Total) | ug/L | 150 | 165 | 110 | 75-127 | |
| 4-Bromofluorobenzene (S) | %. | | | 103 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | 93 | 84-118 | |
| Toluene-d8 (S) | %. | | | 102 | 86-110 | |

MATRIX SPIKE SAMPLE: 1481732

| Parameter | Units | 50138850006 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 50 | 54.2 | 108 | 44-142 | |
| 1,1,1-Trichloroethane | ug/L | ND | 50 | 49.3 | 99 | 51-140 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 50 | 47.9 | 96 | 49-138 | |
| 1,1,2-Trichloroethane | ug/L | ND | 50 | 52.2 | 104 | 51-138 | |
| 1,1-Dichloroethane | ug/L | ND | 50 | 49.2 | 98 | 48-137 | |
| 1,1-Dichloroethene | ug/L | ND | 50 | 51.6 | 103 | 51-144 | |
| 1,1-Dichloropropene | ug/L | ND | 50 | 54.6 | 109 | 54-150 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 50 | 49.7 | 99 | 32-140 | |
| 1,2,3-Trichloropropane | ug/L | ND | 50 | 48.2 | 96 | 51-139 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 50 | 51.0 | 102 | 27-134 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 50 | 53.5 | 107 | 32-143 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 50 | 51.2 | 102 | 52-134 | |
| 1,2-Dichlorobenzene | ug/L | ND | 50 | 48.1 | 96 | 38-138 | |
| 1,2-Dichloroethane | ug/L | ND | 50 | 47.1 | 94 | 44-144 | |
| 1,2-Dichloropropane | ug/L | ND | 50 | 48.6 | 97 | 56-138 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 50 | 54.6 | 109 | 28-146 | |
| 1,3-Dichlorobenzene | ug/L | ND | 50 | 49.5 | 99 | 36-139 | |
| 1,3-Dichloropropane | ug/L | ND | 50 | 50.8 | 102 | 54-137 | |
| 1,4-Dichlorobenzene | ug/L | ND | 50 | 46.8 | 94 | 34-134 | |
| 2,2-Dichloropropane | ug/L | ND | 50 | 29.8 | 60 | 20-142 | |
| 2-Butanone (MEK) | ug/L | ND | 250 | 257 | 103 | 44-142 | |
| 2-Chlorotoluene | ug/L | ND | 50 | 51.2 | 102 | 36-143 | |
| 2-Hexanone | ug/L | ND | 250 | 292 | 117 | 43-150 | |
| 4-Chlorotoluene | ug/L | ND | 50 | 50.3 | 101 | 34-143 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 250 | 287 | 115 | 46-143 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

MATRIX SPIKE SAMPLE: 1481732

| Parameter | Units | 50138850006 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| Acetone | ug/L | ND | 250 | 257 | 103 | 33-150 | |
| Acrolein | ug/L | ND | 1000 | 752 | 75 | 32-200 | |
| Acrylonitrile | ug/L | ND | 200 | 182 | 91 | 47-143 | |
| Benzene | ug/L | ND | 50 | 49.9 | 100 | 51-140 | |
| Bromobenzene | ug/L | ND | 50 | 48.1 | 96 | 41-134 | |
| Bromochloromethane | ug/L | ND | 50 | 53.2 | 106 | 53-148 | |
| Bromodichloromethane | ug/L | ND | 50 | 51.7 | 103 | 46-137 | |
| Bromoform | ug/L | ND | 50 | 45.0 | 90 | 36-127 | |
| Bromomethane | ug/L | ND | 50 | 50.0 | 100 | 10-188 | |
| Carbon disulfide | ug/L | ND | 50 | 44.5 | 89 | 35-148 | |
| Carbon tetrachloride | ug/L | ND | 50 | 51.4 | 103 | 45-151 | |
| Chlorobenzene | ug/L | ND | 50 | 47.6 | 95 | 45-138 | |
| Chloroethane | ug/L | ND | 50 | 52.5 | 105 | 33-164 | |
| Chloroform | ug/L | ND | 50 | 49.8 | 100 | 50-135 | |
| Chloromethane | ug/L | ND | 50 | 56.6 | 113 | 38-146 | |
| cis-1,2-Dichloroethene | ug/L | ND | 50 | 48.4 | 97 | 43-144 | |
| cis-1,3-Dichloropropene | ug/L | ND | 50 | 49.1 | 98 | 42-136 | |
| Dibromochloromethane | ug/L | ND | 50 | 53.9 | 108 | 45-136 | |
| Dibromomethane | ug/L | ND | 50 | 50.9 | 102 | 51-139 | |
| Dichlorodifluoromethane | ug/L | ND | 50 | 57.8 | 116 | 29-174 | |
| Ethyl methacrylate | ug/L | ND | 200 | 224 | 112 | 44-150 | |
| Ethylbenzene | ug/L | ND | 50 | 51.3 | 103 | 36-146 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 50 | 48.0 | 96 | 14-150 | |
| Iodomethane | ug/L | ND | 100 | 70.6 | 71 | 28-153 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 50 | 55.9 | 112 | 43-159 | |
| Methyl-tert-butyl ether | ug/L | ND | 50 | 48.6 | 97 | 43-146 | |
| Methylene Chloride | ug/L | ND | 50 | 57.4 | 115 | 48-140 | |
| n-Butylbenzene | ug/L | ND | 50 | 53.8 | 108 | 16-152 | |
| n-Propylbenzene | ug/L | ND | 50 | 54.8 | 110 | 28-157 | |
| Naphthalene | ug/L | ND | 50 | 56.3 | 113 | 38-141 | |
| p-Isopropyltoluene | ug/L | ND | 50 | 54.2 | 108 | 21-151 | |
| sec-Butylbenzene | ug/L | ND | 50 | 57.5 | 115 | 27-165 | |
| Styrene | ug/L | ND | 50 | 53.0 | 106 | 31-148 | |
| tert-Butylbenzene | ug/L | ND | 50 | 49.4 | 99 | 24-131 | |
| Tetrachloroethene | ug/L | ND | 50 | 49.4 | 99 | 38-139 | |
| Toluene | ug/L | ND | 50 | 49.5 | 99 | 44-140 | |
| trans-1,2-Dichloroethene | ug/L | ND | 50 | 50.3 | 101 | 50-139 | |
| trans-1,3-Dichloropropene | ug/L | ND | 50 | 38.1 | 76 | 37-138 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 200 | 196 | 98 | 10-157 | |
| Trichloroethene | ug/L | ND | 50 | 55.3 | 111 | 44-146 | |
| Trichlorofluoromethane | ug/L | ND | 50 | 62.6 | 125 | 41-164 | |
| Vinyl acetate | ug/L | ND | 200 | 141 | 71 | 15-146 | |
| Vinyl chloride | ug/L | ND | 50 | 59.1 | 118 | 43-166 | |
| Xylene (Total) | ug/L | ND | 150 | 158 | 105 | 35-146 | |
| 4-Bromofluorobenzene (S) | %. | | | | 102 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | | 98 | 84-118 | |
| Toluene-d8 (S) | %. | | | | 101 | 86-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

SAMPLE DUPLICATE: 1481731

| Parameter | Units | 50138850001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,1-Trichloroethane | ug/L | 11.2 | 11.5 | 3 | 20 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,2-Trichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethene | ug/L | ND | ND | | 20 | |
| 1,1-Dichloropropene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichloropropane | ug/L | ND | ND | | 20 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | ND | | 20 | |
| 1,2-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,4-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 2,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 2-Butanone (MEK) | ug/L | ND | ND | | 20 | |
| 2-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 2-Hexanone | ug/L | ND | ND | | 20 | |
| 4-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | ND | | 20 | |
| Acetone | ug/L | ND | ND | | 20 | |
| Acrolein | ug/L | ND | ND | | 20 | |
| Acrylonitrile | ug/L | ND | ND | | 20 | |
| Benzene | ug/L | ND | ND | | 20 | |
| Bromobenzene | ug/L | ND | ND | | 20 | |
| Bromochloromethane | ug/L | ND | ND | | 20 | |
| Bromodichloromethane | ug/L | ND | ND | | 20 | |
| Bromoform | ug/L | ND | ND | | 20 | |
| Bromomethane | ug/L | ND | ND | | 20 | |
| Carbon disulfide | ug/L | ND | ND | | 20 | |
| Carbon tetrachloride | ug/L | ND | ND | | 20 | |
| Chlorobenzene | ug/L | ND | ND | | 20 | |
| Chloroethane | ug/L | ND | ND | | 20 | |
| Chloroform | ug/L | ND | ND | | 20 | |
| Chloromethane | ug/L | ND | ND | | 20 | |
| cis-1,2-Dichloroethene | ug/L | ND | ND | | 20 | |
| cis-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| Dibromochloromethane | ug/L | ND | ND | | 20 | |
| Dibromomethane | ug/L | ND | ND | | 20 | |
| Dichlorodifluoromethane | ug/L | ND | ND | | 20 | |
| Ethyl methacrylate | ug/L | ND | ND | | 20 | |
| Ethylbenzene | ug/L | ND | ND | | 20 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

SAMPLE DUPLICATE: 1481731

| Parameter | Units | 50138850001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| Hexachloro-1,3-butadiene | ug/L | ND | ND | | 20 | |
| Iodomethane | ug/L | ND | ND | | 20 | |
| Isopropylbenzene (Cumene) | ug/L | ND | ND | | 20 | |
| Methyl-tert-butyl ether | ug/L | ND | ND | | 20 | |
| Methylene Chloride | ug/L | ND | ND | | 20 | |
| n-Butylbenzene | ug/L | ND | ND | | 20 | |
| n-Propylbenzene | ug/L | ND | ND | | 20 | |
| Naphthalene | ug/L | ND | ND | | 20 | |
| p-Isopropyltoluene | ug/L | ND | ND | | 20 | |
| sec-Butylbenzene | ug/L | ND | ND | | 20 | |
| Styrene | ug/L | ND | ND | | 20 | |
| tert-Butylbenzene | ug/L | ND | ND | | 20 | |
| Tetrachloroethene | ug/L | ND | 1.5J | | 20 | |
| Toluene | ug/L | ND | ND | | 20 | |
| trans-1,2-Dichloroethene | ug/L | ND | ND | | 20 | |
| trans-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | ND | | 20 | |
| Trichloroethene | ug/L | 15.3 | 16.1 | 5 | 20 | |
| Trichlorofluoromethane | ug/L | ND | ND | | 20 | |
| Vinyl acetate | ug/L | ND | ND | | 20 | |
| Vinyl chloride | ug/L | ND | ND | | 20 | |
| Xylene (Total) | ug/L | ND | ND | | 20 | |
| 4-Bromofluorobenzene (S) | %. | 98 | 98 | 0 | | |
| Dibromofluoromethane (S) | %. | 106 | 107 | 1 | | |
| Toluene-d8 (S) | %. | 96 | 97 | 1 | | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALIFIERS

Project: Amphenol
Pace Project No.: 50138850

**DEFINITIONS**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50138850

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---|---|---|---|---|---|
| **50138850001** | **RW-1** | EPA 8260 | MSV/87067 | | |
| **50138850002** | **RW-2** | EPA 8260 | MSV/87067 | | |
| **50138850003** | **RW-3** | EPA 8260 | MSV/87067 | | |
| **50138850004** | **RW-4** | EPA 8260 | MSV/87067 | | |
| **50138850005** | **RW-5** | EPA 8260 | MSV/87067 | | |
| **50138850006** | **EFFLUENT** | EPA 8260 | MSV/87067 | | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

**Section A** Required Client Information:

| | |
|---|---|
| Company: | IWM Consulting |
| Address: | 7428 Rockville Road |
| | Indianapolis, IN 46214 |
| Email To: | cnewell@iwmconsult.com |
| Phone: 347-1111 | Fax: |
| Requested Due Date/TAT: | 10 Day (Default) |

**Section B** Required Project Information:

| | |
|---|---|
| Report To: | Chris Newell |
| Copy To: | |
| Purchase Order No. | |
| Client Project ID: | Amphenol |
| Container Order Number: | |

**Section C** Invoice Information:

| | |
|---|---|
| Attention: | Chris Newell |
| Company Name: | IWM Consulting |
| Address: | 7428 Rockville Road, Indianapolis, IN 462 |
| Pace Quote Reference: | |
| Pace Project Manager: | Hunt, Kenneth |
| Pace Profile #: | |

| Regulatory Agency |
|---|
| RCRA - Resource Conservation and Recovery Act |
| State / Location |
| Indiana |

Requested Analysis Filtered (Y/N)

| ITEM# | SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique) | MATRIX CODE (see valid codes to left) | SAMPLE TYPE (G=GRAB C=COMP) | COLLECTED START DATE | COLLECTED START TIME | COLLECTED END DATE | COLLECTED END TIME | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Unpreserved | H2SO4 | HNO3 | HCl | NaOH | Na2S2O3 | Methanol | Other | Analyses Test Y/N | VOC 8260 WT | Residual Chlorine (Y/N) | 50138850 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | RW-1 | WT | G | | | 2-19-16 | 1025 | | 3 | | | | X | | | | | | X | | -001 |
| 2 | RW-2 | WT | | | | | 1015 | | 3 | | | | X | | | | | | X | | -002 |
| 3 | RW-3 | WT | | | | | 1008 | | 3 | | | | X | | | | | | X | | -003 |
| 4 | RW-4 | WT | | | | | 958 | | 3 | | | | X | | | | | | X | | -004 |
| 5 | RW-5 | WT | | | | | 950 | | 3 | | | | X | | | | | | X | | -005 |
| 6 | EFFLUENT | WT | | | | | 945 | | 3 | | | | X | | | | | | X | | -006 |
| 7 | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | |

MATRIX CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS

| ADDITIONAL COMMENTS | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Rob Nlign IWM | 2-18-16 | 337 | Shaina Jones | 2/19/16 | 337 | 0.6 | Y | N | Y |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| SAMPLER NAME AND SIGNATURE | | | |
|---|---|---|---|
| PRINT Name of SAMPLER: | Robert Nlign | | |
| SIGNATURE of SAMPLER: | Rob Nlign | DATE Signed: 2-18-16 | |

| TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) |
|---|---|---|---|

## Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 50138850

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 0.6°C | 0.6°C Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: A.T 2/19/16

| | | Comments: |
|---|---|---|
| Are samples from West Virginia? Document any containers out of temp. | ☐Yes ☑No | 1. |
| Chain of Custody Present: | ☑Yes ☐No ☐N/A | 2. |
| Chain of Custody Filled Out: | ☑Yes ☐No ☐N/A | 3. |
| Chain of Custody Relinquished: | ☑Yes ☐No ☐N/A | 4. |
| Sampler Name & Signature on COC: | ☑Yes ☐No ☐N/A | 5. |
| Short Hold Time Analysis (<72hr): | ☐Yes ☑No ☐N/A | 6. |
| Rush Turn Around Time Requested: | ☐Yes ☑No ☐N/A | 7. |
| Containers Intact: | ☑Yes ☐No ☐N/A | 8. |
| Sample Labels match COC: -Includes date/time/ID/Analysis | ☑Yes ☐No ☐N/A | 9. |
| All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted. | ☐Yes ☐No ☑N/A | 10 (Circle) HNO3 H2SO4 NaOH NaOH/ZnAc |
| Residual Chlorine Check (SVOC 625 Pest/PCB 608) | | 11. Present Absent |
| Residual Chlorine Check (Total/Amenable/Free Cyanide) | | 12. Present Absent |
| Headspace in VOA Vials ( >6mm): | ☐Yes ☑No ☐N/A | 13 |
| Headspace Wisconsin Sulfide | ☐Yes ☐No | 14 |
| Trip Blank Present: | ☐Yes ☑No ☐N/A | 15 |
| Trip Blank Custody Seals Present | ☐Yes ☐No ☑N/A | |
| **Project Manager Review** | | |
| Samples Arrived within Hold Time: | ☒Yes ☐No ☐N/A | 15. |
| Sufficient Volume: | ☒Yes ☐No ☐N/A | 16. |
| Correct Containers Used: | ☒Yes ☐No ☐N/A | 17. |

**Client Notification/ Resolution:** Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

**Project Manager Review:** Kenneth Hunt **Date:** 2/19/16

Form F-IN-Q-290-rev.09, 13Oct2015

# Sample Container Count

CLIENT: IWM

COC PAGE 1 of 1

COC ID#

Project # 50138850

| Sample Line Item | DG9H | AG1U | WGFU | AG0U | R 4 / 6 | BP2N | BP2U | BP2S | BP3N | BP3U | BP3S | AG3S | AG1H | BP3C | BP1U | SP5T | AG2U | | | | | pH <2 | pH >9 | pH>12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | |

Container Codes

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DG9H | 40mL HCL amber voa vial | AG0U | 100mL unpreserved amber glass | BP1N | 1 liter HNO3 plastic | DG9P | 40mL TSP amber vial |
| AG1U | 1liter unpreserved amber glass | AG1H | 1 liter HCL amber glass | BP1S | 1 liter H2SO4 plastic | DG9S | 40mL H2SO4 amber vial |
| WGFU | 4oz clear soil jar | AG1S | 1 liter H2SO4 amber glass | BP1U | 1 liter unpreserved plastic | DG9T | 40mL Na Thio amber vial |
| R | terra core kit | AG1T | 1 liter Na Thiosulfate amber glass | BP1Z | 1 liter NaOH, Zn, Ac | DG9U | 40mL unpreserved **amber** vial |
| BP2N | 500mL HNO3 plastic | AG2N | 500mL HNO3 amber glass | BP2A | 500mL NaOH, Asc Acid plastic | SP5T | 120mL Coliform Na Thiosulfate |
| BP2U | 500mL unpreserved plastic | AG2S | 500mL H2SO4 amber glass | BP2O | 500mL NaOH plastic | JGFU | 4oz unpreserved amber wide |
| BP2S | 500mL H2SO4 plastic | AG2U | 500mL unpreserved amber glass | BP2Z | 500mL NaOH, Zn Ac | U | Summa Can |
| BP3N | 250mL HNO3 plastic | AG3U | 250mL unpreserved amber glass | AF | Air Filter | VG9H | 40mL HCL clear vial |
| BP3U | 250mL unpreserved plastic | BG1H | 1 liter HCL clear glass | BP3C | 250mL NaOH plastic | VG9T | 40mL Na Thio. clear vial |
| BP3S | 250mL H2SO4 plastic | BG1S | 1 liter H2SO4 clear glass | BP3Z | 250mL NaOH, Zn Ac plastic | VG9U | 40mL unpreserved **clear** vial |
| AG3S | 250mL H2SO4 glass amber | BG1T | 1 liter Na Thiosulfate clear glass | C | Air Cassettes | VSG | Headspace septa vial & HCL |
| AG1S | 1 liter H2SO4 amber glass | BG1U | 1 liter unpreserved glass | DG9B | 40mL Na Bisulfate amber vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1U | 1 liter unpreserved plastic | BP1A | 1 liter NaOH, Asc Acid plastic | DG9M | 40mL MeOH clear vial | ZPLC | Ziploc Bag |

7428 Rockville Road, Indianapolis, IN 46214

April 8, 2016

Mr. Joseph Bianchi
Group Manager, EHS & Support Services
AMPHENOL AEROSPACE
40-60 Delaware Avenue
Sidney, NY 13838

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Bianchi:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the February 19 through March 18, 2016 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

**Groundwater Level Measurements**

On March 4, 2016, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 7.79 feet below top of casing (TOC) in MW-9 to 16.98 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the March 4, 2016 depth to water measurements has been included as **Figure 2**.

**Groundwater Treatment System**

From February 19 through March 18, 2016, approximately 1,164,013 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 221,535,779 gallons. The average influent groundwater recovery rate from February 19 through March 18, 2016 was approximately 28.87 gallons per minute. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on March 4, 2016 to complete monthly and biweekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 4, 2016.

IWM personnel mobilized to the site on March 18, 2016 to complete biweekly system operation and maintenance activities and to gauge the monitoring well network. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 18, 2016.

**Schedule of Activities**

Monthly and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of April 2016. Site visits are scheduled for the weeks beginning March 28, April 11, and April 25, 2016. The information from these site inspections will be included in the April 2016 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG #2397
Project Manager

Bradley E. Gentry, LPG #2165
Vice-President

*Attachments*
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

**FIGURES**

**ATTACHMENT A**

**Groundwater Level Measurements**

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2 GROUNDWATER ELEVATION MAP (03/04/2016) | FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

**ATTACHMENT A**

**Groundwater Level Measurements**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |
| | 12/14/15 | | 13.38 | 718.87 |
| | 01/21/16 | | 12.32 | 719.93 |
| | 02/04/16 | | 12.40 | 719.85 |
| | 03/04/16 | | 12.08 | 720.17 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |
| | 12/14/15 | | 11.31 | 717.40 |
| | 01/21/16 | | 10.91 | 717.80 |
| | 02/04/16 | | 10.90 | 717.81 |
| | 03/04/16 | | 10.75 | 717.96 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |
| | 12/14/15 | | 16.23 | 720.21 |
| | 01/21/16 | | 14.87 | 721.57 |
| | 02/04/16 | | 15.00 | 721.44 |
| | 03/04/16 | | 14.59 | 721.85 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |
| | 12/14/15 | | 10.06 | 722.98 |
| | 01/21/16 | | 8.31 | 724.73 |
| | 02/04/16 | | 8.15 | 724.89 |
| | 03/04/16 | | 7.79 | 725.25 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |
| | 12/14/15 | | 17.69 | 718.46 |
| | 01/21/16 | | 16.66 | 719.49 |
| | 02/04/16 | | 16.72 | 719.43 |
| | 03/04/16 | | 16.40 | 719.75 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |
| | 12/14/15 | | 11.18 | 722.85 |
| | 01/21/16 | | 9.50 | 724.53 |
| | 02/04/16 | | 9.40 | 724.63 |
| | 03/04/16 | | 9.07 | 724.96 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |
| | 12/14/15 | | 17.91 | 720.00 |
| | 01/21/16 | | 16.55 | 721.36 |
| | 02/04/16 | | 16.70 | 721.21 |
| | 03/04/16 | | 16.30 | 721.61 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |
| | 12/14/15 | | 18.38 | 719.26 |
| | 01/21/16 | | 17.22 | 720.42 |
| | 02/04/16 | | 17.32 | 720.32 |
| | 03/04/16 | | 16.98 | 720.66 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |
| | 12/14/15 | | 16.40 | 719.62 |
| | 01/21/16 | | 15.34 | 720.68 |
| | 02/04/16 | | 15.43 | 720.59 |
| | 03/04/16 | | 15.04 | 720.98 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |
| | 12/14/15 | | 14.15 | 722.24 |
| | 01/21/16 | | 12.58 | 723.81 |
| | 02/04/16 | | 12.49 | 723.90 |
| | 03/04/16 | | 12.16 | 724.23 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |
| | 12/14/15 | | 16.61 | 720.02 |
| | 01/21/16 | | 15.22 | 721.41 |
| | 02/04/16 | | 15.36 | 721.27 |
| | 03/04/16 | | 14.92 | 721.71 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |
| | 12/14/15 | | 18.23 | 719.81 |
| | 01/21/16 | | 16.91 | 721.13 |
| | 02/04/16 | | 17.05 | 720.99 |
| | 03/04/16 | | 16.64 | 721.40 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |
| | 12/14/15 | | 18.06 | 719.55 |
| | 01/21/16 | | 16.73 | 720.88 |
| | 02/04/16 | | 16.90 | 720.71 |
| | 03/04/16 | | 16.46 | 721.15 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |
| | 12/14/15 | | 15.91 | 718.93 |
| | 01/21/16 | | 15.45 | 719.39 |
| | 02/04/16 | | 15.49 | 719.35 |
| | 03/04/16 | | 14.89 | 719.95 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |
| | 12/14/15 | | 12.72 | 718.25 |
| | 01/21/16 | | 12.90 | 718.07 |
| | 02/04/16 | | 12.90 | 718.07 |
| | 03/04/16 | | 12.71 | 718.26 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |
| | 12/14/15 | | 14.35 | 717.70 |
| | 01/21/16 | | 14.45 | 717.60 |
| | 02/04/16 | | 14.00 | 718.05 |
| | 03/04/16 | | 14.38 | 717.67 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |
| | 12/14/15 | | 18.65 | 714.54 |
| | 01/21/16 | | 18.51 | 714.68 |
| | 02/04/16 | | 18.78 | 714.41 |
| | 03/04/16 | | 18.30 | 714.89 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |
| | 12/14/15 | | 19.71 | 715.77 |
| | 01/21/16 | | 17.74 | 717.74 |
| | 02/04/16 | | 17.88 | 717.60 |
| | 03/04/16 | | 17.10 | 718.38 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |
| | 12/14/15 | | 15.02 | 716.94 |
| | 01/21/16 | | 14.15 | 717.81 |
| | 02/04/16 | | 13.82 | 718.14 |
| | 03/04/16 | | 14.03 | 717.93 |

NR-Not Recorded
NG-Not Gauged

**ATTACHMENT B**

**Groundwater Recovery**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |
| 12/14/2015 | 22,341,225 | 37,897,543 | 61,092,029 | 73,453,206 | 22,738,113 | 217,543,343 |
| 12/24/2015 | 22,353,695 | 37,914,595 | 61,192,112 | 73,591,349 | 22,849,163 | 217,922,141 |
| 1/8/2016 | 22,396,764 | 37,960,917 | 61,367,870 | 73,803,185 | 23,017,304 | 218,567,267 |
| 1/21/2016 | 22,440,091 | 38,006,786 | 61,527,455 | 73,983,596 | 23,159,279 | 219,138,434 |
| 2/4/2016 | 22,483,110 | 38,050,370 | 61,695,059 | 74,176,614 | 23,310,181 | 219,736,561 |
| 2/19/2016 | 22,512,701 | 38,109,165 | 61,876,065 | 74,385,025 | 23,467,583 | 220,371,766 |
| 3/4/2016 | 22,522,123 | 38,165,386 | 62,047,797 | 74,583,131 | 23,615,567 | 220,955,231 |
| 3/18/2016 | 22,522,638 | 38,228,796 | 62,223,241 | 74,777,171 | 23,762,706 | 221,535,779 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

**CUMULATIVE PUMPAGE**



**ATTACHMENT C**

**Field Notes**

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 3-4-16
IWM Personnel: R. Mien
Arrival Time: 11:40
Departure Time: 3:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 38945740 RW-2 23076042.0 RW-3 45547069.0 RW-4 74383131.0 RW-5 3856945.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.25 RW-4 10.0 RW-5 8.0

Pump Running Amps RW-1 3.1 RW-2 3.3 RW-3 3.3 RW-4 4.1 RW-5 3.1

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 60° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | NO | YES | Repaired | |
| Lines | NO | YES | Repaired | |
| Stripper | NO | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 3-18-16
IWM Personnel: R. Mien
Arrival Time: 1:05
Departure Time: 3:00
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3895089.0 RW-2 23139452.0 RW-3 45722513.0 RW-4 74777171.0 RW-5 40004084.0

Flow Rate GPM: RW-1 Cycling RW-2 cycling RW-3 8.25 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 3.1 RW-2 3.2 RW-3 3.4 RW-4 3.9 RW-5 3.3

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: Clear

Building Temperature: 61 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | NO | YES | Repaired | |
| Lines | NO | YES | Repaired | |
| Stripper | NO | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

May 10, 2016

Mr. Joseph Bianchi
Group Manager, EHS & Support Services
AMPHENOL AEROSPACE
40-60 Delaware Avenue
Sidney, NY 13838

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Bianchi:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the March 18 through April 29, 2016 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

## Groundwater Level Measurements

On April 1, 2016, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 7.73 feet below top of casing (TOC) in MW-9 to 16.99 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the April 1, 2016 depth to water measurements has been included as **Figure 2**.

## Groundwater Treatment System

From March 18 through April 29, 2016, approximately 1,717,714 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 223,253,493 gallons. The average influent groundwater recovery rate from March 18 through April 29, 2016 was approximately 28.40 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on April 1, 2016 to complete bi-weekly and monthly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 1, 2016.

IWM personnel mobilized to the site on April 15, 2016 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 15, 2016.

IWM personnel mobilized to the site on April 19, 2016 to complete semi-annual groundwater sampling activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 19, 2016.

IWM personnel mobilized to the site on April 22, 2016 to complete sequestering agent change-out activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 22, 2016.

IWM personnel mobilized to the site on April 29, 2016 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 29, 2016.

**Semi-Annual Groundwater Sampling and Analysis**

On April 19, 2016, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace Analytical Services, Inc. (Pace) for VOC analysis using US EPA SW 846 Method 8260. Groundwater sampling logs are provided in **Attachment D**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-12R (675.2 µg/L total VOCs) located adjacent to recovery well RW-2 and monitoring well MW-22 (667.3 µg/L total VOCs) located 30 feet northwest of recovery well RW-3. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration.

Trichloroethene was detected in monitoring wells IT-2, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2 and MW-12R. 1,1,1-Trichloroethane was detected in monitoring wells MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

No VOCs were detected in the groundwater samples obtained from monitoring wells IT-3, MW-20, and MW-29.

Overall, the groundwater recovery and treatment system, along with supplemental activities completed in 2010 and 2011, appear to be effectively reducing VOC concentrations at the site. When comparing the highest observed historical total VOC concentrations (generally before or immediately following the start of the groundwater recovery and treatment system in March 1995) to the results of the April 2016 groundwater sampling event, the following total VOC concentration reductions have been observed:

| Well ID | Highest Total VOC Concentration (Date) | April 2016 Total VOC Concentration | Percent Reduction |
|---|---|---|---|
| IT-2 | 289 µg/L (8/1/86) | 27.8 µg/L | 90.38% |
| IT-3 | 560 µg/L (2/1/86) | Non-detect | 99.99% |
| MW-12/12R | 64,680 µg/L (5/1/86) | 675.2 µg/L | 98.96% |
| MW-22 | 6,600 µg/L (10/9/96) | 667.3 µg/L | 89.89% |
| MW-28 | 1,015 µg/L (2/17/93) | 42.5 µg/L | 95.81% |
| MW-30 | 106 (9/29/00) | 7.6 µg/L | 92.83% |

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided in **Attachment D**. The laboratory analytical report is provided in **Attachment E**. A summary of groundwater analytical results is included in **Table 1**.

**Schedule of Activities**

Quarterly, monthly, and biweekly system operation and maintenance activities are scheduled for the month of May 2016. Site visits are scheduled for the weeks beginning May 9 and May 23, 2016. The information from these site inspections will be included in the May 2016 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

**IWM CONSULTING GROUP, LLC**

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

*Attachments*
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

**FIGURES**




LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

| | |
|---|---|
| DRAWN BY: | L. STRUM |
| DATE: | 9/27/99 |
| REVISED: | |
| HWPA #111291-01 | |
| DWG. NO. | 111291S1 |

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP




LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

| | | | |
|---|---|---|---|
| DRAWN BY: L. STRUM | FIGURE 2 GROUNDWATER ELEVATION MAP (04/01/2016) | FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA | iWM CONSULTING GROUP |
| DATE: 9/27/99 | | | |
| REVISED: | | | |
| HWPA #111291-01 | | | |
| DWG. NO. 111291S1 | | | |

**TABLES**

**Table 1**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| IT-2 | 2/1/1986 | NA | 15 | NR | 1.5 | 90 | 88 | NR | NR | ND | ND | ND | 195 |
| | 5/1/1986 | NA | 10 | NR | 7.5 | 64 | 93 | NR | NR | ND | ND | ND | 175 |
| | 8/1/1986 | NA | 11 | NR | 38 | 120 | 120 | NR | NR | ND | ND | ND | 289 |
| | 11/1/1986 | NA | 34 | NR | 55 | 39 | 130 | NR | NR | ND | ND | ND | 258 |
| | 3/5/1992 | NA | 41 | 78 | ND | 25 | 18 | NR | NR | ND | ND | ND | 162 |
| | 7/27/1992 | NA | 17 | 30 | ND | 28 | 39 | NR | NR | ND | ND | ND | 114 |
| | 2/16/1993 | NA | 18 | 51 | 5J | 29 | 29 | NR | NR | ND | ND | ND | 127 |
| | 10/9/1996 | NA | 18 | 79 | 17 | 9 | 18 | NR | NR | ND | ND | ND | 141 |
| | 9/29/2000 | 12.40 | 16 | 87 | ND | ND | 14 | ND | ND | ND | ND | ND | 117 |
| | 4/2/2001 | 13.12 | 11 | 56 | ND | 26 | 60 | ND | ND | ND | ND | ND | 153 |
| | 10/19/2001 | 12.53 | 14 | 70 | ND | 10 | 20 | ND | ND | ND | ND | ND | 114 |
| | 4/16/2002 | 11.65 | ND | 24 | ND | ND | 10 | ND | ND | ND | ND | ND | 34 |
| | 10/17/2002 | 13.13 | 8.8 | 46 | ND | ND | 14 | ND | ND | ND | ND | ND | 69 |
| | 4/30/2003 | 12.75 | ND | 31 | ND | 8.8 | 21 | ND | ND | ND | ND | ND | 61 |
| | 10/3/2003 | 12.23 | 8.8 | 50 | ND | ND | 11 | ND | ND | ND | ND | ND | 70 |
| | 4/2/2004 | 12.47 | ND | 43 | ND | ND | 15 | ND | ND | ND | ND | ND | 58 |
| | 10/4/2004 | 12.61 | 9.4 | 60 | 6.1 | 12 | 36 | ND | ND | ND | ND | ND | 124 |
| | 4/1/2005 | 12.46 | 6.3 | 29 | ND | 5.4 | 18 | ND | ND | ND | ND | ND | 59 |
| | 10/14/2005 | 12.38 | 8 | 52 | ND | ND | 9 | ND | ND | ND | ND | ND | 69 |
| | 4/27/2006 | 11.75 | ND | 25.5 | ND | 4.98 | 14.6 | ND | ND | ND | ND | ND | 45.1 |
| | 10/13/2006 | 12.47 | ND | 36.6 | ND | ND | 13.6 | ND | ND | ND | ND | ND | 50.2 |
| | 4/17/2007 | 11.96 | ND | 13.1 | ND | ND | 8.9 | ND | ND | ND | ND | ND | 22 |
| | 10/12/2007 | 13.38 | 8.4 | 42.7 | ND | ND | 8.2 | ND | ND | ND | ND | ND | 59.3 |
| | 4/4/2008 | 11.13 | ND | 19.1 | ND | ND | 10.7 | ND | ND | ND | ND | ND | 29.8 |
| | 10/10/2008 | 12.78 | ND | 18 | ND | ND | 5.5 | ND | ND | ND | ND | ND | 23.5 |
| | 4/9/2009 | 12.22 | ND | 17.3 | ND | 6.2 | 10.1 | ND | ND | ND | ND | ND | 33.6 |
| | 10/9/2009 | 12.29 | ND | 11.4 | ND | ND | 10.3 | ND | ND | ND | ND | ND | 21.7 |
| | 4/8/2010 | 12.19 | ND | 5.4 | ND | ND | ND | ND | ND | ND | ND | ND | 5.4 |
| | 10/7/2010 | 14.04 | 6.3 | 29.7 | ND | ND | 15.6 | ND | ND | ND | ND | ND | 51.6 |
| | 4/14/2011 | 11.93 | ND | 15.4 | ND | ND | 10.8 | ND | ND | ND | ND | ND | 26.2 |
| | 10/5/2011 | 13.30 | 6.5 | 30.4 | ND | 5.7 | 18.7 | ND | ND | ND | ND | ND | 61.3 |
| | 4/6/2012 | 12.31 | ND | 18.3 | ND | ND | 8.5 | ND | ND | ND | ND | ND | 26.8 |
| | 10/5/2012 | 13.56 | ND | 33.3 | ND | 5.6 | 31.7 | ND | ND | ND | ND | ND | 70.6 |
| | 4/5/2013 | 12.58 | 8 | 27.6 | ND | 5.5 | 26.7 | ND | ND | ND | ND | ND | 67.8 |
| | 10/1/2013 | 13.95 | 10 | 35.2 | ND | 6.5 | 22.2 | ND | ND | ND | ND | ND | 73.9 |
| | 4/11/2014 | 11.79 | 5 | 15 | ND | 6.5 | 36.8 | ND | ND | ND | ND | ND | 63.3 |
| | 10/8/2014 | 13.23 | 9.4 | 51.7 | ND | ND | 9.4 | ND | ND | ND | ND | ND | 70.5 |
| | 4/10/2015 | 12.02 | 7.3 | 29.4 | ND | ND | 16.1 | ND | ND | ND | ND | ND | 52.8 |
| | 10/12/2015 | 13.00 | 6 | 24.8 | ND | ND | 8.6 | ND | ND | ND | ND | ND | 39.4 |
| | 4/19/2016 | 11.98 | ND | 20.5 | ND | ND | 7.3 | ND | ND | ND | ND | ND | 27.8 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| IT-3 | 2/1/1986 | NA | 13 | NR | 290 | 190 | 67 | NR | NR | ND | ND | ND | 560 |
| | 5/1/1986 | NA | 10 | NR | NA | 200 | 27 | NR | NR | ND | ND | ND | 237 |
| | 8/1/1986 | NA | 7.5 | NR | 24 | 150 | 50 | NR | NR | ND | ND | ND | 232 |
| | 11/1/1986 | NA | 7.9 | NR | 16 | 160 | 72 | NR | NR | ND | ND | ND | 256 |
| | 3/5/1992 | NA | 4J | ND | ND | 83 | 34 | NR | NR | ND | ND | ND | 117 |
| | 7/27/1992 | NA | 4J | ND | 8 | 67 | 22 | NR | NR | ND | ND | ND | 97 |
| | 2/16/1993 | NA | 5J | ND | ND | 71 | 29 | NR | NR | ND | ND | ND | 100 |
| | 10/9/1996 | NA | 5 | ND | ND | 49 | 58 | NR | NR | ND | ND | ND | 112 |
| | 9/29/2000 | 10.74 | ND | ND | ND | 23 | 17 | ND | ND | ND | ND | ND | 40 |
| | 4/2/2001 | 11.30 | ND | ND | ND | 14 | 14 | ND | ND | ND | ND | ND | 28 |
| | 10/19/2001 | 10.78 | ND | ND | ND | 23 | 16 | ND | ND | ND | ND | ND | 39 |
| | 4/16/2002 | 10.72 | ND | ND | ND | 22 | 11 | ND | ND | ND | ND | ND | 33 |
| | 10/17/2002 | 11.25 | ND | ND | ND | 18 | 16 | ND | ND | ND | ND | ND | 34 |
| | 4/30/2003 | 11.21 | ND | ND | ND | 19 | 11 | ND | ND | ND | ND | ND | 30 |
| | 10/3/2003 | 10.91 | ND | ND | ND | 17 | 9.5 | ND | ND | ND | ND | ND | 27 |
| | 4/2/2004 | 10.97 | ND | ND | ND | 12 | 6 | ND | ND | ND | ND | ND | 18 |
| | 10/4/2004 | 11.03 | ND | ND | 5.3 | 11 | 5.8 | ND | ND | ND | ND | ND | 22 |
| | 4/1/2005 | 10.94 | ND | ND | ND | 8.1 | ND | ND | ND | ND | ND | ND | 8.1 |
| | 10/14/2005 | 10.91 | ND | ND | ND | 7 | ND | ND | ND | ND | ND | ND | 7.0 |
| | 4/27/2006 | 10.75 | ND | ND | ND | 12.9 | ND | ND | ND | ND | ND | ND | 12.9 |
| | 10/13/2006 | 10.95 | ND | ND | ND | 11.1 | 5.78 | ND | ND | ND | ND | ND | 16.9 |
| | 4/17/2007 | 10.83 | ND | ND | ND | 12.4 | 7.6 | ND | ND | ND | ND | 5.7 | 25.7 |
| | 10/12/2007 | 11.35 | ND | ND | ND | 12.9 | 10.2 | ND | ND | ND | ND | ND | 23.1 |
| | 4/4/2008 | 10.11 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0 |
| | 10/10/2008 | 11.04 | ND | ND | ND | 19.9 | 18.7 | ND | ND | ND | ND | ND | 38.6 |
| | 4/9/2009 | 10.86 | ND | ND | ND | 11.4 | 16.3 | ND | ND | ND | ND | ND | 27.7 |
| | 10/9/2009 | 10.77 | ND | ND | ND | 18.9 | 25.7 | ND | ND | ND | ND | ND | 44.6 |
| | 4/8/2010 | 10.75 | ND | ND | ND | 5.6 | 17.8 | ND | ND | ND | ND | ND | 23.4 |
| | 10/7/2010 | 11.33 | ND | ND | ND | 21.6 | 32.5 | ND | ND | ND | ND | ND | 54.1 |
| | 4/14/2011 | 10.52 | ND | ND | ND | ND | 6.5 | ND | ND | ND | ND | ND | 6.5 |
| | 10/5/2011 | 11.07 | ND | ND | ND | 10.4 | 13.3 | ND | ND | ND | ND | ND | 23.7 |
| | 4/6/2012 | 10.73 | ND | ND | ND | ND | 7.2 | ND | ND | ND | ND | ND | 7.2 |
| | 10/5/2012 | 11.24 | ND | ND | ND | 6.6 | 7 | ND | ND | ND | ND | ND | 13.6 |
| | 4/5/2013 | 10.86 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/1/2013 | 11.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/11/2014 | 10.29 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/8/2014 | 10.95 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/10/2015 | 10.60 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2015 | 11.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/19/2016 | 10.73 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-12 | 2/1/1986 | NA | 360 | NR | 17,000 | 19,000 | 7,400 | NR | NR | ND | ND | ND | 43,760 |
| | 5/1/1986 | NA | 280 | NR | 34,000 | 25,000 | 5,400 | NR | NR | ND | ND | ND | 64,680 |
| | 8/1/1986 | NA | 310 | NR | 18,000 | 9,600 | 6,100 | NR | NR | ND | ND | ND | 34,010 |
| | 11/1/1986 | NA | 440 | NR | 26,000 | 24,000 | 9,100 | NR | NR | ND | ND | ND | 59,540 |
| | 10/9/1996 | NA | 26 | ND | 2,000 | 910 | 1,200 | NR | NR | ND | ND | ND | 4,136 |
| | 9/29/2000 | 16.56 | 11 | ND | 860 | 290 | 880 | ND | ND | ND | ND | ND | 2,041 |
| | 4/2/2001 | 17.31 | 9.3 | ND | 650 | 170 | 760 | ND | ND | ND | ND | ND | 1,589 |
| | 10/19/2001 | 16.67 | 14 | ND | 320 | 240 | 690 | ND | ND | ND | ND | ND | 1,264 |
| | 4/16/2002 | 15.86 | 12 | ND | 1,300 | 580 | 2,600 | 25 | 30 | ND | ND | ND | 4,547 |
| | 10/17/2002 | 17.36 | 18 | ND | 1,100 | 390 | 980 | ND | ND | ND | ND | ND | 2,488 |
| | 4/30/2003 | 16.92 | 12 | ND | 650 | 310 | 900 | 22 | ND | ND | ND | ND | 1,894 |
| | 10/3/2003 | 16.32 | 9.8 | ND | 550 | 190 | 810 | ND | ND | ND | ND | ND | 1,560 |
| | 4/2/2004 | 16.67 | ND | ND | 450 | 170 | 780 | ND | ND | ND | ND | ND | 1,400 |
| | 10/4/2004 | 16.72 | 14 | ND | 520 | 300 | 890 | ND | ND | ND | ND | ND | 1,724 |
| | 4/1/2005 | 16.67 | 7 | ND | 570 | 180 | 810 | ND | ND | ND | ND | ND | 1,567 |
| | 10/14/2005 | 16.53 | 10 | ND | 540 | 171 | 508 | ND | ND | ND | ND | ND | 1,229 |
| | 4/27/2006 | 15.83 | 59.6 | ND | 873 | 582 | 635 | ND | ND | 6.25 | 14.7 | ND | 2,170.55 |
| | 10/13/2006 | 16.56 | ND | ND | 788 | 502 | 574 | ND | ND | ND | 9.74 | ND | 1,873.74 |
| | 4/17/2007 | 15.16 | 7.5 | ND | 1,020 | 162 | 635 | ND | ND | ND | ND | ND | 1,824.5 |
| | 10/12/2007 | 17.47 | 22.8 | 124 | 1,380 | 360 | 571 | ND | 53.1 | ND | ND | ND | 2,510.9 |
| | 4/4/2008 | 15.41 | 28.9 | 11.4 | 1,590 | 331 | 698 | ND | ND | ND | ND | ND | 2,659.3 |
| MW-12R | 10/10/2008 | 16.85 | ND | ND | 352 | 90 | 320 | ND | ND | ND | ND | ND | 762 |
| | 4/9/2009 | 16.38 | 5.8 | ND | 444 | 100 | 208 | ND | ND | ND | ND | ND | 757.8 |
| | 10/9/2009 | 16.41 | 9.3 | ND | 552 | 152 | 288 | ND | ND | ND | ND | ND | 1,001.3 |
| | 4/8/2010 | 16.32 | ND | ND | 331 | 63.3 | 182 | ND | ND | ND | ND | ND | 576.3 |
| | 10/7/2010 | 18.41 | 21.6 | 703 | 1,040 | 222 | 580 | ND | ND | ND | ND | ND | 2,566.6 |
| | 4/14/2011 | 16.34 | ND | 46.1 | 477 | 68.9 | 289 | ND | ND | ND | ND | ND | 881 |
| | 10/5/2011 | 17.63 | ND | 159 | 2,470 | 67.2 | 272 | ND | ND | ND | ND | ND | 2,968.2 |
| | 4/6/2012 | 16.74 | ND | 81.4 | 884 | 56.3 | 234 | ND | ND | ND | ND | ND | 1,255.7 |
| | 10/5/2012 | 17.95 | ND | 23 | 687 | 45.6 | 135 | ND | ND | ND | ND | ND | 890.6 |
| | 4/5/2013 | 16.09 | 5.3 | 154 | 665 | 56.9 | 170 | ND | ND | ND | ND | ND | 1,051.2 |
| | 10/1/2013 | 18.22 | ND | 10.1 | 392 | 39.2 | 66 | ND | ND | ND | ND | ND | 507.3 |
| | 4/11/2014 | 16.21 | 5 | 47.1 | 458 | 49 | 79.4 | ND | ND | ND | ND | ND | 638.5 |
| | 10/8/2014 | 17.51 | ND | 12.9 | 378 | 55.1 | 48.5 | ND | ND | ND | ND | ND | 494.5 |
| | 4/10/2015 | 16.34 | 13.2 | 124 | 757 | 102 | 135 | ND | ND | ND | ND | ND | 1,131.2 |
| | 10/12/2015 | 17.25 | 5.7 | 128 | 453 | 66.9 | 85.1 | ND | ND | ND | ND | ND | 738.7 |
| | 4/19/2016 | 16.30 | ND | 104 | 440 | 59 | 72.2 | ND | ND | ND | ND | ND | 675.2 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-20 | 3/5/1992 | NA | ND | ND | ND | ND | ND | NR | NR | ND | ND | ND | ND |
| | 9/29/2000 | 8.98 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/2/2001 | 11.05 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/19/2001 | 9.95 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/16/2002 | 8.22 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/17/2002 | 11.86 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/30/2003 | 9.72 | ND | ND | ND | ND | 5.4 | ND | ND | ND | ND | ND | 5 |
| | 10/3/2003 | 9.62 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/2/2004 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/4/2004 | 11.02 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/1/2005 | 9.12 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/14/2005 | 10.18 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/27/2006 | 9.09 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/13/2006 | 10.57 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/17/2007 | 9.19 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2007 | 12.02 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/4/2008 | 7.87 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/10/2008 | 10.51 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/9/2009 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/9/2009 | 9.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/8/2010 | 8.53 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/7/2010 | 11.76 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/14/2011 | 8.34 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2011 | 10.67 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/6/2012 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2012 | 11.10 | ND | ND | 5 | ND | ND | ND | ND | ND | ND | ND | 5 |
| | 4/5/2013 | 9.39 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/1/2013 | 11.43 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | Duplicate | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/11/2014 | 8.39 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/8/2014 | 10.87 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/10/2015 | 8.51 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2015 | 10.78 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/19/2016 | 9.04 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-22 | 10/9/1996 | NA | ND | ND | 5,600 | ND | 1,000 | NR | NR | ND | ND | ND | 6,600 |
| | 9/29/2000 | 16.98 | ND | ND | 3,300 | 41 | 230 | ND | ND | ND | ND | ND | 3,571 |
| | 4/2/2001 | 17.88 | 14 | ND | 4,400 | 37 | 220 | ND | ND | ND | ND | ND | 4,671 |
| | 10/19/2001 | 17.29 | ND | ND | 2,000 | 53 | 290 | 120 | ND | ND | ND | ND | 2,463 |
| | 4/16/2002 | 16.51 | ND | ND | 4,100 | 34 | 400 | 110 | ND | ND | ND | ND | 4,644 |
| | 10/17/2002 | 18.08 | ND | ND | 2,600 | 26 | 250 | ND | ND | ND | ND | ND | 2,876 |
| | 4/30/2003 | 17.32 | ND | ND | 3,500 | 31 | 570 | ND | ND | ND | ND | ND | 4,101 |
| | Duplicate | | ND | ND | 3,200 | 30 | 580 | ND | ND | ND | ND | ND | 3,810 |
| | 10/3/2003 | 17.01 | ND | ND | 3,100 | 27 | 230 | ND | ND | ND | ND | ND | 3,357 |
| | Duplicate | | ND | ND | 3,200 | 27 | 220 J | ND | ND | ND | ND | ND | 3,227 |
| | 4/2/2004 | 17.03 | ND | ND | ND | 15 | 140 | ND | ND | ND | ND | ND | 155 |
| | Duplicate | | ND | ND | ND | 18 | 140 | ND | ND | ND | ND | ND | 158 |
| | 10/4/2004 | 17.52 | ND | ND | 2,400 | 18 | 190 | ND | ND | ND | ND | ND | 2,608 |
| | Duplicate | | ND | ND | 2,400 | 19 | 200 | ND | ND | ND | ND | ND | 2,619 |
| | 4/1/2005 | 17.07 | ND | ND | 1,900 | 20 | 170 | ND | ND | ND | ND | ND | 2,090 |
| | Duplicate | | ND | ND | 1,900 | 19 | 160 | ND | ND | ND | ND | ND | 2,079 |
| | 10/14/2005 | 17.16 | ND | ND | 1,720 | 15 | 136 | ND | ND | ND | ND | ND | 1,871 |
| | Duplicate | | ND | ND | 1,730 | 15 | 141 | ND | ND | ND | ND | ND | 1,886 |
| | 4/27/2006 | 16.65 | ND | ND | 2,710 | 24.7 | 159 | ND | ND | ND | ND | ND | 2,894 |
| | Duplicate | | ND | ND | 2,600 | 23.9 | 147 | ND | ND | ND | ND | ND | 2,770.9 |
| | 10/13/2006 | 17.56 | ND | ND | 1,830 | 20 | 146 | ND | ND | ND | ND | ND | 1,996 |
| | Duplicate | | ND | ND | 1,880 | 19 | 151 | ND | ND | ND | ND | ND | 2,050.0 |
| | 4/17/2007 | 16.80 | ND | 8.5 | 1,320 | 6.8 | 68.2 | ND | ND | ND | ND | ND | 1,403.5 |
| | Duplicate | | ND | 8.3 | 1,420 | 7.4 | 71.1 | ND | ND | ND | ND | ND | 1,506.8 |
| | 10/12/2007 | 18.62 | ND | 58.3 | 1,190 | 10 | 51.4 | ND | ND | ND | ND | ND | 1,309.7 |
| | Duplicate | | ND | 68.3 | 1,160 | 10.9 | 58.8 | ND | ND | ND | ND | ND | 1,298.0 |
| | 4/4/2008 | 16.07 | ND | ND | 1,030 | 14 | 99.4 | ND | ND | ND | ND | ND | 1,143.4 |
| | Duplicate | | ND | ND | 1,280 | 13.5 | 98.4 | ND | ND | ND | ND | ND | 1,391.9 |
| | 10/10/2008 | 17.87 | ND | ND | 1,210 | 13.2 | 106 | ND | ND | ND | ND | ND | 1,329.2 |
| | Duplicate | | ND | ND | 1,170 | 11.9 | 95.1 | ND | ND | ND | ND | ND | 1,277.0 |
| | 4/9/2009 | 17.23 | ND | ND | 1,230 | 17.5 | 87.9 | ND | ND | ND | ND | ND | 1,335.4 |
| | Duplicate | | ND | ND | 1,300 | 17.7 | 90.4 | ND | ND | ND | ND | ND | 1,408.1 |
| | 10/9/2009 | 17.36 | ND | ND | 1,600 | 13.4 | 96.1 | ND | ND | ND | ND | ND | 1,709.5 |
| | Duplicate | | ND | ND | 1,610 | 13.2 | 97 | ND | ND | ND | ND | ND | 1,720.2 |
| | 4/8/2010 | 17.14 | ND | ND | 1,380 | 10.1 | 61.8 | ND | ND | ND | ND | ND | 1,451.9 |
| | Duplicate | | ND | ND | 1,660 | 10.6 | 64.5 | ND | ND | ND | ND | ND | 1,735.1 |
| | 10/7/2010 | 18.64 | ND | 428 | 797 | 10.6 | 84.3 | ND | ND | ND | ND | ND | 1,319.9 |
| | Duplicate | | ND | 403 | 746 | 10.3 | 83.1 | ND | ND | ND | ND | ND | 1,242.4 |
| | 4/14/2011 | 16.63 | ND | 487 | 1,070 | ND | 35.3 | ND | ND | ND | ND | ND | 1,592.3 |
| | Duplicate | | ND | 473 | 1,030 | ND | 34.1 | ND | ND | ND | ND | ND | 1,537.1 |
| | 10/5/2011 | 18.06 | ND | 136 | 1,150 | ND | 58.5 | ND | ND | ND | ND | ND | 1,344.5 |
| | Duplicate | | ND | 131 | 1,100 | ND | 54.8 | ND | ND | ND | ND | ND | 1,285.8 |
| | 4/6/2012 | 17.06 | ND | 87.8 | 656 | 7.7 | 95.9 | ND | ND | ND | ND | ND | 847.4 |
| | Duplicate | | ND | 74.7 | 468 | 8.7 | 82.3 | ND | ND | ND | ND | ND | 633.7 |
| | 10/5/2012 | 18.52 | ND | 69.3 | 710 | 10.2 | 111 | ND | ND | ND | ND | ND | 900.5 |
| | Duplicate | | ND | 65.4 | 722 | 9.9 | 108 | ND | ND | ND | ND | ND | 905.3 |
| | 4/5/2013 | 17.29 | ND | 27 | 745 | 10.1 | 107 | ND | ND | ND | ND | ND | 889.1 |
| | Duplicate | | ND | 71.2 | 1,000 | 14 | 176 | ND | ND | ND | ND | ND | 1,261.2 |
| | 10/1/2013 | 18.71 | ND | 32.8 | 638 | 8.5 | 96.5 | ND | ND | ND | ND | ND | 775.8 |
| | 4/11/2014 | 16.66 | ND | 11.7 | 744 | 9.2 | 65.2 | ND | ND | ND | ND | ND | 830.1 |
| | Duplicate | | ND | 50.8 | 901 | 14.7 | 154 | ND | ND | ND | ND | ND | 1,120.5 |
| | 10/8/2014 | 18.05 | ND | 25.2 | 555 | 11.7 | 76.5 | ND | ND | ND | ND | ND | 668.4 |
| | 4/10/2015 | 16.79 | ND | 11.8 | 699 | 9.4 | 64.4 | ND | ND | ND | ND | ND | 784.6 |
| | Duplicate | | ND | 10.3 | 718 | 9.5 | 64.2 | ND | ND | ND | ND | ND | 802.0 |
| | 10/12/2015 | 17.89 | ND | 11.2 | 654 | 8.1 | 52.2 | ND | ND | ND | ND | ND | 725.5 |
| | Duplicate | | ND | 11.2 | 617 | 8.4 | 52.5 | ND | ND | ND | ND | ND | 689.1 |
| | 4/19/2016 | 16.89 | ND | ND | 620 | 6.6 | 40.7 | ND | ND | ND | ND | ND | 667.3 |
| | Duplicate | | ND | ND | 596 | 6.6 | 40 | ND | ND | ND | ND | ND | 642.6 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-28 | 2/17/1993 | NA | ND | ND | 318 | 415 | 230 | NR | 52 | ND | ND | ND | 1,015 |
| | 10/9/1996 | NA | ND | ND | 54 | 36 | 38 | NR | NR | ND | ND | ND | 128 |
| | 9/29/2000 | 16.92 | ND | ND | 51 | 49 | 44 | ND | ND | ND | ND | ND | 144 |
| | 4/2/2001 | 17.97 | ND | ND | 30 | 49 | 42 | ND | ND | ND | ND | ND | 121 |
| | 10/19/2001 | 17.22 | ND | ND | 30 | 37 | 37 | ND | ND | ND | ND | ND | 104 |
| | 4/16/2002 | 16.37 | ND | ND | 26 | 43 | 29 | ND | ND | ND | ND | ND | 98 |
| | 10/17/2002 | 18.35 | ND | ND | 27 | 41 | 34 | ND | ND | ND | ND | ND | 102 |
| | 4/30/2003 | 17.33 | ND | ND | 40 | 36 | 35 | ND | ND | ND | ND | ND | 111 |
| | 10/3/2003 | 17.05 | ND | ND | 46 | 35 | 36 | ND | ND | ND | ND | ND | 117 |
| | 4/2/2004 | 16.96 | ND | ND | 32 | 27 | 27 | ND | ND | ND | ND | ND | 86 |
| | 10/4/2004 | 17.81 | ND | ND | 33 | 41 | 48 | ND | ND | ND | ND | ND | 122 |
| | 4/1/2005 | 17.05 | ND | ND | 30 | 37 | 35 | ND | ND | ND | ND | ND | 102 |
| | 10/14/2005 | 17.26 | ND | ND | 29 | 25 | 36 | ND | ND | ND | ND | ND | 90 |
| | 4/27/2006 | 16.39 | ND | ND | 19.1 | 17.1 | 20.2 | ND | ND | ND | ND | ND | 56.4 |
| | 10/13/2006 | 17.42 | ND | ND | 23.2 | 41.5 | 47 | ND | ND | ND | ND | ND | 111.7 |
| | 4/17/2007 | 16.67 | ND | ND | 25.6 | 24 | 27.1 | ND | ND | ND | ND | ND | 76.7 |
| | 10/12/2007 | 18.61 | ND | ND | 30.2 | 39.4 | 26.1 | ND | 5.8 | ND | ND | ND | 101.5 |
| | 4/4/2008 | 15.67 | ND | ND | 34.4 | 23.1 | 25.7 | ND | ND | ND | ND | ND | 83.2 |
| | 10/10/2008 | 17.71 | ND | ND | 30.5 | 29 | 34.7 | ND | ND | ND | ND | ND | 94.2 |
| | 4/9/2009 | 16.87 | ND | ND | 33.7 | 21.9 | 25.6 | ND | ND | ND | ND | ND | 81.2 |
| | 10/9/2009 | 17.11 | ND | ND | 34.9 | 22.1 | 30.1 | ND | ND | ND | ND | ND | 87.1 |
| | 4/8/2010 | 16.82 | ND | ND | 29.7 | 15.1 | 18.8 | ND | ND | ND | ND | ND | 63.6 |
| | 10/7/2010 | 18.57 | ND | ND | 23.8 | 21.9 | 21.2 | ND | ND | ND | ND | ND | 66.9 |
| | 4/14/2011 | 16.18 | ND | ND | 18.9 | 9.5 | 11.4 | ND | ND | ND | ND | ND | 39.8 |
| | 10/5/2011 | 17.93 | ND | ND | 29.4 | 14.7 | 19.3 | ND | ND | ND | ND | ND | 63.4 |
| | 4/6/2012 | 16.66 | ND | ND | 29.9 | 9.1 | 13.9 | ND | ND | ND | ND | ND | 52.9 |
| | 10/5/2012 | 18.35 | ND | ND | 32.7 | 13.4 | 13.9 | ND | ND | ND | ND | ND | 60.0 |
| | 4/5/2013 | 16.99 | ND | ND | 29.1 | 11.3 | 17.1 | ND | ND | ND | ND | ND | 57.5 |
| | 10/1/2013 | 18.57 | ND | ND | 19 | 11.6 | 8.8 | ND | ND | ND | ND | ND | 39.4 |
| | 4/11/2014 | 16.13 | ND | ND | 29.5 | 10.7 | 10.8 | ND | ND | ND | ND | ND | 51.0 |
| | 10/8/2014 | 17.97 | ND | ND | 24 | 9.8 | 12.6 | ND | ND | ND | ND | ND | 46.4 |
| | 4/10/2015 | 16.62 | ND | ND | 38.6 | 10.3 | 12.6 | ND | ND | ND | ND | ND | 61.5 |
| | 10/12/2015 | 17.80 | ND | ND | 27.1 | 10.2 | 13.9 | ND | ND | ND | ND | ND | 51.2 |
| | 4/19/2016 | 16.50 | ND | ND | 23.8 | 8.6 | 10.1 | ND | ND | ND | ND | ND | 42.5 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-29 | 9/29/2000 | 16.71 | ND | ND | 11 | ND | ND | ND | ND | ND | ND | ND | 11 |
| | 4/2/2001 | 17.75 | ND | ND | 5.1 | ND | ND | ND | ND | ND | ND | ND | 5 |
| | 10/19/2001 | 17.18 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/16/2002 | 16.15 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/17/2002 | 18.74 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/30/2003 | 16.02 | ND | ND | 8.8 | ND | ND | ND | ND | ND | ND | ND | 9 |
| | 10/3/2003 | 16.83 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/2/2004 | 16.80 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/4/2004 | 17.84 | ND | ND | 6.7 | ND | ND | ND | ND | ND | ND | ND | 6.7 |
| | 4/1/2005 | 16.88 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/14/2005 | 17.05 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/27/2006 | 16.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/13/2006 | 17.24 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/17/2007 | 16.48 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2007 | 18.45 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/4/2008 | 15.59 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/10/2008 | 17.55 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/9/2009 | 16.84 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/9/2009 | 16.92 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/8/2010 | 16.61 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/7/2010 | 18.45 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/14/2011 | 16.01 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2011 | 17.68 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/6/2012 | 16.48 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/5/2012 | 18.15 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/5/2013 | 16.80 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/1/2013 | 18.43 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/11/2014 | 16.01 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/8/2014 | 17.85 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/10/2015 | 16.58 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/12/2015 | 17.69 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 4/19/2016 | 16.31 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

**Table 1 (continued)**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Groundwater Laboratory Analytical Results**

| Well Number | Sample Date | Depth to Water (feet) | Analytes | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1,1 - Dichloro - ethane | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | 1,1,2 - Trichloro- ethane | Carbon Tetrachloride | 1,1-Dichloro ethene | Trichlorofluoro methane | Toluene | Total VOCs |
| MW-30 | 9/29/2000 | 15.76 | ND | ND | ND | 36 | 70 | ND | ND | ND | ND | ND | 106 |
| | 4/2/2001 | 16.18 | ND | ND | ND | 31 | 50 | ND | ND | ND | ND | ND | 81 |
| | 10/19/2001 | 13.78 | ND | ND | ND | 37 | 48 | ND | ND | ND | ND | ND | 85 |
| | 4/16/2002 | 15.26 | ND | ND | ND | 39 | 37 | ND | ND | ND | ND | ND | 76 |
| | 10/17/2002 | 16.00 | ND | ND | ND | 29 | 42 | ND | ND | ND | ND | ND | 71 |
| | 4/30/2003 | 9.72* | ND | ND | ND | 32 | 35 | ND | ND | ND | ND | ND | 67 |
| | 10/3/2003 | 15.63 | ND | ND | ND | 25 | 26 | ND | ND | ND | ND | ND | 51 |
| | 4/2/2004 | 15.75 | ND | ND | ND | 20 | 19 | ND | ND | ND | ND | ND | 39 |
| | 10/4/2004 | 15.51 | ND | ND | 6.3 | 26 | 27 | ND | ND | ND | ND | ND | 59 |
| | 4/1/2005 | 15.46 | ND | ND | ND | 31 | 28 | ND | ND | ND | ND | ND | 59 |
| | 10/14/2005 | 15.45 | ND | ND | ND | 22 | 33 | ND | ND | ND | ND | ND | 55 |
| | 4/27/2006 | 14.90 | ND | ND | ND | 12.2 | 16.8 | ND | ND | ND | ND | ND | 29 |
| | 10/13/2006 | 15.45 | ND | ND | ND | 33.3 | 30.5 | ND | ND | ND | ND | ND | 64 |
| | 4/17/2007 | 15.34 | ND | ND | ND | 14.1 | 14.7 | ND | ND | ND | ND | ND | 28.8 |
| | 10/12/2007 | 16.06 | ND | ND | ND | 39.6 | 27.6 | ND | 5.7 | ND | ND | ND | 72.9 |
| | 4/4/2008 | 14.57 | ND | ND | ND | 15.9 | 15.2 | ND | ND | ND | ND | ND | 31.1 |
| | 10/10/2008 | 15.92 | ND | ND | ND | 18.2 | 12.7 | ND | ND | ND | ND | ND | 30.9 |
| | 4/9/2009 | 15.66 | ND | ND | ND | 15.6 | 9.9 | ND | ND | ND | ND | ND | 25.5 |
| | 10/9/2009 | 15.67 | ND | ND | ND | 15.2 | 7.9 | ND | ND | ND | ND | ND | 23.1 |
| | 4/8/2010 | 15.48 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 10/7/2010 | 16.12 | ND | ND | ND | 24.3 | 10.1 | ND | ND | ND | ND | ND | 34.4 |
| | 4/14/2011 | 15.17 | ND | ND | ND | 7.7 | ND | ND | ND | ND | ND | ND | 7.7 |
| | 10/5/2011 | 15.87 | ND | ND | ND | 13.5 | ND | ND | ND | ND | ND | ND | 13.5 |
| | 4/6/2012 | 15.31 | ND | ND | ND | 6.6 | ND | ND | ND | ND | ND | ND | 6.6 |
| | 10/5/2012 | 15.94 | ND | ND | ND | 15.4 | 5 | ND | ND | ND | ND | ND | 20.4 |
| | 4/5/2013 | 15.45 | ND | ND | ND | 10.9 | ND | ND | ND | ND | ND | ND | 10.9 |
| | 10/1/2013 | 15.95 | ND | ND | ND | 13.5 | ND | ND | ND | ND | ND | ND | 13.5 |
| | 4/11/2014 | 14.96 | ND | ND | ND | 8.8 | ND | ND | ND | ND | ND | ND | 8.8 |
| | 10/8/2014 | 15.72 | ND | ND | ND | 10.5 | ND | ND | ND | ND | ND | ND | 10.5 |
| | Duplicate | | ND | ND | ND | 11.9 | ND | ND | ND | ND | ND | ND | 11.9 |
| | 4/10/2015 | 15.20 | ND | ND | ND | 8.1 | ND | ND | ND | ND | ND | ND | 8.1 |
| | 10/12/2015 | 15.70 | ND | ND | ND | 10.8 | ND | ND | ND | ND | ND | ND | 10.8 |
| | 4/19/2016 | 14.79 | ND | ND | ND | 7.6 | ND | ND | ND | ND | ND | ND | 7.6 |

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

**ATTACHMENT A**

**Groundwater Level Measurements**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-2 | 01/14/11 | 732.25 | 13.42 | 718.83 |
| | 02/11/11 | | 13.71 | 718.54 |
| | 03/11/11 | | 11.64 | 720.61 |
| | 04/14/11 | | 11.93 | 720.32 |
| | 05/06/11 | | 10.84 | 721.41 |
| | 06/02/11 | | 11.83 | 720.42 |
| | 07/15/11 | | 12.20 | 720.05 |
| | 08/11/11 | | 12.79 | 719.46 |
| | 09/07/11 | | 13.32 | 718.93 |
| | 10/05/11 | | 13.30 | 718.95 |
| | 11/04/11 | | 13.26 | 718.99 |
| | 12/01/11 | | 12.82 | 719.43 |
| | 01/13/12 | | 12.50 | 719.75 |
| | 02/10/12 | | 12.30 | 719.95 |
| | 03/09/12 | | 12.80 | 719.45 |
| | 04/06/12 | | 12.31 | 719.94 |
| | 05/02/12 | | 12.47 | 719.78 |
| | 06/01/12 | | 12.71 | 719.54 |
| | 07/13/12 | | 13.48 | 718.77 |
| | 08/10/12 | | 13.94 | 718.31 |
| | 09/06/12 | | 13.72 | 718.53 |
| | 10/05/12 | | 13.56 | 718.69 |
| | 12/17/12 | | 13.67 | 718.58 |
| | 01/11/13 | | 13.65 | 718.60 |
| | 02/25/13 | | 12.13 | 720.12 |
| | 03/22/13 | | 12.42 | 719.83 |
| | 04/05/13 | | 12.58 | 719.67 |
| | 05/03/13 | | 12.17 | 720.08 |
| | 06/13/13 | | 11.94 | 720.31 |
| | 07/12/13 | | 12.76 | 719.49 |
| | 08/09/13 | | 13.10 | 719.15 |
| | 09/06/13 | | 13.61 | 718.64 |
| | 10/01/13 | | 13.95 | 718.30 |
| | 11/01/13 | | 13.79 | 718.46 |
| | 12/13/13 | | 14.00 | 718.25 |
| | 01/13/14 | | 12.28 | 719.97 |
| | 02/07/14 | | NG | NG |
| | 03/21/14 | | 12.63 | 719.62 |
| | 04/04/14 | | 12.30 | 719.95 |
| | 05/02/14 | | 12.17 | 720.08 |
| | 06/14/14 | | 11.60 | 720.65 |
| | 07/11/14 | | 12.43 | 719.82 |
| | 08/08/14 | | 12.75 | 719.50 |
| | 09/05/14 | | 12.91 | 719.34 |
| | 10/08/14 | | 13.23 | 719.02 |
| | 11/13/14 | | 13.30 | 718.95 |
| | 12/24/14 | | 13.17 | 719.08 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 13.22 | 719.03 |
| | 03/06/15 | | NG | NG |
| | 04/03/15 | | 13.18 | 719.07 |
| | 05/08/15 | | 12.73 | 719.52 |
| | 06/12/15 | | 12.72 | 719.53 |
| | 07/10/15 | | 11.51 | 720.74 |
| | 08/07/15 | | 11.50 | 720.75 |
| | 09/03/15 | | 12.39 | 719.86 |
| | 10/02/15 | | 12.98 | 719.27 |
| | 11/13/15 | | 13.30 | 718.95 |
| | 12/14/15 | | 13.38 | 718.87 |
| | 01/21/16 | | 12.32 | 719.93 |
| | 02/04/16 | | 12.40 | 719.85 |
| | 03/04/16 | | 12.08 | 720.17 |
| | 04/01/16 | | 12.15 | 720.10 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| IT-3 | 01/14/11 | 728.71 | 11.35 | 717.36 |
| | 02/11/11 | | 11.41 | 717.30 |
| | 03/11/11 | | 10.35 | 718.36 |
| | 04/14/11 | | 10.52 | 718.19 |
| | 05/06/11 | | 9.79 | 718.92 |
| | 06/02/11 | | 10.42 | 718.29 |
| | 07/15/11 | | 10.60 | 718.11 |
| | 08/11/11 | | 10.86 | 717.85 |
| | 09/07/11 | | 11.07 | 717.64 |
| | 10/05/11 | | 11.07 | 717.64 |
| | 11/04/11 | | 11.02 | 717.69 |
| | 12/01/11 | | 10.74 | 717.97 |
| | 01/13/12 | | 10.90 | 717.81 |
| | 02/10/12 | | 10.86 | 717.85 |
| | 03/09/12 | | 11.08 | 717.63 |
| | 04/06/12 | | 10.73 | 717.98 |
| | 05/02/12 | | 10.68 | 718.03 |
| | 06/01/12 | | 10.97 | 717.74 |
| | 07/13/12 | | 11.18 | 717.53 |
| | 08/10/12 | | 11.29 | 717.42 |
| | 09/06/12 | | 11.30 | 717.41 |
| | 10/05/12 | | 11.24 | 717.47 |
| | 12/17/12 | | 11.41 | 717.30 |
| | 01/11/13 | | 11.22 | 717.49 |
| | 02/25/13 | | 10.84 | 717.87 |
| | 03/22/13 | | 10.75 | 717.96 |
| | 04/05/13 | | 10.86 | 717.85 |
| | 05/03/13 | | 10.69 | 718.02 |
| | 06/13/13 | | 10.72 | 717.99 |
| | 07/12/13 | | 10.86 | 717.85 |
| | 08/09/13 | | 10.98 | 717.73 |
| | 09/06/13 | | 11.13 | 717.58 |
| | 10/01/13 | | 11.24 | 717.47 |
| | 11/01/13 | | 11.17 | 717.54 |
| | 12/13/13 | | 11.41 | 717.30 |
| | 01/13/14 | | 10.59 | 718.12 |
| | 02/07/14 | | 10.87 | 717.84 |
| | 03/21/14 | | 10.82 | 717.89 |
| | 04/04/14 | | 10.15 | 718.56 |
| | 05/02/14 | | 10.58 | 718.13 |
| | 06/14/14 | | 10.34 | 718.37 |
| | 07/11/14 | | 10.58 | 718.13 |
| | 08/08/14 | | 10.78 | 717.93 |
| | 09/05/14 | | 10.75 | 717.96 |
| | 10/08/14 | | 10.95 | 717.76 |
| | 11/13/14 | | 11.08 | 717.63 |
| | 12/24/14 | | 11.42 | 717.29 |
| | 01/09/15 | | 11.08 | 717.63 |
| | 02/06/15 | | 11.35 | 717.36 |
| | 03/06/15 | | 11.24 | 717.47 |
| | 04/03/15 | | 11.30 | 717.41 |
| | 05/08/15 | | 10.97 | 717.74 |
| | 06/12/15 | | 10.98 | 717.73 |
| | 07/10/15 | | 10.25 | 718.46 |
| | 08/07/15 | | 10.35 | 718.36 |
| | 09/03/15 | | 10.78 | 717.93 |
| | 10/02/15 | | 11.02 | 717.69 |
| | 11/13/15 | | 11.16 | 717.55 |
| | 12/14/15 | | 11.31 | 717.40 |
| | 01/21/16 | | 10.91 | 717.80 |
| | 02/04/16 | | 10.90 | 717.81 |
| | 03/04/16 | | 10.75 | 717.96 |
| | 04/01/16 | | 10.80 | 717.91 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-3 | 01/14/11 | 736.44 | 16.07 | 720.37 |
| | 02/11/11 | | 16.31 | 720.13 |
| | 03/11/11 | | 13.91 | 722.53 |
| | 04/14/11 | | 14.08 | 722.36 |
| | 05/06/11 | | 12.53 | 723.91 |
| | 06/02/11 | | 13.84 | 722.60 |
| | 07/15/11 | | 14.48 | 721.96 |
| | 08/11/11 | | 15.26 | 721.18 |
| | 09/07/11 | | 15.91 | 720.53 |
| | 10/05/11 | | 15.71 | 720.73 |
| | 11/04/11 | | 15.97 | 720.47 |
| | 12/01/11 | | 15.48 | 720.96 |
| | 01/13/12 | | 14.87 | 721.57 |
| | 02/10/12 | | 14.49 | 721.95 |
| | 03/09/12 | | 15.10 | 721.34 |
| | 04/06/12 | | 14.63 | 721.81 |
| | 05/02/12 | | 14.59 | 721.85 |
| | 06/01/12 | | 15.13 | 721.31 |
| | 07/13/12 | | 16.09 | 720.35 |
| | 08/10/12 | | 16.63 | 719.81 |
| | 09/06/12 | | 16.50 | 719.94 |
| | 10/05/12 | | 16.38 | 720.06 |
| | 12/17/12 | | 16.52 | 719.92 |
| | 01/11/13 | | 16.42 | 720.02 |
| | 02/25/13 | | 14.96 | 721.48 |
| | 03/22/13 | | 14.80 | 721.64 |
| | 04/05/13 | | 15.94 | 720.50 |
| | 05/03/13 | | 14.53 | 721.91 |
| | 06/13/13 | | 14.56 | 721.88 |
| | 07/12/13 | | 15.19 | 721.25 |
| | 08/09/13 | | 15.66 | 720.78 |
| | 09/06/13 | | 16.23 | 720.21 |
| | 10/01/13 | | 16.55 | 719.89 |
| | 11/01/13 | | 16.55 | 719.89 |
| | 12/13/13 | | 16.75 | 719.69 |
| | 01/13/14 | | 14.90 | 721.54 |
| | 02/07/14 | | 15.07 | 721.37 |
| | 03/21/14 | | 15.06 | 721.38 |
| | 04/04/14 | | 14.81 | 721.63 |
| | 05/02/14 | | 14.47 | 721.97 |
| | 06/14/14 | | 14.18 | 722.26 |
| | 07/11/14 | | 14.76 | 721.68 |
| | 08/08/14 | | 15.27 | 721.17 |
| | 09/05/14 | | 15.42 | 721.02 |
| | 10/08/14 | | 15.92 | 720.52 |
| | 11/13/14 | | 16.13 | 720.31 |
| | 12/24/14 | | 15.85 | 720.59 |
| | 01/09/15 | | 15.81 | 720.63 |
| | 02/06/15 | | 15.85 | 720.59 |
| | 03/06/15 | | 16.02 | 720.42 |
| | 04/03/15 | | 15.80 | 720.64 |
| | 05/08/15 | | 15.54 | 720.90 |
| | 06/12/15 | | 15.19 | 721.25 |
| | 07/10/15 | | 13.76 | 722.68 |
| | 08/07/15 | | 13.82 | 722.62 |
| | 09/03/15 | | 14.82 | 721.62 |
| | 10/02/15 | | 15.60 | 720.84 |
| | 11/13/15 | | 16.08 | 720.36 |
| | 12/14/15 | | 16.23 | 720.21 |
| | 01/21/16 | | 14.87 | 721.57 |
| | 02/04/16 | | 15.00 | 721.44 |
| | 03/04/16 | | 14.59 | 721.85 |
| | 04/01/16 | | 14.56 | 721.88 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-9 | 01/14/11 | 733.04 | 10.19 | 722.85 |
| | 02/11/11 | | 10.22 | 722.82 |
| | 03/11/11 | | 7.00 | 726.04 |
| | 04/14/11 | | 6.84 | 726.20 |
| | 05/06/11 | | 4.71 | 728.33 |
| | 06/02/11 | | 6.74 | 726.30 |
| | 07/15/11 | | 7.80 | 725.24 |
| | 08/11/11 | | 8.83 | 724.21 |
| | 09/07/11 | | 9.72 | 723.32 |
| | 10/05/11 | | 9.74 | 723.30 |
| | 11/04/11 | | 9.75 | 723.29 |
| | 12/01/11 | | 8.57 | 724.47 |
| | 01/13/12 | | 8.18 | 724.86 |
| | 02/10/12 | | 7.76 | 725.28 |
| | 03/09/12 | | 8.52 | 724.52 |
| | 04/06/12 | | 7.71 | 725.33 |
| | 05/02/12 | | 6.56 | 726.48 |
| | 06/01/12 | | 8.58 | 724.46 |
| | 07/13/12 | | 9.90 | 723.14 |
| | 08/10/12 | | 10.42 | 722.62 |
| | 09/06/12 | | 10.68 | 722.36 |
| | 10/05/12 | | 10.41 | 722.63 |
| | 12/17/12 | | 10.64 | 722.40 |
| | 01/11/13 | | 10.23 | 722.81 |
| | 02/25/13 | | 8.45 | 724.59 |
| | 03/22/13 | | 7.98 | 725.06 |
| | 04/05/13 | | 8.23 | 724.81 |
| | 05/03/13 | | 7.72 | 725.32 |
| | 06/13/13 | | 8.12 | 724.92 |
| | 07/12/13 | | 8.75 | 724.29 |
| | 08/09/13 | | 9.29 | 723.75 |
| | 09/06/13 | | 10.05 | 722.99 |
| | 10/01/13 | | 10.49 | 722.55 |
| | 11/01/13 | | 10.44 | 722.60 |
| | 12/13/13 | | 10.73 | 722.31 |
| | 01/13/14 | | 7.97 | 725.07 |
| | 02/07/14 | | 8.56 | 724.48 |
| | 03/21/14 | | 8.48 | 724.56 |
| | 04/04/14 | | 6.19 | 726.85 |
| | 05/02/14 | | 7.76 | 725.28 |
| | 06/14/14 | | 7.28 | 725.76 |
| | 07/11/14 | | 8.16 | 724.88 |
| | 08/08/14 | | 8.86 | 724.18 |
| | 09/05/14 | | 9.16 | 723.88 |
| | 10/08/14 | | 9.81 | 723.23 |
| | 11/13/14 | | 10.17 | 722.87 |
| | 12/24/14 | | 9.75 | 723.29 |
| | 01/09/15 | | 9.43 | 723.61 |
| | 02/06/15 | | 9.67 | 723.37 |
| | 03/06/15 | | 9.78 | 723.26 |
| | 04/03/15 | | 9.62 | 723.42 |
| | 05/08/15 | | 9.58 | 723.46 |
| | 06/12/15 | | 8.70 | 724.34 |
| | 07/10/15 | | 6.81 | 726.23 |
| | 08/07/15 | | 6.61 | 726.43 |
| | 09/03/15 | | 8.37 | 724.67 |
| | 10/02/15 | | 9.40 | 723.64 |
| | 11/13/15 | | 10.09 | 722.95 |
| | 12/14/15 | | 10.06 | 722.98 |
| | 01/21/16 | | 8.31 | 724.73 |
| | 02/04/16 | | 8.15 | 724.89 |
| | 03/04/16 | | 7.79 | 725.25 |
| | 04/01/16 | | 7.73 | 725.31 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-12R | 01/14/11 | 736.15 | 17.76 | 718.39 |
| | 02/11/11 | | 18.05 | 718.10 |
| | 03/11/11 | | 16.09 | 720.06 |
| | 04/14/11 | | 16.34 | 719.81 |
| | 05/06/11 | | 15.32 | 720.83 |
| | 06/02/11 | | 16.21 | 719.94 |
| | 07/15/11 | | 16.53 | 719.62 |
| | 08/11/11 | | 17.05 | 719.10 |
| | 09/07/11 | | 17.62 | 718.53 |
| | 10/05/11 | | 17.63 | 718.52 |
| | 11/04/11 | | 17.54 | 718.61 |
| | 12/01/11 | | 17.20 | 718.95 |
| | 01/13/12 | | 16.83 | 719.32 |
| | 02/10/12 | | 16.66 | 719.49 |
| | 03/09/12 | | 17.15 | 719.00 |
| | 04/06/12 | | 16.74 | 719.41 |
| | 05/02/12 | | 16.87 | 719.28 |
| | 06/01/12 | | 18.87 | 717.28 |
| | 07/13/12 | | 17.80 | 718.35 |
| | 08/10/12 | | 18.16 | 717.99 |
| | 09/06/12 | | 18.10 | 718.05 |
| | 10/05/12 | | 17.95 | 718.20 |
| | 12/17/12 | | 18.01 | 718.14 |
| | 01/11/13 | | 17.98 | 718.17 |
| | 02/25/13 | | 16.38 | 719.77 |
| | 03/22/13 | | 16.76 | 719.39 |
| | 04/05/13 | | 16.09 | 720.06 |
| | 05/03/13 | | 16.52 | 719.63 |
| | 06/13/13 | | 16.07 | 720.08 |
| | 07/12/13 | | 17.06 | 719.09 |
| | 08/09/13 | | 17.41 | 718.74 |
| | 09/06/13 | | 17.93 | 718.22 |
| | 10/01/13 | | 18.22 | 717.93 |
| | 11/01/13 | | 18.06 | 718.09 |
| | 12/13/13 | | 18.32 | 717.83 |
| | 01/13/14 | | 16.64 | 719.51 |
| | 02/07/14 | | 16.90 | 719.25 |
| | 03/21/14 | | 16.95 | 719.20 |
| | 04/04/14 | | 16.68 | 719.47 |
| | 05/02/14 | | 16.55 | 719.60 |
| | 06/14/14 | | 15.77 | 720.38 |
| | 07/11/14 | | 16.72 | 719.43 |
| | 08/08/14 | | 17.01 | 719.14 |
| | 09/05/14 | | 17.18 | 718.97 |
| | 10/08/14 | | 17.51 | 718.64 |
| | 11/13/14 | | 17.42 | 718.73 |
| | 12/24/14 | | 17.48 | 718.67 |
| | 01/09/15 | | 17.39 | 718.76 |
| | 02/06/15 | | 17.51 | 718.64 |
| | 03/06/15 | | 17.13 | 719.02 |
| | 04/03/15 | | 17.48 | 718.67 |
| | 05/08/15 | | 16.30 | 719.85 |
| | 06/12/15 | | 16.98 | 719.17 |
| | 07/10/15 | | 15.86 | 720.29 |
| | 08/07/15 | | 15.84 | 720.31 |
| | 09/03/15 | | 16.65 | 719.50 |
| | 10/02/15 | | 17.15 | 719.00 |
| | 11/13/15 | | 17.58 | 718.57 |
| | 12/14/15 | | 17.69 | 718.46 |
| | 01/21/16 | | 16.66 | 719.49 |
| | 02/04/16 | | 16.72 | 719.43 |
| | 03/04/16 | | 16.40 | 719.75 |
| | 04/01/16 | | 16.43 | 719.72 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-20 | 01/14/11 | 734.03 | 11.02 | 723.01 |
| | 02/11/11 | | 11.06 | 722.97 |
| | 03/11/11 | | 8.22 | 725.81 |
| | 04/14/11 | | 8.34 | 725.69 |
| | 05/06/11 | | 7.24 | 726.79 |
| | 06/02/11 | | 8.56 | 725.47 |
| | 07/15/11 | | 9.25 | 724.78 |
| | 08/11/11 | | 15.68 | 718.35 |
| | 09/07/11 | | 10.94 | 723.09 |
| | 10/05/11 | | 10.67 | 723.36 |
| | 11/04/11 | | 10.51 | 723.52 |
| | 12/01/11 | | 9.32 | 724.71 |
| | 01/13/12 | | 9.39 | 724.64 |
| | 02/10/12 | | 9.19 | 724.84 |
| | 03/09/12 | | 9.63 | 724.40 |
| | 04/06/12 | | 9.04 | 724.99 |
| | 05/02/12 | | 8.41 | 725.62 |
| | 06/01/12 | | 9.84 | 724.19 |
| | 07/13/12 | | 11.14 | 722.89 |
| | 08/10/12 | | 11.33 | 722.70 |
| | 09/06/12 | | 11.38 | 722.65 |
| | 10/05/12 | | 11.10 | 722.93 |
| | 12/17/12 | | 11.44 | 722.59 |
| | 01/11/13 | | 10.99 | 723.04 |
| | 02/25/13 | | 9.49 | 724.54 |
| | 03/22/13 | | 9.13 | 724.90 |
| | 04/05/13 | | 9.39 | 724.64 |
| | 05/03/13 | | 8.92 | 725.11 |
| | 06/13/13 | | 9.30 | 724.73 |
| | 07/12/13 | | 9.76 | 724.27 |
| | 08/09/13 | | 10.21 | 723.82 |
| | 09/06/13 | | 11.26 | 722.77 |
| | 10/01/13 | | 11.43 | 722.60 |
| | 11/01/13 | | 11.31 | 722.72 |
| | 12/13/13 | | 11.71 | 722.32 |
| | 01/13/14 | | 8.91 | 725.12 |
| | 02/07/14 | | 11.88 | 722.15 |
| | 03/21/14 | | 9.52 | 724.51 |
| | 04/04/14 | | 7.44 | 726.59 |
| | 05/02/14 | | 9.06 | 724.97 |
| | 06/14/14 | | 8.67 | 725.36 |
| | 07/11/14 | | 9.37 | 724.66 |
| | 08/08/14 | | 10.40 | 723.63 |
| | 09/05/14 | | 10.08 | 723.95 |
| | 10/08/14 | | 10.87 | 723.16 |
| | 11/13/14 | | 11.23 | 722.80 |
| | 12/24/14 | | 10.80 | 723.23 |
| | 01/09/15 | | 10.46 | 723.57 |
| | 02/06/15 | | 10.76 | 723.27 |
| | 03/06/15 | | 10.83 | 723.20 |
| | 04/03/15 | | 10.72 | 723.31 |
| | 05/08/15 | | 10.68 | 723.35 |
| | 06/12/15 | | 9.75 | 724.28 |
| | 07/10/15 | | 8.32 | 725.71 |
| | 08/07/15 | | 8.35 | 725.68 |
| | 09/03/15 | | 9.63 | 724.40 |
| | 10/02/15 | | 10.54 | 723.49 |
| | 11/13/15 | | 11.05 | 722.98 |
| | 12/14/15 | | 11.18 | 722.85 |
| | 01/21/16 | | 9.50 | 724.53 |
| | 02/04/16 | | 9.40 | 724.63 |
| | 03/04/16 | | 9.07 | 724.96 |
| | 04/01/16 | | 9.03 | 725.00 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-21 | 01/14/11 | 737.91 | 17.71 | 720.20 |
| | 02/11/11 | | 17.96 | 719.95 |
| | 03/11/11 | | 15.62 | 722.29 |
| | 04/14/11 | | 15.82 | 722.09 |
| | 05/06/11 | | 14.32 | 723.59 |
| | 06/02/11 | | 15.61 | 722.30 |
| | 07/15/11 | | 16.21 | 721.70 |
| | 08/11/11 | | 16.97 | 720.94 |
| | 09/07/11 | | 17.59 | 720.32 |
| | 10/05/11 | | 17.47 | 720.44 |
| | 11/04/11 | | 17.64 | 720.27 |
| | 12/01/11 | | 17.18 | 720.73 |
| | 01/13/12 | | 16.57 | 721.34 |
| | 02/10/12 | | 16.24 | 721.67 |
| | 03/09/12 | | 16.89 | 721.02 |
| | 04/06/12 | | 16.33 | 721.58 |
| | 05/02/12 | | 16.43 | 721.48 |
| | 06/01/12 | | 16.79 | 721.12 |
| | 07/13/12 | | 17.78 | 720.13 |
| | 08/10/12 | | 18.29 | 719.62 |
| | 09/06/12 | | 18.10 | 719.81 |
| | 10/05/12 | | 18.04 | 719.87 |
| | 12/17/12 | | 18.14 | 719.77 |
| | 01/11/13 | | 18.04 | 719.87 |
| | 02/25/13 | | 16.63 | 721.28 |
| | 03/22/13 | | 16.49 | 721.42 |
| | 04/05/13 | | 16.65 | 721.26 |
| | 05/03/13 | | 16.22 | 721.69 |
| | 06/13/13 | | 16.24 | 721.67 |
| | 07/12/13 | | 16.88 | 721.03 |
| | 08/09/13 | | 17.35 | 720.56 |
| | 09/06/13 | | 17.88 | 720.03 |
| | 10/01/13 | | 18.23 | 719.68 |
| | 11/01/13 | | 18.19 | 719.72 |
| | 12/13/13 | | 18.42 | 719.49 |
| | 01/13/14 | | 16.59 | 721.32 |
| | 02/07/14 | | 16.07 | 721.84 |
| | 03/21/14 | | 16.76 | 721.15 |
| | 04/04/14 | | 16.49 | 721.42 |
| | 05/02/14 | | 16.17 | 721.74 |
| | 06/14/14 | | 15.88 | 722.03 |
| | 07/11/14 | | 16.48 | 721.43 |
| | 08/08/14 | | 16.94 | 720.97 |
| | 09/05/14 | | 17.11 | 720.80 |
| | 10/08/14 | | 17.58 | 720.33 |
| | 11/13/14 | | 17.80 | 720.11 |
| | 12/24/14 | | 17.52 | 720.39 |
| | 01/09/15 | | 17.34 | 720.57 |
| | 02/06/15 | | 17.52 | 720.39 |
| | 03/06/15 | | 17.68 | 720.23 |
| | 04/03/15 | | 17.47 | 720.44 |
| | 05/08/15 | | 15.85 | 722.06 |
| | 06/12/15 | | 16.88 | 721.03 |
| | 07/10/15 | | 15.50 | 722.41 |
| | 08/07/15 | | 15.57 | 722.34 |
| | 09/03/15 | | 16.55 | 721.36 |
| | 10/02/15 | | 17.28 | 720.63 |
| | 11/13/15 | | 17.75 | 720.16 |
| | 12/14/15 | | 17.91 | 720.00 |
| | 01/21/16 | | 16.55 | 721.36 |
| | 02/04/16 | | 16.70 | 721.21 |
| | 03/04/16 | | 16.30 | 721.61 |
| | 04/01/16 | | 16.28 | 721.63 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-22 | 01/14/11 | 737.64 | 18.07 | 719.57 |
| | 02/11/11 | | 18.36 | 719.28 |
| | 03/11/11 | | 16.43 | 721.21 |
| | 04/14/11 | | 16.63 | 721.01 |
| | 05/06/11 | | 15.57 | 722.07 |
| | 06/02/11 | | 16.53 | 721.11 |
| | 07/15/11 | | 16.93 | 720.71 |
| | 08/11/11 | | 17.54 | 720.10 |
| | 09/07/11 | | 18.11 | 719.53 |
| | 10/05/11 | | 18.06 | 719.58 |
| | 11/04/11 | | 18.11 | 719.53 |
| | 12/01/11 | | 17.70 | 719.94 |
| | 01/13/12 | | 17.24 | 720.40 |
| | 02/10/12 | | 17.05 | 720.59 |
| | 03/09/12 | | 17.55 | 720.09 |
| | 04/06/12 | | 17.06 | 720.58 |
| | 05/02/12 | | 17.19 | 720.45 |
| | 06/01/12 | | 17.43 | 720.21 |
| | 07/13/12 | | 18.29 | 719.35 |
| | 08/10/12 | | 18.76 | 718.88 |
| | 09/06/12 | | 18.62 | 719.02 |
| | 10/05/12 | | 18.52 | 719.12 |
| | 12/17/12 | | 18.63 | 719.01 |
| | 01/11/13 | | 18.54 | 719.10 |
| | 02/25/13 | | 17.21 | 720.43 |
| | 03/22/13 | | 17.16 | 720.48 |
| | 04/05/13 | | 17.29 | 720.35 |
| | 05/03/13 | | 16.92 | 720.72 |
| | 06/13/13 | | 16.74 | 720.90 |
| | 07/12/13 | | 17.47 | 720.17 |
| | 08/09/13 | | 17.89 | 719.75 |
| | 09/06/13 | | 18.39 | 719.25 |
| | 10/01/13 | | 18.71 | 718.93 |
| | 11/01/13 | | 18.63 | 719.01 |
| | 12/13/13 | | 18.90 | 718.74 |
| | 01/13/14 | | 17.09 | 720.55 |
| | 02/07/14 | | 17.26 | 720.38 |
| | 03/21/14 | | 17.37 | 720.27 |
| | 04/04/14 | | 17.06 | 720.58 |
| | 05/02/14 | | 16.91 | 720.73 |
| | 06/14/14 | | 16.52 | 721.12 |
| | 07/11/14 | | 17.11 | 720.53 |
| | 08/08/14 | | 17.50 | 720.14 |
| | 09/05/14 | | 17.65 | 719.99 |
| | 10/08/14 | | 18.05 | 719.59 |
| | 11/13/14 | | 18.15 | 719.49 |
| | 12/24/14 | | 18.01 | 719.63 |
| | 01/09/15 | | 17.95 | 719.69 |
| | 02/06/15 | | 18.05 | 719.59 |
| | 03/06/15 | | 18.15 | 719.49 |
| | 04/03/15 | | 17.95 | 719.69 |
| | 05/08/15 | | 16.63 | 721.01 |
| | 06/12/15 | | 17.46 | 720.18 |
| | 07/10/15 | | 16.31 | 721.33 |
| | 08/07/15 | | 16.45 | 721.19 |
| | 09/03/15 | | 17.17 | 720.47 |
| | 10/02/15 | | 17.76 | 719.88 |
| | 11/13/15 | | 18.23 | 719.41 |
| | 12/14/15 | | 18.38 | 719.26 |
| | 01/21/16 | | 17.22 | 720.42 |
| | 02/04/16 | | 17.32 | 720.32 |
| | 03/04/16 | | 16.98 | 720.66 |
| | 04/01/16 | | 16.99 | 720.65 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-24 | 01/14/11 | 736.02 | 16.31 | 719.71 |
| | 02/11/11 | | 16.51 | 719.51 |
| | 03/11/11 | | 14.47 | 721.55 |
| | 04/14/11 | | 14.70 | 721.32 |
| | 05/06/11 | | 13.13 | 722.89 |
| | 06/02/11 | | 14.42 | 721.60 |
| | 07/15/11 | | 14.93 | 721.09 |
| | 08/11/11 | | 15.58 | 720.44 |
| | 09/07/11 | | 16.08 | 719.94 |
| | 10/05/11 | | 16.11 | 719.91 |
| | 11/04/11 | | 16.16 | 719.86 |
| | 12/01/11 | | 15.83 | 720.19 |
| | 01/13/12 | | 15.27 | 720.75 |
| | 02/10/12 | | 15.03 | 720.99 |
| | 03/09/12 | | 15.63 | 720.39 |
| | 04/06/12 | | 15.11 | 720.91 |
| | 05/02/12 | | 15.25 | 720.77 |
| | 06/01/12 | | 15.47 | 720.55 |
| | 07/13/12 | | 16.20 | 719.82 |
| | 08/10/12 | | 17.65 | 718.37 |
| | 09/06/12 | | 16.64 | 719.38 |
| | 10/05/12 | | 16.52 | 719.50 |
| | 12/17/12 | | 16.67 | 719.35 |
| | 01/11/13 | | 16.63 | 719.39 |
| | 02/25/13 | | 15.35 | 720.67 |
| | 03/22/13 | | 15.25 | 720.77 |
| | 04/05/13 | | 15.36 | 720.66 |
| | 05/03/13 | | 15.03 | 720.99 |
| | 06/13/13 | | 15.04 | 720.98 |
| | 07/12/13 | | 15.56 | 720.46 |
| | 08/09/13 | | 15.93 | 720.09 |
| | 09/06/13 | | 16.32 | 719.70 |
| | 10/01/13 | | 16.59 | 719.43 |
| | 11/01/13 | | 16.60 | 719.42 |
| | 12/13/13 | | 16.81 | 719.21 |
| | 01/13/14 | | 15.30 | 720.72 |
| | 02/07/14 | | 15.46 | 720.56 |
| | 03/21/14 | | 15.46 | 720.56 |
| | 04/04/14 | | 15.23 | 720.79 |
| | 05/02/14 | | 14.95 | 721.07 |
| | 06/14/14 | | 14.68 | 721.34 |
| | 07/11/14 | | 15.16 | 720.86 |
| | 08/08/14 | | 15.55 | 720.47 |
| | 09/05/14 | | 15.71 | 720.31 |
| | 10/08/14 | | 16.05 | 719.97 |
| | 11/13/14 | | 16.25 | 719.77 |
| | 12/24/14 | | 16.12 | 719.90 |
| | 01/09/15 | | 16.08 | 719.94 |
| | 02/06/15 | | 16.13 | 719.89 |
| | 03/06/15 | | 16.20 | 719.82 |
| | 04/03/15 | | 16.08 | 719.94 |
| | 05/08/15 | | 16.58 | 719.44 |
| | 06/12/15 | | 15.56 | 720.46 |
| | 07/10/15 | | 14.29 | 721.73 |
| | 08/07/15 | | 14.31 | 721.71 |
| | 09/03/15 | | 15.21 | 720.81 |
| | 10/02/15 | | 15.80 | 720.22 |
| | 11/13/15 | | 16.24 | 719.78 |
| | 12/14/15 | | 16.40 | 719.62 |
| | 01/21/16 | | 15.34 | 720.68 |
| | 02/04/16 | | 15.43 | 720.59 |
| | 03/04/16 | | 15.04 | 720.98 |
| | 04/01/16 | | 15.03 | 720.99 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-26 | 01/14/11 | 736.39 | 14.11 | 722.28 |
| | 02/11/11 | | 14.24 | 722.15 |
| | 03/11/11 | | 11.34 | 725.05 |
| | 04/14/11 | | 11.33 | 725.06 |
| | 05/06/11 | | 9.52 | 726.87 |
| | 06/02/11 | | 11.25 | 725.14 |
| | 07/15/11 | | 12.16 | 724.23 |
| | 08/11/11 | | 13.02 | 723.37 |
| | 09/07/11 | | 13.80 | 722.59 |
| | 10/05/11 | | 13.70 | 722.69 |
| | 11/04/11 | | 13.71 | 722.68 |
| | 12/01/11 | | 12.73 | 723.66 |
| | 01/13/12 | | 12.48 | 723.91 |
| | 02/10/12 | | 12.15 | 724.24 |
| | 03/09/12 | | 12.81 | 723.58 |
| | 04/06/12 | | 12.09 | 724.30 |
| | 05/02/12 | | 11.98 | 724.41 |
| | 06/01/12 | | 12.81 | 723.58 |
| | 07/13/12 | | 13.97 | 722.42 |
| | 08/10/12 | | 14.32 | 722.07 |
| | 09/06/12 | | 14.47 | 721.92 |
| | 10/05/12 | | 14.27 | 722.12 |
| | 12/17/12 | | 14.55 | 721.84 |
| | 01/11/13 | | 14.42 | 721.97 |
| | 02/25/13 | | 12.70 | 723.69 |
| | 03/22/13 | | 12.33 | 724.06 |
| | 04/05/13 | | 12.55 | 723.84 |
| | 05/03/13 | | 12.08 | 724.31 |
| | 06/13/13 | | 12.43 | 723.96 |
| | 07/12/13 | | 12.90 | 723.49 |
| | 08/09/13 | | 13.40 | 722.99 |
| | 09/06/13 | | 14.10 | 722.29 |
| | 10/01/13 | | 14.46 | 721.93 |
| | 11/01/13 | | 14.36 | 722.03 |
| | 12/13/13 | | 14.74 | 721.65 |
| | 01/13/14 | | 12.38 | 724.01 |
| | 02/07/14 | | 12.80 | 723.59 |
| | 03/21/14 | | 12.73 | 723.66 |
| | 04/04/14 | | 11.60 | 724.79 |
| | 05/02/14 | | 12.13 | 724.26 |
| | 06/14/14 | | 11.70 | 724.69 |
| | 07/11/14 | | 12.42 | 723.97 |
| | 08/08/14 | | 13.01 | 723.38 |
| | 09/05/14 | | 13.22 | 723.17 |
| | 10/08/14 | | 13.86 | 722.53 |
| | 11/13/14 | | 14.18 | 722.21 |
| | 12/24/14 | | 13.89 | 722.50 |
| | 01/09/15 | | 13.57 | 722.82 |
| | 02/06/15 | | 13.83 | 722.56 |
| | 03/06/15 | | 13.98 | 722.41 |
| | 04/03/15 | | 13.80 | 722.59 |
| | 05/08/15 | | 13.70 | 722.69 |
| | 06/12/15 | | 12.89 | 723.50 |
| | 07/10/15 | | 11.26 | 725.13 |
| | 08/07/15 | | 11.17 | 725.22 |
| | 09/03/15 | | 12.56 | 723.83 |
| | 10/02/15 | | 13.47 | 722.92 |
| | 11/13/15 | | 14.03 | 722.36 |
| | 12/14/15 | | 14.15 | 722.24 |
| | 01/21/16 | | 12.58 | 723.81 |
| | 02/04/16 | | 12.49 | 723.90 |
| | 03/04/16 | | 12.16 | 724.23 |
| | 04/01/16 | | 12.06 | 724.33 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-27 | 01/14/11 | 736.63 | 16.43 | 720.20 |
| | 02/11/11 | | 16.65 | 719.98 |
| | 03/11/11 | | 14.16 | 722.47 |
| | 04/14/11 | | 14.38 | 722.25 |
| | 05/06/11 | | 13.09 | 723.54 |
| | 06/02/11 | | 14.28 | 722.35 |
| | 07/15/11 | | 14.92 | 721.71 |
| | 08/11/11 | | 10.00 | 726.63 |
| | 09/07/11 | | 16.35 | 720.28 |
| | 10/05/11 | | 16.18 | 720.45 |
| | 11/04/11 | | 16.26 | 720.37 |
| | 12/01/11 | | 15.68 | 720.95 |
| | 01/13/12 | | 15.21 | 721.42 |
| | 02/10/12 | | 14.93 | 721.70 |
| | 03/09/12 | | 15.62 | 721.01 |
| | 04/06/12 | | 14.95 | 721.68 |
| | 05/02/12 | | 15.20 | 721.43 |
| | 06/01/12 | | 15.48 | 721.15 |
| | 07/13/12 | | 16.54 | 720.09 |
| | 08/10/12 | | 17.03 | 719.60 |
| | 09/06/12 | | 16.72 | 719.91 |
| | 10/05/12 | | 16.68 | 719.95 |
| | 12/17/12 | | 16.92 | 719.71 |
| | 01/11/13 | | 16.83 | 719.80 |
| | 02/25/13 | | 15.28 | 721.35 |
| | 03/22/13 | | 15.12 | 721.51 |
| | 04/05/13 | | 15.30 | 721.33 |
| | 05/03/13 | | 14.85 | 721.78 |
| | 06/13/13 | | 14.87 | 721.76 |
| | 07/12/13 | | 15.55 | 721.08 |
| | 08/09/13 | | 16.05 | 720.58 |
| | 09/06/13 | | 16.67 | 719.96 |
| | 10/01/13 | | 16.96 | 719.67 |
| | 11/01/13 | | 16.91 | 719.72 |
| | 12/13/13 | | 17.18 | 719.45 |
| | 01/13/14 | | 15.14 | 721.49 |
| | 02/07/14 | | 15.41 | 721.22 |
| | 03/21/14 | | 15.41 | 721.22 |
| | 04/04/14 | | 15.20 | 721.43 |
| | 05/02/14 | | 14.93 | 721.70 |
| | 06/14/14 | | 14.53 | 722.10 |
| | 07/11/14 | | 15.19 | 721.44 |
| | 08/08/14 | | 15.66 | 720.97 |
| | 09/05/14 | | 15.84 | 720.79 |
| | 10/08/14 | | 16.38 | 720.25 |
| | 11/13/14 | | 16.57 | 720.06 |
| | 12/24/14 | | 16.34 | 720.29 |
| | 01/09/15 | | 16.32 | 720.31 |
| | 02/06/15 | | 16.35 | 720.28 |
| | 03/06/15 | | 16.48 | 720.15 |
| | 04/03/15 | | 16.29 | 720.34 |
| | 05/08/15 | | 16.20 | 720.43 |
| | 06/12/15 | | 15.57 | 721.06 |
| | 07/10/15 | | 14.13 | 722.50 |
| | 08/07/15 | | 14.30 | 722.33 |
| | 09/03/15 | | 15.24 | 721.39 |
| | 10/02/15 | | 16.01 | 720.62 |
| | 11/13/15 | | 16.45 | 720.18 |
| | 12/14/15 | | 16.61 | 720.02 |
| | 01/21/16 | | 15.22 | 721.41 |
| | 02/04/16 | | 15.36 | 721.27 |
| | 03/04/16 | | 14.92 | 721.71 |
| | 04/01/16 | | 14.92 | 721.71 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-28 | 01/14/11 | 738.04 | 18.03 | 720.01 |
| | 02/11/11 | | 18.29 | 719.75 |
| | 03/11/11 | | 15.95 | 722.09 |
| | 04/14/11 | | 16.18 | 721.86 |
| | 05/06/11 | | 14.91 | 723.13 |
| | 06/02/11 | | 16.03 | 722.01 |
| | 07/15/11 | | 16.59 | 721.45 |
| | 08/11/11 | | 17.32 | 720.72 |
| | 09/07/11 | | 17.97 | 720.07 |
| | 10/05/11 | | 17.93 | 720.11 |
| | 11/04/11 | | 17.92 | 720.12 |
| | 12/01/11 | | 17.42 | 720.62 |
| | 01/13/12 | | 16.92 | 721.12 |
| | 02/10/12 | | 16.65 | 721.39 |
| | 03/09/12 | | 17.29 | 720.75 |
| | 04/06/12 | | 16.66 | 721.38 |
| | 05/02/12 | | 16.90 | 721.14 |
| | 06/01/12 | | 17.16 | 720.88 |
| | 07/13/12 | | 18.17 | 719.87 |
| | 08/10/12 | | 18.68 | 719.36 |
| | 09/06/12 | | 18.35 | 719.69 |
| | 10/05/12 | | 18.35 | 719.69 |
| | 12/17/12 | | 18.52 | 719.52 |
| | 01/11/13 | | 18.45 | 719.59 |
| | 02/25/13 | | 16.97 | 721.07 |
| | 03/22/13 | | 16.85 | 721.19 |
| | 04/05/13 | | 16.99 | 721.05 |
| | 05/03/13 | | 16.57 | 721.47 |
| | 06/13/13 | | 16.52 | 721.52 |
| | 07/12/13 | | 17.22 | 720.82 |
| | 08/09/13 | | 17.70 | 720.34 |
| | 09/06/13 | | 18.26 | 719.78 |
| | 10/01/13 | | 18.57 | 719.47 |
| | 11/01/13 | | 18.52 | 719.52 |
| | 12/13/13 | | 18.79 | 719.25 |
| | 01/13/14 | | 16.86 | 721.18 |
| | 02/07/14 | | 18.70 | 719.34 |
| | 03/21/14 | | 17.09 | 720.95 |
| | 04/04/14 | | 16.86 | 721.18 |
| | 05/02/14 | | 16.62 | 721.42 |
| | 06/14/14 | | 16.22 | 721.82 |
| | 07/11/14 | | 16.87 | 721.17 |
| | 08/08/14 | | 17.32 | 720.72 |
| | 09/05/14 | | 17.48 | 720.56 |
| | 10/08/14 | | 17.97 | 720.07 |
| | 11/13/14 | | 18.14 | 719.90 |
| | 12/24/14 | | 17.93 | 720.11 |
| | 01/09/15 | | NG | NG |
| | 02/06/15 | | 17.96 | 720.08 |
| | 03/06/15 | | 18.07 | 719.97 |
| | 04/03/15 | | 17.93 | 720.11 |
| | 05/08/15 | | 16.40 | 721.64 |
| | 06/12/15 | | 17.23 | 720.81 |
| | 07/10/15 | | 15.88 | 722.16 |
| | 08/07/15 | | 16.02 | 722.02 |
| | 09/03/15 | | 16.91 | 721.13 |
| | 10/02/15 | | 17.63 | 720.41 |
| | 11/13/15 | | 18.08 | 719.96 |
| | 12/14/15 | | 18.23 | 719.81 |
| | 01/21/16 | | 16.91 | 721.13 |
| | 02/04/16 | | 17.05 | 720.99 |
| | 03/04/16 | | 16.64 | 721.40 |
| | 04/01/16 | | 16.64 | 721.40 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-29 | 01/14/11 | 737.61 | 17.86 | 719.75 |
| | 02/11/11 | | 18.10 | 719.51 |
| | 03/11/11 | | 15.74 | 721.87 |
| | 04/14/11 | | 16.01 | 721.60 |
| | 05/06/11 | | 14.83 | 722.78 |
| | 06/02/11 | | 15.88 | 721.73 |
| | 07/15/11 | | 15.98 | 721.63 |
| | 08/11/11 | | 17.19 | 720.42 |
| | 09/07/11 | | 17.83 | 719.78 |
| | 10/05/11 | | 17.68 | 719.93 |
| | 11/04/11 | | 17.73 | 719.88 |
| | 12/01/11 | | 17.19 | 720.42 |
| | 01/13/12 | | 16.73 | 720.88 |
| | 02/10/12 | | 16.48 | 721.13 |
| | 03/09/12 | | 17.13 | 720.48 |
| | 04/06/12 | | 16.48 | 721.13 |
| | 05/02/12 | | 16.69 | 720.92 |
| | 06/01/12 | | 17.00 | 720.61 |
| | 07/13/12 | | 18.03 | 719.58 |
| | 08/10/12 | | 18.55 | 719.06 |
| | 09/06/12 | | 18.40 | 719.21 |
| | 10/05/12 | | 18.15 | 719.46 |
| | 12/17/12 | | 18.35 | 719.26 |
| | 01/11/13 | | 18.30 | 719.31 |
| | 02/25/13 | | 16.77 | 720.84 |
| | 03/22/13 | | 16.68 | 720.93 |
| | 04/05/13 | | 16.80 | 720.81 |
| | 05/03/13 | | 16.38 | 721.23 |
| | 06/13/13 | | 16.38 | 721.23 |
| | 07/12/13 | | 17.07 | 720.54 |
| | 08/09/13 | | 17.55 | 720.06 |
| | 09/06/13 | | 18.13 | 719.48 |
| | 10/01/13 | | 18.43 | 719.18 |
| | 11/01/13 | | 18.36 | 719.25 |
| | 12/13/13 | | 18.61 | 719.00 |
| | 01/13/14 | | 16.67 | 720.94 |
| | 02/07/14 | | 16.92 | 720.69 |
| | 03/21/14 | | 16.94 | 720.67 |
| | 04/04/14 | | 16.74 | 720.87 |
| | 05/02/14 | | 16.48 | 721.13 |
| | 06/14/14 | | 16.10 | 721.51 |
| | 07/11/14 | | 16.74 | 720.87 |
| | 08/08/14 | | 17.17 | 720.44 |
| | 09/05/14 | | 17.36 | 720.25 |
| | 10/08/14 | | 17.85 | 719.76 |
| | 11/13/14 | | 18.00 | 719.61 |
| | 12/24/14 | | 17.80 | 719.81 |
| | 01/09/15 | | 17.62 | 719.99 |
| | 02/06/15 | | 17.83 | 719.78 |
| | 03/06/15 | | 17.93 | 719.68 |
| | 04/03/15 | | 17.77 | 719.84 |
| | 05/08/15 | | 16.38 | 721.23 |
| | 06/12/15 | | 17.11 | 720.50 |
| | 07/10/15 | | 15.73 | 721.88 |
| | 08/07/15 | | 15.92 | 721.69 |
| | 09/03/15 | | 16.79 | 720.82 |
| | 10/02/15 | | 17.52 | 720.09 |
| | 11/13/15 | | 17.93 | 719.68 |
| | 12/14/15 | | 18.06 | 719.55 |
| | 01/21/16 | | 16.73 | 720.88 |
| | 02/04/16 | | 16.90 | 720.71 |
| | 03/04/16 | | 16.46 | 721.15 |
| | 04/01/16 | | 16.48 | 721.13 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| MW-30 | 01/14/11 | 734.84 | 16.00 | 718.84 |
| | 02/11/11 | | 16.07 | 718.77 |
| | 03/11/11 | | 15.02 | 719.82 |
| | 04/14/11 | | 15.17 | 719.67 |
| | 05/06/11 | | 14.38 | 720.46 |
| | 06/02/11 | | 14.98 | 719.86 |
| | 07/15/11 | | 15.21 | 719.63 |
| | 08/11/11 | | 15.55 | 719.29 |
| | 09/07/11 | | 15.57 | 719.27 |
| | 10/05/11 | | 15.87 | 718.97 |
| | 11/04/11 | | 15.71 | 719.13 |
| | 12/01/11 | | 15.22 | 719.62 |
| | 01/13/12 | | 15.44 | 719.40 |
| | 02/10/12 | | 15.37 | 719.47 |
| | 03/09/12 | | 15.64 | 719.20 |
| | 04/06/12 | | 15.31 | 719.53 |
| | 05/02/12 | | 15.37 | 719.47 |
| | 06/01/12 | | 15.52 | 719.32 |
| | 07/13/12 | | 15.83 | 719.01 |
| | 08/10/12 | | 16.01 | 718.83 |
| | 09/06/12 | | 15.98 | 718.86 |
| | 10/05/12 | | 15.94 | 718.90 |
| | 12/17/12 | | 15.99 | 718.85 |
| | 01/11/13 | | 15.96 | 718.88 |
| | 02/25/13 | | 15.39 | 719.45 |
| | 03/22/13 | | 15.35 | 719.49 |
| | 04/05/13 | | 15.45 | 719.39 |
| | 05/03/13 | | 15.26 | 719.58 |
| | 06/13/13 | | 14.76 | 720.08 |
| | 07/12/13 | | 15.47 | 719.37 |
| | 08/09/13 | | 15.65 | 719.19 |
| | 09/06/13 | | 15.86 | 718.98 |
| | 10/01/13 | | 15.95 | 718.89 |
| | 11/01/13 | | 15.94 | 718.90 |
| | 12/13/13 | | 16.01 | 718.83 |
| | 01/13/14 | | 15.30 | 719.54 |
| | 02/07/14 | | 15.48 | 719.36 |
| | 03/21/14 | | 15.45 | 719.39 |
| | 04/04/14 | | 15.20 | 719.64 |
| | 05/02/14 | | 15.18 | 719.66 |
| | 06/14/14 | | 14.78 | 720.06 |
| | 07/11/14 | | 15.27 | 719.57 |
| | 08/08/14 | | 15.47 | 719.37 |
| | 09/05/14 | | 15.55 | 719.29 |
| | 10/08/14 | | 15.72 | 719.12 |
| | 11/13/14 | | 15.72 | 719.12 |
| | 12/24/14 | | 15.78 | 719.06 |
| | 01/09/15 | | 15.75 | 719.09 |
| | 02/06/15 | | 15.83 | 719.01 |
| | 03/06/15 | | 15.82 | 719.02 |
| | 04/03/15 | | 15.80 | 719.04 |
| | 05/08/15 | | 16.61 | 718.23 |
| | 06/12/15 | | 15.55 | 719.29 |
| | 07/10/15 | | 14.82 | 720.02 |
| | 08/07/15 | | 14.89 | 719.95 |
| | 09/03/15 | | 15.34 | 719.50 |
| | 10/02/15 | | 15.62 | 719.22 |
| | 11/13/15 | | 15.84 | 719.00 |
| | 12/14/15 | | 15.91 | 718.93 |
| | 01/21/16 | | 15.45 | 719.39 |
| | 02/04/16 | | 15.49 | 719.35 |
| | 03/04/16 | | 14.89 | 719.95 |
| | 04/01/16 | | 14.93 | 719.91 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-1 | 01/14/11 | 730.97 | 12.60 | 718.37 |
| | 02/11/11 | | 13.23 | 717.74 |
| | 03/11/11 | | 12.81 | 718.16 |
| | 04/14/11 | | 12.88 | 718.09 |
| | 05/06/11 | | 12.18 | 718.79 |
| | 06/02/11 | | 12.61 | 718.36 |
| | 07/15/11 | | 12.50 | 718.47 |
| | 08/11/11 | | 13.05 | 717.92 |
| | 09/07/11 | | 12.80 | 718.17 |
| | 10/05/11 | | 12.31 | 718.66 |
| | 11/04/11 | | 11.75 | 719.22 |
| | 12/01/11 | | 11.37 | 719.60 |
| | 01/13/12 | | 12.84 | 718.13 |
| | 02/10/12 | | 12.31 | 718.66 |
| | 03/09/12 | | 12.98 | 717.99 |
| | 04/06/12 | | 12.96 | 718.01 |
| | 05/02/12 | | 12.90 | 718.07 |
| | 06/01/12 | | 12.40 | 718.57 |
| | 07/13/12 | | 12.95 | 718.02 |
| | 08/10/12 | | 12.94 | 718.03 |
| | 09/06/12 | | 12.81 | 718.16 |
| | 10/05/12 | | 12.38 | 718.59 |
| | 12/17/12 | | 12.15 | 718.82 |
| | 01/11/13 | | 12.01 | 718.96 |
| | 02/25/13 | | 12.01 | 718.96 |
| | 03/22/13 | | 12.62 | 718.35 |
| | 04/05/13 | | 12.10 | 718.87 |
| | 05/03/13 | | 12.58 | 718.39 |
| | 06/13/13 | | 10.84 | 720.13 |
| | 07/12/13 | | 12.68 | 718.29 |
| | 08/09/13 | | 12.70 | 718.27 |
| | 09/06/13 | | 12.35 | 718.62 |
| | 10/01/13 | | 12.25 | 718.72 |
| | 11/01/13 | | 12.20 | 718.77 |
| | 12/13/13 | | 12.13 | 718.84 |
| | 01/13/14 | | 12.21 | 718.76 |
| | 02/07/14 | | 12.20 | 718.77 |
| | 03/21/14 | | 12.98 | 717.99 |
| | 04/04/14 | | 12.90 | 718.07 |
| | 05/02/14 | | 12.80 | 718.17 |
| | 06/14/14 | | 12.30 | 718.67 |
| | 07/11/14 | | 12.89 | 718.08 |
| | 08/08/14 | | 13.10 | 717.87 |
| | 09/05/14 | | 13.01 | 717.96 |
| | 10/08/14 | | 12.15 | 718.82 |
| | 11/13/14 | | 12.90 | 718.07 |
| | 12/24/14 | | 12.28 | 718.69 |
| | 01/09/15 | | 12.14 | 718.83 |
| | 02/06/15 | | 12.00 | 718.97 |
| | 03/06/15 | | 12.80 | 718.17 |
| | 04/03/15 | | 12.21 | 718.76 |
| | 05/08/15 | | 12.10 | 718.87 |
| | 06/12/15 | | 12.15 | 718.82 |
| | 07/10/15 | | 12.05 | 718.92 |
| | 08/07/15 | | 12.70 | 718.27 |
| | 09/03/15 | | 12.10 | 718.87 |
| | 10/02/15 | | 12.81 | 718.16 |
| | 11/13/15 | | 12.92 | 718.05 |
| | 12/14/15 | | 12.72 | 718.25 |
| | 01/21/16 | | 12.90 | 718.07 |
| | 02/04/16 | | 12.90 | 718.07 |
| | 03/04/16 | | 12.71 | 718.26 |
| | 04/01/16 | | 12.12 | 718.85 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-2 | 01/14/11 | 732.05 | 13.40 | 718.65 |
| | 02/11/11 | | 16.42 | 715.63 |
| | 03/11/11 | | 16.10 | 715.95 |
| | 04/14/11 | | 16.21 | 715.84 |
| | 05/06/11 | | 12.91 | 719.14 |
| | 06/02/11 | | 15.45 | 716.60 |
| | 07/15/11 | | 13.11 | 718.94 |
| | 08/11/11 | | 12.72 | 719.33 |
| | 09/07/11 | | 12.96 | 719.09 |
| | 10/05/11 | | 12.90 | 719.15 |
| | 11/04/11 | | 13.18 | 718.87 |
| | 12/01/11 | | 15.06 | 716.99 |
| | 01/13/12 | | 12.70 | 719.35 |
| | 02/10/12 | | 12.48 | 719.57 |
| | 03/09/12 | | 14.95 | 717.10 |
| | 04/06/12 | | 13.22 | 718.83 |
| | 05/02/12 | | 15.24 | 716.81 |
| | 06/01/12 | | 15.21 | 716.84 |
| | 07/13/12 | | 13.40 | 718.65 |
| | 08/10/12 | | 15.18 | 716.87 |
| | 09/06/12 | | 15.10 | 716.95 |
| | 10/05/12 | | 13.70 | 718.35 |
| | 12/17/12 | | 15.30 | 716.75 |
| | 01/11/13 | | 15.25 | 716.80 |
| | 02/25/13 | | 15.10 | 716.95 |
| | 03/22/13 | | 15.63 | 716.42 |
| | 04/05/13 | | 15.23 | 716.82 |
| | 05/03/13 | | 15.58 | 716.47 |
| | 06/13/13 | | 11.64 | 720.41 |
| | 07/12/13 | | 15.18 | 716.87 |
| | 08/09/13 | | 15.27 | 716.78 |
| | 09/06/13 | | 15.20 | 716.85 |
| | 10/01/13 | | 15.61 | 716.44 |
| | 11/01/13 | | 14.65 | 717.40 |
| | 12/13/13 | | 14.55 | 717.50 |
| | 01/13/14 | | 14.29 | 717.76 |
| | 02/07/14 | | 14.48 | 717.57 |
| | 03/21/14 | | 15.69 | 716.36 |
| | 04/04/14 | | 15.43 | 716.62 |
| | 05/02/14 | | 15.20 | 716.85 |
| | 06/14/14 | | 15.15 | 716.90 |
| | 07/11/14 | | 15.08 | 716.97 |
| | 08/08/14 | | 14.60 | 717.45 |
| | 09/05/14 | | 14.56 | 717.49 |
| | 10/08/14 | | 15.65 | 716.40 |
| | 11/13/14 | | 14.98 | 717.07 |
| | 12/24/14 | | 15.45 | 716.60 |
| | 01/09/15 | | 15.45 | 716.60 |
| | 02/06/15 | | 15.51 | 716.54 |
| | 03/06/15 | | 14.71 | 717.34 |
| | 04/03/15 | | 15.40 | 716.65 |
| | 05/08/15 | | 15.28 | 716.77 |
| | 06/12/15 | | 15.50 | 716.55 |
| | 07/10/15 | | 15.46 | 716.59 |
| | 08/07/15 | | 11.48 | 720.57 |
| | 09/03/15 | | 14.50 | 717.55 |
| | 10/02/15 | | 14.51 | 717.54 |
| | 11/13/15 | | 14.42 | 717.63 |
| | 12/14/15 | | 14.35 | 717.70 |
| | 01/21/16 | | 14.45 | 717.60 |
| | 02/04/16 | | 14.00 | 718.05 |
| | 03/04/16 | | 14.38 | 717.67 |
| | 04/01/16 | | 14.30 | 717.75 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-3 | 01/14/11 | 733.19 | 17.50 | 715.69 |
| | 02/11/11 | | 16.24 | 716.95 |
| | 03/11/11 | | 16.23 | 716.96 |
| | 04/14/11 | | 14.88 | 718.31 |
| | 05/06/11 | | 14.03 | 719.16 |
| | 06/02/11 | | 15.00 | 718.19 |
| | 07/15/11 | | 14.14 | 719.05 |
| | 08/11/11 | | 15.94 | 717.25 |
| | 09/07/11 | | 15.51 | 717.68 |
| | 10/05/11 | | 13.99 | 719.20 |
| | 11/04/11 | | 16.72 | 716.47 |
| | 12/01/11 | | 16.03 | 717.16 |
| | 01/13/12 | | 15.63 | 717.56 |
| | 02/10/12 | | 15.42 | 717.77 |
| | 03/09/12 | | 15.93 | 717.26 |
| | 04/06/12 | | 15.58 | 717.61 |
| | 05/02/12 | | 15.75 | 717.44 |
| | 06/01/12 | | 15.71 | 717.48 |
| | 07/13/12 | | 17.98 | 715.21 |
| | 08/10/12 | | 18.25 | 714.94 |
| | 09/06/12 | | 18.01 | 715.18 |
| | 10/05/12 | | 18.18 | 715.01 |
| | 12/17/12 | | 17.10 | 716.09 |
| | 01/11/13 | | 17.00 | 716.19 |
| | 02/25/13 | | 17.28 | 715.91 |
| | 03/22/13 | | 16.33 | 716.86 |
| | 04/05/13 | | 16.43 | 716.76 |
| | 05/03/13 | | 16.01 | 717.18 |
| | 06/13/13 | | 11.53 | 721.66 |
| | 07/12/13 | | 15.98 | 717.21 |
| | 08/09/13 | | 15.80 | 717.39 |
| | 09/06/13 | | 15.61 | 717.58 |
| | 10/01/13 | | 17.88 | 715.31 |
| | 11/01/13 | | 16.60 | 716.59 |
| | 12/13/13 | | 17.97 | 715.22 |
| | 01/13/14 | | 11.91 | 721.28 |
| | 02/07/14 | | 17.60 | 715.59 |
| | 03/21/14 | | 16.01 | 717.18 |
| | 04/04/14 | | 15.22 | 717.97 |
| | 05/02/14 | | 15.13 | 718.06 |
| | 06/14/14 | | 15.32 | 717.87 |
| | 07/11/14 | | 15.68 | 717.51 |
| | 08/08/14 | | 15.45 | 717.74 |
| | 09/05/14 | | 15.42 | 717.77 |
| | 10/08/14 | | 16.85 | 716.34 |
| | 11/13/14 | | NG | NG |
| | 12/24/14 | | 17.89 | 715.30 |
| | 01/09/15 | | 17.25 | 715.94 |
| | 02/06/15 | | 17.31 | 715.88 |
| | 03/06/15 | | 18.69 | 714.50 |
| | 04/03/15 | | 17.25 | 715.94 |
| | 05/08/15 | | 17.10 | 716.09 |
| | 06/12/15 | | 16.18 | 717.01 |
| | 07/10/15 | | 15.61 | 717.58 |
| | 08/07/15 | | 14.44 | 718.75 |
| | 09/03/15 | | 15.53 | 717.66 |
| | 10/02/15 | | 16.13 | 717.06 |
| | 11/13/15 | | 13.63 | 719.56 |
| | 12/14/15 | | 18.65 | 714.54 |
| | 01/21/16 | | 18.51 | 714.68 |
| | 02/04/16 | | 18.78 | 714.41 |
| | 03/04/16 | | 18.30 | 714.89 |
| | 04/01/16 | | 17.95 | 715.24 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-4 | 01/14/11 | 735.48 | 18.20 | 717.28 |
| | 02/11/11 | | 18.65 | 716.83 |
| | 03/11/11 | | 18.29 | 717.19 |
| | 04/14/11 | | 15.89 | 719.59 |
| | 05/06/11 | | 14.31 | 721.17 |
| | 06/02/11 | | 15.69 | 719.79 |
| | 07/15/11 | | 16.23 | 719.25 |
| | 08/11/11 | | 17.25 | 718.23 |
| | 09/07/11 | | 16.91 | 718.57 |
| | 10/05/11 | | 15.31 | 720.17 |
| | 11/04/11 | | 18.06 | 717.42 |
| | 12/01/11 | | 18.26 | 717.22 |
| | 01/13/12 | | 17.56 | 717.92 |
| | 02/10/12 | | 16.98 | 718.50 |
| | 03/09/12 | | 18.00 | 717.48 |
| | 04/06/12 | | 17.15 | 718.33 |
| | 05/02/12 | | 17.62 | 717.86 |
| | 06/01/12 | | 17.26 | 718.22 |
| | 07/13/12 | | 19.53 | 715.95 |
| | 08/10/12 | | 19.14 | 716.34 |
| | 09/06/12 | | 15.78 | 719.70 |
| | 10/05/12 | | 19.31 | 716.17 |
| | 12/17/12 | | 19.91 | 715.57 |
| | 01/11/13 | | 19.31 | 716.17 |
| | 02/25/13 | | 18.77 | 716.71 |
| | 03/22/13 | | 16.98 | 718.50 |
| | 04/05/13 | | 17.42 | 718.06 |
| | 05/03/13 | | 16.60 | 718.88 |
| | 06/13/13 | | 16.42 | 719.06 |
| | 07/12/13 | | 17.50 | 717.98 |
| | 08/09/13 | | 17.59 | 717.89 |
| | 09/06/13 | | 17.44 | 718.04 |
| | 10/01/13 | | 18.19 | 717.29 |
| | 11/01/13 | | 19.47 | 716.01 |
| | 12/13/13 | | 18.70 | 716.78 |
| | 01/13/14 | | 16.87 | 718.61 |
| | 02/07/14 | | 17.25 | 718.23 |
| | 03/21/14 | | 17.23 | 718.25 |
| | 04/04/14 | | 17.10 | 718.38 |
| | 05/02/14 | | 17.43 | 718.05 |
| | 06/14/14 | | 16.90 | 718.58 |
| | 07/11/14 | | 16.05 | 719.43 |
| | 08/08/14 | | 18.34 | 717.14 |
| | 09/05/14 | | 18.30 | 717.18 |
| | 10/08/14 | | 19.61 | 715.87 |
| | 11/13/14 | | 19.73 | 715.75 |
| | 12/24/14 | | 18.31 | 717.17 |
| | 01/09/15 | | 18.95 | 716.53 |
| | 02/06/15 | | 18.76 | 716.72 |
| | 03/06/15 | | 19.89 | 715.59 |
| | 04/03/15 | | 18.84 | 716.64 |
| | 05/08/15 | | 18.51 | 716.97 |
| | 06/12/15 | | 17.91 | 717.57 |
| | 07/10/15 | | 15.89 | 719.59 |
| | 08/07/15 | | 16.11 | 719.37 |
| | 09/03/15 | | 17.32 | 718.16 |
| | 10/02/15 | | 18.51 | 716.97 |
| | 11/13/15 | | 19.68 | 715.80 |
| | 12/14/15 | | 19.71 | 715.77 |
| | 01/21/16 | | 17.74 | 717.74 |
| | 02/04/16 | | 17.88 | 717.60 |
| | 03/04/16 | | 17.10 | 718.38 |
| | 04/01/16 | | 17.23 | 718.25 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**

**Ground Water Level Measurements**

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|---|---|---|---|---|
| RW-5 | 01/14/11 | 731.96 | 15.91 | 716.05 |
| | 02/11/11 | | 16.03 | 715.93 |
| | 03/11/11 | | 16.10 | 715.86 |
| | 04/14/11 | | 14.03 | 717.93 |
| | 05/06/11 | | 13.07 | 718.89 |
| | 06/02/11 | | 14.08 | 717.88 |
| | 07/15/11 | | 13.48 | 718.48 |
| | 08/11/11 | | 14.74 | 717.22 |
| | 09/07/11 | | 15.10 | 716.86 |
| | 10/05/11 | | 13.18 | 718.78 |
| | 11/04/11 | | 15.18 | 716.78 |
| | 12/01/11 | | 14.73 | 717.23 |
| | 01/13/12 | | 14.37 | 717.59 |
| | 02/10/12 | | 14.34 | 717.62 |
| | 03/09/12 | | 14.86 | 717.10 |
| | 04/06/12 | | 14.38 | 717.58 |
| | 05/02/12 | | 14.53 | 717.43 |
| | 06/01/12 | | 14.51 | 717.45 |
| | 07/13/12 | | 15.65 | 716.31 |
| | 08/10/12 | | 15.98 | 715.98 |
| | 09/06/12 | | 15.88 | 716.08 |
| | 10/05/12 | | 15.94 | 716.02 |
| | 12/17/13 | | 15.48 | 716.48 |
| | 01/11/13 | | 15.38 | 716.58 |
| | 02/25/13 | | 13.78 | 718.18 |
| | 03/22/13 | | 14.32 | 717.64 |
| | 04/05/13 | | 14.54 | 717.42 |
| | 05/03/13 | | 14.62 | 717.34 |
| | 06/13/13 | | 13.70 | 718.26 |
| | 07/12/13 | | 14.75 | 717.21 |
| | 08/09/13 | | 14.81 | 717.15 |
| | 09/06/13 | | 15.09 | 716.87 |
| | 10/01/13 | | 16.08 | 715.88 |
| | 11/01/13 | | 15.82 | 716.14 |
| | 12/13/13 | | 16.06 | 715.90 |
| | 01/13/14 | | NG | NG |
| | 02/07/14 | | 15.89 | 716.07 |
| | 03/21/14 | | 14.75 | 717.21 |
| | 04/04/14 | | 14.50 | 717.46 |
| | 05/02/14 | | 14.10 | 717.86 |
| | 06/14/14 | | 14.21 | 717.75 |
| | 07/11/14 | | 14.18 | 717.78 |
| | 08/08/14 | | 14.50 | 717.46 |
| | 09/05/14 | | 14.57 | 717.39 |
| | 10/08/14 | | 14.81 | 717.15 |
| | 11/13/14 | | 14.75 | 717.21 |
| | 12/24/14 | | 14.65 | 717.31 |
| | 01/09/15 | | 14.65 | 717.31 |
| | 02/06/15 | | 14.72 | 717.24 |
| | 03/06/15 | | 13.10 | 718.86 |
| | 04/03/15 | | 14.62 | 717.34 |
| | 05/08/15 | | 14.55 | 717.41 |
| | 06/12/15 | | 14.10 | 717.86 |
| | 07/10/15 | | 14.00 | 717.96 |
| | 08/07/15 | | 12.96 | 719.00 |
| | 09/03/15 | | 13.70 | 718.26 |
| | 10/02/15 | | 14.20 | 717.76 |
| | 11/13/15 | | 14.81 | 717.15 |
| | 12/14/15 | | 15.02 | 716.94 |
| | 01/21/16 | | 14.15 | 717.81 |
| | 02/04/16 | | 13.82 | 718.14 |
| | 03/04/16 | | 14.03 | 717.93 |
| | 04/01/16 | | 14.28 | 717.68 |

NR-Not Recorded
NG-Not Gauged

**ATTACHMENT B**

**Groundwater Recovery**

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/24/1995 | - | - | - | - | - | - |
| 3/3/1995 | 20,984 | 31,644 | 80,228 | - | - | 132,856 |
| 3/29/1995 | 84,695 | 88,774 | 152,228 | - | - | 325,697 |
| 4/14/1995 | 136,654 | 133,675 | 224,228 | - | - | 494,557 |
| 5/3/1995 | 200,683 | 193,729 | 284,420 | - | - | 678,832 |
| 5/14/1995 | 237,115 | 228,577 | 319,268 | - | - | 784,960 |
| 5/18/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/23/1995 | 255,043 | 245,727 | 354,116 | - | - | 854,886 |
| 5/26/1995 | 276,211 | 266,031 | 374,420 | - | - | 916,662 |
| 6/19/1995 | 445,555 | 428,463 | 536,852 | - | - | 1,410,870 |
| ***8/3/1995*** | ***445,555*** | ***428,463*** | ***536,852*** | ***-*** | ***-*** | ***1,410,870*** |
| 8/4/1995 | 448,963 | 431,997 | 543,600 | - | - | 1,424,560 |
| 8/9/1995 | 473,414 | 453,496 | 590,792 | - | - | 1,517,702 |
| 8/11/1995 | 482,414 | 461,556 | 609,202 | - | - | 1,553,172 |
| 8/14/1995 | 496,474 | 474,106 | 637,152 | - | - | 1,607,732 |
| 8/29/1995 | 561,302 | 533,550 | 768,644 | - | - | 1,863,496 |
| 10/6/1995 | 664,814 | 629,975 | 985,749 | - | - | 2,280,538 |
| 11/7/1995 | 665,305 | 763,804 | 1,159,950 | - | - | 2,589,059 |
| 12/8/1995 | 686,316 | 766,356 | 1,253,348 | - | - | 2,706,020 |
| 1/15/1996 | 778,585 | 873,570 | 1,263,941 | - | - | 2,916,096 |
| 4/12/1996 | 778,585 | 1,170,564 | 1,651,617 | - | - | 3,600,766 |
| 5/29/1996 | 873,365 | 1,376,384 | 1,823,668 | - | - | 4,073,417 |
| 6/26/1996 | 915,555 | 1,414,873 | 1,884,622 | - | - | 4,215,050 |
| 7/8/1996 | 972,328 | 1,474,048 | 1,987,350 | - | - | 4,433,726 |
| 7/18/1996 | 1,006,046 | 1,516,919 | 2,060,742 | - | - | 4,583,707 |
| 8/1/1996 | 1,049,996 | 1,577,801 | 2,164,916 | - | - | 4,792,713 |
| 8/16/1996 | 1,091,112 | 1,638,683 | 2,246,037 | - | - | 4,975,832 |
| 8/27/1996 | 1,118,169 | 1,684,621 | 2,314,606 | - | - | 5,117,396 |
| 9/12/1996 | 1,146,432 | 1,754,050 | 2,360,521 | - | - | 5,261,003 |
| 9/24/1996 | 1,159,035 | 1,796,140 | 2,409,496 | - | - | 5,364,671 |
| 10/1/1996 | 1,174,178 | 1,825,149 | 2,408,298 | - | - | 5,407,625 |
| 10/17/1996 | 1,253,727 | 1,855,632 | 2,411,539 | - | - | 5,520,898 |
| 11/2/1996 | 1,315,165 | 1,906,634 | 2,420,559 | - | - | 5,642,358 |
| 11/15/1996 | 1,365,973 | 1,908,623 | 2,502,342 | - | - | 5,776,938 |
| 11/25/1996 | 1,396,032 | 1,911,188 | 2,552,717 | - | - | 5,859,937 |
| 12/11/1996 | 1,430,595 | 1,935,775 | 2,611,374 | - | - | 5,977,744 |
| 12/27/1996 | 1,452,912 | 1,937,132 | 2,649,962 | - | - | 6,040,006 |
| 1/3/1997 | 1,456,304 | 1,939,518 | 2,655,775 | - | - | 6,051,597 |
| ***1/14/1997*** | 1,470,242 | ***1,949,120*** | 2,684,864 | - | - | 6,104,226 |
| 1/24/1997 | 1,470,505 | 1,949,124 | 2,702,272 | - | - | 6,121,901 |
| 2/7/1997 | 1,518,975 | 1,950,754 | 2,796,872 | - | - | 6,266,601 |
| 2/21/1997 | 1,571,273 | 1,952,209 | 2,835,673 | - | - | 6,359,155 |
| ***3/14/1997*** | 1,646,678 | 1,952,209 | ***2,835,673*** | ***-*** | ***-*** | 6,436,098 |
| ***3/28/1997*** | 1,692,834 | 2,039,011 | ***2,835,673*** | ***-*** | ***-*** | 6,588,745 |
| 4/11/1997 | 1,734,064 | 2,124,196 | 2,835,673 | - | - | 6,715,160 |
| 4/25/1997 | 1,773,261 | 2,182,646 | 2,842,124 | - | - | 6,819,258 |
| ***5/7/1997*** | 1,798,995 | 2,336,981 | ***2,842,124*** | ***-*** | ***-*** | 6,999,327 |
| 5/22/1997 | 1,825,676 | 2,393,705 | 2,905,414 | - | - | 7,146,022 |
| 6/5/1997 | 1,867,121 | 2,472,696 | 2,988,177 | - | - | 7,349,221 |
| 6/20/1997 | 1,912,764 | 2,540,269 | 3,061,814 | - | - | 7,536,074 |
| 7/3/1997 | 1,954,658 | 2,609,124 | 3,135,756 | - | - | 7,720,764 |
| 7/17/1997 | 1,975,303 | 2,680,948 | 3,199,801 | - | - | 7,877,279 |
| 8/4/1997 | 2,025,486 | 2,806,996 | 3,364,397 | - | - | 8,218,106 |
| 8/15/1997 | 2,052,962 | 2,958,721 | 3,461,264 | - | - | 8,494,174 |
| 8/28/1997 | 2,083,623 | 3,093,542 | 3,569,012 | - | - | 8,767,404 |
| 9/12/1997 | 2,083,684 | 3,119,818 | 3,692,072 | - | - | 8,916,801 |
| 9/29/1997 | 2,083,905 | 3,120,840 | 3,839,556 | - | - | 9,065,528 |
| 10/10/1997 | 2,101,637 | 3,231,288 | 3,924,600 | - | - | 9,278,752 |
| 10/31/1997 | 2,101,662 | 3,254,766 | 4,062,129 | - | - | 9,439,784 |
| 11/10/1997 | 2,101,662 | 3,394,895 | 4,102,900 | - | - | 9,620,684 |
| 12/1/1997 | 2,101,662 | 3,626,479 | 4,211,530 | - | - | 9,960,898 |
| 12/28/1997 | 2,102,033 | 3,627,036 | 4,212,021 | - | - | 9,962,317 |
| 1/16/1998 | 2,145,973 | 3,914,074 | 4,365,837 | - | - | 10,447,111 |
| 1/27/1998 | 2,146,228 | 3,915,067 | 4,366,295 | - | - | 10,448,817 |
| 2/4/1998 | 2,146,228 | 4,068,235 | 4,412,344 | - | - | 10,648,034 |
| 2/17/1998 | 2,189,727 | 4,222,732 | 4,539,755 | - | - | 10,973,441 |
| 3/18/1998 | 2,293,340 | 4,743,314 | 4,774,847 | - | - | 11,832,728 |
| 3/25/1998 | 2,309,656 | 4,805,528 | 4,802,993 | - | - | 11,939,404 |
| 4/10/1998 | 2,383,929 | 5,043,344 | 4,927,777 | - | - | 12,376,277 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 4/24/1998 | 2,453,055 | 5,233,074 | 5,019,725 | - | - | 12,727,081 |
| 5/8/1998 | 2,525,463 | 5,474,383 | 5,106,293 | - | - | 13,127,366 |
| 5/22/1998 | 2,593,232 | 5,670,794 | 5,210,326 | - | - | 13,495,579 |
| 6/5/1998 | 2,659,709 | 5,852,839 | 5,315,076 | - | - | 13,848,851 |
| 6/19/1998 | 2,698,743 | 6,047,156 | 5,406,842 | - | - | 14,173,968 |
| 7/2/1998 | 2,700,428 | 6,135,172 | 5,453,010 | - | - | 14,309,837 |
| 7/16/1998 | 2,701,261 | 6,336,772 | 5,654,610 | - | - | 14,713,870 |
| 7/30/1998 | 2,702,469 | 6,378,927 | 5,700,300 | - | - | 14,802,923 |
| 8/6/1998 | 2,702,469 | 6,381,833 | 5,702,810 | - | - | 14,808,339 |
| 8/7/1998 | 2,702,469 | 6,381,833 | 5,709,497 | - | - | 14,815,026 |
| 8/26/1998 | 2,702,469 | 6,381,833 | 5,709,507 | - | - | 14,815,036 |
| 9/10/1998 | 2,763,725 | 6,446,571 | 5,779,418 | - | - | 15,010,941 |
| 9/25/1998 | 2,770,423 | 6,451,177 | 5,784,427 | - | - | 15,027,254 |
| 10/12/1998 | 2,861,852 | 6,516,954 | 5,858,558 | - | - | 15,258,591 |
| 10/23/1998 | 2,917,194 | 6,605,960 | 5,991,054 | - | - | 15,535,435 |
| 11/13/1998 | 2,992,505 | 6,736,611 | 6,138,358 | - | - | 15,888,701 |
| 11/24/1998 | 3,043,555 | 6,829,030 | 6,208,200 | - | - | 16,102,012 |
| 12/11/1998 | 3,116,948 | 6,964,953 | 6,260,783 | - | - | 16,363,911 |
| 12/23/1998 | 3,166,441 | 7,055,518 | 6,295,200 | - | - | 16,538,386 |
| 1/8/1999 | 3,231,706 | 7,182,268 | 6,341,789 | - | - | 16,776,990 |
| 1/22/1999 | 3,291,306 | 7,288,952 | 6,391,971 | - | - | 16,993,456 |
| 1/29/1999 | 3,313,604 | 7,312,970 | 6,402,525 | - | - | 17,050,326 |
| 2/12/1999 | 3,400,844 | 7,406,750 | 6,440,706 | - | - | 17,269,527 |
| 2/25/1999 | 3,458,990 | 7,473,334 | 6,481,956 | - | - | 17,435,507 |
| 3/10/1999 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | - | 17,921,939 |
| 3/19/1999 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | - | 18,260,475 |
| 3/25/1999 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | - | 18,480,324 |
| 4/9/1999 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | - | 19,040,617 |
| 4/16/1999 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | - | 19,287,008 |
| 4/23/1999 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | - | 19,540,774 |
| 5/7/1999 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | - | 20,055,585 |
| 5/21/1999 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | - | 20,575,582 |
| 6/4/1999 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | - | 20,993,989 |
| 6/8/1999 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | - | 21,150,724 |
| 6/18/1999 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | - | 21,507,711 |
| 7/2/1999 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | - | 21,983,209 |
| 7/16/1999 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | - | 22,497,252 |
| 7/21/1999 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | - | 22,679,104 |
| 7/26/1999 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | - | 22,878,627 |
| 7/29/1999 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | - | 22,976,019 |
| 8/10/1999 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | - | 23,444,385 |
| 8/13/1999 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | - | 23,552,798 |
| 8/27/1999 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | - | 24,108,831 |
| 9/10/1999 | 4,261,154 | 9,626,142 | 8,657,880 | 2,072,522 | - | 24,638,925 |
| 9/16/1999 | 4,285,275 | 9,627,062 | 8,658,900 | 2,124,680 | - | 24,717,144 |
| 9/24/1999 | 4,293,556 | 9,702,059 | 8,719,323 | 2,194,307 | - | 24,930,472 |
| 10/7/1999 | 4,318,548 | 9,753,409 | 8,793,405 | 2,245,674 | - | 25,132,263 |
| 10/22/1999 | 4,356,266 | 9,841,081 | 8,918,487 | 2,332,784 | - | 25,469,845 |
| 11/5/1999 | 4,408,638 | 9,930,458 | 9,099,688 | 2,332,899 | - | 25,792,910 |
| 11/19/1999 | 4,436,325 | 9,985,499 | 9,245,735 | 2,332,890 | - | 26,021,676 |
| 12/3/1999 | 4,476,036 | 10,072,837 | 9,436,312 | 2,332,890 | - | 26,339,302 |
| 12/17/1999 | 4,508,206 | 10,153,967 | 9,436,336 | 2,453,220 | - | 26,572,956 |
| 12/30/1999 | 4,539,958 | 10,241,384 | 9,436,373 | 2,563,353 | - | 26,802,295 |
| 1/12/2000 | 4,551,012 | 10,270,175 | 9,436,389 | 2,604,012 | - | 26,882,815 |
| 1/28/2000 | 4,590,383 | 10,380,940 | 9,436,441 | 2,737,925 | - | 27,166,916 |
| 2/11/2000 | 4,613,996 | 10,461,324 | 9,671,352 | 2,855,881 | - | 27,623,780 |
| 2/23/2000 | 4,634,343 | 10,544,925 | 9,873,902 | 2,956,415 | - | 28,030,812 |
| 3/7/2000 | 4,663,674 | 10,647,224 | 10,097,769 | 3,068,273 | - | 28,498,167 |
| 3/24/2000 | 4,703,190 | 10,789,711 | 10,396,093 | 3,214,041 | - | 29,124,262 |
| 4/6/2000 | 4,738,241 | 10,906,380 | 10,624,401 | 3,325,342 | - | 29,615,591 |
| 4/19/2000 | 4,740,926 | 10,915,401 | 10,641,521 | 3,333,699 | - | 29,652,774 |
| 5/5/2000 | 4,760,154 | 10,982,211 | 10,733,262 | 3,380,058 | - | 29,876,912 |
| 5/17/2000 | 4,760,332 | 10,982,832 | 10,734,118 | 3,380,531 | - | 29,879,040 |
| 5/19/2000 | 4,760,616 | 10,983,881 | 10,735,492 | 3,381,229 | - | 29,882,445 |
| 5/24/2000 | 4,779,776 | 11,051,385 | 10,825,470 | 3,426,457 | - | 30,104,315 |
| 6/8/2000 | 4,838,842 | 11,256,732 | 11,097,797 | 3,561,542 | - | 30,776,140 |
| 6/23/2000 | 4,897,916 | 11,463,429 | 11,373,095 | 3,696,102 | - | 31,451,769 |
| 7/6/2000 | 4,944,182 | 11,628,190 | 11,591,731 | 3,801,393 | - | 31,986,723 |
| 7/17/2000 | 4,987,864 | 11,789,458 | 11,805,359 | 3,903,071 | - | 32,506,979 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 8/4/2000 | 5,059,470 | 12,053,854 | 12,152,181 | 4,066,111 | - | 33,352,843 |
| 8/17/2000 | 5,111,594 | 12,248,616 | 12,407,573 | 4,184,942 | - | 33,973,952 |
| 8/24/2000 | 5,112,639 | 12,252,541 | 12,412,699 | 4,187,319 | - | 33,986,425 |
| 8/29/2000 | 5,132,041 | 12,326,280 | 12,508,309 | 4,231,188 | - | 34,219,045 |
| 9/1/2000 | 5,138,902 | 12,339,401 | 12,525,089 | 4,241,582 | - | 34,266,201 |
| 9/15/2000 | 5,238,595 | 12,553,462 | 12,807,110 | 4,414,760 | - | 35,035,154 |
| 9/29/2000 | 5,334,605 | 12,763,182 | 13,084,580 | 4,583,810 | - | 35,787,404 |
| 10/10/2000 | 5,421,586 | 12,929,514 | 13,305,298 | 4,717,746 | - | 36,395,371 |
| 10/26/2000 | 5,558,366 | 13,171,384 | 13,616,111 | 4,912,827 | - | 37,279,915 |
| 11/6/2000 | 5,637,665 | 13,332,392 | 13,825,700 | 5,044,360 | - | 37,861,344 |
| 11/8/2000 | 5,645,101 | 13,348,427 | 13,846,781 | 5,057,531 | - | 37,919,067 |
| 11/20/2000 | 5,733,075 | 13,544,342 | 14,112,350 | 5,219,660 | - | 38,630,654 |
| 12/6/2000 | 5,803,045 | 13,712,109 | 14,337,589 | 5,358,100 | - | 39,232,069 |
| 12/18/2000 | 5,875,128 | 13,887,377 | 14,586,256 | 5,505,183 | - | 39,875,171 |
| 12/29/2000 | 5,943,366 | 14,051,045 | 14,822,820 | 5,641,678 | - | 40,480,136 |
| 1/4/2001 | 5,979,735 | 14,144,572 | 14,956,990 | 5,718,740 | - | 40,821,264 |
| 1/16/2001 | 6,045,860 | 14,320,001 | 15,212,939 | 5,867,501 | - | 41,467,528 |
| 2/2/2001 | 6,133,186 | 14,547,193 | 15,578,601 | 6,078,795 | - | 42,359,002 |
| 2/16/2001 | 6,205,896 | 14,750,447 | 15,882,693 | 6,252,179 | - | 43,112,442 |
| 3/2/2001 | 6,280,310 | 14,916,411 | 16,191,471 | 6,425,696 | - | 43,835,115 |
| 3/16/2001 | 6,351,585 | 15,089,360 | 16,500,744 | 6,598,928 | - | 44,561,844 |
| 4/2/2001 | 6,412,440 | 15,170,703 | 16,679,387 | 6,808,472 | - | 45,092,229 |
| 4/20/2001 | 6,459,980 | 15,294,588 | 16,836,488 | 6,993,756 | - | 45,606,039 |
| 4/27/2001 | 6,489,572 | 15,372,258 | 16,938,412 | 7,116,123 | - | 45,937,592 |
| 5/11/2001 | 6,528,273 | 15,476,031 | 17,079,000 | 7,288,897 | - | 46,393,428 |
| 5/22/2001 | 6,558,165 | 15,557,507 | 17,188,026 | 7,425,011 | - | 46,749,936 |
| 6/8/2001 | 6,612,414 | 15,693,850 | 17,347,273 | 7,631,881 | - | 47,306,645 |
| 6/25/2001 | 6,677,090 | 15,833,125 | 17,498,373 | 7,840,405 | - | 47,870,220 |
| 7/13/2001 | 6,753,523 | 15,944,131 | 17,647,133 | 8,063,654 | - | 48,429,668 |
| 8/8/2001 | 6,825,979 | 16,006,644 | 17,779,088 | 8,271,650 | - | 48,904,588 |
| 8/10/2001 | 6,835,289 | 16,023,492 | 17,796,455 | 8,298,180 | - | 48,974,643 |
| 8/24/2001 | 6,880,212 | 16,117,962 | 17,889,456 | 8,446,000 | - | 49,354,857 |
| 9/18/2001 | 6,922,434 | 16,208,548 | 17,979,570 | 8,588,059 | - | 49,719,838 |
| 9/28/2001 | 6,961,194 | 16,286,536 | 18,063,075 | 8,709,937 | - | 50,041,969 |
| 10/15/2001 | 7,024,790 | 16,420,719 | 18,153,919 | 8,920,268 | - | 50,540,923 |
| 10/19/2001 | 7,042,789 | 16,450,704 | 18,174,045 | 8,967,608 | - | 50,656,373 |
| 11/9/2001 | 7,141,490 | 16,613,035 | 18,303,759 | 9,223,906 | - | 51,303,417 |
| 12/7/2001 | 7,263,636 | 16,831,409 | 18,543,989 | 9,569,385 | - | 52,229,646 |
| 12/31/2001 | 7,368,601 | 16,943,168 | 18,741,784 | 9,865,132 | - | 52,939,912 |
| 1/22/2002 | 7,462,176 | 16,943,168 | 18,918,160 | 10,140,259 | - | 53,484,990 |
| 1/29/2002 | 7,490,739 | 16,967,404 | 18,971,278 | 10,224,740 | - | 53,675,388 |
| 2/1/2002 | 7,490,762 | 16,967,385 | 18,971,312 | 10,224,777 | - | 53,675,463 |
| 2/14/2002 | 7,544,218 | 17,087,087 | 19,049,344 | 10,384,011 | - | 54,085,887 |
| 3/1/2002 | 7,602,049 | 17,226,765 | 19,169,136 | 10,567,057 | - | 54,586,234 |
| 3/18/2002 | 7,669,166 | 17,355,800 | 19,297,022 | 10,777,132 | - | 55,120,347 |
| 4/5/2002 | 7,744,107 | 17,436,125 | 19,437,119 | 11,001,691 | - | 55,640,269 |
| 4/16/2002 | 7,788,652 | 17,436,125 | 19,517,802 | 11,136,922 | - | 55,900,728 |
| 5/2/2002 | 7,854,781 | 17,436,125 | 19,639,630 | 11,335,009 | - | 56,286,772 |
| 5/17/2002 | 7,915,896 | 17,436,125 | 19,751,201 | 11,522,712 | - | 56,647,161 |
| 6/4/2002 | 7,986,130 | 17,615,528 | 19,879,899 | 11,745,419 | - | 57,248,203 |
| 6/20/2002 | 8,047,112 | 17,797,257 | 19,994,351 | 11,946,789 | - | 57,806,736 |
| 7/2/2002 | 8,090,720 | 17,924,245 | 20,080,993 | 12,094,495 | - | 58,211,680 |
| 7/17/2002 | 8,147,403 | 17,996,429 | 20,199,248 | 12,294,320 | - | 58,658,627 |
| 8/2/2002 | 8,197,508 | 18,037,646 | 20,307,554 | 12,481,356 | - | 59,045,291 |
| 8/14/2002 | 8,236,979 | 18,037,646 | 20,392,838 | 12,634,800 | - | 59,323,490 |
| 8/29/2002 | 8,283,640 | 18,037,646 | 20,498,099 | 12,818,746 | - | 59,659,358 |
| 9/12/2002 | 8,316,025 | 18,037,646 | 20,595,247 | 12,995,366 | - | 59,965,511 |
| 9/16/2002 | 8,324,468 | 18,037,670 | 20,621,539 | 13,043,091 | - | 60,047,995 |
| 10/2/2002 | 8,359,091 | 18,049,874 | 20,729,889 | 13,243,831 | - | 60,403,912 |
| 10/17/2002 | 8,389,625 | 18,128,236 | 20,826,599 | 13,427,861 | - | 60,793,548 |
| 10/31/2002 | 8,411,767 | 18,130,899 | 20,913,187 | 13,620,041 | - | 61,097,121 |
| 11/15/2002 | 8,414,059 | 18,130,843 | 21,006,468 | 13,828,819 | - | 61,401,416 |
| 11/27/2002 | 8,419,389 | 18,195,564 | 21,078,498 | 13,991,330 | - | 61,706,008 |
| 12/17/2002 | 8,427,086 | 18,276,486 | 21,203,845 | 14,267,819 | - | 62,196,463 |
| 12/31/2002 | 8,427,223 | 18,355,165 | 21,286,051 | 14,444,891 | - | 62,534,557 |
| 1/7/2003 | 8,457,041 | 18,382,420 | 21,286,396 | 14,540,108 | - | 62,687,192 |
| 1/17/2003 | 8,497,105 | 18,445,666 | 21,385,485 | 14,675,911 | - | 63,025,394 |
| 1/31/2003 | 8,548,271 | 18,522,550 | 21,523,010 | 14,864,717 | - | 63,479,775 |
| 2/13/2003 | 8,594,681 | 18,590,481 | 21,650,853 | 15,040,419 | - | 63,897,661 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 2/26/2003 | 8,645,264 | 18,666,787 | 21,764,302 | 15,216,356 | - | 64,313,936 |
| 3/14/2003 | 8,714,863 | 18,785,277 | 21,926,020 | 15,433,688 | - | 64,881,075 |
| 3/28/2003 | 8,778,944 | 18,895,572 | 22,070,583 | 15,622,849 | - | 65,389,175 |
| 4/11/2003 | 8,842,295 | 18,958,250 | 22,210,147 | 15,812,291 | - | 65,844,210 |
| 4/25/2003 | 8,900,907 | 19,105,331 | 22,334,921 | 15,998,818 | - | 66,361,204 |
| 4/30/2003 | 8,922,419 | 19,159,024 | 22,380,658 | 16,066,820 | - | 66,550,148 |
| 5/7/2003 | 8,952,014 | 19,232,522 | 22,444,239 | 16,145,262 | - | 66,795,264 |
| 5/19/2003 | 9,011,919 | 19,359,874 | 22,566,238 | 16,272,340 | - | 67,231,598 |
| 5/22/2003 | 9,012,320 | 19,360,573 | 22,566,921 | 16,272,895 | - | 67,233,936 |
| 5/29/2003 | 9,012,744 | 19,361,339 | 22,567,642 | 16,273,493 | - | 67,236,445 |
| 5/30/2003 | 9,017,712 | 19,370,456 | 22,576,152 | 16,280,480 | - | 67,266,027 |
| 6/13/2003 | 9,087,552 | 19,521,197 | 22,717,118 | 16,420,595 | - | 67,767,689 |
| 6/26/2003 | 9,154,084 | 19,590,057 | 22,845,032 | 16,565,278 | - | 68,175,678 |
| 7/3/2003 | 9,185,590 | 19,660,560 | 22,911,462 | 16,639,773 | - | 68,418,612 |
| 7/10/2003 | 9,215,749 | 19,733,864 | 22,981,288 | 16,717,450 | - | 68,669,578 |
| 7/25/2003 | 9,278,975 | 19,889,510 | 23,129,417 | 16,882,725 | - | 69,201,854 |
| 8/4/2003 | 9,322,051 | 19,907,438 | 23,229,602 | 16,995,082 | - | 69,475,400 |
| 8/15/2003 | 9,368,199 | 20,024,831 | 23,339,380 | 17,115,562 | - | 69,869,199 |
| 8/27/2003 | 9,419,886 | 20,061,344 | 23,461,373 | 17,251,201 | - | 70,215,031 |
| 9/12/2003 | 9,488,130 | 20,215,516 | 23,620,922 | 17,429,402 | - | 70,775,197 |
| 9/26/2003 | 9,548,009 | 20,221,295 | 23,761,756 | 17,587,893 | - | 71,140,180 |
| 10/3/2003 | 9,577,232 | 20,260,942 | 23,828,449 | 17,664,841 | - | 71,352,691 |
| 10/15/2003 | 9,627,517 | 20,279,687 | 23,946,645 | 17,799,322 | - | 71,674,398 |
| 10/24/2003 | 9,665,304 | 20,351,155 | 24,033,004 | 17,898,142 | - | 71,968,832 |
| 11/6/2003 | 9,721,158 | 20,438,472 | 24,160,677 | 18,043,639 | - | 72,385,173 |
| 11/26/2003 | 9,804,970 | 20,442,832 | 24,353,715 | 18,267,482 | - | 72,890,226 |
| 12/10/2003 | 9,864,848 | 20,545,648 | 24,490,607 | 18,424,611 | - | 73,346,941 |
| 12/19/2003 | 9,901,970 | 20,569,308 | 24,577,317 | 18,524,466 | - | 73,594,288 |
| 1/8/2004 | 9,985,307 | 20,714,283 | 24,771,313 | 18,747,906 | - | 74,240,036 |
| 1/16/2004 | 10,018,470 | 20,793,676 | 24,849,490 | 18,838,200 | - | 74,521,063 |
| 1/19/2004 | 10,018,604 | 20,793,853 | 24,849,637 | 18,838,355 | - | 74,521,676 |
| 2/5/2004 | 10,088,253 | 20,939,430 | 24,983,110 | 19,026,665 | - | 75,058,685 |
| 2/24/2004 | 10,167,419 | 21,011,224 | 25,167,908 | 19,240,510 | - | 75,608,288 |
| 3/5/2004 | 10,208,911 | 21,016,498 | 25,262,233 | 19,351,736 | - | 75,860,605 |
| 3/18/2004 | 10,260,489 | 21,133,960 | 25,388,120 | 19,476,883 | - | 76,280,679 |
| 4/2/2004 | 10,322,759 | 21,273,202 | 25,536,779 | 19,639,877 | - | 76,793,844 |
| 4/30/2004 | 10,436,951 | 21,406,056 | 25,799,204 | 19,938,821 | - | 77,602,259 |
| 5/14/2004 | 10,494,226 | 21,534,971 | 25,933,730 | 20,089,712 | - | 78,073,866 |
| 5/27/2004 | 10,546,867 | 21,631,037 | 26,057,053 | 20,251,563 | - | 78,507,747 |
| 6/11/2004 | 10,607,815 | 21,776,935 | 26,202,597 | 20,438,759 | - | 79,047,333 |
| 6/25/2004 | 10,663,567 | 21,912,033 | 26,337,362 | 20,611,803 | - | 79,545,992 |
| 7/7/2004 | 10,712,504 | 22,029,480 | 26,454,850 | 20,763,118 | - | 79,981,179 |
| 7/26/2004 | 10,787,757 | 22,155,609 | 26,638,418 | 21,000,011 | - | 80,603,022 |
| 8/6/2004 | 10,830,532 | 22,259,958 | 26,743,484 | 21,138,062 | - | 80,993,263 |
| 8/20/2004 | 10,830,771 | 22,335,605 | 26,879,644 | 21,315,341 | - | 81,382,588 |
| 9/3/2004 | 10,830,779 | 22,405,574 | 27,015,508 | 21,493,610 | - | 81,766,698 |
| 9/16/2004 | 10,870,378 | 22,509,209 | 27,142,149 | 21,659,262 | - | 82,202,225 |
| 10/4/2004 | 10,893,136 | 22,509,361 | 27,192,032 | 21,890,859 | - | 82,506,615 |
| 10/15/2004 | 10,893,995 | 22,567,762 | 27,284,258 | 22,028,499 | - | 82,795,741 |
| 10/29/2004 | 10,896,112 | 22,568,304 | 27,388,448 | 22,167,320 | - | 83,041,411 |
| 11/12/2004 | 10,898,048 | 22,603,544 | 27,522,248 | 22,344,554 | - | 83,389,621 |
| 11/19/2004 | 10,898,136 | 22,645,092 | 27,585,807 | 22,440,386 | - | 83,590,648 |
| 11/24/2004 | 10,898,136 | 22,649,452 | 27,634,548 | 22,511,290 | - | 83,714,653 |
| 12/10/2004 | 10,900,536 | 22,763,344 | 27,786,758 | 22,732,470 | - | 84,204,335 |
| 12/28/2004 | 10,907,790 | 22,771,103 | 27,956,610 | 22,983,373 | - | 84,640,103 |
| 1/10/2005 | 10,961,114 | 22,771,431 | 28,079,120 | 23,165,107 | - | 84,997,999 |
| 1/21/2005 | 11,033,140 | 22,808,366 | 28,181,287 | 23,316,873 | - | 85,360,893 |
| 2/4/2005 | 11,092,814 | 22,883,581 | 28,302,382 | 23,509,172 | - | 85,809,176 |
| 2/17/2005 | 11,131,888 | 23,005,400 | 28,420,829 | 23,685,587 | - | 86,264,931 |
| 3/8/2005 | 11,179,645 | 23,185,250 | 28,595,481 | 23,946,431 | - | 86,928,034 |
| 3/21/2005 | 11,202,462 | 23,307,424 | 28,713,071 | 24,123,192 | - | 87,367,376 |
| 4/1/2005 | 11,219,696 | 23,411,079 | 28,812,983 | 24,273,943 | - | 87,738,928 |
| 4/13/2005 | 11,236,868 | 23,522,949 | 28,920,892 | 24,437,205 | - | 88,139,141 |
| 4/28/2005 | 11,259,438 | 23,665,033 | 28,978,338 | 24,642,773 | - | 88,566,809 |
| 5/10/2005 | 11,275,854 | 23,777,045 | 29,052,516 | 24,806,272 | - | 88,932,914 |
| 5/25/2005 | 11,309,393 | 23,922,247 | 29,168,942 | 25,011,733 | - | 89,433,542 |
| 6/10/2005 | 11,344,164 | 24,076,309 | 29,230,627 | 25,227,301 | - | 89,899,628 |
| 6/21/2005 | 11,373,392 | 24,184,747 | 29,231,327 | 25,378,327 | - | 90,189,020 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/8/2005 | 11,376,927 | 24,198,300 | 29,242,573 | 25,393,379 | - | 90,232,406 |
| 7/22/2005 | 11,407,659 | 24,329,864 | 29,352,118 | 25,544,830 | - | 90,655,698 |
| 8/5/2005 | 11,407,742 | 24,329,922 | 29,352,305 | 25,544,901 | - | 90,656,097 |
| 8/19/2005 | 11,436,244 | 24,414,005 | 29,464,080 | 25,695,045 | - | 91,030,601 |
| 8/23/2005 | 11,443,658 | 24,414,695 | 29,496,446 | 25,738,438 | - | 91,114,464 |
| 9/2/2005 | 11,459,819 | 24,482,662 | 29,571,910 | 25,862,359 | - | 91,397,977 |
| 9/16/2005 | 11,485,204 | 24,576,145 | 29,677,960 | 26,036,972 | - | 91,797,508 |
| 9/20/2005 | 11,491,269 | 24,598,954 | 29,707,315 | 26,085,527 | - | 91,904,292 |
| 9/29/2005 | 11,514,774 | 24,658,922 | 29,776,362 | 26,199,944 | - | 92,171,229 |
| 10/7/2005 | 11,536,098 | 24,710,355 | 29,836,885 | 26,300,438 | - | 92,405,003 |
| 10/14/2005 | 11,551,081 | 24,750,195 | 29,889,779 | 26,388,323 | - | 92,600,605 |
| 10/28/2005 | 11,574,846 | 24,820,955 | 29,993,687 | 26,561,303 | - | 92,972,018 |
| 11/11/2005 | 11,587,619 | 24,886,754 | 30,098,358 | 26,735,850 | - | 93,329,808 |
| 11/21/2005 | 11,602,449 | 24,942,204 | 30,158,188 | 26,861,480 | - | 93,585,548 |
| 12/5/2005 | 11,627,167 | 25,016,445 | 30,244,291 | 27,035,822 | - | 93,944,952 |
| 12/19/2005 | 11,642,442 | 25,085,846 | 30,260,323 | 27,211,214 | - | 94,221,052 |
| 1/6/2006 | 11,672,872 | 25,179,326 | 30,260,323 | 27,437,526 | - | 94,571,274 |
| 1/16/2006 | 11,696,358 | 25,236,183 | 30,260,470 | 27,564,629 | - | 94,778,867 |
| 1/20/2006 | 11,707,086 | 25,260,258 | 30,292,076 | 27,613,029 | - | 94,893,676 |
| 2/3/2006 | 11,742,726 | 25,343,766 | 30,421,363 | 27,786,445 | - | 95,315,527 |
| 2/17/2006 | 11,775,236 | 25,416,715 | 30,550,756 | 27,960,322 | - | 95,724,256 |
| 3/3/2006 | 11,808,025 | 25,486,889 | 30,679,286 | 28,133,142 | - | 96,128,569 |
| 3/16/2006 | 11,858,147 | 25,555,893 | 30,797,531 | 28,293,532 | - | 96,526,330 |
| 3/31/2006 | 11,927,096 | 25,648,149 | 30,934,969 | 28,480,437 | - | 97,011,878 |
| 4/26/2006 | 11,973,875 | 25,730,176 | 31,057,899 | 28,648,854 | - | 97,432,031 |
| 5/11/2006 | 11,973,875 | 25,789,358 | 31,057,900 | 28,648,853 | - | 97,491,213 |
| 5/25/2006 | 12,043,380 | 25,872,879 | 31,185,595 | 28,824,501 | - | 97,947,582 |
| 6/9/2006 | 12,105,881 | 25,959,062 | 31,318,200 | 29,007,831 | - | 98,412,201 |
| 6/12/2006 | 12,113,182 | 25,970,165 | 31,335,477 | 29,031,748 | - | 98,471,799 |
| 6/19/2006 | 12,132,973 | 26,001,611 | 31,384,377 | 29,099,614 | - | 98,639,802 |
| 6/23/2006 | 12,146,475 | 26,024,570 | 31,419,831 | 29,149,121 | - | 98,761,224 |
| 7/7/2006 | 12,190,151 | 26,098,884 | 31,543,822 | 29,322,891 | - | 99,176,975 |
| 7/19/2006 | 12,223,023 | 26,153,621 | 31,649,339 | 29,471,155 | - | 99,518,365 |
| 8/4/2006 | 12,275,813 | 26,225,381 | 31,788,217 | 29,667,661 | - | 99,978,299 |
| 8/18/2006 | 12,317,178 | 26,243,567 | 31,908,629 | 29,839,799 | - | 100,330,400 |
| 8/21/2006 | 12,325,696 | 26,243,644 | 31,935,128 | 29,877,810 | - | 100,403,505 |
| 9/1/2006 | 12,354,429 | 26,297,236 | 32,031,052 | 29,915,488 | - | 100,619,432 |
| 9/15/2006 | 12,390,013 | 26,349,885 | 32,152,272 | 30,190,464 | - | 101,103,861 |
| 9/29/2006 | 12,425,509 | 26,396,650 | 32,272,301 | 30,364,557 | - | 101,480,244 |
| 10/13/2006 | 12,453,565 | 26,442,743 | 32,382,695 | 30,536,891 | - | 101,837,121 |
| 10/20/2006 | 12,463,988 | 26,467,027 | 32,450,300 | 30,624,768 | - | 102,027,310 |
| 10/27/2006 | 12,481,425 | 26,489,512 | 32,508,727 | 30,710,729 | - | 102,211,620 |
| 10/31/2006 | 12,495,075 | 26,504,303 | 32,542,405 | 30,760,436 | - | 102,323,446 |
| 11/10/2006 | 12,527,544 | 26,545,728 | 32,626,071 | 30,884,443 | - | 102,605,013 |
| 11/22/2006 | 12,562,741 | 26,592,582 | 32,725,300 | 31,032,373 | - | 102,934,223 |
| 12/8/2006 | 12,629,123 | 26,641,016 | 32,818,400 | 31,220,334 | - | 103,330,100 |
| 12/20/2006 | 12,680,144 | 26,701,736 | 32,916,776 | 31,372,025 | - | 103,691,908 |
| 1/3/2007 | 12,748,558 | 26,773,838 | 33,027,340 | 31,545,211 | - | 104,116,174 |
| 1/16/2007 | 12,824,270 | 26,843,289 | 33,134,931 | 31,706,294 | - | 104,530,011 |
| 1/26/2007 | 12,889,074 | 26,896,753 | 33,216,916 | 31,828,291 | - | 104,852,261 |
| 1/29/2007 | 12,905,755 | 26,913,000 | 33,242,118 | 31,865,763 | - | 104,947,863 |
| 2/12/2007 | 12,961,660 | 26,986,034 | 33,350,778 | 32,037,000 | - | 105,356,699 |
| 2/26/2007 | 13,005,719 | 27,052,574 | 33,466,338 | 32,208,820 | - | 105,754,678 |
| 3/1/2007 | 13,018,339 | 27,066,335 | 33,491,073 | 32,244,070 | - | 105,841,044 |
| 3/12/2007 | 13,069,289 | 27,089,034 | 33,529,808 | 32,379,410 | - | 106,088,768 |
| 3/26/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/9/2007 | 13,120,219 | 27,175,534 | 33,645,618 | 32,467,380 | - | 106,429,978 |
| 4/23/2007 | 13,214,618 | 27,310,105 | 33,867,762 | 32,771,902 | - | 107,185,614 |
| 5/7/2007 | 13,258,997 | 27,383,580 | 33,973,504 | 32,897,461 | - | 107,534,769 |
| 5/21/2007 | 13,297,469 | 27,455,854 | 34,037,508 | 33,047,670 | - | 107,859,728 |
| 6/8/2007 | 13,331,729 | 27,538,975 | 34,159,276 | 33,239,962 | - | 108,291,169 |
| 6/22/2007 | 13,348,532 | 27,593,798 | 34,248,339 | 33,389,670 | - | 108,601,566 |
| 7/6/2007 | 13,363,799 | 27,644,036 | 34,335,901 | 33,539,406 | - | 108,904,369 |
| 7/17/2007 | 13,378,617 | 27,678,691 | 34,386,385 | 33,657,194 | - | 109,122,114 |
| 8/1/2007 | 13,382,770 | 27,702,941 | 34,520,347 | 33,874,162 | - | 109,501,447 |
| 8/20/2007 | 13,382,771 | 27,727,410 | 34,623,226 | 34,119,501 | - | 109,874,135 |
| 8/31/2007 | 13,382,771 | 27,741,601 | 34,623,226 | 34,259,733 | - | 110,028,558 |
| 9/10/2007 | 13,402,482 | 27,753,584 | 34,623,226 | 34,390,601 | - | 110,191,120 |
| 9/14/2007 | 13,417,672 | 27,757,801 | 34,638,599 | 34,439,106 | - | 110,274,405 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 9/27/2007 | 13,455,711 | 27,768,739 | 34,749,149 | 34,603,727 | - | 110,598,553 |
| 10/12/2007 | 13,486,445 | 27,782,779 | 34,874,719 | 34,794,863 | - | 110,960,033 |
| 10/26/2007 | 13,511,135 | 27,797,832 | 34,987,340 | 34,969,551 | - | 111,287,085 |
| 11/9/2007 | 13,539,201 | 27,812,380 | 35,102,887 | 35,147,683 | - | 111,623,378 |
| 11/21/2007 | 13,557,730 | 27,822,865 | 35,199,265 | 35,293,864 | - | 111,894,951 |
| 12/7/2007 | 13,583,550 | 27,836,591 | 35,331,719 | 35,400,089 | - | 112,173,176 |
| 12/19/2007 | 13,619,719 | 27,851,131 | 35,431,627 | 35,411,037 | - | 112,334,741 |
| 1/4/2008 | 13,672,681 | 27,874,974 | 35,564,804 | 35,630,390 | - | 112,764,076 |
| 1/18/2008 | 13,672,813 | 27,905,552 | 35,680,886 | 35,819,131 | - | 113,099,609 |
| 1/30/2008 | 13,672,913 | 27,934,099 | 35,780,139 | 35,975,264 | - | 113,383,642 |
| 2/15/2008 | 13,732,737 | 27,979,314 | 35,909,561 | 36,185,859 | - | 113,828,698 |
| 2/29/2008 | 13,786,310 | 28,023,167 | 36,018,127 | 36,367,947 | - | 114,216,778 |
| 3/6/2008 | 13,809,646 | 28,043,372 | 36,063,150 | 36,446,813 | - | 114,384,208 |
| 3/13/2008 | 13,836,130 | 28,067,359 | 36,104,080 | 36,534,616 | - | 114,563,412 |
| 3/28/2008 | 13,895,027 | 28,124,359 | 36,196,824 | 36,735,293 | - | 114,972,730 |
| 4/4/2008 | 13,921,545 | 28,150,159 | 36,240,242 | 36,826,519 | - | 115,159,692 |
| 4/11/2008 | 13,948,579 | 28,176,874 | 36,285,199 | 36,919,690 | - | 115,351,569 |
| 4/25/2008 | 14,002,830 | 28,223,875 | 36,375,654 | 37,104,043 | - | 115,727,629 |
| 5/8/2008 | 14,052,501 | 28,266,971 | 36,459,927 | 37,271,839 | - | 116,072,465 |
| 5/23/2008 | 14,110,123 | 28,271,276 | 36,559,690 | 37,470,731 | - | 116,433,047 |
| 6/6/2008 | 14,163,789 | 28,348,367 | 36,653,660 | 37,658,565 | - | 116,845,608 |
| 6/20/2008 | 14,177,522 | 28,388,958 | 36,701,800 | 37,754,425 | - | 117,043,932 |
| 6/27/2008 | 14,177,576 | 28,427,042 | 36,746,703 | 37,754,507 | - | 117,127,055 |
| 7/3/2008 | 14,222,773 | 28,457,794 | 36,784,785 | 37,861,991 | - | 117,348,570 |
| 7/17/2008 | 14,282,200 | 28,533,225 | 36,930,154 | 38,067,866 | - | 117,834,672 |
| 7/18/2008 | 14,282,246 | 28,533,305 | 36,930,301 | 38,068,033 | - | 117,835,112 |
| 7/23/2008 | 14,284,640 | 28,536,367 | 36,935,951 | 38,076,081 | - | 117,854,266 |
| 8/1/2008 | 14,319,357 | 28,579,113 | 37,018,332 | 38,193,899 | - | 118,131,928 |
| 8/15/2008 | 14,319,642 | 28,649,008 | 37,155,026 | 38,386,216 | - | 118,531,119 |
| 8/29/2008 | 14,408,170 | 28,708,429 | 37,300,199 | 38,578,662 | - | 119,016,687 |
| 9/12/2008 | 14,476,470 | 28,745,368 | 37,447,009 | 38,766,209 | - | 119,456,283 |
| 9/26/2008 | 14,536,243 | 28,779,675 | 37,596,052 | 38,954,602 | - | 119,887,799 |
| 10/10/2008 | 14,594,697 | 28,820,941 | 37,746,790 | 39,144,458 | - | 120,328,113 |
| 10/22/2008 | 14,645,493 | 28,848,490 | 37,877,950 | 39,306,311 | - | 120,699,471 |
| 11/6/2008 | 14,701,087 | 28,890,192 | 38,037,715 | 39,502,465 | - | 121,152,686 |
| 11/21/2008 | 14,749,861 | 28,924,439 | 38,200,648 | 39,701,162 | - | 121,597,337 |
| 12/5/2008 | 14,769,926 | 28,954,345 | 38,351,807 | 39,885,773 | - | 121,983,078 |
| 12/19/2008 | 14,803,469 | 28,985,730 | 38,503,875 | 40,069,861 | - | 122,384,162 |
| 1/2/2009 | 14,852,813 | 29,028,942 | 38,656,486 | 40,256,232 | - | 122,815,700 |
| 1/16/2009 | 14,906,699 | 29,078,794 | 38,811,232 | 40,446,834 | - | 123,264,786 |
| 1/30/2009 | 14,954,862 | 29,122,221 | 38,963,402 | 40,634,582 | - | 123,696,294 |
| 2/13/2009 | 15,008,850 | 29,172,644 | 39,117,909 | 40,824,303 | - | 124,144,933 |
| 2/27/2009 | 15,077,699 | 29,237,168 | 39,270,184 | 41,006,687 | - | 124,612,965 |
| 3/13/2009 | 15,135,091 | 29,290,295 | 39,422,357 | 41,188,805 | - | 125,057,775 |
| 3/25/2009 | 15,179,908 | 29,341,649 | 39,552,762 | 41,347,108 | - | 125,442,654 |
| 4/9/2009 | 15,240,658 | 29,416,783 | 39,716,316 | 41,546,762 | - | 125,941,746 |
| 4/24/2009 | 15,325,208 | 29,503,932 | 39,878,557 | 41,745,655 | - | 126,474,579 |
| 5/8/2009 | 15,406,729 | 29,538,701 | 40,032,738 | 41,934,227 | - | 126,933,622 |
| 5/22/2009 | 15,487,601 | 29,548,109 | 40,182,813 | 42,121,440 | - | 127,361,190 |
| 6/5/2009 | 15,630,809 | 29,770,803 | 40,335,485 | 42,310,188 | - | 128,068,512 |
| 6/19/2009 | 15,643,892 | 29,856,362 | 40,472,623 | 42,481,053 | - | 128,475,157 |
| 7/2/2009 | 15,719,694 | 29,941,349 | 40,612,807 | 42,655,040 | - | 128,950,117 |
| 7/17/2009 | 15,806,732 | 30,014,231 | 40,774,335 | 42,854,786 | - | 129,471,311 |
| 7/31/2009 | 15,887,687 | 30,084,820 | 40,925,416 | 43,041,536 | - | 129,960,686 |
| 8/14/2009 | 15,969,273 | 30,160,735 | 41,078,203 | 43,233,076 | - | 130,462,514 |
| 8/28/2009 | 16,050,400 | 30,214,108 | 41,226,912 | 43,423,531 | - | 130,936,178 |
| 9/11/2009 | 16,050,834 | 30,214,420 | 41,227,679 | 43,424,589 | - | 130,938,749 |
| 9/25/2009 | 16,127,545 | 30,251,659 | 41,374,230 | 43,615,318 | - | 131,389,979 |
| 10/9/2009 | 16,171,700 | 30,300,898 | 41,523,631 | 43,802,390 | - | 131,819,846 |
| 10/23/2009 | 16,277,020 | 30,348,624 | 41,672,316 | 43,991,890 | - | 132,311,077 |
| 11/4/2009 | 16,339,699 | 30,387,274 | 41,802,098 | 44,100,810 | - | 132,651,108 |
| 11/19/2009 | 16,411,579 | 30,440,724 | 41,962,138 | 44,304,480 | - | 133,140,148 |
| 12/4/2009 | 16,481,414 | 30,496,174 | 42,123,371 | 44,509,801 | - | 133,631,987 |
| 12/17/2009 | 16,540,771 | 30,566,187 | 42,262,914 | 44,686,357 | - | 134,077,456 |
| 12/31/2009 | 16,576,771 | 30,609,449 | 42,345,091 | 44,789,332 | - | 134,341,870 |
| 1/14/2010 | 16,643,539 | 30,681,300 | 42,493,061 | 44,977,337 | - | 134,816,464 |
| 1/29/2010 | 16,687,727 | 30,760,844 | 42,653,478 | 45,177,640 | - | 135,300,916 |
| 2/10/2010 | 16,768,070 | 30,823,106 | 42,782,092 | 45,336,706 | - | 135,731,201 |
| 2/26/2010 | 16,819,759 | 30,906,844 | 42,953,188 | 45,548,270 | - | 136,249,288 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 3/11/2010 | 16,863,810 | 30,980,102 | 43,091,809 | 45,722,405 | - | 136,679,353 |
| 3/26/2010 | 16,918,571 | 31,068,262 | 43,253,045 | 45,925,716 | - | 137,186,821 |
| 4/8/2010 | 16,970,320 | 31,147,905 | 43,392,917 | 46,102,158 | - | 137,634,527 |
| 4/22/2010 | 17,026,281 | 31,231,925 | 43,543,300 | 46,290,482 | - | 138,113,215 |
| 5/6/2010 | 17,078,739 | 31,312,954 | 43,692,198 | 46,475,780 | - | 138,580,898 |
| 5/21/2010 | 17,134,670 | 31,400,080 | 43,852,156 | 46,676,949 | - | 139,085,082 |
| 6/4/2010 | 17,186,615 | 31,480,069 | 44,001,729 | 46,863,932 | - | 139,553,572 |
| 6/18/2010 | 17,242,088 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,025,636 |
| 7/1/2010 | 17,315,451 | 31,564,524 | 44,149,574 | 47,048,223 | - | 140,098,999 |
| 7/17/2010 | 17,381,146 | 31,758,866 | 44,437,557 | 47,353,371 | - | 140,952,167 |
| 7/22/2010 | 17,403,991 | 31,792,243 | 44,492,196 | 47,429,664 | 19,925 | 141,159,246 |
| 7/29/2010 | 17,429,707 | 31,826,886 | 44,558,093 | 47,519,611 | 93,937 | 141,449,461 |
| 8/12/2010 | 17,441,083 | 31,846,592 | 44,585,569 | 47,570,743 | 153,611 | 141,618,825 |
| 8/26/2010 | 17,489,418 | 31,898,926 | 44,687,639 | 47,752,356 | 295,252 | 142,144,818 |
| 9/8/2010 | 17,529,355 | 31,947,331 | 44,784,449 | 47,922,972 | 433,486 | 142,638,820 |
| 9/23/2010 | 17,561,653 | 31,982,488 | 44,882,792 | 48,081,182 | 600,041 | 143,129,383 |
| 10/7/2010 | 17,585,640 | 32,019,799 | 44,977,320 | 48,261,591 | 851,845 | 143,717,422 |
| 10/21/2010 | 17,593,111 | 32,049,503 | 45,085,891 | 48,443,692 | 1,071,314 | 144,264,738 |
| 11/5/2010 | 17,601,448 | 32,086,233 | 45,207,040 | 48,638,074 | 1,307,287 | 144,861,309 |
| 11/19/2010 | 17,607,470 | 32,099,609 | 45,332,485 | 48,809,910 | 1,533,273 | 145,403,974 |
| 12/3/2010 | 17,619,579 | 32,114,164 | 45,472,544 | 48,989,824 | 1,781,877 | 145,999,215 |
| 12/8/2010 | 17,626,995 | 32,125,605 | 45,523,166 | 49,054,279 | 1,870,420 | 146,221,692 |
| 12/17/2010 | 17,631,007 | 32,134,945 | 45,542,511 | 49,080,186 | 1,896,816 | 146,306,692 |
| 12/30/2010 | 17,651,743 | 32,184,258 | 45,629,260 | 49,248,390 | 2,061,387 | 146,796,265 |
| 1/14/2011 | 17,680,025 | 32,246,229 | 45,691,252 | 49,442,051 | 2,243,622 | 147,324,406 |
| 1/17/2011 | 17,680,297 | 32,246,898 | 45,692,073 | 49,443,662 | 2,245,245 | 147,329,402 |
| 1/28/2011 | 17,699,998 | 32,290,059 | 45,784,699 | 49,587,767 | 2,392,051 | 147,775,801 |
| 2/11/2011 | 17,721,483 | 32,341,319 | 45,894,922 | 49,770,401 | 2,576,071 | 148,325,423 |
| 2/25/2011 | 17,747,891 | 32,393,107 | 46,009,176 | 49,953,215 | 2,753,448 | 148,878,064 |
| 3/11/2011 | 17,785,498 | 32,449,430 | 46,064,625 | 50,044,410 | 2,844,586 | 149,209,776 |
| 3/24/2011 | 17,830,377 | 32,526,658 | 46,144,050 | 50,175,033 | 2,972,875 | 149,670,220 |
| 4/8/2011 | 17,888,953 | 32,619,922 | 46,267,644 | 50,370,951 | 3,164,567 | 150,333,264 |
| 4/14/2011 | 17,914,844 | 32,664,643 | 46,315,580 | 50,450,497 | 3,241,754 | 150,608,545 |
| 4/22/2011 | 17,960,378 | 32,731,346 | 46,381,722 | 50,553,331 | 3,343,885 | 150,991,889 |
| 5/6/2011 | 18,055,787 | 32,860,780 | 46,499,773 | 50,732,537 | 3,521,652 | 151,691,756 |
| 5/20/2011 | 18,141,748 | 32,980,818 | 46,623,576 | 50,913,264 | 3,703,445 | 152,384,078 |
| 6/2/2011 | 18,206,512 | 33,075,552 | 46,738,377 | 51,079,938 | 3,871,772 | 152,993,378 |
| 6/15/2011 | 18,244,670 | 33,125,979 | 46,808,525 | 51,185,307 | 3,977,652 | 153,363,360 |
| 6/30/2011 | 18,319,640 | 33,219,405 | 46,939,477 | 51,377,551 | 4,171,071 | 154,048,371 |
| 7/15/2011 | 18,387,307 | 33,293,241 | 47,074,989 | 51,572,475 | 4,361,525 | 154,710,764 |
| 7/28/2011 | 18,436,904 | 33,330,915 | 47,193,016 | 51,739,774 | 4,524,640 | 155,246,476 |
| 8/11/2011 | 18,482,582 | 33,357,395 | 47,318,765 | 51,916,025 | 4,697,317 | 155,793,311 |
| 8/25/2011 | 18,523,927 | 33,378,136 | 47,443,677 | 52,096,542 | 4,873,010 | 156,336,519 |
| 9/7/2011 | 18,552,986 | 33,413,417 | 47,556,188 | 52,265,341 | 5,036,623 | 156,845,782 |
| 9/23/2011 | 18,577,187 | 33,437,902 | 47,698,746 | 52,466,281 | 5,238,251 | 157,439,594 |
| 10/5/2011 | 18,603,833 | 33,466,140 | 47,803,470 | 52,612,112 | 5,386,333 | 157,893,115 |
| 10/7/2011 | 18,608,445 | 33,470,877 | 47,821,996 | 52,637,761 | 5,412,350 | 157,972,656 |
| 10/18/2011 | 18,625,588 | 33,495,216 | 47,932,071 | 52,789,225 | 5,565,931 | 158,429,258 |
| 11/4/2011 | 18,625,679 | 33,531,184 | 48,074,628 | 52,985,390 | 5,764,380 | 159,002,488 |
| 11/18/2011 | 18,627,549 | 33,560,594 | 48,201,628 | 53,158,640 | 5,938,670 | 159,508,308 |
| 12/1/2011 | 18,629,825 | 33,598,934 | 48,320,048 | 53,355,570 | 6,100,310 | 160,025,914 |
| 12/16/2011 | 18,629,949 | 33,694,694 | 48,451,868 | 53,577,620 | 6,282,440 | 160,657,798 |
| 12/28/2011 | 18,629,987 | 33,779,384 | 48,561,758 | 53,756,850 | 6,369,780 | 161,118,986 |
| 1/13/2012 | 18,645,754 | 33,859,637 | 48,708,053 | 53,992,589 | 6,573,941 | 161,801,201 |
| 1/16/2012 | 18,716,529 | 33,865,708 | 48,721,294 | 54,013,533 | 6,592,457 | 161,930,748 |
| 1/27/2012 | 18,757,241 | 33,938,060 | 48,817,779 | 54,170,142 | 6,731,820 | 162,436,269 |
| 2/10/2012 | 18,815,117 | 34,035,651 | 48,942,826 | 54,373,450 | 6,910,967 | 163,099,238 |
| 2/24/2012 | 18,862,640 | 34,104,647 | 49,069,225 | 54,579,272 | 7,090,969 | 163,727,980 |
| 3/9/2012 | 18,902,508 | 34,170,267 | 49,197,023 | 54,783,061 | 7,269,776 | 164,343,862 |
| 3/23/2012 | 18,937,777 | 34,222,618 | 49,324,691 | 54,989,061 | 7,449,391 | 164,944,765 |
| 4/6/2012 | 18,985,172 | 34,316,006 | 49,452,912 | 55,194,431 | 7,629,191 | 165,598,939 |
| 4/20/2012 | 19,034,085 | 34,411,741 | 49,579,662 | 55,399,648 | 7,806,565 | 166,252,928 |
| 5/2/2012 | 19,072,065 | 34,481,477 | 49,688,956 | 55,576,321 | 7,959,176 | 166,799,222 |
| 5/16/2012 | 19,126,410 | 34,578,497 | 49,817,176 | 55,781,962 | 8,137,991 | 167,463,263 |
| 5/22/2012 | 19,148,742 | 34,617,182 | 49,872,834 | 55,871,142 | 8,215,560 | 167,746,687 |
| 6/1/2012 | 19,182,310 | 34,668,364 | 49,964,636 | 56,017,651 | 8,342,793 | 168,196,981 |
| 6/14/2012 | 19,220,759 | 34,715,694 | 50,084,238 | 56,206,400 | 8,508,700 | 168,757,018 |
| 6/26/2012 | 19,250,934 | 34,755,010 | 50,196,416 | 56,384,007 | 8,664,407 | 169,272,001 |
| 7/13/2012 | 19,282,456 | 34,789,492 | 50,351,741 | 56,627,498 | 8,878,597 | 169,951,011 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 7/27/2012 | 19,300,279 | 34,815,104 | 50,481,138 | 56,830,580 | 9,056,180 | 170,504,508 |
| 8/10/2012 | 19,309,368 | 34,840,760 | 50,610,359 | 57,033,320 | 9,233,830 | 171,048,864 |
| 8/24/2012 | 19,315,213 | 34,851,574 | 50,736,895 | 57,233,136 | 9,408,656 | 171,566,701 |
| 9/6/2012 | 19,318,377 | 34,861,041 | 50,856,179 | 57,234,830 | 9,571,204 | 171,862,858 |
| 9/21/2012 | 19,335,883 | 34,872,814 | 50,991,985 | 57,455,799 | 9,757,477 | 172,435,185 |
| 10/5/2012 | 19,352,210 | 34,883,464 | 51,121,784 | 57,668,757 | 9,934,425 | 172,981,867 |
| 10/19/2012 | 19,370,447 | 34,892,551 | 51,249,042 | 57,878,757 | 10,109,194 | 173,521,218 |
| 11/2/2012 | 19,386,758 | 34,899,644 | 51,376,083 | 58,088,081 | 10,282,271 | 174,054,064 |
| 11/6/2012 | 19,391,068 | 34,899,671 | 51,411,992 | 58,149,154 | 10,332,065 | 174,205,177 |
| 11/16/2012 | 19,400,364 | 34,899,674 | 51,501,533 | 58,297,367 | 10,450,677 | 174,570,842 |
| 11/30/2012 | 19,409,314 | 34,899,674 | 51,629,413 | 58,509,626 | 10,609,784 | 175,079,038 |
| 12/7/2012 | 19,411,904 | 34,899,674 | 51,693,373 | 58,616,035 | 10,685,793 | 175,328,006 |
| 12/11/2012 | 19,413,930 | 34,899,805 | 51,729,227 | 58,675,438 | 10,729,481 | 175,469,108 |
| 12/17/2012 | 19,417,115 | 34,914,357 | 51,784,590 | 58,767,251 | 10,796,312 | 175,700,852 |
| 12/28/2012 | 19,422,179 | 34,938,064 | 51,884,718 | 58,916,250 | 10,931,950 | 176,114,388 |
| 1/11/2013 | 19,429,323 | 34,967,288 | 52,013,327 | 59,107,052 | 11,104,052 | 176,642,269 |
| 1/24/2013 | 19,478,399 | 35,024,332 | 52,132,195 | 59,282,511 | 11,247,851 | 177,186,515 |
| 2/8/2013 | 19,535,734 | 35,096,268 | 52,272,637 | 59,488,915 | 11,273,959 | 177,688,740 |
| 2/25/2013 | 19,596,413 | 35,160,047 | 52,432,869 | 59,721,134 | 11,294,807 | 178,226,497 |
| 3/8/2013 | 19,634,478 | 35,189,228 | 52,534,826 | 59,868,397 | 11,442,232 | 178,690,388 |
| 3/22/2013 | 19,681,911 | 35,228,166 | 52,663,610 | 60,055,339 | 11,626,130 | 179,276,383 |
| 4/5/2013 | 19,727,669 | 35,265,694 | 52,792,148 | 60,241,450 | 11,811,400 | 179,859,588 |
| 4/19/2013 | 19,771,092 | 35,301,176 | 52,921,620 | 60,429,844 | 11,997,517 | 180,442,476 |
| 5/3/2013 | 19,823,292 | 35,344,645 | 53,049,314 | 60,615,719 | 12,179,555 | 181,033,752 |
| 5/17/2013 | 19,876,397 | 35,385,222 | 53,177,532 | 60,802,477 | 12,363,253 | 181,626,108 |
| 5/20/2013 | 19,887,596 | 35,395,416 | 53,203,514 | 60,840,462 | 12,400,905 | 181,749,120 |
| 5/30/2013 | 19,924,579 | 35,430,856 | 53,294,257 | 60,972,623 | 12,532,113 | 182,175,655 |
| 6/13/2013 | 19,954,209 | 35,459,564 | 53,367,498 | 61,079,480 | 12,636,980 | 182,518,958 |
| 6/28/2013 | 19,984,165 | 35,491,016 | 53,439,824 | 61,189,501 | 12,747,249 | 182,872,982 |
| 7/12/2013 | 20,029,164 | 35,538,329 | 53,560,220 | 61,372,738 | 12,931,693 | 183,453,371 |
| 7/26/2013 | 20,067,500 | 35,577,142 | 53,682,207 | 61,554,872 | 13,113,782 | 184,016,730 |
| 8/9/2013 | 20,100,935 | 35,609,889 | 53,805,409 | 61,738,677 | 13,292,277 | 184,568,414 |
| 8/23/2013 | 20,130,301 | 35,638,298 | 53,928,901 | 61,920,983 | 13,475,291 | 185,115,001 |
| 9/6/2013 | 20,153,775 | 35,660,903 | 54,052,237 | 62,102,418 | 13,656,818 | 185,647,378 |
| 9/19/2013 | 20,169,780 | 35,677,552 | 54,168,145 | 62,271,795 | 13,829,216 | 186,137,715 |
| 9/27/2013 | 20,177,315 | 35,686,555 | 54,237,580 | 62,374,486 | 13,934,019 | 186,431,182 |
| 10/1/2013 | 20,180,640 | 35,690,996 | 54,274,274 | 62,428,853 | 13,988,747 | 186,584,737 |
| 10/18/2013 | 20,198,726 | 35,712,831 | 54,422,532 | 62,648,015 | 14,209,497 | 187,212,828 |
| 11/1/2013 | 20,209,877 | 35,728,996 | 54,545,883 | 62,830,711 | 14,387,026 | 187,723,720 |
| 11/13/2013 | 20,219,607 | 35,743,158 | 54,651,633 | 62,987,871 | 14,542,658 | 188,166,154 |
| 11/27/2013 | 20,229,129 | 35,758,564 | 54,771,388 | 63,169,850 | 14,719,860 | 188,670,018 |
| 12/13/2013 | 20,232,306 | 35,773,540 | 54,903,022 | 63,378,171 | 14,918,033 | 189,226,299 |
| 12/27/2013 | 20,254,947 | 35,798,155 | 55,018,923 | 63,559,842 | 15,094,915 | 189,748,009 |
| 1/13/2014 | 20,310,459 | 35,858,444 | 55,058,528 | 63,785,620 | 15,311,390 | 190,345,668 |
| 1/27/2014 | 20,359,066 | 35,908,347 | 55,163,059 | 63,963,231 | 15,482,350 | 190,897,280 |
| 2/7/2014 | 20,393,790 | 35,943,762 | 55,256,155 | 64,106,449 | 15,618,274 | 191,339,657 |
| 2/19/2014 | 20,428,577 | 35,979,526 | 55,358,809 | 64,263,402 | 15,766,688 | 191,818,229 |
| 3/7/2014 | 20,443,248 | 35,987,068 | 55,387,924 | 64,307,521 | 15,808,414 | 191,955,402 |
| 3/21/2014 | 20,489,612 | 36,042,705 | 55,506,739 | 64,489,351 | 15,981,942 | 192,531,576 |
| 4/4/2014 | 20,530,379 | 36,090,004 | 55,623,198 | 64,664,950 | 16,150,450 | 193,080,208 |
| 4/11/2014 | 20,561,121 | 36,123,401 | 55,682,367 | 64,754,818 | 16,237,417 | 193,380,351 |
| 4/19/2014 | 20,597,949 | 36,164,233 | 55,748,349 | 64,877,632 | 16,338,389 | 193,747,779 |
| 4/26/2014 | 20,626,412 | 36,195,383 | 55,805,928 | 64,981,088 | 16,423,019 | 194,053,057 |
| 4/28/2014 | 20,635,165 | 36,204,856 | 55,824,342 | 65,014,336 | 16,449,863 | 194,149,789 |
| 5/2/2014 | 20,649,796 | 36,220,523 | 55,855,609 | 65,070,851 | 16,495,304 | 194,313,310 |
| 5/16/2014 | 20,701,406 | 36,275,293 | 55,971,296 | 65,280,691 | 16,663,176 | 194,913,089 |
| 5/30/2014 | 20,753,409 | 36,329,628 | 56,088,110 | 65,492,982 | 16,829,166 | 195,514,522 |
| 6/14/2014 | 20,794,298 | 36,371,897 | 56,178,428 | 65,657,502 | 16,956,000 | 195,979,352 |
| 6/26/2014 | 20,845,396 | 36,425,906 | 56,277,675 | 65,840,690 | 17,103,753 | 196,514,647 |
| 7/11/2014 | 20,902,170 | 36,484,485 | 56,403,449 | 66,069,532 | 17,286,861 | 197,167,724 |
| 7/25/2014 | 20,949,099 | 36,532,274 | 56,519,208 | 66,278,440 | 17,453,870 | 197,754,118 |
| 8/8/2014 | 20,992,106 | 36,576,227 | 56,636,634 | 66,489,309 | 17,622,038 | 198,337,541 |
| 8/22/2014 | 21,029,912 | 36,615,310 | 56,749,737 | 66,696,135 | 17,785,918 | 198,898,239 |
| 9/5/2014 | 21,065,532 | 36,652,820 | 56,865,500 | 66,909,032 | 17,952,196 | 199,466,307 |
| 9/19/2014 | 21,101,206 | 36,690,779 | 56,980,353 | 67,119,933 | 18,116,511 | 200,030,009 |
| 9/26/2014 | 21,117,240 | 36,707,673 | 57,036,346 | 67,222,553 | 18,195,917 | 200,300,956 |
| 10/8/2014 | 21,143,064 | 36,734,197 | 57,135,015 | 67,403,911 | 18,335,212 | 200,772,626 |
| 10/17/2014 | 21,161,672 | 36,752,610 | 57,209,521 | 67,540,401 | 18,440,192 | 201,125,623 |
| 10/31/2014 | 21,188,902 | 36,780,585 | 57,322,493 | 67,748,966 | 18,598,306 | 201,660,479 |

**Former Amphenol Facility**
**980 Hurricane Road**
**Franklin, Indiana**
**Cumulative Ground Water Flow Readings**

| Date | Cumulative Pumpage (gallons) | | | | | |
|---|---|---|---|---|---|---|
| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 | Total |
| 11/13/2014 | 21,211,031 | 36,804,334 | 57,385,031 | 67,943,708 | 18,743,995 | 202,109,326 |
| 11/24/2014 | 21,227,605 | 36,822,618 | 57,503,662 | 68,105,871 | 18,864,837 | 202,545,820 |
| 12/11/2014 | 21,259,937 | 36,856,647 | 57,691,115 | 68,362,687 | 19,054,101 | 203,245,714 |
| 12/24/2014 | 21,284,460 | 36,885,933 | 57,825,524 | 68,547,867 | 19,190,045 | 203,755,056 |
| 1/9/2015 | 21,316,070 | 36,922,878 | 57,997,656 | 68,786,228 | 19,363,399 | 204,407,458 |
| 1/23/2015 | 21,345,587 | 36,959,350 | 58,144,372 | 68,993,833 | 19,513,801 | 204,978,170 |
| 1/29/2015 | 21,357,127 | 36,973,611 | 58,205,489 | 69,081,001 | 19,576,585 | 205,215,040 |
| 2/6/2015 | 21,371,505 | 36,991,245 | 58,286,851 | 69,198,021 | 19,660,311 | 205,529,160 |
| 2/20/2015 | 21,394,354 | 37,020,048 | 58,428,275 | 69,404,547 | 19,660,702 | 205,929,153 |
| 2/26/2015 | 21,403,733 | 37,035,407 | 58,488,245 | 69,491,602 | 19,660,702 | 206,100,916 |
| 3/6/2015 | 21,416,567 | 37,056,085 | 58,568,322 | 69,610,071 | 19,660,702 | 206,332,974 |
| 3/13/2015 | 21,432,404 | 37,077,255 | 58,637,051 | 69,713,961 | 19,672,942 | 206,554,840 |
| 3/20/2015 | 21,451,911 | 37,099,505 | 58,705,735 | 69,817,260 | 19,758,622 | 206,854,260 |
| 4/3/2015 | 21,496,123 | 37,157,768 | 58,840,954 | 70,024,505 | 19,923,353 | 207,463,930 |
| 4/10/2015 | 21,520,195 | 37,190,147 | 58,908,094 | 70,129,386 | 20,006,301 | 207,775,350 |
| 4/17/2015 | 21,548,296 | 37,225,866 | 58,974,446 | 70,234,441 | 20,088,739 | 208,093,015 |
| 5/8/2015 | 21,633,870 | 37,329,352 | 59,168,269 | 70,545,684 | 20,332,040 | 209,030,442 |
| 5/15/2015 | 21,660,703 | 37,360,642 | 59,232,415 | 70,650,969 | 20,414,065 | 209,340,021 |
| 5/21/2015 | 21,682,335 | 37,385,208 | 59,285,779 | 70,738,945 | 20,482,461 | 209,595,955 |
| 5/27/2015 | 21,702,119 | 37,399,199 | 59,337,850 | 70,827,662 | 20,550,453 | 209,838,510 |
| 6/1/2015 | 21,717,835 | 37,412,051 | 59,382,879 | 70,896,281 | 20,610,201 | 210,040,474 |
| 6/12/2015 | 21,747,685 | 37,447,069 | 59,476,806 | 71,038,692 | 20,733,858 | 210,465,337 |
| 6/29/2015 | 21,803,534 | 37,509,533 | 59,623,153 | 71,264,592 | 20,928,087 | 211,150,126 |
| 7/10/2015 | 21,856,543 | 37,567,451 | 59,715,803 | 71,410,231 | 21,052,413 | 211,623,668 |
| 7/24/2015 | 21,954,098 | 37,585,620 | 59,833,820 | 71,597,837 | 21,211,013 | 212,203,615 |
| 8/7/2015 | 22,031,338 | 37,585,679 | 59,949,604 | 71,778,912 | 21,366,471 | 212,733,231 |
| 8/21/2015 | 22,092,570 | 37,651,895 | 60,063,901 | 71,958,372 | 21,519,995 | 213,307,960 |
| 9/3/2015 | 22,140,005 | 37,700,478 | 60,168,466 | 72,126,311 | 21,661,719 | 213,818,206 |
| 9/10/2015 | 22,162,440 | 37,722,445 | 60,224,395 | 72,217,457 | 21,737,090 | 214,085,054 |
| 9/11/2015 | 22,162,450 | 37,722,454 | 60,224,416 | 72,217,491 | 21,737,114 | 214,085,152 |
| 9/18/2015 | 22,182,505 | 37,741,631 | 60,276,772 | 72,305,071 | 21,808,859 | 214,336,065 |
| 10/2/2015 | 22,218,397 | 37,774,281 | 60,385,729 | 72,488,189 | 21,957,545 | 214,845,368 |
| 10/12/2015 | 22,240,732 | 37,794,399 | 60,461,431 | 72,617,782 | 22,058,949 | 215,194,520 |
| 10/16/2015 | 22,242,971 | 37,796,310 | 60,469,257 | 72,631,392 | 22,069,726 | 215,230,883 |
| 10/30/2015 | 22,270,071 | 37,819,469 | 60,613,582 | 72,825,571 | 22,230,469 | 215,780,389 |
| 11/13/2015 | 22,294,496 | 37,841,755 | 60,761,827 | 73,021,255 | 22,390,355 | 216,330,915 |
| 11/25/2015 | 22,313,190 | 37,860,592 | 60,891,076 | 73,187,442 | 22,525,018 | 216,798,545 |
| 12/14/2015 | 22,341,225 | 37,897,543 | 61,092,029 | 73,453,206 | 22,738,113 | 217,543,343 |
| 12/24/2015 | 22,353,695 | 37,914,595 | 61,192,112 | 73,591,349 | 22,849,163 | 217,922,141 |
| 1/8/2016 | 22,396,764 | 37,960,917 | 61,367,870 | 73,803,185 | 23,017,304 | 218,567,267 |
| 1/21/2016 | 22,440,091 | 38,006,786 | 61,527,455 | 73,983,596 | 23,159,279 | 219,138,434 |
| 2/4/2016 | 22,483,110 | 38,050,370 | 61,695,059 | 74,176,614 | 23,310,181 | 219,736,561 |
| 2/19/2016 | 22,512,701 | 38,109,165 | 61,876,065 | 74,385,025 | 23,467,583 | 220,371,766 |
| 3/4/2016 | 22,522,123 | 38,165,386 | 62,047,797 | 74,583,131 | 23,615,567 | 220,955,231 |
| 3/18/2016 | 22,522,638 | 38,228,796 | 62,223,241 | 74,777,171 | 23,762,706 | 221,535,779 |
| 4/1/2016 | 22,522,783 | 38,285,705 | 62,396,246 | 74,969,982 | 23,908,428 | 222,104,371 |
| 4/15/2016 | 22,522,940 | 38,337,341 | 62,573,509 | 75,164,601 | 24,054,143 | 222,673,761 |
| 4/22/2016 | 22,523,966 | 38,363,033 | 62,664,996 | 75,266,762 | 24,129,358 | 222,969,342 |
| 4/29/2016 | 22,524,797 | 38,388,598 | 62,751,445 | 75,365,543 | 24,201,883 | 223,253,493 |

**Notes:**

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



**ATTACHMENT C**

**Field Notes**

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 4-1-16
IWM Personnel: R. Mien
Arrival Time: 9:00
Departure Time: 12:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3895234.0 RW-2 23196361.0 RW-3 45895518.0 RW-4 7486882.0 RW-5 4148806.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.25 RW-4 10.0 RW-5 8.00

Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.4 RW-4 4.1 RW-5 3.6

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: clear

Building Temperature: 60° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | |
|---|---|---|---|
| Manholes | NO | YES | Repaired |
| Lines | NO | YES | Repaired |
| Stripper | NO | YES | Repaired |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: ✓ RW-1 ✓ RW-2 ✓ RW-3 — RW-4 — RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 4-15-16
IWM Personnel: R. Mien
Arrival Time: 9:21
Departure Time: 11:00
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 38853391.0 RW-2 23247997.0 RW-3 46072781.0 RW-4 75164601.0 RW-5 42955521.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.75 RW-4 10.0 RW-5 8.00

Pump Running Amps RW-1 3.7 RW-2 3.3 RW-3 3.0 RW-4 4.2 RW-5 3.3

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: Clear

Building Temperature: 60° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | NO | YES | Repaired | |
| Lines | NO | YES | Repaired | |
| Stripper | NO | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 4-22-16
IWM Personnel: R. Mier
Arrival Time: 1025
Departure Time: 1130
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 38964117.0 RW-2 23273689.0 RW-3 46164268.0 RW-4 75266762.0 RW-5 43707336.0

Flow Rate GPM: RW-1 cyc RW-2 cyc RW-3 8.75 RW-4 10.0 RW-5 8.00

Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.4 RW-4 4.2 RW-5 3.5

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: Clear

Building Temperature: 68° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | | |
|---|---|---|---|---|
| Manholes | (NO) | YES | Repaired | |
| Lines | (NO) | YES | Repaired | |
| Stripper | (NO) | YES | Repaired | |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

**FORMER AMPHENOL FACILITY**
**980B Hurricane Road**
**Franklin, Indiana**

Site Inspection Date: 4-29-16
IWM Personnel: R. Mien
Arrival Time: 840
Departure Time: 10:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

| | RW-1 | RW-2 | RW-3 | RW-4 | RW-5 |
|---|---|---|---|---|---|
| Totalizer Readings: | 3897248.0 | 23288254.0 | 46280171.0 | 75365545.0 | 4443261.0 |
| Flow Rate GPM: | cyc | cyc | 8.75 | 10.0 | 8.0 |
| Pump Running Amps | 3.3 | 3.2 | 3.3 | 4.0 | 3.4 |

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: clear

Building Temperature: 54° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

| | | | |
|---|---|---|---|
| Manholes | NO | YES | Repaired |
| Lines | NO | YES | Repaired |
| Stripper | NO | YES | Repaired |

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

**ATTACHMENT D**

**Groundwater Field Sampling Logs**

# YSI 556 Calibration Form

Date: 4/19/16
Personnel: DEW
Project: Amphenol @ sampling

| Parameter | Calibration Standard Value | Instrument Reading Before Calibration | Instrument Reading After Calibration | Calibration Accepted | Instrument Reading Post-Calibration |
|---|---|---|---|---|---|
| ORP | 600 mV | 602.1 | 600 | Y / N | |
| pH | 7.00 s.u. (+/-50 pH mV) | *10.6 / 6.90 | 7.0 | Y / N | |
| pH | 4.00 s.u. (+165-180 pH mV) | 140.8 / 4.33 | 4.06 | Y / N | |
| Sp Conductance | 4.49 mS/cm | 4.573 | 4.490 | Y / N | |
| Sp Conductance | 1.413 mS/cm | | | Y / N | |
| DO | 8.92 mg/L (Multi-solution) or 95-105% | 80.4 | 98.0 | Y / N | |
| pH | 10.00 s.u. (-165-180 pH mV) | *181.1 / 10.13 | 10.0 | Y / N | |

* Out of ranges need to be noted.

Notes: _____

ORP Measurements Reference Table

| Temperature °F | Temperature °C | Potential in mV |
|---|---|---|
| 32 | 0 | 237 |
| 41 | 5 | 232 |
| 50 | 10 | 230 |
| 59 | 15 | 237 |
| 68 | 20 | 223 |
| 77 | 25 | 220 |
| 86 | 30 | 226 |
| 95 | 35 | 213 |
| 104 | 40 | 219 |
| 113 | 45 | 205 |
| 122 | 50 | 201 |
| 131 | 55 | 197 |
| 140 | 60 | 193 |
| 149 | 65 | 189 |
| 158 | 70 | 185 |

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | It-2 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 11:35 Time Out 11:50 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 17.30 | |
| Depth to Water | 11.98 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 5.32 |
| Volume of water in well (gal.) | .86 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 2.60 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 11:37 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 12.74 |
| Conductivity (uS/cm) | .763 |
| pH (SU) | 7.10 |
| ORP (mV) | -149.5 |
| DO (mg/L) | .88 |
| Film | Y (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | IT-3 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 13:44 Time Out 13:58 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 13.70 | |
| Depth to Water | 10.73 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 2.97 |
| Volume of water in well (gal.) | .48 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 1.45 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

Oldest sample

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 14:03 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 16.92 |
| Conductivity (uS/cm) | 1,015 |
| pH (SU) | 7.11 |
| ORP (mV) | -9.7 |
| DO (mg/L) | 3.85 |
| Film | Y (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW - 12R | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 11:15 Time Out 11:27 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | (Y) N |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 25.20 | |
| Depth to Water | 16.30 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | | |
|---|---|---|
| Length of water column (ft.) | | 8.9 |
| Volume of water in well (gal.) | | 1.45 |
| Volume of bailer (gal.) | 0.33 | |

**III. Evacuation Information**

| | | |
|---|---|---|
| Volume of water removed from well (gal.) | | 4.35 |
| Did well go dry ? | Y | (N) |

| | |
|---|---|
| Evacuation Method | Bailer |
| Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 11:36 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 12.82 |
| Conductivity (uS/cm) | | .867 |
| pH (SU) | | 7.0 |
| ORP (mV) | | -28.2 |
| DO (mg/L) | | 3.16 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW-20 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 13:02 Time Out 13:15 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 23.45 | |
| Depth to Water | 9.04 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 14.41 |
| Volume of water in well (gal.) | 2.34 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 7.04 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 13:25 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 13.70 |
| Conductivity (uS/cm) | | .901 |
| pH (SU) | | 6.94 |
| ORP (mV) | | -55.9 |
| DO (mg/L) | | 2.21 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW - 22 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 10:09 Time Out 10:21 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 24.0 | |
| Depth to Water | 16.89 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | | |
|---|---|---|
| Length of water column (ft.) | | 7.11' |
| Volume of water in well (gal.) | | 1.15 |
| Volume of bailer (gal.) | 0.33 | |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | | 3.47 P.V. | Evacuation Method: Bailer |
| Did well go dry ? | Y | (N) | Evacuation Rate (gpm): - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 10:25 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 13.50 °C |
| Conductivity (uS/cm) | | 1,049 |
| pH (SU) | | 6.75 |
| ORP (mV) | | -74.1 |
| DO (mg/L) | | 1.24 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

Dup taken from this sample point.

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW 28 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 8/19/16 |
| | | Time In | 10:33 Time Out 10:45 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 25.25 | |
| Depth to Water | 16.50 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 8.75 |
| Volume of water in well (gal.) | 1.42 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 4.26 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 10:58 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 13.30 |
| Conductivity (uS/cm) | 859 |
| pH (SU) | 6.85 |
| ORP (mV) | 5.2 |
| DO (mg/L) | 4.10 |

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW-29 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 10:52 Time Out 11:05 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | Y | N |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 25.53 | |
| Depth to Water | 16.31 | |
| Slug Test Performed | Y | N |
| Redevelop | Y | N |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 9.22 |
| Volume of water in well (gal.) | 1.50 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 4.5 | Evacuation Method | Bailer |
| Did well go dry ? | Y N | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 11:10 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 12.74 |
| Conductivity (uS/cm) | .912 |
| pH (SU) | 6.86 |
| ORP (mV) | -95.0 |
| DO (mg/L) | 1.09 |
| Film | Y N |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW-30 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 9/19/16 |
| | | Time In | 14:11 Time Out 14:24 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | (Y) | N |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 21.20 | |
| Depth to Water | 14.79 | |
| Slug Test Performed | Y | (N) |
| Redevelop | Y | (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 6.41 |
| Volume of water in well (gal.) | 1.04 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | | |
|---|---|---|---|---|
| Volume of water removed from well (gal.) | | 3.13 | Evacuation Method | Bailer |
| Did well go dry ? | Y | (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 14:24 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 12.72 |
| Conductivity (uS/cm) | | 1.111 |
| pH (SU) | | 7.02 |
| ORP (mV) | | -73.9 |
| DO (mg/L) | | 1.03 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT E**

**Groundwater Laboratory Analytical Report**

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

May 11, 2016

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50143193

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Revised Report: Issued to correct the sampling date for each sample in the project.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# CERTIFICATIONS

| | |
|---|---|
| Project: | Amphenol |
| Pace Project No.: | 50143193 |

**Indiana Certification IDs**
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas/NELAP Certification #:E-10177
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Texas Certification #: T104704355-15-9
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50143193

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|---|---|---|---|---|
| **50143193001** | **IT-2** | Water | 04/19/16 11:57 | 04/19/16 15:34 |
| **50143193002** | **IT-3** | Water | 04/19/16 14:03 | 04/19/16 15:34 |
| **50143193003** | **MW-12R** | Water | 04/19/16 11:36 | 04/19/16 15:34 |
| **50143193004** | **MW-20** | Water | 04/19/16 13:25 | 04/19/16 15:34 |
| **50143193005** | **MW-22** | Water | 04/19/16 10:25 | 04/19/16 15:34 |
| **50143193006** | **MW-28** | Water | 04/19/16 10:58 | 04/19/16 15:34 |
| **50143193007** | **MW-29** | Water | 04/19/16 11:10 | 04/19/16 15:34 |
| **50143193008** | **MW-30** | Water | 04/19/16 14:24 | 04/19/16 15:34 |
| **50143193009** | **Duplicate** | Water | 04/19/16 08:00 | 04/19/16 15:34 |
| **50143193010** | **Trip Blank** | Water | 04/19/16 08:00 | 04/19/16 15:34 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50143193

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|---|---|---|---|---|
| **50143193001** | **IT-2** | EPA 8260 | ALA | 72 |
| **50143193002** | **IT-3** | EPA 8260 | ALA | 72 |
| **50143193003** | **MW-12R** | EPA 8260 | ALA | 72 |
| **50143193004** | **MW-20** | EPA 8260 | ALA | 72 |
| **50143193005** | **MW-22** | EPA 8260 | ALA | 72 |
| **50143193006** | **MW-28** | EPA 8260 | ALA | 72 |
| **50143193007** | **MW-29** | EPA 8260 | ALA | 72 |
| **50143193008** | **MW-30** | EPA 8260 | ALA | 72 |
| **50143193009** | **Duplicate** | EPA 8260 | ALA | 72 |
| **50143193010** | **Trip Blank** | EPA 8260 | ALA | 72 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50143193

| Lab Sample ID / Method | Client Sample ID / Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|---|
| **50143193001** | **IT-2** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 20.5 | ug/L | 5.0 | 04/21/16 05:08 | |
| EPA 8260 | Trichloroethene | 7.3 | ug/L | 5.0 | 04/21/16 05:08 | |
| **50143193003** | **MW-12R** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 104 | ug/L | 5.0 | 04/21/16 07:39 | |
| EPA 8260 | Tetrachloroethene | 440 | ug/L | 50.0 | 04/21/16 08:17 | |
| EPA 8260 | 1,1,1-Trichloroethane | 59.0 | ug/L | 5.0 | 04/21/16 07:39 | |
| EPA 8260 | Trichloroethene | 72.2 | ug/L | 5.0 | 04/21/16 07:39 | |
| **50143193005** | **MW-22** | | | | | |
| EPA 8260 | Tetrachloroethene | 620 | ug/L | 50.0 | 04/21/16 10:10 | |
| EPA 8260 | 1,1,1-Trichloroethane | 6.6 | ug/L | 5.0 | 04/21/16 09:32 | |
| EPA 8260 | Trichloroethene | 40.7 | ug/L | 5.0 | 04/21/16 09:32 | |
| **50143193006** | **MW-28** | | | | | |
| EPA 8260 | Tetrachloroethene | 23.8 | ug/L | 5.0 | 04/23/16 00:19 | |
| EPA 8260 | 1,1,1-Trichloroethane | 8.6 | ug/L | 5.0 | 04/23/16 00:19 | |
| EPA 8260 | Trichloroethene | 10.1 | ug/L | 5.0 | 04/23/16 00:19 | |
| **50143193008** | **MW-30** | | | | | |
| EPA 8260 | 1,1,1-Trichloroethane | 7.6 | ug/L | 5.0 | 04/21/16 12:04 | |
| **50143193009** | **Duplicate** | | | | | |
| EPA 8260 | Tetrachloroethene | 596 | ug/L | 50.0 | 04/21/16 13:19 | |
| EPA 8260 | 1,1,1-Trichloroethane | 6.6 | ug/L | 5.0 | 04/21/16 12:41 | |
| EPA 8260 | Trichloroethene | 40.0 | ug/L | 5.0 | 04/21/16 12:41 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-2** **Lab ID: 50143193001** Collected: 04/19/16 11:57 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 05:08 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 05:08 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 05:08 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-35-4 | |
| cis-1,2-Dichloroethene | **20.5** | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 05:08 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 05:08 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-2** **Lab ID: 50143193001** Collected: 04/19/16 11:57 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 05:08 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 05:08 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 79-00-5 | |
| Trichloroethene | **7.3** | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 05:08 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 05:08 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 05:08 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 84-118 | 1 | | 04/21/16 05:08 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 108 | %. | 79-116 | 1 | | 04/21/16 05:08 | 460-00-4 | |
| Toluene-d8 (S) | 94 | %. | 86-110 | 1 | | 04/21/16 05:08 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-3** **Lab ID: 50143193002** Collected: 04/19/16 14:03 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 07:01 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:01 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 07:01 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 07:01 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 07:01 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-3** **Lab ID: 50143193002** Collected: 04/19/16 14:03 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:01 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 07:01 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 07:01 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 07:01 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 07:01 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 113 | %. | 84-118 | 1 | | 04/21/16 07:01 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 107 | %. | 79-116 | 1 | | 04/21/16 07:01 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 07:01 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-12R** **Lab ID: 50143193003** Collected: 04/19/16 11:36 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 07:39 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:39 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 07:39 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-35-4 | |
| cis-1,2-Dichloroethene | **104** | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 07:39 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 07:39 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-12R** **Lab ID: 50143193003** Collected: 04/19/16 11:36 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:39 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 07:39 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 79-34-5 | |
| Tetrachloroethene | **440** | ug/L | 50.0 | 10 | | 04/21/16 08:17 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 120-82-1 | |
| 1,1,1-Trichloroethane | **59.0** | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 79-00-5 | |
| Trichloroethene | **72.2** | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 07:39 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 07:39 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 07:39 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/21/16 07:39 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 106 | %. | 79-116 | 1 | | 04/21/16 07:39 | 460-00-4 | |
| Toluene-d8 (S) | 98 | %. | 86-110 | 1 | | 04/21/16 07:39 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-20** **Lab ID: 50143193004** Collected: 04/19/16 13:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 08:54 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 08:54 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 08:54 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 08:54 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 08:54 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-20** **Lab ID: 50143193004** Collected: 04/19/16 13:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 08:54 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 08:54 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 08:54 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 08:54 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 08:54 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 115 | %. | 84-118 | 1 | | 04/21/16 08:54 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 108 | %. | 79-116 | 1 | | 04/21/16 08:54 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 08:54 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-22** **Lab ID: 50143193005** Collected: 04/19/16 10:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 09:32 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 09:32 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 09:32 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 09:32 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 09:32 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-22** **Lab ID: 50143193005** Collected: 04/19/16 10:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 09:32 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 09:32 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 79-34-5 | |
| Tetrachloroethene | **620** | ug/L | 50.0 | 10 | | 04/21/16 10:10 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 120-82-1 | |
| 1,1,1-Trichloroethane | **6.6** | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 79-00-5 | |
| Trichloroethene | **40.7** | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 09:32 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 09:32 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 09:32 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/21/16 09:32 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 106 | %. | 79-116 | 1 | | 04/21/16 09:32 | 460-00-4 | |
| Toluene-d8 (S) | 97 | %. | 86-110 | 1 | | 04/21/16 09:32 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-28** **Lab ID: 50143193006** Collected: 04/19/16 10:58 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/23/16 00:19 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/23/16 00:19 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/23/16 00:19 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/23/16 00:19 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/23/16 00:19 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-28** **Lab ID: 50143193006** Collected: 04/19/16 10:58 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/23/16 00:19 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/23/16 00:19 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 79-34-5 | |
| Tetrachloroethene | **23.8** | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 120-82-1 | |
| 1,1,1-Trichloroethane | **8.6** | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 79-00-5 | |
| Trichloroethene | **10.1** | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/23/16 00:19 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/23/16 00:19 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/23/16 00:19 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/23/16 00:19 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 105 | %. | 79-116 | 1 | | 04/23/16 00:19 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/23/16 00:19 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-29** **Lab ID: 50143193007** Collected: 04/19/16 11:10 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 11:26 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 11:26 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 11:26 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 11:26 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 11:26 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-29** **Lab ID: 50143193007** Collected: 04/19/16 11:10 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 11:26 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 11:26 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 11:26 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 11:26 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 11:26 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 84-118 | 1 | | 04/21/16 11:26 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 114 | %. | 79-116 | 1 | | 04/21/16 11:26 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 11:26 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-30** **Lab ID: 50143193008** Collected: 04/19/16 14:24 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 12:04 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:04 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 12:04 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 12:04 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 12:04 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-30** **Lab ID: 50143193008** Collected: 04/19/16 14:24 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:04 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 12:04 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 120-82-1 | |
| 1,1,1-Trichloroethane | **7.6** | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 12:04 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 12:04 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 12:04 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 115 | %. | 84-118 | 1 | | 04/21/16 12:04 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 110 | %. | 79-116 | 1 | | 04/21/16 12:04 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 12:04 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Duplicate** **Lab ID: 50143193009** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 12:41 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:41 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 12:41 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 12:41 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 12:41 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Duplicate** **Lab ID: 50143193009** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:41 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 12:41 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 79-34-5 | |
| Tetrachloroethene | **596** | ug/L | 50.0 | 10 | | 04/21/16 13:19 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 120-82-1 | |
| 1,1,1-Trichloroethane | **6.6** | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 79-00-5 | |
| Trichloroethene | **40.0** | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 12:41 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 12:41 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 12:41 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/21/16 12:41 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 106 | %. | 79-116 | 1 | | 04/21/16 12:41 | 460-00-4 | |
| Toluene-d8 (S) | 98 | %. | 86-110 | 1 | | 04/21/16 12:41 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Trip Blank** **Lab ID: 50143193010** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 13:57 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 13:57 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 13:57 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 13:57 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 13:57 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Trip Blank** **Lab ID: 50143193010** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 13:57 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 13:57 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 13:57 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 13:57 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 13:57 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 84-118 | 1 | | 04/21/16 13:57 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 108 | %. | 79-116 | 1 | | 04/21/16 13:57 | 460-00-4 | |
| Toluene-d8 (S) | 97 | %. | 86-110 | 1 | | 04/21/16 13:57 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

QC Batch: MSV/89287 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50143193001, 50143193002, 50143193003, 50143193004, 50143193005, 50143193007, 50143193008, 50143193009, 50143193010

METHOD BLANK: 1523179 Matrix: Water
Associated Lab Samples: 50143193001, 50143193002, 50143193003, 50143193004, 50143193005, 50143193007, 50143193008, 50143193009, 50143193010

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 04/21/16 04:30 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 2-Hexanone | ug/L | ND | 25.0 | 04/21/16 04:30 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 04/21/16 04:30 | |
| Acetone | ug/L | ND | 100 | 04/21/16 04:30 | |
| Acrolein | ug/L | ND | 50.0 | 04/21/16 04:30 | |
| Acrylonitrile | ug/L | ND | 100 | 04/21/16 04:30 | |
| Benzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromochloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromoform | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromomethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Carbon disulfide | ug/L | ND | 10.0 | 04/21/16 04:30 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chloroform | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

METHOD BLANK: 1523179 Matrix: Water

Associated Lab Samples: 50143193001, 50143193002, 50143193003, 50143193004, 50143193005, 50143193007, 50143193008, 50143193009, 50143193010

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Dibromomethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Ethyl methacrylate | ug/L | ND | 100 | 04/21/16 04:30 | |
| Ethylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Iodomethane | ug/L | ND | 10.0 | 04/21/16 04:30 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 04/21/16 04:30 | |
| Methylene Chloride | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Naphthalene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Styrene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Toluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 04/21/16 04:30 | |
| Trichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Vinyl acetate | ug/L | ND | 50.0 | 04/21/16 04:30 | |
| Vinyl chloride | ug/L | ND | 2.0 | 04/21/16 04:30 | |
| Xylene (Total) | ug/L | ND | 10.0 | 04/21/16 04:30 | |
| 4-Bromofluorobenzene (S) | %. | 108 | 79-116 | 04/21/16 04:30 | |
| Dibromofluoromethane (S) | %. | 112 | 84-118 | 04/21/16 04:30 | |
| Toluene-d8 (S) | %. | 97 | 86-110 | 04/21/16 04:30 | |

LABORATORY CONTROL SAMPLE: 1523180

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | ug/L | 50 | 51.8 | 104 | 72-123 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 46.4 | 93 | 72-124 | |
| 1,1-Dichloroethene | ug/L | 50 | 53.0 | 106 | 69-127 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 46.2 | 92 | 73-125 | |
| 1,2-Dichloropropane | ug/L | 50 | 45.8 | 92 | 77-124 | |
| Benzene | ug/L | 50 | 48.4 | 97 | 76-122 | |
| Chlorobenzene | ug/L | 50 | 47.6 | 95 | 76-118 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

LABORATORY CONTROL SAMPLE: 1523180

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| Chloroform | ug/L | 50 | 51.9 | 104 | 70-119 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 49.4 | 99 | 74-120 | |
| Ethylbenzene | ug/L | 50 | 47.9 | 96 | 75-123 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 46.7 | 93 | 84-134 | |
| Methyl-tert-butyl ether | ug/L | 50 | 56.5 | 113 | 65-131 | |
| Naphthalene | ug/L | 50 | 51.2 | 102 | 65-134 | |
| Tetrachloroethene | ug/L | 50 | 47.4 | 95 | 69-119 | |
| Toluene | ug/L | 50 | 44.2 | 88 | 74-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 54.3 | 109 | 72-122 | |
| Trichloroethene | ug/L | 50 | 50.9 | 102 | 75-123 | |
| Vinyl chloride | ug/L | 50 | 51.6 | 103 | 61-147 | |
| Xylene (Total) | ug/L | 150 | 141 | 94 | 75-127 | |
| 4-Bromofluorobenzene (S) | %. | | | 102 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | 108 | 84-118 | |
| Toluene-d8 (S) | %. | | | 100 | 86-110 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1523181 1523182

| Parameter | Units | 50143193001 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | ug/L | ND | 50 | 50 | 53.7 | 54.9 | 104 | 106 | 51-140 | 2 | 20 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 50 | 50 | 49.4 | 49.1 | 99 | 98 | 49-138 | 1 | 20 | |
| 1,1-Dichloroethene | ug/L | ND | 50 | 50 | 53.8 | 54.2 | 108 | 108 | 51-144 | 1 | 20 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 50 | 50 | 45.1 | 46.3 | 90 | 93 | 32-143 | 3 | 20 | |
| 1,2-Dichloropropane | ug/L | ND | 50 | 50 | 46.6 | 47.6 | 93 | 95 | 56-138 | 2 | 20 | |
| Benzene | ug/L | ND | 50 | 50 | 49.2 | 49.7 | 98 | 99 | 51-140 | 1 | 20 | |
| Chlorobenzene | ug/L | ND | 50 | 50 | 48.1 | 48.5 | 96 | 97 | 45-138 | 1 | 20 | |
| Chloroform | ug/L | ND | 50 | 50 | 53.1 | 53.0 | 106 | 106 | 50-135 | 0 | 20 | |
| cis-1,2-Dichloroethene | ug/L | 20.5 | 50 | 50 | 70.2 | 70.3 | 99 | 100 | 43-144 | 0 | 20 | |
| Ethylbenzene | ug/L | ND | 50 | 50 | 47.4 | 48.7 | 95 | 97 | 36-146 | 3 | 20 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 50 | 50 | 46.4 | 47.4 | 93 | 95 | 43-159 | 2 | 20 | |
| Methyl-tert-butyl ether | ug/L | ND | 50 | 50 | 60.1 | 59.5 | 120 | 119 | 43-146 | 1 | 20 | |
| Naphthalene | ug/L | ND | 50 | 50 | 53.4 | 53.8 | 107 | 108 | 38-141 | 1 | 20 | |
| Tetrachloroethene | ug/L | ND | 50 | 50 | 48.0 | 47.6 | 96 | 95 | 38-139 | 1 | 20 | |
| Toluene | ug/L | ND | 50 | 50 | 44.0 | 44.4 | 87 | 88 | 44-140 | 1 | 20 | |
| trans-1,2-Dichloroethene | ug/L | ND | 50 | 50 | 54.8 | 55.6 | 110 | 111 | 50-139 | 1 | 20 | |
| Trichloroethene | ug/L | 7.3 | 50 | 50 | 58.6 | 60.2 | 103 | 106 | 44-146 | 3 | 20 | |
| Vinyl chloride | ug/L | ND | 50 | 50 | 50.2 | 50.4 | 100 | 101 | 43-166 | 0 | 20 | |
| Xylene (Total) | ug/L | ND | 150 | 150 | 140 | 142 | 93 | 94 | 35-146 | 1 | 20 | |
| 4-Bromofluorobenzene (S) | %. | | | | | | 102 | 102 | 79-116 | | | |
| Dibromofluoromethane (S) | %. | | | | | | 109 | 109 | 84-118 | | | |
| Toluene-d8 (S) | %. | | | | | | 99 | 99 | 86-110 | | | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

QC Batch: MSV/89373
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Associated Lab Samples: 50143193006

METHOD BLANK: 1524392
Matrix: Water
Associated Lab Samples: 50143193006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 04/22/16 23:42 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 2-Hexanone | ug/L | ND | 25.0 | 04/22/16 23:42 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 04/22/16 23:42 | |
| Acetone | ug/L | ND | 100 | 04/22/16 23:42 | |
| Acrolein | ug/L | ND | 50.0 | 04/22/16 23:42 | |
| Acrylonitrile | ug/L | ND | 100 | 04/22/16 23:42 | |
| Benzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromochloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromoform | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromomethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Carbon disulfide | ug/L | ND | 10.0 | 04/22/16 23:42 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chloroform | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

METHOD BLANK: 1524392 Matrix: Water
Associated Lab Samples: 50143193006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Dibromomethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Ethyl methacrylate | ug/L | ND | 100 | 04/22/16 23:42 | |
| Ethylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Iodomethane | ug/L | ND | 10.0 | 04/22/16 23:42 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 04/22/16 23:42 | |
| Methylene Chloride | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Naphthalene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Styrene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Toluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 04/22/16 23:42 | |
| Trichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Vinyl acetate | ug/L | ND | 50.0 | 04/22/16 23:42 | |
| Vinyl chloride | ug/L | ND | 2.0 | 04/22/16 23:42 | |
| Xylene (Total) | ug/L | ND | 10.0 | 04/22/16 23:42 | |
| 4-Bromofluorobenzene (S) | %. | 102 | 79-116 | 04/22/16 23:42 | |
| Dibromofluoromethane (S) | %. | 106 | 84-118 | 04/22/16 23:42 | |
| Toluene-d8 (S) | %. | 97 | 86-110 | 04/22/16 23:42 | |

LABORATORY CONTROL SAMPLE: 1524393

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | ug/L | 50 | 43.4 | 87 | 72-123 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 49.5 | 99 | 72-124 | |
| 1,1-Dichloroethene | ug/L | 50 | 45.5 | 91 | 69-127 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 45.5 | 91 | 73-125 | |
| 1,2-Dichloropropane | ug/L | 50 | 46.0 | 92 | 77-124 | |
| Benzene | ug/L | 50 | 45.0 | 90 | 76-122 | |
| Chlorobenzene | ug/L | 50 | 46.0 | 92 | 76-118 | |
| Chloroform | ug/L | 50 | 41.1 | 82 | 70-119 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 43.6 | 87 | 74-120 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

LABORATORY CONTROL SAMPLE: 1524393

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | 50 | 50.6 | 101 | 71-134 | |
| Ethylbenzene | ug/L | 50 | 45.3 | 91 | 75-123 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 45.7 | 91 | 84-134 | |
| Methyl-tert-butyl ether | ug/L | 50 | 49.5 | 99 | 65-131 | |
| Naphthalene | ug/L | 50 | 45.7 | 91 | 65-134 | |
| Tetrachloroethene | ug/L | 50 | 45.8 | 92 | 69-119 | |
| Toluene | ug/L | 50 | 47.1 | 94 | 74-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 45.4 | 91 | 72-122 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 50.7 | 101 | 66-135 | |
| Trichloroethene | ug/L | 50 | 48.1 | 96 | 75-123 | |
| Vinyl chloride | ug/L | 50 | 49.3 | 99 | 61-147 | |
| Xylene (Total) | ug/L | 150 | 139 | 92 | 75-127 | |
| 4-Bromofluorobenzene (S) | %. | | | 98 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | 91 | 84-118 | |
| Toluene-d8 (S) | %. | | | 104 | 86-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

# QUALIFIERS

Project: Amphenol
Pace Project No.: 50143193

**DEFINITIONS**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50143193

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---|---|---|---|---|---|
| **50143193001** | **IT-2** | EPA 8260 | MSV/89287 | | |
| **50143193002** | **IT-3** | EPA 8260 | MSV/89287 | | |
| **50143193003** | **MW-12R** | EPA 8260 | MSV/89287 | | |
| **50143193004** | **MW-20** | EPA 8260 | MSV/89287 | | |
| **50143193005** | **MW-22** | EPA 8260 | MSV/89287 | | |
| **50143193006** | **MW-28** | EPA 8260 | MSV/89373 | | |
| **50143193007** | **MW-29** | EPA 8260 | MSV/89287 | | |
| **50143193008** | **MW-30** | EPA 8260 | MSV/89287 | | |
| **50143193009** | **Duplicate** | EPA 8260 | MSV/89287 | | |
| **50143193010** | **Trip Blank** | EPA 8260 | MSV/89287 | | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

1037

Page : 1 Of 1

| Section A Required Client Information: | | Section B Required Project Information: | | Section C Invoice Information: | |
|---|---|---|---|---|---|
| Company: | IWM Consulting | Report To: | Chris Newell | Attention: | Chris Newell |
| Address: | 7428 Rockville Road | Copy To: | | Company Name: | IWM Consulting |
| | Indianapolis, IN 46214 | | | Address: | 7428 Rockville Road, Indianapolis, IN 46 |
| Email To: | cnewell@iwmconsult.com | Purchase Order No. | | Pace Quote Reference: | |
| Phone: | 347-1111 Fax: | Client Project ID: | Amphenol | Pace Project Manager: | Hunt, Kenneth |
| Requested Due Date/TAT: | 10 Day (Default) | Container Order Number: | | Pace Profile #: | |

| Regulatory Agency |
|---|
| RCRA - Resource Conservation and Recovery Act |
| State / Location |
| Indiana |

| ITEM# | SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample ids must be unique) | MATRIX CODE (see valid codes to left) | SAMPLE TYPE (G=GRAB C=COMP) | COLLECTED START DATE | COLLECTED START TIME | COLLECTED END DATE | COLLECTED END TIME | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Unpreserved | H2SO4 | HNO3 | HCl | NaOH | Na2S2O3 | Methanol | Other | Analysis Test Y/N | VOC 8260 WT | Residual Chlorine (Y/N) | 50143193 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | IT-2 | WT | G | 4-19-16 | 1151 | | | | 3 | | | | X | | | | | | X | | 001 |
| 2 | IT-3 | WT | | | 1103 | | | | | | | | X | | | | | | X | | 002 |
| 3 | MW-12R | WT | | | 1130 | | | | | | | | X | | | | | | X | | 003 |
| 4 | MW-20 | WT | | | 1325 | | | | | | | | X | | | | | | X | | 004 |
| 5 | MW-22 | WT | | | 1035 | | | | | | | | X | | | | | | X | | 005 |
| 6 | MW-28 | WT | | | 1058 | | | | | | | | X | | | | | | X | | 006 |
| 7 | MW-29 | WT | | | 1110 | | | | | | | | X | | | | | | X | | 007 |
| 8 | MW-30 | WT | | | 1424 | | | | | | | | X | | | | | | X | | 008 |
| 9 | DUPLICATE | WT | | | | | | | | | | | X | | | | | | X | | 009 |
| 10 | TRIP BLANK | WT | ✓ | ✓ | | | | | ✓ | | | | X | | | | | | X | | 010 |
| 11 | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | |

Matrix codes: Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Other OT, Tissue TS

| ADDITIONAL COMMENTS | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Ralph Nhien IWM | 4/19/16 | 3:34 | Kathy Eck / Pace | 4/19/16 | 3:34 | 1.0 | Y | N | Y |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| SAMPLER NAME AND SIGNATURE | | | |
|---|---|---|---|
| PRINT Name of SAMPLER: | Ralph Nhien | | |
| SIGNATURE of SAMPLER: | Ralph Nhien | DATE Signed: | 4-19-16 |

| TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) |
|---|---|---|---|

## Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Cons. Project # 50143193

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals Intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer: _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 1.0°c/1.0°c Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and initials of person examining contents: KEE 4-19-16

| | | Comments: |
|---|---|---|
| Are samples from West Virginia? Document any containers out of temp. | ☐Yes ☑No | 1. |
| Chain of Custody Present: | ☑Yes ☐No ☐N/A | 2. |
| Chain of Custody Filled Out: | ☑Yes ☐No ☐N/A | 3. |
| Chain of Custody Relinquished: | ☑Yes ☐No ☐N/A | 4. |
| Sampler Name & Signature on COC: | ☑Yes ☐No ☐N/A | 5. |
| Short Hold Time Analysis (<72hr): | ☐Yes ☑No ☐N/A | 6. |
| Rush Turn Around Time Requested: | ☐Yes ☑No ☐N/A | 7. |
| Containers Intact: | ☑Yes ☐No ☐N/A | 8. |
| Sample Labels match COC: -Includes date/time/ID/Analysis | ☑Yes ☐No ☐N/A | 9. |
| All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted. | ☐Yes ☐No ☑N/A | 10 (Circle) HNO3 H2SO4 NaOH NaOH/ZnAc |
| Residual Chlorine Check (SVOC 625 Pest/PCB 608) | | 11. Present Absent |
| Residual Chlorine Check (Total/Amenable/Free Cyanide) | | 12. Present Absent |
| Headspace in VOA Vials ( >6mm): | ☐Yes ☑No ☐N/A | 13 |
| Headspace Wisconsin Sulfide | ☐Yes ☐No | 14 |
| Trip Blank Present: | ☑Yes ☐No ☐N/A | 15 |
| Trip Blank Custody Seals Present | ☑Yes ☐No ☐N/A | |
| **Project Manager Review** | | |
| Samples Arrived within Hold Time: | ☐Yes ☐No ☐N/A | 15. |
| Sufficient Volume: | ☐Yes ☐No ☐N/A | 16. |
| Correct Containers Used: | ☐Yes ☐No ☐N/A | 17. |

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Chris Newell Date/Time: 5/10/16

Comments/ Resolution: Correct Sampling date was 4/19/16

Project Manager Review: _____ Date: _____

Form F-IN-Q-290-rev.09, 13Oct2015

# Sample Container Count

CLIENT: Flum Cons.

COC PAGE 1 of 1

COC ID#

Project # 50143193

| Sample Line Item | DG9H | AG1U | WGFU | AG0U | R 4 / 6 | BP2N | BP2U | BP2S | BP3N | BP3U | BP3S | AG3S | AG1H | BP3C | BP1U | SP5T | AG2U | | | | | | pH <2 | pH >9 | pH>12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | | |

Container Codes

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DG9H | 40mL HCL amber voa vial | AG0U | 100mL unpreserved amber glass | BP1N | 1 liter HNO3 plastic | DG9P | 40mL TSP amber vial |
| AG1U | 1liter unpreserved amber glass | AG1H | 1 liter HCL amber glass | BP1S | 1 liter H2SO4 plastic | DG9S | 40mL H2SO4 amber vial |
| WGFU | 4oz clear soil jar | AG1S | 1 liter H2SO4 amber glass | BP1U | 1 liter unpreserved plastic | DG9T | 40mL Na Thio amber vial |
| R | terra core kit | AG1T | 1 liter Na Thiosulfate amber glass | BP1Z | 1 liter NaOH, Zn, Ac | DG9U | 40mL unpreserved amber vial |
| BP2N | 500mL HNO3 plastic | AG2N | 500mL HNO3 amber glass | BP2A | 500mL NaOH, Asc Acid plastic | SP5T | 120mL Coliform Na Thiosulfate |
| BP2U | 500mL unpreserved plastic | AG2S | 500mL H2SO4 amber glass | BP2O | 500mL NaOH plastic | JGFU | 4oz unpreserved amber wide |
| BP2S | 500mL H2SO4 plastic | AG2U | 500mL unpreserved amber glass | BP2Z | 500mL NaOH, Zn Ac | U | Summa Can |
| BP3N | 250mL HNO3 plastic | AG3U | 250mL unpreserved amber glass | AF | Air Filter | VG9H | 40mL HCL clear vial |
| BP3U | 250mL unpreserved plastic | BG1H | 1 liter HCL clear glass | BP3C | 250mL NaOH plastic | VG9T | 40mL Na Thio. clear vial |
| BP3S | 250mL H2SO4 plastic | BG1S | 1 liter H2SO4 clear glass | BP3Z | 250mL NaOH, Zn Ac plastic | VG9U | 40mL unpreserved clear vial |
| AG3S | 250mL H2SO4 glass amber | BG1T | 1 liter Na Thiosulfate clear glass | C | Air Cassettes | VSG | Headspace septa vial & HCL |
| AG1S | 1 liter H2SO4 amber glass | BG1U | 1 liter unpreserved glass | DG9B | 40mL Na Bisulfate amber vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1U | 1 liter unpreserved plastic | BP1A | 1 liter NaOH, Asc Acid plastic | DG9M | 40mL MeOH clear vial | ZPLC | Ziploc Bag |

# APPENDIX B

## Laboratory Analytical Reports
## Groundwater Recovery and Treatment System Samples

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

December 04, 2015

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50133305

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on November 25, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# CERTIFICATIONS

| | |
|---|---|
| Project: | Amphenol |
| Pace Project No.: | 50133305 |

**Indiana Certification IDs**
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #:E-10177
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Louisiana Certification #: 04076
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Texas Certification #: T104704355-15-9
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50133305

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|---|---|---|---|---|
| **50133305001** | **RW-1** | Water | 11/25/15 10:10 | 11/25/15 14:29 |
| **50133305002** | **RW-2** | Water | 11/25/15 10:05 | 11/25/15 14:29 |
| **50133305003** | **RW-3** | Water | 11/25/15 09:55 | 11/25/15 14:29 |
| **50133305004** | **RW-4** | Water | 11/25/15 09:50 | 11/25/15 14:29 |
| **50133305005** | **RW-5** | Water | 11/25/15 09:45 | 11/25/15 14:29 |
| **50133305006** | **Effluent** | Water | 11/25/15 09:30 | 11/25/15 14:29 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50133305

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|---|---|---|---|---|
| **50133305001** | **RW-1** | EPA 8260 | DAE | 72 |
| **50133305002** | **RW-2** | EPA 8260 | DAE | 72 |
| **50133305003** | **RW-3** | EPA 8260 | DAE | 72 |
| **50133305004** | **RW-4** | EPA 8260 | DAE | 72 |
| **50133305005** | **RW-5** | EPA 8260 | DAE | 72 |
| **50133305006** | **Effluent** | EPA 8260 | DAE | 72 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50133305

| Lab Sample ID / Method | Client Sample ID / Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|---|
| **50133305001** | **RW-1** | | | | | |
| EPA 8260 | Tetrachloroethene | 7.8 | ug/L | 5.0 | 12/03/15 14:14 | |
| EPA 8260 | 1,1,1-Trichloroethane | 14.3 | ug/L | 5.0 | 12/03/15 14:14 | |
| EPA 8260 | Trichloroethene | 16.9 | ug/L | 5.0 | 12/03/15 14:14 | |
| **50133305002** | **RW-2** | | | | | |
| EPA 8260 | 1,1-Dichloroethane | 7.4 | ug/L | 5.0 | 12/03/15 14:47 | |
| EPA 8260 | Tetrachloroethene | 131 | ug/L | 5.0 | 12/03/15 14:47 | |
| EPA 8260 | 1,1,1-Trichloroethane | 70.8 | ug/L | 5.0 | 12/03/15 14:47 | |
| EPA 8260 | Trichloroethene | 101 | ug/L | 5.0 | 12/03/15 14:47 | |
| **50133305003** | **RW-3** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 11.4 | ug/L | 5.0 | 12/03/15 15:20 | |
| EPA 8260 | Tetrachloroethene | 97.7 | ug/L | 5.0 | 12/03/15 15:20 | |
| EPA 8260 | 1,1,1-Trichloroethane | 38.9 | ug/L | 5.0 | 12/03/15 15:20 | |
| EPA 8260 | Trichloroethene | 32.5 | ug/L | 5.0 | 12/03/15 15:20 | |
| **50133305004** | **RW-4** | | | | | |
| EPA 8260 | Tetrachloroethene | 6.7 | ug/L | 5.0 | 12/04/15 03:36 | |
| **50133305005** | **RW-5** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 111 | ug/L | 5.0 | 12/03/15 16:25 | |
| EPA 8260 | Tetrachloroethene | 414 | ug/L | 50.0 | 12/03/15 16:58 | |
| EPA 8260 | 1,1,1-Trichloroethane | 35.0 | ug/L | 5.0 | 12/03/15 16:25 | |
| EPA 8260 | Trichloroethene | 180 | ug/L | 5.0 | 12/03/15 16:25 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-1** **Lab ID: 50133305001** Collected: 11/25/15 10:10 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 14:14 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:14 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 14:14 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 14:14 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 14:14 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 14:14 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-1** **Lab ID: 50133305001** Collected: 11/25/15 10:10 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:14 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 14:14 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 79-34-5 | |
| Tetrachloroethene | **7.8** | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 120-82-1 | |
| 1,1,1-Trichloroethane | **14.3** | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 79-00-5 | |
| Trichloroethene | **16.9** | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:14 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 14:14 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 14:14 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 14:14 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 79-116 | 1 | | 12/03/15 14:14 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 100 | %. | 80-114 | 1 | | 12/03/15 14:14 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 14:14 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-2** **Lab ID: 50133305002** Collected: 11/25/15 10:05 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 14:47 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:47 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 14:47 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-71-8 | |
| 1,1-Dichloroethane | **7.4** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 14:47 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 14:47 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 14:47 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-2** **Lab ID: 50133305002** Collected: 11/25/15 10:05 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 14:47 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 14:47 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 79-34-5 | |
| Tetrachloroethene | **131** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 120-82-1 | |
| 1,1,1-Trichloroethane | **70.8** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 79-00-5 | |
| Trichloroethene | **101** | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 14:47 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 14:47 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 14:47 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 14:47 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 109 | %. | 79-116 | 1 | | 12/03/15 14:47 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 99 | %. | 80-114 | 1 | | 12/03/15 14:47 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 14:47 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-3** **Lab ID: 50133305003** Collected: 11/25/15 09:55 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 15:20 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 15:20 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 15:20 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-35-4 | |
| cis-1,2-Dichloroethene | **11.4** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 15:20 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 15:20 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 15:20 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-3** **Lab ID: 50133305003** Collected: 11/25/15 09:55 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 15:20 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 15:20 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 79-34-5 | |
| Tetrachloroethene | **97.7** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 120-82-1 | |
| 1,1,1-Trichloroethane | **38.9** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 79-00-5 | |
| Trichloroethene | **32.5** | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 15:20 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 15:20 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 15:20 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 15:20 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 113 | %. | 79-116 | 1 | | 12/03/15 15:20 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 100 | %. | 80-114 | 1 | | 12/03/15 15:20 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 15:20 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-4** **Lab ID: 50133305004** Collected: 11/25/15 09:50 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/04/15 03:36 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/04/15 03:36 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/04/15 03:36 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/04/15 03:36 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/04/15 03:36 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/04/15 03:36 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-4** **Lab ID: 50133305004** Collected: 11/25/15 09:50 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/04/15 03:36 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/04/15 03:36 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 79-34-5 | |
| Tetrachloroethene | **6.7** | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/04/15 03:36 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/04/15 03:36 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/04/15 03:36 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/04/15 03:36 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 106 | %. | 79-116 | 1 | | 12/04/15 03:36 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 102 | %. | 80-114 | 1 | | 12/04/15 03:36 | 460-00-4 | |
| Toluene-d8 (S) | 95 | %. | 81-110 | 1 | | 12/04/15 03:36 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-5** **Lab ID: 50133305005** Collected: 11/25/15 09:45 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 16:25 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 16:25 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 16:25 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-35-4 | |
| cis-1,2-Dichloroethene | **111** | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 16:25 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 16:25 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 16:25 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: RW-5** **Lab ID: 50133305005** Collected: 11/25/15 09:45 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 16:25 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 16:25 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 79-34-5 | |
| Tetrachloroethene | **414** | ug/L | 50.0 | 10 | | 12/03/15 16:58 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 120-82-1 | |
| 1,1,1-Trichloroethane | **35.0** | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 79-00-5 | |
| Trichloroethene | **180** | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 16:25 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 16:25 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 16:25 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 16:25 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 109 | %. | 79-116 | 1 | | 12/03/15 16:25 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 99 | %. | 80-114 | 1 | | 12/03/15 16:25 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 16:25 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: Effluent** **Lab ID: 50133305006** Collected: 11/25/15 09:30 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 12/03/15 17:31 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 12/03/15 17:31 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 12/03/15 17:31 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 12/03/15 17:31 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 12/03/15 17:31 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 12/03/15 17:31 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50133305

**Sample: Effluent** **Lab ID: 50133305006** Collected: 11/25/15 09:30 Received: 11/25/15 14:29 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 12/03/15 17:31 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 12/03/15 17:31 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 12/03/15 17:31 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 12/03/15 17:31 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 12/03/15 17:31 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 12/03/15 17:31 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 79-116 | 1 | | 12/03/15 17:31 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 101 | %. | 80-114 | 1 | | 12/03/15 17:31 | 460-00-4 | |
| Toluene-d8 (S) | 93 | %. | 81-110 | 1 | | 12/03/15 17:31 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

QC Batch: MSV/84455 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50133305001, 50133305002, 50133305003, 50133305005, 50133305006

METHOD BLANK: 1437428 Matrix: Water
Associated Lab Samples: 50133305001, 50133305002, 50133305003, 50133305005, 50133305006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 12/03/15 13:42 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 2-Hexanone | ug/L | ND | 25.0 | 12/03/15 13:42 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 12/03/15 13:42 | |
| Acetone | ug/L | ND | 100 | 12/03/15 13:42 | |
| Acrolein | ug/L | ND | 50.0 | 12/03/15 13:42 | |
| Acrylonitrile | ug/L | ND | 100 | 12/03/15 13:42 | |
| Benzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromochloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromoform | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Bromomethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Carbon disulfide | ug/L | ND | 10.0 | 12/03/15 13:42 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chlorobenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chloroethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chloroform | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Chloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

METHOD BLANK: 1437428 Matrix: Water
Associated Lab Samples: 50133305001, 50133305002, 50133305003, 50133305005, 50133305006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Dibromomethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Ethyl methacrylate | ug/L | ND | 100 | 12/03/15 13:42 | |
| Ethylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Iodomethane | ug/L | ND | 10.0 | 12/03/15 13:42 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 12/03/15 13:42 | |
| Methylene Chloride | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Naphthalene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Styrene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Toluene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 12/03/15 13:42 | |
| Trichloroethene | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 12/03/15 13:42 | |
| Vinyl acetate | ug/L | ND | 50.0 | 12/03/15 13:42 | |
| Vinyl chloride | ug/L | ND | 2.0 | 12/03/15 13:42 | |
| Xylene (Total) | ug/L | ND | 10.0 | 12/03/15 13:42 | |
| 4-Bromofluorobenzene (S) | %. | 99 | 80-114 | 12/03/15 13:42 | |
| Dibromofluoromethane (S) | %. | 113 | 79-116 | 12/03/15 13:42 | |
| Toluene-d8 (S) | %. | 93 | 81-110 | 12/03/15 13:42 | |

LABORATORY CONTROL SAMPLE: 1437429

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | 50 | 54.8 | 110 | 61-135 | |
| 1,1,1-Trichloroethane | ug/L | 50 | 49.0 | 98 | 71-129 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 44.5 | 89 | 66-126 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 50.2 | 100 | 77-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 44.8 | 90 | 75-130 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.1 | 94 | 68-127 | |
| 1,1-Dichloropropene | ug/L | 50 | 51.5 | 103 | 78-130 | |
| 1,2,3-Trichlorobenzene | ug/L | 50 | 56.1 | 112 | 70-130 | |
| 1,2,3-Trichloropropane | ug/L | 50 | 48.6 | 97 | 58-142 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437429

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,2,4-Trichlorobenzene | ug/L | 50 | 56.4 | 113 | 68-131 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 48.9 | 98 | 69-127 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 51.6 | 103 | 76-125 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 47.3 | 95 | 75-123 | |
| 1,2-Dichloroethane | ug/L | 50 | 47.6 | 95 | 75-128 | |
| 1,2-Dichloropropane | ug/L | 50 | 48.3 | 97 | 74-121 | |
| 1,3,5-Trimethylbenzene | ug/L | 50 | 48.4 | 97 | 70-126 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 51.0 | 102 | 74-122 | |
| 1,3-Dichloropropane | ug/L | 50 | 50.5 | 101 | 74-123 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 48.6 | 97 | 76-120 | |
| 2,2-Dichloropropane | ug/L | 50 | 53.2 | 106 | 50-137 | |
| 2-Butanone (MEK) | ug/L | 250 | 258 | 103 | 58-139 | |
| 2-Chlorotoluene | ug/L | 50 | 45.9 | 92 | 74-122 | |
| 2-Hexanone | ug/L | 250 | 282 | 113 | 54-140 | |
| 4-Chlorotoluene | ug/L | 50 | 47.8 | 96 | 77-123 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | 250 | 286 | 114 | 58-138 | |
| Acetone | ug/L | 250 | 247 | 99 | 49-150 | |
| Acrolein | ug/L | 1000 | 1030 | 103 | 41-200 | |
| Acrylonitrile | ug/L | 200 | 181 | 90 | 63-137 | |
| Benzene | ug/L | 50 | 47.3 | 95 | 74-122 | |
| Bromobenzene | ug/L | 50 | 46.6 | 93 | 72-127 | |
| Bromochloromethane | ug/L | 50 | 44.7 | 89 | 63-132 | |
| Bromodichloromethane | ug/L | 50 | 49.6 | 99 | 62-136 | |
| Bromoform | ug/L | 50 | 40.0 | 80 | 44-134 | |
| Bromomethane | ug/L | 50 | 55.8 | 112 | 22-181 | |
| Carbon disulfide | ug/L | 50 | 61.3 | 123 | 59-132 | |
| Carbon tetrachloride | ug/L | 50 | 51.7 | 103 | 56-137 | |
| Chlorobenzene | ug/L | 50 | 48.2 | 96 | 78-123 | |
| Chloroethane | ug/L | 50 | 51.4 | 103 | 60-144 | |
| Chloroform | ug/L | 50 | 47.6 | 95 | 78-126 | |
| Chloromethane | ug/L | 50 | 49.5 | 99 | 42-134 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 48.1 | 96 | 75-122 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 52.1 | 104 | 64-126 | |
| Dibromochloromethane | ug/L | 50 | 53.1 | 106 | 58-128 | |
| Dibromomethane | ug/L | 50 | 51.5 | 103 | 73-125 | |
| Dichlorodifluoromethane | ug/L | 50 | 42.3 | 85 | 35-181 | |
| Ethyl methacrylate | ug/L | 200 | 218 | 109 | 69-133 | |
| Ethylbenzene | ug/L | 50 | 49.2 | 98 | 66-133 | |
| Hexachloro-1,3-butadiene | ug/L | 50 | 49.3 | 99 | 59-145 | |
| Iodomethane | ug/L | 100 | 110 | 110 | 21-170 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 55.5 | 111 | 69-124 | |
| Methyl-tert-butyl ether | ug/L | 50 | 53.9 | 108 | 69-122 | |
| Methylene Chloride | ug/L | 50 | 47.3 | 95 | 68-132 | |
| n-Butylbenzene | ug/L | 50 | 49.3 | 99 | 70-126 | |
| n-Propylbenzene | ug/L | 50 | 50.1 | 100 | 71-122 | |
| Naphthalene | ug/L | 50 | 47.4 | 95 | 68-127 | |
| p-Isopropyltoluene | ug/L | 50 | 51.5 | 103 | 72-132 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437429

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| sec-Butylbenzene | ug/L | 50 | 52.2 | 104 | 70-128 | |
| Styrene | ug/L | 50 | 52.4 | 105 | 74-126 | |
| tert-Butylbenzene | ug/L | 50 | 45.2 | 90 | 51-118 | |
| Tetrachloroethene | ug/L | 50 | 49.5 | 99 | 69-130 | |
| Toluene | ug/L | 50 | 45.9 | 92 | 72-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 45.6 | 91 | 72-124 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 52.5 | 105 | 64-121 | |
| trans-1,4-Dichloro-2-butene | ug/L | 200 | 136 | 68 | 56-133 | |
| Trichloroethene | ug/L | 50 | 48.5 | 97 | 76-126 | |
| Trichlorofluoromethane | ug/L | 50 | 52.2 | 104 | 76-149 | |
| Vinyl acetate | ug/L | 200 | 240 | 120 | 45-151 | |
| Vinyl chloride | ug/L | 50 | 46.5 | 93 | 59-126 | |
| Xylene (Total) | ug/L | 150 | 150 | 100 | 70-124 | |
| 4-Bromofluorobenzene (S) | %. | | | 101 | 80-114 | |
| Dibromofluoromethane (S) | %. | | | 96 | 79-116 | |
| Toluene-d8 (S) | %. | | | 98 | 81-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

QC Batch: MSV/84465
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Associated Lab Samples: 50133305004

METHOD BLANK: 1437555
Matrix: Water
Associated Lab Samples: 50133305004

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 12/04/15 01:25 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 2-Hexanone | ug/L | ND | 25.0 | 12/04/15 01:25 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 12/04/15 01:25 | |
| Acetone | ug/L | ND | 100 | 12/04/15 01:25 | |
| Acrolein | ug/L | ND | 50.0 | 12/04/15 01:25 | |
| Acrylonitrile | ug/L | ND | 100 | 12/04/15 01:25 | |
| Benzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromochloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromoform | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Bromomethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Carbon disulfide | ug/L | ND | 10.0 | 12/04/15 01:25 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chlorobenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chloroethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chloroform | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Chloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

METHOD BLANK: 1437555 Matrix: Water
Associated Lab Samples: 50133305004

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Dibromomethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Ethyl methacrylate | ug/L | ND | 100 | 12/04/15 01:25 | |
| Ethylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Iodomethane | ug/L | ND | 10.0 | 12/04/15 01:25 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 12/04/15 01:25 | |
| Methylene Chloride | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Naphthalene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Styrene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Toluene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 12/04/15 01:25 | |
| Trichloroethene | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 12/04/15 01:25 | |
| Vinyl acetate | ug/L | ND | 50.0 | 12/04/15 01:25 | |
| Vinyl chloride | ug/L | ND | 2.0 | 12/04/15 01:25 | |
| Xylene (Total) | ug/L | ND | 10.0 | 12/04/15 01:25 | |
| 4-Bromofluorobenzene (S) | %. | 103 | 80-114 | 12/04/15 01:25 | |
| Dibromofluoromethane (S) | %. | 103 | 79-116 | 12/04/15 01:25 | |
| Toluene-d8 (S) | %. | 95 | 81-110 | 12/04/15 01:25 | |

LABORATORY CONTROL SAMPLE: 1437556

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | 50 | 49.4 | 99 | 61-135 | |
| 1,1,1-Trichloroethane | ug/L | 50 | 46.1 | 92 | 71-129 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 43.0 | 86 | 66-126 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 45.3 | 91 | 77-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 45.0 | 90 | 75-130 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.2 | 94 | 68-127 | |
| 1,1-Dichloropropene | ug/L | 50 | 46.0 | 92 | 78-130 | |
| 1,2,3-Trichlorobenzene | ug/L | 50 | 53.6 | 107 | 70-130 | |
| 1,2,3-Trichloropropane | ug/L | 50 | 44.0 | 88 | 58-142 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437556

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,2,4-Trichlorobenzene | ug/L | 50 | 51.0 | 102 | 68-131 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 45.8 | 92 | 69-127 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 46.4 | 93 | 76-125 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 46.6 | 93 | 75-123 | |
| 1,2-Dichloroethane | ug/L | 50 | 48.0 | 96 | 75-128 | |
| 1,2-Dichloropropane | ug/L | 50 | 43.1 | 86 | 74-121 | |
| 1,3,5-Trimethylbenzene | ug/L | 50 | 45.7 | 91 | 70-126 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 46.2 | 92 | 74-122 | |
| 1,3-Dichloropropane | ug/L | 50 | 44.5 | 89 | 74-123 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 47.8 | 96 | 76-120 | |
| 2,2-Dichloropropane | ug/L | 50 | 36.5 | 73 | 50-137 | |
| 2-Butanone (MEK) | ug/L | 250 | 238 | 95 | 58-139 | |
| 2-Chlorotoluene | ug/L | 50 | 43.3 | 87 | 74-122 | |
| 2-Hexanone | ug/L | 250 | 262 | 105 | 54-140 | |
| 4-Chlorotoluene | ug/L | 50 | 43.6 | 87 | 77-123 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | 250 | 257 | 103 | 58-138 | |
| Acetone | ug/L | 250 | 244 | 97 | 49-150 | |
| Acrolein | ug/L | 1000 | 679 | 68 | 41-200 | |
| Acrylonitrile | ug/L | 200 | 181 | 90 | 63-137 | |
| Benzene | ug/L | 50 | 43.6 | 87 | 74-122 | |
| Bromobenzene | ug/L | 50 | 46.0 | 92 | 72-127 | |
| Bromochloromethane | ug/L | 50 | 41.4 | 83 | 63-132 | |
| Bromodichloromethane | ug/L | 50 | 46.8 | 94 | 62-136 | |
| Bromoform | ug/L | 50 | 39.1 | 78 | 44-134 | |
| Bromomethane | ug/L | 50 | 38.8 | 78 | 22-181 | |
| Carbon disulfide | ug/L | 50 | 48.4 | 97 | 59-132 | |
| Carbon tetrachloride | ug/L | 50 | 43.9 | 88 | 56-137 | |
| Chlorobenzene | ug/L | 50 | 43.0 | 86 | 78-123 | |
| Chloroethane | ug/L | 50 | 48.7 | 97 | 60-144 | |
| Chloroform | ug/L | 50 | 45.3 | 91 | 78-126 | |
| Chloromethane | ug/L | 50 | 42.1 | 84 | 42-134 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 46.7 | 93 | 75-122 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 43.9 | 88 | 64-126 | |
| Dibromochloromethane | ug/L | 50 | 48.9 | 98 | 58-128 | |
| Dibromomethane | ug/L | 50 | 44.6 | 89 | 73-125 | |
| Dichlorodifluoromethane | ug/L | 50 | 37.6 | 75 | 35-181 | |
| Ethyl methacrylate | ug/L | 200 | 201 | 101 | 69-133 | |
| Ethylbenzene | ug/L | 50 | 46.5 | 93 | 66-133 | |
| Hexachloro-1,3-butadiene | ug/L | 50 | 44.0 | 88 | 59-145 | |
| Iodomethane | ug/L | 100 | 90.8 | 91 | 21-170 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 51.0 | 102 | 69-124 | |
| Methyl-tert-butyl ether | ug/L | 50 | 47.5 | 95 | 69-122 | |
| Methylene Chloride | ug/L | 50 | 45.6 | 91 | 68-132 | |
| n-Butylbenzene | ug/L | 50 | 48.0 | 96 | 70-126 | |
| n-Propylbenzene | ug/L | 50 | 48.6 | 97 | 71-122 | |
| Naphthalene | ug/L | 50 | 55.6 | 111 | 68-127 | |
| p-Isopropyltoluene | ug/L | 50 | 47.5 | 95 | 72-132 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

LABORATORY CONTROL SAMPLE: 1437556

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| sec-Butylbenzene | ug/L | 50 | 49.3 | 99 | 70-128 | |
| Styrene | ug/L | 50 | 50.0 | 100 | 74-126 | |
| tert-Butylbenzene | ug/L | 50 | 42.8 | 86 | 51-118 | |
| Tetrachloroethene | ug/L | 50 | 44.0 | 88 | 69-130 | |
| Toluene | ug/L | 50 | 47.6 | 95 | 72-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 42.3 | 85 | 72-124 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 46.7 | 93 | 64-121 | |
| trans-1,4-Dichloro-2-butene | ug/L | 200 | 94.4J | 47 | 56-133 | L0 |
| Trichloroethene | ug/L | 50 | 45.9 | 92 | 76-126 | |
| Trichlorofluoromethane | ug/L | 50 | 49.4 | 99 | 76-149 | |
| Vinyl acetate | ug/L | 200 | 207 | 103 | 45-151 | |
| Vinyl chloride | ug/L | 50 | 42.6 | 85 | 59-126 | |
| Xylene (Total) | ug/L | 150 | 143 | 95 | 70-124 | |
| 4-Bromofluorobenzene (S) | %. | | | 102 | 80-114 | |
| Dibromofluoromethane (S) | %. | | | 100 | 79-116 | |
| Toluene-d8 (S) | %. | | | 98 | 81-110 | |

MATRIX SPIKE SAMPLE: 1437558

| Parameter | Units | 50133331012 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 50 | 52.4 | 105 | 50-132 | |
| 1,1,1-Trichloroethane | ug/L | ND | 50 | 54.4 | 109 | 60-138 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 50 | 41.4 | 83 | 55-128 | |
| 1,1,2-Trichloroethane | ug/L | ND | 50 | 44.1 | 88 | 61-139 | |
| 1,1-Dichloroethane | ug/L | ND | 50 | 48.7 | 97 | 57-147 | |
| 1,1-Dichloroethene | ug/L | ND | 50 | 53.5 | 107 | 55-145 | |
| 1,1-Dichloropropene | ug/L | ND | 50 | 50.8 | 102 | 55-147 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 50 | 52.7 | 105 | 31-141 | |
| 1,2,3-Trichloropropane | ug/L | ND | 50 | 43.0 | 86 | 58-133 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 50 | 49.9 | 100 | 25-143 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 50 | 46.5 | 93 | 18-149 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 50 | 45.8 | 92 | 63-129 | |
| 1,2-Dichlorobenzene | ug/L | ND | 50 | 47.4 | 95 | 38-136 | |
| 1,2-Dichloroethane | ug/L | ND | 50 | 52.7 | 105 | 62-138 | |
| 1,2-Dichloropropane | ug/L | ND | 50 | 45.2 | 90 | 59-130 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 50 | 46.5 | 93 | 20-147 | |
| 1,3-Dichlorobenzene | ug/L | ND | 50 | 46.1 | 92 | 28-141 | |
| 1,3-Dichloropropane | ug/L | ND | 50 | 44.6 | 89 | 62-127 | |
| 1,4-Dichlorobenzene | ug/L | ND | 50 | 46.3 | 93 | 30-139 | |
| 2,2-Dichloropropane | ug/L | ND | 50 | 36.3 | 73 | 37-139 | |
| 2-Butanone (MEK) | ug/L | ND | 250 | 218 | 87 | 37-156 | |
| 2-Chlorotoluene | ug/L | ND | 50 | 43.8 | 88 | 27-142 | |
| 2-Hexanone | ug/L | ND | 250 | 239 | 96 | 44-143 | |
| 4-Chlorotoluene | ug/L | ND | 50 | 44.2 | 88 | 27-144 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 250 | 238 | 95 | 46-144 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

MATRIX SPIKE SAMPLE: 1437558

| Parameter | Units | 50133331012 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| Acetone | ug/L | ND | 250 | 239 | 96 | 39-156 | |
| Acrolein | ug/L | ND | 1000 | 1000 | 100 | 33-200 | |
| Acrylonitrile | ug/L | ND | 200 | 168 | 84 | 48-149 | |
| Benzene | ug/L | ND | 50 | 46.4 | 93 | 62-129 | |
| Bromobenzene | ug/L | ND | 50 | 47.6 | 95 | 39-140 | |
| Bromochloromethane | ug/L | ND | 50 | 43.3 | 87 | 49-142 | |
| Bromodichloromethane | ug/L | ND | 50 | 50.2 | 100 | 50-142 | |
| Bromoform | ug/L | ND | 50 | 36.0 | 72 | 36-125 | |
| Bromomethane | ug/L | ND | 50 | 46.8 | 94 | 13-179 | |
| Carbon disulfide | ug/L | ND | 50 | 55.8 | 112 | 45-142 | |
| Carbon tetrachloride | ug/L | ND | 50 | 53.4 | 107 | 46-142 | |
| Chlorobenzene | ug/L | ND | 50 | 43.8 | 88 | 49-136 | |
| Chloroethane | ug/L | ND | 50 | 57.4 | 115 | 47-160 | |
| Chloroform | ug/L | ND | 50 | 50.6 | 101 | 54-150 | |
| Chloromethane | ug/L | ND | 50 | 48.7 | 97 | 30-148 | |
| cis-1,2-Dichloroethene | ug/L | ND | 50 | 49.4 | 99 | 60-135 | |
| cis-1,3-Dichloropropene | ug/L | ND | 50 | 42.0 | 84 | 52-123 | |
| Dibromochloromethane | ug/L | ND | 50 | 50.0 | 100 | 48-125 | |
| Dibromomethane | ug/L | ND | 50 | 46.7 | 93 | 59-134 | |
| Dichlorodifluoromethane | ug/L | ND | 50 | 46.9 | 94 | 24-197 | |
| Ethyl methacrylate | ug/L | ND | 200 | 194 | 97 | 55-139 | |
| Ethylbenzene | ug/L | ND | 50 | 47.1 | 94 | 28-153 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 50 | 45.5 | 91 | 10-176 | |
| Iodomethane | ug/L | ND | 100 | 79.8 | 80 | 17-157 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 50 | 55.1 | 110 | 18-152 | |
| Methyl-tert-butyl ether | ug/L | ND | 50 | 50.0 | 100 | 63-130 | |
| Methylene Chloride | ug/L | ND | 50 | 49.2 | 98 | 45-156 | |
| n-Butylbenzene | ug/L | ND | 50 | 49.3 | 99 | 10-161 | |
| n-Propylbenzene | ug/L | ND | 50 | 49.7 | 99 | 16-150 | |
| Naphthalene | ug/L | ND | 50 | 54.2 | 108 | 39-140 | |
| p-Isopropyltoluene | ug/L | ND | 50 | 49.5 | 99 | 10-163 | |
| sec-Butylbenzene | ug/L | ND | 50 | 50.6 | 101 | 10-160 | |
| Styrene | ug/L | ND | 50 | 51.1 | 102 | 36-139 | |
| tert-Butylbenzene | ug/L | ND | 50 | 44.8 | 90 | 12-134 | |
| Tetrachloroethene | ug/L | ND | 50 | 46.1 | 92 | 33-151 | |
| Toluene | ug/L | ND | 50 | 48.6 | 97 | 50-132 | |
| trans-1,2-Dichloroethene | ug/L | ND | 50 | 46.0 | 92 | 40-153 | |
| trans-1,3-Dichloropropene | ug/L | ND | 50 | 45.9 | 92 | 48-122 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 200 | 104 | 52 | 32-139 | |
| Trichloroethene | ug/L | 6.5 | 50 | 55.9 | 99 | 50-143 | |
| Trichlorofluoromethane | ug/L | ND | 50 | 60.4 | 121 | 60-175 | |
| Vinyl acetate | ug/L | ND | 200 | 144 | 72 | 17-142 | |
| Vinyl chloride | ug/L | ND | 50 | 49.8 | 100 | 44-145 | |
| Xylene (Total) | ug/L | ND | 150 | 150 | 100 | 29-145 | |
| 4-Bromofluorobenzene (S) | %. | | | | 104 | 80-114 | |
| Dibromofluoromethane (S) | %. | | | | 106 | 79-116 | |
| Toluene-d8 (S) | %. | | | | 96 | 81-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

SAMPLE DUPLICATE: 1437557

| Parameter | Units | 50133331011 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,1-Trichloroethane | ug/L | ND | ND | | 20 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,2-Trichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethene | ug/L | ND | ND | | 20 | |
| 1,1-Dichloropropene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichloropropane | ug/L | ND | ND | | 20 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | ND | | 20 | |
| 1,2-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,4-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 2,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 2-Butanone (MEK) | ug/L | ND | ND | | 20 | |
| 2-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 2-Hexanone | ug/L | ND | ND | | 20 | |
| 4-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | ND | | 20 | |
| Acetone | ug/L | ND | ND | | 20 | |
| Acrolein | ug/L | ND | ND | | 20 | |
| Acrylonitrile | ug/L | ND | ND | | 20 | |
| Benzene | ug/L | ND | ND | | 20 | |
| Bromobenzene | ug/L | ND | ND | | 20 | |
| Bromochloromethane | ug/L | ND | ND | | 20 | |
| Bromodichloromethane | ug/L | ND | ND | | 20 | |
| Bromoform | ug/L | ND | ND | | 20 | |
| Bromomethane | ug/L | ND | ND | | 20 | |
| Carbon disulfide | ug/L | ND | ND | | 20 | |
| Carbon tetrachloride | ug/L | ND | ND | | 20 | |
| Chlorobenzene | ug/L | ND | ND | | 20 | |
| Chloroethane | ug/L | ND | ND | | 20 | |
| Chloroform | ug/L | ND | ND | | 20 | |
| Chloromethane | ug/L | ND | ND | | 20 | |
| cis-1,2-Dichloroethene | ug/L | ND | 1.6J | | 20 | |
| cis-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| Dibromochloromethane | ug/L | ND | ND | | 20 | |
| Dibromomethane | ug/L | ND | ND | | 20 | |
| Dichlorodifluoromethane | ug/L | ND | ND | | 20 | |
| Ethyl methacrylate | ug/L | ND | ND | | 20 | |
| Ethylbenzene | ug/L | ND | ND | | 20 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50133305

SAMPLE DUPLICATE: 1437557

| Parameter | Units | 50133331011 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| Hexachloro-1,3-butadiene | ug/L | ND | ND | | 20 | |
| Iodomethane | ug/L | ND | ND | | 20 | |
| Isopropylbenzene (Cumene) | ug/L | ND | ND | | 20 | |
| Methyl-tert-butyl ether | ug/L | ND | ND | | 20 | |
| Methylene Chloride | ug/L | ND | ND | | 20 | |
| n-Butylbenzene | ug/L | ND | ND | | 20 | |
| n-Propylbenzene | ug/L | ND | ND | | 20 | |
| Naphthalene | ug/L | ND | ND | | 20 | |
| p-Isopropyltoluene | ug/L | ND | ND | | 20 | |
| sec-Butylbenzene | ug/L | ND | ND | | 20 | |
| Styrene | ug/L | ND | ND | | 20 | |
| tert-Butylbenzene | ug/L | ND | ND | | 20 | |
| Tetrachloroethene | ug/L | ND | ND | | 20 | |
| Toluene | ug/L | ND | ND | | 20 | |
| trans-1,2-Dichloroethene | ug/L | ND | ND | | 20 | |
| trans-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | ND | | 20 | |
| Trichloroethene | ug/L | 10.7 | 10.4 | 3 | 20 | |
| Trichlorofluoromethane | ug/L | ND | ND | | 20 | |
| Vinyl acetate | ug/L | ND | ND | | 20 | |
| Vinyl chloride | ug/L | ND | ND | | 20 | |
| Xylene (Total) | ug/L | ND | ND | | 20 | |
| 4-Bromofluorobenzene (S) | %. | 102 | 104 | 2 | | |
| Dibromofluoromethane (S) | %. | 106 | 108 | 2 | | |
| Toluene-d8 (S) | %. | 94 | 95 | 0 | | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALIFIERS

Project: Amphenol
Pace Project No.: 50133305

## DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50133305

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---|---|---|---|---|---|
| **50133305001** | **RW-1** | EPA 8260 | MSV/84455 | | |
| **50133305002** | **RW-2** | EPA 8260 | MSV/84455 | | |
| **50133305003** | **RW-3** | EPA 8260 | MSV/84455 | | |
| **50133305004** | **RW-4** | EPA 8260 | MSV/84465 | | |
| **50133305005** | **RW-5** | EPA 8260 | MSV/84455 | | |
| **50133305006** | **Effluent** | EPA 8260 | MSV/84455 | | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

50133305

1034

Page : 1 Of 1

**Section A** Required Client Information:

| | |
|---|---|
| Company: | IWM Consulting |
| Address: | 7428 Rockville Road |
| | Indianapolis, IN 46214 |
| Email To: | cnewell@iwmconsult.com |
| Phone: 347-1111 | Fax: |
| Requested Due Date/TAT: | 10 Day (Default) |

**Section B** Required Project Information:

| | |
|---|---|
| Report To: | Chris Newell |
| Copy To: | |
| Purchase Order No. | |
| Client Project ID: | Amphenol |
| Container Order Number: | |

**Section C** Invoice Information:

| | |
|---|---|
| Attention: | Chris Newell |
| Company Name: | IWM Consulting |
| Address: | 7428 Rockville Road, Indianapolis, IN 462 |
| Pace Quote Reference: | |
| Pace Project Manager: | Hunt, Kenneth |
| Pace Profile #: | |

| Regulatory Agency |
|---|
| RCRA - Resource Conservation and Recovery Act |
| State / Location |
| Indiana |

Requested Analysis Filtered (Y/N)

| ITEM# | SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique) | MATRIX CODE (see valid codes to left) | SAMPLE TYPE (G=GRAB C=COMP) | COLLECTED START DATE | COLLECTED START TIME | COLLECTED END DATE | COLLECTED END TIME | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Preservatives: Unpreserved | H2SO4 | HNO3 | HCl | NaOH | Na2S2O3 | Methanol | Other | Analyses Test (Y/N): VOC 8260 WT | Residual Chlorine (Y/N) | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | RW-1 | WT | | 11-25-15 | 10:10 | | | | 3 | | | | X | | | | | X | | 001 |
| 2 | RW-2 | WT | | | 10:05 | | | | 3 | | | | X | | | | | X | | 002 |
| 3 | RW-3 | WT | | | 9:55 | | | | 3 | | | | X | | | | | X | | 003 |
| 4 | RW-4 | WT | | | 9:50 | | | | 3 | | | | X | | | | | X | | 004 |
| 5 | RW-5 | WT | | | 9:45 | | | | 3 | | | | X | | | | | X | | 005 |
| 6 | EFFLUENT | WT | | | 9:30 | | | | 3 | | | | X | | | | | X | | 006 |
| 7 | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | |

MATRIX CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS

| ADDITIONAL COMMENTS | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Ralph Mien IWM | 11-25-15 | 229 | | 11/25/15 | 1429 | 0.6 | Y | N | Y |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| SAMPLER NAME AND SIGNATURE | |
|---|---|
| PRINT Name of SAMPLER: | Ralph Mien |
| SIGNATURE of SAMPLER: | Ralph Mien |
| DATE Signed: | 11-25-15 |

| TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) |
|---|---|---|---|

# Sample Condition Upon Receipt

Pace Analytical

Client Name: Fwm

Project # 5013330S

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 0.6/0.6 Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and initials of person examining contents: TMW 11/25/15

| | | Comments: |
|---|---|---|
| Are samples from West Virginia? Document any containers out of temp. | ☐Yes ☑No | 1. |
| Chain of Custody Present: | ☑Yes ☐No ☐N/A | 2. |
| Chain of Custody Filled Out: | ☑Yes ☐No ☐N/A | 3. |
| Chain of Custody Relinquished: | ☑Yes ☐No ☐N/A | 4. |
| Sampler Name & Signature on COC: | ☑Yes ☐No ☐N/A | 5. |
| Short Hold Time Analysis (<72hr): | ☐Yes ☑No ☐N/A | 6. |
| Rush Turn Around Time Requested: | ☐Yes ☑No ☐N/A | 7. |
| Containers Intact: | ☑Yes ☐No ☐N/A | 8. |
| Sample Labels match COC: -Includes date/time/ID/Analysis | ☑Yes ☐No ☐N/A | 9. |
| All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted. | ☐Yes ☐No ☑N/A | 10 (Circle) HNO3 H2SO4 NaOH NaOH/ZnAc |
| Residual Chlorine Check (SVOC 625 Pest/PCB 608) | | 11. Present Absent |
| Residual Chlorine Check (Total/Amenable/Free Cyanide) | | 12. Present Absent |
| Headspace in VOA Vials ( >6mm): | ☑Yes ☐No ☐N/A | 13 RW-3 8/3, RW-5 4/3 |
| Headspace Wisconsin Sulfide | ☐Yes ☐No | 14 |
| Trip Blank Present: | ☐Yes ☑No ☐N/A | 15 |
| Trip Blank Custody Seals Present | ☐Yes ☐No ☑N/A | |
| **Project Manager Review** | | |
| Samples Arrived within Hold Time: | ☑Yes ☐No ☐N/A | 15. |
| Sufficient Volume: | ☑Yes ☐No ☐N/A | 16. |
| Correct Containers Used: | ☑Yes ☐No ☐N/A | 17. |

**Client Notification/ Resolution:** Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution:

**Project Manager Review:** CAA **Date:** 11-25-15

Form F-IN-Q-290-rev.09, 13Oct2015

# Sample Container Count

CLIENT: S0133305

COC PAGE ____ of ____

COC ID# _____

Project # _____

| Sample Line Item | DG9H | AG1U | WGFU | AG0U | R 4 / 6 | BP2N | BP2U | BP2S | BP3N | BP3U | BP3S | AG3S | AG1H | BP3C | BP1U | SP5T | AG2U | | | | | pH <2 | pH >9 | pH>12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | |

Container Codes

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DG9H | 40mL HCL amber voa vial | AG0U | 100mL unpreserved amber glass | BP1N | 1 liter HNO3 plastic | DG9P | 40mL TSP amber vial |
| AG1U | 1liter unpreserved amber glass | AG1H | 1 liter HCL amber glass | BP1S | 1 liter H2SO4 plastic | DG9S | 40mL H2SO4 amber vial |
| WGFU | 4oz clear soil jar | AG1S | 1 liter H2SO4 amber glass | BP1U | 1 liter unpreserved plastic | DG9T | 40mL Na Thio amber vial |
| R | terra core kit | AG1T | 1 liter Na Thiosulfate amber glass | BP1Z | 1 liter NaOH, Zn, Ac | DG9U | 40mL unpreserved **amber** vial |
| BP2N | 500mL HNO3 plastic | AG2N | 500mL HNO3 amber glass | BP2A | 500mL NaOH, Asc Acid plastic | SP5T | 120mL Coliform Na Thiosulfate |
| BP2U | 500mL unpreserved plastic | AG2S | 500mL H2SO4 amber glass | BP2O | 500mL NaOH plastic | JGFU | 4oz unpreserved amber wide |
| BP2S | 500mL H2SO4 plastic | AG2U | 500mL unpreserved amber glass | BP2Z | 500mL NaOH, Zn Ac | U | Summa Can |
| BP3N | 250mL HNO3 plastic | AG3U | 250mL unpreserved amber glass | AF | Air Filter | VG9H | 40mL HCL clear vial |
| BP3U | 250mL unpreserved plastic | BG1H | 1 liter HCL clear glass | BP3C | 250mL NaOH plastic | VG9T | 40mL Na Thio. clear vial |
| BP3S | 250mL H2SO4 plastic | BG1S | 1 liter H2SO4 clear glass | BP3Z | 250mL NaOH, Zn Ac plastic | VG9U | 40mL unpreserved **clear** vial |
| AG3S | 250mL H2SO4 glass amber | BG1T | 1 liter Na Thiosulfate clear glass | C | Air Cassettes | VSG | Headspace septa vial & HCL |
| AG1S | 1 liter H2SO4 amber glass | BG1U | 1 liter unpreserved glass | DG9B | 40mL Na Bisulfate amber vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1U | 1 liter unpreserved plastic | BP1A | 1 liter NaOH, Asc Acid plastic | DG9M | 40mL MeOH clear vial | ZPLC | Ziploc Bag |

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

February 23, 2016

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50138850

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# CERTIFICATIONS

| | |
|---|---|
| Project: | Amphenol |
| Pace Project No.: | 50138850 |

**Indiana Certification IDs**
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas/NELAP Certification #:E-10177
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Texas Certification #: T104704355-15-9
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50138850

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|---|---|---|---|---|
| **50138850001** | **RW-1** | Water | 02/19/16 10:25 | 02/19/16 15:37 |
| **50138850002** | **RW-2** | Water | 02/19/16 10:15 | 02/19/16 15:37 |
| **50138850003** | **RW-3** | Water | 02/19/16 10:08 | 02/19/16 15:37 |
| **50138850004** | **RW-4** | Water | 02/19/16 09:58 | 02/19/16 15:37 |
| **50138850005** | **RW-5** | Water | 02/19/16 09:50 | 02/19/16 15:37 |
| **50138850006** | **EFFLUENT** | Water | 02/19/16 09:45 | 02/19/16 15:37 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50138850

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|---|---|---|---|---|
| **50138850001** | **RW-1** | EPA 8260 | DAE | 72 |
| **50138850002** | **RW-2** | EPA 8260 | DAE | 72 |
| **50138850003** | **RW-3** | EPA 8260 | DAE | 72 |
| **50138850004** | **RW-4** | EPA 8260 | DAE | 72 |
| **50138850005** | **RW-5** | EPA 8260 | DAE | 72 |
| **50138850006** | **EFFLUENT** | EPA 8260 | DAE | 72 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50138850

| Lab Sample ID / Method | Client Sample ID / Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|---|
| **50138850001** | **RW-1** | | | | | |
| EPA 8260 | 1,1,1-Trichloroethane | 11.2 | ug/L | 5.0 | 02/23/16 06:35 | |
| EPA 8260 | Trichloroethene | 15.3 | ug/L | 5.0 | 02/23/16 06:35 | |
| **50138850002** | **RW-2** | | | | | |
| EPA 8260 | 1,1-Dichloroethane | 6.8 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | cis-1,2-Dichloroethene | 7.2 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | Tetrachloroethene | 137 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | 1,1,1-Trichloroethane | 50.3 | ug/L | 5.0 | 02/23/16 03:51 | |
| EPA 8260 | Trichloroethene | 101 | ug/L | 5.0 | 02/23/16 03:51 | |
| **50138850003** | **RW-3** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 16.6 | ug/L | 5.0 | 02/23/16 04:24 | |
| EPA 8260 | Tetrachloroethene | 101 | ug/L | 5.0 | 02/23/16 04:24 | |
| EPA 8260 | 1,1,1-Trichloroethane | 31.3 | ug/L | 5.0 | 02/23/16 04:24 | |
| EPA 8260 | Trichloroethene | 35.4 | ug/L | 5.0 | 02/23/16 04:24 | |
| **50138850004** | **RW-4** | | | | | |
| EPA 8260 | Tetrachloroethene | 7.5 | ug/L | 5.0 | 02/23/16 04:57 | |
| **50138850005** | **RW-5** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 79.2 | ug/L | 5.0 | 02/23/16 05:29 | |
| EPA 8260 | Tetrachloroethene | 344 | ug/L | 50.0 | 02/23/16 06:02 | |
| EPA 8260 | 1,1,1-Trichloroethane | 29.4 | ug/L | 5.0 | 02/23/16 05:29 | |
| EPA 8260 | Trichloroethene | 173 | ug/L | 5.0 | 02/23/16 05:29 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-1** **Lab ID: 50138850001** Collected: 02/19/16 10:25 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 06:35 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 06:35 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 06:35 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 06:35 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 06:35 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 06:35 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-1** **Lab ID: 50138850001** Collected: 02/19/16 10:25 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 06:35 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 06:35 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 120-82-1 | |
| 1,1,1-Trichloroethane | **11.2** | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 79-00-5 | |
| Trichloroethene | **15.3** | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 06:35 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 06:35 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 06:35 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 06:35 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 106 | %. | 84-118 | 1 | | 02/23/16 06:35 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 06:35 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 06:35 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-2** **Lab ID: 50138850002** Collected: 02/19/16 10:15 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 03:51 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 03:51 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 03:51 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-71-8 | |
| 1,1-Dichloroethane | **6.8** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-35-4 | |
| cis-1,2-Dichloroethene | **7.2** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 03:51 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 03:51 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 03:51 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-2** **Lab ID: 50138850002** Collected: 02/19/16 10:15 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 03:51 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 03:51 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 79-34-5 | |
| Tetrachloroethene | **137** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 120-82-1 | |
| 1,1,1-Trichloroethane | **50.3** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 79-00-5 | |
| Trichloroethene | **101** | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 03:51 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 03:51 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 03:51 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 03:51 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 98 | %. | 84-118 | 1 | | 02/23/16 03:51 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 03:51 | 460-00-4 | |
| Toluene-d8 (S) | 98 | %. | 86-110 | 1 | | 02/23/16 03:51 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-3** **Lab ID: 50138850003** Collected: 02/19/16 10:08 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 04:24 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:24 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 04:24 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-35-4 | |
| cis-1,2-Dichloroethene | **16.6** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 04:24 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 04:24 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 04:24 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-3** **Lab ID: 50138850003** Collected: 02/19/16 10:08 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:24 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 04:24 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 79-34-5 | |
| Tetrachloroethene | **101** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 120-82-1 | |
| 1,1,1-Trichloroethane | **31.3** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 79-00-5 | |
| Trichloroethene | **35.4** | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:24 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 04:24 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 04:24 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 04:24 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 102 | %. | 84-118 | 1 | | 02/23/16 04:24 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 04:24 | 460-00-4 | |
| Toluene-d8 (S) | 109 | %. | 86-110 | 1 | | 02/23/16 04:24 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-4** **Lab ID: 50138850004** Collected: 02/19/16 09:58 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 04:57 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:57 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 04:57 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 04:57 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 04:57 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 04:57 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-4** **Lab ID: 50138850004** Collected: 02/19/16 09:58 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 04:57 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 04:57 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 79-34-5 | |
| Tetrachloroethene | **7.5** | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 04:57 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 04:57 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 04:57 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 04:57 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 104 | %. | 84-118 | 1 | | 02/23/16 04:57 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 99 | %. | 79-116 | 1 | | 02/23/16 04:57 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 04:57 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-5** **Lab ID: 50138850005** Collected: 02/19/16 09:50 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 05:29 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 05:29 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 05:29 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-35-4 | |
| cis-1,2-Dichloroethene | **79.2** | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 05:29 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 05:29 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 05:29 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: RW-5** **Lab ID: 50138850005** Collected: 02/19/16 09:50 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 05:29 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 05:29 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 79-34-5 | |
| Tetrachloroethene | **344** | ug/L | 50.0 | 10 | | 02/23/16 06:02 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 120-82-1 | |
| 1,1,1-Trichloroethane | **29.4** | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 79-00-5 | |
| Trichloroethene | **173** | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 05:29 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 05:29 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 05:29 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 05:29 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 100 | %. | 84-118 | 1 | | 02/23/16 05:29 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 97 | %. | 79-116 | 1 | | 02/23/16 05:29 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 05:29 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: EFFLUENT** **Lab ID: 50138850006** Collected: 02/19/16 09:45 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 02/23/16 07:41 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 02/23/16 07:41 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 02/23/16 07:41 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 02/23/16 07:41 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 02/23/16 07:41 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 02/23/16 07:41 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50138850

**Sample: EFFLUENT** **Lab ID: 50138850006** Collected: 02/19/16 09:45 Received: 02/19/16 15:37 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 02/23/16 07:41 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 02/23/16 07:41 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 02/23/16 07:41 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 02/23/16 07:41 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 02/23/16 07:41 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 02/23/16 07:41 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 102 | %. | 84-118 | 1 | | 02/23/16 07:41 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 98 | %. | 79-116 | 1 | | 02/23/16 07:41 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 02/23/16 07:41 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

QC Batch: MSV/87067 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50138850001, 50138850002, 50138850003, 50138850004, 50138850005, 50138850006

METHOD BLANK: 1481729 Matrix: Water
Associated Lab Samples: 50138850001, 50138850002, 50138850003, 50138850004, 50138850005, 50138850006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 02/22/16 23:27 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 2-Hexanone | ug/L | ND | 25.0 | 02/22/16 23:27 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 02/22/16 23:27 | |
| Acetone | ug/L | ND | 100 | 02/22/16 23:27 | |
| Acrolein | ug/L | ND | 50.0 | 02/22/16 23:27 | |
| Acrylonitrile | ug/L | ND | 100 | 02/22/16 23:27 | |
| Benzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromochloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromoform | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Bromomethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Carbon disulfide | ug/L | ND | 10.0 | 02/22/16 23:27 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chlorobenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chloroethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chloroform | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Chloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

METHOD BLANK: 1481729 Matrix: Water
Associated Lab Samples: 50138850001, 50138850002, 50138850003, 50138850004, 50138850005, 50138850006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Dibromomethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Ethyl methacrylate | ug/L | ND | 100 | 02/22/16 23:27 | |
| Ethylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Iodomethane | ug/L | ND | 10.0 | 02/22/16 23:27 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 02/22/16 23:27 | |
| Methylene Chloride | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Naphthalene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Styrene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Toluene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 02/22/16 23:27 | |
| Trichloroethene | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 02/22/16 23:27 | |
| Vinyl acetate | ug/L | ND | 50.0 | 02/22/16 23:27 | |
| Vinyl chloride | ug/L | ND | 2.0 | 02/22/16 23:27 | |
| Xylene (Total) | ug/L | ND | 10.0 | 02/22/16 23:27 | |
| 4-Bromofluorobenzene (S) | %. | 97 | 79-116 | 02/22/16 23:27 | |
| Dibromofluoromethane (S) | %. | 104 | 84-118 | 02/22/16 23:27 | |
| Toluene-d8 (S) | %. | 97 | 86-110 | 02/22/16 23:27 | |

LABORATORY CONTROL SAMPLE: 1481730

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | 50 | 57.7 | 115 | 74-130 | |
| 1,1,1-Trichloroethane | ug/L | 50 | 49.1 | 98 | 72-123 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 52.5 | 105 | 72-124 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 56.4 | 113 | 75-125 | |
| 1,1-Dichloroethane | ug/L | 50 | 47.5 | 95 | 70-120 | |
| 1,1-Dichloroethene | ug/L | 50 | 47.1 | 94 | 69-127 | |
| 1,1-Dichloropropene | ug/L | 50 | 51.1 | 102 | 81-129 | |
| 1,2,3-Trichlorobenzene | ug/L | 50 | 54.2 | 108 | 71-130 | |
| 1,2,3-Trichloropropane | ug/L | 50 | 53.7 | 107 | 77-127 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

LABORATORY CONTROL SAMPLE: 1481730

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,2,4-Trichlorobenzene | ug/L | 50 | 54.4 | 109 | 66-126 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 56.5 | 113 | 73-125 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 57.4 | 115 | 76-125 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 50.2 | 100 | 77-122 | |
| 1,2-Dichloroethane | ug/L | 50 | 47.2 | 94 | 70-123 | |
| 1,2-Dichloropropane | ug/L | 50 | 54.4 | 109 | 77-124 | |
| 1,3,5-Trimethylbenzene | ug/L | 50 | 57.4 | 115 | 75-124 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 52.2 | 104 | 76-124 | |
| 1,3-Dichloropropane | ug/L | 50 | 55.5 | 111 | 77-123 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 49.9 | 100 | 75-117 | |
| 2,2-Dichloropropane | ug/L | 50 | 36.2 | 72 | 44-147 | |
| 2-Butanone (MEK) | ug/L | 250 | 276 | 110 | 60-135 | |
| 2-Chlorotoluene | ug/L | 50 | 53.4 | 107 | 75-124 | |
| 2-Hexanone | ug/L | 250 | 319 | 128 | 65-139 | |
| 4-Chlorotoluene | ug/L | 50 | 52.9 | 106 | 75-124 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | 250 | 333 | 133 | 66-134 | |
| Acetone | ug/L | 250 | 264 | 106 | 47-144 | |
| Acrolein | ug/L | 1000 | 824 | 82 | 31-200 | |
| Acrylonitrile | ug/L | 200 | 189 | 94 | 64-133 | |
| Benzene | ug/L | 50 | 50.6 | 101 | 76-122 | |
| Bromobenzene | ug/L | 50 | 51.0 | 102 | 75-117 | |
| Bromochloromethane | ug/L | 50 | 52.7 | 105 | 74-134 | |
| Bromodichloromethane | ug/L | 50 | 52.4 | 105 | 71-124 | |
| Bromoform | ug/L | 50 | 50.8 | 102 | 60-125 | |
| Bromomethane | ug/L | 50 | 64.1 | 128 | 23-194 | |
| Carbon disulfide | ug/L | 50 | 42.9 | 86 | 63-130 | |
| Carbon tetrachloride | ug/L | 50 | 50.3 | 101 | 73-133 | |
| Chlorobenzene | ug/L | 50 | 50.4 | 101 | 76-118 | |
| Chloroethane | ug/L | 50 | 49.6 | 99 | 50-147 | |
| Chloroform | ug/L | 50 | 49.6 | 99 | 70-119 | |
| Chloromethane | ug/L | 50 | 54.6 | 109 | 52-136 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 49.7 | 99 | 74-120 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 61.8 | 124 | 71-134 | |
| Dibromochloromethane | ug/L | 50 | 59.1 | 118 | 73-127 | |
| Dibromomethane | ug/L | 50 | 51.8 | 104 | 75-124 | |
| Dichlorodifluoromethane | ug/L | 50 | 51.5 | 103 | 39-166 | |
| Ethyl methacrylate | ug/L | 200 | 249 | 124 | 73-136 | |
| Ethylbenzene | ug/L | 50 | 52.3 | 105 | 75-123 | |
| Hexachloro-1,3-butadiene | ug/L | 50 | 48.2 | 96 | 70-125 | |
| Iodomethane | ug/L | 100 | 97.6 | 98 | 56-142 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 57.6 | 115 | 84-134 | |
| Methyl-tert-butyl ether | ug/L | 50 | 51.9 | 104 | 65-131 | |
| Methylene Chloride | ug/L | 50 | 61.2 | 122 | 66-130 | |
| n-Butylbenzene | ug/L | 50 | 55.4 | 111 | 70-127 | |
| n-Propylbenzene | ug/L | 50 | 56.2 | 112 | 78-131 | |
| Naphthalene | ug/L | 50 | 62.1 | 124 | 65-134 | |
| p-Isopropyltoluene | ug/L | 50 | 56.0 | 112 | 75-124 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

LABORATORY CONTROL SAMPLE: 1481730

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| sec-Butylbenzene | ug/L | 50 | 58.9 | 118 | 83-135 | |
| Styrene | ug/L | 50 | 56.6 | 113 | 78-128 | |
| tert-Butylbenzene | ug/L | 50 | 50.6 | 101 | 62-114 | |
| Tetrachloroethene | ug/L | 50 | 49.3 | 99 | 69-119 | |
| Toluene | ug/L | 50 | 51.8 | 104 | 74-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 49.7 | 99 | 72-122 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 44.6 | 89 | 66-135 | |
| trans-1,4-Dichloro-2-butene | ug/L | 200 | 228 | 114 | 39-153 | |
| Trichloroethene | ug/L | 50 | 56.4 | 113 | 75-123 | |
| Trichlorofluoromethane | ug/L | 50 | 56.1 | 112 | 58-148 | |
| Vinyl acetate | ug/L | 200 | 258 | 129 | 67-154 | |
| Vinyl chloride | ug/L | 50 | 56.3 | 113 | 61-147 | |
| Xylene (Total) | ug/L | 150 | 165 | 110 | 75-127 | |
| 4-Bromofluorobenzene (S) | %. | | | 103 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | 93 | 84-118 | |
| Toluene-d8 (S) | %. | | | 102 | 86-110 | |

MATRIX SPIKE SAMPLE: 1481732

| Parameter | Units | 50138850006 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 50 | 54.2 | 108 | 44-142 | |
| 1,1,1-Trichloroethane | ug/L | ND | 50 | 49.3 | 99 | 51-140 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 50 | 47.9 | 96 | 49-138 | |
| 1,1,2-Trichloroethane | ug/L | ND | 50 | 52.2 | 104 | 51-138 | |
| 1,1-Dichloroethane | ug/L | ND | 50 | 49.2 | 98 | 48-137 | |
| 1,1-Dichloroethene | ug/L | ND | 50 | 51.6 | 103 | 51-144 | |
| 1,1-Dichloropropene | ug/L | ND | 50 | 54.6 | 109 | 54-150 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 50 | 49.7 | 99 | 32-140 | |
| 1,2,3-Trichloropropane | ug/L | ND | 50 | 48.2 | 96 | 51-139 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 50 | 51.0 | 102 | 27-134 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 50 | 53.5 | 107 | 32-143 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 50 | 51.2 | 102 | 52-134 | |
| 1,2-Dichlorobenzene | ug/L | ND | 50 | 48.1 | 96 | 38-138 | |
| 1,2-Dichloroethane | ug/L | ND | 50 | 47.1 | 94 | 44-144 | |
| 1,2-Dichloropropane | ug/L | ND | 50 | 48.6 | 97 | 56-138 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 50 | 54.6 | 109 | 28-146 | |
| 1,3-Dichlorobenzene | ug/L | ND | 50 | 49.5 | 99 | 36-139 | |
| 1,3-Dichloropropane | ug/L | ND | 50 | 50.8 | 102 | 54-137 | |
| 1,4-Dichlorobenzene | ug/L | ND | 50 | 46.8 | 94 | 34-134 | |
| 2,2-Dichloropropane | ug/L | ND | 50 | 29.8 | 60 | 20-142 | |
| 2-Butanone (MEK) | ug/L | ND | 250 | 257 | 103 | 44-142 | |
| 2-Chlorotoluene | ug/L | ND | 50 | 51.2 | 102 | 36-143 | |
| 2-Hexanone | ug/L | ND | 250 | 292 | 117 | 43-150 | |
| 4-Chlorotoluene | ug/L | ND | 50 | 50.3 | 101 | 34-143 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 250 | 287 | 115 | 46-143 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

MATRIX SPIKE SAMPLE: 1481732

| Parameter | Units | 50138850006 Result | Spike Conc. | MS Result | MS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|---|
| Acetone | ug/L | ND | 250 | 257 | 103 | 33-150 | |
| Acrolein | ug/L | ND | 1000 | 752 | 75 | 32-200 | |
| Acrylonitrile | ug/L | ND | 200 | 182 | 91 | 47-143 | |
| Benzene | ug/L | ND | 50 | 49.9 | 100 | 51-140 | |
| Bromobenzene | ug/L | ND | 50 | 48.1 | 96 | 41-134 | |
| Bromochloromethane | ug/L | ND | 50 | 53.2 | 106 | 53-148 | |
| Bromodichloromethane | ug/L | ND | 50 | 51.7 | 103 | 46-137 | |
| Bromoform | ug/L | ND | 50 | 45.0 | 90 | 36-127 | |
| Bromomethane | ug/L | ND | 50 | 50.0 | 100 | 10-188 | |
| Carbon disulfide | ug/L | ND | 50 | 44.5 | 89 | 35-148 | |
| Carbon tetrachloride | ug/L | ND | 50 | 51.4 | 103 | 45-151 | |
| Chlorobenzene | ug/L | ND | 50 | 47.6 | 95 | 45-138 | |
| Chloroethane | ug/L | ND | 50 | 52.5 | 105 | 33-164 | |
| Chloroform | ug/L | ND | 50 | 49.8 | 100 | 50-135 | |
| Chloromethane | ug/L | ND | 50 | 56.6 | 113 | 38-146 | |
| cis-1,2-Dichloroethene | ug/L | ND | 50 | 48.4 | 97 | 43-144 | |
| cis-1,3-Dichloropropene | ug/L | ND | 50 | 49.1 | 98 | 42-136 | |
| Dibromochloromethane | ug/L | ND | 50 | 53.9 | 108 | 45-136 | |
| Dibromomethane | ug/L | ND | 50 | 50.9 | 102 | 51-139 | |
| Dichlorodifluoromethane | ug/L | ND | 50 | 57.8 | 116 | 29-174 | |
| Ethyl methacrylate | ug/L | ND | 200 | 224 | 112 | 44-150 | |
| Ethylbenzene | ug/L | ND | 50 | 51.3 | 103 | 36-146 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 50 | 48.0 | 96 | 14-150 | |
| Iodomethane | ug/L | ND | 100 | 70.6 | 71 | 28-153 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 50 | 55.9 | 112 | 43-159 | |
| Methyl-tert-butyl ether | ug/L | ND | 50 | 48.6 | 97 | 43-146 | |
| Methylene Chloride | ug/L | ND | 50 | 57.4 | 115 | 48-140 | |
| n-Butylbenzene | ug/L | ND | 50 | 53.8 | 108 | 16-152 | |
| n-Propylbenzene | ug/L | ND | 50 | 54.8 | 110 | 28-157 | |
| Naphthalene | ug/L | ND | 50 | 56.3 | 113 | 38-141 | |
| p-Isopropyltoluene | ug/L | ND | 50 | 54.2 | 108 | 21-151 | |
| sec-Butylbenzene | ug/L | ND | 50 | 57.5 | 115 | 27-165 | |
| Styrene | ug/L | ND | 50 | 53.0 | 106 | 31-148 | |
| tert-Butylbenzene | ug/L | ND | 50 | 49.4 | 99 | 24-131 | |
| Tetrachloroethene | ug/L | ND | 50 | 49.4 | 99 | 38-139 | |
| Toluene | ug/L | ND | 50 | 49.5 | 99 | 44-140 | |
| trans-1,2-Dichloroethene | ug/L | ND | 50 | 50.3 | 101 | 50-139 | |
| trans-1,3-Dichloropropene | ug/L | ND | 50 | 38.1 | 76 | 37-138 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 200 | 196 | 98 | 10-157 | |
| Trichloroethene | ug/L | ND | 50 | 55.3 | 111 | 44-146 | |
| Trichlorofluoromethane | ug/L | ND | 50 | 62.6 | 125 | 41-164 | |
| Vinyl acetate | ug/L | ND | 200 | 141 | 71 | 15-146 | |
| Vinyl chloride | ug/L | ND | 50 | 59.1 | 118 | 43-166 | |
| Xylene (Total) | ug/L | ND | 150 | 158 | 105 | 35-146 | |
| 4-Bromofluorobenzene (S) | %. | | | | 102 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | | 98 | 84-118 | |
| Toluene-d8 (S) | %. | | | | 101 | 86-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

SAMPLE DUPLICATE: 1481731

| Parameter | Units | 50138850001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,1-Trichloroethane | ug/L | 11.2 | 11.5 | 3 | 20 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | ND | | 20 | |
| 1,1,2-Trichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,1-Dichloroethene | ug/L | ND | ND | | 20 | |
| 1,1-Dichloropropene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,3-Trichloropropane | ug/L | ND | ND | | 20 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | ND | | 20 | |
| 1,2-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,2-Dichloroethane | ug/L | ND | ND | | 20 | |
| 1,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 1,3-Dichloropropane | ug/L | ND | ND | | 20 | |
| 1,4-Dichlorobenzene | ug/L | ND | ND | | 20 | |
| 2,2-Dichloropropane | ug/L | ND | ND | | 20 | |
| 2-Butanone (MEK) | ug/L | ND | ND | | 20 | |
| 2-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 2-Hexanone | ug/L | ND | ND | | 20 | |
| 4-Chlorotoluene | ug/L | ND | ND | | 20 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | ND | | 20 | |
| Acetone | ug/L | ND | ND | | 20 | |
| Acrolein | ug/L | ND | ND | | 20 | |
| Acrylonitrile | ug/L | ND | ND | | 20 | |
| Benzene | ug/L | ND | ND | | 20 | |
| Bromobenzene | ug/L | ND | ND | | 20 | |
| Bromochloromethane | ug/L | ND | ND | | 20 | |
| Bromodichloromethane | ug/L | ND | ND | | 20 | |
| Bromoform | ug/L | ND | ND | | 20 | |
| Bromomethane | ug/L | ND | ND | | 20 | |
| Carbon disulfide | ug/L | ND | ND | | 20 | |
| Carbon tetrachloride | ug/L | ND | ND | | 20 | |
| Chlorobenzene | ug/L | ND | ND | | 20 | |
| Chloroethane | ug/L | ND | ND | | 20 | |
| Chloroform | ug/L | ND | ND | | 20 | |
| Chloromethane | ug/L | ND | ND | | 20 | |
| cis-1,2-Dichloroethene | ug/L | ND | ND | | 20 | |
| cis-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| Dibromochloromethane | ug/L | ND | ND | | 20 | |
| Dibromomethane | ug/L | ND | ND | | 20 | |
| Dichlorodifluoromethane | ug/L | ND | ND | | 20 | |
| Ethyl methacrylate | ug/L | ND | ND | | 20 | |
| Ethylbenzene | ug/L | ND | ND | | 20 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50138850

SAMPLE DUPLICATE: 1481731

| Parameter | Units | 50138850001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---|---|---|---|---|---|---|
| Hexachloro-1,3-butadiene | ug/L | ND | ND | | 20 | |
| Iodomethane | ug/L | ND | ND | | 20 | |
| Isopropylbenzene (Cumene) | ug/L | ND | ND | | 20 | |
| Methyl-tert-butyl ether | ug/L | ND | ND | | 20 | |
| Methylene Chloride | ug/L | ND | ND | | 20 | |
| n-Butylbenzene | ug/L | ND | ND | | 20 | |
| n-Propylbenzene | ug/L | ND | ND | | 20 | |
| Naphthalene | ug/L | ND | ND | | 20 | |
| p-Isopropyltoluene | ug/L | ND | ND | | 20 | |
| sec-Butylbenzene | ug/L | ND | ND | | 20 | |
| Styrene | ug/L | ND | ND | | 20 | |
| tert-Butylbenzene | ug/L | ND | ND | | 20 | |
| Tetrachloroethene | ug/L | ND | 1.5J | | 20 | |
| Toluene | ug/L | ND | ND | | 20 | |
| trans-1,2-Dichloroethene | ug/L | ND | ND | | 20 | |
| trans-1,3-Dichloropropene | ug/L | ND | ND | | 20 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | ND | | 20 | |
| Trichloroethene | ug/L | 15.3 | 16.1 | 5 | 20 | |
| Trichlorofluoromethane | ug/L | ND | ND | | 20 | |
| Vinyl acetate | ug/L | ND | ND | | 20 | |
| Vinyl chloride | ug/L | ND | ND | | 20 | |
| Xylene (Total) | ug/L | ND | ND | | 20 | |
| 4-Bromofluorobenzene (S) | %. | 98 | 98 | 0 | | |
| Dibromofluoromethane (S) | %. | 106 | 107 | 1 | | |
| Toluene-d8 (S) | %. | 96 | 97 | 1 | | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALIFIERS

Project: Amphenol
Pace Project No.: 50138850

**DEFINITIONS**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50138850

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---|---|---|---|---|---|
| **50138850001** | **RW-1** | EPA 8260 | MSV/87067 | | |
| **50138850002** | **RW-2** | EPA 8260 | MSV/87067 | | |
| **50138850003** | **RW-3** | EPA 8260 | MSV/87067 | | |
| **50138850004** | **RW-4** | EPA 8260 | MSV/87067 | | |
| **50138850005** | **RW-5** | EPA 8260 | MSV/87067 | | |
| **50138850006** | **EFFLUENT** | EPA 8260 | MSV/87067 | | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

**Section A** Required Client Information:

| | |
|---|---|
| Company: | IWM Consulting |
| Address: | 7428 Rockville Road |
| | Indianapolis, IN 46214 |
| Email To: | cnewell@iwmconsult.com |
| Phone: 347-1111 | Fax: |
| Requested Due Date/TAT: | 10 Day (Default) |

**Section B** Required Project Information:

| | |
|---|---|
| Report To: | Chris Newell |
| Copy To: | |
| Purchase Order No. | |
| Client Project ID: | Amphenol |
| Container Order Number: | |

**Section C** Invoice Information:

| | |
|---|---|
| Attention: | Chris Newell |
| Company Name: | IWM Consulting |
| Address: | 7428 Rockville Road, Indianapolis, IN 462 |
| Pace Quote Reference: | |
| Pace Project Manager: | Hunt, Kenneth |
| Pace Profile #: | |

| Regulatory Agency |
|---|
| RCRA - Resource Conservation and Recovery Act |
| State / Location |
| Indiana |

Requested Analysis Filtered (Y/N)

| ITEM# | SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique) | MATRIX CODE (see valid codes to left) | SAMPLE TYPE (G=GRAB C=COMP) | COLLECTED START DATE | COLLECTED START TIME | COLLECTED END DATE | COLLECTED END TIME | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Unpreserved | H2SO4 | HNO3 | HCl | NaOH | Na2S2O3 | Methanol | Other | Analyses Test Y/N | VOC 8260 WT | Residual Chlorine (Y/N) | 50138850 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | RW-1 | WT | G | | | 2-19-16 | 1025 | | 3 | | | | X | | | | | | X | | -001 |
| 2 | RW-2 | WT | | | | | 1015 | | 3 | | | | X | | | | | | X | | -002 |
| 3 | RW-3 | WT | | | | | 1008 | | 3 | | | | X | | | | | | X | | -003 |
| 4 | RW-4 | WT | | | | | 958 | | 3 | | | | X | | | | | | X | | -004 |
| 5 | RW-5 | WT | | | | | 950 | | 3 | | | | X | | | | | | X | | -005 |
| 6 | EFFLUENT | WT | | | | | 945 | | 3 | | | | X | | | | | | X | | -006 |
| 7 | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | |

MATRIX CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS

| ADDITIONAL COMMENTS | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Rob Nlign IWM | 2-18-16 | 337 | Shaina Jones | 2/19/16 | 337 | 0.6 | Y | N | Y |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| SAMPLER NAME AND SIGNATURE | | | |
|---|---|---|---|
| PRINT Name of SAMPLER: | Robert Nlign | | |
| SIGNATURE of SAMPLER: | Rob Nlign | DATE Signed: 2-18-16 | |

| TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) |
|---|---|---|---|

## Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 50138850

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 0.6°C | 0.6°C Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: A.T 2/19/16

| | | Comments: |
|---|---|---|
| Are samples from West Virginia? Document any containers out of temp. | ☐Yes ☑No | 1. |
| Chain of Custody Present: | ☑Yes ☐No ☐N/A | 2. |
| Chain of Custody Filled Out: | ☑Yes ☐No ☐N/A | 3. |
| Chain of Custody Relinquished: | ☑Yes ☐No ☐N/A | 4. |
| Sampler Name & Signature on COC: | ☑Yes ☐No ☐N/A | 5. |
| Short Hold Time Analysis (<72hr): | ☐Yes ☑No ☐N/A | 6. |
| Rush Turn Around Time Requested: | ☐Yes ☑No ☐N/A | 7. |
| Containers Intact: | ☑Yes ☐No ☐N/A | 8. |
| Sample Labels match COC: -Includes date/time/ID/Analysis | ☑Yes ☐No ☐N/A | 9. |
| All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted. | ☐Yes ☐No ☑N/A | 10 (Circle) HNO3 H2SO4 NaOH NaOH/ZnAc |
| Residual Chlorine Check (SVOC 625 Pest/PCB 608) | | 11. Present Absent |
| Residual Chlorine Check (Total/Amenable/Free Cyanide) | | 12. Present Absent |
| Headspace in VOA Vials ( >6mm): | ☐Yes ☑No ☐N/A | 13 |
| Headspace Wisconsin Sulfide | ☐Yes ☐No | 14 |
| Trip Blank Present: | ☐Yes ☑No ☐N/A | 15 |
| Trip Blank Custody Seals Present | ☐Yes ☐No ☑N/A | |
| **Project Manager Review** | | |
| Samples Arrived within Hold Time: | ☒Yes ☐No ☐N/A | 15. |
| Sufficient Volume: | ☒Yes ☐No ☐N/A | 16. |
| Correct Containers Used: | ☒Yes ☐No ☐N/A | 17. |

**Client Notification/ Resolution:** Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

**Project Manager Review:** Kenneth Hunt **Date:** 2/19/16

Form F-IN-Q-290-rev.09, 13Oct2015

# Sample Container Count

CLIENT: IWM

COC PAGE 1 of 1

COC ID#

Project # 50138850

| Sample Line Item | DG9H | AG1U | WGFU | AG0U | R 4 / 6 | BP2N | BP2U | BP2S | BP3N | BP3U | BP3S | AG3S | AG1H | BP3C | BP1U | SP5T | AG2U | | | | | pH <2 | pH >9 | pH>12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | |

Container Codes

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DG9H | 40mL HCL amber voa vial | AG0U | 100mL unpreserved amber glass | BP1N | 1 liter HNO3 plastic | DG9P | 40mL TSP amber vial |
| AG1U | 1liter unpreserved amber glass | AG1H | 1 liter HCL amber glass | BP1S | 1 liter H2SO4 plastic | DG9S | 40mL H2SO4 amber vial |
| WGFU | 4oz clear soil jar | AG1S | 1 liter H2SO4 amber glass | BP1U | 1 liter unpreserved plastic | DG9T | 40mL Na Thio amber vial |
| R | terra core kit | AG1T | 1 liter Na Thiosulfate amber glass | BP1Z | 1 liter NaOH, Zn, Ac | DG9U | 40mL unpreserved **amber** vial |
| BP2N | 500mL HNO3 plastic | AG2N | 500mL HNO3 amber glass | BP2A | 500mL NaOH, Asc Acid plastic | SP5T | 120mL Coliform Na Thiosulfate |
| BP2U | 500mL unpreserved plastic | AG2S | 500mL H2SO4 amber glass | BP2O | 500mL NaOH plastic | JGFU | 4oz unpreserved amber wide |
| BP2S | 500mL H2SO4 plastic | AG2U | 500mL unpreserved amber glass | BP2Z | 500mL NaOH, Zn Ac | U | Summa Can |
| BP3N | 250mL HNO3 plastic | AG3U | 250mL unpreserved amber glass | AF | Air Filter | VG9H | 40mL HCL clear vial |
| BP3U | 250mL unpreserved plastic | BG1H | 1 liter HCL clear glass | BP3C | 250mL NaOH plastic | VG9T | 40mL Na Thio. clear vial |
| BP3S | 250mL H2SO4 plastic | BG1S | 1 liter H2SO4 clear glass | BP3Z | 250mL NaOH, Zn Ac plastic | VG9U | 40mL unpreserved **clear** vial |
| AG3S | 250mL H2SO4 glass amber | BG1T | 1 liter Na Thiosulfate clear glass | C | Air Cassettes | VSG | Headspace septa vial & HCL |
| AG1S | 1 liter H2SO4 amber glass | BG1U | 1 liter unpreserved glass | DG9B | 40mL Na Bisulfate amber vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1U | 1 liter unpreserved plastic | BP1A | 1 liter NaOH, Asc Acid plastic | DG9M | 40mL MeOH clear vial | ZPLC | Ziploc Bag |

# APPENDIX C

## Semi-Annual Groundwater Sampling Logs

# YSI 556 Calibration Form

Date: 4/19/16
Personnel: DEW
Project: Amphenol @ sampling

| Parameter | Calibration Standard Value | Instrument Reading Before Calibration | Instrument Reading After Calibration | Calibration Accepted | Instrument Reading Post-Calibration |
|---|---|---|---|---|---|
| ORP | 600 mV | 602.1 | 600 | Y / N | |
| pH | 7.00 s.u. (+/-50 pH mV) | *10.6 / 6.90 | 7.0 | Y / N | |
| pH | 4.00 s.u. (+165-180 pH mV) | 140.8 / 4.33 | 4.06 | Y / N | |
| Sp Conductance | 4.49 mS/cm | 4.573 | 4.490 | Y / N | |
| Sp Conductance | 1.413 mS/cm | | | Y / N | |
| DO | 8.92 mg/L (Multi-solution) or 95-105% | 80.4 | 98.0 | Y / N | |
| pH | 10.00 s.u. (-165-180 pH mV) | *181.1 / 10.13 | 10.0 | Y / N | |

* Out of ranges need to be noted.

Notes: _____

ORP Measurements Reference Table

| Temperature °F | Temperature °C | Potential in mV |
|---|---|---|
| 32 | 0 | 237 |
| 41 | 5 | 232 |
| 50 | 10 | 230 |
| 59 | 15 | 237 |
| 68 | 20 | 223 |
| 77 | 25 | 220 |
| 86 | 30 | 226 |
| 95 | 35 | 213 |
| 104 | 40 | 219 |
| 113 | 45 | 205 |
| 122 | 50 | 201 |
| 131 | 55 | 197 |
| 140 | 60 | 193 |
| 149 | 65 | 189 |
| 158 | 70 | 185 |

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | It-2 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 11:35 Time Out 11:50 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 17.30 | |
| Depth to Water | 11.98 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 5.32 |
| Volume of water in well (gal.) | .86 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 2.60 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 11:37 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 12.74 |
| Conductivity (uS/cm) | .763 |
| pH (SU) | 7.10 |
| ORP (mV) | -149.5 |
| DO (mg/L) | .88 |
| Film | Y (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | IT-3 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 13:44 Time Out 13:58 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 13.70 | |
| Depth to Water | 10.73 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 2.97 |
| Volume of water in well (gal.) | .48 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 1.45 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

Oldest sample

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 14:03 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 16.92 |
| Conductivity (uS/cm) | 1,015 |
| pH (SU) | 7.11 |
| ORP (mV) | -9.7 |
| DO (mg/L) | 3.85 |
| Film | Y (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW - 12R | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 11:15 Time Out 11:27 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | (Y) N |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 25.20 | |
| Depth to Water | 16.30 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | | |
|---|---|---|
| Length of water column (ft.) | | 8.9 |
| Volume of water in well (gal.) | | 1.45 |
| Volume of bailer (gal.) | 0.33 | |

**III. Evacuation Information**

| | | |
|---|---|---|
| Volume of water removed from well (gal.) | | 4.35 |
| Did well go dry ? | Y | (N) |

| | |
|---|---|
| Evacuation Method | Bailer |
| Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 11:36 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 12.82 |
| Conductivity (uS/cm) | | .867 |
| pH (SU) | | 7.0 |
| ORP (mV) | | -28.2 |
| DO (mg/L) | | 3.16 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW-20 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 13:02 Time Out 13:15 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 23.45 | |
| Depth to Water | 9.04 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 14.41 |
| Volume of water in well (gal.) | 2.34 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 7.04 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 13:25 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 13.70 |
| Conductivity (uS/cm) | | .901 |
| pH (SU) | | 6.94 |
| ORP (mV) | | -55.9 |
| DO (mg/L) | | 2.21 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW - 22 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 10:09 Time Out 10:21 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 24.0 | |
| Depth to Water | 16.89 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | | |
|---|---|---|
| Length of water column (ft.) | | 7.11' |
| Volume of water in well (gal.) | | 1.15 |
| Volume of bailer (gal.) | 0.33 | |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | | 3.47 P.V. | Evacuation Method: Bailer |
| Did well go dry ? | Y | (N) | Evacuation Rate (gpm): - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 10:25 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 13.50 °C |
| Conductivity (uS/cm) | | 1,049 |
| pH (SU) | | 6.75 |
| ORP (mV) | | -74.1 |
| DO (mg/L) | | 1.24 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

Dup taken from this sample point.

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW 28 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 8/19/16 |
| | | Time In | 10:33 Time Out 10:45 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | | Y (N) |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 25.25 | |
| Depth to Water | 16.50 | |
| Slug Test Performed | | Y (N) |
| Redevelop | | Y (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 8.75 |
| Volume of water in well (gal.) | 1.42 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 4.26 | Evacuation Method | Bailer |
| Did well go dry ? | Y (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 10:58 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 13.30 |
| Conductivity (uS/cm) | 859 |
| pH (SU) | 6.85 |
| ORP (mV) | 5.2 |
| DO (mg/L) | 4.10 |

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW-29 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 4/19/16 |
| | | Time In | 10:52 Time Out 11:05 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | Y | N |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 25.53 | |
| Depth to Water | 16.31 | |
| Slug Test Performed | Y | N |
| Redevelop | Y | N |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 9.22 |
| Volume of water in well (gal.) | 1.50 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | |
|---|---|---|---|
| Volume of water removed from well (gal.) | 4.5 | Evacuation Method | Bailer |
| Did well go dry ? | Y N | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 11:10 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | |
|---|---|
| Temperature (C) | 12.74 |
| Conductivity (uS/cm) | .912 |
| pH (SU) | 6.86 |
| ORP (mV) | -95.0 |
| DO (mg/L) | 1.09 |
| Film | Y N |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

**ATTACHMENT 1**
**GROUNDWATER SAMPLING FIELD LOG**

| | | | |
|---|---|---|---|
| **Well No.** | MW-30 | Project No. | IN-AMP-14-06 |
| Project | Amphenol | Site Name | Amphenol, Franklin, IN |
| Sampling Purpose | Semi-Annual GWS | Sampling Personnel | Mier/Molin |
| | | Date | 9/19/16 |
| | | Time In | 14:11 Time Out 14:24 |

**I. Well Information**

| | | |
|---|---|---|
| Reference point on well casing | (Y) | N |
| Well Diameter | ID 2 | OD |
| Total Well Depth | 21.20 | |
| Depth to Water | 14.79 | |
| Slug Test Performed | Y | (N) |
| Redevelop | Y | (N) |

**II. Well Water Information**

| | |
|---|---|
| Length of water column (ft.) | 6.41 |
| Volume of water in well (gal.) | 1.04 |
| Volume of bailer (gal.) | 0.33 |

**III. Evacuation Information**

| | | | | |
|---|---|---|---|---|
| Volume of water removed from well (gal.) | | 3.13 | Evacuation Method | Bailer |
| Did well go dry ? | Y | (N) | Evacuation Rate (gpm) | - 0.66 |

**IV. Well Sampling**

| | |
|---|---|
| Container | 3x 40 ml VOA |
| Preservative | HCl |
| Time Sampled | 14:24 |
| Analysis | VOCs EPA Method 8260B |

**V. Groundwater Characteristics After Well Evacuation**

| | | |
|---|---|---|
| Temperature (C) | | 12.72 |
| Conductivity (uS/cm) | | 1.111 |
| pH (SU) | | 7.02 |
| ORP (mV) | | -73.9 |
| DO (mg/L) | | 1.03 |
| Film | Y | (N) |

**VI. Miscellaneous Observations/Problems**

**VII. Sample Destination**

Pace Analytical via Hand delivery (IWM)

Field Personnel

# APPENDIX D

## Laboratory Analytical Report
## Semi-Annual Groundwater Samples

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

May 11, 2016

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50143193

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on April 19, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Revised Report: Issued to correct the sampling date for each sample in the project.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# CERTIFICATIONS

| | |
|---|---|
| Project: | Amphenol |
| Pace Project No.: | 50143193 |

**Indiana Certification IDs**
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas/NELAP Certification #:E-10177
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Texas Certification #: T104704355-15-9
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50143193

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|---|---|---|---|---|
| **50143193001** | **IT-2** | Water | 04/19/16 11:57 | 04/19/16 15:34 |
| **50143193002** | **IT-3** | Water | 04/19/16 14:03 | 04/19/16 15:34 |
| **50143193003** | **MW-12R** | Water | 04/19/16 11:36 | 04/19/16 15:34 |
| **50143193004** | **MW-20** | Water | 04/19/16 13:25 | 04/19/16 15:34 |
| **50143193005** | **MW-22** | Water | 04/19/16 10:25 | 04/19/16 15:34 |
| **50143193006** | **MW-28** | Water | 04/19/16 10:58 | 04/19/16 15:34 |
| **50143193007** | **MW-29** | Water | 04/19/16 11:10 | 04/19/16 15:34 |
| **50143193008** | **MW-30** | Water | 04/19/16 14:24 | 04/19/16 15:34 |
| **50143193009** | **Duplicate** | Water | 04/19/16 08:00 | 04/19/16 15:34 |
| **50143193010** | **Trip Blank** | Water | 04/19/16 08:00 | 04/19/16 15:34 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50143193

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|---|---|---|---|---|
| **50143193001** | **IT-2** | EPA 8260 | ALA | 72 |
| **50143193002** | **IT-3** | EPA 8260 | ALA | 72 |
| **50143193003** | **MW-12R** | EPA 8260 | ALA | 72 |
| **50143193004** | **MW-20** | EPA 8260 | ALA | 72 |
| **50143193005** | **MW-22** | EPA 8260 | ALA | 72 |
| **50143193006** | **MW-28** | EPA 8260 | ALA | 72 |
| **50143193007** | **MW-29** | EPA 8260 | ALA | 72 |
| **50143193008** | **MW-30** | EPA 8260 | ALA | 72 |
| **50143193009** | **Duplicate** | EPA 8260 | ALA | 72 |
| **50143193010** | **Trip Blank** | EPA 8260 | ALA | 72 |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

## SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50143193

| Lab Sample ID / Method | Client Sample ID / Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|---|
| **50143193001** | **IT-2** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 20.5 | ug/L | 5.0 | 04/21/16 05:08 | |
| EPA 8260 | Trichloroethene | 7.3 | ug/L | 5.0 | 04/21/16 05:08 | |
| **50143193003** | **MW-12R** | | | | | |
| EPA 8260 | cis-1,2-Dichloroethene | 104 | ug/L | 5.0 | 04/21/16 07:39 | |
| EPA 8260 | Tetrachloroethene | 440 | ug/L | 50.0 | 04/21/16 08:17 | |
| EPA 8260 | 1,1,1-Trichloroethane | 59.0 | ug/L | 5.0 | 04/21/16 07:39 | |
| EPA 8260 | Trichloroethene | 72.2 | ug/L | 5.0 | 04/21/16 07:39 | |
| **50143193005** | **MW-22** | | | | | |
| EPA 8260 | Tetrachloroethene | 620 | ug/L | 50.0 | 04/21/16 10:10 | |
| EPA 8260 | 1,1,1-Trichloroethane | 6.6 | ug/L | 5.0 | 04/21/16 09:32 | |
| EPA 8260 | Trichloroethene | 40.7 | ug/L | 5.0 | 04/21/16 09:32 | |
| **50143193006** | **MW-28** | | | | | |
| EPA 8260 | Tetrachloroethene | 23.8 | ug/L | 5.0 | 04/23/16 00:19 | |
| EPA 8260 | 1,1,1-Trichloroethane | 8.6 | ug/L | 5.0 | 04/23/16 00:19 | |
| EPA 8260 | Trichloroethene | 10.1 | ug/L | 5.0 | 04/23/16 00:19 | |
| **50143193008** | **MW-30** | | | | | |
| EPA 8260 | 1,1,1-Trichloroethane | 7.6 | ug/L | 5.0 | 04/21/16 12:04 | |
| **50143193009** | **Duplicate** | | | | | |
| EPA 8260 | Tetrachloroethene | 596 | ug/L | 50.0 | 04/21/16 13:19 | |
| EPA 8260 | 1,1,1-Trichloroethane | 6.6 | ug/L | 5.0 | 04/21/16 12:41 | |
| EPA 8260 | Trichloroethene | 40.0 | ug/L | 5.0 | 04/21/16 12:41 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-2** **Lab ID: 50143193001** Collected: 04/19/16 11:57 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 05:08 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 05:08 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 05:08 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-35-4 | |
| cis-1,2-Dichloroethene | **20.5** | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 05:08 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 05:08 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 05:08 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-2** **Lab ID: 50143193001** Collected: 04/19/16 11:57 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 05:08 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 05:08 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 79-00-5 | |
| Trichloroethene | **7.3** | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 05:08 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 05:08 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 05:08 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 05:08 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 84-118 | 1 | | 04/21/16 05:08 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 108 | %. | 79-116 | 1 | | 04/21/16 05:08 | 460-00-4 | |
| Toluene-d8 (S) | 94 | %. | 86-110 | 1 | | 04/21/16 05:08 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-3** **Lab ID: 50143193002** Collected: 04/19/16 14:03 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 07:01 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:01 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 07:01 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 07:01 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 07:01 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 07:01 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: IT-3** **Lab ID: 50143193002** Collected: 04/19/16 14:03 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:01 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 07:01 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:01 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 07:01 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 07:01 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 07:01 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 113 | %. | 84-118 | 1 | | 04/21/16 07:01 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 107 | %. | 79-116 | 1 | | 04/21/16 07:01 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 07:01 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-12R** **Lab ID: 50143193003** Collected: 04/19/16 11:36 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 07:39 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:39 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 07:39 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-35-4 | |
| cis-1,2-Dichloroethene | **104** | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 07:39 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 07:39 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 07:39 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-12R** **Lab ID: 50143193003** Collected: 04/19/16 11:36 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 07:39 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 07:39 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 79-34-5 | |
| Tetrachloroethene | **440** | ug/L | 50.0 | 10 | | 04/21/16 08:17 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 120-82-1 | |
| 1,1,1-Trichloroethane | **59.0** | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 79-00-5 | |
| Trichloroethene | **72.2** | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 07:39 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 07:39 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 07:39 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 07:39 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/21/16 07:39 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 106 | %. | 79-116 | 1 | | 04/21/16 07:39 | 460-00-4 | |
| Toluene-d8 (S) | 98 | %. | 86-110 | 1 | | 04/21/16 07:39 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-20** **Lab ID: 50143193004** Collected: 04/19/16 13:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 08:54 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 08:54 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 08:54 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 08:54 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 08:54 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 08:54 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-20** **Lab ID: 50143193004** Collected: 04/19/16 13:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 08:54 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 08:54 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 08:54 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 08:54 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 08:54 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 08:54 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 115 | %. | 84-118 | 1 | | 04/21/16 08:54 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 108 | %. | 79-116 | 1 | | 04/21/16 08:54 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 08:54 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-22** **Lab ID: 50143193005** Collected: 04/19/16 10:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 09:32 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 09:32 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 09:32 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 09:32 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 09:32 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 09:32 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-22** **Lab ID: 50143193005** Collected: 04/19/16 10:25 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 09:32 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 09:32 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 79-34-5 | |
| Tetrachloroethene | **620** | ug/L | 50.0 | 10 | | 04/21/16 10:10 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 120-82-1 | |
| 1,1,1-Trichloroethane | **6.6** | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 79-00-5 | |
| Trichloroethene | **40.7** | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 09:32 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 09:32 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 09:32 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 09:32 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/21/16 09:32 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 106 | %. | 79-116 | 1 | | 04/21/16 09:32 | 460-00-4 | |
| Toluene-d8 (S) | 97 | %. | 86-110 | 1 | | 04/21/16 09:32 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-28** **Lab ID: 50143193006** Collected: 04/19/16 10:58 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/23/16 00:19 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/23/16 00:19 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/23/16 00:19 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/23/16 00:19 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/23/16 00:19 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/23/16 00:19 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-28** **Lab ID: 50143193006** Collected: 04/19/16 10:58 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/23/16 00:19 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/23/16 00:19 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 79-34-5 | |
| Tetrachloroethene | **23.8** | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 120-82-1 | |
| 1,1,1-Trichloroethane | **8.6** | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 79-00-5 | |
| Trichloroethene | **10.1** | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/23/16 00:19 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/23/16 00:19 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/23/16 00:19 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/23/16 00:19 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/23/16 00:19 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 105 | %. | 79-116 | 1 | | 04/23/16 00:19 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/23/16 00:19 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-29** **Lab ID: 50143193007** Collected: 04/19/16 11:10 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 11:26 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 11:26 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 11:26 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 11:26 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 11:26 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 11:26 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-29** **Lab ID: 50143193007** Collected: 04/19/16 11:10 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 11:26 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 11:26 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 11:26 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 11:26 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 11:26 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 11:26 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 84-118 | 1 | | 04/21/16 11:26 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 114 | %. | 79-116 | 1 | | 04/21/16 11:26 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 11:26 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-30** **Lab ID: 50143193008** Collected: 04/19/16 14:24 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 12:04 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:04 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 12:04 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 12:04 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 12:04 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 12:04 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: MW-30** **Lab ID: 50143193008** Collected: 04/19/16 14:24 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:04 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 12:04 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 120-82-1 | |
| 1,1,1-Trichloroethane | **7.6** | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:04 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 12:04 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 12:04 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 12:04 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 115 | %. | 84-118 | 1 | | 04/21/16 12:04 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 110 | %. | 79-116 | 1 | | 04/21/16 12:04 | 460-00-4 | |
| Toluene-d8 (S) | 96 | %. | 86-110 | 1 | | 04/21/16 12:04 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Duplicate** **Lab ID: 50143193009** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 12:41 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:41 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 12:41 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 12:41 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 12:41 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 12:41 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Duplicate** **Lab ID: 50143193009** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 12:41 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 12:41 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 79-34-5 | |
| Tetrachloroethene | **596** | ug/L | 50.0 | 10 | | 04/21/16 13:19 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 120-82-1 | |
| 1,1,1-Trichloroethane | **6.6** | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 79-00-5 | |
| Trichloroethene | **40.0** | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 12:41 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 12:41 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 12:41 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 12:41 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 108 | %. | 84-118 | 1 | | 04/21/16 12:41 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 106 | %. | 79-116 | 1 | | 04/21/16 12:41 | 460-00-4 | |
| Toluene-d8 (S) | 98 | %. | 86-110 | 1 | | 04/21/16 12:41 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Trip Blank** **Lab ID: 50143193010** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Acetone | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 67-64-1 | |
| Acrolein | ND | ug/L | 50.0 | 1 | | 04/21/16 13:57 | 107-02-8 | |
| Acrylonitrile | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 107-13-1 | |
| Benzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 71-43-2 | |
| Bromobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-86-1 | |
| Bromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-97-5 | |
| Bromodichloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-27-4 | |
| Bromoform | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-25-2 | |
| Bromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-83-9 | |
| 2-Butanone (MEK) | ND | ug/L | 25.0 | 1 | | 04/21/16 13:57 | 78-93-3 | |
| n-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 104-51-8 | |
| sec-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 135-98-8 | |
| tert-Butylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 98-06-6 | |
| Carbon disulfide | ND | ug/L | 10.0 | 1 | | 04/21/16 13:57 | 75-15-0 | |
| Carbon tetrachloride | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 56-23-5 | |
| Chlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-90-7 | |
| Chloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-00-3 | |
| Chloroform | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 67-66-3 | |
| Chloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-87-3 | |
| 2-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 95-49-8 | |
| 4-Chlorotoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 106-43-4 | |
| Dibromochloromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 106-93-4 | |
| Dibromomethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 74-95-3 | |
| 1,2-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 95-50-1 | |
| 1,3-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 541-73-1 | |
| 1,4-Dichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 106-46-7 | |
| trans-1,4-Dichloro-2-butene | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 110-57-6 | |
| Dichlorodifluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-71-8 | |
| 1,1-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-34-3 | |
| 1,2-Dichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 107-06-2 | |
| 1,1-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-35-4 | |
| cis-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 156-59-2 | |
| trans-1,2-Dichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 156-60-5 | |
| 1,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 78-87-5 | |
| 1,3-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 142-28-9 | |
| 2,2-Dichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 594-20-7 | |
| 1,1-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 563-58-6 | |
| cis-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 10061-01-5 | |
| trans-1,3-Dichloropropene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 10061-02-6 | |
| Ethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 100-41-4 | |
| Ethyl methacrylate | ND | ug/L | 100 | 1 | | 04/21/16 13:57 | 97-63-2 | |
| Hexachloro-1,3-butadiene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 87-68-3 | |
| 2-Hexanone | ND | ug/L | 25.0 | 1 | | 04/21/16 13:57 | 591-78-6 | |
| Iodomethane | ND | ug/L | 10.0 | 1 | | 04/21/16 13:57 | 74-88-4 | |
| Isopropylbenzene (Cumene) | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 98-82-8 | |
| p-Isopropyltoluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 99-87-6 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50143193

**Sample: Trip Blank** **Lab ID: 50143193010** Collected: 04/19/16 08:00 Received: 04/19/16 15:34 Matrix: Water

| Parameters | Results | Units | Report Limit | DF | Prepared | Analyzed | CAS No. | Qual |
|---|---|---|---|---|---|---|---|---|
| **8260 MSV** | Analytical Method: EPA 8260 | | | | | | | |
| Methylene Chloride | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | ND | ug/L | 25.0 | 1 | | 04/21/16 13:57 | 108-10-1 | |
| Methyl-tert-butyl ether | ND | ug/L | 4.0 | 1 | | 04/21/16 13:57 | 1634-04-4 | |
| Naphthalene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 91-20-3 | |
| n-Propylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 103-65-1 | |
| Styrene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 100-42-5 | |
| 1,1,1,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 630-20-6 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 79-34-5 | |
| Tetrachloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 127-18-4 | |
| Toluene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-88-3 | |
| 1,2,3-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 87-61-6 | |
| 1,2,4-Trichlorobenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 120-82-1 | |
| 1,1,1-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 71-55-6 | |
| 1,1,2-Trichloroethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 79-00-5 | |
| Trichloroethene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 79-01-6 | |
| Trichlorofluoromethane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 75-69-4 | |
| 1,2,3-Trichloropropane | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 96-18-4 | |
| 1,2,4-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | ND | ug/L | 5.0 | 1 | | 04/21/16 13:57 | 108-67-8 | |
| Vinyl acetate | ND | ug/L | 50.0 | 1 | | 04/21/16 13:57 | 108-05-4 | |
| Vinyl chloride | ND | ug/L | 2.0 | 1 | | 04/21/16 13:57 | 75-01-4 | |
| Xylene (Total) | ND | ug/L | 10.0 | 1 | | 04/21/16 13:57 | 1330-20-7 | |
| ***Surrogates*** | | | | | | | | |
| Dibromofluoromethane (S) | 114 | %. | 84-118 | 1 | | 04/21/16 13:57 | 1868-53-7 | |
| 4-Bromofluorobenzene (S) | 108 | %. | 79-116 | 1 | | 04/21/16 13:57 | 460-00-4 | |
| Toluene-d8 (S) | 97 | %. | 86-110 | 1 | | 04/21/16 13:57 | 2037-26-5 | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

QC Batch: MSV/89287 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50143193001, 50143193002, 50143193003, 50143193004, 50143193005, 50143193007, 50143193008, 50143193009, 50143193010

METHOD BLANK: 1523179 Matrix: Water
Associated Lab Samples: 50143193001, 50143193002, 50143193003, 50143193004, 50143193005, 50143193007, 50143193008, 50143193009, 50143193010

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 04/21/16 04:30 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 2-Hexanone | ug/L | ND | 25.0 | 04/21/16 04:30 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 04/21/16 04:30 | |
| Acetone | ug/L | ND | 100 | 04/21/16 04:30 | |
| Acrolein | ug/L | ND | 50.0 | 04/21/16 04:30 | |
| Acrylonitrile | ug/L | ND | 100 | 04/21/16 04:30 | |
| Benzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromochloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromoform | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Bromomethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Carbon disulfide | ug/L | ND | 10.0 | 04/21/16 04:30 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chlorobenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chloroethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chloroform | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Chloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

METHOD BLANK: 1523179 Matrix: Water

Associated Lab Samples: 50143193001, 50143193002, 50143193003, 50143193004, 50143193005, 50143193007, 50143193008, 50143193009, 50143193010

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Dibromomethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Ethyl methacrylate | ug/L | ND | 100 | 04/21/16 04:30 | |
| Ethylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Iodomethane | ug/L | ND | 10.0 | 04/21/16 04:30 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 04/21/16 04:30 | |
| Methylene Chloride | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Naphthalene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Styrene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Toluene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 04/21/16 04:30 | |
| Trichloroethene | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 04/21/16 04:30 | |
| Vinyl acetate | ug/L | ND | 50.0 | 04/21/16 04:30 | |
| Vinyl chloride | ug/L | ND | 2.0 | 04/21/16 04:30 | |
| Xylene (Total) | ug/L | ND | 10.0 | 04/21/16 04:30 | |
| 4-Bromofluorobenzene (S) | %. | 108 | 79-116 | 04/21/16 04:30 | |
| Dibromofluoromethane (S) | %. | 112 | 84-118 | 04/21/16 04:30 | |
| Toluene-d8 (S) | %. | 97 | 86-110 | 04/21/16 04:30 | |

LABORATORY CONTROL SAMPLE: 1523180

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | ug/L | 50 | 51.8 | 104 | 72-123 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 46.4 | 93 | 72-124 | |
| 1,1-Dichloroethene | ug/L | 50 | 53.0 | 106 | 69-127 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 46.2 | 92 | 73-125 | |
| 1,2-Dichloropropane | ug/L | 50 | 45.8 | 92 | 77-124 | |
| Benzene | ug/L | 50 | 48.4 | 97 | 76-122 | |
| Chlorobenzene | ug/L | 50 | 47.6 | 95 | 76-118 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

LABORATORY CONTROL SAMPLE: 1523180

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| Chloroform | ug/L | 50 | 51.9 | 104 | 70-119 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 49.4 | 99 | 74-120 | |
| Ethylbenzene | ug/L | 50 | 47.9 | 96 | 75-123 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 46.7 | 93 | 84-134 | |
| Methyl-tert-butyl ether | ug/L | 50 | 56.5 | 113 | 65-131 | |
| Naphthalene | ug/L | 50 | 51.2 | 102 | 65-134 | |
| Tetrachloroethene | ug/L | 50 | 47.4 | 95 | 69-119 | |
| Toluene | ug/L | 50 | 44.2 | 88 | 74-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 54.3 | 109 | 72-122 | |
| Trichloroethene | ug/L | 50 | 50.9 | 102 | 75-123 | |
| Vinyl chloride | ug/L | 50 | 51.6 | 103 | 61-147 | |
| Xylene (Total) | ug/L | 150 | 141 | 94 | 75-127 | |
| 4-Bromofluorobenzene (S) | %. | | | 102 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | 108 | 84-118 | |
| Toluene-d8 (S) | %. | | | 100 | 86-110 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1523181 1523182

| Parameter | Units | 50143193001 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | ug/L | ND | 50 | 50 | 53.7 | 54.9 | 104 | 106 | 51-140 | 2 | 20 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 50 | 50 | 49.4 | 49.1 | 99 | 98 | 49-138 | 1 | 20 | |
| 1,1-Dichloroethene | ug/L | ND | 50 | 50 | 53.8 | 54.2 | 108 | 108 | 51-144 | 1 | 20 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 50 | 50 | 45.1 | 46.3 | 90 | 93 | 32-143 | 3 | 20 | |
| 1,2-Dichloropropane | ug/L | ND | 50 | 50 | 46.6 | 47.6 | 93 | 95 | 56-138 | 2 | 20 | |
| Benzene | ug/L | ND | 50 | 50 | 49.2 | 49.7 | 98 | 99 | 51-140 | 1 | 20 | |
| Chlorobenzene | ug/L | ND | 50 | 50 | 48.1 | 48.5 | 96 | 97 | 45-138 | 1 | 20 | |
| Chloroform | ug/L | ND | 50 | 50 | 53.1 | 53.0 | 106 | 106 | 50-135 | 0 | 20 | |
| cis-1,2-Dichloroethene | ug/L | 20.5 | 50 | 50 | 70.2 | 70.3 | 99 | 100 | 43-144 | 0 | 20 | |
| Ethylbenzene | ug/L | ND | 50 | 50 | 47.4 | 48.7 | 95 | 97 | 36-146 | 3 | 20 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 50 | 50 | 46.4 | 47.4 | 93 | 95 | 43-159 | 2 | 20 | |
| Methyl-tert-butyl ether | ug/L | ND | 50 | 50 | 60.1 | 59.5 | 120 | 119 | 43-146 | 1 | 20 | |
| Naphthalene | ug/L | ND | 50 | 50 | 53.4 | 53.8 | 107 | 108 | 38-141 | 1 | 20 | |
| Tetrachloroethene | ug/L | ND | 50 | 50 | 48.0 | 47.6 | 96 | 95 | 38-139 | 1 | 20 | |
| Toluene | ug/L | ND | 50 | 50 | 44.0 | 44.4 | 87 | 88 | 44-140 | 1 | 20 | |
| trans-1,2-Dichloroethene | ug/L | ND | 50 | 50 | 54.8 | 55.6 | 110 | 111 | 50-139 | 1 | 20 | |
| Trichloroethene | ug/L | 7.3 | 50 | 50 | 58.6 | 60.2 | 103 | 106 | 44-146 | 3 | 20 | |
| Vinyl chloride | ug/L | ND | 50 | 50 | 50.2 | 50.4 | 100 | 101 | 43-166 | 0 | 20 | |
| Xylene (Total) | ug/L | ND | 150 | 150 | 140 | 142 | 93 | 94 | 35-146 | 1 | 20 | |
| 4-Bromofluorobenzene (S) | %. | | | | | | 102 | 102 | 79-116 | | | |
| Dibromofluoromethane (S) | %. | | | | | | 109 | 109 | 84-118 | | | |
| Toluene-d8 (S) | %. | | | | | | 99 | 99 | 86-110 | | | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

QC Batch: MSV/89373
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: 8260 MSV
Associated Lab Samples: 50143193006

METHOD BLANK: 1524392
Matrix: Water
Associated Lab Samples: 50143193006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| 1,1,1,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1,1-Trichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1,2,2-Tetrachloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1,2-Trichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1-Dichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1-Dichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,1-Dichloropropene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,3-Trichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,3-Trichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,4-Trichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2,4-Trimethylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dibromoethane (EDB) | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dichloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,2-Dichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,3,5-Trimethylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,3-Dichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,3-Dichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 1,4-Dichlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 2,2-Dichloropropane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 2-Butanone (MEK) | ug/L | ND | 25.0 | 04/22/16 23:42 | |
| 2-Chlorotoluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 2-Hexanone | ug/L | ND | 25.0 | 04/22/16 23:42 | |
| 4-Chlorotoluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| 4-Methyl-2-pentanone (MIBK) | ug/L | ND | 25.0 | 04/22/16 23:42 | |
| Acetone | ug/L | ND | 100 | 04/22/16 23:42 | |
| Acrolein | ug/L | ND | 50.0 | 04/22/16 23:42 | |
| Acrylonitrile | ug/L | ND | 100 | 04/22/16 23:42 | |
| Benzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromochloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromodichloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromoform | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Bromomethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Carbon disulfide | ug/L | ND | 10.0 | 04/22/16 23:42 | |
| Carbon tetrachloride | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chlorobenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chloroethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chloroform | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Chloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| cis-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

METHOD BLANK: 1524392 Matrix: Water
Associated Lab Samples: 50143193006

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Dibromochloromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Dibromomethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Dichlorodifluoromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Ethyl methacrylate | ug/L | ND | 100 | 04/22/16 23:42 | |
| Ethylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Hexachloro-1,3-butadiene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Iodomethane | ug/L | ND | 10.0 | 04/22/16 23:42 | |
| Isopropylbenzene (Cumene) | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Methyl-tert-butyl ether | ug/L | ND | 4.0 | 04/22/16 23:42 | |
| Methylene Chloride | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| n-Butylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| n-Propylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Naphthalene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| p-Isopropyltoluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| sec-Butylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Styrene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| tert-Butylbenzene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Tetrachloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Toluene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| trans-1,2-Dichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| trans-1,3-Dichloropropene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| trans-1,4-Dichloro-2-butene | ug/L | ND | 100 | 04/22/16 23:42 | |
| Trichloroethene | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Trichlorofluoromethane | ug/L | ND | 5.0 | 04/22/16 23:42 | |
| Vinyl acetate | ug/L | ND | 50.0 | 04/22/16 23:42 | |
| Vinyl chloride | ug/L | ND | 2.0 | 04/22/16 23:42 | |
| Xylene (Total) | ug/L | ND | 10.0 | 04/22/16 23:42 | |
| 4-Bromofluorobenzene (S) | %. | 102 | 79-116 | 04/22/16 23:42 | |
| Dibromofluoromethane (S) | %. | 106 | 84-118 | 04/22/16 23:42 | |
| Toluene-d8 (S) | %. | 97 | 86-110 | 04/22/16 23:42 | |

LABORATORY CONTROL SAMPLE: 1524393

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | ug/L | 50 | 43.4 | 87 | 72-123 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 49.5 | 99 | 72-124 | |
| 1,1-Dichloroethene | ug/L | 50 | 45.5 | 91 | 69-127 | |
| 1,2,4-Trimethylbenzene | ug/L | 50 | 45.5 | 91 | 73-125 | |
| 1,2-Dichloropropane | ug/L | 50 | 46.0 | 92 | 77-124 | |
| Benzene | ug/L | 50 | 45.0 | 90 | 76-122 | |
| Chlorobenzene | ug/L | 50 | 46.0 | 92 | 76-118 | |
| Chloroform | ug/L | 50 | 41.1 | 82 | 70-119 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 43.6 | 87 | 74-120 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50143193

LABORATORY CONTROL SAMPLE: 1524393

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|---|---|---|---|---|---|---|
| cis-1,3-Dichloropropene | ug/L | 50 | 50.6 | 101 | 71-134 | |
| Ethylbenzene | ug/L | 50 | 45.3 | 91 | 75-123 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 45.7 | 91 | 84-134 | |
| Methyl-tert-butyl ether | ug/L | 50 | 49.5 | 99 | 65-131 | |
| Naphthalene | ug/L | 50 | 45.7 | 91 | 65-134 | |
| Tetrachloroethene | ug/L | 50 | 45.8 | 92 | 69-119 | |
| Toluene | ug/L | 50 | 47.1 | 94 | 74-122 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 45.4 | 91 | 72-122 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 50.7 | 101 | 66-135 | |
| Trichloroethene | ug/L | 50 | 48.1 | 96 | 75-123 | |
| Vinyl chloride | ug/L | 50 | 49.3 | 99 | 61-147 | |
| Xylene (Total) | ug/L | 150 | 139 | 92 | 75-127 | |
| 4-Bromofluorobenzene (S) | %. | | | 98 | 79-116 | |
| Dibromofluoromethane (S) | %. | | | 91 | 84-118 | |
| Toluene-d8 (S) | %. | | | 104 | 86-110 | |

**Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.**



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

# QUALIFIERS

Project: Amphenol
Pace Project No.: 50143193

**DEFINITIONS**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

**Pace Analytical Services, Inc.**
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

**Pace Analytical Services, Inc.**
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

# QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50143193

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|---|---|---|---|---|---|
| **50143193001** | **IT-2** | EPA 8260 | MSV/89287 | | |
| **50143193002** | **IT-3** | EPA 8260 | MSV/89287 | | |
| **50143193003** | **MW-12R** | EPA 8260 | MSV/89287 | | |
| **50143193004** | **MW-20** | EPA 8260 | MSV/89287 | | |
| **50143193005** | **MW-22** | EPA 8260 | MSV/89287 | | |
| **50143193006** | **MW-28** | EPA 8260 | MSV/89373 | | |
| **50143193007** | **MW-29** | EPA 8260 | MSV/89287 | | |
| **50143193008** | **MW-30** | EPA 8260 | MSV/89287 | | |
| **50143193009** | **Duplicate** | EPA 8260 | MSV/89287 | | |
| **50143193010** | **Trip Blank** | EPA 8260 | MSV/89287 | | |



This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

1037

Page : 1 Of 1

| Section A Required Client Information: | | Section B Required Project Information: | | Section C Invoice Information: | |
|---|---|---|---|---|---|
| Company: | IWM Consulting | Report To: | Chris Newell | Attention: | Chris Newell |
| Address: | 7428 Rockville Road | Copy To: | | Company Name: | IWM Consulting |
| | Indianapolis, IN 46214 | | | Address: | 7428 Rockville Road, Indianapolis, IN 46 |
| Email To: | cnewell@iwmconsult.com | Purchase Order No. | | Pace Quote Reference: | |
| Phone: | 347-1111 Fax: | Client Project ID: | Amphenol | Pace Project Manager: | Hunt, Kenneth |
| Requested Due Date/TAT: | 10 Day (Default) | Container Order Number: | | Pace Profile #: | |

| Regulatory Agency |
|---|
| RCRA - Resource Conservation and Recovery Act |
| State / Location |
| Indiana |

| ITEM# | SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample ids must be unique) | MATRIX CODE (see valid codes to left) | SAMPLE TYPE (G=GRAB C=COMP) | COLLECTED START DATE | COLLECTED START TIME | COLLECTED END DATE | COLLECTED END TIME | SAMPLE TEMP AT COLLECTION | # OF CONTAINERS | Unpreserved | H2SO4 | HNO3 | HCl | NaOH | Na2S2O3 | Methanol | Other | Analysis Test Y/N | VOC 8260 WT | Residual Chlorine (Y/N) | 50143193 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | IT-2 | WT | G | 4-19-16 | 1151 | | | | 3 | | | | X | | | | | | X | | 001 |
| 2 | IT-3 | WT | | | 1103 | | | | | | | | X | | | | | | X | | 002 |
| 3 | MW-12R | WT | | | 1130 | | | | | | | | X | | | | | | X | | 003 |
| 4 | MW-20 | WT | | | 1325 | | | | | | | | X | | | | | | X | | 004 |
| 5 | MW-22 | WT | | | 1035 | | | | | | | | X | | | | | | X | | 005 |
| 6 | MW-28 | WT | | | 1058 | | | | | | | | X | | | | | | X | | 006 |
| 7 | MW-29 | WT | | | 1110 | | | | | | | | X | | | | | | X | | 007 |
| 8 | MW-30 | WT | | | 1424 | | | | | | | | X | | | | | | X | | 008 |
| 9 | DUPLICATE | WT | | | | | | | | | | | X | | | | | | X | | 009 |
| 10 | TRIP BLANK | WT | ✓ | ✓ | | | | | ✓ | | | | X | | | | | | X | | 010 |
| 11 | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | |

Matrix codes: Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Other OT, Tissue TS

| ADDITIONAL COMMENTS | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Ralph Nhien IWM | 4/19/16 | 3:34 | Kathy Eck / Pace | 4/19/16 | 3:34 | 1.0 | Y | N | Y |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| SAMPLER NAME AND SIGNATURE | | | |
|---|---|---|---|
| PRINT Name of SAMPLER: | Ralph Nhien | | |
| SIGNATURE of SAMPLER: | Ralph Nhien | DATE Signed: | 4-19-16 |

| TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N) |
|---|---|---|---|

## Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Cons. Project # 50143193

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals Intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer: _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Initial/Corrected) 1.0°c/1.0°c Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and initials of person examining contents: KEE 4-19-16

| | | Comments: |
|---|---|---|
| Are samples from West Virginia? Document any containers out of temp. | ☐Yes ☑No | 1. |
| Chain of Custody Present: | ☑Yes ☐No ☐N/A | 2. |
| Chain of Custody Filled Out: | ☑Yes ☐No ☐N/A | 3. |
| Chain of Custody Relinquished: | ☑Yes ☐No ☐N/A | 4. |
| Sampler Name & Signature on COC: | ☑Yes ☐No ☐N/A | 5. |
| Short Hold Time Analysis (<72hr): | ☐Yes ☑No ☐N/A | 6. |
| Rush Turn Around Time Requested: | ☐Yes ☑No ☐N/A | 7. |
| Containers Intact: | ☑Yes ☐No ☐N/A | 8. |
| Sample Labels match COC: -Includes date/time/ID/Analysis | ☑Yes ☐No ☐N/A | 9. |
| All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted. | ☐Yes ☐No ☑N/A | 10 (Circle) HNO3 H2SO4 NaOH NaOH/ZnAc |
| Residual Chlorine Check (SVOC 625 Pest/PCB 608) | | 11. Present Absent |
| Residual Chlorine Check (Total/Amenable/Free Cyanide) | | 12. Present Absent |
| Headspace in VOA Vials ( >6mm): | ☐Yes ☑No ☐N/A | 13 |
| Headspace Wisconsin Sulfide | ☐Yes ☐No | 14 |
| Trip Blank Present: | ☑Yes ☐No ☐N/A | 15 |
| Trip Blank Custody Seals Present | ☑Yes ☐No ☐N/A | |
| **Project Manager Review** | | |
| Samples Arrived within Hold Time: | ☐Yes ☐No ☐N/A | 15. |
| Sufficient Volume: | ☐Yes ☐No ☐N/A | 16. |
| Correct Containers Used: | ☐Yes ☐No ☐N/A | 17. |

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Chris Newell Date/Time: 5/10/16

Comments/ Resolution: Correct Sampling date was 4/19/16

Project Manager Review: _____ Date: _____

Form F-IN-Q-290-rev.09, 13Oct2015

# Sample Container Count

CLIENT: Flum Cons.

COC PAGE 1 of 1

COC ID#

Project # 50143193

| Sample Line Item | DG9H | AG1U | WGFU | AG0U | R 4 / 6 | BP2N | BP2U | BP2S | BP3N | BP3U | BP3S | AG3S | AG1H | BP3C | BP1U | SP5T | AG2U | | | | | | pH <2 | pH >9 | pH>12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | | | |

Container Codes

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| DG9H | 40mL HCL amber voa vial | AG0U | 100mL unpreserved amber glass | BP1N | 1 liter HNO3 plastic | DG9P | 40mL TSP amber vial |
| AG1U | 1liter unpreserved amber glass | AG1H | 1 liter HCL amber glass | BP1S | 1 liter H2SO4 plastic | DG9S | 40mL H2SO4 amber vial |
| WGFU | 4oz clear soil jar | AG1S | 1 liter H2SO4 amber glass | BP1U | 1 liter unpreserved plastic | DG9T | 40mL Na Thio amber vial |
| R | terra core kit | AG1T | 1 liter Na Thiosulfate amber glass | BP1Z | 1 liter NaOH, Zn, Ac | DG9U | 40mL unpreserved amber vial |
| BP2N | 500mL HNO3 plastic | AG2N | 500mL HNO3 amber glass | BP2A | 500mL NaOH, Asc Acid plastic | SP5T | 120mL Coliform Na Thiosulfate |
| BP2U | 500mL unpreserved plastic | AG2S | 500mL H2SO4 amber glass | BP2O | 500mL NaOH plastic | JGFU | 4oz unpreserved amber wide |
| BP2S | 500mL H2SO4 plastic | AG2U | 500mL unpreserved amber glass | BP2Z | 500mL NaOH, Zn Ac | U | Summa Can |
| BP3N | 250mL HNO3 plastic | AG3U | 250mL unpreserved amber glass | AF | Air Filter | VG9H | 40mL HCL clear vial |
| BP3U | 250mL unpreserved plastic | BG1H | 1 liter HCL clear glass | BP3C | 250mL NaOH plastic | VG9T | 40mL Na Thio. clear vial |
| BP3S | 250mL H2SO4 plastic | BG1S | 1 liter H2SO4 clear glass | BP3Z | 250mL NaOH, Zn Ac plastic | VG9U | 40mL unpreserved clear vial |
| AG3S | 250mL H2SO4 glass amber | BG1T | 1 liter Na Thiosulfate clear glass | C | Air Cassettes | VSG | Headspace septa vial & HCL |
| AG1S | 1 liter H2SO4 amber glass | BG1U | 1 liter unpreserved glass | DG9B | 40mL Na Bisulfate amber vial | WGFX | 4oz wide jar w/hexane wipe |
| BP1U | 1 liter unpreserved plastic | BP1A | 1 liter NaOH, Asc Acid plastic | DG9M | 40mL MeOH clear vial | ZPLC | Ziploc Bag |