Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R3

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4760 S51 A1	Volume (L)	1209.75
Client Sample No.	SVM-H2-1FD-100204	No. of Grid Openings	22
Description		Filter Area (mm2)	385
Analysis Date	11/8/2004	Area Analyzed (mm2)	0.319
Analyst	DW	Analytical Sens. (struc/cc)	0.000998
		Dectection Limit. (struc/cc)	0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	6.3	0.00200	0.00 - 0.00629	2
Total Asbestos Structures	6.3	0.00200	0.00 - 0.00629	2
Asbestos Structures > 5um	3.1	0.000998	0.00 - 0.00473	1
Asbestos Fibers and Bundles > 5um	3.1	0.000998	0.00 - 0.00473	1
PCM Equivalent Fibers-US	3.1	0.000998	0.00 - 0.00473	1
PCM Equivalent Structures-US	3.1	0.000998	0.00 - 0.00473	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS >10	3.1	0.000998	0.00 - 0.00473	1
PROTOCOL ASB STRUCS TOTAL	3.1	0.000998	0.00 - 0.00473	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	3.1	0.000998	0.00 - 0.00473	1
PROTOCOL CHRYS STRUCS TOTAL	3.1	0.000998	0.00 - 0.00473	1
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Total Structures 3:1	6.3	0.00200	0.00 - 0.00629	2
AHERA-like Asb Strucs >5 and 3:1	3.1	0.000998	0.00 - 0.00473	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Asb Strucs >10 and 3:1	3.1	0.000998	0.00 - 0.00473	1
Total Other Amphibole Strucs 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S6 A1	Volume (L)	1209.7
Client Sample No.	SVM-H2-1FD-100204	No. of Grid Openings	22
Description	Duplicate Analysis of 041172-51 - Different Grid Opening	Filter Area (mm2)	385
Analysis Date	12/2/2004	Area Analyzed (mm2)	0.319
Analyst	KM	Analytical Sens. (struc/cc)	0.000998
		Dectection Limit. (struc/cc)	0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	6.3	0.00200	0.00 - 0.00629	2

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R3

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4760 S52 A1	Volume (L)	1192.92
Client Sample No.	SVM-H2-2FD-100204	No. of Grid Openings	23
Description		Filter Area (mm2)	385
Analysis Date	11/8/2004	Area Analyzed (mm2)	0.333
Analyst	DW	Analytical Sens. (struc/cc)	0.000968
		Dectection Limit. (struc/cc)	0.00290

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	9.0	0.00291	0.00 - 0.00751	3
Total Asbestos Structures	9.0	0.00291	0.00 - 0.00751	3
Asbestos Structures > 5um	6.0	0.00194	0.00 - 0.00610	2
Asbestos Fibers and Bundles > 5um	6.0	0.00194	0.00 - 0.00610	2
PCM Equivalent Fibers-US	6.0	0.00194	0.00 - 0.00610	2
PCM Equivalent Structures-US	6.0	0.00194	0.00 - 0.00610	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
AHERA-like Total Structures 3:1	9.0	0.00291	0.00 - 0.00751	3
AHERA-like Asb Strucs >5 and 3:1	6.0	0.00194	0.00 - 0.00610	2
AHERA-like Asb Strucs 5 - 10 and 3:1	6.0	0.00194	0.00 - 0.00610	2
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Total Other Amphibole Strucs 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S7 A1	Volume (L)	1192.92
Client Sample No.	SVM-H2-2FD-100204	No. of Grid Openings	24
Description	Replicate Analysis of 041172-52 - Reprep	Filter Area (mm2)	385
Analysis Date	12/4/2004	Area Analyzed (mm2)	0.348
Analyst	DW	Analytical Sens. (struc/cc)	0.000928
		Dectection Limit. (struc/cc)	0.00277

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	5.8	0.00186	0.00 - 0.00585	2

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4763 S8 A1
Client Sample No. SVM-H2-2FD-100204
Description Duplicate Analysis of 041172-52 - Same Grid Openings
Analysis Date 11/18/2004
Analyst KM

Volume (L) 1192.92
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.00101
Dectection Limit. (struc/cc) 0.00303

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	9.4	0.00304	0.00 - 0.00785	3

Lab/Cor Sample No. B4763 S9 A1
Client Sample No. SVM-H2-2FD-100204
Description Duplicate Analysis of 041172-52 - Different Grid Opening
Analysis Date 12/6/2004
Analyst KM

Volume (L) 1192.92
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.00101
Dectection Limit. (struc/cc) 0.00303

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	9.4	0.00304	0.00 - 0.00785	3

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R3

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4760 S53 A1	Volume (L)	1215.12
Client Sample No.	SVM-H2-3FD-100204	No. of Grid Openings	22
Description		Filter Area (mm2)	385
Analysis Date	11/8/2004	Area Analyzed (mm2)	0.319
Analyst	DW	Analytical Sens. (struc/cc)	0.000994
		Dectection Limit. (struc/cc)	0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	3.1	0.000994	0.00 - 0.00471	1
Total Asbestos Structures	3.1	0.000994	0.00 - 0.00471	1
Asbestos Structures > 5um	3.1	0.000994	0.00 - 0.00471	1
Asbestos Fibers and Bundles > 5um	3.1	0.000994	0.00 - 0.00471	1
PCM Equivalent Fibers-US	3.1	0.000994	0.00 - 0.00471	1
PCM Equivalent Structures-US	3.1	0.000994	0.00 - 0.00471	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	3.1	0.000994	0.00 - 0.00471	1
AHERA-like Asb Strucs >5 and 3:1	3.1	0.000994	0.00 - 0.00471	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Asb Strucs >10 and 3:1	3.1	0.000994	0.00 - 0.00471	1
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S86 A1
Client Sample No. SVM-H2-4FD-100204
Description
Analysis Date 12/18/2004
Analyst KM

Volume (L) 1194.88
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000967
Dectection Limit. (struc/cc) 0.00289

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00289	0.00 - 0.00289	0
Total Asbestos Structures	0.0	<0.00289	0.00 - 0.00289	0
Asbestos Structures > 5um	0.0	<0.00289	0.00 - 0.00289	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00289	0.00 - 0.00289	0
PCM Equivalent Fibers-US	0.0	<0.00289	0.00 - 0.00289	0
PCM Equivalent Structures-US	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
AHERA-like Total Structures 3:1	0.0	<0.00289	0.00 - 0.00289	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Total Other Amphibole Strucs 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S87 A1
Client Sample No. SVM-H2-5FD-100204
Description
Analysis Date 12/18/2004
Analyst KM

Volume (L) 1194.26
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000967
Dectection Limit. (struc/cc) 0.00289

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	18.0	0.00580	0.00213 - 0.0126	6
Total Asbestos Structures	18.0	0.00580	0.00213 - 0.0126	6
Asbestos Structures > 5um	12.0	0.00387	0.00105 - 0.00991	4
Asbestos Fibers and Bundles > 5um	12.0	0.00387	0.00105 - 0.00991	4
PCM Equivalent Fibers-US	12.0	0.00387	0.00105 - 0.00991	4
PCM Equivalent Structures-US	12.0	0.00387	0.00105 - 0.00991	4
PROTOCOL ASB STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
AHERA-like Total Structures 3:1	18.0	0.00580	0.00213 - 0.0126	6
AHERA-like Asb Strucs >5 and 3:1	12.0	0.00387	0.00105 - 0.00991	4
AHERA-like Asb Strucs 5 - 10 and 3:1	3.0	0.000967	0.00 - 0.00459	1
AHERA-like Asb Strucs >10 and 3:1	9.0	0.00290	0.00 - 0.00750	3
Total Other Amphibole Strucs 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S89 A1
Client Sample No. SVM-L2-1AD-100204
Description
Analysis Date 12/19/2004
Analyst KM

Volume (L) 305.61
No. of Grid Openings 87
Filter Area (mm2) 385
Area Analyzed (mm2) 1.26
Analytical Sens. (struc/cc) 0.000999
Dectection Limit. (struc/cc) 0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	4.0	0.00500	0.00162 - 0.0117	5
Total Asbestos Structures	4.0	0.00500	0.00162 - 0.0117	5
Asbestos Structures > 5um	0.8	0.000999	0.00 - 0.00474	1
Asbestos Fibers and Bundles > 5um	0.8	0.000999	0.00 - 0.00474	1
PCM Equivalent Fibers-US	0.0	<0.00299	0.00 - 0.00299	0
PCM Equivalent Structures-US	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Total Structures 3:1	4.0	0.00500	0.00162 - 0.0117	5
AHERA-like Asb Strucs >5 and 3:1	0.8	0.000999	0.00 - 0.00474	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Asb Strucs >10 and 3:1	0.8	0.000999	0.00 - 0.00474	1
Total Other Amphibole Strucs 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S88 A1
Client Sample No. SVM-L2-15AD-100204
Description
Analysis Date 12/18/2004
Analyst TM

Volume (L) 304.76
No. of Grid Openings 87
Filter Area (mm2) 385
Area Analyzed (mm2) 1.26
Analytical Sens. (struc/cc) 0.00100
Dectection Limit. (struc/cc) 0.00300

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.8	0.00100	0.00 - 0.00475	1
Total Asbestos Structures	0.8	0.00100	0.00 - 0.00475	1
Asbestos Structures > 5um	0.8	0.00100	0.00 - 0.00475	1
Asbestos Fibers and Bundles > 5um	0.0	<0.00300	0.00 - 0.00300	0
PCM Equivalent Fibers-US	0.0	<0.00300	0.00 - 0.00300	0
PCM Equivalent Structures-US	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL ASB STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00300	0.00 - 0.00300	0
AHERA-like Total Structures 3:1	0.8	0.00100	0.00 - 0.00475	1
AHERA-like Asb Strucs >5 and 3:1	0.8	0.00100	0.00 - 0.00475	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.8	0.00100	0.00 - 0.00475	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Total Other Amphibole Strucs 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4760 S90 A1	Volume (L)	306.83
Client Sample No.	SVM-L2-2AD-100204	No. of Grid Openings	87
Description		Filter Area (mm2)	385
Analysis Date	12/23/2004	Area Analyzed (mm2)	1.26
Analyst	JH	Analytical Sens. (struc/cc)	0.000995
		Dectection Limit. (struc/cc)	0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	4.0	0.00498	0.00162 - 0.0116	5
Total Asbestos Structures	4.0	0.00498	0.00162 - 0.0116	5
Asbestos Structures > 5um	3.2	0.00398	0.00108 - 0.0102	4
Asbestos Fibers and Bundles > 5um	3.2	0.00398	0.00108 - 0.0102	4
PCM Equivalent Fibers-US	2.4	0.00299	0.00 - 0.00771	3
PCM Equivalent Structures-US	2.4	0.00299	0.00 - 0.00771	3
PROTOCOL ASB STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
AHERA-like Total Structures 3:1	4.0	0.00498	0.00162 - 0.0116	5
AHERA-like Asb Strucs >5 and 3:1	3.2	0.00398	0.00108 - 0.0102	4
AHERA-like Asb Strucs 5 - 10 and 3:1	0.8	0.000995	0.00 - 0.00472	1
AHERA-like Asb Strucs >10 and 3:1	2.4	0.00299	0.00 - 0.00771	3
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S91 A1
Client Sample No. SVM-L2-3AD-100204
Description
Analysis Date 12/23/2004
Analyst JH

Volume (L) 305.98
No. of Grid Openings 87
Filter Area (mm2) 385
Area Analyzed (mm2) 1.26
Analytical Sens. (struc/cc) 0.000998
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	5.6	0.00699	0.00281 - 0.0144	7
Total Asbestos Structures	5.6	0.00699	0.00281 - 0.0144	7
Asbestos Structures > 5um	4.8	0.00599	0.00220 - 0.0130	6
Asbestos Fibers and Bundles > 5um	4.8	0.00599	0.00220 - 0.0130	6
PCM Equivalent Fibers-US	4.0	0.00499	0.00162 - 0.0116	5
PCM Equivalent Structures-US	4.0	0.00499	0.00162 - 0.0116	5
PROTOCOL ASB STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
AHERA-like Total Structures 3:1	5.6	0.00699	0.00281 - 0.0144	7
AHERA-like Asb Strucs >5 and 3:1	4.8	0.00599	0.00220 - 0.0130	6
AHERA-like Asb Strucs 5 - 10 and 3:1	3.2	0.00399	0.00109 - 0.0102	4
AHERA-like Asb Strucs >10 and 3:1	1.6	0.00200	0.00 - 0.00629	2
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S92 A1
Client Sample No. SVM-L2-4AD-100204
Description
Analysis Date 12/27/2004
Analyst JH

Volume (L) 307.93
No. of Grid Openings 87
Filter Area (mm2) 385
Area Analyzed (mm2) 1.26
Analytical Sens. (struc/cc) 0.000992
Dectection Limit. (struc/cc) 0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	2.4	0.00298	0.00 - 0.00769	3
Total Asbestos Structures	2.4	0.00298	0.00 - 0.00769	3
Asbestos Structures > 5um	0.8	0.000992	0.00 - 0.00470	1
Asbestos Fibers and Bundles > 5um	0.8	0.000992	0.00 - 0.00470	1
PCM Equivalent Fibers-US	0.8	0.000992	0.00 - 0.00470	1
PCM Equivalent Structures-US	0.8	0.000992	0.00 - 0.00470	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	2.4	0.00298	0.00 - 0.00769	3
AHERA-like Asb Strucs >5 and 3:1	0.8	0.000992	0.00 - 0.00470	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.8	0.000992	0.00 - 0.00470	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S93 A1
Client Sample No. SVM-L2-5AD-100204
Description
Analysis Date 12/26/2004
Analyst TM

Volume (L) 306.46
No. of Grid Openings 87
Filter Area (mm2) 385
Area Analyzed (mm2) 1.26
Analytical Sens. (struc/cc) 0.000997
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	4.0	0.00498	0.00162 - 0.0116	5
Total Asbestos Structures	4.0	0.00498	0.00162 - 0.0116	5
Asbestos Structures > 5um	3.2	0.00399	0.00109 - 0.0102	4
Asbestos Fibers and Bundles > 5um	2.4	0.00299	0.00 - 0.00772	3
PCM Equivalent Fibers-US	2.4	0.00299	0.00 - 0.00772	3
PCM Equivalent Structures-US	1.6	0.00199	0.00 - 0.00628	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
AHERA-like Total Structures 3:1	4.0	0.00498	0.00162 - 0.0116	5
AHERA-like Asb Strucs >5 and 3:1	3.2	0.00399	0.00109 - 0.0102	4
AHERA-like Asb Strucs 5 - 10 and 3:1	3.2	0.00399	0.00109 - 0.0102	4
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R6

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S94 A1
Client Sample No. SVM-L2-6AD-100204
Description
Analysis Date 12/28/2004
Analyst JH

Volume (L) 311.83
No. of Grid Openings 86
Filter Area (mm2) 385
Area Analyzed (mm2) 1.25
Analytical Sens. (struc/cc) 0.000991
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	2.4	0.00297	0.00 - 0.00768	3
Total Asbestos Structures	2.4	0.00297	0.00 - 0.00768	3
Asbestos Structures > 5um	1.6	0.00198	0.00 - 0.00624	2
Asbestos Fibers and Bundles > 5um	1.6	0.00198	0.00 - 0.00624	2
PCM Equivalent Fibers-US	1.6	0.00198	0.00 - 0.00624	2
PCM Equivalent Structures-US	0.8	0.000991	0.00 - 0.00470	1
PROTOCOL ASB STRUCS 5-10	1.6	0.00198	0.00 - 0.00624	2
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	1.6	0.00198	0.00 - 0.00624	2
PROTOCOL CHRYS STRUCS 5-10	0.8	0.000991	0.00 - 0.00470	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.8	0.000991	0.00 - 0.00470	1
PROTOCOL AMPH STRUCS 5-10	0.8	0.000991	0.00 - 0.00470	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.000991	0.00 - 0.00470	1
AHERA-like Total Structures 3:1	2.4	0.00297	0.00 - 0.00768	3
AHERA-like Asb Strucs >5 and 3:1	1.6	0.00198	0.00 - 0.00624	2
AHERA-like Asb Strucs 5 - 10 and 3:1	1.6	0.00198	0.00 - 0.00624	2
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R3

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4760 S8 A1	**Volume (L)**	569.77
Client Sample No.	CC1-L6-1CA-100204	**No. of Grid Openings**	47
Description		**Filter Area (mm2)**	385
Analysis Date	10/8/2004	**Area Analyzed (mm2)**	0.681
Analyst	TM	**Analytical Sens. (struc/cc)**	0.000992
		Dectection Limit. (struc/cc)	0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	8.8	0.00595	0.00218 - 0.0130	6
Total Asbestos Structures	8.8	0.00595	0.00218 - 0.0130	6
Asbestos Structures > 5um	1.5	0.000992	0.00 - 0.00470	1
Asbestos Fibers and Bundles > 5um	1.5	0.000992	0.00 - 0.00470	1
PCM Equivalent Fibers-US	1.5	0.000992	0.00 - 0.00470	1
PCM Equivalent Structures-US	1.5	0.000992	0.00 - 0.00470	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	8.8	0.00595	0.00218 - 0.0130	6
AHERA-like Asb Strucs >5 and 3:1	1.5	0.000992	0.00 - 0.00470	1
AHERA-like Asb Strucs 5 - 10 and 3:1	1.5	0.000992	0.00 - 0.00470	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R3

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4760 S9 A1
Client Sample No. CC1-L6-1CB-100204
Description
Analysis Date 10/8/2004
Analyst JH

Volume (L) 607.18
No. of Grid Openings 45
Filter Area (mm2) 385
Area Analyzed (mm2) 0.652
Analytical Sens. (struc/cc) 0.000972
Dectection Limit. (struc/cc) 0.00291

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	7.7	0.00486	0.00158 - 0.0113	5
Total Asbestos Structures	6.1	0.00389	0.00106 - 0.00996	4
Asbestos Structures > 5um	1.5	0.000972	0.00 - 0.00461	1
Asbestos Fibers and Bundles > 5um	1.5	0.000972	0.00 - 0.00461	1
PCM Equivalent Fibers-US	1.5	0.000972	0.00 - 0.00461	1
PCM Equivalent Structures-US	1.5	0.000972	0.00 - 0.00461	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL ASB STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
AHERA-like Total Structures 3:1	6.1	0.00389	0.00106 - 0.00996	4
AHERA-like Asb Strucs >5 and 3:1	1.5	0.000972	0.00 - 0.00461	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
AHERA-like Asb Strucs >10 and 3:1	1.5	0.000972	0.00 - 0.00461	1
Total Other Amphibole Strucs 3:1	1.5	0.000972	0.00 - 0.00461	1
Other Amphibole Strucs >5 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041172R3

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4760 S10 A1	**Volume (L)**	597.98
Client Sample No.	CC1-L6-2CB-100204	**No. of Grid Openings**	44
Description		**Filter Area (mm2)**	385
Analysis Date	10/8/2004	**Area Analyzed (mm2)**	0.638
Analyst	DW	**Analytical Sens. (struc/cc)**	0.00101
		Dectection Limit. (struc/cc)	0.00302

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00808	0.00349 - 0.0159	8
Total Asbestos Structures	12.5	0.00808	0.00349 - 0.0159	8
Asbestos Structures > 5um	4.7	0.00303	0.00 - 0.00783	3
Asbestos Fibers and Bundles > 5um	4.7	0.00303	0.00 - 0.00783	3
PCM Equivalent Fibers-US	3.1	0.00202	0.00 - 0.00636	2
PCM Equivalent Structures-US	3.1	0.00202	0.00 - 0.00636	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL ASB STRUCS >10	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00302	0.00 - 0.00302	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00302	0.00 - 0.00302	0
AHERA-like Total Structures 3:1	12.5	0.00808	0.00349 - 0.0159	8
AHERA-like Asb Strucs >5 and 3:1	4.7	0.00303	0.00 - 0.00783	3
AHERA-like Asb Strucs 5 - 10 and 3:1	3.1	0.00202	0.00 - 0.00636	2
AHERA-like Asb Strucs >10 and 3:1	1.6	0.00101	0.00 - 0.00479	1
Total Other Amphibole Strucs 3:1	0.0	<0.00302	0.00 - 0.00302	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00302	0.00 - 0.00302	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00302	0.00 - 0.00302	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00302	0.00 - 0.00302	0