AFS # 44000700501

II

SIMS METAL MANAGEMENT

242 Allens Avenue
Providence, RI 02905

Telephone 401 752 2000
Facsimile: 401 273 0026

CAA FPD
08/04/15

January 7, 2014

RECEIVED
JAN 13 2015
BY:

USEPA
Office of Environmental Stewardship
Director, Air Compliance Program
Attn: Air Compliance Clerk
5 Post Office Square, Suite 100 (SEA)
Boston, MA 02114-2023

Re: Semi-Annual MACT II Compliance Report

Dear Sir or Madam:

SMM New England Corporation is pleased to submit the Semi-Annual MACT II Compliance Report for the period from July 1, 2014 through December 31, 2014. On October 7, 2011 Sims Metal Management New England Corporation purchased the assets and operations from the former Promet Marine Services Corporation located at 242 Allens Avenue, Providence, RI. We have continued operations of the ship repair business at its current location but at a significantly decreased scale.

This document illustrates compliance with the requirements of MACT II or the more stringent coating limitations in Appendix A, Section 2 of the Consent Agreement and Final Order issued to Promet Marine Services on December 7, 2010.

Included in this report are monthly and summary for the reporting period of surface coatings Used as Supplied, Low Usage Exempt Coatings, and thinner usage in the coating operations.

By visual inspections throughout the reporting period SMM New England Corporation has determined that all containers, drums and hose systems for coating storage and delivery were free of cracks, holes, and other defects, and remained close unless materials were being added to or removed from them. Based upon these inspections, it has been determined that compliance with 63.788(b)(2)(vi) has been continuous for each month in the reporting period.

Should have any questions regarding this report please feel free to contact me at any time.

Sincerely,

Scott Jacobs

Scott Jacobs
Regional SHEC Director
SMM New England Corporation

Cc: Ted Burns, RIDEM Air Resources

SMM New England Corporation
Coating Category Limits

Summary of VOC/VOHAP Emission Limits

Coating Category Code		VOHAP Limits		
		grams/liter coating (minus water and exempt compounds)	grams/liter solids	
			t ≥ 4.5 °C	t < 4.5 °C
G1	Coating - General Use	340	571	728
S1	Specialty Coating - Air flask	340	571	728
S2	Specialty Coating - Antenna[1]	340	1,439	---
S3	Specialty Coating - Antifoulant	400	765	971
S4	Specialty Coating - Heat resistant	420	841	1,069
S5	Specialty Coating - High gloss[1]	340	841	1,069
S6	Specialty Coating - High-temperature	500	1,237	1,597
S7	Specialty Coating - Inorganic Zinc high-build	340	571	728
S8	Specialty Coating - Military exterior	340	571	728
S9	Specialty Coating - Mist	610	2,235	---
S10	Specialty Coating - Navigational aids[1]	340	1,597	---
S11	Specialty Coating - Non-skid	340	571	728
S12	Specialty Coating - Nuclear	420	841	1,069
S13	Specialty Coating - Organic zinc[1]	340	630	802
S14	Specialty Coating - Pretreatment wash primer[1]	420	11,095	---
S15	Specialty Coating - R&M Thermoplastics[1]	340	1.597	---
S16	Specialty Coating - Rubber camouflage	340	571	728
S17	Specialty Coating - Sealant for thermal spray aluminum	610	2,235	---
S18	Specialty Coating - Special Marking[1]	420	1,178	---
S19	Specialty Coating - Specialty interior	340	571	728
S20	Specialty Coating - Tack coat	610	2,235	---
S21	Specialty Coating - Undersea weapons systems	340	571	728
S22	Specialty Coating - Weld-through Preconstruction Primer[1]	340	2,885	---
T	Non-coating - Thinner	---	---	---

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

TABLE 2

SMM New England Corp.

Summary of MACT II Compliance (July 2014 through Dec. 2014)

Month	As Applied Compliance Status	LUE Compliance Status	Thinning Compliance Status		Coating Container Compliance Status
			Warm Weather (normal)	Cold Weather	
July	Continuous	Continuous	Continuous	Continuous	Continuous
August	Continuous	Continuous	Continuous	Continuous	Continuous
September	Continuous	Continuous	Continuous	Continuous	Continuous
October	Continuous	Continuous	Continuous	Continuous	Continuous
November	Continuous	Continuous	Continuous	Continuous	Continuous
December	Continuous	Continuous	Continuous	Continuous	Continuous
Period Jul. - Dec. 2014	Continuous	Continuous	Continuous	Continuous	Continuous

Date	Month	Start Time	End Time	Coating Name (per MSDS)	Manufacturer	Batch ID	Coating Category Code	Coating Category Description	VOC Limit (g/L)	As-Supplied VOC Content (g/L)	Gallons Material Applied 8 pt = 1 gal 4 qt = 1 gal 128 oz = 1 gal	Was thinner applied?
1-Jul	Jul	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	PC9950UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	8	No
8-Jul	Jul	700	1500	BarRust 235	Devoe/Glidden	QE1268UHA1	G1	Coating - General Use	340	292.0	50	No
8-Jul	Jul	700	1500	BarRust 235	Devoe/Glidden	PL5632UH	G1	Coating - General Use	340	292.0	25	No
9-Jul	Jul	700	1500	BarRust 235	Devoe/Glidden	QB8627UHA0	G1	Coating - General Use	340	292.0	25	No
9-Jul	Jul	700	1500	Amercoat ABC #3	PPG Ameron	01Y30851A	S3	Specialty Coating - Antifoulant	400	396.0	24	No
9-Jul	Jul	700	1500	BarRust 235	Devoe/Glidden	NF8637UH	G1	Coating - General Use	340	292.0	50	No
10-Jul	Jul	700	1500	Interspeed 6400NA	International Paint	QC0959UH	S3	Specialty Coating - Antifoulant	400	385.0	25	No
10-Jul	Jul	700	1500	Amercoat ABC #3	PPG Ameron	9412581712	S3	Specialty Coating - Antifoulant	400	396.0	25	No
10-Jul	Jul	700	1500	Amercoat 450H	PPG Ameron	AT45H9101	G1	Coating - General Use	340	311.0	13	No
11-Jul	Jul	700	1500	BarRust 235	Devoe/Glidden	QD0038UHHA3	G1	Coating - General Use	340	292.0	25	No
11-Jul	Jul	700	1500	Interspeed 6400NA	International Paint	QD0138UH	S3	Specialty Coating - Antifoulant	400	385.0	25	No
11-Jul	Jul	700	1500	Amercoat 450H	PPG Ameron	942004067	G1	Coating - General Use	340	311.0	9	No
14-Jul	Jul	700	1500	BarRust 235	Devoe/Glidden	QE1268UHA1	G1	Coating - General Use	340	292.0	24	No
14-Jul	Jul	700	1500	Amercoat ABC #3	PPG Ameron	9407565572	S3	Specialty Coating - Antifoulant	400	396.0	30	No
14-Jul	Jul	700	1500	Interspeed 6400NA	International Paint	QD387UH	S3	Specialty Coating - Antifoulant	400	385.0	25	No
22-Jul	Jul	700	1500	Interspeed 6400NA	International Paint	QC0950UH	S3	Specialty Coating - Antifoulant	400	385.0	33	No
22-Jul	Jul	700	1500	Intershield 300V	International Paint	QC0954UH	G1	Coating - General Use	340	326.0	5	No
24-Jul	Jul	700	1500	Amercoat ABC #3	PPG Ameron	9407565572	S3	Specialty Coating - Antifoulant	400	396.0	5	No
24-Jul	Jul	700	1500	Intershield 300V	International Paint	QC1406UH	G1	Coating - General Use	340	326.0	10	No
31-Jul	Jul	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	PLG347UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	5	No
1-Aug	Aug	700	1500	Amerlock 400	PPG Ameron	9338516122	G1	Coating - General Use	340	180.0	5	No
4-Aug	Aug	700	1500	BarRust 235	Devoe/Glidden	DC235K9903	G1	Coating - General Use	340	292.0	5	No
4-Aug	Aug	700	1500	Amerlock 400	PPG Ameron	9420604066	G1	Coating - General Use	340	180.0	5	No
5-Aug	Aug	700	1500	Amercoat Zinc 302H	PPG Ameron	9351546317	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	3	No
6-Aug	Aug	700	1500	Amerlock 400	PPG Ameron	940556820	G1	Coating - General Use	340	180.0	3	No
6-Aug	Aug	700	1500	BarRust 235	Devoe/Glidden	PF1448UHA1	G1	Coating - General Use	340	292.0	8	No
6-Aug	Aug	700	1500	Interspeed 6400NA	International Paint	QD9987UH	S3	Specialty Coating - Antifoulant	400	385.0	5	No
7-Aug	Aug	700	1500	Amercoat 450H	PPG Ameron	AT45H9101	G1	Coating - General Use	340	311.0	3	No
11-Aug	Aug	700	1500	Amerlock 400	PPG Ameron	9338516122	G1	Coating - General Use	340	180.0	7	No
12-Aug	Aug	700	1500	Amerlock 400	PPG Ameron	9420606167	G1	Coating - General Use	340	180.0	12	No
12-Aug	Aug	700	1500	Interspeed 6400NA	International Paint	PF1174UH	S3	Specialty Coating - Antifoulant	400	385.0	29	No
12-Aug	Aug	700	1500	Intershield 300V	International Paint	Q62846UH	G1	Coating - General Use	340	326.0	2	No
13-Aug	Aug	700	1500	BarRust 235	Devoe/Glidden	QE1268UHA1	G1	Coating - General Use	340	292.0	10	No
14-Aug	Aug	700	1500	Amercoat ABC #3	PPG Ameron	9412581711	S3	Specialty Coating - Antifoulant	400	396.0	15	No
15-Aug	Aug	700	1500	Amercoat 450H	PPG Ameron	AT45H7301	G1	Coating - General Use	340	311.0	5	No
15-Aug	Aug	700	1500	Amercoat 450H	PPG Ameron	06432535A	G1	Coating - General Use	340	311.0	3	No
15-Aug	Aug	700	1500	Amerlock 400	PPG Ameron	9404556820	G1	Coating - General Use	340	180.0	4	No
20-Aug	Aug	700	1500	Intershield 300V	International Paint	OF1819UH	G1	Coating - General Use	340	326.0	5	No
21-Aug	Aug	700	1500	BarRust 235	Devoe/Glidden	05Y32182A	G1	Coating - General Use	340	292.0	15	No
21-Aug	Aug	700	1500	Amercoat ABC #3	PPG Ameron	9412581711	S3	Specialty Coating - Antifoulant	400	396.0	25	No
25-Aug	Aug	700	1500	Amercoat Zinc 302H	PPG Ameron	9431639557	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	5	No
26-Aug	Aug	700	1500	Amercoat 235	PPG Ameron	9411576908	G1	Coating- General Use	340	292.0	10	No
27-Aug	Aug	700	1500	Amercoat 235	PPG Ameron	9411576908	G1	Coating- General Use	340	292.0	11	No
27-Aug	Aug	700	1500	Amercoat 235	PPG Ameron	9411576908	G1	Coating- General Use	340	292.0	8	No
27-Aug	Aug	700	1500	Interspeed 6400NA	International Paint	QF2337UH	S3	Specialty Coating - Antifoulant	400	385.0	20	No
27-Aug	Aug	700	1500	Intershield 300V	International Paint	Q63130UH	G1	Coating - General Use	340	326.0	2	No
27-Aug	Aug	700	1500	Amercoat ABC #3	PPG Ameron	940756561	S3	Specialty Coating - Antifoulant	400	396.0	15	No
28-Aug	Aug	700	1500	Interthane 990HS	International Paint	QP0562UH	S5	Specialty Coating - High gloss1	340	327.0	3	No
28-Aug	Aug	700	1500	Interspeed 6400NA	International Paint	QF2337UH	S3	Specialty Coating - Antifoulant	400	385.0	25	No
28-Aug	Aug	700	1500	Amercoat ABC #3	PPG Ameron	9412581711	S3	Specialty Coating - Antifoulant	400	396.0	15	No
2-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QG3554UH	G1	Coating - General Use	340	292.0	10	No
3-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QF2095UH	G1	Coating - General Use	340	292.0	5	No
3-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	PKU364UH	G1	Coating - General Use	340	292.0	10	No
5-Sep	Sep	700	1500	Interthane 990HS	International Paint	QF2495UH	S5	Specialty Coating - High gloss1	340	327.0	5	No
5-Sep	Sep	700	1500	Interthane 990HS	International Paint	QG3492UH	S5	Specialty Coating - High gloss1	340	327.0	5	No
5-Sep	Sep	700	1500	Amerlock 400	PPG Ameron	9404556820	G1	Coating - General Use	340	180.0	3	No
8-Sep	Sep	700	1500	Amerlock 400	PPG Ameron	942060617	G1	Coating - General Use	340	180.0	5	No
8-Sep	Sep	700	1500	Interspeed 6400NA	International Paint	QF2337UH	S3	Specialty Coating - Antifoulant	400	385.0	15	No
8-Sep	Sep	700	1500	Amercoat Zinc 302H	PPG Ameron	9431639557	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	5	No

Date	Month	Start Time	End Time	Coating Name (per MSDS)	Manufacturer	Batch ID	Coating Category Code	Coating Category Description	VOC Limit (g/L)	As-Supplied VOC Content (g/L)	Gallons Material Applied 8 pt = 1 gal 4 qt = 1 gal 128 oz = 1 gal	Was thinner applied?
9-Sep	Sep	700	1500	Amercoat Zinc 302H	PPG Ameron	9431639557	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	2	No
10-Sep	Sep	700	1500	Amercoat Zinc 302H	PPG Ameron	9431639557	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	4	No
11-Sep	Sep	700	1500	Amercoat Zinc 302H	PPG Ameron	9431639557	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	4	No
15-Sep	Sep	700	1500	Amercoat ABC #3	PPG Ameron	ABC372105	S3	Specialty Coating - Antifoulant	400	396.0	15	No
17-Sep	Sep	700	1500	Interspeed 6400NA	International Paint	QH3909UH	S3	Specialty Coating - Antifoulant	400	385.0	25	No
17-Sep	Sep	700	1500	Intershield 300V	International Paint	OF1819UH	G1	Coating - General Use	340	326.0	17	No
18-Sep	Sep	700	1500	Amercoat 235	PPG Ameron	9346535581	G1	Coating- General Use	340	292.0	20	No
18-Sep	Sep	700	1500	Amercoat ABC #3	PPG Ameron	94125817	S3	Specialty Coating - Antifoulant	400	396.0	20	No
19-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QJ4779UH	G1	Coating - General Use	340	292.0	10	No
19-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QH9282UH	G1	Coating - General Use	340	292.0	5	No
22-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QD0038UHA3	G1	Coating - General Use	340	292.0	10	No
22-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QE1259UHAO	G1	Coating - General Use	340	292.0	10	No
23-Sep	Sep	700	1500	Interthane 990HS	International Paint	QC3492UH	S5	Specialty Coating - High gloss1	340	327.0	7	No
23-Sep	Sep	700	1500	Interthane 990HS	International Paint	QF2495UH	S5	Specialty Coating - High gloss1	340	327.0	6	No
23-Sep	Sep	700	1500	Amercoat 450H	PPG Ameron	9421607936	G1	Coating - General Use	340	311.0	5	No
23-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QD0038UHA3	G1	Coating - General Use	340	292.0	10	No
23-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QJ4779UH	G1	Coating - General Use	340	292.0	10	No
24-Sep	Sep	700	1500	Amerlock 400	PPG Ameron	9404556820	G1	Coating - General Use	340	180.0	2	No
24-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	PL5651UH	G1	Coating - General Use	340	292.0	2	No
24-Sep	Sep	700	1500	Interspeed 6400NA	International Paint	QC9004UH	S3	Specialty Coating - Antifoulant	400	385.0	25	No
24-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QH3775UH	G1	Coating - General Use	340	292.0	3	No
24-Sep	Sep	700	1500	Amercoat 450H	PPG Ameron	9421607936	G1	Coating - General Use	340	311.0	5	No
25-Sep	Sep	700	1500	Interthane 990HS	International Paint	QF2495UH	S5	Specialty Coating - High gloss1	340	327.0	5	No
26-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QE1268UHA1	G1	Coating - General Use	340	292.0	5	No
26-Sep	Sep	700	1500	Amercoat ABC #3	PPG Ameron	ABC372105	S3	Specialty Coating - Antifoulant	400	396.0	2	No
30-Sep	Sep	700	1500	BarRust 235	Devoe/Glidden	QE1268UHA1	G1	Coating - General Use	340	292.0	10	No
30-Sep	Sep	700	1500	Amercoat 237M (Non-skid, AT-237-28	PPG Ameron	9417595375	S11	Specialty Coating - Non-skid	340	156.0	10	No
3-Oct	Oct	700	1500	Intershield 300V	International Paint	QH3725UH	G1	Coating - General Use	340	326.0	2	No
3-Oct	Oct	700	1500	Interspeed 640 (BRA641/642)	International Paint	QB8590UH	S3	Specialty Coating - Antifoulant	400	385.0	30	No
3-Oct	Oct	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	DC302H0250	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	5	No
3-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	QH4282UH	G1	Coating - General Use	340	292.0	15	No
6-Oct	Oct	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	QF2486HA3	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	5	No
6-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	QH4520UH	G1	Coating - General Use	340	292.0	5	No
7-Oct	Oct	700	1500	Intergard 264	International Paint	QC9481UH	G1	Coatin - General Use	340	292.0	4	No
8-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	QG3554UH	G1	Coating - General Use	340	292.0	10	No
8-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	QE1259UHAO	G1	Coating - General Use	340	292.0	15	No
9-Oct	Oct	700	1500	Amercoat 235	PPG Ameron	9420606168	G1	Coating- General Use	340	292.0	30	No
9-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	QH4520UH	G1	Coating - General Use	340	292.0	10	No
9-Oct	Oct	700	1500	Interspeed 6400NA	International Paint	QH3909UH	S3	Specialty Coating - Antifoulant	400	385.0	12	No
9-Oct	Oct	700	1500	Interthane 990HS	International Paint	QF2495UH	S5	Specialty Coating - High gloss1	340	327.0	8	No
9-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	ABC372105	S3	Specialty Coating - Antifoulant	400	396.0	10	No
9-Oct	Oct	700	1500	Amerlock 400	PPG Ameron	9420606167	G1	Coating - General Use	340	180.0	4	No
10-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	ABCC92105	S3	Specialty Coating - Antifoulant	400	396.0	10	No
10-Oct	Oct	700	1500	Interthane 990HS	International Paint	QF2495UH	S5	Specialty Coating - High gloss1	340	327.0	2	No
10-Oct	Oct	700	1500	Amerlock 400	PPG Ameron	05Y32286A	G1	Coating - General Use	340	180.0	4	No
10-Oct	Oct	700	1500	Interspeed 6400NA	International Paint	QH3909UH	S3	Specialty Coating - Antifoulant	400	385.0	20	No
10-Oct	Oct	700	1500	Amercoat Zinc 302H	PPG Ameron	9431639557	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	10	No
13-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	QB8846UHAO	G1	Coating - General Use	340	292.0	10	No
14-Oct	Oct	700	1500	Interthane 990HS	International Paint	QE1223UH	S5	Specialty Coating - High gloss1	340	327.0	4	No
14-Oct	Oct	700	1500	Amercoat 237M (Non-skid, AT-237-28	PPG Ameron	9417595375	S11	Specialty Coating - Non-skid	340	156.0	5	No
14-Oct	Oct	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	QF2703UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	3	No
15-Oct	Oct	700	1500	Interthane 990HS	International Paint	QF240UH	S5	Specialty Coating - High gloss1	340	327.0	3	No
15-Oct	Oct	700	1500	Amercoat 450H	PPG Ameron	AT45HT301	G1	Coating - General Use	340	311.0	10	No
17-Oct	Oct	700	1500	Amercoat 235	PPG Ameron	9412580347	G1	Coating- General Use	340	292.0	20	No
17-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9427627127	S3	Specialty Coating - Antifoulant	400	396.0	25	No
17-Oct	Oct	700	1500	BarRust 235	Devoe/Glidden	9433644070	G1	Coating - General Use	340	292.0	25	No
17-Oct	Oct	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	QF2703UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	4	No
17-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9407565561	S3	Specialty Coating - Antifoulant	400	396.0	25	No
17-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9412581711	S3	Specialty Coating - Antifoulant	400	396.0	20	No

Date	Month	Start Time	End Time	Coating Name (per MSDS)	Manufacturer	Batch ID	Coating Category Code	Coating Category Description	VOC Limit (g/L)	As-Supplied VOC Content (g/L)	Gallons Material Applied 8 pt = 1 gal 4 qt = 1 gal 128 oz = 1 gal	Was thinner applied?
20-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9426623683	S3	Specialty Coating - Antifoulant	400	396.0	25	No
20-Oct	Oct	700	1500	Amercoat Zinc 302H	PPG Ameron	QF2703UH	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0	4	No
27-Oct	Oct	700	1500	Intershield 300V	International Paint	QH4203UH	G1	Coating - General Use	340	326.0	4	No
27-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9427627126	S3	Specialty Coating - Antifoulant	400	396.0	13	No
27-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9427627126	S3	Specialty Coating - Antifoulant	400	396.0	15	No
30-Oct	Oct	700	1500	Amercoat 235	PPG Ameron	94276306	G1	Coating- General Use	340	292.0	10	No
31-Oct	Oct	700	1500	Intershield 300V	International Paint	QH3725UH	G1	Coating - General Use	340	326.0	2	No
31-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9426623683	S3	Specialty Coating - Antifoulant	400	396.0	10	No
31-Oct	Oct	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	QH4281UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	3	No
31-Oct	Oct	700	1500	Intershield 300V	International Paint	QE0954UH	G1	Coating - General Use	340	326.0	8	No
31-Oct	Oct	700	1500	Amercoat ABC #3	PPG Ameron	9427627126	S3	Specialty Coating - Antifoulant	400	396.0	25	No
4-Nov	Nov	700	1500	BarRust 235	Devoe/Glidden	941580344	G1	Coating - General Use	340	292.0	10	No
4-Nov	Nov	700	1500	Interspeed 6400NA	International Paint	QB8590UH	S3	Specialty Coating - Antifoulant	400	385.0	20	No
4-Nov	Nov	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	QH4281UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	8	No
5-Nov	Nov	700	1500	Amercoat 235	PPG Ameron	9412580347	G1	Coating- General Use	340	292.0	5	No
5-Nov	Nov	700	1500	BarRust 235	Devoe/Glidden	9436535581	G1	Coating - General Use	340	292.0	7	No
5-Nov	Nov	700	1500	PSX 700	PPG Ameron	9332499455	G1	Coating - General Use	340	84.0	11	No
5-Nov	Nov	700	1500	Amercoat 235	PPG Ameron	94206006168	G1	Coating- General Use	340	292.0	10	No
7-Nov	Nov	700	1500	Interthane 990HS	International Paint	QH4177UH	S5	Specialty Coating - High gloss1	340	327.0	4	No
7-Nov	Nov	700	1500	Zinc 302H (Cathacoat)	Devoe/Glidden	QJ4956UH	S7	Specialty Coating - Inorganic Zinc high-build	340	282.0	2	No
7-Nov	Nov	700	1500	Amercoat 450H	PPG Ameron	9431639459	G1	Coating - General Use	340	311.0	7	No
10-Nov	Nov	700	1500	Amercoat ABC #3	PPG Ameron	93333500592	S3	Specialty Coating - Antifoulant	400	396.0	10	No
11-Nov	Nov	700	1500	Intershield 300V	International Paint	QH4685UH	G1	Coating - General Use	340	326.0	3	No
11-Nov	Nov	700	1500	Amercoat ABC #3	PPG Ameron	9427627128	S3	Specialty Coating - Antifoulant	400	396.0	15	No
11-Nov	Nov	700	1500	PSX 700	PPG Ameron	9404556945	G1	Coating - General Use	340	84.0	5	No
13-Nov	Nov	700	1500	Intershield 300V	International Paint	QE0954UH	G1	Coating - General Use	340	326.0	5	No
13-Nov	Nov	700	1500	BarRust 235	Devoe/Glidden	QE1268UHA1	G1	Coating - General Use	340	292.0	5	No
14-Nov	Nov	700	1500	Interthane 990HS	International Paint	QG3492UH	S5	Specialty Coating - High gloss1	340	327.0	4	No
20-Nov	Nov	700	1500	BarRust 235	Devoe/Glidden	QJ5439UH	G1	Coating - General Use	340	292.0	15	No
21-Nov	Nov	700	1500	Interspeed 6400NA	International Paint	QE1401UH	S3	Specialty Coating - Antifoulant	400	385.0	21	No
21-Nov	Nov	700	1500	Amercoat 235	PPG Ameron	07Y32701A	G1	Coating- General Use	340	292.0	15	No
21-Nov	Nov	700	1500	BarRust 235	Devoe/Glidden	07Y32701A	G1	Coating - General Use	340	292.0	15	No
25-Nov	Nov	700	1500	Amercoat 450H	PPG Ameron	AT45H9-01	G1	Coating - General Use	340	311.0	4	No
1-Dec	Dec	700	1500	Amerlock 400	PPG Ameron	9420606167	G1	Coating - General Use	340	180.0	4	No
1-Dec	Dec	700	1500	BarRust 235	Devoe/Glidden	QH4282UH	G1	Coating - General Use	340	292.0	5	No
1-Dec	Dec	700	1500	Amercoat ABC #3	PPG Ameron	9412580347	S3	Specialty Coating - Antifoulant	400	396.0	28	No
1-Dec	Dec	700	1500	Amercoat ABC #3	PPG Ameron	9427627126	S3	Specialty Coating - Antifoulant	400	396.0	25	No
4-Dec	Dec	700	1500	BarRust 235	Devoe/Glidden	QK643UH	G1	Coating - General Use	340	292.0	13	No
5-Dec	Dec	700	1500	Amercoat 450H	PPG Ameron	9430635738	G1	Coating - General Use	340	311.0	8	No
8-Dec	Dec	700	1500	Amercoat ABC #3	PPG Ameron	ABC3-92105	S3	Specialty Coating - Antifoulant	400	396.0	30	No
15-Dec	Dec	700	1500	Amercoat 235	PPG Ameron	9422612100	G1	Coating- General Use	340	292.0	10	No
15-Dec	Dec	700	1500	Interspeed 6400NA	International Paint	QH4672UH	S3	Specialty Coating - Antifoulant	400	385.0	20	No
15-Dec	Dec	700	1500	Intershield 300V	International Paint	QH4685UH	G1	Coating - General Use	340	326.0	3	No
19-Dec	Dec	700	1500	Amercoat 235	PPG Ameron	9420606168	G1	Coating- General Use	340	292.0	15	No
20-Dec	Dec	700	1500	Interthane 990HS	International Paint	QK6353UH	S5	Specialty Coating - High gloss1	340	327.0	7	No
22-Dec	Dec	700	1500	Interspeed 6400NA	International Paint	QH4672UH	S3	Specialty Coating - Antifoulant	400	385.0	20	No
22-Dec	Dec	700	1500	Intershield 300V	International Paint	QH4212UH	G1	Coating - General Use	340	326.0	3	No
26-Dec	Dec	700	1500	Amerlock 400	PPG Ameron	933500614	G1	Coating - General Use	340	180.0	4	No
26-Dec	Dec	700	1500	Amercoat 235	PPG Ameron	9420606168	G1	Coating- General Use	340	292.0	10	No
27-Dec	Dec	700	1500	Interthane 990HS	International Paint	QJ5351UH	S5	Specialty Coating - High gloss1	340	327.0	5	No
30-Dec	Dec	700	1500	Intershield 300V	International Paint	QH4685UH	G1	Coating - General Use	340	326.0	4	No
30-Dec	Dec	700	1500	Interspeed 6400NA	International Paint	QF2027UH	S3	Specialty Coating - Antifoulant	400	385.0	15	No

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

July, 2014

NESHAP Semi-Annual Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 450H	22	G1	Coating - General Use	340.0	311.0
Amercoat ABC#3	84	S3	Specialty Coating - Antifoulant	400.0	396.0
Barrust 235	199	G1	Coating - General Use	340.0	292.0
Intershield 300V	15	G1	Coating - General Use	340.0	326.0
Interspeed 6400NA	108	S3	Specialty Coating - Antifoulant	400.0	385.0
Zinc 302H (Cathacoat)	13	S7	Specialty Coating - Inorganic Zinc High-Build	340.0	282.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Michael Weiderman
Phone: (401) 752-2000

August, 2014

NESHAP Semi-Annual Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 235	29	G1	Coating - General Use	340	292.0
Amercoat 450H	11	G1	Coating - General Use	340	311.0
Amercoat ABC#3	70	S3	Specialty Coating - Antifoulant	400	396.0
Amercoat Zinc 302H	8	S7	Specialty Coating - Inorganic Zinc High-Build	340	284.0
Amerlock 400	36	G1	Coating - General Use	340	180.0
Barrust 235	38	G1	Coating - General Use	340	292.0
Intershield 300V	9	G1	Coating - General Use	340	326.0
Interspeed 6400NA	79	S3	Specialty Coating - Antifoulant	400	385.0
Interthane 990HS	3	S5	Specialty Coating - High Gloss1	340	327.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
401-752-2000

September, 2014

NESHAP Semi-Annual Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 235	20	G1	Coating- General Use	340	292.0
Amercoat 237M	10	S11	Specialty Coating - Non-skid	340	156.0
Amercoat 450H	10	G1	Coating - General Use	340	311.0
Amercoat ABC#3	37	S3	Specialty Coating - Antifoulant	400	396.0
Amercoat Zinc 302H	15	S7	Specialty Coating - Inorganic Zinc High-build	340	284.0
Amerlock 400	10	G1	Coating - General Use	340	180.0
Barrust 235	100	G1	Coating - General Use	340	292.0
Intershield 300V	17	G1	Coating - General Use	340	326.0
Interspeed 6400NA	65	S3	Specialty Coating - Antifoulant	400	385.0
Interthane 990HS	28	S5	Specialty Coating - High Gloss1	340	327.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

October, 2014

NESHAP Semi-Annual Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 235	60	G1	Coating - General Use	340	292.0
Amercoat 237M	5	S11	Specialty Coating - Non-Skid	340	156.0
Amercoat ABC#3	178	S3	Specialty Coating - Antifoulant	400	396.0
Amercoat Zinc 302H	14	S7	Specialty Coating - Inorganic Zinc High Build	340	284.0
Amerlock 400	8	G1	Coating - General Use	340	180.0
BarRust 235	90	G1	Coating - General Use	340	292.0
Interguard 264	4	G1	Coating - General Use	340	292.0
Intershield 300V	16	G1	Coating - General Use	340	326.0
Interspeed 640	30	S3	Specialty Coating - Antifoulant	400	385.0
Interspeed 6400NA	32	S3	Specialty Coating - Antifoulant	400	385.0
Interthane 990HS	17	S5	Specialty Coating - High Gloss1	340	327.0
Zinc 302H (Cathacoat)	20	S7	Specialty Coating - Inorganic Zinc High Build	340	282.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

November, 2014

NESHAP Semi-Annual Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 235	30	G1	Coating - General Use	340	292.0
Amercoat 450H	11	G1	Coating - General Use	340	311.0
Amercoat ABC#3	25	S3	Specialty Coating - Antifoulant	400	396.0
BarRust 235	52	G1	Coating - General Use	340	292.0
Intershield 300V	8	G1	Coating - General Use	340	326.0
Interspeed 6400NA	41	S3	Specialty Coating - Antifoulant	400	385.0
Interthane 990HS	8	S5	Specialty Coating - High Gloss1	340	327.0
PSX 700	16	G1	Coating - General Use	340	84.0
Zinc 302H (Cathacoat)	10	S7	Specialty Coating - Inorganic Zinc High Build	340	282.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

December, 2014

NESHAP Semi-Annual Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 235	35	G1	Coating - General Use	340	292.0
Amercoat 450H	8	G1	Coating - General Use	340	311.0
Amercoat ABC#3	83	S3	Specialty Coating - Antifoulant	400	396.0
Amerlock 400	8	G1	Coating - General Use	340	180.0
BarRust 235	18	G1	Coating - General Use	340	292.0
Intershield 300V	10	G1	Coating - General Use	340	326.0
Interspeed 6400NA	55	S3	Specialty Coating - Antifoulant	400	385.0
Interthane 990HS	12	S5	Specialty Coating - High Gloss1	340	327.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

Summary for 6 Month Period
July through December, 2014

NESHAP Special Report
Surface Coatings Applied "As-Supplied"

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
Amercoat 235	174	G1	Coating - General Use	340	292.0
Amercoat 450H	62	G1	Coating - General Use	340	311.0
Amercoat 237M	15	S11	Specialty Coating - Non-skid	340	156.0
Amercoat ABC#3	477	S3	Specialty Coating - Antifoulant	400	396.0
Amercoat Zinc 302H	37	S7	specialty Coating - Inorganic Zinc High Build	340	284.0
Amerlock 400	62	G1	Coating - General Use	340	180.0
BarRust 235	497	G1	Coating - General Use	340	292.0
Interguard 264	4	G1	Coating - General Use	340	292.0
Intershield 300V	75	G1	Coating - General Use	340	326.0
Interspeed 640	30	S3	Specialty Coating - Antifoulant	400	385.0
Interspeed 6400NA	380	S3	Specialty Coating - Antifoulant	400	385.0
Intherthane 990HS	68	S5	Specialty Coating - High Gloss1	340	327.0
PSX 700	16	G1	Coating - General Use	340	84.0
Zinc 302H (Cathacoat)	43	S7	specialty Coating - Inorganic Zinc High Build	340	282.0

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

Attachment C: Records for Surface Coatings Designated LUE

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

July, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the Month of July					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

August, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the Month of August					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

September, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the Month of September					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corp
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 467-3730

October, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the Month of October					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

November, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the Month of December					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

December, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the Month of December					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

Summary for 6 Month Period
July through December, 2014

NESHAP Semi-Annual Report
Low Usage Exempt (Lue) Surface Coatings

Coating Name	Volume of Coating Applied "As-Supplied" (gallons)	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	As-Supplied VOC Content (g/L)
No low-usage exempt coatings were applied during the period of July-December					

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

Attachment D: Records for Surface Coatings Applied with Thinner Added (ambient temperature greater than or equal to 4.5 Deg. C)

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

July, 2014

Surface Coatings Applied with Thinner Added (ambient temperature ≥ 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of July at normal conditions (temperatures greater than or equal to 40 deg. F)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

August, 2014

NESHAP Semi-Annual Report

Surface Coatings Applied with Thinner Added (ambient temperature ≥ 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of August at normal conditions (temperatures greater than or equal to 40 deg. F)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

September, 2014

Surface Coatings Applied with Thinner Added (ambient temperature ≥ 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of September at normal conditions (temperatures greater than or equal to 40 deg. F)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

October, 2014

NESHAP Semi-Annual Report

Surface Coatings Applied with Thinner Added (ambient temperature ≥ 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of October at normal conditions (temperatures greater than or equal to 40 deg. F)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

November, 2014

NESHAP Semi-Annual Report

Surface Coatings Applied with Thinner Added (ambient temperature ≥ 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of November at normal conditions (temperatures greater than or equal to 40 deg. F)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

December, 2014

Surface Coatings Applied with Thinner Added (ambient temperature ≥ 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of December at normal conditions (temperatures greater than or equal to 40 deg. F)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

Summary for 6 Month Period
July through December, 2014

NESHAP Special Report
Summary of Surface Coating
Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the period of July through December 2014 at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

Attachment E: Records for Surface Coatings Applied with Thinner Added (ambient temperature less than 4.5 Deg. C)

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

July, 2014

NESHAP Semi-Annual Report

Surface Coatings Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of July at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

August, 2014

Surface Coatings Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of August at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

September, 2014

Surface Coatings Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of September at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

October, 2014

Surface Coatings Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of October at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

November, 2014

Surface Coatings Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of November at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

NESHAP Semi-Annual Report

December, 2014

Surface Coatings Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the month of December at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

SMM New England Corporation
242 Allens Avenue
Providence, Rhode Island 02905

Contact: Scott Jacobs
Phone: (401) 752-2000

Summary for 6 Month Period
July through December, 2014

NESHAP Special Report
Summary of Surface Coating
Applied with Thinner Added (ambient temperature < 4.5 °C)

Coating Name	Coating Category Code	Coating Category Description	NESHAP VOC Limit (g/L)	Volume of Coating Applied "As-Supplied" (gallons)	Number of times coating thinned	Sum of Allowable Thinner Ration	Sumproduct of Individual Coatings and Thinner Ratio	Maximium Allowable Thinner Ratio	Maximum Allowable Volume of Thinner (gallons)	Actual Volume of Thinner Added (gallons)
No coatings were thinned during the period of July through December 2014 at cold weather conditions (temperatures less than 40 deg. F.)										

[1]Indicates a coating category that has a CAFO VOHAP Limit that is more stringent than the MACT II VOHAP Limit. The more stringent CAFO limit is provided in this table.

Attachment F: Inspection Records

SIMS METAL MANAGEMENT
Container Self-Inspection Log

Month of JULY 2014

Inspection Date	By	Cracks (Y/N)	Holes (Y/N)	Other (Y/N)	Containers Closed (Y/N)	Describe findings and corrective action taken
7/1/2014	Mike Cohen	N	N	N	Y	
7/2/2014	"	N	N	N	Y	
7/3/2014	"	N	N	N	Y	
7/4/2014	"	N	N	N	Y	
7/5/2014						No work - weekend
7/6/2014						weekend
7/7/2014	"	N	N	N	Y	
7/8/2014	"	N	N	N	Y	
7/9/2014	"	N	N	N	Y	
7/10/2014	"	N	N	N	Y	
7/11/2014	"	N	N	N	Y	
7/12/2014						weekend
7/13/2014						weekend
7/14/2014	"	N	N	N	Y	
7/15/2014	"	N	N	N	Y	
7/16/2014	"	N	N	N	Y	
7/17/2014	"	N	N	N	Y	
7/18/2014	"	N	N	N	Y	
7/19/2014						weekend
7/20/2014						weekend
7/21/2014	"	N	N	N	Y	
7/22/2014	"	N	N	N	Y	
7/23/2014	"	N	N	N	Y	
7/24/2014	"	N	N	N	Y	
7/25/2014	"	N	N	N	Y	
7/26/2014						weekend
7/27/2014						weekend
7/28/2014	"	N	N	N	Y	
7/29/2014	"	N	N	N	Y	
7/30/2014	"	N	N	N	Y	
7/31/2014	"	N	N	N	Y	

SIMS METAL MANAGEMENT
Container Self-Inspection Log

Month of AUGUST 2014

Inspection Date	By	Cracks (Y/N)	Holes (Y/N)	Other (Y/N)	Containers Closed (Y/N)	Describe findings and corrective action taken
8/1/2014	Mike, C.	N	N	N	Y	
8/2/2014						NO WORK
8/3/2014						
8/4/2014	Mike C.	N	N	N	Y	
8/5/2014	"	N	N	N	Y	
8/6/2014	"	N	N	N	Y	
8/7/2014	"	N	N	N	Y	
8/8/2014	"	N	N	N	Y	
8/9/2014						NO WORK
8/10/2014						
8/11/2014	"	N	N	N	Y	
8/12/2014	"	N	N	N	Y	
8/13/2014	"	N	N	N	Y	
8/14/2014	"	N	N	N	Y	
8/15/2014	"	N	N	N	Y	
8/16/2014						NO WORK
8/17/2014						
8/18/2014	"	N	N	N	Y	
8/19/2014	"	N	N	N	Y	
8/20/2014	"	N	N	N	Y	
8/21/2014	"	N	N	N	Y	
8/22/2014	"	N	N	N	Y	
8/23/2014						NO WORK
8/24/2014						
8/25/2014	Mike C.	N	N	N	Y	
8/26/2014	Joe B.	N	N	N	Y	
8/27/2014	Joe B.	N	N	N	Y	
8/28/2014	Joe B.	N	N	N	Y	
8/29/2014	Joe B.	N	N	N	Y	
8/30/2014						NO WORK
8/31/2014						

SIMS METAL MANAGEMENT
Container Self-Inspection Log

Month of SEPTEMBER 2014

Inspection Date	By	Cracks (Y/N)	Holes (Y/N)	Other (Y/N)	Containers Closed (Y/N)	Describe findings and corrective action taken
9/1/2014	MIKE COTTER					HOLIDAY
9/2/2014	"	N	N	N	Y	
9/3/2014	"	N	N	N	Y	
9/4/2014	"	N	N	N	Y	
9/5/2014	"	N	N	N	Y	
9/6/2014						Weekend
9/7/2014						
9/8/2014	"	N	N	N	Y	
9/9/2014	"	N	N	N	Y	
9/10/2014	"	N	N	N	Y	
9/11/2014	"	N	N	N	Y	
9/12/2014	"	N	N	N	Y	
9/13/2014						Weekend
9/14/2014						
9/15/2014	"	N	N	N	Y	
9/16/2014	"	N	N	N	Y	
9/17/2014	"	N	N	N	Y	
9/18/2014	"	N	N	N	Y	
9/19/2014	"	N	N	N	Y	
9/20/2014						Weekend
9/21/2014						
9/22/2014	"	N	N	N	Y	
9/23/2014	"	N	N	N	Y	
9/24/2014	"	N	N	N	Y	
9/25/2014	"	N	N	N	Y	
9/26/2014	"	N	N	N	Y	
9/27/2014						Weekend
9/28/2014						
9/29/2014	"	N	N	N	Y	
9/30/2014	"	N	N	N	Y	

SIMS METAL MANAGEMENT
Container Self-Inspection Log

Month of OCTOBER 2014

Inspection Date	By	Cracks (Y/N)	Holes (Y/N)	Other (Y/N)	Containers Closed (Y/N)	Describe findings and corrective action taken
10/1/2014	Mike Cosen	N	N	N	Y	
10/2/2014	"	N	N	N	Y	
10/3/2014	"	N	N	N	Y	
10/4/2014						Weekend - No Work
10/5/2014						
10/6/2014	"	N	N	N	Y	
10/7/2014	"	N	N	N	Y	
10/8/2014	"	N	N	N	Y	
10/9/2014	"	N	N	N	Y	
10/10/2014	"	N	N	N	Y	
10/11/2014						Weekend - No Work
10/12/2014						
10/13/2014	"	N	N	N	Y	
10/14/2014	"	N	N	N	Y	
10/15/2014	"	N	N	N	Y	
10/16/2014	"	N	N	N	Y	
10/17/2014	"	N	N	N	Y	
10/18/2014						Weekend - No Work
10/19/2014						
10/20/2014	"	N	N	N	Y	
10/21/2014	"	N	N	N	Y	
10/22/2014	"	N	N	N	Y	
10/23/2014	"	N	N	N	Y	
10/24/2014	"	N	N	N	Y	
10/25/2014						Weekend - No Work
10/26/2014						
10/27/2014	"	N	N	N	Y	
10/28/2014	"	N	N	N	Y	
10/29/2014	"	N	N	N	Y	
10/30/2014	"	N	N	N	Y	
10/31/2014	"	N	N	N	Y	

SIMS METAL MANAGEMENT
Container Self-Inspection Log

Month of NOVEMBER 2014

Inspection Date	By	Cracks (Y/N)	Holes (Y/N)	Other (Y/N)	Containers Closed (Y/N)	Describe findings and corrective action taken
11/1/2014						WEEKEND
11/2/2014						
11/3/2014	MIKE COHEN	N	N	N	Y	
11/4/2014	"	N	N	N	Y	
11/5/2014	"	N	N	N	Y	
11/6/2014	"	N	N	N	Y	
11/7/2014	"	N	N	N	Y	
11/8/2014						WEEKEND
11/9/2014						
11/10/2014	"	N	N	N	Y	
11/11/2014	"	N	N	N	Y	
11/12/2014	"	N	N	N	Y	
11/13/2014	"	N	N	N	Y	
11/14/2014	"	N	N	N	Y	
11/15/2014						WEEKEND
11/16/2014						
11/17/2014	"	N	N	N	Y	
11/18/2014	"	N	N	N	Y	
11/19/2014	"	N	N	N	Y	
11/20/2014	"	N	N	N	Y	
11/21/2014	"	N	N	N	Y	
11/22/2014						WEEKEND
11/23/2014						
11/24/2014	"	N	N	N	Y	
11/25/2014	"	N	N	N	Y	
11/26/2014	"	N	N	N	Y	
11/27/2014						HOLIDAY
11/28/2014						
11/29/2014						
11/30/2014						WEEKEND

SIMS METAL MANAGEMENT
Container Self-Inspection Log

Month of DECEMBER 2014

Inspection Date	By	Cracks (Y/N)	Holes (Y/N)	Other (Y/N)	Containers Closed (Y/N)	Describe findings and corrective action taken
12/1/2014	M. Cohen	N	N	N	Y	
12/2/2014	"	N	N	N	Y	
12/3/2014	"	N	N	N	Y	
12/4/2014	"	N	N	N	Y	
12/5/2014	"	N	N	N	Y	
12/6/2014						WEEKEND
12/7/2014						
12/8/2014	"	N	N	N	Y	
12/9/2014	"	N	N	N	Y	
12/10/2014	"	N	N	N	Y	
12/11/2014	"	N	N	N	Y	
12/12/2014	"	N	N	N	Y	
12/13/2014						WEEKEND
12/14/2014						
12/15/2014	"	N	N	N	Y	
12/16/2014	"	N	N	N	Y	
12/17/2014	"	N	N	N	Y	
12/18/2014	"	N	N	N	Y	
12/19/2014	"	N	N	N	Y	
12/20/2014						WEEKEND
12/21/2014						
12/22/2014	"	N	N	N	Y	
12/23/2014	"	N	N	N	Y	
12/24/2014						HOLIDAYS
12/25/2014						
12/26/2014	"	N	N	N	Y	
12/27/2014						WEEKEND
12/28/2014						
12/29/2014	"	N	N	N	Y	
12/30/2014	"	N	N	N	Y	
12/31/2014	"	N	N	N	Y	