Opie, Jodie

From: Ellens, Newton
Sent: Monday, March 4, 2019 10:07 AM
To: Heger, Michelle; Kaiser, Steven; Goeller, Jon Micah; Opie, Jodie
Subject: RE: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits
Attachments: IN0022829_EastChicagoSanitaryDistrict_FinAppLtr_2018_12_20.pdf

Categories: EZ Record - Shared

EPA approved of East Chicago's pretreatment program (including the local limits) in the attached letter.

As far as the site specific criteria goes, I believe that ECSD talked about submitting a request to adopt a site specific criteria for cyanide to the Water Quality Branch, but never officially followed through. (Jodie, please correct me if I'm wrong.)

-Newton

From: Heger, Michelle
Sent: Monday, March 04, 2019 9:52 AM
To: Kaiser, Steven <kaiser.steven@epa.gov>; Ellens, Newton <ellens.newton@epa.gov>; Goeller, Jon Micah <goeller.jon@epa.gov>; Opie, Jodie <opie.jodie@epa.gov>
Subject: RE: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits

Exemption 5 (Deliberative Process)

Shelly

Shelly Heger, Chief
Section 1 (OH/MN/MI)
Water Enforcement and Compliance Assurance Branch
Phone: 312-886-4510
Email: heger.michelle@epa.gov

From: Kaiser, Steven
Sent: Friday, March 1, 2019 11:30 AM
To: Ellens, Newton <ellens.newton@epa.gov>; Heger, Michelle <heger.michelle@epa.gov>; Goeller, Jon Micah <goeller.jon@epa.gov>; Opie, Jodie <opie.jodie@epa.gov>
Subject: RE: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits

Exemption 5 (Deliberative Process)

SPKaiser

From: Ellens, Newton
Sent: Friday, March 1, 2019 10:03 AM
To: Heger, Michelle <heger.michelle@epa.gov>; Kaiser, Steven <kaiser.steven@epa.gov>; Goeller, Jon Micah <goeller.jon@epa.gov>; Opie, Jodie <opie.jodie@epa.gov>
Subject: FW: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits

Hello all,
Regarding our draft letter to Safety-Kleen: Natalie sent the email below to the company.
-Newton

From: MAUPIN, NATALIE <NMAUPIN@idem.IN.gov>
Sent: Friday, March 01, 2019 9:43 AM
To: Ellens, Newton <ellens.newton@epa.gov>
Subject: FW: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits

Hi Newton! I got your message. During the shutdown Safety Kleen was wanting us to respond. My email to them is below as well as their response. Let me know if you have any questions.

Happy weekend!
Natalie

Natalie Maupin
Pretreatment Compliance Coordinator
Office of Water Quality
(317) 232-8729 • nmaupin@idem.IN.gov

Indiana Department of Environmental Management

IDEM values your feedback.
Please take two minutes and complete this brief survey.

From: Radcliffe, Michael [mailto:Radcliffe.Michael@cleanharbors.com]
Sent: Wednesday, January 23, 2019 4:28 PM
To: MAUPIN, NATALIE <NMAUPIN@idem.IN.gov>
Subject: RE: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Dear Ms. Maupin,
Thank you for your feedback and observations. I would appreciate your participation in a conference call with the Region V – US EPA when they return from the shutdown. I will advise if they agree to such a call and any schedule in advance.

Regards,

Michael Radcliffe

Michael Radcliffe | Sr Environmental Compliance Manager | Safety-Kleen |

| A Clean Harbors Company |Radcliffe.michael@cleanharbors.com|

| 219-391-6127 (o) 219-501-9468 (c) | safety-kleen.com

safety-kleen. PROTECTION·CHOICES·PEOPLE MAKE GREEN WORK

Safety Starts with Me! Live it 3-6-5

From: MAUPIN, NATALIE [mailto:NMAUPIN@idem.IN.gov]
Sent: Wednesday, January 23, 2019 2:17 PM
To: Radcliffe, Michael <Radcliffe.Michael@cleanharbors.com>
Subject: RE: Feedback on Sa fety-Kleen December 11, 2018 Letter re:Cyanide Limits

Mr. Radcliffe,

IDEM has worked extensively in the past with Safety Kleen/ECSD and their consultant on a potential site specific criteria for cyanide and discussed local SUO limits. The site specific criteria approach was not acceptable to EPA Region 5 staff. Since ECSD has an EPA approved/delegated pretreatment program and the local limit issue is a local decision for ECSD, we would suggest that you contact EPA Region 5 directly to further the discussion. If needed, IDEM would be willing to listen in on a conference call with EPA and ECSD. For what it is worth, I have attached the most recent data on cyanide (influent and effluent) at and from the ECSD. It appears most recent data shows compliance with cyanide limits (after 2017).

Thank you,

IDEM

Natalie Maupin
Pretreatment Compliance Coordinator
Office of Water Quality

(317) 232-8729 • nmaupin@idem.IN.gov

Indiana Department of Environmental Management

IDEM values your feedback.
Please take two minutes and complete this brief survey.

From: Radcliffe, Michael [mailto:Radcliffe.Michael@cleanharbors.com]
Sent: Tuesday, January 15, 2019 12:55 PM
To: MAUPIN, NATALIE <NMAUPIN@idem.IN.gov>
Subject: Feedback on Safety-Kleen December 11, 2018 Letter re:Cyanide Limits

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Dear Ms. Maupin,

I am the new Senior Environmental Compliance Manager at the Safety-Kleen facility in East Chicago, Indiana. I note that we sent a rather detailed letter to you and others regarding the East Chicago Sanitary District's cyanide allocation and discharge limits on December 11, 2018. As a follow up, I was wondering if you would provide me with your reaction or feedback to that letter.

If you should have any questions, please contact me as shown below.

Thank you for your consideration and I look forward to hearing from you.

Regards,

Michael J. Radcliffe

Michael Radcliffe | Sr Environmental Compliance Manager | Safety-Kleen |

| A Clean Harbors Company |Radcliffe.michael@cleanharbors.com|

| 219-391-6127 (o) 219-501-9468 (c) | safety-kleen.com

safety-kleen. PROTECTION·CHOICES·PEOPLE MAKE GREEN WORK

Safety Starts with Me! Live it 3-6-5