Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Manifest Tracking Number
NYD982793937	1	(888)888-7464	004487650 JJK

5. Generator's Name and Mailing Address
Taconic
136 Coonbrook Rd, PO Box 69
Generator's Phone: 518 658-3202 Petersburgh NY 12138

Generator's Site Address (if different than mailing address)
136 Coonbrook Road
Petersburgh, NY 12138

6. Transporter 1 Company Name: Precision Industrial Maint., Inc. (518) 346-6800 — U.S. EPA ID Number: NY0001031814

7. Transporter 2 Company Name: Clean Ventures, Inc (908) 355-6800 — U.S. EPA ID Number: NJ0000027193

8. Designated Facility Name and Site Address
Cycle Chem, Inc
217 South First Street
Elizabeth NJ 07206
Facility's Phone: (908) 355-6800 — U.S. EPA ID Number: NJD002200046

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
X	1 WASTE Flammable liquids, nos 3, UN1993, PGII (toluene, MEK)	001	DF	300	P	D036 F005 D001 R
X	2 WASTE Aerosols 2.1, UN1950	001	DF	20	P	D001
X	3 WASTE Amines, liquid, corrosive,flammable,nos 8(3), UN2734, PGII (triethylamine, hydroxylamine sulfate)	001	DF	20	P	D002 T D001
X	4 WASTE Ammonia solutions 8, UN2672, PGIII	001	DF	35	P	T D002

14. Special Handling Instructions and Additional Information
1.SEE PACKING SLIP LP01 ERG# 128
2.SEE PACKING SLIP LP02 ERG# 126 DOT-SP-11296
3.SEE PACKING SLIP LP03 ERG# 132
4.SEE PACKING SLIP LP04 ERG# 154 DOT-SP-8445
NYSDEC#4A285 Trans #1 Truck # [illegible]
a.(add'l codes B. [illegible])
80303

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: ANDREW KAWCZAK — Signature: [signature] — Month 10 Day 17 Year 08

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Darin Angus — Signature: [signature] — Month 10 Day 17 Year 08
Transporter 2 Printed/Typed Name — Signature — Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:
18c. Signature of Alternate Facility (or Generator) — Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a
Printed/Typed Name — Signature — Month Day Year

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

GENERATOR'S INITIAL COPY

U.S. EPA Form 8700-22

Read all instructions before completing this form.

1. This form has been designed for use on a 12-pitch (elite) typewriter which is also compatible with standard computer printers; a firm point pen may also be used—press down hard.
2. Federal regulations require generators and transporters of hazardous waste and owners or operators of hazardous waste treatment, storage, and disposal facilities to complete this form (EPA Form 8700–22) and, if necessary, the continuation sheet (EPA Form 8700–22A) for both inter- and intrastate transportation of hazardous waste.

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Any correspondence regarding the PRA burden statement for the manifest must be sent to the Director of the Collection Strategies Division in EPA's Office of Information Collection at the following address: U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW., Washington, DC 20460. Do not send the completed form to this address.

I. Instructions for Generators

Item 1. Generator's U.S. EPA Identification Number

Enter the generator's U.S. EPA twelve digit identification number, or the State generator identification number if the generator site does not have an EPA identification number.

Item 2. Page 1 of ___

Enter the total number of pages used to complete this Manifest (*i.e.*, the first page (EPA Form 8700-22) plus the number of Continuation Sheets (EPA Form 8700-22A), if any).

Item 3. Emergency Response Phone Number

Enter a phone number for which emergency response information can be obtained in the event of an incident during transportation. The emergency response phone number must:

1. Be the number of the generator or the number of an agency or organization who is capable of and accepts responsibility for providing detailed information about the shipment;
2. Reach a phone that is monitored 24 hours a day at all times the waste is in transportation (including transportation related storage); and
3. Reach someone who is either knowledgeable of the hazardous waste being shipped and has comprehensive emergency response and spill cleanup/incident mitigation information for the material being shipped or has immediate access to a person who has that knowledge and information about the shipment.

Note: Emergency Response phone number information should only be entered in Item 3 when there is one phone number that applies to all the waste materials described in Item 9b. If a situation (*e.g.*, consolidated shipments) arises where more than one Emergency Response phone number applies to the various wastes listed on the manifest, the phone numbers associated with each specific material should be entered after its description in Item 9b.

Item 4. Manifest Tracking Number

This unique tracking number must be pre-printed on the manifest by the forms printer.

Item 5. Generator's Mailing Address, Phone Number and Site Address

Enter the name of the generator, the mailing address to which the completed manifest signed by the designated facility should be mailed, and the generator's telephone number. Note, the telephone number (including area code) should be the normal business number for the generator, or the number where the generator or his authorized agent may be reached to provide instructions in the event the designated and/or alternate (if any) facility rejects some or all of the shipment. Also enter the physical site address from which the shipment originates only if this address is different than the mailing address.

Item 6. Transporter 1 Company Name, and U.S. EPA ID Number

Enter the company name and U.S. EPA ID number of the first transporter who will transport the waste. Vehicle or driver information may not be entered here.

Item 7. Transporter 2 Company Name and U.S. EPA ID Number

If applicable, enter the company name and U.S. EPA ID number of the second transporter who will transport the waste. Vehicle or driver information may not be entered here.

If more than two transporters are needed, use a Continuation Sheet(s) (EPA Form 8700-22A).

Item 8. Designated Facility Name, Site Address, and U.S. EPA ID Number

Enter the company name and site address of the facility designated to receive the waste listed on this manifest. Also enter the facility's phone number and the U.S. EPA twelve digit identification number of the facility.

Item 9. U.S. DOT Description (Including Proper Shipping Name, Hazard Class or Division, Identification Number, and Packing Group)

Item 9a. If the wastes identified in Item 9b consist of both hazardous and nonhazardous materials, then identify the hazardous materials by entering an "X" in this Item next to the corresponding hazardous material identified in Item 9b.

Item 9b. Enter the U.S. DOT Proper Shipping Name, Hazard Class or Division, Identification Number (UN/NA) and Packing Group for each waste as identified in 49 CFR 172. Include technical name(s) and reportable quantity references, if applicable.

Note: If additional space is needed for waste descriptions, enter these additional descriptions in Item 27 on the Continuation Sheet (EPA Form 8700-22A). Also, if more than one Emergency Response phone number applies to the various wastes described in either Item 9b or Item 27, enter applicable Emergency Response phone numbers immediately following the shipping descriptions for those Items.

Item 10. Containers (Number and Type)

Enter the number of containers for each waste and the appropriate abbreviation from Table I (below) for the type of container.

TABLE I.--TYPES OF CONTAINERS

BA = Burlap, cloth, paper, or plastic bags.	DT = Dump truck.
CF = Fiber or plastic boxes, cartons, cases.	DW = Wooden drums, barrels, kegs.
CM = Metal boxes, cartons, cases (including roll-offs).	HG = Hopper or gondola cars.
CW = Wooden boxes, cartons, cases.	TC = Tank cars.
CY = Cylinders.	TP = Portable tanks.
DF = Fiberboard or plastic drums, barrels, kegs.	TT = Cargo tanks (tank trucks).
DM = Metal drums, barrels, kegs.	

Item 11. Total Quantity

Enter, in designated boxes, the total quantity of waste. Round partial units to the nearest whole unit, and *do not* enter decimals or fractions. To the extent practical, report quantities using appropriate units of measure that will allow you to report quantities with precision. Waste quantities entered should be based on actual measurements or reasonably accurate estimates of actual quantities shipped. Container capacities are not acceptable as estimates.

Item 12. Units of Measure (Weight/Volume)

Enter, in designated boxes, the appropriate abbreviation from Table II (below) for the unit of measure.

TABLE II.--UNITS OF MEASURE

G = Gallons (liquids only).	N = Cubic Meters.
K = Kilograms.	P = Pounds.
L = Liters (liquids only).	T = Tons (2000 Pounds).
M = Metric Tons (1000 kilograms).	Y = Cubic Yards.

Note: Tons, Metric Tons, Cubic Meters, and Cubic Yards should only be reported in connection with very large bulk shipments, such as rail cars, tank trucks, or barges.

Item 13. Waste Codes

Enter up to six federal and state waste codes to describe each waste stream identified in Item 9b. State waste codes that are not redundant with federal codes must be entered here, in addition to the federal waste codes which are most representative of the properties of the waste.

Item 14. Special Handling Instructions and Additional Information

1. Generators may enter any special handling or shipment-specific information necessary for the proper management or tracking of the materials under the generator's or other handler's business processes, such as waste profile numbers, container codes, bar codes, or response guide numbers. Generators also may use this space to enter additional descriptive information about their shipped materials, such as chemical names, constituent percentages, physical state, or specific gravity of wastes identified with volume units in Item 12.
2. This space may be used to record limited types of federally required information for which there is no specific space provided on the manifest, including any alternate facility designations; the manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest; and the specification of PCB waste descriptions and PCB out-of-service dates required under 40 CFR 761.207. Generators, however, cannot be required to enter information in this space to meet state regulatory requirements.

Item 15. Generator's/Offeror's Certifications

1. The generator must read, sign, and date the waste minimization certification statement. In signing the waste minimization certification statement, those generators who have not been exempted by statute or regulation from the duty to make a waste minimization certification under section 3002(b) of RCRA are also certifying that they have complied with the waste minimization requirements. The Generator's Certification also contains the required attestation that the shipment has been properly prepared and is in proper condition for transportation (the shipper's certification). The content of the shipper's certification statement is as follows: "I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent." When a party other than the generator prepares the shipment for transportation, this party may also sign the shipper's certification statement as the offeror of the shipment.
2. Generator or Offeror personnel may preprint the words, "On behalf of" in the signature block or may hand write this statement in the signature block prior to signing the generator/offeror certification, to indicate that the individual signs as the employee or agent of the named principal.

Note: All of the above information except the handwritten signature required in Item 15 may be pre-printed.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: NYD982793937
2. Page 1 of 1
3. Emergency Response Phone: (888)888-7464
4. Manifest Tracking Number: 004487650 JJK

5. Generator's Name and Mailing Address
Taconic
136 Coonbrook Rd, PO Box 69
Generator's Phone: 518 658-3202 Petersburgh NY 12138

Generator's Site Address (if different than mailing address)
136 Coonbrook Road
Petersburgh, NY 12138

6. Transporter 1 Company Name: Precision Industrial Maint., Inc. (518) 346-6800 — U.S. EPA ID Number: NY0001031814

7. Transporter 2 Company Name: Clean Ventures, Inc (908) 355-5800 — U.S. EPA ID Number: NJ00000027193

8. Designated Facility Name and Site Address
Cycle Chem, Inc
217 South First Street
Elizabeth NJ 07206
Facility's Phone: (908) 355-5800 — U.S. EPA ID Number: NJD002200046

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
X	1 WASTE Flammable liquids, nos 3, UN1993, PGII (toluene, MEK)	001	DF	300	P	D035 F005 / D001 B
X	2 WASTE Aerosols 2.1, UN1950	001	DF	20	P	B / D001
X	3 WASTE Amines, liquid, corrosive, flammable, nos 8(3), UN2734, PGII (triethylamine, hydroxylamine sulfate)	001	DF	20	P	D002 T / D001
X	4 WASTE Ammonia solutions 8, UN2672, PGIII	001	DF	35	P	T / D002

OCT 31 2008

14. Special Handling Instructions and Additional Information
1.SEE PACKING SLIP LP01 ERG# 128 UIK-86 (X)
2.SEE PACKING SLIP LP02 ERG# 126 DOT-SP-11298 (X)
3.SEE PACKING SLIP LP03 ERG# 132 UAM-88 (X)
4.SEE PACKING SLIP LP04 ERG# 154 DOT-SP-8445 NPUT-89
NYSDEC#4A285 Trans #1 Truck # NY 3310 8-W
~~a.(add'l codes B)~~ (W) 366725
80303

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: ANDREW KAWCZAK — Signature: [signature] — Month 10 Day 17 Year 08

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Darin Angus — Signature: [signature] — Month 10 Day 17 Year 08
Transporter 2 Printed/Typed Name: Carl Maldonado — Signature: [signature] — Month 10 Day 20 Year 08

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator) — Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. H061 2. H141 3. H061 4. H141

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Vincent Gibson — Signature: [signature] — Month 10 Day 22 Year 08

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

TAC EPA 01160

Cycle Chem, Inc.

217 South First St.
Elizabeth, NJ 07206
Phone: (908) 355-5800
Fax: (908) 355-0562

550 Industrial Drive
Lewisberry, PA 17339
Phone: (717) 938-4700
Fax: (717) 938-3301

General Chemical Corporation

133-138 Leland Avenue
Framingham, MA 01702
Phone: (508) 827-5000
Fax: (508) 875-5271

LAND DISPOSAL RESTRICTION NOTIFICATION AND CERTIFICATION FORM

Generator Name: Taconic

Generator EPA ID #: NYD982793937 **Manifest # :** 004418765JJK

This land disposal restriction (LDR) notification must be submitted with the initial shipment of all new waste streams. Due to revised LDR notification requirements effective after August 23, 1998, previously approved waste streams will require re-notification on this form with the first shipment after that date. Subsequent notification is not required unless the waste stream changes.

(1) WASTE STREAM INFORMATION

Box A: *Check this box if this LDR certification has been supplied with a previous shipment. Additional information and certification is not required on this form.*

Box B: *Indicate if waste stream is a wastewater (WW) or non-wastewater (NWW) (aqueous waste streams containing < 1% total organic carbon (TOC) and < 1% total suspended solids (TSS) are wastewaters. All other streams are non-wastewaters).*

Box C: *List all EPA waste codes and subcategory reference letters (if applicable). Alternatively, attach and reference additional pages (e.g. profiles or lab pack slips) containing required information.*

Line #	A Previously shipped LDR on file	B NWW / WW	C EPA Waste Codes and subcategory reference letter (if applicable)
A		NWW	D001, D035, F005
B		NWW	D001
C		NWW	D001, D002
D		NWW	D002

Subcategory Reference Letters (EPA codes not listed here do not have subcategories)

D001	A	Ignitable characteristic wastes, except high TOC ignitable liquids subcategory
D001	B	High TOC (> 10%) ignitable liquid subcategory
D003	A	Reactive sulfide subcategory
D003	B	Reactive cyanide subcategory
D003	C	Water reactive subcategory
D003	D	Other reactive subcategory
D006	A	Cadmium non-battery subcategory
D006	B	Cadmium containing batteries subcategory
D008	A	Lead non-battery subcategory
D008	B	Lead acid batteries subcategory
D009	A	High mercury organic subcategory (> 260 PPM Total Mercury)
D009	B	High mercury inorganic subcategory (≥ 260 PPM Total Mercury)
D009	NCV	Low mercury subcategory (< 260 PPM Total Mercury)
D009	D	Mercury wastewater subcategory

(2) SPENT SOLVENT WASTE CONSTITUENTS

Circle applicable waste code(s) and constituent(s) for each manifest line item containing EPA spent solvent waste codes F001-F005.

A B C D____F001 A B C D____F002 A B C D____F003 A B C D____F004 (A) B C D X F005

A B C D_____-acetone	A B C D_____-ethyl ether
A B C D_____-benzene	A B C D_____-methanol
A B C D_____-n-butyl alcohol	A B C D_____-methylene chloride
A B C D_____-iso-butyl alcohol	(A) B C D F005 -methyl ethyl ketone
A B C D_____-carbon disulfide	A B C D_____-methyl isobutyl ketone
A B C D_____-carbon tetrachloride	A B C D_____-nitrobenzene
A B C D_____-chlorobenzene	A B C D_____-pyridine
A B C D_____-m-cresol	A B C D_____-tetrachloroethylene
A B C D_____-o-cresol	(A) B C D F005 -toluene
A B C D_____-p-cresol	A B C D_____-1,1,1-trichloroethane
A B C D_____-cresylic acid	A B C D_____-1,1,2-trichloroethane
A B C D_____-cyclohexanone	A B C D_____-trichloroethylene
A B C D_____-o-dichlorobenzene	A B C D_____-trichloromonofluoromethane
A B C D_____-ethyl acetate	A B C D_____-1,1,2-trichloro-1,2,2-trifluoroethane
A B C D_____-ethyl benzene	A B C D_____-xylenes

(3) UNDERLYING HAZARDOUS CONSTITUENTS

For characteristically hazardous waste streams (EPA codes D001-D043), please list all underlying hazardous constituents as defined in 40 CFR 268(2)(i) that are present at concentrations exceeding the universal treatment standards listed in 40 CFR 268.48 (F001-F005 constituents identified in section (2) and specific constituents for EPA U-, P-, and D004-D043 codes listed in section (1) do not need to be listed in this section).

A. Toluene, mek _____ None Present
A. Aerosols _____ None Present
A. Triethylamine hydroxylamine Sulfate _____ None Present
A. Ammonia _____ None Present

(4) HOW MUST THESE WASTE STREAMS BE MANAGED?

For each manifest line item, circle applicable treatment/requirement. For contaminated soil, circle applicable choice as indicated.

A B C D__ This waste is non-hazardous per 40 CFR 261, and is not restricted from land disposal under 40 CFR subpart D.

(A B C D) X This is an EPA hazardous waste that is not a contaminated soil or hazardous debris. Waste must be treated to the appropriate treatment standard set forth in 40 CFR subpart D prior to land disposal.

A B C D__ This is a hazardous debris (> 60mm/2.36 inch) and is subject to the alternative treatment standards of 40 CFR 268.45.

A B C D__ This is a hazardous waste contaminated soil. This contaminated soil does/does not (circle one) contain listed hazardous wastes and does/does not (circle one) exhibit a characteristic of hazardous waste and is subject to/complies with (circle one) the soil treatment standards as provided by 268.49(c) or the universal treatment standards.

A B C D__ This is an EPA hazardous waste that meets all applicable treatment standards set forth in 40 CFR 268 subpart D, and can be landfilled without further treatment. I certify under penalty of law that I have personally examined and am familiar with the waste through analysis and testing or thorough knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

(5) CERTIFICATION

I certify that all information on this and all associated documents is complete and accurate to the best of my knowledge.

Signature: Andrew Kawczak **Title:** ENV Mgr

Printed Name: Andrew Kawczak **Date:** 10/17/08

UNDERLYING HAZARDOUS CONSTITUENTS
UNIVERSAL TREATMENT STANDARDS

Regulated constituent Organic Constituents Common name	CAS# [1]	WW mg/l	NWW mg/kg
A2213	30558-43-1	0.042	1.4
Acenaphthylene	208-96-8	0.59	3.4
Acenaphthene	83-32-9	0.059	3.4
Acetone	67-64-1	0.28	160
Acetonitrile	75-05-8	5.6	38
Acetophenone	96-86-2	0.010	9.7
2-Acetylaminofluorene	53-96-3	0.059	140
Acrolein	107-02-8	0.29	NA
Acrylamide	79-06-1	19	23
Acrylonitrile	107-13-1	0.24	84
Aldicarb sulfone	1646-88-4	0.056	0.28
Aldrin	309-00-2	0.021	0.066
4-Aminobiphenyl	92-67-1	0.13	NA
Aniline	62-53-3	0.81	14
Anthracene	120-12-7	0.059	3.4
Aramite	140-57-8	0.36	NA
alpha-BHC	319-84-6	0.00014	0.066
beta-BHC	319-85-7	0.00014	0.066
delta-BHC	319-86-8	0.023	0.066
gamma-BHC	58-89-9	0.0017	0.066
Barban	101-27-9	0.056	1.4
Bendiocarb	22781-23-3	0.056	1.4
Bendicarb phenol	22961-82-6	0.056	1.4
Benomyl	17804-35-2	0.056	1.4
Benzene	71-43-2	0.14	10
Benz (a) anthracenes	56-55-3	0.059	3.4
Benzal chloride	98-87-3	0.055	6.0
Benzo (b) fluoranthene (difficult to distinguish from benzo (k) flouranthene)	205-99-2	0.11	6.8
Benzo (k) flouranthene (difficult to distinguish from benzo (b) flouranthene)	207-08-9	0.11	6.8
Benzo (g,h,i) perylene	191-24-2	0.0055	1.8
Benzo (a) pyrene	50-32-8	0.061	3.4
Bromodichloromethane	75-27-4	0.35	15
Bromomethane/Methyl bromide	74-83-9	0.11	15
4-Bromophenyl phenyl ether	101-55-3	0.055	15
n-Butyl alcohol	71-36-3	5.6	2.6
Butylate	2008-41-5	0.042	1.4
Butyl benzyl phthalate	85-68-7	0.017	28
2-sec-Butyl-4,6-dinitrophenol /Dinoseb	88-85-7 [1]	0.066	2.5
Carbaryl	63.25-2	0.006	0.14
Carbentazim	10605-21-7	0.056	1.4
Carbofuran	1563-66-2	0.006	0.14
Carbofuran phenol	1563-38-8	0.056	1.4
Carbon disulfide	75-15-0	3.8	4.8 mg/l TCLP
Carbon Tetrachloride	56-23-5	0.057	6.0
Carbosulfan	55285-14-8	0.028	1.4
Chlorodane (alpha and gamma isomers)	57-74-9	0.0033	0.26
p-Chloroaniline	106-47-8	0.46	16
Chlorobenzene	108-90-7	0.057	6.0
Chlorobenzilate	510-15-6	0.10	NA
2-Chloro-1,3 butadiene	126-99-8	0.057	0.28
Chlorodibromomethane	124-48-1	0.057	15
Chloroethane	75-00-3	0.27	6.0
Bis(2-Chloroethoxy) methane	111-91-1	0.036	7.2
Bis(2-Chloroethyl) ether	111-44-4	0.033	6.0
Chloroform	67-66-3	0.046	6.0
Bis (2-Chloroisopropyl) ether	39638-32-9	0.055	7.2
p-Chloro-m-cresol	59-50-7	0.018	14
2-Chloroethevl vinyl ether	110-75-8	0.062	NA
Chloromethane/Methyl chloride	74-87-3	0.19	30
2-Chloronaphthalene	91-58-7	0.055	5.6
2-Chlorophenol	95-57-8	0.044	5.7
3-Chloropropylene	107-05-1	0.036	30
Chrysene	218-01-9	0.059	3.4
o-cresol	95-48-7	0.11	5.6
m-cresol (difficult to distinguish from p-cresol)	108-39-4	0.77	5.6
p-cresol (difficult to distinguish from m-cresol)	106-44-5	0.77	5.6
m-Cumenyl methylcarbonate	64-00-6	0.056	1.4
Cyclohexanone	108-94-1	0.36	0.75 mg/l TCLP
o,p'-DDD	53-19-0	0.023	0.087
p,p'-DDD	72-54-8	0.023	0.087
o,p'-DDE	3424-82-6	0.031	0.087
p,p'-DDE	72-55-9	0.031	0.087
o,p'-DDT	789-02-6	0.0039	0.087
p,p'-DDT	50-29-3	0.0039	0.087
Dibenz (a,h) anthracene	53-70-3	0.055	8.2
Dibenz (a,e) pyrene	192-65-4	0.061	NA
1,2-Dibromo-3-chloropropane	96-12-8	0.11	15
1,2-Dibromoethane/Ethylene dibromide	106-93-4	0.028	15
Dibromomethane	74-95-3	0.11	15
m-dichlorobenzene	541-73-1	0.036	6.0
0-Dichlorbenzene	95-50-1	0.088	6.0
p-Dichlorobenzene	106-46-7	0.090	6.0
Dichlorodifluoromethane	75-71-8	0.23	7.2
1,1-Dichloroethane	75-43-3	0.059	6.0
1,2-Dichloroethane	107-06-2	0.21	6.0
1,1-Dichloroethylene	75-35-4	0.025	6.0
trans-1,2-Dichloroethylene	156-60-5	0.054	30
2,4-Dichlorophenol	120-83-2	0.044	14
2,6-Dichlorophenol	87-65-0	0.044	14
2,4-Dichlorophenoxyacetic acid/2,4-D	94-75-7	0.72	10
1,2-Dichloropropane	78-87-5	0.85	18
cis-1,2-Dichloropropylene	10061-01-5	0.036	18
trans-1,3-Dichloropropylene	10061-02-6	0.036	18
Dieldrin	60-57-1	0.017	0.13
Diethylene glycol, dicarbamate	5952-26-1	0.056	1.4
Diethyl phthalate	84-66-2	0.20	28
-Dimethylaminoazobenzene	60-11-7	0.13	NA
2-4-Dimethyl phenol	105-67-9	0.036	14
Dimethyl phthalate	131-11-3	0.047	28
Dimetilan	644-64-4	0.056	1.4
Di-n-butyl phthalate	84-74-2	0.057	28
1,4 Dinitrobenzene	100.25-4	0.32	2.3
4 ,6-Dinitro-o-cresol	534-52-1	0.28	160
2,4-Dinitrophenol	51-28-5	0.12	160
2,4-Dinitrotoluene	121-14-2	0.32	140
2,6-Dinitrotoluene	606-20-2	0.55	28
Di-n-octyl phthalate	226-84-0	0.017	28
Di-n-propylnitrosamine	621-64-7	0.40	14
1,4-Dioxane	123-91-1	12.0	170
Diphenylamine (difficult to distinguish from diphenylnitrosamine)	122-39-4	0.92	13
Diphenylnitrosamine (difficult to distinguish from diphenylamine)	86-30-6	0.92	13
1,2-Diphenylhydrazine	122-66-7	0.087	NA
Disulfoton	298-04-4	0.017	6.2
Dithiocarbamates (total)	NA	0.028	28
Endosulfan I	959-98-8	0.023	0.066
Endosulfan	33213-65-9	0.029	0.13
Endosulfan sulfate	1031-07-8	0.029	0.13
Endrin	72-20-8	0.0028	0.13
Endrin aldehyde	7421-93-4	0.025	0.13
EPTC	759-94-4	0.042	1.4
Ethyl acetate	141-78-6	0.34	33
Ethyl benzene	100-41-4	0.057	10
Ethyl cyanide/Propanenitrile	107-12-0	0.24	360
Ethyl ether	60-29-7	0.12	160
bis (2-Ethylhexyl) phthalate)	117-81-7	0.28	28
Ethyl methacrylate	97-63-2	0.14	160
Ethylene oxide	75-21-8	0.12	NA
Famphur	52-85-7	0.017	15
Fluoranthene	206-44-0	0.068	3.4
Fluorene	86-73-7	0.059	3.4
Formetanate hydrochloride	23422-53-9	0.056	1.4
Formparanate	17702-57-7	0.056	1.4
Heptachlor	76-44-8	0.0012	0.066
Heptachlor epoxide	1024-57-3	0.016	0.066
Hexachlorobenzene	118-74-1	0.055	10
Hexachlorbutadiene	87-68-3	0.055	5.6
Hexachlorocyclopentadiene	77-47-4	0.057	2.4
HxCDDs (all Hexachlorodibenzo p-dioxins)	NA	0.000063	0.001
HxCDFs (all Hexachlorodibenzo furans)	NA	0.000063	0.001
Hexachloroethane	67-72-1	0.055	30
Hexachloropropylene	1888-71-7	0.035	30
Indeno (1,2,3-c,d) pyrene	193-39-5	0.0055	3.4
Iodomethane	74-88-4	0.19	65
Isobutyl alcohol	78-83-1	5.6	170
Isodrin	465-73-6	0.021	0.066
Isolan	119-38-0	0.056	1.4
Isosafrole	120-58-1	0.081	2.6
Kepone	143.50-0	0.0011	0.13
Methylacrylonitrile	126-98-7	0.24	84
Methanol	67-56-1	5.6	0.75 mg/l TCLP
Methapyrilene	91-80-5	0.081	1.5
Methiocarb	2032-65-7	0.056	1.4
Methomyl	16752-77-5	0.028	1.14
Methoxychlor	72-43-5	0.25	0.18
3-Methylcholanthrene	56-49-5	0.0055	15
4,4-Methylene bis(2-chloraniline)	101-14-4	0.50	30
Methylene chloride	75-09-2	0.089	30
Methyl ethyl ketone	78-93-3	0.28	36
Methyl isobutyl ketone	108-10-1	0.14	33
Methyl methacrylate	80-62-6	0.14	160
Methyl methansulfonate	66-27-3	0.018	NA
Methyl parathion	298-00-0	0.014	4.6
Metolcarb	1129-41-5	0.056	1.4
Mexacarbate	315-18-4	0.056	1.4
Molinate	2212-67-1	0.042	1.4
Naphthalene	91-20-3	0.059	5.6
2-Naphthylamine	91-59-8	0.52	NA
O-Nitroaniline	88-74-4	0.27	14
p-nitroaniline	100-01-6	0.028	28
Nitrobenzene	98-95-3	0.068	14
5-Nitro-o-toluidine	99-55-8	0.32	28
p-Nitrophenol	88-75-5	0.028	13
p-nitrophenol	100-02-7	0.12	29
N-Nitrosodiethylamine	55-18-5	0.40	28
N-Nitrosodimethylamine	62-75-9	0.40	2.3
N-Nitroso-di-n-butylamine	924-16-3	0.40	17
N-Nitrosomethylethylamine	10595-95-6	0.40	2.3
N-Nitrosomarpholine	59-89-2	0.40	2.3
N-Nitrosopiperidine	100-75-4	0.013	35
N-Nitrosopyrrolidine	930-55-2	0.013	35
Oxamyl	23135-22-0	0.056	0.28
Parathion	56-38-2	0.014	4.6
Total PCBs (sum of all PCB isomers, or all Aroclors)	1336-36-3	0.10	10
Pebulate	1114-71-2	0.042	1.4
Pentachlorobenzene	608-93-5	0.055	10
PeCDDs (All Pentachlorodibenzo -p-dioxins)	NA	0.000063	0.001
PeCDFs (All Pentachloro-f benzofurans)	NA	0.000035	0.001
Pentachloroethane	76-01-7	0.055	6.0
Pentachloronitrobenzene	82-68-8	0.055	4.8
Pentachlorophenol	87-86-5	0.089	7.4
Phenacetin	62-44-2	0.081	16
Phenanthrene	85-01-8	0.059	5.6
Phenol	108-95-2	0.039	6.2
o-phenylenediamine	95-54-5	0.056	5.6
Phorate	298-02-2	0.021	4.6
Phthalic acid	100-21-0	0.055	28
Phthalic anhydride	85-44-9	0.055	28
Physostigmine	57-47-6	0.056	1.4
Physostigmine salicylate	57-64-7	0.056	1.4
Promecarb	2631-37-0	0.056	1.4
Pronamide	23950-58-5	0.093	1.5
Propham	122-42-9	0.056	1.4
Propoxur	114-26-1	0.056	1.4
Prosulfocarb	52888-80-9	0.042	1.4
Pyrene	129-00-0	0.067	8.2
Pyridine	110-86-1	0.014	16
Safrole	94-59-7	0.081	22
Silvex/2,4,5-TP	93-72-1	0.72	7.9
1,2,4,5-Tetrachlorobenzene	95-94-3	0.055	14
TCDDs (All Tetrachlorodibenzo)	NA	0.000063	0.001
TCDFs (All Tetrachlorodi-benzofurans)	NA	0.000063	0.001
1,1,1,2-Tetrachloroethane	630-20-6	0.057	6.0
1,1,2,2-Tetrachlorethane	79-34-5	0.057	6.0
Tetrachloroethylene	127-18-4	0.056	6.0
2,3,4,6-Tetrachlorophenol	58-90-2	0.030	7.4
Thiodicarb	59669-26-0	0.019	1.4
Thiophanate-methyl	23564-05-8	0.056	1.4
Tirpate	26419-73-8	0.056	0.28
Toluene	108-88-3	0.080	10
Toxaphene	8001-35-2	0.0095	2.6
Triallate	2303-17-5	0.042	1.4
Tribromomethane/Bromoform	75-25-2	0.63	15
2,4,6-Tribromophenol	118-79-6	0.035	7.4
1,2,4-Trichlorobenzene	120-82-1	0.055	19
1,1,1-Trichloroethane	71-55-6	0.054	6.0
1,1,2-Trichloroethane	79-00-5	0.054	6.0
Trichloroethylene	79-01-6	0.054	6.0
Trichloromonofluoromethane	75-69-4	0.020	30
2,4,5-Trichlorophenol	95-95-4	0.18	7.4
2,4,6-Trichlorophenol	88-06-2	0.035	7.4
2,4,5-Trichlorophenoxyacetic acid	93-76-5	0.72	7.9
1,2,3-Trichloropropane	96-18-4	0.85	30
1,1,2-Trichloro-1,2,2-tri-fluoroethane	76-13-1	0.057	30
Triethylamine	101-44-8	0.081	1.5
tris-(2,3-Dibromopropyl) phosphate	126-72-7	0.11	0.10
Vernolate	1929-77-7	0.042	1.4
Vinyl chloride	75-01-4	0.27	6.0
Xylenes-mixed isomers (sum of o-, m- and p- xylene concentrations) [4]	1330-20-7	0.32	30
Inorganic Constituents			
Antimony	7440-36-0	1.9	1.15 mg/l TCLP
Arsenic	7440-38-2	1.4	5.0 mg/l TCLP
Barium	7440-39-3	1.2	21 mg/l TCLP
Beryllium	7440-41-7	0.82	1.22 mg/l TCLP
Cadmium	7440-43-9	0.69	0.11 mg/l TCLP
Chromium (Total)	7440-47-3	2.77	0.60 mg/l TCLP
Cyanides (Total) 4	57-12-5	1.2	590
Cyanides (Amenable) [4]	57-12-5	0.86	30
Fluoride [5]	16984-48-8	35	NA
Lead	7439-92-1	0.69	0.75 mg/l TCLP
Mercury - NWW from Retort	7439-97-6	NA	0.20 mg/l TCLP
Mercury - All Others	7439-97-6	0.15	0.025/mg/l TCLP
Nickel	7440-02-G	3.98	11 mg/l TCLP
Selenium	7782-49-2	0.82	5.7 mg/l TCLP
Silver	7440-2-4	0.43	0.14 mg/l TCLP
Sulfide [5]	18496-25-8	14	NA
Thallium	7440-28-0	1.4	0.20mg/l TCLP
Vanadium [5]	7440-62-2	4.3	1.6 mg/l TCLP
Zinc [5]	7440-66-6	2.61	4.3 mg/l TCLP

(1) CAS means Chemical Abstract Services. When the waste code and/or regulated constituents are described as a combination of a chemical its salts, and/or esters, the CAS number is given for the parent compound only.

(2) Concentration standards for wastewaters are expressed in mg/l and are based on analysis of composite samples.

(3) Except for Metals (EP or TCLP) and Cyanides (Total and Amendable) the nonwastewater treatment standards expressed as a concentration were established, in part, based on incineration in units operated in accordance with the technical requirements of 40 CFR part 264, subpart O or CFR part 265, subpart 0, or based on combustion in fuel substitution units operating in accordance with applicable technical requirements. A facility may comply with these treatment standards according to provisions to 40 CFR 268.40 (d). All concentration standards for nonwastewaters are based on analysis of grab samples.

(4) Both cyanides (Total) and Cyanides (Amendable) for nonwastewaters are to be analyzed using method 9010 or 9012 found in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", EPA Publication SW-846, as incorporated by reference in 40 CFR 260.11, with sample size of 10 grams and a distillation time of one hour and 15 minutes.

(5) Fluoride, selenium, sulfide, vanadium and zinc are not underlying hazardous constituents in characteristic wastes, according to the definition in 268.2(i).

NOTE: NA means not applicable.

LP02

PRECISION
Industrial Maintenance, Inc

Job# 08 - 0303

Manifest# 004487650JJK

SHIP TO:
Cycle Chem
217 South First Street
Elizabeth, New Jersey 07206

Waste Aerosols
Shipping Name

0001
Additional Description/EPA Waste Codes

FROM: Tacoma
136 Coonbrook Rd.
Poughkeepsie, NY
12138

2.1 — Hazard Class
UN1950 — UN/NA#
Packing Group

1x5 — Container Size
20 — Weight
10/17/08 — Date Shipped

EPA ID# NYD982793937

No. of Containers	Size	Physical State	Description	Weight	Waste Codes
8	11-16 OZ	Aerosol	Aerosol Cans		

Providing Quality Industrial and Environmental Services

1710 Erie Blvd., Schenectady, NY
(518) 346-5800 • (Fax) 346-6077

P.O. Box 508, Waterbury, VT 05676
(802) 244-5979 • Fax (802)244-8979

LP03

PRECISION
Industrial Maintenance, Inc

Job# 08-0303
Manifest# 004465765077

SHIP TO:
Cycle Chem
217 South First Street
Elizabeth, New Jersey 07206

waste Amines, liquid, corrosive, flammable, n.o.s.
Shipping Name

D001 D002
Additional Description/EPA Waste Codes

FROM:
Taconic
136 Coonbrook Rd
Petersburgh NY 12138

8(3) | UN2734 | PG11
Hazard Class | UN/NA# | Packing Group

1K | 2D | 10/17/07
Container Size | Weight | Date Shipped

EPA ID# NYD982793937

No. of Containers	Size	Physical State	Description	Weight	Waste Codes
1	5gal		10% hydroxylamine sulfate solution in 90% water		
1	5gal		Ethanolamine + triethanolamine sol.		
1	500ml		Triethylamine		

L101

PRECISION
Industrial Maintenance, Inc

Job# 08-0303
Manifest# 00441 & 76507JH

SHIP TO:
Cycle Chem
217 South First Street
Elizabeth, New Jersey 07206

Waste Ammonia Solutions
Shipping Name

D002
Additional Description/EPA Waste Codes

FROM:
Taconic
136 Cambreck Rd
Petersburgh NY 12138

8	UN2672	PG III
Hazard Class	UN/NA#	Packing Group
1X10	35	10/17/08
Container Size	Weight	Date Shipped

EPA ID# NYD982793937

154

No. of Containers	Size	Physical State	Description	Weight	Waste Codes
1	Gal		Ammonium hydrogen difluoride soln		

Providing Quality Industrial and Environmental Services
1710 Erie Blvd., Schenectady, NY
(518) 346-5800 • (Fax) 346-6077
P.O. Box 508, Waterbury, VT 05676
(802) 244-5979 • Fax (802)244-8979

LPOT

PRECISION
Industrial Maintenance, Inc

Job# 08-0303
Manifest# 006497650 JJK

SHIP TO:
Cycle Chem
217 South First Street
Elizabeth, New Jersey 07206

Waste Flammable Liquid NOS (Toluene)
Shipping Name

D001, D035, F005
Additional Description/EPA Waste Codes

FROM:
Tacmic
136 Coonbrook Rd
Petersburgh, NY
12138

3	UN1993	II
Hazard Class	UN/NA#	Packing Group
1x55 gal	700	10/7/08
Container Size	Weight	Date Shipped

EPA ID# NYD 982 793937

No. of Containers	Size	Physical State	Description	Weight	Waste Codes
10	1gal.	L	Paints (oil based)		
4	Qt.	L	" "		
4	Pt.	L	" "		
1	5gal.	L	Isopar Solvent (alcohol based)		
5	pt.	L	Silicone Fluid (toluene)		
3	Qt.	L	Resin (toluene)		
3	pint	L	Silicone Adhesive/Resin (toluene)		
2	Qt.	L	Pump Oil/Petroleum Distillates		
1	1gal.	L	Broken plastic jug oil		
1	Qt	L	Aromatic Halogen Compound (toluene)		
2	1gal.	L	Resin (MEK)		
1	5gal 1gal.	L L	Mineral Spirits		
2	Qt	L	Alkoxylated Alcohol		
1	Qt.	L	Toluene		
4	16oz	L	Co-Polymer (alcohol)		
1	4lt.	L	Dimethylformamide		
1	1lt.	L	Methyl		

Providing Quality Industrial and Environmental Services
1710 Erie Blvd., Schenectady, NY
(518) 346-5800 • (Fax) 346-6077
P.O. Box 508, Waterbury, VT 05676
(802) 244-5979 • Fax (802) 244-8978