LANDER ST.
CAVE ST.
READ ST.
HUNTINGTON ST.
BASSETT ST.
LILAC ST.
HAZEL ST.
STARR ST.
THOMPSON ST.
DIVISION ST.
MUNSON ST.
HENRY ST.
ADMIRAL ST.
WINCHESTER AVE.
MANSFIELD ST.
SHEFFIELD AVE.
SHELDON TER.
PROSPECT ST.
OGDEN ST.
EAST ROCK
HIGHLAND ST.
LOOMIS PL.
AUTUMN ST.
CANNER ST.
ST. DONAN ST.
HILLSIDE PL.
EDWARDS ST.
TILTON ST.
WOODLAND
COMPTON
WHITNEY AVE.
RL1
N



CENTRAL GREEN
CITY HALL
WOOSTER SQ.
UNION PUMP STA
RL2
N
PARKWAY
GROVE
WALL
ELM
COLLEGE
TEMPLE
CHURCH
ORANGE
STATE
AUDUBON
WHITNEY AVE.
LINCOLN
WILLIAMS
LYON
GRAND
SAINT JOHN
GREENE
ARTHAN
COURT
ACADAMEY
HESTNUT
CHAPEL
WOOSTER
FAIR ST
OLIVE
WARREN ST
BROWN ST
UNION
WATER
WATER 12
SOUTH ORANGE
TOWER
PRINCE
LAFAYETTE
HIGH
CROWN
GEORGE
CENTER
ST.
R.R. STATION
BREWERY

ADS Environmental Services, Inc.

3600 Site Report

Town: Map 44	Manhole #	LM #: RL-1
RC Zone: I-20	Bat Serial #	Monitor #
Velocity:	I/I Diameter	Diameter: 31" x 20.25"

Project/Phase: New Haven, CT CSO Date: 8/28/97 Name: MN

Address/Location: Division ST; East of Winchester Ave

Phone Co. Address:

Phone Number:

Access: Drive



Special Install w/ ultra vel and pressure installed u/s of manhole

SAFETY

Manhole Depth: 10.5 FT

Traffic: Moderate

Gas & Investigation: Neg

Manhole Condition: Good

Frame: Regular/Irregular

Q.C. Inspector:

Date:

Comments:

COMM2

Pipe Type: Brick

BACKUP	Y	N	?	Distance
Trunk Reg				
LM Sta				
STP				
Other Install				
End U/S				
C/S U/S				

General Condition, overflows, bypasses, weirs, special information, monitor characteristics, surcharge
* Please make a precise drawing if odd-shaped pipe or special installation

Hydraulics: Fast, Smooth Flow

Approval:

Access Point:

Distance from M/H:

Road Cut Length:

Trench Length:

R.O.W. #:

Surcharge: yes SC Height: HEIGHT 4FT

Inv.: DOP: 3.0' +/- .25 Time: 1415 Vol: 3.0 gpm Silt: 0

Upstream Manhole Did not Investigate

Downstream Manhole Did not Investigate

Mini System Character: Residential/Commercial/Industrial/Vacant

ADS Environmental Services, Inc.

3600 Site Report

Town: New Haven	Manhole #	Line: RL2
RC Zone	Bat Serial #	Monitor #
Velocity	Lid Diameter	Diameter 30 × 20.5

Project/Phase: New Haven, CSO Date: 9/5/97 Name: MPN

Address/Location: 210 STATE ST; On South bound State ST between Crown St and George ST

Phone Co. Address:

Access: Drive

Phone Number:

Special Install, ultra, velocity and pressure installed u/s. → or warped R



SAFETY

Manhole Depth: 10FT

Traffic: Moderate

Gas & Investigation: Neg

Manhole Condition: Good

Frame: Regular/Irregular





Q.C. Inspector:

Date:

Comments:

COMM2

Pipe Type: Concrete

BACKUP	Y	N	?	Distance
Trunk Reg				
LIM Sta.				
STP				
Other Input				
Ind U/S				
C/S U/S				

General Condition: overflows, bypasses, weirs, special information monitor characteristics, surcharge
- Please make a precise drawing if odd-shaped pipe or special installation.

Hydraulics: Slow, Smooth Flow

Approval:

Access Price:

Distance from M/H:

Road Cut Length:

Trench Length:

R.O.W. #:

Surcharge: SC Height: HEIGHT

Inv.: DOP: 5.0" +/-.25 Time: 1005 Vol: 1.3 cfs Silt: Ø

Upstream Manhole: Side connection causing poor hydraulics

Downstream Manhole: Did not Investigate

- May be able to bend a 30" Ring to install.

Mini System Character: Residential/Commercial/Industrial/Vacant

TOTAL P.12