Table 12
Building 5 Area 2016 Groundwater Analytical Results

Parameter	Building 5 Area COCs								Other Building 5 Area COPCs														
	Benzene	Ethylbenzene	Isopropyl Alcohol	Methanol	Toluene	Acetone	Methyl Isobutyl Ketone (MIBK)	Xylene (total)	1,1-Dichloroethane	1,4-Dioxane	Methyl Tert Butyl Ether	Naphthalene	C9-C10 Aromatics (Unadj.)	C9-C12 Aliphatics	C9-C12 Aliphatics (Unadj.)	C11-C22 Aromatics	C11-C22 Aromatics (Unadj.)	C9-C18 Aliphatics (Unadj.)	Benzaldehyde	Bis(2-ethylhexyl)phthalate	4,4'-DDT	Dieldrin	Heptachlor Epoxide
Screening Level	**Concentration (ug/L)**																						
USEPA MCL or Tap Water RSL	5	700	410	20000	1000	14000	6300	10000	2.8	0.46	14	0.17	5.5	100	100	5.5	5.5	100	19	6	0.23	0.0018	0.2
PRWQS[1]	5	530	---	---	1000	---	---	10000	---	---	14	0.17	---	---	---	---	---	---	---	12	0.0022	0.00052	0.00039
USEPA Residential GW VI	1.3	2.6	450000	86000000	15000	18000000	420000	290	6.2	2200	370	3.2	---	---	---	---	---	---	---	---	---	---	0.7
USEPA Industrial GW VI	5.6	12	1900000	360000000	63000	77000000	1800000	1200	27	9600	1600	14	---	---	---	---	---	---	---	---	---	---	3.1
Sample Round	**A-1R4**																						
Q1-16	4.8	37.7	<100	<200	0.47 J	6.9 J	4 J	206	<1	83.4	197	0.611	NA	NA	NA	NA	NA	NA	17.8	6.7	<0.011	<0.011	<0.011
Q2-16	7.1	164	<100	<200	1.8 J	84.9 J	33.8	604.9	<5	64.4	166	0.519	60.2	135	869	<110	<110	<110	21.3	<2.1	<0.01	<0.01	<0.01
Q3-16	4.2	1910 J	<100 J	<200	23.8 J	<25	15.1	7970	<1	54.6	102 J	0.663	77.1	462	7610	34.9 J	50.9 J	<100	18.5	<2	<0.01	<0.01	<0.01
Q4-16	5.6	122 J	<100	<200	0.62 J	<25	2.1 J	428.5 J	<1	37.3	138 J	0.423	58.7	70	641	<110 J	<110 J	<110	7.5	<2.2	<0.011	<0.011	<0.011
	A-2R2																						
Q1-16	<0.5	1.6	<100	<200	<1	<10	<5	2.3	<1	0.281	38.7	<0.1	NA	NA	NA	NA	NA	NA	<5.1	3.8	<0.01	<0.01	<0.01
Q2-16	<1	1.3	<100	<200	<1	<25	<5	1.5 J	<1	0.289	13.2	<0.1	<50	<50	<50	<100	<100	<100	<5.2	<2.1	<0.01	<0.01	<0.01
Q3-16	<1	<1 R	<100 J	<200	<1 J	<25	<5	<2	<1	<0.1	<1	<0.1	<50	<50	<50	50.4 J	51.1 J	<110	<5.1	<2	<0.01	<0.01	<0.01
Q4-16	0.26 J	2.1	<100	<200	0.38 J	<25	<5	742	<1	0.516	18.9	0.106	14.2 J	40.1 J	647	78.9 J	79.6 J	18.4 J	<5	<2	<0.011	<0.011	<0.011
	D-1R																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	3200	4.1	<1 J	NA	NA	NA	NA	NA	NA	<5.1	<2	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	2850	3.3	<0.11	<50	<50	<50	<110	<110	20.8 J	<5.6	<2.2	<0.011	<0.011	<0.011
Q3-16	<1	<1	<100 J	<200	<1	<25	<5	<2	<1	1660 J	3.5	<0.1	<50	<50	<50	32.8 J	32.8 J	<110	<5.2	<2.1	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	2230 J	2.8	<0.1	<50	<50	<50	35.6 J	36.6 J	<100	<5	<2	<0.01	<0.01	<0.01
	E-1R																						
Q1-16	0.81	0.77 J	<100	<200	<1	6.4 J	<5	1.9	<1	62.1	7.5	<1 J	NA	NA	NA	NA	NA	NA	3.3 J	2.9	0.013 J	<0.01	<0.01
Q2-16	0.28 J	11.7	<100	<200	<1	<25	<5	39.5	<1	52.4	4.5	0.294	<50	<50	55.4	<100	<100	22.7 J	2.9 J	<2.2	<0.011	<0.011	<0.011
Q3-16	0.59 J	<1	<100	<200	<1	<25	<5	<2	<1	46.1	6.4	<0.11	<50	<50	<50	33.5 J	63.5 J	<110	<5.4	<2.2	<0.01	<0.01	<0.01
Q4-16	0.79 J	<1	<100	<200	<1	<25	<5	0.4 J	<1	58.7 J	5.1	<0.1	<50	<50	<50	63.5 J	98.2 J	<100	2.1 J	<2	<0.01	<0.01	<0.01
	G-1R3																						
Q1-16	<50	17600	<100	<200	87.1 J	<1000	<500	67600	<100	0.269	<100	<0.11	NA	NA	NA	NA	NA	NA	<5.6	<2.2	<0.01	<0.01	<0.01
Q2-16	1080	22100	<100	<200	68 J	<2500	<500	69300	1180	0.259	<100	<0.1	112	753	63100	<110	<110	25.8 J	<5.2	<2.1	<0.011	<0.011	<0.011
Q3-16	<200	18300	<100	<200	88 J	<5000 J	<1000	72740	<200	0.425	<200	<0.11	125	14100	74600	58.3 J	59.9 J	<110	<5.5	<2.2	<0.011	<0.011	<0.011
Q4-16	<25	23300	<100	<200	84.8	<630	<130	65980	<25	0.18 J	<25	<0.1	151	17800	85000	48.8 J	49.8 J	<110	<5.2	<2.1	<0.01	<0.01	<0.01
	MW-11																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	385	1.9	<1	NA	NA	NA	NA	NA	NA	<5.2	<2.1	<0.011	<0.011	<0.011
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	289	1.5	<0.1	<50	<50	<50	<100	<100	<100	<5	<2	<0.01	<0.01	<0.01
Q3-16	<1	<1	<100 J	<200 J	<1	<25	<5	<2	<1	245	2.2	<0.11	<50	<50 J	<50	<100	<100	<100	<5.3	3.4	<0.011	<0.011	<0.011
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	339	1.4	<0.11	<50	<50	<50	<110	<110	<110	<5.5	<2.2	<0.01 J	<0.01	<0.01 J
	S-28																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	11.8	<1	<1 J	NA	NA	NA	NA	NA	NA	<5.1	<2	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	330	1.9	<0.1	<50	<50	<50	<110	<110	<110	<5.1	<2	<0.01	<0.01	<0.01
Q3-16	<1	<1 J	<100 J	<200	<1 J	<25	<5	<2	<1	278	2.3	<0.1	<50	<50	<50	<110	<110	<110	<5.1	<2.1	<0.011	<0.011	<0.011
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	87 J	1.2	<0.1	<50	<50	<50	<100	<100	19.6 J	<5	<2	<0.01	<0.01	<0.01
	S-29																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	11.6	0.76 J	<0.1	NA	NA	NA	NA	NA	NA	<5	<2	<0.01	<0.01	<0.01
Q2-16	0.25 J	<1	<100	<200	<1	<25	<5	<2	<1	11.7	0.66 J	<0.1	<50	<50	40.7 J	<100	<100	<100	<5	<2	<0.01	<0.01	<0.01
Q3-16	<1	<1	<100	<200	<1	<25 J	<5	0.32 J	<1	10.6	0.55 J	<0.1	<50	10.6 J	53.1	109	119	325	<5.1	<2	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	12.5	0.45 J	<0.11	<50	21.7 J	<50	<100	<100	<100	<5.3	<2.1	<0.01 J	<0.01	<0.01 J

Table 12
Building 5 Area 2016 Groundwater Analytical Results

Parameter	Building 5 Area COCs								Other Building 5 Area COPCs														
	Benzene	Ethylbenzene	Isopropyl Alcohol	Methanol	Toluene	Acetone	Methyl Isobutyl Ketone (MIBK)	Xylene (total)	1,1-Dichloroethane	1,4-Dioxane	Methyl Tert Butyl Ether	Naphthalene	C9-C10 Aromatics (Unadj.)	C9-C12 Aliphatics	C9-C12 Aliphatics (Unadj.)	C11-C22 Aromatics	C11-C22 Aromatics (Unadj.)	C9-C18 Aliphatics (Unadj.)	Benzaldehyde	Bis(2-ethylhexyl)phthalate	4,4'-DDT	Dieldrin	Heptachlor Epoxide
Screening Level	**Concentration (ug/L)**																						
USEPA MCL or Tap Water RSL	5	700	410	20000	1000	14000	6300	10000	2.8	0.46	14	0.17	5.5	100	100	5.5	5.5	100	19	6	0.23	0.0018	0.2
PRWQS[1]	5	530	---	---	1000	---	---	10000	---	---	14	0.17	---	---	---	---	---	---	---	12	0.0022	0.00052	0.00039
USEPA Residential GW VI	1.3	2.6	450000	86000000	15000	18000000	420000	290	6.2	2200	370	3.2	---	---	---	---	---	---	---	---	---	---	0.7
USEPA Industrial GW VI	5.6	12	1900000	360000000	63000	77000000	1800000	1200	27	9600	1600	14	---	---	---	---	---	---	---	---	---	---	3.1
	S-30																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	2220	<1	<1	NA	NA	NA	NA	NA	NA	0.9 J	<2	<0.01	<0.01	<0.01
Q2-16	0.41 J	<1	<100	<200	<1	<25	<5	<2	<1	1370	3.8	<0.1	<50	<50	<50	<110	<110	<110	<5.2	<2.1	<0.01	<0.01	<0.01
Q3-16	0.25 J	<1	<100	<200	<1	<25 J	<5	<2	<1	1330	4	<0.11	<50	<50	<50	<110	<110	<110	<5.3	<2.1	<0.01	<0.01	<0.01
Q4-16	0.43 J	<1	<100	<200	<1	<25	<5	<2	<1	1190	4	<0.11	<50	<50	<50	<110	<110	18.8 J	<5.5	<2.2	<0.011 J	<0.011	<0.011 J
	S-31R2																						
Q1-16	4.4 J	4420	<100	<200	<10	<100	<50	5590	<10	19.7	5.9 J	<1	NA	NA	NA	NA	NA	NA	2 J	<2	<0.01	<0.01	<0.01
Q2-16	<20	1360	<100	<200	<20	261 J	<100	<40	<20	40.1	8.2 J	<0.11	39.3 J	113	1420	<110	<110	<110	2.3 J	<2.2	<0.011	<0.011	<0.011
Q3-16	2.1	1630	<100	<200	<1	<25 J	<5	0.92 J	<1	23	7.3	<0.1	67.1	61.3	1510	32.3 J	32.3 J	172	<5.2	<2.1	<0.011	<0.011	<0.011
Q4-16	2.7	3340 J	<100	<200	0.91 J	<25	<5	5960.46	<1	22	4.6	<0.1	59.2	1890	7660	<110	<110	25.1 J	2 J	<2	<0.011	<0.011	<0.011
	S-32																						
Q1-16	<50	49900	<100	<200	74.9 J	<1000	<500	86400	<100	3.06	<100	0.321 J	NA	NA	NA	NA	NA	NA	<5	<2	<0.051	<0.051	<0.051
Q2-16	<1000	49600	<100	<200	<1000	<25000	<5000	86210	<1000	3.18	<1000	0.372	463	11200	108000	49.5 J	49.5 J	185	<5	<2	<0.052	<0.052	<0.052
Q3-16	<1000	36800	<100 J	<200	<1000	<25000	<5000	60190	<1000	4.23	<1000	0.364	305	4780	92000	47.6 J	47.6 J	<100	<5.6	2.2	<0.05	<0.05	<0.05
Q4-16	3.7	32900	<100	<200	50	<25	<5	58500	<1	3.72 J	0.66 J	0.411	530	2250	95900	<110 J	<110	<110	<5	<2	<0.01	<0.01	<0.01
	S-33																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	0.45 J	<1	32.5	8.9	<0.11	NA	NA	NA	NA	NA	NA	1.6 J	<2.2	<0.011	<0.011	<0.011
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	24.3	5.8	<0.11	50	<50	72.3	<110	<110	20.6 J	<5.6	<2.2	<0.011	<0.011	<0.011
Q3-16	<1	<1	<100	<200	<1	<25 J	<5	<2	<1	18.2	5.7	<0.1	64.6	28.9 J	94.5	<100	<100	<100	<5	<2	<0.01	<0.01	<0.01
Q4-16	0.23 J	41.9 J	<100	<200	<1	<25	<5	26.6	<1	18.8	4.8	<0.1	44 J	24.5 J	128	<110	<110	<110	<5	<2	<0.01	<0.01	<0.01
	S-34																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	16.4	4.4	<0.1	NA	NA	NA	NA	NA	NA	<5.1	<2	<0.011	<0.011	<0.011
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	16.7	3.6	<0.11	<50	<50	<50	<110	<110	22.7 J	<5.5	<2.2	<0.011	<0.011	<0.011
Q3-16	<1	<1	<100	<200	<1	<25 J	<5	<2	<1	12.6	4.3	<0.1	<50	<50	<50	<100	<100	<100	<5	<2	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	13.5	3	<0.1	<50	9.5 J	16.3 J	<100	<100 J	<100	<5.1	<2	<0.011	<0.011	<0.011
	S-35D																						
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	<1	<1	<0.1	<50	<50	<50	<100	<100	<100	<5.1	<2	<0.01	<0.01	<0.01
Q3-16	<1	<1	<100 J	<200	<1	<25	<5	<2	<1	26	<1	<0.1	<50	<50	<50	40.3 J	40.3 J	<100	<5	<2	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	25	<1	<0.1	<50	<50	<50	<110 J	<110	<110	<5	<2	<0.01	<0.01	<0.01
	S-35S																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	255	2.1	<1	NA	NA	NA	NA	NA	NA	<5.1	<2	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	307	1.7	<0.1	<50	<50	<50	<110	<110	<110	<5	2.5	<0.011	<0.011	<0.011
Q3-16	<1	<1	<100 J	<200	<1	<25	<5	<2	<1	372	1.6	<0.1	<50	<50	<50	41 J	41 J	<110	<5.1	<2	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	110	0.8 J	<0.11	<50	<50	<50	<110	<110 J	<110	<5.3	<2.1	<0.011	<0.011	<0.011
	S-36																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	3.73	0.83 J	<0.1	NA	NA	NA	NA	NA	NA	<5.1	<2	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	2.86	<1	<0.1	<50	<50	<50	35.2 J	35.2 J	<100	<5	2.1	<0.011	<0.011	<0.011
Q3-16	<1	<1	<100	<200	<1	<25 J	<5	<2	<1	3.23	0.66 J	<0.1	<50	<50	<50	<100	<100	<100	<5	<2	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	0.29	<1	<0.1	<50	<50	<50	<100	<100	<100	<5	<2	<0.01	<0.01	<0.01

Table 12
Building 5 Area 2016 Groundwater Analytical Results

Parameter	Building 5 Area COCs								Other Building 5 Area COPCs														
	Benzene	Ethylbenzene	Isopropyl Alcohol	Methanol	Toluene	Acetone	Methyl Isobutyl Ketone (MIBK)	Xylene (total)	1,1-Dichloroethane	1,4-Dioxane	Methyl Tert Butyl Ether	Naphthalene	C9-C10 Aromatics (Unadj.)	C9-C12 Aliphatics	C9-C12 Aliphatics (Unadj.)	C11-C22 Aromatics	C11-C22 Aromatics (Unadj.)	C9-C18 Aliphatics (Unadj.)	Benzaldehyde	Bis(2-ethylhexyl)phthalate	4,4'-DDT	Dieldrin	Heptachlor Epoxide
Screening Level	**Concentration (ug/L)**																						
USEPA MCL or Tap Water RSL	5	700	410	20000	1000	14000	6300	10000	2.8	0.46	14	0.17	5.5	100	100	5.5	5.5	100	19	6	0.23	0.0018	0.2
PRWQS[1]	5	530	---	---	1000	---	---	10000	---	---	14	0.17	---	---	---	---	---	---	---	12	0.0022	0.00052	0.00039
USEPA Residential GW VI	1.3	2.6	450000	86000000	15000	18000000	420000	290	6.2	2200	370	3.2	---	---	---	---	---	---	---	---	---	---	0.7
USEPA Industrial GW VI	5.6	12	1900000	360000000	63000	77000000	1800000	1200	27	9600	1600	14	---	---	---	---	---	---	---	---	---	---	3.1
	S-37																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	34.7	0.81 J	<0.11	NA	NA	NA	NA	NA	NA	<5.5	<2.2	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	25.2	<1	<0.1	<50	<50	<50	<100	<100	<100	<5	2	<0.01	<0.01	<0.01
Q3-16	<1	<1	<100	<200	<1	<25 J	<5	<2	<1	19.7	0.61 J	<0.1	<50	<50	<50	<110	<110	<110	<5	<2	NA	NA	NA
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	19.9	0.72 J	<0.1	<50	<50	<50	<100 J	<100 J	<100	<5	<2	<0.01	<0.01	<0.01
	S-38																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	449	1.2	<0.11	NA	NA	NA	NA	NA	NA	<5.6	<2.2	<0.011	<0.011	<0.011
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	210	1.1	0.108	<50	<50	<50	<100	<100	<100	<5.2	2.1	<0.011	<0.011	<0.011
Q3-16	<1	<1	<100 J	<200	<1	<25	<5	<2	<1	2470	3.7	<0.1	<50	<50	<50	46 J	46 J	<110	<5.1	<2	<0.01	<0.01	<0.01
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	229	0.58 J	<0.1	<50	<50	<50	<100	<100	<100	<5.1	<2	<0.01 J	<0.01	<0.01 J
	S-39D																						
Q2-16	<1	5.6	<100	<200	<1	<25	<5	14.15	<1	27.2	<1	<0.11	<50	<50	<50	<110	<110	<110	<5.6	<2.2	<0.012	<0.012	<0.012
Q3-16	<1	<1 J	<100 J	<200	<1 J	<25	<5	<2	<1	81.6	0.37 J	<0.11	<50	<50	<50	<110	<110	<110	<5.6	<2.2	<0.012	<0.012	<0.012
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	51.6	<1	<0.11	<50	<50	<50	<100 J	<100 J	<100	<5.6	<2.2	<0.01 J	<0.01	<0.01
	S-39S																						
Q2-16	0.3 J	1670	<100	<200	4.8	<25	<5	5835	<1	32.6	0.25 J	<0.12	<50	<50	6780	<110	<110	<110	<6.2	<2.5	<0.01	<0.01	<0.01
Q3-16	<50	2360	<100 J	<200	<50	<1300	<250	7627	<50	39.6	<50	<0.1	<50	1470	7830	<100	<100	<100	3 J	<2.1	<0.012	<0.012	<0.012
Q4-16	<1	218	<100	<200	0.24 J	<25	<5	903.4	<1	51.6 J	0.33 J	<0.1	10 J	59.7	1400	<100 J	<100	84.9 J	1.8 J	<2.1	<0.01	<0.01	<0.01
	UP-1																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	1.47	<1	<0.1	NA	NA	NA	NA	NA	NA	<5	5.6	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	1.83	<1	<0.1	43.1 J	<50	62.3	<100	<100	<100	<5.2	<2.1	<0.01	<0.01	<0.01
Q3-16	<1	0.27 J	<100	<200	<1	<25 J	<5	0.57 J	<1	2.41	<1	<0.11	55.2	21.8 J	77.9	38.4 J	38.4 J	496	<5.3	<2.1	0.021	0.013	0.0053
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1 J	0.91	<1	<0.11	43.9 J	19.8 J	63.7	34.2 J	36.8 J	<100	<5.3	<2.1	<0.011	<0.011	<0.011
	UP-2																						
Q1-16	<0.5	<1	<100	<200	<1	<10	<5	<1	<1	358	4.4	<0.1	NA	NA	NA	NA	NA	NA	<5	<2	<0.01	<0.01	<0.01
Q2-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	514	3.2	<0.11	<50	<50	<50	<100	<100	<100	<5.3	<2.1	<0.01	<0.01	<0.01
Q3-16	<1	<1	<100	<200	<1	<25 J	<5	<2	<1	328	3	<0.11	<50	<50	<50	42.6 J	42.6 J	<100	<5.3	<2.1	<0.005	<0.005	<0.005
Q4-16	<1	<1	<100	<200	<1	<25	<5	<2	<1	324	2.6	<0.11	10.1 J	<50	16.9 J	<100 J	<100 J	<100	<5.6	<2.2	<0.01	<0.01	<0.01

Notes:

[1] April 2016 Puerto Rico Water Quality Standards Regulation for Class SG groundwater.

--- No MCL, RSL, or PRWQS is available for this compound.

--- USEPA and/or PREQB have not developed a screening level for this compound.

Values which exceed a Drinking Water Quality Standard (USEPA MCL, USEPA Tapwater RSL, PRWQS) and/or a USEPA Groundwater Concentration for Vapor Intrusion are shown highlighted yellow.

Sample results with elevated reporting limits, due to sample dilution from the presence of other target compounds, that are above USEPA and PREQB groundwater action levels are shaded gray.

J - Indicates an estimated value.

NA - Sample was not analyzed for this parameter.

R - Sample result is not usable because it did not meet required quality assurance/quality control limits.