Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road
Toledo, Ohio 43613

Prepared for

Axalta Coating Systems, LLC
400 Groesbeck Highway
Mt. Clemens, MI 48043

Prepared by

Dragun Corporation
Environmental Advisors

30445 Northwestern Highway, Suite 260
Farmington Hills, Michigan 48334
Phone: (248) 932-0228
Fax: (248) 932-0618
Project #30380-27

March 13, 2018

EXECUTIVE SUMMARY

The information presented in this summary should be read in conjunction with the entire report to obtain a full understanding of the issues and opinions presented.

Axalta Coating Systems, LLC (Axalta) retained Dragun Corporation (Dragun) to complete corrective measures in accordance with the Corrective Measures Study (CMS) at 1930 Tremainsville Road, Toledo, Ohio, EPA I.D. No. OHD 005-041-843 (Property). The CMS includes an evaluation of exposure pathways and Media Cleanup Objectives (MCOs) to address potential exposures to chemicals detected in groundwater. This groundwater report evaluates the key contaminants identified by the U.S. Environmental Protection Agency (EPA) in their 2014 Environmental Indicator determination

The U.S. EPA previously developed a list of twelve key contaminants in groundwater. To evaluate the groundwater quality, Dragun reviewed groundwater analytical results for samples obtained from 2003 through 2016. The samples were obtained from monitoring wells in three water-bearing zones identified as the A, B, and D zones. Key observations from the groundwater quality data evaluation are:

- The CMS identified receptor is a construction/excavation worker. The pathway of concern is limited to the dermal pathway. However, the dermal pathway is not relevant since the Chemicals of Concern (COCs) do not exceed the dermal MCO.

- Based on the historical groundwater analytical results, 10 of the 12 key contaminants do not show reasonable evidence of contamination for the A, B, or D zones. Two of the key contaminants (arsenic and manganese) were evaluated further. Based on historical chemical concentrations and trend analysis, arsenic and manganese show stable or decreasing chemical trends at the downgradient monitoring wells. Accordingly, the downgradient groundwater quality is not being further degraded. Additionally, significant COC concentrations greater than the EPA Regional Screening Levels (RSLs) exist at upgradient and/or sidegradient wells. The high COC concentrations at upgradient and sidegradient wells show that groundwater flowing onto the Property already exceed the EPA RSLs.

- Groundwater use at the Property or vicinity is not impeded due to the following: (1) shallow groundwater is not used at the Property or by residents in the vicinity, (2) a restrictive covenant will be recorded that will apply restrictions on Property groundwater use, (3) the shallowest drinking-water wells in Lucas County are 80 to 150 feet in depth and are separated from impacted groundwater at the Property by an aquitard, and (4) the State of Ohio code [3745-9-05 (B) (3)] restricts the depth of drinking-water wells to no less than 25 feet (greater than the depth of the A and B zones, where the highest COC concentrations are observed).

Based on this groundwater quality evaluation, further groundwater evaluation or corrective measures are not warranted.

Dragun Corporation
Environmental Advisors

30445 Northwestern Hwy., Suite 260, Farmington Hills, MI 48334 • Phone: 248.932.0228 • Fax: 248.932.0618

March 13, 2018

Mr. Christopher J. Black
US EPA Region 5
77 West Jackson Boulevard
Mail Code: LU-9J
Chicago, IL 60604-3507

SUBJECT: Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road
Toledo, Ohio 43613
Project #30380-27

Dear Mr. Black:

Dragun Corporation (Dragun) is pleased to provide the "Groundwater Quality Evaluation Report, Axalta Coating Systems, LLC, EPA I.D. No. OHD 005-041-843, 1930 Tremainsville Road, Toledo, Ohio 43613." Please contact one of us at (248) 932-0228 if you have any questions regarding this report.

Sincerely,

DRAGUN CORPORATION

Mark E. Resch, L.P.G.
Senior Geologist

Matthew C. Schroeder, P.E.
Senior Environmental Engineer

MER/MCS/amr

cc: Ms. Denise Trabbic-Pointer, Axalta Coating Systems, LLC
Mr. Rodney Maier, Axalta Coating Systems, LLC
Mr. John Alonzo, de maximis

Attachment

TABLE OF CONTENTS

TITLE **Page**

LIST OF FIGURES III
LIST OF TABLES III
LIST OF APPENDICES III
ABBREVIATIONS / ACRONYMS IV
INTRODUCTION 1
BACKGROUND 1
Property History 1
Current Setting 1
Property Physical Conditions 2
Geological Conditions 2
Hydrogeological Conditions 2
Surface-Water Conditions 3
Areas of Concern 4
Chemicals of Concern 4
GROUNDWATER QUALITY EVALUATION 5
Groundwater Evaluation Criteria 5
Groundwater-Flow Direction 5
Historical Groundwater Quality Summary 6
Evaluation of Groundwater Data 6
Calculation of Media Cleanup Objectives 10
Evaluation of B and D Zone Arsenic 10
Evaluation of B Zone Arsenic 10
Evaluation of D Zone Arsenic 11
Evaluation of A Zone Manganese 12
CONCLUSION 13

LIST OF FIGURES

FIGURE	TITLE
1	Site Location Map
2	Property Features Map
3	Land Surface Map
4	Cross-Section A-A'
5	Cross-Section B-B'
6	Cross-Section C-C'
7	Groundwater Monitoring Well Locations

LIST OF TABLES

TABLE	TITLE
1	Summary of Groundwater Monitoring Wells
2	SWMU and AOC Summary
3	2003 - 2016 Groundwater Data Summary of Detections, EI COCs
4	2003 - 2016 Groundwater Data Evaluation, EI COCs
5	Calculation of Dermal MCO

LIST OF APPENDICES

APPENDIX	TITLE
A	Historical Groundwater-Flow Maps (2013 - 2016)
B	Summary of Groundwater Laboratory Data
C	Mann-Kendall Trend Test for B and D Zone Arsenic

ABBREVIATIONS / ACRONYMS

AOC	Area of Concern
CMS	Corrective Measures Study
COC	Chemical of Concern
EI	Environmental Indicator
EPA	Environmental Protection Agency
fbgl	feet below ground level
fasl	feet above sea level
ft	feet
LWR	Limited Resource Water
MCO	Media Cleanup Objective
OAC	Ohio Administrative Code
ODNR	Ohio Department of Natural Resources
RCRA	Resource Conservation and Recovery Act
RSL	Regional Screening Level
SVOC	Semi-Volatile Organic Compound
SWMU	Solid Waste Management Unit
VOC	Volatile Organic Compound
µg/L	micrograms per liter

INTRODUCTION

Axalta Coating Systems, LLC (Axalta) retained Dragun Corporation (Dragun) to complete corrective measures in accordance with the Corrective Measures Study (CMS)[1] at 1930 Tremainsville Road, Toledo, Ohio, EPA I.D. No. OHD 005-041-843 (Property). The CMS includes an evaluation of exposure pathways and Media Cleanup Objectives (MCOs) to address potential exposures to chemicals detected in groundwater. This groundwater report evaluates the key contaminants identified by the U.S. Environmental Protection Agency (EPA) in their 2014 Environmental Indicator (EI) determination.[2] Figures 1 and 2 show the Property in relation to the surrounding vicinity.

The CMS indicates:

> "To evaluate the intermittent, chemical trends and to establish MCOs,[3] groundwater quality will be compared to background as measured at upgradient monitoring wells. A determination will be made of the potential for a statistically-significant increase versus time. The objective is to protect potential exposure to construction/excavation workers that may come into contact with groundwater at Zone A."

This Groundwater Quality Evaluation Report presents the results of the groundwater evaluation.

BACKGROUND

Property History

Manufacturing operations commenced at the Property in 1917 with the Mountain Varnish and Color Works Company that manufactured paint. DuPont acquired the Property in 1934 and manufactured paint, pigments, surface coatings, and clear finishes from 1934 through 1994. DuPont manufactured primarily resins and polymers from 1994 until February 2013. Since February 2013, Axalta has used the Manufacturing Area to manufacture resins. Dibble Park (Figure 2) is an open area that was historically used for employee recreation and garden plots; it does not include manufacturing.

Current Setting

The Property has an area of approximately 36 acres that is divided into two areas: (1) the Manufacturing Area and (2) Dibble Park (Figure 1). A 6-foot-high fence topped with barbed

---

[1] Dragun Corporation, "Corrective Measures Study, Axalta Coating Systems, LLC, EPA I.D. No. OHD 005-041-843, 1930 Tremainsville Road, Toledo, Ohio 43613," January 29, 2015.
[2] U.S. EPA, Region 5, "Current Human Exposures Under Control, Axalta (formerly DuPont) Toledo Facility," August 19, 2014.
[3] MCOs = Media Cleanup Objectives.

wire surrounds the Property. Both the Manufacturing Area and Dibble Park are currently zoned M-2, industrial.[4]

Buildings or pavement covers the majority of the Manufacturing Area, except for the perimeter. The perimeter includes gravel or vegetated areas. The land surface within Dibble Park is predominately grass, except for one paved access road. Figure 3 shows the current Property land surfaces.

Property Physical Conditions

The ground surface has an elevation of approximately 609 to 615 feet above sea level (fasl). The following sections discuss the generalized, geological, hydrogeological, and surface-water conditions.

Geological Conditions

Various investigations have been performed at the Property since 1991 (DuPont, 2008). These subsurface investigations reached a depth of approximately 46 feet below ground level (fbgl) and identified four laterally-continuous soil units. These units, from shallow to deepest, are the A, B, C, and D zones. Generalized geologic cross sections are enclosed as Figures 4 through 6. A summary of the subsurface geology is as follows:

Summary of Subsurface Geology			
Zone ID	**Generalized Soil Description**	**Approximate Range of Depth to Top of Zone Below Grade (ft)**	**Observed Thickness (ft)**
A	Sand and fill material	0 - 10	1.5 - 10
B	Silt and clay; no gravel	1.5 - 10	8 - 28
C	Silt and clay; trace gravel	25.5 - 33	5 - 19
D	Dense; gray till	38 - 46	>6

Hydrogeological Conditions

Groundwater is not used for drinking water or irrigation on, or near, the Property. City water is used for potable water. City water is also provided to the surrounding properties. Lake Erie (approximately 5.6 miles to the east) is the source of domestic water supply for the City of Toledo and surrounding communities. The Ohio Department of Natural Resources (ODNR) well-log

[4] City of Toledo, Plan Commission, "Zoning Maps," http://toledo.oh.gov/

records show that the closest production well for drinking water is at the Toledo Hospital, located approximately 1.9 miles south of the Property.[5]

A monitoring-well network was installed at the Property to evaluate the hydrogeological characteristics and chemical distribution of the A, B, and D zones. The C zone is not considered a groundwater-bearing unit and "was not characterized as a sufficiently [*sic*] water-bearing zone" (Parsons, 2010).[6] Fourteen monitoring wells are evaluated in the A zone, eleven in the B zone, and eleven in the D zone. Table 1 summarizes the monitoring wells. Figure 7 and the historical Groundwater-Flow Maps (Appendix A) show the monitoring-well locations.

The depth to groundwater is approximately 1 to 10 fbgl. The shallowest groundwater depths are for monitoring wells located near Tifft Creek. Dragun evaluated the groundwater-flow direction for four years (2013 through 2016) for each zone. The flow direction has been to the approximate east-northeast in all three zones for each of the four years. Dragun evaluated the groundwater trends using this information.

Surface-Water Conditions

Storm sewers primarily collect precipitation at the Manufacturing Area. The stormwater discharges to Blodgett Ditch (Figure 2). Blodgett Ditch is an entirely-enclosed 60-inch-diameter storm sewer that traverses the Property. Surface-water bodies do not exist at the Manufacturing Area.

Tifft Creek (Figure 2) traverses Dibble Park from west to east. However, Tifft Creek no longer flows through Dibble Park as a diversion structure was installed in 2003 to the west of Dibble Park.[7] Tifft Creek is currently a vegetated swale that contains surface water only after precipitation events.

> "The Tifft Creek channel is approximately 3 feet deep by 6 feet wide and was originally located approximately 250 feet north of the plant area. Before the City of Toledo redirected its flow, Tifft Creek flowed from west to east through Dibble Park. The creek flow in the remaining creek bed is now intermittent and occurs only during flooding events. The City of Toledo barrier diverts the flow of Tifft Creek along the railroad track west of the Site and around the Site to the north. Thus, potential stormwater flow into the creek can only occur during severe storm events when stormwater flows over the barrier. Tifft Creek has been designated by the Ohio EPA in Rule 3745-1-07 of the Ohio Administrative Code (OAC; Water Use Criteria and Designations) as a limited resource water (LRW) with a designation of small drainage-way maintenance for agricultural and industrial water supply and

[5] Dragun Corporation, "Groundwater Baseline Evaluation, Axalta Coatings Systems LLC, 1930 Tremainsville Road, Toledo, Ohio," January 22, 2014.
[6] Parsons Corporation, "Environmental Indicator Determination Report, Current Human Exposure Under Control (CA725), DuPont Automotive Products Facility, Toledo, Ohio," January 2010.
[7] DuPont Corporate Remediation Group, "Current Conditions Report, DuPont Automotive Products Facility, Toledo, Ohio," August 2008.

secondary contact recreation. This designation means that Tifft Creek is a highly modified surface-water drainage way that does not possess the stream morphology and habitat characteristics necessary to support any other aquatic life habitat use. The potential for habitat improvements are precluded due to the regular stream channel maintenance that is required to maintain proper drainage" (Parsons, 2010).

Areas of Concern

Seventy-four Solid Waste Management Units (SWMUs) and/or Areas of Concern (AOCs) are at the Property (DuPont, August 2008). Table 2 summarizes the SWMUs and AOCs.

Investigation of the SWMUs, AOCs, and groundwater was concluded in 2009.

Chemicals of Concern

An EI evaluation was prepared by U.S. EPA in 2014. "Key contaminants" are identified for several media (EPA, 2014) including groundwater. The key contaminants, i.e. Chemicals of Concern (COCs), for groundwater include two Volatile Organic Compounds (VOCs), five Semi-Volatile Organic Compounds (SVOCs), and five metals. Table 3 summarizes the COCs.

As noted in the EI, contamination is identified if the COCs are "reasonably suspected to be contaminated above appropriately protective risk-based levels" (EPA, 2014). The U.S. EPA used the Regional Screening Levels (RSLs) to determine if contamination is reasonably suspected. The RSLs are based on an excess cancer risk of 1×10^{-6} and a hazard quotient of 1 for non-cancer effects. Table 3 compares the COCs to the generic RSLs. The RSLs are used for screening purposes and do not represent "de facto cleanup standards and should not be applied as such."[8]

Several COCs are shown in Table 3 as exceeding the RSLs. However, the EI indicates "all significant exposures have been shown to be within acceptable limits." The basis for the EI determination by the U.S. EPA is:

> "Groundwater for potable purposes is not used at or in the near vicinity of the site. However, there is a potential that construction workers engaged in excavation activities may encounter the water table. To help mitigate theses [*sic*] exposures a health and safety policy and procedures are employed at the facility to protect against construction worker exposures. The purpose of the health and safety policies and procedures is to ensure that appropriate measures are taken for personnel [*sic*] protection should such subsurface activity encounter impacted groundwater (e.g., PPE)."

[8] U.S. EPA, Risk Assessment, "Regional Screening Levels, Frequent Questions (November 2017), Why are SLs used?" https://www.epa.gov/risk/regional-screening-levels-frequent-questions-november-2017#FQ3

GROUNDWATER QUALITY EVALUATION

Groundwater Evaluation Criteria

Per the CMS, the potential exposure pathways for groundwater are limited to (1) ingestion, (2) dermal contact, and (3) inhalation for a construction/excavation worker receptor. The tap water pathway is not relevant based on the following:

- The CMS indicates groundwater "is not used at the Property or by residents in the vicinity for ingestion, since potable water is provided by the local municipality" (Dragun, 2015). Additionally, the groundwater is not used for irrigation.
- Water supply at the Property and for the surrounding area is provided by the City of Toledo municipal system.
- A restrictive covenant will be recorded that will apply restriction on how groundwater is used at the Property.
- Based on a discussion with a Lucas County, Ohio, sanitarian, the shallowest drinking-water wells in Lucas County are 80 to 150 feet in depth. The A, B, and D zones are separated from the drinking-water zone by an aquitard.
- The State of Ohio code [3745-9-05 (B) (3)] restricts the depth of drinking-water wells to not less than 25 feet. Per the State code, the A and B zones where the highest COC concentrations are observed will not be used for drinking-water wells.

Groundwater-Flow Direction

The groundwater monitoring program (2013 through 2016) has included the calculation of the groundwater-flow direction. The groundwater monitoring well locations include upgradient, sidegradient, area of operations, and downgradient monitoring locations (Figure 7 and Appendix A). Table 1 summarizes the groundwater monitoring wells.

The general groundwater-flow direction is to the approximate east-northeast in all three zones for all four years of measurement.

Based on the east-northeast groundwater-flow direction, the following groundwater monitoring wells are located upgradient (at the approximate west Property boundary):

Summary of Upgradient Groundwater Monitoring Wells			
CRG-02A	CRG-03A	CRG-04A	CRG-06A
CRG-02B	CRG-03B	CRG-04B	CRG-06B
CRG-02D		CRG-04D	

Further, groundwater monitoring-well nests CRG-01 and CRG-07 are located sidegradient.

Historical Groundwater Quality Summary

Groundwater investigation began in 1991 with the initiation of a Resource Conservation and Recovery Act (RCRA) unit closure. In 2003, a Property-wide assessment commenced for the evaluation of the SWMUs and AOCs. The Property-wide assessment included installation of the monitoring-well network for the evaluation of the A, B, and D zones (Parsons, 2010). Groundwater-related conclusions from these investigations are as follows (Parsons, 2010):

- "There is minimal [*sic*] potential for exposure to groundwater since it is not used on-site for potable or industrial purposes and residential users of groundwater have not been identified within a one-mile radius of the Site. However, due to the shallow depth of groundwater in some portions of the Site, exposure may occur during excavation/utility activities."

- "The migration of contaminants in groundwater has stabilized."

An annual groundwater monitoring program was implemented in 2013 and continued through 2016. The CMS states, "groundwater quality will be compared to background as measured at upgradient monitoring wells over two additional, annual, groundwater sampling events" (Dragun, January 2015).

Groundwater samples were obtained from the monitoring-well network and analyzed for VOCs, SVOCs, and metals. The groundwater analytical results were summarized in four annual groundwater monitoring reports.[9,10,11,12] Appendix B summarizes the historical groundwater analytical data from 2003 to 2016 for certain monitoring wells and for the 2013 through 2016 monitoring program wells.

Evaluation of Groundwater Data

The EPA EI indicates the COCs are two VOCs, five SVOCs, and five metals. The COCs are as follows:

Summary of COCs			
COC	**COC Category**	**Zone Observed**	**Maximum Observed Concentration (µg/L)**
Benzene	VOC	B	0.5
Chloroform	VOC	A	1.0
Benzo(a)anthracene	SVOC	A, B, D	1.0

[9] Dragun Corporation, "Groundwater Baseline Evaluation – 2013," January 22, 2014.
[10] Dragun Corporation, "Groundwater Monitoring Data Review – 2014," January 6, 2015.
[11] Dragun Corporation, "Groundwater Monitoring Data Review – 2015," March 17, 2016.
[12] Dragun Corporation, "Groundwater Monitoring Data Review – 2016," December 9, 2016.

Summary of COCs			
COC	**COC Category**	**Zone Observed**	**Maximum Observed Concentration (µg/L)**
Benzo(b)fluoranthene	SVOC	A, B, D	56
Benzo(a)pyrene	SVOC	A, B, D	2.0
Bis(2-ethylhexyl)phthalate	SVOC	A, B, D	21
Indeno(1,2,3-cd)pyrene	SVOC	A, B, D	1.0
Arsenic	Metal	A, B, D	760
Cadmium	Metal	A, D	1,240
Lead	Metal	A, B, D	491
Manganese	Metal	A	5,150
Thallium	Metal	A, B	9.4
µg/L = micrograms per liter.			

Dragun's evaluation of the 2003 - 2016 groundwater data (Appendix B) is summarized in Table 4 and for each COC as follows:

- Benzene: Only detected once at a concentration that does not exceed the RSL.

- Chloroform: Only detected once with an "estimated value" (J[13]) qualifier at a concentration less than the RSL. Has not been detected since 2004.

- Benzo(a)anthracene:
  A zone: Detected twice at a concentration greater than the RSL. Has not been detected since 2004; highest concentration was 1 J µg/L.
  B zone: Detected once at a concentration less than the RSL.
  D zone: Detected four times with only one sample exceeding the RSL. None of the downgradient wells exceed the RSL.

- Benzo(b)fluoranthene:
  A zone: Detected six times out of 198 samples. None of the detections were at a downgradient well.
  B zone: Detected once at a concentration less than the RSL.
  D zone: Detected six times; two of six detections exceed the RSL. Has not been detected since 2009.

[13] J means "estimated value less than reporting limit, but greater than" method detection limit.

- Benzo(a)pyrene:
  A zone: Detected four times with two detections exceeding the RSL. The detections are all estimated values. Has not been detected since 2009.
  B zone: Detected once at less than the RSL. Has not been detected since 2009.
  D zone: Detected three times at less than the RSL. Has not been detected since 2009.

- Bis(2-ethylhexyl)phthalate:
  A zone: Eight out of 15 detections exceed the RSL. Six of the eight detections are estimated concentrations ("J"). Second highest concentration at an upgradient well (CRG-02A, 14 µg/L).
  B zone: Seven out of 13 detections exceed the RSL. Second highest concentration at an upgradient well (CRG-06B, 19 µg/L).
  D zone: Seven out of 10 detections exceed the RSL. Highest concentration at an upgradient well (CRG-04D, 17 µg/L).

- Indeno(1,2,3-cd)pyrene:
  A zone: One out of four detections exceeds the RSL. All detections are estimated concentrations. Has not been detected since 2009.
  B zone: Detected once at a concentration less than the RSL.
  D zone: Detected four times at a concentration less than the RSL. Has not been detected since 2009.

- Arsenic:
  A zone: 50 out of 110 detections exceed the RSL. The highest concentration is at an upgradient well (CRG-03A, 209 µg/L). There are no downgradient well exceedances of the RSL.
  B zone: 69 out of 107 detections exceed the RSL. Thirty-nine of the RSL exceedances are at up or sidegradient wells. The highest up or sidegradient well concentration is from well CRG-01B (220 µg/L) located at the south corner of the Property (a sidegradient location). The highest downgradient concentration is 760 µg/L at well CRG-09B.
  D zone: 6 out of 42 detections exceed the RSL. The highest concentration downgradient well (CRG-09D) has been at a stable or decreasing concentration since 2009.

- Cadmium:
  A zone: Four out of 16 detections exceed the RSL. No RSL exceedances at a downgradient well.
  D zone: One out of seven detections exceeds the RSL. No RSL exceedances at a downgradient well.

- Lead:
  A zone: Six out of 15 detections exceed the RSL. None of the downgradient wells exceed the RSL. Highest concentration (129 µg/L) detected at an upgradient well (CRG-06A).

B zone: None of the detections exceed the RSL.
D zone: Two out of eight detections exceed the RSL. Highest concentration detected at an upgradient well (CRG-04D, 79 µg/L).

- Manganese: Nine out of eleven detections exceed the RSL. The highest observed concentration is from a historical investigation well at the operational area (CSP-MW2, 5,150 µg/L [not shown on Figure 7]). Upgradient monitoring wells CRG-03A and CRG-04A contain manganese concentrations exceeding the RSL (1,400 µg/L and 474 µg/L, respectively).

- Thallium:
  A zone: Three out of 24 detections exceed the RSL. Highest concentration detected at an upgradient well (CRG-03A, 1.6 B µg/L).
  B zone: Four out of 20 detections exceed the RSL. Highest concentration detected at a sidegradient well (CRG-01B, 12.2 J µg/L).

Based on the historical groundwater analytical results and the groundwater-flow direction, the majority of the EI COCs do not show reasonable evidence of contamination for the A, B, or D zones. Based on the above evaluation, the following chemicals are removed from the list of COCs:

Arsenic (A zone only)
Benzene
Chloroform
Benzo(a)anthracene
Benzo(b)fluoranthene
Benzo(a)pyrene
Bis(2-ethylhexyl)phthalate
Indeno(1,2,3-cd)pyrene
Cadmium
Lead
Thallium

A summary of the rationale for removing the above chemicals from the list of COCs is as follows:

- Benzene and chloroform were only detected once. The benzene and chloroform concentrations were less than the RSL.
- Benzo(a)anthracene, benzo(b)fluoranthene, benzo(a)pyrene, and cadmium have not been detected at concentrations exceeding the RSL at downgradient monitoring wells.
- Concentrations exceed the RSL at sidegradient and upgradient wells for bis(2-ethylhexyl) phthalate.
- For indeno(1,2,3-cd)pyrene, all A zone detections were observed prior to the 2013 - 2016 monitoring events and were less than the RSL. For the B and D zones, all detections are less than the RSLs.
- For lead at the A and B zones, the downgradient wells do not exceed the RSL. For the D zone, the highest detected concentration is from an upgradient well.

- For thallium, all detected concentrations are estimated concentrations, and the highest concentrations are from sidegradient or upgradient wells.
- For arsenic A zone monitoring, the downgradient monitoring wells do not exceed the RSL and the highest concentration is at an upgradient well.

Arsenic from the B and D zones and manganese from the A zone are retained as COCs based on maximum concentrations exceeding the RSLs.

Calculation of Media Cleanup Objectives

Arsenic and manganese MCOs were calculated for groundwater. The CMS indicated pathways are ingestion, inhalation, and dermal pathways. However, the tap water (ingestion) and inhalation pathways are not complete. Per prior discussion, the tap water pathway is not complete. The inhalation pathway is not complete since the COCs are not VOCs. Accordingly, Dragun calculated the MCO based on the dermal pathway.

Dragun used methodology from the U.S. EPA Risk Assessment Guidance for Superfund[14] to calculate the MCOs. Table 5 shows the calculations. The calculated MCOs are as follows:

Summary of the MCOs for the Dermal Pathway	
COC	**MCO (µg/L)**
Arsenic	4,700
Manganese	150,000,000

None of the monitoring well groundwater samples exceed the dermal pathway MCOs.

Evaluation of B and D Zone Arsenic

Appendix B contains tables summarizing the arsenic analytical results for all monitoring wells. The data in the tables were used to evaluate the observed arsenic concentrations.

Evaluation of B Zone Arsenic

B zone groundwater sampling and analysis was performed annually in 2009 and in 2013 through 2016. Eleven B zone wells are located at the Property. Figure 7 shows the well locations.

Observations from a review of the data (Appendix B) are as follows:

- The highest historically-detected arsenic concentration occurred at CRG-09B, a downgradient well. The high concentration (760 µg/L) occurred in 2009.

[14] U.S. EPA, "Risk Assessment Guidance for Superfund: Volume I – Human Health Evaluation Manual (Part B, Development of Risk-based Preliminary Remediation Goals)," December 1991.

- The 2009 concentration at CRG-09B appears to be an anomaly. Since 2009, four monitoring events have occurred with concentrations ranging between 171 - 238 µg/L.
- Concentrations exceed the RSL at upgradient and sidegradient wells. Significant arsenic concentrations were observed at sidegradient well CRG-01B (220 µg/L) and upgradient wells CRG-02B (54.4 µg/L), CRG-03B (109 µg/L), CRG-04B (19 µg/L), and CRG-06B (78.2 µg/L).
- All of the other downgradient monitoring wells have concentrations equal to or less than the RSL (CRG-08B, CRG-10B, CRG-11B).

Chemical trends were evaluated at five representative B zone wells (CRG-01B, CRG-03B, CRG-05B, CRG-07B, and CRG-09B) using the Mann-Kendall trend test (Appendix C). The Mann-Kendall test assesses whether a time-ordered data set exhibits an increasing or decreasing trend.

The Mann-Kendall trend test results for each of the evaluated B zone wells is as follows:

Summary of Mann-Kendall Trend Test for B Zone Arsenic		
Monitoring Well I.D.	**Location**	**Arsenic Trend**
CRG-01B	Sidegradient	Stable
CRG-03B	Upgradient	Stable
CRG-05B	Area of operations	Stable
CRG-07B	Sidegradient	Increasing
CRG-09B	Downgradient	Stable

Observations from the Mann-Kendall trend test are:

- A stable trend is present in all of the evaluated monitoring wells except for sidegradient well CRG-07B.
- Sidegradient monitoring well CRG-07B exhibits an increasing trend.

Evaluation of D Zone Arsenic

D zone groundwater sampling and analysis was performed annually in 2009 and in 2013 through 2016. Eleven D zone wells are located at the Property. Figure 7 shows the well locations.

Observations from a review of the data (Appendix B) are as follows:

- The highest historically-detected arsenic concentration occurred at CRG-09D, a downgradient well. The high concentration (20.9 µg/L) occurred in 2009.
- Since 2009, the CRG-09D arsenic concentration has decreased every year. In 2016 the concentration was 14 µg/L.

- Well CRG-04D, an upgradient well, had an arsenic concentration of 9 µg/L in 2016. The CRG-04D concentration has been increasing since 2009.

Chemical trends were evaluated at D zone wells using the Mann-Kendall trend test (Appendix C). All of the D zone wells were evaluated, except for CRG-11D which was not sampled at the same time as the other D zone wells.

The Mann-Kendall trend test results for each of the evaluated D zone wells is as follows:

Summary of Mann-Kendall Trend Test for D Zone Arsenic		
Monitoring Well I.D.	**Location**	**Arsenic Trend**
CRG-02D	Upgradient	Stable
CRG-04D	Upgradient	Increasing
CRG-05D	Operational area	Stable
CRG-09D	Downgradient	Decreasing
CRG-10D	Downgradient	Decreasing
CRG-12D	Downgradient	Stable
CRG-13D	Downgradient	No Trend
CRG-14D	Operational area	Stable
CRG-15D	Operational area	No Trend
CRG-16D	Operational area	No Trend

Observations from the Mann-Kendall trend test are as follows:

- A stable or decreasing trend is present in all of the monitoring wells, except for upgradient well CRG-04D and wells CRG-13D, CRG-15D, and CRG-16D.
- Upgradient well CRG-04D exhibits an increasing trend.
- Wells CRG-13D, CRG-15D, and CRG-16D don't exhibit a trend. A "no trend" is evidence that an increasing trend is not occurring.

Evaluation of A Zone Manganese

Manganese testing has been performed on a limited basis. Parsons (2010) indicates manganese "was not analyzed for prior to 2006 and has not been analyzed since as manganese is not a site-related compound and because manganese is a commonly detected metal in shallow groundwater." A total of eleven groundwater samples have been analyzed with the most recent analysis from 2010. None of the downgradient monitoring program wells were sampled. Historically-observed concentrations range between 0.64 J µg/L and 5,150 µg/L. Significant concentrations exceeding the RSL of 430 µg/L were observed at upgradient monitoring wells CRG-03A (1,400 µg/L) and CRG-04A (474 µg/L).

Based on the prior evaluation, contact with shallow groundwater is limited to a construction/ excavation worker for the Property and vicinity. There is no inhalation or ingestion concern. The observed manganese groundwater concentrations in the A zone are significantly lower than the dermal pathway MCO.

CONCLUSION

As indicated in the CMS, the objective is to prevent potential exposure for construction/excavation workers that may come into contact with groundwater at the A zone. The construction/excavation receptor is not impacted, based on the following

- The COCs are arsenic and manganese.
- The ingestion pathway (tap water) is not relevant since the receptor is a construction/excavation worker (e.g., no drinking, cooking, or showering using groundwater).
- The inhalation pathways are not relevant because the COCs are not volatile chemicals.
- The only pathway of concern is the dermal pathway. Observed arsenic and manganese concentrations do not exceed the calculated dermal pathway MCOs.

Further, the ingestion pathway is not relevant, no matter the receptor type, based on the following:

- Groundwater is not used at the Property or by residents in the vicinity for ingestion, because potable water is provided by the local municipality.
- A restrictive covenant will be recorded that will apply restrictions on how groundwater is used at the Property.
- Based on a discussion with a Lucas County, Ohio, sanitarian, the shallowest drinking-water wells in Lucas County are 80 to 150 feet in depth. The A, B, and D zones are separated from the drinking-water zone by an aquitard.
- The State of Ohio code [3745-9-05 (B) (3)] restricts the depth of drinking-water wells to not less than 25 feet. Per the State code, the A and B zone groundwater cannot be used for drinking-water wells.

Evaluation of the COCs indicates they show stable or decreasing chemical trends at the downgradient monitoring wells. Accordingly, the downgradient groundwater quality is not being degraded further. Additionally, significant COC concentrations greater than the RSLs exist at upgradient and/or sidegradient wells. The high COC concentrations at upgradient and sidegradient wells show groundwater flowing on to the Property already exceed the RSLs.

Further groundwater evaluation or corrective measures are not warranted.

FIGURES

FIGURES

Groundwater Quality Evaluation Report
EPA I.D. No. OHD 005-041-843
Axalta Coating Systems, LLC
1930 Tremainsville Road
Toledo, Ohio 43613
Project #30380-27



GROUNDWATER QUALITY
EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 1
SITE LOCATION MAP

SCALE
0 FEET 2000

Dragun Corporation
Environmental Advisors

OHIO
QUADRANGLE LOCATION

Source: Toledo Ohio-Michigan Quadrangle
(U.S. Geological Survey, 1980
Contour Interval = 5 Feet

File:K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt 30380-27 Figure 1 Date: 3/6/2018



GROUNDWATER QUALITY EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 2
PROPERTY FEATURES MAP

Source: Dupont Corporate Remediation Group, Figure 2 Property Features Map, Dupont Toledo Site, 1930 Tremainsville Road, Toledo, Ohio, date 08/15/2007.

File: K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt\30380-27 Figure 2.dwg Date: 3/6/2018

Dragun Corporation
Environmental Advisors

Surface Type	Surface Type Acres
Asphalt	2.69
Building	3.48
Concrete	8.74
Gravel	4.98
Grass	15.82

LEGEND

DIBBLE PARK AREA

MANUFACTURING AREA

BOUNDARY BETWEEN MANUFACTURING AREA AND DIBBLE PARK AREA

NOTE: PROPERTY BOUNDARY PROVIDED BY J.C. ANDRUS & ASSOCIATES,INC. (NOV. 2017)

GROUNDWATER QUALITY EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 3
LAND SURFACE MAP

Source: Parsons, Figure 3 Land Surface Map, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, date 11/24/2009.

File: K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt\30380-27 Figure 3.dwg Date: 3/6/2018

Dragun Corporation
Environmental Advisors





CROSS SECTION LOCATION

LEGEND:

- MONITORING WELL
- ZONE A (SAND AND FILL MATERIAL)
- ZONE B (SILT & CLAY, NO GRAVEL)
- ZONE C (SILT & CLAY, TRACE GRAVEL)
- ZONE D (DENSE GREY TILL)
- 601.68 WATER LEVEL (OCT. 14, 2009)
- A ZONE GROUNDWATER TABLE

MONITORING WELL:





GROUNDWATER QUALITY EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

Source: Parsons, Figure 4A Cross Section A-A', Dupont Automotive Products Facility, 1930 Tremainsville Rd, Toledo, Ohio

File: K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt
30380-27 Figure 4 3/6/2018

FIGURE 4
CROSS-SECTION A-A'

Dragun Corporation
Environmental Advisors





CROSS SECTION LOCATION

LEGEND:

- MONITORING WELL
- ZONE A (SAND AND FILL MATERIAL)
- ZONE B (SILT & CLAY, NO GRAVEL)
- ZONE C (SILT & CLAY, TRACE GRAVEL)
- ZONE D (DENSE GREY TILL)
- 601.68 WATER LEVEL (OCT. 14, 2009)
- A ZONE GROUNDWATER TABLE

MONITORING WELL:





GROUNDWATER QUALITY EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 5
CROSS-SECTION B-B'

Source: Parsons, Figure 4B Cross Section B-B', Dupont Automotive Products Facility, 1930 Tremainsville Rd, Toledo, Ohio

File: K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt
30380-27 Figure 5 Date: 3/6/2018

DragunCorporation
Environmental Advisors





CROSS SECTION LOCATION

LEGEND:

- MONITORING WELL
- ZONE A (SAND AND FILL MATERIAL)
- ZONE B (SILT & CLAY, NO GRAVEL)
- ZONE C (SILT & CLAY, TRACE GRAVEL)
- ZONE D (DENSE GREY TILL)
- 601.68 WATER LEVEL (OCT. 14, 2009)
- A ZONE GROUNDWATER TABLE

MONITORING WELL:





GROUNDWATER QUALITY EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 6
CROSS-SECTION C-C'

Source: Parsons, Figure 4A Cross Section A-A', Dupont Automotive Products Facility, 1930 Tremainsville Rd, Toledo, Ohio

File: K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt
30380-27 Figure 6 Date: 3/6/2018

Dragun Corporation
Environmental Advisors

GROUNDWATER QUALITY EVALUATION REPORT
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 7
GROUNDWATER MONITORING WELL LOCATIONS

SCALE
0 FEET 200

Source: Google Earth image, date April 22, 2016; and sample locations surveyed by J.C. Andrus & Associates, Inc.

File: K:\2013\30380-27 Axalta Toledo ICM #2\CAD\GW Quality Evaluation Rpt\30380-27 Figure 7.dwg
Date: 3/6/2018

Dragun Corporation
Environmental Advisors

TABLES

TABLES

Groundwater Quality Evaluation Report
EPA I.D. No. OHD 005-041-843
Axalta Coating Systems, LLC
1930 Tremainsville Road
Toledo, Ohio 43613
Project #30380-27

Table 1: Summary of Groundwater Monitoring Wells
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun #30380-27

Well I.D.	Zone	Date Installed	Screen Interval (ft)	Gradient Location
CRG-01A	A	10/7/2003	3-8	Sidegradient
CRG-01B	B	10/7/2003	12-17	Sidegradient
CRG-02A	A	10/7/2003	3-8	Upgradient
CRG-02B	B	10/7/2003	13-18	Upgradient
CRG-02D	D	12/10/2008	39-45	Upgradient
CRG-03A	A	10/7/2003	3.5-8.5	Upgradient
CRG-03B	B	10/7/2003	12-17	Upgradient
CRG-04A	A	10/9/2003	2-7	Upgradient
CRG-04B	B	10/16/2003	13-18	Upgradient
CRG-04D	D	10/24/2003	43-45	Upgradient
CRG-05A	A	10/8/2003	3-8	Area of operations
CRG-05B	B	10/8/2003	10-15	Area of operations
CRG-05D	D	10/28/2003	41-43	Area of operations
CRG-06A	A	10/17/2003	2-7	Upgradient
CRG-06B	B	10/17/2003	10-16	Upgradient
CRG-07A	A	10/20/2003	3-8	Sidegradient
CRG-07B	B	10/20/2003	12-17	Sidegradient
CRG-08A	A	10/21/2003	2-7	Downgradient
CRG-08B	B	10/21/2003	12-17	Downgradient
CRG-09A	A	10/21/2003	1.5-6.5	Downgradient
CRG-09B	B	10/20/2003	12.5-17.5	Downgradient
CRG-09D	D	--	39.8-41.8*	Downgradient
CRG-10A	A	10/8/2003	2-7	Downgradient
CRG-10B	B	10/8/2003	10-15	Downgradient
CRG-10D	D	--	43.5-45.5*	Downgradient
CRG-11A	A	--	2.4-6.4*	Downgradient
CRG-11B	B	10/16/2003	13.5-18.5	Downgradient
CRG-11D	D	10/27/2003	42-45	Downgradient
CRG-12A	A	12/11/2008	7-9	Area of operations
CRG-12D	D	12/11/2008	38-43	Area of operations
CRG-13A	A	12/17/2008	8.5-10.5	Downgradient
CRG-13D	D	--	43.3-45.3*	Downgradient
CRG-14A	A	12/12/2008	6.5-8.5	Area of operations
CRG-14D	D	12/12/2008	37-42	Area of operations
CRG-15D	D	12/17/2008	40-45	Area of operations
CRG-16D	D	12/16/2008	40-45	Area of operations

-- Information not available.
* Approximate screen interval.

Table 2: SWMU and AOC Summary
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

SWMU or AOC #	SWMU Description	SWMU Name	Building designation/ location within
SWMU 1	Old Tank System	Tank 1	Within Bldg 1A
SWMU 2	Old Tank System	Tank 2	Within Bldg 1G
SWMU 3	Old Tank System	Tank 3	Within Bldg 1G
SWMU 4	Old Tank System	Tank 4	Within Bldg 1G
SWMU 5	Old Tank System	Tank 5	Within Bldg 1G
SWMU 6	Old Tank System	Tank 6	Within Bldg 1G
SWMU 7	Old Tank System	Tank 7	Within Bldg 1G
SWMU 8	Old Tank System	Tank 8	Within Bldg 1G
SWMU 9	Old Tank System	Tank 9	Within Lye Vat Room
SWMU 10	Old Tank System	Tank 10	Within Lye Vat Room
SWMU 11	Old Tank System	Tank 11	Within Thin Film Recovery Room
SWMU 12	Old Tank System	Tank 12	Within Thin Film Recovery Room
SWMU 13	Old Tank System	Tank 13	West of Bldg 7
SWMU 14	Old Tank System	Tank 15	Within Lye Vat Room
SWMU 15	New Tank System	Filling Floor Wash Solvent Tank 1	Within Bldg 1B
SWMU 16	New Tank System	Dirty Wash Solvent Hold Tank 14	Outside of Bldg 44
SWMU 17	New Tank System	Tank 14 Containment Sump	Outside of Bldg 44
SWMU 18	New Tank System	Thin Film Evaporator	Across from Lye Vat room in Bldg 6
SWMU 19	New Tank System	Sludge Tank 3	This is tank W-10
SWMU 20	New Tank System	Boiler Fuel Tank 4	This is tank W-11
SWMU 22	Drum and Tank Storage	Drum Staging Area	Adjacent to F Building
SWMU 23	Drum and Tank Storage	Satellite Accumulation Area 1b-1 Filling Floor	Building 1B has been removed
SWMU 24	Drum and Tank Storage	Satellite Accumulation Area 1b-2 Mixing	Building 1B has been removed
SWMU 25	Drum and Tank Storage	Satellite Accumulation Area 1b-3 Grinding	Building 1A has been removed
SWMU 26	Drum and Tank Storage	Satellite Accumulation Area 1a-2 Lab and Grinding	Building 1B has been removed
SWMU 27	Drum and Tank Storage	Satellite Accumulation Area Chem Area	Bldg 1H
SWMU 28	Drum and Tank Storage	Satellite Accumulation Area Press Room	Bldg 1F
SWMU 29	Drum and Tank Storage	Satellite Accumulation Area Reactors 1,2,3,4, and 5	Bldg 1J
SWMU 30	Drum and Tank Storage	Satellite Accumulation Area Reactor	Bldg 56
SWMU 31	Drum and Tank Storage	Indoor Sludge Drum Satellite Accumulation Area	Location unknown
SWMU 32	Drum and Tank Storage	Old Sludge Drum Storage Area	Thin Film Evaporator Bldg
SWMU 21	Drum and Tank Storage	Container Storage Pad	Container Storage Pad- F Row
SWMU 33	Drum and Tank Storage	Contaminated Water Storage Area	Part of Container Storage Pad
SWMU 34	Drum and Tank Storage	Contaminated Water Storage Tank	Lye Vat Area
SWMU 35	Enamels Buildings A and B	1a Baghouse	Within Bldg 1A
SWMU 36	Enamels Buildings A and B	1b Baghouse	Within Bldg 1B
SWMU 37	Enamels Building B	Industrial Waste Bins	Within Bldg 1B
SWMU 38	Enamels Buildings A and B	Sludge Collection Areas	Within Bldg 1B- lower floor
SWMU 39	Mechanical Shop Bldg 3	Dry Spray Booth Area	Bldg 3
SWMU 40	Mechanical Shop Bldg 3	Liquid Waste Paint Portable Tank	Bldg 3
SWMU 41	Mechanical Shop Bldg 3	Water Wash Spray Booth Sump	Bldg 3

Table 2: SWMU and AOC Summary
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

SWMU or AOC #	SWMU Description	SWMU Name	Building designation/ location within
SWMU 42	Tank Wagon Sumps	Tank Wagon Loading Area and	West of Bldgs 1K and 56
SWMU 43	Tank Wagon Sumps	Tank Wagon Shed Trench	Bldg 54
SWMU 44	Resin Area	Resin Spill Trenches	Bldg 1E
SWMU 45	Resin Area	Resin Retention Basin	North of Bldg 48
SWMU 46	Scrubbers	Reactors 1, 2 and 3 Scrubber System	Bldg 1J
SWMU 47	Scrubbers	Reactors 4 and 5 Scrubber System	Bldg 1J
SWMU 48	Scrubbers	Reactor 7 Scrubber	Bldg 56
SWMU 49	Reactor Catch Tanks	Reactors 1, 2, 3, 4 and 5 Catch Tank	Outside of the Chem Bldg (Bldg 1H)
SWMU 50	Reactor Catch Tanks	Reactor 7 Catch Tank	North of Bldg 56
SWMU 51	North Shop	Mop Water Tank	Bldg 6
SWMU 52	Parts Cleaning	Recirculation Solvent Tank	Bldg 1J
SWMU 53	Parts Cleaning	Former Recirculation Solvent Tank	Thin Film Evaporator Bldg
SWMU 54	Lye Vat Area	Equipment Cleaning Sump	Lye Vat Area
SWMU 55	Boiler House Building 7	Waste Boiler 3	Bldg 7
SWMU 56	Boiler House Building 7	Waste Boiler 7	Bldg 7
SWMU 57	Boiler House Building 7	Waste Boiler 8	Bldg 7
SWMU 58	Cooling Tower	Cooling Tower Basin	Bldg 8
SWMU 59	Sewers	Sanitary Sewer	
SWMU 60	Sewers	Storm Sewer	
SWMU 61	Asbestos Storage	Asbestos Dumpster	West of Bldg 7
SWMU 62	Condensate/Distillate Tanks	Condensate Tank	Location unknown
SWMU 63	Condensate/Distillate Tanks	Resin Distillate Tank	Bldg 1K
SWMU 64	Parts Cleaning	Portable Tank Cleaning Building Trench	Bldg 64
AOC A	Former Fuel UST Area	1,000-gasoline tank located northeast of the Boiler House; 10,000-gallon (combined total) USTs; and 10,000-gallon Fiberglass UST.	Outside of Bldg 7
AOC 1	North Property Area	Southwest Dibble Park and North Dibble Park and Southeast Dibble Park	Dibble Park
AOC 2	UST	Emergency Surge Tank	West of Bldg 1K
AOC 3	Gasoline UST	500-gallon UST (Building 48)	East of Bldg 48
AOC 4	Gasoline UST	500-gallon UST (Portable Tank Cleaning Building)	North of Bldg 64
AOC 5	Disturbed Area	Peroxide Building Area and Storage Area East off-Row	North of Bldg 53
AOC 6	Former Drum Storage Area	Warehouse (Building 55)	
AOC 7	Former Drum Storage Area	Western Plant Outdoor Storage Area: Raw Material Storage Area; Lay down Area; Coal Pile	Along Western Fence line from Northern Rail Spur to T-14
AOC 8	Northern Tank Area	All ASTs, USTs, and Drum Storage Areas in North	This unit includes all of the tanks and loading areas.
AOC 9	Transformer Area	Transformer Yard	Outside of Bldg 48 & Area designated on SanborneMaps
Site-Wide	Ground Water	Site Wide Ground Water	Site Wide

Source: Parsons, "Environmental Indicator Determination Report, Current Human Exposure Under Control (CA725), DuPont Automotive Products Facility, Toledo, Ohio," January 2010.

Table 3: 2003 – 2016 Groundwater Data Summary of Detections, EI COCs
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

COC	Maximum Detected Concentration (µg/L)	Zones Detected	Well I.D. for Maximum Detection	Maximum Detected Date	Total Number of Samples Detected	Total Number of Samples Analyzed (2003 - 2016)	RSL[1] (µg/L)	Quantity of Samples Exceeding RSL	Quantity of Samples Exceeding RSL that are Estimated ("J") Concentrations	RSL Type
Benzene	0.5 J	B	CRG-05B	11/12/2003	1	149	5	0	0	MCL
Chloroform	1 J	A	CRG-11A	11/11/2003	1	202	80	0	1	Tapwater
Benzo(a)anthracene	1 J	A	BDW-03A	6/10/2004	4	198	0.03	2	2	Tapwater
	0.013 J	B	CRG-11B	5/1/2009	1	149		0	0	
	0.055	D	CRG-14D	5/1/2009	4	63		1	0	
Benzo(b)fluoranthene	2 J	A	BDW-03A, CSP-MW3	6/10/2004, 6/10/2008	6	198	0.065	4	2	Tapwater
	0.041 J	B	CRG-14A	8/31/2016	1	149		1	0	
	0.14	D	CRG-14D	5/1/2009	6	63		2	1	
Benzo(a)pyrene	2 J	A	BDW-03A	6/10/2014	4	198	0.2	2	2	MCL
	0.2 J	B	CRG-05B	3/2/2005	1	149		0	0	
	0.068 J	D	CRG-11D	9/14/2005	3	63		0	0	
Bis(2-ehtylhexyl)phthalate	16	A	CRG-07A	8/26/2015	15	198	6	8	0	Tapwater
	21	B	CRG-09B	8/26/2015	13	149		7	2	
	17	D	CRG-04D	6/8/2005	10	63		7	0	
Indeno(1,2,3-cd)pyrene	1 J	A	BDW-03A	6/10/2004	4	198	0.25	1	1	Tapwater
	0.02 J	B	CRG-11B	5/1/2009	1	149		0	0	
	0.1 J	D	CRG-11D	5/1/2009	4	63		0	0	
Arsenic	209	A	CRG-03A	3/20/2007	110	198	10	50	15	MCL
	760	B	CRG-09B	4/29/2009	107	149		69	4	
	20.9	D	CRG-09D	4/29/2009	42	63		6	0	
Cadmium	1,240	A	CSP-MW3	3/27/2007	9	198	5	4	0	MCL
	26	D	CRG-14D	5/1/2009	7	63		1	0	
Lead	491	A	CSP-MW3	3/27/2007	15	198	15	6	0	MCL
	14.3 J	B	CRG-09B	4/29/2009	4	149		0	0	
	79.5	D	CRG-04D	9/14/2005	8	63		2	0	
Manganese	5,150	A	CSP-MW2	6/3/2010	11	11	430	9	0	Tapwater
Thallium	9.4 J	A	CRG-03A	11/11/2003	24	91	2	3	3	MCL
	12.2 J	B	CRG-01B	11/10/2003	20	96		4	4	

Notes:

EI	Environmental Indicator. U.S. EPA, Region 5, "Current Human Exposures Under Control, Axalta (formerly DuPont) Toledo Facility," August 19, 2014.
COC	Chemical of Concern.
MCL	Maximum Contaminant Limit.
µg/L	Micrograms per Liter.
1	Risk Screening Level. U.S. EPA Regional Screening Level; Source: U.S. EPA, "Regional Screening Level (RSL) Summary Table (TR=1E-06, HQ=1) November 2017."
J	Estimated value less than reporting limit but greater than method detection limit.

Table 4: 2003 – 2016 Groundwater Data Evaluation, EI COCs
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

COC[1]	Zone Observed	Observation	Conclusion Based on Observations
Benzene	B	- Only detected at 1 out of 149 samples. - Does not exceed RSL.	Remove from COCs.
Chloroform	A	- Only detected at 1 out of 202 samples (CRG-11A, 1J µg/L). - Detected concentration is an estimated concentration ("J"). Has not been detected since 2004.	Remove from COCs.
Benzo(a)anthracene	A	- Only detected at 4 out of 198 samples. - Only 2 of 4 detections exceed the RSL. - Both RSL exceedances are estimated concentrations. - The maximum detected concentration (1J µg/L) was observed in 2004. No concentrations greater than the RSL have been observed since 2004.	Remove from COCs
	B	- Only detected at 1 out of 149 samples. - Detected concentration less than RSL.	Remove from COCs.
	D	- Only detected at 4 out of 63 samples. - Only 1 of 4 detected samples exceeds the RSL. - The 1 sample exceeding the RSL is from an operational area well (CRG-14D). No exceedances of the RSL at a downgradient well.	Remove from COCs.
Benzo(b)fluoranthene	A	- Only detected at 6 out of 198 samples. - None of the detections are at a downgradient well. The highest detected concentration (2J µg/L) is an estimated concentration ("J").	Remove from COCs.
	B	- Only detected once. - The one detection does not exceed RSL.	Remove from COCs.
	D	- Only detected at 6 out of 63 samples. - Only 2 out of 6 detections exceed the RSL. - The highest detected concentration is 0.14 µg/L (CRG-14D). - 1 of 2 exceedances of the RSL is an estimated concentration ("J"). - Has not been detected since 2009.	Remove from COCs.
Benzo(a)pyrene	A	- Detected at 4 out of 198 samples. - 2 of 4 are greater than the RSL. - All detected values are estimated concentrations ("J"). - Has not been detected since 2009.	Remove from COCs.
	B	- Detected at 1 out of 149 samples. - The detection does not exceed the RSL. - Has not been detected since 2005.	Remove from COCs.
	D	- Only detected at 3 out of 63 samples. - None of the detected concentrations exceed the RSL. - Has not been detected since 2009.	Remove from COCs

Table 4: 2003 – 2016 Groundwater Data Evaluation, EI COCs
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

COC[1]	Zone Observed	Observation	Conclusion Based on Observations
Bis(2-ethylhexyl)phathalate	A	- Detected at 15 out of 198 samples. - 8 of 15 detections exceed the RSL. - 6 of 15 detections are estimated concentrations ("J"). - Second highest concentration at an upgradient well (CRG-02A, 14 µg/L).	Remove from COCs
	B	- Detected at 13 out of 149 samples. - 6 out of 13 detections are estimated concentrations - Second highest concentration at upgradient well (CRG-06B, 19 µg/L).	Remove from COCs
	D	- Detected at 10 out of 63 samples. - Highest concentration at an upgradient well (CRG-04D, 17 µg/L).	Remove from COCs.
Indeno(1,2,3-cd)pyrene	A	- Detected at 4 out of 198 samples. - All detections are estimated concentrations ("J"). - 1 out of 4 detections exceeds the RSL. - Has not been detected since 2009.	Remove from COCs.
	B	- Detected at 1 out of 149 samples. - Detection less than RSL. - Detection is an estimated concentration ("J").	Remove from COCs.
	D	- Detected at 4 out of 63 samples. - None of the detected concentrations exceed the RSL. - 3 out of 4 detections are estimated concentrations ("J"). - Has not been detected since 2009.	Remove from COCs.
Arsenic	A	- 110 detections out of 198 samples. - 50 detections exceed the RSL. - Highest concentration at upgradient well (CRG-03A, 209 µg/L). - 22 out of 50 exceeding RSL are from upgradient well CRG-03A. - None of the RSL exceedances are from a downgradient well.	Remove from COCs.
	B	- 107 detections out of 149 samples. - 69 detections exceed the RSL. - 39 of 69 exceedances at up or side gradient wells (CRG-01B, CRG-02B, CRG-03B, CRG-04B, and CRG-06B). - Highest downgradient concentration at CRG-09D (760 µg/L, April 2009).	Remove from COCs.
	D	- 42 detections out of 63 samples. - 6 samples exceed the RSL. - Highest concentration (CRG-09D, 20.9 µg/L) occurred in 2009. Has been decreasing or stable since 2009.	Retain as a COC for further evaluation.

Table 4: 2003 – 2016 Groundwater Data Evaluation, EI COCs
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

COC[1]	Zone Observed	Observation	Conclusion Based on Observations
Cadmium	A	- 16 detections out of 198 samples. - 4 out of 16 exceed the RSL. - Does not exceed RSL at downgradient wells.	Remove from COCs.
	D	- 7 detections out of 63 samples. - 1 out of 7 exceeds the RSL. - Does not exceed RSL at downgradient wells.	Remove from COCs.
Lead	A	- 15 detections out of 198 samples. - 6 out of 15 exceed the RSL. - Highest concentration at upgradient well (CRG-06A, 129 µg/L). - Does not exceed RSL at downgradient wells.	Remove from COCs.
	B	- 4 detections out of 149 samples. - None of the detections exceed the RSL.	Remove from COCs.
	D	- 8 detections out of 63 samples. - 2 out of 8 exceed the RSL. - Highest concentration at upgradient well (CRG-04D, 79.5 µg/L).	Remove from COCs.
Manganese	A	- 7 detections out of 8 samples. - 5 out of 7 exceed the RSL. - Highest concentration at a former operational area well (TK13-MW1, 2,720 µg/L). - Upgradient wells CRG-03A (1,400 µg/L) and CRG-04A (474 µg/L) exceed the RSL. - Limited testing has been performed at downgradient wells.	Retain as a COC for further evaluation.
Thallium	A	- 24 detections out of 91 samples. - 3 out of 24 exceed the RSL. - All 3 RSL exceedances are estimated concentrations ("J"). - Highest concentration at upgradient well (CRG-03A, 1.6 B µg/L).	Remove from COCs.
	B	- 20 detections out of 96 samples. - 4 out of 20 exceed RSL. - All 4 RSL exceedances are estimated concentrations ("J"). - Highest concentration at side-gradient well (CRG-01B, 12.2 J µg/L).	Remove from COCs.

Notes:

EI	Environmental Indicator.
1	Source: U.S. EPA, Region 5, "Current Human Exposures Under Control, Axalta (formerly DuPont) Toledo Facility," August 19, 2014.
COC	Chemical of Concern.
RSL	Regional Screening Level; Source: U.S. EPA, "Regional Screening Level (RSL) Summary Table (TR=1E-06, HQ=1) November 2017."
µg/L	Micrograms per Liter.
J	Estimated value less than reporting limit, but greater than method detection limit.

Table 5: Calculation of Dermal MCO
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

Assumptions:
The receptor is a construction/excavation worker.
The receptor may dermally contact groundwater (e.g., no cooking, showering, drinking).
A worker would be in contact with the groundwater (reasonable maximum exposure) for approximately 2 hours/day.[4] It is unlikely a worker would be in contact with groundwater for 8 hours/day. It is reasonable to assume that a RMEI will be in contact with groundwater for 25 percent of the 8-hour workday or 2 hours/day (i.e., ET = 2 hours/day).
The Skin Surface area (SA) assumption includes construction worker apparel (e.g., boots, pants, shirt, hat). Surface area face 433 cm^2, forearms 1210 cm^2, and hands 990 cm^2.[1]
The receptor will have a short-term exposure frequency (EF) estimated as 90 days/year.[4]
The receptor has an exposure duration (ED) of one year.[2]

EQUATION FOR CARCINOGENIC EFFECTS:

$$GCC = \frac{BW \times AT \times TR \times CF1}{SF \times SA \times SP \times EV \times EF \times ED \times CF2}$$

where,

				Source
GCC	(Groundwater contact criterion)	= chemical-specific (µg/L or ppb)		
BW	(Body weight)	= 70 kg	70	1
AT	(Averaging time)	= 25,550 days (70 years x 365 days/year)	25550	1
TR	(Target risk level)	= 10-6	1.00E-06	2
SF	(Oral cancer slope factor)	= chemical-specific (mg/kg-day)-1		1
SA	(Skin surface area – adult)	=2,733 (cm2)	2733	1
SP	(Skin penetration per event)	= chemical-specific (cm/event)	0.002	2
EV	(Event frequency)	= 1 event/day	1	2
EF	(Exposure frequency)	= 90 days/year	90	2
ED	(Exposure duration)	= 1 years	1	2
CF1	(Conversion factor 1)	= 1E+3 ug/mg	1.00E+03	
CF2	(Conversion factor 2)	= 1E-3 L/cm3	1.00E-03	

Where,

	Arsenic	Manganese	Source
Kp	1.00E-03	1.00E-03	1
ET (hrs/event)	2.00E+00	2.00E+00	2
SF	1.50E+00	NA	3

Where,
SP = Kp x ET
= 0.002

Based on the above, $GCC_{arsenic}$ =

BW x AT x TR X CF1	=	1788.5	
SF x SA x SP x EV x EF x ED x CF2	=	0.38262	
$GCC_{arsenic}$ =	=	4,674.35	µg/L
	=	4,674	µg/L

EQUATION FOR NON-CARCINOGENIC EFFECTS:

$$GCC = \frac{THQ \times RfD \times BW \times AT \times CF1}{SA \times SP \times EV \times EF \times ED \times CF2}$$

Where,

				Source
THQ	(Target hazard quotient)	1	1	1
RfD	(Oral reference dose)	= chemical-specific (mg/kg-day)		1
BW	(Body weight)	= 70 kg	70	1
AT	(Averaging time)	= 7,665 days (21 years x 365 days/year)	7665	1
SA	(Skin surface area – adult)	= 2,733 cm2	2,733	1
SP	(Skin penetration per event)	= chemical-specific (cm/event)		2
EV	(Event frequency)	= 1 event/day	1	2
EF	(Exposure frequency)	= 90 days/year	90	2
ED	(Exposure duration)	= 1 years	1	2
CF1	(Conversion factor 1)	= 1E+3 ug/mg	1.00E+03	
CF2	(Conversion factor 2)	= 1E-3 L/cm3	1.00E-03	

Where,

	Arsenic	Manganese	Source
RfD	3.00E-04	1.40E-01	1
SP	2.00E-03	2.00E-03	2
Kp	1.00E-03	1.00E-03	1

Where,
SP = Kp x ET
= 0.002

Based on the above, $GCC_{arsenic}$ =

THQ x RfD x BW x AT x CF1	=	160965	
SA x SP x EV x EF x ED x CF2	=	0.49194	
$GCC_{arsenic}$ =	=	327,204.54	µg/L
	=	327,205	µg/L

Based on the above, GCC_{Mn} =

THQ x RfD x BW x AT x CF1	=	75117000	
SA x SP x EV x EF x ED x CF2	=	0.49194	
GCC_{Mn} =	=	152,695,450.66	µg/L
	=	152,695,451	µg/L

Notes:
MCO: Media Cleanup Objective.
RMEI: Reasonable Maximum Exposure Individual
The COCs are arsenic and manganese.

Sources:
1 U.S. EPA, "Risk-Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual," July 2004.
2 Reasonable Maximum Exposure estimate for a construction/excavation worker.
3 Calculation.
NA Slope Factor (SF) not available for manganese (not classifiable as a carcinogen).
4 U.S. EPA, "Risk-Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part A)," December 1989.

APPENDIX
A

APPENDIX A
Historical Groundwater-Flow Maps (2013 - 2016)

Groundwater Quality Evaluation Report
EPA I.D. No. OHD 005-041-843
Axalta Coating Systems, LLC
1930 Tremainsville Road
Toledo, Ohio 43613
Project #30380-27

GROUNDWATER ELEVATIONS (fasl) A ZONE	
WELL	AUGUST 26, 2013
CRG-01A	600.30
CRG-02A	602.96
CRG-03A	602.74
CRG-04A	601.94
CRG-05A	596.33
CRG-06A	597.51
CRG-07A	594.59
CRG-08A	597.41
CRG-09A	595.69
CRG-10A	595.32
CRG-11A	599.51
CRG-12A	Anomalous Reading
CRG-13A	Dry
CRG-14A	598.79

Note: fasl = Feet Above Sea Level



GROUNDWATER BASELINE EVALUATION - 2013
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 1
GROUNDWATER FLOW MAP - A ZONE,
AUGUST 26, 2013

SCALE
0 FEET 300

Dragun Corporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-03 Axalta - Toledo\CAD\GW Basline Eval 2013\30380-03 Figure 1.dwg
Date: 1/17/2014

GROUNDWATER ELEVATIONS (fasl) A ZONE	
WELL	SEPTEMBER 15, 2014
CRG-01A	601.64
CRG-02A	605.05
CRG-03A	604.10
CRG-04A	605.22
CRG-05A	597.66
CRG-06A	596.96
CRG-07A	595.96
CRG-08A	598.73
CRG-09A	597.39
CRG-10A	595.30
CRG-11A	599.90
CRG-12A	602.44
CRG-13A	598.83
CRG-14A	599.94

Note: fasl = Feet Above Sea Level



GROUNDWATER MONITORING
DATA REVIEW- 2014
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

DRAFT FIGURE 1
GROUNDWATER FLOW MAP - A ZONE,
SEPTEMBER 15, 2014

SCALE
0 FEET 300

Dragun Corporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: O:\2013\30380-10 Axalta Toledo\CAD\GW Mon Data Review 2014\30380-10 Figure 1.dwg
Date: 12/3/2014

GROUNDWATER ELEVATIONS (fasl) A ZONE	
WELL	AUGUST 24, 2015
CRG-01A	600.75
CRG-02A	603.43
CRG-03A	603.02
CRG-04A	602.69
CRG-05A	596.31
CRG-06A	597.39
CRG-07A	594.52
CRG-08A	597.28*
CRG-09A	595.78
CRG-10A	595.32
CRG-11A	599.72
CRG-12A	600.08
CRG-13A	DRY
CRG-14A	599.14

Notes:
1. fasl = Feet Above Sea Level
2. *Anomalous reading



GROUNDWATER MONITORING
DATA REVIEW- 2015
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 1
GROUNDWATER FLOW MAP - A ZONE,
AUGUST 24, 2015

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-14 Axalta 2015 GW Monitoring Review\CAD\GW Mon Data Review\30380-14 Figure 1.dwg Date: 3/17/2016

GROUNDWATER ELEVATIONS (fasl) A ZONE	
WELL	AUGUST 29, 2016
CRG-01A	600.89
CRG-02A	604.46
CRG-03A	603.61
CRG-04A	603.99
CRG-05A	594.78
CRG-06A	Dry
CRG-07A	594.14
CRG-08A	Dry
CRG-09A	Dry
CRG-10A	595.31
CRG-11A	600.24
CRG-12A	602.17*
CRG-13A	Dry
CRG-14A	599.19

Notes:
1. fasl = Feet Above Sea Level
2. *Anomalous reading



GROUNDWATER MONITORING
DATA REVIEW - 2016
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 1
GROUNDWATER FLOW MAP - A ZONE,
AUGUST 29, 2016

SCALE
0 FEET 300

Dragun Corporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-23 Axalta Toledo 2016 GW Data Eval\CAD\GW Mon Data Review 2016\30380-23 Figure 1.dwg Date: 12/5/2016

GROUNDWATER ELEVATIONS (fasl) B ZONE	
WELL	AUGUST 26, 2013
CRG-01B	599.35
CRG-02B	602.93
CRG-03B	602.57
CRG-04B	601.82
CRG-05B	596.19
CRG-06B	596.83
CRG-07B	594.63
CRG-08B	597.24
CRG-09B	595.79
CRG-10B	593.88
CRG-11B	598.19

Note: fasl = Feet Above Sea Level



GROUNDWATER BASELINE EVALUATION - 2013
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 2
GROUNDWATER FLOW MAP - B ZONE,
AUGUST 26, 2013

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-03 Axalta - Toledo\CAD\GW Basline Eval 2013\30380-03 Figure 2.dwg
Date: 1/17/2014

GROUNDWATER ELEVATIONS (fasl) B ZONE	
WELL	SEPTEMBER 15, 2014
CRG-01B	600.18
CRG-02B	605.19
CRG-03B	604.06
CRG-04B	604.89
CRG-05B	597.45
CRG-06B	596.49
CRG-07B	595.96
CRG-08B	598.35
CRG-09B	596.79
CRG-10B	594.74
CRG-11B	598.74

Note: fasl = Feet Above Sea Level



GROUNDWATER MONITORING
DATA REVIEW- 2014
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

DRAFT FIGURE 2
GROUNDWATER FLOW MAP - B ZONE,
SEPTEMBER 15, 2014

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: O:\2013\30380-10 Axalta Toledo\CAD\GW Mon Data Review 2014\30380-10 Figure 2.dwg
Date: 12/17/2014

GROUNDWATER ELEVATIONS (fasl) B ZONE	
WELL	AUGUST 24, 2015
CRG-01B	599.80
CRG-02B	603.38
CRG-03B	602.93
CRG-04B	602.62
CRG-05B	596.18
CRG-06B	597.02
CRG-07B	594.61
CRG-08B	597.22
CRG-09B	595.99
CRG-10B	594.41
CRG-11B	598.59

Note: fasl = Feet Above Sea Level



GROUNDWATER MONITORING
DATA REVIEW- 2015
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 2
GROUNDWATER FLOW MAP - B ZONE,
AUGUST 24, 2015

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-14 Axalta 2015 GW Monitoring Review\CAD\GW Mon Data Review\30380-14 Figure 2.dwg Date: 3/17/2016

GROUNDWATER ELEVATIONS (fasl) B ZONE	
WELL	AUGUST 29, 2016
CRG-01B	599.46
CRG-02B	604.23
CRG-03B	603.36
CRG-04B	603.73
CRG-05B	594.79
CRG-06B	595.16
CRG-07B	594.46
CRG-08B	596.13
CRG-09B	594.96
CRG-10B	592.50
CRG-11B	598.68

Note: fasl = Feet Above Sea Level



GROUNDWATER MONITORING
DATA REVIEW - 2016
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 2
GROUNDWATER FLOW MAP - B ZONE,
AUGUST 29, 2016

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-23 Axalta Toledo 2016 GW Data Eval\CAD\GW Mon Data Review 2016\30380-23 Figure 2.dwg Date: 12/5/2016

GROUNDWATER ELEVATIONS (fasl) D ZONE	
WELL	AUGUST 26, 2013
CRG-02D	600.06
CRG-03D	No Reading Taken
CRG-04D	595.02
CRG-05D	589.78
CRG-09D	590.89
CRG-10D	587.22
CRG-11D	592.21
CRG-12D	Anomalous Reading
CRG-13D	586.75
CRG-14D	591.91
CRG-15D	595.92
CRG-16D	596.48

Note: fasl = Feet Above Sea Level



GROUNDWATER BASELINE EVALUATION - 2013
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 3
GROUNDWATER FLOW MAP - D ZONE, AUGUST 26, 2013

SCALE
0 FEET 300

Dragun Corporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-03 Axalta - Toledo\CAD\GW Basline Eval 2013\30380-03 Figure 3.dwg
Date: 1/17/2014

GROUNDWATER ELEVATIONS (fasl) D ZONE	
WELL	SEPTEMBER 15, 2014
CRG-02D	599.25
CRG-03D	No Reading Taken
CRG-04D	593.03
CRG-05D	587.60
CRG-09D	589.02
CRG-10D	586.12
CRG-11D	589.90
CRG-12D	596.00
CRG-13D	585.30
CRG-14D	591.50
CRG-15D	596.23
CRG-16D	595.82

Note: fasl = Feet Above Sea Level



GROUNDWATER MONITORING
DATA REVIEW- 2014
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

DRAFT FIGURE 3
GROUNDWATER FLOW MAP - D ZONE,
SEPTEMBER 15, 2014

SCALE
0 FEET 300

Dragun Corporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: O:\2013\30380-10 Axalta Toledo\CAD\GW Mon Data Review 2014\30380-10 Figure 3.dwg
Date: 12/17/2014

GROUNDWATER ELEVATIONS (fasl) D ZONE	
WELL	AUGUST 24, 2015
CRG-02D	600.55
CRG-03D	No Reading Taken
CRG-04D	595.89
CRG-05D	590.57
CRG-09D	591.63
CRG-10D	588.98
CRG-11D	592.71
CRG-12D	598.19
CRG-13D	588.87
CRG-14D	595.86
CRG-15D	596.81
CRG-16D	597.28

Note: fasl = Feet Above Sea Level



GROUNDWATER MONITORING
DATA REVIEW- 2015
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 3
GROUNDWATER FLOW MAP - D ZONE,
AUGUST 24, 2015

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-14 Axalta 2015 GW Monitoring Review\CAD\GW Mon Data Review\30380-14 Figure 3.dwg Date: 3/17/2016

GROUNDWATER ELEVATIONS (fasl) D ZONE	
WELL	AUGUST 29, 2016
CRG-02D	599.16
CRG-03D	No Reading Taken
CRG-04D	593.47
CRG-05D	588.00
CRG-09D	588.99
CRG-10D	586.50
CRG-11D	592.23
CRG-12D	596.08*
CRG-13D	584.77
CRG-14D	593.28
CRG-15D	604.13
CRG-16D	596.23

Notes:
1. fasl = Feet Above Sea Level
2. *Anomalous reading



GROUNDWATER MONITORING
DATA REVIEW - 2016
AXALTA COATING SYSTEMS, LLC
1930 TREMAINSVILLE ROAD, TOLEDO, OHIO

FIGURE 3
GROUNDWATER FLOW MAP - D ZONE,
AUGUST 29, 2016

SCALE
0 FEET 300

DragunCorporation
Environmental Advisors

Source of Basemap: Parsons, Figure 2 Site Plan Showing Boring and Well Locations, DuPont Automotive Products Facility, 1930 Tremainsville Road, Toledo, Ohio, 12/17/2009
File: K:\2013\30380-23 Axalta Toledo 2016 GW Data Eval\CAD\GW Mon Data Review 2016\30380-23 Figure 3.dwg Date: 12/5/2016

APPENDIX
B

APPENDIX B
Summary of Groundwater Laboratory Data

Groundwater Quality Evaluation Report
EPA I.D. No. OHD 005-041-843
Axalta Coating Systems, LLC
1930 Tremainsville Road
Toledo, Ohio 43613
Project #30380-27

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A
			Date	11/13/03	11/13/03	11/13/03	11/13/03	2/26/04	2/26/04	6/10/04	6/10/04	8/30/04	8/30/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP		DUP		DUP
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV			ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV			ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV			ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV			ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5			ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV															
DICHLORODIFLUOROMETHANE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV			ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV			ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV															
METHYL BROMIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV															
PENTACHLOROETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A
			Date	11/13/03	11/13/03	11/13/03	11/13/03	2/26/04	2/26/04	6/10/04	6/10/04	8/30/04	8/30/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP		DUP		DUP
PROPIONITRILE	UG/L	NV	NV			ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000			ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV			ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000			ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV			ND (1)	ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV			ND (10)	ND (10)	ND (10)	ND (11) R	ND (10)	ND (10) R	ND (10) UJ	ND (10) R	ND (9) UJ	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV															ND (1)
1-NAPHTHYLAMINE	UG/L	NV	NV			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV			ND (20)	ND (20)	ND (20)	ND (21)	ND (19)	ND (20)	ND (19)	ND (20)	ND (19)	ND (20)	ND (19)	ND (20)	ND (20)
2,4-DINITROTOLUENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV															
2-PICOLINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2) UJ	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV			ND (5)	ND (5)	ND (10)	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A
			Date	11/13/03	11/13/03	11/13/03	11/13/03	2/26/04	2/26/04	6/10/04	6/10/04	8/30/04	8/30/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP		DUP		DUP
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV			ND (10)	ND (10)	ND (10)	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV			ND (20)	ND (20)	ND (20) R	ND (21) R	ND (19)	ND (20)	ND (19)	ND (20)	ND (19)	ND (20)	ND (19)	ND (20)	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1.6)
ACENAPHTHYLENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1.6)
ACETOPHENONE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.039)
BENZO(A)ANTHRACENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.02)
BENZO(B)FLUORANTHENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.039)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.099)
BENZO(K)FLUORANTHENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.02)
BENZO[A]PYRENE	UG/L	NV	0.2			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.02)
BENZYL ALCOHOL	UG/L	NV	NV			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (11)	ND (11)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)									
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV							ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6			ND (2)	3 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV															ND (1)
CHLOROBENZILATE	UG/L	NV	NV			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.079)
DIALLATE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.039)
DIBENZOFURAN	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.039)
FLUORENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.49)
HEXACHLOROBENZENE	UG/L	1	1			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.079)
ISODRIN	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV			ND (3) R	ND (3) R	ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) UJ	ND (3) R	ND (3) R	ND (3) R	ND (15) R
METHYL METHANESULFONATE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1.6)
N-DIOCTYL PHTHALATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A
			Date	11/13/03	11/13/03	11/13/03	11/13/03	2/26/04	2/26/04	6/10/04	6/10/04	8/30/04	8/30/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP		DUP		DUP
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ
N-NITROSODIETHYLAMINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ
N-NITROSODIMETHYLAMINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV			ND (60) R	ND (60) R	ND (60) R	ND (63) R	ND (58) R	ND (60) R	ND (58) R	ND (60) R	ND (57) R	ND (60) R	ND (58) R	ND (60) R	ND (59) UJ
PCN-2	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.079)
PHENOL	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.18)
PYRIDINE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV			ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV															
PCB 1221	UG/L	NV	NV															
PCB 1232	UG/L	NV	NV															
PCB 1242	UG/L	NV	NV															
PCB 1248	UG/L	NV	NV															
PCB 1254	UG/L	NV	NV															
PCB 1260	UG/L	NV	NV															
DIMETHOATE	UG/L	NV	NV			ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (8.5)	ND (8.5)			ND (2.5)	ND (2.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.9)	ND (0.064)	0.34 J	
ANTIMONY (total)	UG/L	6	6															1.7
ARSENIC (dissolved)	UG/L	10	10	11.4	8.3 J			6.4	6.9	12.6	13	15.7	16.8	6.6	8.2	10.7	11.3	
ARSENIC (total)	UG/L	10	10															19.7
BARIUM (dissolved)	UG/L	2000	2000	87.2	89.3			47.3	48.8	82.3	81.9	88.8	86.2	49.8	47.5	56.3	59.2	
BARIUM (total)	UG/L	2000	2000															63.7
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)	ND (0.34)			ND (0.34)	ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.44)	
BERYLLIUM (total)	UG/L	4	4															ND (0.44)
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)	ND (0.87)			ND (0.87)	ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (0.97)	
CADMIUM (total)	UG/L	5	5															ND (0.97)
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)	ND (2.2)			ND (2.2)	ND (2.2)	ND (3)	ND (3)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (4.8)	ND (4.8)	
CHROMIUM (total)	UG/L	100	100															ND (4.8)
COBALT (dissolved)	UG/L	NV	NV	ND (1.6)	ND (1.6)			ND (1.6)	ND (1.6)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (1.5)	
COBALT (total)	UG/L	NV	NV															ND (1.5)
COPPER (dissolved)	UG/L	NV	NV	ND (2.1)	3.2 J			ND (2.1)	ND (2.1)	ND (2.7)	ND (2.7)	ND (2.7)	ND (2.7)	ND (2.7)	2.8 J	ND (1.8)	ND (1.8)	
COPPER (total)	UG/L	NV	NV															ND (1.8)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A	BDW-01A
			Date	11/13/03	11/13/03	11/13/03	11/13/03	2/26/04	2/26/04	6/10/04	6/10/04	8/30/04	8/30/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP		DUP		DUP
IRON (total)	UG/L	NV	NV															
LEAD (dissolved)	UG/L	15	15	ND (9.3)	ND (9.3)			ND (9.3)	ND (9.3)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (8.4)	
LEAD (total)	UG/L	15	15															ND (8.4)
MANGANESE (total)	UG/L	NV	NV															
MERCURY (dissolved)	UG/L	2	2	ND (0.16)	ND (0.16)			ND (0.16)	ND (0.16)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.062)	ND (0.062)	
MERCURY (total)	UG/L	2	2															ND (0.062)
NICKEL (dissolved)	UG/L	NV	NV	ND (3.8)	ND (3.8)			ND (3.8)	ND (3.8)	5.5 J	ND (5.1)	ND (3.1)	ND (3.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.8)	
NICKEL (total)	UG/L	NV	NV															ND (5.8)
SELENIUM (dissolved)	UG/L	50	50	ND (4.7)	ND (4.7)			1.5 J	1.7 J	3.3 B	2.7 B	ND (0.89)	ND (0.89)	ND (1.6)	ND (1.6)	ND (1.6) UJ	ND (1.6) UJ	
SELENIUM (total)	UG/L	50	50															1.2 J
SILVER (dissolved)	UG/L	NV	NV	ND (1.8)	ND (1.8)			ND (1.8)	ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
SILVER (total)	UG/L	NV	NV															11.2
SODIUM (total)	UG/L	NV	NV															
THALLIUM (dissolved)	UG/L	2	2	ND (8.9)	ND (8.9)			ND (0.89)	0.99 J	ND (1.3)	ND (1.3)	ND (6.5) UJ	ND (6.5) UJ	ND (1.3) UJ	ND (1.3) UJ	ND (6) UJ	7.6 J	
THALLIUM (total)	UG/L	2	2															ND (0.032)
TIN (dissolved)	UG/L	NV	NV	ND (5)	ND (5)			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (9.8)	
TIN (total)	UG/L	NV	NV															54
VANADIUM (dissolved)	UG/L	NV	NV	2.9 J	1.9 J			ND (1.7)	1.9 J	2.1 J	2.5 J	ND (1.6)	2.2 J	ND (1.6)	ND (1.6)	1.1 J	1.4 J	
VANADIUM (total)	UG/L	NV	NV															1.1 J
ZINC (dissolved)	UG/L	NV	NV	ND (4.1)	ND (4.1)			ND (4.1)	ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (4.8)	ND (4.8)	5 J	8.8 J	8.4 J	
ZINC (total)	UG/L	NV	NV															6.6 B

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-02	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-04A	BDW-04A	BDW-04
			Date	9/13/05	4/30/09	5/1/09	11/13/03	11/13/03	2/26/04	6/10/04	8/31/04	3/1/05	6/7/05	4/30/09	2/25/04	6/10/04	5/1/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40) UJ		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40) UJ
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4) UJ		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4) UJ
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV														
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV														
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV														
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-02	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-04A	BDW-04A	BDW-04
			Date	9/13/05	4/30/09	5/1/09	11/13/03	11/13/03	2/26/04	6/10/04	8/31/04	3/1/05	6/7/05	4/30/09	2/25/04	6/10/04	5/1/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2) R				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (9) R				ND (10)	ND (10)	ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	ND (19) UJ				ND (20) R	ND (19)	ND (20)	ND (19)	ND (19)	ND (19)	ND (20) R	ND (19)	ND (21)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3) UJ				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1.6)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1.6)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (0.04)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	0.014 J	ND (1)	ND (1)	0.022 J
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (0.02)	ND (0.0095) UJ				ND (1)	1 J	ND (1)	ND (0.9)	ND (1)	0.02 J	ND (1)	ND (1)	0.022 J
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (0.04)	ND (0.0095) UJ				ND (1)	2 J	ND (1)	ND (0.9)	ND (1)	0.037 J	ND (1)	ND (1)	0.033 J
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (0.1)	ND (0.0095) UJ				ND (1)	1 J	ND (1)	ND (0.9)	ND (1)	0.023 J	ND (1)	ND (1)	0.021 J
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (0.02)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	0.016 J	ND (1)	ND (1)	0.017 J
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.02)	ND (0.0095) UJ				ND (1)	2 J	ND (1)	ND (0.2)	ND (0.2)	0.023 J	ND (1)	ND (1)	0.025 J
BENZYL ALCOHOL	UG/L	NV	NV	ND (11)	ND (5) UJ				ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV						ND (1)						ND (1)		
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1) UJ	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (0.9) UJ					ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)		ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV	ND (1)													
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3) UJ				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (0.08)	ND (0.0095) UJ				ND (1)	2 J	ND (1)	ND (0.9)	ND (1)	0.02 J	ND (1)	ND (1)	0.026 J
DIALLATE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (0.04)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (0.04)	ND (0.0095) UJ				ND (1)	3 J	2 J	ND (0.9)	ND (1)	0.034 J	ND (1)	ND (1)	0.047
FLUORENE	UG/L	NV	NV	ND (0.5)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5) UJ				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (0.08)	ND (0.0095) UJ				ND (1)	1 J	ND (1)	ND (0.9)	ND (1)	0.019 J	ND (1)	ND (1)	0.017 J
ISODRIN	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (2) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (2)	ND (1)	ND (1)	ND (2)
METHAPYRILENE	UG/L	NV	NV	ND (15) R	ND (14) UJ				ND (3)	ND (3) R	ND (3) R	ND (3) UJ	ND (14) R	ND (14) UJ	ND (3)	ND (3) R	ND (16) UJ
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1.6)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	0.021 B	ND (1)	ND (1)	0.012 B
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-02	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-04A	BDW-04A	BDW-04
			Date	9/13/05	4/30/09	5/1/09	11/13/03	11/13/03	2/26/04	6/10/04	8/31/04	3/1/05	6/7/05	4/30/09	2/25/04	6/10/04	5/1/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5) UJ				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (0.9) UJ				ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	ND (70)	ND (70)	ND (1)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) UJ	ND (9) UJ				ND (10)	ND (10) R	ND (10) UJ	ND (9) UJ	ND (10) UJ	ND (10)	ND (10)	ND (10)	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)													
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5) UJ				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2) R				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3)	ND (3) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (3)	ND (3)	ND (1)	ND (1)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20)	ND (19) R				ND (20)	ND (19)	ND (20)	ND (19)	ND (19)	ND (19)	ND (20)	ND (19)	ND (21)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2) R				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (0.0095) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5) UJ				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV														
2-PICOLINE	UG/L	NV	NV	ND (2) UJ	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (2)	ND (2)	ND (1)	ND (1)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (9) UJ				ND (10)	ND (10)	ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5) R				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (2) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (2)	ND (1)	ND (1)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-02	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-04A	BDW-04A	BDW-04
			Date	9/13/05	4/30/09	5/1/09	11/13/03	11/13/03	2/26/04	6/10/04	8/31/04	3/1/05	6/7/05	4/30/09	2/25/04	6/10/04	5/1/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2) UJ	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2) UJ	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (60) UJ	ND (71) R				ND (61) R	ND (58) R	ND (59) R	ND (57) R	ND (57) R	ND (72) R	ND (60) R	ND (57) R	ND (78) UJ
PCN-2	UG/L	NV	NV	ND (1)	ND (2) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (2)	ND (1)	ND (1)	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3) R				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (0.08)	ND (0.0095) UJ				ND (1)	1 J	ND (1)	ND (0.9)	ND (1)	0.011 J	ND (1)	ND (1)	0.027 J
PHENOL	UG/L	NV	NV	ND (1)	ND (0.9) R				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (0.18)	ND (0.0095) UJ				ND (1)	3 J	1 J	ND (0.9)	ND (1)	0.032 J	ND (1)	ND (1)	0.04 J
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2) UJ				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (0.9) UJ				ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV														
PCB 1221	UG/L	NV	NV														
PCB 1232	UG/L	NV	NV														
PCB 1242	UG/L	NV	NV														
PCB 1248	UG/L	NV	NV														
PCB 1254	UG/L	NV	NV														
PCB 1260	UG/L	NV	NV														
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3) UJ				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6		ND (0.3)		ND (8.5)		ND (2.5)	ND (1)	ND (1)	1.3 J	1.1	0.68 J	ND (2.5)	ND (1)	0.53 J
ANTIMONY (total)	UG/L	6	6	0.17 B	ND (0.3)									1			0.47 J
ARSENIC (dissolved)	UG/L	10	10		8.7 J		ND (4.9)		ND (1.4)	ND (0.85)	ND (0.85)	ND (0.85)	ND (2.1)	ND (0.95)	ND (1.4)	1.4 J	ND (0.95)
ARSENIC (total)	UG/L	10	10	19.3	8.2 J									ND (0.95)			ND (0.95)
BARIUM (dissolved)	UG/L	2000	2000		159		160		185	175	247	116	170	169	137	217	172
BARIUM (total)	UG/L	2000	2000	64.5	162									168			171
BERYLLIUM (dissolved)	UG/L	4	4		ND (0.9)		ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.9)	ND (0.34)	ND (0.97)	ND (0.9)
BERYLLIUM (total)	UG/L	4	4	ND (0.44)	ND (0.9)									ND (0.9)			ND (0.9)
CADMIUM (dissolved)	UG/L	5	5		ND (2)		ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	1.3 J	ND (2)	ND (0.87)	ND (0.76)	ND (2)
CADMIUM (total)	UG/L	5	5	ND (0.97)	ND (2)									2.3 J			ND (2)
CHROMIUM (dissolved)	UG/L	100	100		ND (3)		ND (2.2)		ND (2.2)	ND (3)	2.6 J	ND (2.5)	ND (4.8)	ND (3)	5.3	ND (3)	ND (3)
CHROMIUM (total)	UG/L	100	100	ND (4.8)	ND (3)									ND (3)			ND (3)
COBALT (dissolved)	UG/L	NV	NV		ND (2.1)		ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (2.1)	ND (1.6)	2.5 J	ND (2.1)
COBALT (total)	UG/L	NV	NV	ND (1.5)	ND (2.1)									ND (2.1)			ND (2.1)
COPPER (dissolved)	UG/L	NV	NV		ND (2.7)		3.3 J		2.6 J	ND (2.7)	3.4 J	6.3 J	ND (1.8)	3.5 B	ND (2.1)	ND (2.7)	3.5 J
COPPER (total)	UG/L	NV	NV	ND (1.8)	ND (2.7)									ND (2.7)			8 J

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	BDW-01A	BDW-01A	BDW-02	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-03A	BDW-04A	BDW-04A	BDW-04
			Date	9/13/05	4/30/09	5/1/09	11/13/03	11/13/03	2/26/04	6/10/04	8/31/04	3/1/05	6/7/05	4/30/09	2/25/04	6/10/04	5/1/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
IRON (total)	UG/L	NV	NV														
LEAD (dissolved)	UG/L	15	15		ND (6.9)		ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (6.9)	ND (9.3)	ND (10)	21.2
LEAD (total)	UG/L	15	15	ND (8.4)	ND (6.9)									7.3 J			36.4
MANGANESE (total)	UG/L	NV	NV														
MERCURY (dissolved)	UG/L	2	2		ND (0.056)		ND (0.16)		ND (0.16)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.062)	ND (0.056)	ND (0.16)	ND (0.028)	ND (0.056)
MERCURY (total)	UG/L	2	2	ND (0.062)	ND (0.056)									ND (0.056)			ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV		ND (5.6)		ND (3.8)		4 J	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.6)	ND (3.8)	ND (5.1)	ND (5.6)
NICKEL (total)	UG/L	NV	NV	ND (5.8)	ND (5.6)									ND (5.6)			ND (5.6)
SELENIUM (dissolved)	UG/L	50	50		ND (0.99)		ND (4.7)		5.5 J	2.7 B	2.9 J	2.2 J	ND (1.6) UJ	ND (0.99)	3.6 J	3.2 B	2.5
SELENIUM (total)	UG/L	50	50	1 J	ND (0.99)									ND (0.99)			2
SILVER (dissolved)	UG/L	NV	NV		ND (2.2)		ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2.2)	ND (1.8)	ND (2)	ND (2.2)
SILVER (total)	UG/L	NV	NV	10.6	ND (2.2)									ND (2.2)			ND (2.2)
SODIUM (total)	UG/L	NV	NV														
THALLIUM (dissolved)	UG/L	2	2		ND (0.15)		ND (8.9)		0.97 J	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ	ND (1.2) UJ	ND (0.15)	ND (0.89)	ND (1.3)	ND (0.15)
THALLIUM (total)	UG/L	2	2	ND (0.032)	ND (0.15)									ND (0.15)			ND (0.15)
TIN (dissolved)	UG/L	NV	NV		ND (8.8)		ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (8.8)	ND (5)	ND (5)	ND (8.8)
TIN (total)	UG/L	NV	NV	ND (9.8)	ND (8.8)									ND (8.8)			ND (8.8)
VANADIUM (dissolved)	UG/L	NV	NV		ND (2.5)		ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)	ND (2.5)	ND (1.7)	ND (1.6)	ND (2.5)
VANADIUM (total)	UG/L	NV	NV	ND (1)	ND (2.5)									ND (2.5)			ND (2.5)
ZINC (dissolved)	UG/L	NV	NV		ND (8.1)		10.5 J		7.2 J	16.7 J	14.7 B	24.9	96.9	33	ND (4.1)	8.2 J	49.5
ZINC (total)	UG/L	NV	NV	6.8 B	ND (8.1)									46.6			52.7

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-02A	CRG-02A
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	4/27/09	4/27/09	9/10/13	9/15/14	8/24/15	8/29/16	11/11/03	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1-DICHLOROETHENE	UG/L	7	7		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROETHANE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2-HEXANONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)
ACETONE	UG/L	NV	NV		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)
ACETONITRILE	UG/L	NV	NV		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA		ND (25)
ACROLEIN	UG/L	NV	NV		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	NA	NA		ND (40)
ACRYLONITRILE	UG/L	NV	NV		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)
ALLYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
BENZENE	UG/L	5	5		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BROMOFORM	UG/L	80	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CARBON DISULFIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
CARBON TETRACHLORIDE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CHLOROBENZENE	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
CHLOROFORM	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
CHLOROPRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA		ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CYCLOHEXANONE	UG/L	NV	NV										NA	NA	NA	NA		
DICHLORODIFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
ETHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ETHYLBENZENE	UG/L	700	700		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
IODOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA		ND (100)
METHACRYLONITRILE	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (10)
METHANOL	UG/L	NV	NV										NA	NA	NA	NA		
METHYL BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	NA	NA		ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
METHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYLENE BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYLENE CHLORIDE	UG/L	NV	5		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
N-BUTANOL	UG/L	NV	NV										NA	NA	NA	NA		
PENTACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-02A	CRG-02A
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	4/27/09	4/27/09	9/10/13	9/15/14	8/24/15	8/29/16	11/11/03	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
PROPIONITRILE	UG/L	NV	NV		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA		ND (30)
STYRENE	UG/L	100	100		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TETRACHLOROETHYLENE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)
TOLUENE	UG/L	1000	1000		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA		ND (15)
TRICHLOROETHENE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)
VINYL ACETATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
VINYL CHLORIDE	UG/L	2	2		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
XYLENES	UG/L	10,000	10,000		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	NA	NA		ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
1,4-DIOXANE	UG/L	NV	NV		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
1,4-NAPHTHOQUINONE	UG/L	NV	NV		ND (10) R	ND (10)	ND (10) R	ND (10) UJ	ND (10)	ND (10) UJ	ND (10) UJ	ND (10) UJ	NA	NA	NA	NA		ND (10) R
1-METHYLNAPHTHALENE	UG/L	NV	NV										NA	NA	NA	NA		
1-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV		ND (19)	ND (19)	ND (19)	ND (20)	ND (19)	ND (19)	ND (21)	ND (21)	ND (25)	ND (25)	ND (25)	ND (25)		ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
2-CHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	NA	NA		ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
2-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)
2-NITROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2-NITROPROPANE	UG/L	NV	NV										NA	NA	NA	NA		
2-PICOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (5)
3-METHYLCHOLANTHRENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
3-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
4-CHLOROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2) UJ	ND (2) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-02A	CRG-02A
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	4/27/09	4/27/09	9/10/13	9/15/14	8/24/15	8/29/16	11/11/03	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	NA	NA		ND (2)
4-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)
4-NITROPHENOL	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)		ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV		ND (19)	ND (19)	ND (19)	ND (20)	ND (19)	ND (19)	ND (21)	ND (21)	NA	NA	NA	NA		ND (19)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV		ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2) UJ
ACENAPHTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
ACENAPHTHYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
ACETOPHENONE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
ANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	0.012 J	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (1)	ND (1)	NA	NA		ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (1)	ND (0.01)	ND (0.011)	ND (1)	ND (1)	NA	NA		ND (1)
BENZYL ALCOHOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV		ND (1)	ND (1)							NA	NA	NA	NA		ND (1)
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6		3 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
CARBAZOLE	UG/L	NV	NV										NA	NA	NA	NA		
CHLOROBENZILATE	UG/L	NV	NV		ND (3) UJ	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3) UJ
CHRYSENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
DIALLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	NA	NA	NA	NA		ND (1)
DIBENZOFURAN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	0.019 J	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
FLUORENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
HEXACHLOROBENZENE	UG/L	1	1		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)
HEXACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.011)	ND (2)	ND (2)	NA	NA		ND (1)
ISODRIN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ISOPHORONE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
ISOSAFROLE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	NA	NA	NA	NA		ND (1)
METHAPYRILENE	UG/L	NV	NV		ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (14) R	ND (16) UJ	ND (16) UJ	NA	NA	NA	NA		ND (3) R
METHYL METHANESULFONATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
NAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	0.011 B	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
NITROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-02A	CRG-02A
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	4/27/09	4/27/09	9/10/13	9/15/14	8/24/15	8/29/16	11/11/03	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
O-TOLUIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV		ND (58) R	ND (57) UJ	ND (58) R	ND (59) R	ND (58) R	ND (58) R	ND (79) R	ND (78) R	NA	NA	NA	NA		ND (57) R
PCN-2	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	NA	NA	NA	NA		ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PENTACHLOROPHENOL	UG/L	1	1		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)
PHENACETIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PHENANTHRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	0.012 J	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)
PHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	0.015 J	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
PYRIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
SAFROLE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
THIONAZIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PRONAMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
PCB 1016	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1221	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1232	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1242	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1248	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1254	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1260	UG/L	NV	NV										NA	NA	NA	NA		
DIMETHOATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (8.5)		ND (2.5)	1.8 B	ND (1)	0.13 J	0.1 B	ND (0.3)	ND (0.3)	NA	NA	NA	NA	ND (8.5)	
ANTIMONY (total)	UG/L	6	6								ND (0.3)	ND (0.3)	NA	NA	NA	NA		
ARSENIC (dissolved)	UG/L	10	10	5.3 J		ND (1.4)	2 J	2.8 B	ND (0.85)	3.9 J	ND (0.95)	ND (0.95)	ND (2)	ND (2)	ND (2)	ND (2)	ND (4.9)	
ARSENIC (total)	UG/L	10	10								0.96 J	ND (0.95)	ND (2)	ND (2)	ND (2)	ND (2)		
BARIUM (dissolved)	UG/L	2000	2000	63.4		42.4	22.3	45.9	41.2	35.4	33.8	35.2	NA	NA	NA	NA	90.7	
BARIUM (total)	UG/L	2000	2000								40.8	41	NA	NA	NA	NA		
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.9)	ND (0.9)	NA	NA	NA	NA	ND (0.34)	
BERYLLIUM (total)	UG/L	4	4								ND (0.9)	ND (0.9)	NA	NA	NA	NA		
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (2)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)	
CADMIUM (total)	UG/L	5	5								ND (2)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)		
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)	ND (3)	ND (3)	NA	NA	NA	NA	ND (2.2)	
CHROMIUM (total)	UG/L	100	100								ND (3)	ND (3)	NA	NA	NA	NA		
COBALT (dissolved)	UG/L	NV	NV	ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (2.1)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1.6)	
COBALT (total)	UG/L	NV	NV								ND (2.1)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)		
COPPER (dissolved)	UG/L	NV	NV	ND (2.1)		ND (2.1)	3.4 J	ND (2.7)	ND (2.7)	ND (1.8)	ND (2.7)	ND (2.7)	NA	NA	NA	NA	ND (2.1)	
COPPER (total)	UG/L	NV	NV								ND (2.7)	ND (2.7)	NA	NA	NA	NA		

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-01A	CRG-02A	CRG-02A
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	4/27/09	4/27/09	9/10/13	9/15/14	8/24/15	8/29/16	11/11/03	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
IRON (total)	UG/L	NV	NV										NA	NA	NA	NA		
LEAD (dissolved)	UG/L	15	15	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (6.9)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)	
LEAD (total)	UG/L	15	15								ND (6.9)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)		
MANGANESE (total)	UG/L	NV	NV										NA	NA	NA	NA		
MERCURY (dissolved)	UG/L	2	2	ND (0.16)		ND (0.16)	ND (0.028)	0.13 B	ND (0.028)	ND (0.062)	ND (0.056)	ND (0.056)	NA	NA	NA	NA	ND (0.16)	
MERCURY (total)	UG/L	2	2								ND (0.056)	ND (0.056)	NA	NA	NA	NA		
NICKEL (dissolved)	UG/L	NV	NV	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.6)	ND (5.6)	NA	NA	NA	NA	ND (3.8)	
NICKEL (total)	UG/L	NV	NV								ND (5.6)	ND (5.6)	NA	NA	NA	NA		
SELENIUM (dissolved)	UG/L	50	50	ND (4.7)		3.6 J	ND (0.89)	ND (0.89)	ND (1.6)	ND (8)	ND (0.99)	ND (0.99)	NA	NA	NA	NA	ND (4.7)	
SELENIUM (total)	UG/L	50	50								ND (0.99)	ND (0.99)	NA	NA	NA	NA		
SILVER (dissolved)	UG/L	NV	NV	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2.2)	ND (2.2)	NA	NA	NA	NA	ND (1.8)	
SILVER (total)	UG/L	NV	NV								ND (2.2)	ND (2.2)	NA	NA	NA	NA		
SODIUM (total)	UG/L	NV	NV										NA	NA	NA	NA		
THALLIUM (dissolved)	UG/L	2	2	ND (8.9)		ND (0.89)	ND (1.3)	ND (1.3)	ND (1.3)	ND (1.2)	ND (0.15)	ND (0.15)	NA	NA	NA	NA	ND (8.9)	
THALLIUM (total)	UG/L	2	2								ND (0.15)	ND (0.15)	NA	NA	NA	NA		
TIN (dissolved)	UG/L	NV	NV	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (8.8)	ND (8.8)	NA	NA	NA	NA	ND (5)	
TIN (total)	UG/L	NV	NV								ND (8.8)	ND (8.8)	NA	NA	NA	NA		
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	1.4 J	ND (2.5)	ND (2.5)	NA	NA	NA	NA	ND (1.7)	
VANADIUM (total)	UG/L	NV	NV								ND (2.5)	ND (2.5)	NA	NA	NA	NA		
ZINC (dissolved)	UG/L	NV	NV	ND (4.1)		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	8.2 J	ND (8.1)	ND (8.1)	NA	NA	NA	NA	ND (4.1)	
ZINC (total)	UG/L	NV	NV								ND (8.1)	ND (8.1)	NA	NA	NA	NA		

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA		ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)			NA	NA		ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV								NA	NA	NA	NA				
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA		ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV								NA	NA	NA	NA				
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	NA	NA		ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV								NA	NA	NA	NA				
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA		ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA		ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA		ND (1)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10)	ND (10) R	ND (10) UJ	ND (10)	ND (9) UJ	ND (11) UJ	ND (10) UJ	NA	NA	NA	NA		ND (10) R	ND (10)	ND (10) R
1-METHYLNAPHTHALENE	UG/L	NV	NV						ND (1)		NA	NA	NA	NA				
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20)	ND (19)	ND (19)	ND (19)	ND (19)	ND (21)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)		ND (20)	ND (20)	ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	NA	NA		ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV								NA	NA	NA	NA				
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (11)	ND (10)	NA	NA	NA	NA		ND (5)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	NA	NA		ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (11)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)		ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	ND (19)	ND (19)	ND (19)	ND (19)	ND (21)	ND (20)	NA	NA	NA	NA		ND (20)	ND (20)	ND (19)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2) UJ	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1.6)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1.6)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.041)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.02)	ND (0.0099)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.041)	ND (0.0099)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.1)	ND (0.0099)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.02)	ND (0.0099)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.02)	ND (0.0099)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (10)	ND (12)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	ND (1)							NA	NA	NA	NA		ND (1)	ND (1)	
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)				ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	14	ND (5)		ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV						ND (1)		NA	NA	NA	NA				
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3) UJ	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.081)	ND (0.0099)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.041)	ND (0.0099)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	6	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.041)	ND (0.0099)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.51)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.081)	ND (0.0099)	ND (2)	ND (2)	NA	NA		ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (16) R	ND (15) UJ	NA	NA	NA	NA		ND (3) R	ND (3) R	ND (3) R
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1.6)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (59) UJ	ND (57) R	ND (58) R	ND (57) R	ND (57) R	ND (64) UJ	ND (76) R	NA	NA	NA	NA		ND (59) R	ND (59) UJ	ND (57) R
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.081)	ND (0.0099)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.18)	ND (0.0099)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1221	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1232	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1242	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1248	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1254	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1260	UG/L	NV	NV								NA	NA	NA	NA				
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (2.5)	2.1 B	ND (1)	1.2	0.59 J		1.2	NA	NA	NA	NA	ND (8.5)		ND (2.5)	1 B
ANTIMONY (total)	UG/L	6	6						0.39 B	1.1 J	NA	NA	NA	NA				
ARSENIC (dissolved)	UG/L	10	10	ND (1.4)	ND (0.85)	0.93 B	ND (0.85)	3.2 J		4.5	ND (2)	ND (2)	2	ND (2)	9 J		9.4	16.5
ARSENIC (total)	UG/L	10	10						ND (9.3)	4.7	ND (2)	ND (2)	2	ND (2)				
BARIUM (dissolved)	UG/L	2000	2000	37.3	58	49.2	26	50.8		73.9	NA	NA	NA	NA	17.7		12.5	14.1
BARIUM (total)	UG/L	2000	2000						76.1	74.1	NA	NA	NA	NA				
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)		ND (0.9)	NA	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)
BERYLLIUM (total)	UG/L	4	4						ND (0.44)	ND (0.9)	NA	NA	NA	NA				
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)
CADMIUM (total)	UG/L	5	5						ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)				
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)		4.5 J	NA	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)
CHROMIUM (total)	UG/L	100	100						9.6 J	3.3 J	NA	NA	NA	NA				
COBALT (dissolved)	UG/L	NV	NV	ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)		ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	8.3		7.1	9.4
COBALT (total)	UG/L	NV	NV						5.5	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)				
COPPER (dissolved)	UG/L	NV	NV	3.1 J	ND (2.7)	ND (2.7)	ND (2.7)	ND (1.8)		4.6 J	NA	NA	NA	NA	ND (2.1)		ND (2.1)	3.9 J
COPPER (total)	UG/L	NV	NV						17	11.7	NA	NA	NA	NA				

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-02A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
IRON (total)	UG/L	NV	NV								NA	NA	NA	NA				
LEAD (dissolved)	UG/L	15	15	ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)		ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)
LEAD (total)	UG/L	15	15						14 J	ND (6.9)	ND (3)	ND (3)	3	ND (3)				
MANGANESE (total)	UG/L	NV	NV								NA	NA	NA	NA				
MERCURY (dissolved)	UG/L	2	2	ND (0.16)	ND (0.028)	0.19 B	ND (0.028)	ND (0.062)		ND (0.056)	NA	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)
MERCURY (total)	UG/L	2	2						ND (0.062)	ND (0.056)	NA	NA	NA	NA				
NICKEL (dissolved)	UG/L	NV	NV	ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)		ND (5.6)	NA	NA	NA	NA	12.3		14.2	13.7
NICKEL (total)	UG/L	NV	NV						15.6	ND (5.6)	NA	NA	NA	NA				
SELENIUM (dissolved)	UG/L	50	50	6.8 J	6.5	3.5 J	ND (1.6)	ND (8)		2.1	NA	NA	NA	NA	ND (4.7)		3.5 J	1.8 J
SELENIUM (total)	UG/L	50	50						4.4	2.1	NA	NA	NA	NA				
SILVER (dissolved)	UG/L	NV	NV	ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2.2)	NA	NA	NA	NA	1.8 J		ND (1.8)	2.1 J
SILVER (total)	UG/L	NV	NV						4 J	ND (2.2)	NA	NA	NA	NA				
SODIUM (total)	UG/L	NV	NV								NA	NA	NA	NA				
THALLIUM (dissolved)	UG/L	2	2	ND (0.89)	1.9 B	ND (1.3)	ND (1.3)	ND (1.2)		ND (0.15)	NA	NA	NA	NA	9.4 J		1.2 B	1.6 B
THALLIUM (total)	UG/L	2	2						0.13 J	ND (0.15)	NA	NA	NA	NA				
TIN (dissolved)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)		ND (8.8)	NA	NA	NA	NA	ND (5)		ND (5)	ND (5)
TIN (total)	UG/L	NV	NV						ND (9.8)	ND (8.8)	NA	NA	NA	NA				
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)		ND (2.5)	NA	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)
VANADIUM (total)	UG/L	NV	NV						8.9	ND (2.5)	NA	NA	NA	NA				
ZINC (dissolved)	UG/L	NV	NV	ND (4.1)	ND (4.8)	ND (4.8)	10.5 J	7.9 J		20.8	NA	NA	NA	NA	ND (4.1)		ND (4.1)	ND (4.8)
ZINC (total)	UG/L	NV	NV						57.3	26	NA	NA	NA	NA				

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	8/3/06	8/3/06	8/3/06	8/3/06	8/3/06	11/28/06	11/28/06	3/27/07	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP					DUP		DUP		DUP
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)				ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)				ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)				ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)				ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)				ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV											ND (55)	ND (55)	ND (55)	ND (55)	ND (55)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)				ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)				ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV											ND (200)	ND (200)	ND (200)	ND (200)	ND (200)
METHYL BROMIDE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV											ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	8/3/06	8/3/06	8/3/06	8/3/06	8/3/06	11/28/06	11/28/06	3/27/07	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP					DUP		DUP		DUP
PROPIONITRILE	UG/L	NV	NV	ND (30)		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)				ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)				ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)				ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)				ND (5)	ND (5) R	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)		ND (70)	ND (70)	ND (70)	ND (70)	ND (70)				ND (70)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV		ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ				ND (10) UJ	ND (11) R	ND (10) R	ND (10) R	ND (10) R
1-METHYLNAPHTHALENE	UG/L	NV	NV					ND (1)										
1-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2) R	ND (2) R				ND (2) R	ND (2) R	ND (2)	ND (2)	ND (2) R
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
2,4-DICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
2,4-DIMETHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (3)	ND (3) R	ND (3) R				ND (3) R	ND (3) R	ND (3)	ND (3)	ND (3) R
2,4-DINITROPHENOL	UG/L	NV	NV		ND (20)	ND (19)	ND (19)	ND (19)	ND (21) R	ND (20) R				ND (20) R	ND (21) R	ND (20)	ND (20)	ND (20) R
2,4-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2) R	ND (2) R				ND (2) R	ND (2) R	ND (2)	ND (2)	ND (2) R
2,6-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
2-METHYLNAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
2-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
2-NITROPROPANE	UG/L	NV	NV											ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-PICOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)				ND (10)	ND (11)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5) R	ND (5) R				ND (5) R	ND (5) R	ND (5)	ND (5)	ND (5) R
4-AMINOBIPHENYL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
4-CHLOROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (2)	ND (2)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	8/3/06	8/3/06	8/3/06	8/3/06	8/3/06	11/28/06	11/28/06	3/27/07	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP					DUP		DUP		DUP
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2) R	ND (2) R				ND (2) R	ND (2) R	ND (2)	ND (2)	ND (2) R
4-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10) R	ND (10) R				ND (10) R	ND (11) R	ND (10)	ND (10)	ND (10) R
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV		ND (20)	ND (19)	ND (19)	ND (19)	ND (21)	ND (20)				ND (20)	ND (21) R	ND (20)	ND (20)	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)				ND (3)	ND (3) R	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1.6)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1.6)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.039)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.02)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.039)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.099)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.02)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2		ND (1)	ND (0.2)	ND (0.2)	ND (0.02)	ND (0.2)	ND (0.2)				ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV		ND (5)	ND (5)	ND (11)	ND (10)	ND (11)	ND (11)				ND (11)	ND (12)	ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV															
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV					ND (1)										
CHLOROBENZILATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)				ND (3)	ND (3) R	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.079)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1) R	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.039)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.039)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.49)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.079)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1) R	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1) R	ND (2)	ND (2)	ND (2)
METHAPYRILENE	UG/L	NV	NV		ND (3) R	ND (3) R	ND (3) R	ND (14) R	ND (16) UJ	ND (15) UJ				ND (15)	ND (16) R	ND (15) UJ	ND (15) UJ	ND (15) UJ
METHYL METHANESULFONATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1) R	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1.6)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	8/3/06	8/3/06	8/3/06	8/3/06	8/3/06	11/28/06	11/28/06	3/27/07	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP					DUP		DUP		DUP
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)				ND (2) UJ	ND (2) R	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2) UJ	ND (2) R	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV		ND (59) R	ND (58) R	ND (58) R	ND (57) UJ	ND (62) UJ	ND (60) UJ				ND (59) UJ	ND (63) R	ND (75) R	ND (75) R	ND (76) UJ
PCN-2	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1)	ND (2)	ND (2)	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1		ND (3)	ND (3)	ND (3)	ND (3)	ND (3) R	ND (3) R				ND (3) R	ND (3) R	ND (3)	ND (3)	ND (3) R
PHENACETIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.079)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) R	ND (1) R				ND (1) R	ND (1) R	ND (1)	ND (1)	ND (1) R
PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (0.18)	ND (1)	ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1) R	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				ND (2)	ND (2) R	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)				ND (1)	ND (1) R	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV															
PCB 1221	UG/L	NV	NV															
PCB 1232	UG/L	NV	NV															
PCB 1242	UG/L	NV	NV															
PCB 1248	UG/L	NV	NV															
PCB 1254	UG/L	NV	NV															
PCB 1260	UG/L	NV	NV															
DIMETHOATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)				ND (3)	ND (3) R	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (1)		ND (0.09)	ND (0.064)											
ANTIMONY (total)	UG/L	6	6					ND (0.064)	ND (0.038)	ND (0.038)				ND (0.038)	0.091 J	ND (0.038)	0.12 B	ND (0.044)
ARSENIC (dissolved)	UG/L	10	10	21.5 J		10.4	19.6											
ARSENIC (total)	UG/L	10	10					23.5	30.8 J	48.9 J				22.4 J	22.8 J	18.5	209	26.8 J
BARIUM (dissolved)	UG/L	2000	2000	14.5		13.8	13.4											
BARIUM (total)	UG/L	2000	2000					18.7	15.6	16				16.9	16	13.9	21.1	13.4
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.97)		ND (0.97)	ND (0.44)											
BERYLLIUM (total)	UG/L	4	4					ND (0.44)	ND (0.94)	ND (0.94)				ND (0.94)	ND (0.94)	ND (0.94)	ND (0.94)	ND (0.9)
CADMIUM (dissolved)	UG/L	5	5	ND (0.76)		ND (0.76)	ND (0.97)											
CADMIUM (total)	UG/L	5	5					ND (0.97)	ND (0.91)	ND (0.91)				ND (0.91)	ND (0.91)	ND (0.91)	0.94 J	ND (0.9)
CHROMIUM (dissolved)	UG/L	100	100	ND (2.5)		ND (2.5)	ND (4.8)											
CHROMIUM (total)	UG/L	100	100					ND (4.8)	ND (2.3)	ND (2.3)				ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)
COBALT (dissolved)	UG/L	NV	NV	5.3		8.3	8.8											
COBALT (total)	UG/L	NV	NV					4.4 J	3.8 J	5.1				7.4	6.5	5.7	7.5	6.5
COPPER (dissolved)	UG/L	NV	NV	ND (2.7)		ND (2.7)	ND (1.8)											
COPPER (total)	UG/L	NV	NV					ND (1.8)	ND (2.2)	ND (2.2)				ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A
			Date	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	8/3/06	8/3/06	8/3/06	8/3/06	8/3/06	11/28/06	11/28/06	3/27/07	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP					DUP		DUP		DUP
IRON (total)	UG/L	NV	NV						22000	22500								
LEAD (dissolved)	UG/L	15	15	ND (10)		ND (10)	ND (8.4)											
LEAD (total)	UG/L	15	15					ND (8.4)	ND (6.9)	ND (6.9)				ND (6.9)	ND (6.9)	ND (34.3)	ND (34.3)	ND (6.9)
MANGANESE (total)	UG/L	NV	NV						1370	1400								
MERCURY (dissolved)	UG/L	2	2	0.1 B		ND (0.028)	ND (0.062)											
MERCURY (total)	UG/L	2	2					ND (0.062)	ND (0.056)	ND (0.056)				ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV	10.9		15.5	16.4											
NICKEL (total)	UG/L	NV	NV					9.5 J	13.9	13.4				13.7	13.5	12.4	14.6	12.7
SELENIUM (dissolved)	UG/L	50	50	ND (4.5)		ND (1.6)	ND (8)											
SELENIUM (total)	UG/L	50	50					1.1 J	1.9 J	2.1				1.3 J	1.3 J	0.92 J	0.51 J	0.62 J
SILVER (dissolved)	UG/L	NV	NV	ND (2)		ND (2)	ND (2)											
SILVER (total)	UG/L	NV	NV					ND (2)	ND (1.6)	ND (1.6)				ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	1.8 J
SODIUM (total)	UG/L	NV	NV						19700	20200								
THALLIUM (dissolved)	UG/L	2	2	ND (1.3)		ND (1.3)	1.3 J											
THALLIUM (total)	UG/L	2	2					ND (0.032)	ND (0.037)	ND (0.037)				ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)
TIN (dissolved)	UG/L	NV	NV	ND (5)		ND (5)	ND (9.8)											
TIN (total)	UG/L	NV	NV					ND (9.8)	ND (8.4)	ND (8.4)				ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.6)		ND (1.6)	ND (1)											
VANADIUM (total)	UG/L	NV	NV					ND (1)	ND (1.5)	ND (1.5)				ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)
ZINC (dissolved)	UG/L	NV	NV	ND (4.8)		ND (4.8)	ND (5.3)											
ZINC (total)	UG/L	NV	NV					ND (5.3)	ND (8.1)	ND (8.1)				ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-04A
			Date	6/25/07	9/12/07	9/12/07	12/3/07	12/3/07	3/18/08	3/18/08	6/10/08	6/10/08	4/28/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP							
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA	
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)			NA	NA	
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA	
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CYCLOHEXANONE	UG/L	NV	NV	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)		NA	NA	NA	NA	
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA	
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA	
METHANOL	UG/L	NV	NV	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)		NA	NA	NA	NA	
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	NA	NA	
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
N-BUTANOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)		NA	NA	NA	NA	
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-04A
			Date	6/25/07	9/12/07	9/12/07	12/3/07	12/3/07	3/18/08	3/18/08	6/10/08	6/10/08	4/28/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP							
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA	
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA	
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA	
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	NA	NA	
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA	
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) R	ND (10) R	ND (10)	ND (10) UJ	ND (10) UJ	NA	NA	NA	NA	
1-METHYLNAPHTHALENE	UG/L	NV	NV											NA	NA	NA	NA	
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) UJ	NA	NA	NA	NA	
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) UJ	ND (4)	ND (4)	ND (4)	ND (4)	
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)	
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20) R	ND (21) R	ND (20) R	ND (19) R	ND (20) R	ND (19) R	ND (20) R	ND (20) R	ND (20) R	ND (19) UJ	ND (25)	ND (25)	ND (25)	ND (25)	
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) UJ	NA	NA	NA	NA	
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
2-CHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)	
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1)	ND (10)	ND (10)	NA	NA	
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	
2-NITROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	
2-NITROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		NA	NA	NA	NA	
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA	
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-04A
			Date	6/25/07	9/12/07	9/12/07	12/3/07	12/3/07	3/18/08	3/18/08	6/10/08	6/10/08	4/28/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP							
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) UJ	ND (20)	ND (20)	NA	NA	
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	
4-NITROPHENOL	UG/L	NV	NV	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	ND (21)	ND (20)	ND (19)	ND (20)	ND (19)	ND (20)	ND (20)	ND (20)	ND (19)	NA	NA	NA	NA	
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	
ACETOPHENONE	UG/L	NV	NV	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	NA	NA	
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.011)	ND (1)	ND (1)	NA	NA	
BENZYL ALCOHOL	UG/L	NV	NV	ND (5) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV											NA	NA	NA	NA	
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
CARBAZOLE	UG/L	NV	NV											NA	NA	NA	NA	
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3) UJ	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	
DIALLATE	UG/L	NV	NV	ND (1)	1 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	NA	NA	NA	NA	
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (5)	6	ND (5)	ND (5)	
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5) UJ	ND (5) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (2)	ND (2)	NA	NA	
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
ISOSAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
METHAPYRILENE	UG/L	NV	NV	ND (15) UJ	ND (16) UJ	ND (15) UJ	ND (14)	ND (15) UJ	ND (15) UJ	ND (15) UJ	ND (15) UJ	ND (15) UJ	ND (15) UJ	NA	NA	NA	NA	
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	0.017 B	ND (5)	ND (5)	ND (5)	ND (5)	
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-04A
			Date	6/25/07	9/12/07	9/12/07	12/3/07	12/3/07	3/18/08	3/18/08	6/10/08	6/10/08	4/28/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP							
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (75) UJ	ND (78) R	ND (75) R	ND (72) R	ND (75) R	ND (73) R	ND (76) R	ND (74) R	ND (73) R	ND (73) R	NA	NA	NA	NA	
PCN-2	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PENTACHLOROPHENOL	UG/L	1	1	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (2)	ND (2)	ND (2)	ND (2)	
PHENOL	UG/L	NV	NV	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
PCB 1016	UG/L	NV	NV											NA	NA	NA	NA	
PCB 1221	UG/L	NV	NV											NA	NA	NA	NA	
PCB 1232	UG/L	NV	NV											NA	NA	NA	NA	
PCB 1242	UG/L	NV	NV											NA	NA	NA	NA	
PCB 1248	UG/L	NV	NV											NA	NA	NA	NA	
PCB 1254	UG/L	NV	NV											NA	NA	NA	NA	
PCB 1260	UG/L	NV	NV											NA	NA	NA	NA	
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
ANTIMONY (dissolved)	UG/L	6	6										ND (0.3)	NA	NA	NA	NA	ND (8.5)
ANTIMONY (total)	UG/L	6	6	ND (0.044)	ND (0.044)	ND (0.044)	ND (0.044)	0.058 J	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	ND (0.3)	NA	NA	NA	NA	
ARSENIC (dissolved)	UG/L	10	10										12.4	2	ND (2)	2	3	ND (4.9)
ARSENIC (total)	UG/L	10	10	30.8 J	34.6	28.5	19.4	24.8	15.3 J	13 J	22.7 J	20.3 J	24.7	4	ND (2)	3	3	
BARIUM (dissolved)	UG/L	2000	2000										13.9	NA	NA	NA	NA	93.7
BARIUM (total)	UG/L	2000	2000	14.2	18.6	17.8	14.6	16.7	12.8	12	13.6	14.6	17.6	NA	NA	NA	NA	
BERYLLIUM (dissolved)	UG/L	4	4										ND (0.9)	NA	NA	NA	NA	ND (0.34)
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	NA	NA	NA	NA	
CADMIUM (dissolved)	UG/L	5	5										ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)
CADMIUM (total)	UG/L	5	5	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (2)	ND (2)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	
CHROMIUM (dissolved)	UG/L	100	100										ND (3)	NA	NA	NA	NA	ND (2.2)
CHROMIUM (total)	UG/L	100	100	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
COBALT (dissolved)	UG/L	NV	NV										7	ND (5)	ND (5)	ND (5)	ND (5)	ND (1.6)
COBALT (total)	UG/L	NV	NV	6.8	4.6 J	3.5 J	3.4 J	3.9 J	6.4	6.1	4.3 J	5.4	6	ND (5)	ND (5)	ND (5)	ND (5)	
COPPER (dissolved)	UG/L	NV	NV										ND (2.7)	NA	NA	NA	NA	ND (2.1)
COPPER (total)	UG/L	NV	NV	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.7)	ND (2.7)	ND (2.7)	NA	NA	NA	NA	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-03A	CRG-04A
			Date	6/25/07	9/12/07	9/12/07	12/3/07	12/3/07	3/18/08	3/18/08	6/10/08	6/10/08	4/28/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP							
IRON (total)	UG/L	NV	NV											NA	NA	NA	NA	
LEAD (dissolved)	UG/L	15	15										ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)
LEAD (total)	UG/L	15	15	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	
MANGANESE (total)	UG/L	NV	NV											NA	NA	NA	NA	
MERCURY (dissolved)	UG/L	2	2										ND (0.056)	NA	NA	NA	NA	ND (0.16)
MERCURY (total)	UG/L	2	2	ND (0.056)	ND (0.28)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	0.11 J	0.065 J	ND (0.056)	NA	NA	NA	NA	
NICKEL (dissolved)	UG/L	NV	NV										12	NA	NA	NA	NA	ND (3.8)
NICKEL (total)	UG/L	NV	NV	13.3	10.7	10.3	10.4	10.1	14.8	13.6	12.4	13.3	12	NA	NA	NA	NA	
SELENIUM (dissolved)	UG/L	50	50										ND (0.99)	NA	NA	NA	NA	ND (4.7)
SELENIUM (total)	UG/L	50	50	0.56 J	0.8 J	0.86 J	1 J	1 J	ND (5)	ND (5)	ND (0.3)	ND (0.3)	ND (0.99)	NA	NA	NA	NA	
SILVER (dissolved)	UG/L	NV	NV										ND (2.2)	NA	NA	NA	NA	ND (1.8)
SILVER (total)	UG/L	NV	NV	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (2.2)	ND (2.2)	ND (2.2)	NA	NA	NA	NA	
SODIUM (total)	UG/L	NV	NV											NA	NA	NA	NA	
THALLIUM (dissolved)	UG/L	2	2										ND (0.15)	NA	NA	NA	NA	ND (8.9)
THALLIUM (total)	UG/L	2	2	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.15)	ND (0.15)	ND (0.15)	ND (0.15)	ND (0.15)	NA	NA	NA	NA	
TIN (dissolved)	UG/L	NV	NV										ND (8.8)	NA	NA	NA	NA	ND (5)
TIN (total)	UG/L	NV	NV	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.8)	ND (8.8)	ND (8.8)	NA	NA	NA	NA	
VANADIUM (dissolved)	UG/L	NV	NV										ND (2.5)	NA	NA	NA	NA	ND (1.7)
VANADIUM (total)	UG/L	NV	NV	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.5)	ND (2.5)	ND (2.5)	NA	NA	NA	NA	
ZINC (dissolved)	UG/L	NV	NV										ND (8.1)	NA	NA	NA	NA	ND (4.1)
ZINC (total)	UG/L	NV	NV	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	NA	NA	NA	NA	

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A
			Date	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	3/2/05	6/7/05	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/28/06	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)		ND (6)	ND (6)		ND (6)				ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)		ND (25)	ND (25)		ND (25)				ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)		ND (40)	ND (40)		ND (40)				ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)		ND (4)	ND (4)		ND (4)				ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)		ND (0.5)	ND (0.5)		ND (0.5)				ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV													ND (55)	ND (55)	ND (55)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)		ND (100)	ND (100)		ND (100)				ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)		ND (10)				ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV													ND (200)	ND (200)	ND (200)
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV													ND (100)	ND (100)	ND (100)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A
			Date	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	3/2/05	6/7/05	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/28/06	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)		ND (30)	ND (30)		ND (30)				ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)		ND (0.7)	ND (0.7)		ND (0.7)				ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)		ND (15)	ND (15)		ND (15)				ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (1)	ND (70)	ND (70)	ND (70)		ND (70)	ND (70)		ND (70)				ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) R	ND (10)	ND (10) R	ND (10) UJ		ND (10) UJ	ND (10) UJ		ND (10) UJ				ND (10) UJ	ND (10) R	ND (10) R
1-METHYLNAPHTHALENE	UG/L	NV	NV															
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (3)				ND (3)	ND (3)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (19)	ND (21)	ND (20)	ND (20)		ND (19)	ND (20)		ND (20)				ND (20)	ND (20)	ND (20)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV													ND (2)	ND (2)	ND (2)
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (2)				ND (2)	ND (2)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (5)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)		ND (10)				ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (2)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A
			Date	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	3/2/05	6/7/05	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/28/06	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)		ND (10)				ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (19)	ND (21)	ND (20)	ND (20)		ND (19)	ND (20)		ND (20)				ND (20)	ND (20)	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2) UJ	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.2)	ND (0.2)		ND (0.2)				ND (0.2)	ND (0.2)	ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (11)		ND (11)				ND (11)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	ND (1)	ND (1)													
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV			ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV															
CHLOROBENZILATE	UG/L	NV	NV	ND (3) UJ	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1) UJ	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (2)	ND (2)
METHAPYRILENE	UG/L	NV	NV	ND (3) R	ND (3) R	ND (3) R	ND (3) R		ND (3) R	ND (3) R		ND (15) UJ				ND (15)	ND (15) UJ	ND (15) UJ
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A
			Date	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	3/2/05	6/7/05	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/28/06	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2) UJ	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2) UJ	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (57) R	ND (62) UJ	ND (59) R	ND (61) R		ND (58) R	ND (60) R		ND (61) UJ				ND (60) UJ	ND (75) R	ND (75) UJ
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (2)	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV															
PCB 1221	UG/L	NV	NV															
PCB 1232	UG/L	NV	NV															
PCB 1242	UG/L	NV	NV															
PCB 1248	UG/L	NV	NV															
PCB 1254	UG/L	NV	NV															
PCB 1260	UG/L	NV	NV															
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6		ND (2.5)	1.5 B	ND (1)	0.24 J		0.11 B								
ANTIMONY (total)	UG/L	6	6									0.17 J				0.17 J	0.08 B	0.085 J
ARSENIC (dissolved)	UG/L	10	10		ND (1.4)	ND (0.85)	ND (0.85)	ND (0.85)		2.4 J								
ARSENIC (total)	UG/L	10	10									ND (0.67) UJ				ND (0.67) UJ	ND (0.67)	ND (0.7) UJ
BARIUM (dissolved)	UG/L	2000	2000		87.6	102	141	100		121								
BARIUM (total)	UG/L	2000	2000									112				117	86.1	131
BERYLLIUM (dissolved)	UG/L	4	4		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)		ND (0.44)								
BERYLLIUM (total)	UG/L	4	4									ND (0.94)				ND (0.94)	ND (0.94)	ND (0.9)
CADMIUM (dissolved)	UG/L	5	5		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)		ND (0.97)								
CADMIUM (total)	UG/L	5	5									ND (0.91)				ND (0.91)	1.4 J	ND (0.9)
CHROMIUM (dissolved)	UG/L	100	100		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)		ND (4.8)								
CHROMIUM (total)	UG/L	100	100									ND (2.3)				ND (2.3)	ND (2.3)	ND (2.3)
COBALT (dissolved)	UG/L	NV	NV		ND (1.6)	ND (2)	ND (2)	ND (2)		ND (1.5)								
COBALT (total)	UG/L	NV	NV									ND (2.1)				ND (2.1)	ND (2.1)	ND (2.1)
COPPER (dissolved)	UG/L	NV	NV		ND (2.1)	3.6 J	ND (2.7)	ND (2.7)		ND (1.8)								
COPPER (total)	UG/L	NV	NV									ND (2.2)				2.5 J	ND (2.2)	ND (2.2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A
			Date	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	3/2/05	6/7/05	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/28/06	3/27/07	6/25/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								DUP							
IRON (total)	UG/L	NV	NV									ND (52.2)						
LEAD (dissolved)	UG/L	15	15		ND (9.3)	ND (10)	ND (10)	ND (10)		ND (8.4)								
LEAD (total)	UG/L	15	15									ND (6.9)				ND (6.9)	ND (6.9)	ND (6.9)
MANGANESE (total)	UG/L	NV	NV									474						
MERCURY (dissolved)	UG/L	2	2		ND (0.16)	ND (0.028)	ND (0.028)	ND (0.028)		ND (0.062)								
MERCURY (total)	UG/L	2	2									ND (0.056)				ND (0.056)	ND (0.056)	ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV		4 J	ND (5.1)	6.4 J	ND (3.1)		ND (5.8)								
NICKEL (total)	UG/L	NV	NV									ND (5.6)				ND (5.6)	ND (5.6)	ND (5.6)
SELENIUM (dissolved)	UG/L	50	50		6.3 J	5.2	0.97 J	2 J		ND (1.6)								
SELENIUM (total)	UG/L	50	50									1.3 J				1.5 J	1.2 J	1.6 J
SILVER (dissolved)	UG/L	NV	NV		ND (1.8)	ND (2)	ND (2)	ND (2)		ND (2)								
SILVER (total)	UG/L	NV	NV									ND (1.6)				ND (1.6)	ND (1.6)	ND (1.6)
SODIUM (total)	UG/L	NV	NV									503000						
THALLIUM (dissolved)	UG/L	2	2		ND (0.89)	1.5 B	ND (6.5) UJ	ND (1.3)		6.1 J								
THALLIUM (total)	UG/L	2	2									ND (0.037)				ND (0.037)	ND (0.037)	ND (0.037)
TIN (dissolved)	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)		ND (9.8)								
TIN (total)	UG/L	NV	NV									ND (8.4)				ND (8.4)	ND (8.4)	ND (8.4)
VANADIUM (dissolved)	UG/L	NV	NV		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)		ND (1)								
VANADIUM (total)	UG/L	NV	NV									ND (1.5)				ND (1.5)	ND (1.5)	ND (1.5)
ZINC (dissolved)	UG/L	NV	NV		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)		ND (5.3)								
ZINC (total)	UG/L	NV	NV									ND (8.1)				174	ND (8.1)	ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A
			Date	9/12/07	12/4/07	3/17/08	6/10/08	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)			NA	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV	ND (55)	ND (55)	ND (55)	ND (55)		NA	NA	NA	NA						
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV	ND (200)	ND (200)	ND (200)	ND (200)		NA	NA	NA	NA						
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)		NA	NA	NA	NA						
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A
			Date	9/12/07	12/4/07	3/17/08	6/10/08	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (9) UJ	ND (10) UJ	ND (10) UJ	ND (10)	ND (10) UJ	NA	NA	NA	NA		ND (10)	ND (10)	ND (10) R	ND (10) UJ	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV						NA	NA	NA	NA						
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (19)	ND (20)	ND (20)	ND (20)	ND (20) UJ	ND (25)	ND (25)	ND (25)	ND (25)		ND (19)	ND (19)	ND (19)	ND (19)	ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		NA	NA	NA	NA						
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A
			Date	9/12/07	12/4/07	3/17/08	6/10/08	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (20)	ND (20)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (19) R	ND (20)	ND (20)	ND (20)	ND (20)	NA	NA	NA	NA		ND (19)	ND (19)	ND (19)	ND (19)	ND (19)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.0098)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV						NA	NA	NA	NA		ND (1)	ND (1)			
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)				ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	8	ND (5)		4 J	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV						NA	NA	NA	NA						
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (2)	ND (2)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (0.9) UJ	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV	ND (14) UJ	ND (15)	ND (15) UJ	ND (15) UJ	ND (15) UJ	NA	NA	NA	NA		ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R
METHYL METHANESULFONATE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	0.011 B	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A
			Date	9/12/07	12/4/07	3/17/08	6/10/08	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (71) R	ND (75) R	ND (75) R	ND (75) R	ND (74) R	NA	NA	NA	NA		ND (57) R	ND (57) UJ	ND (57) R	ND (58) R	ND (58) R
PCN-2	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1221	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1232	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1242	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1248	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1254	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1260	UG/L	NV	NV						NA	NA	NA	NA						
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6					ND (0.3)	NA	NA	NA	NA	ND (8.5)		2.6 J	2.8 J	ND (1)	2.1 J
ANTIMONY (total)	UG/L	6	6	0.19 J	0.11 J	ND (0.3)	1.3	ND (0.3)	NA	NA	NA	NA						
ARSENIC (dissolved)	UG/L	10	10					ND (0.95)	ND (2)	6	7	ND (2)	23.1		11	25.1	33.2	17.7
ARSENIC (total)	UG/L	10	10	ND (0.7)	ND (0.7)	ND (3.5)	ND (0.95) UJ	ND (0.95)	ND (2)	6	7	ND (2)						
BARIUM (dissolved)	UG/L	2000	2000					149	NA	NA	NA	NA	152		157	166	169	143
BARIUM (total)	UG/L	2000	2000	110	91.3	86	192	155	NA	NA	NA	NA						
BERYLLIUM (dissolved)	UG/L	4	4					ND (0.9)	NA	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	NA	NA	NA	NA						
CADMIUM (dissolved)	UG/L	5	5					ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)
CADMIUM (total)	UG/L	5	5	ND (0.9)	ND (0.9)	ND (0.9)	ND (2)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)						
CHROMIUM (dissolved)	UG/L	100	100					ND (3)	NA	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)
CHROMIUM (total)	UG/L	100	100	ND (2.3)	ND (2.3)	ND (2.3)	ND (3)	ND (3)	NA	NA	NA	NA						
COBALT (dissolved)	UG/L	NV	NV					ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	2.2 J		2.3 J	2.1 J	ND (2)	ND (2)
COBALT (total)	UG/L	NV	NV	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)						
COPPER (dissolved)	UG/L	NV	NV					ND (2.7)	NA	NA	NA	NA	ND (2.1)		ND (2.1)	6.6 J	ND (2.7)	ND (2.7)
COPPER (total)	UG/L	NV	NV	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.7)	ND (2.7)	NA	NA	NA	NA						

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-04A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A
			Date	9/12/07	12/4/07	3/17/08	6/10/08	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
IRON (total)	UG/L	NV	NV						NA	NA	NA	NA						
LEAD (dissolved)	UG/L	15	15					ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)
LEAD (total)	UG/L	15	15	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)						
MANGANESE (total)	UG/L	NV	NV						NA	NA	NA	NA						
MERCURY (dissolved)	UG/L	2	2					ND (0.056)	NA	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)	ND (0.028)	ND (0.028)
MERCURY (total)	UG/L	2	2	ND (0.056)	ND (0.056)	ND (0.056)	0.066 J	ND (0.056)	NA	NA	NA	NA						
NICKEL (dissolved)	UG/L	NV	NV					ND (5.6)	NA	NA	NA	NA	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)
NICKEL (total)	UG/L	NV	NV	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	NA	NA	NA	NA						
SELENIUM (dissolved)	UG/L	50	50					ND (0.99)	NA	NA	NA	NA	ND (4.7)		1.6 B	4.4 J	ND (0.89) UJ	3.6 J
SELENIUM (total)	UG/L	50	50	1.7 J	1.9 J	ND (5)	0.69 J	ND (0.99)	NA	NA	NA	NA						
SILVER (dissolved)	UG/L	NV	NV					ND (2.2)	NA	NA	NA	NA	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)
SILVER (total)	UG/L	NV	NV	ND (1.6)	ND (1.6)	ND (1.6)	ND (2.2)	ND (2.2)	NA	NA	NA	NA						
SODIUM (total)	UG/L	NV	NV						NA	NA	NA	NA						
THALLIUM (dissolved)	UG/L	2	2					ND (0.15)	NA	NA	NA	NA	ND (8.9)		ND (0.89)	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ
THALLIUM (total)	UG/L	2	2	ND (0.037)	ND (0.037)	ND (0.15)	ND (0.15)	ND (0.15)	NA	NA	NA	NA						
TIN (dissolved)	UG/L	NV	NV					ND (8.8)	NA	NA	NA	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
TIN (total)	UG/L	NV	NV	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.8)	ND (8.8)	NA	NA	NA	NA						
VANADIUM (dissolved)	UG/L	NV	NV					ND (2.5)	NA	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)
VANADIUM (total)	UG/L	NV	NV	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.5)	ND (2.5)	NA	NA	NA	NA						
ZINC (dissolved)	UG/L	NV	NV					ND (8.1)	NA	NA	NA	NA	ND (4.1)		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)
ZINC (total)	UG/L	NV	NV	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	NA	NA	NA	NA						

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A
			Date	6/7/05	4/27/09	9/13/13	9/19/14	8/26/15	2/24/04	6/9/04	3/2/05	4/28/09	8/27/15	11/12/03	11/12/03	11/12/03	2/25/04	6/9/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (2)			ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (3)			ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (6)			ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	NA	NA	NA	ND (25)	ND (25)	ND (25)	ND (25)	NA	ND (25)			ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)			NA	ND (40)	ND (40)	ND (40)	ND (40)	NA	ND (40)			ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (4)			ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (0.5)			ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)			ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	NA	ND (0.8)			ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV			NA	NA	NA					NA					
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (2)			ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	NA	NA	NA	ND (100)	ND (100)	ND (100)	ND (100)	NA	ND (100)			ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	NA	NA	NA	ND (10)	ND (10)	ND (10)	ND (10)	NA	ND (10)			ND (10)	ND (10)
METHANOL	UG/L	NV	NV			NA	NA	NA					NA					
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (25)	ND (25)	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA	ND (3)			ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA	ND (3)			ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (2)			ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV			NA	NA	NA					NA					
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)			ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A
			Date	6/7/05	4/27/09	9/13/13	9/19/14	8/26/15	2/24/04	6/9/04	3/2/05	4/28/09	8/27/15	11/12/03	11/12/03	11/12/03	2/25/04	6/9/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	NA	NA	NA	ND (30)	ND (30)	ND (30)	ND (30)	NA	ND (30)			ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	NA	ND (0.8)			ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (0.7)			ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)			ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	NA	NA	NA	ND (15)	ND (15)	ND (15)	ND (15)	NA	ND (15)			ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (2)			ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	ND (2)			ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (3)	ND (3)	NA	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	NA	ND (0.8)			ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)			ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA			ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (1)	NA	NA	NA	ND (70)	ND (70)	ND (70)	ND (1)	NA			ND (1)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) UJ	ND (10) UJ	NA	NA	NA	ND (10)	ND (10) R	ND (10) UJ	ND (10) UJ	NA			ND (10)	ND (10)	ND (10) R
1-METHYLNAPHTHALENE	UG/L	NV	NV			NA	NA	NA					NA					
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA			ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA			ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1) UJ	NA			ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (1)	ND (1)	ND (1)	ND (1) UJ	NA			ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1) UJ	NA			ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (3)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (3)	NA			ND (1)	ND (1)	ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20)	ND (21)	ND (25)	ND (25)	ND (25)	ND (20)	ND (19)	ND (20)	ND (21) UJ	NA			ND (20)	ND (19)	ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA			ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1) UJ	NA			ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)			ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	ND (10)	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA			ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1) UJ	NA			ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV			NA	NA	NA					NA					
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA			ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (2)	NA			ND (1)	ND (1)	ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)	NA	NA	NA	ND (10)	ND (10)	ND (10)	ND (10)	NA			ND (5)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (5)	ND (5)	ND (5)	ND (5)	NA			ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (2) UJ	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (2)	NA			ND (1)	ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A
			Date	6/7/05	4/27/09	9/13/13	9/19/14	8/26/15	2/24/04	6/9/04	3/2/05	4/28/09	8/27/15	11/12/03	11/12/03	11/12/03	2/25/04	6/9/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (20)	ND (20)	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA			ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (10)	ND (10)	ND (10)	ND (10)	NA			ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	ND (21)	NA	NA	NA	ND (20)	ND (19)	ND (20)	ND (21)	NA			ND (20)	ND (19) R	ND (19)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA			ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	ND (1)	NA	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.2)	ND (0.01)	ND (1)	ND (1)	NA	ND (1)	ND (1)	ND (0.2)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (11)	ND (5)	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA			ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV			NA	NA	NA	ND (1)				NA			ND (1)	ND (1)	
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	NA					ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (5)	ND (5)	9	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV			NA	NA	NA					NA					
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA			ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (0.01)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2) UJ	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA			ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)			ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (2)	ND (2)	NA	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (2)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (2)	NA			ND (1)	ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV	ND (3) R	ND (16) UJ	NA	NA	NA	ND (3) R	ND (3) R	ND (3) R	ND (16) UJ	NA			ND (3)	ND (3)	ND (3) R
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	0.013 B	ND (5)			ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A
			Date	6/7/05	4/27/09	9/13/13	9/19/14	8/26/15	2/24/04	6/9/04	3/2/05	4/28/09	8/27/15	11/12/03	11/12/03	11/12/03	2/25/04	6/9/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA			ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (60) R	ND (78) R	NA	NA	NA	ND (59) UJ	ND (58) R	ND (59) R	ND (79) R	NA			ND (60) R	ND (57) R	ND (57) R
PCN-2	UG/L	NV	NV	ND (1)	ND (2)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (2)	NA			ND (1)	ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (3)	ND (3)	ND (3)	ND (3)	NA			ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA			ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA			ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA			ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV			NA	NA	NA					NA					
PCB 1221	UG/L	NV	NV			NA	NA	NA					NA					
PCB 1232	UG/L	NV	NV			NA	NA	NA					NA					
PCB 1242	UG/L	NV	NV			NA	NA	NA					NA					
PCB 1248	UG/L	NV	NV			NA	NA	NA					NA					
PCB 1254	UG/L	NV	NV			NA	NA	NA					NA					
PCB 1260	UG/L	NV	NV			NA	NA	NA					NA					
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA			ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	0.95 J	3.2	NA	NA	NA	ND (2.5)	2 J	0.14 J	ND (0.3)	NA		ND (8.5)		ND (2.5)	1.4 J
ANTIMONY (total)	UG/L	6	6		3	NA	NA	NA				ND (0.3)	NA					
ARSENIC (dissolved)	UG/L	10	10	27.8	6.3	14	ND (2)	26	ND (1.4)	1.1 J	7.6	ND (0.95)	NA		ND (4.9)		ND (1.4)	ND (0.85)
ARSENIC (total)	UG/L	10	10		7	17	3	30				ND (0.95)	ND (2)					
BARIUM (dissolved)	UG/L	2000	2000	178	122	NA	NA	NA	34.9	20.5	41.6	20.4	NA		89.1		81	86.2
BARIUM (total)	UG/L	2000	2000		119	NA	NA	NA				20.4	NA					
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.44)	ND (0.9)	NA	NA	NA	ND (0.34)	ND (0.97)	ND (0.97)	ND (0.9)	NA		ND (0.34)		ND (0.34)	ND (0.97)
BERYLLIUM (total)	UG/L	4	4		ND (0.9)	NA	NA	NA				ND (0.9)	NA					
CADMIUM (dissolved)	UG/L	5	5	ND (0.97)	ND (2)	ND (0.5)	0.6	ND (0.5)	ND (0.87)	ND (0.76)	ND (0.76)	ND (2)	NA		ND (0.87)		ND (0.87)	ND (0.76)
CADMIUM (total)	UG/L	5	5		ND (2)	ND (0.5)	0.6	ND (0.5)				ND (2)	6.1					
CHROMIUM (dissolved)	UG/L	100	100	ND (4.8)	ND (3)	NA	NA	NA	ND (2.2)	ND (3)	ND (2.5)	ND (3)	NA		ND (2.2)		ND (2.2)	ND (3)
CHROMIUM (total)	UG/L	100	100		ND (3)	NA	NA	NA				ND (3)	NA					
COBALT (dissolved)	UG/L	NV	NV	ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (1.6)	ND (2)	ND (2)	ND (2.1)	NA		ND (1.6)		ND (1.6)	ND (2)
COBALT (total)	UG/L	NV	NV		ND (2.1)	ND (5)	ND (5)	ND (5)				ND (2.1)	8					
COPPER (dissolved)	UG/L	NV	NV	ND (1.8)	4 J	NA	NA	NA	ND (2.1)	4.6 J	3.2 B	3.1 J	NA		4.3 J		ND (2.1)	ND (2.7)
COPPER (total)	UG/L	NV	NV		ND (2.7)	NA	NA	NA				2.9 J	NA					

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-05A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-06A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A
			Date	6/7/05	4/27/09	9/13/13	9/19/14	8/26/15	2/24/04	6/9/04	3/2/05	4/28/09	8/27/15	11/12/03	11/12/03	11/12/03	2/25/04	6/9/04
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
IRON (total)	UG/L	NV	NV			NA	NA	NA					NA					
LEAD (dissolved)	UG/L	15	15	ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (9.3)	ND (10)	ND (10)	ND (6.9)	NA		ND (9.3)		ND (9.3)	ND (10)
LEAD (total)	UG/L	15	15		ND (6.9)	8	3	32				ND (6.9)	129					
MANGANESE (total)	UG/L	NV	NV			NA	NA	NA					NA					
MERCURY (dissolved)	UG/L	2	2	ND (0.062)	ND (0.056)	NA	NA	NA	ND (0.16)	ND (0.028)	ND (0.028)	ND (0.056)	NA		ND (0.16)		ND (0.16)	ND (0.028)
MERCURY (total)	UG/L	2	2		0.079 J	NA	NA	NA				ND (0.056)	NA					
NICKEL (dissolved)	UG/L	NV	NV	ND (5.8)	ND (5.6)	NA	NA	NA	ND (3.8)	ND (5.1)	ND (3.1)	ND (5.6)	NA		ND (3.8)		ND (3.8)	ND (5.1)
NICKEL (total)	UG/L	NV	NV		ND (5.6)	NA	NA	NA				ND (5.6)	NA					
SELENIUM (dissolved)	UG/L	50	50	ND (8)	ND (0.99)	NA	NA	NA	5.8 J	21.5	2.4 J	1.7 J	NA		ND (4.7)		1.4 J	3.5 J
SELENIUM (total)	UG/L	50	50		ND (0.99)	NA	NA	NA				1.6 J	NA					
SILVER (dissolved)	UG/L	NV	NV	ND (2)	ND (2.2)	NA	NA	NA	ND (1.8)	ND (2)	ND (2)	ND (2.2)	NA		ND (1.8)		ND (1.8)	ND (2)
SILVER (total)	UG/L	NV	NV		ND (2.2)	NA	NA	NA				ND (2.2)	NA					
SODIUM (total)	UG/L	NV	NV			NA	NA	NA					NA					
THALLIUM (dissolved)	UG/L	2	2	ND (1.2)	ND (0.15)	NA	NA	NA	ND (0.89)	ND (1.3)	ND (1.3)	ND (0.15)	NA		ND (8.9)		1.1 J	ND (1.3)
THALLIUM (total)	UG/L	2	2		ND (0.15)	NA	NA	NA				ND (0.15)	NA					
TIN (dissolved)	UG/L	NV	NV	ND (9.8)	ND (8.8)	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (8.8)	NA		ND (5)		ND (5)	ND (5)
TIN (total)	UG/L	NV	NV		ND (8.8)	NA	NA	NA				ND (8.8)	NA					
VANADIUM (dissolved)	UG/L	NV	NV	ND (1)	ND (2.5)	NA	NA	NA	ND (1.7)	ND (1.6)	ND (1.6)	ND (2.5)	NA		ND (1.7)		ND (1.7)	ND (1.6)
VANADIUM (total)	UG/L	NV	NV		ND (2.5)	NA	NA	NA				ND (2.5)	NA					
ZINC (dissolved)	UG/L	NV	NV	ND (5.3)	93.1	NA	NA	NA	ND (4.1)	ND (4.8)	ND (4.8)	ND (8.1)	NA		ND (4.1)		10.9 B	ND (4.8)
ZINC (total)	UG/L	NV	NV		94.4	NA	NA	NA				ND (8.1)	NA					

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A
			Date	9/1/04	3/2/05	6/8/05	9/14/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03	2/25/04	6/9/04	9/1/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)			NA	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV						NA	NA	NA	NA						
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV						NA	NA	NA	NA						
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV						NA	NA	NA	NA						
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A
			Date	9/1/04	3/2/05	6/8/05	9/14/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03	2/25/04	6/9/04	9/1/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	NA	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ	NA	NA	NA	NA		ND (10)	ND (10)	ND (10) R	ND (10) R	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV				ND (1)		NA	NA	NA	NA						
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20)	ND (19)	ND (19)	ND (20)	ND (21) UJ	ND (25)	ND (25)	ND (25)	ND (25)		ND (20)	ND (19)	ND (19)	ND (20)	ND (20)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV						NA	NA	NA	NA						
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A
			Date	9/1/04	3/2/05	6/8/05	9/14/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03	2/25/04	6/9/04	9/1/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (20)	ND (20)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	ND (19)	ND (19)	ND (20) UJ	ND (21)	NA	NA	NA	NA		ND (20)	ND (19) R	ND (19)	ND (20)	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.019)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.097)	ND (0.011)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.019)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (0.2)	ND (0.2)	ND (0.019)	ND (0.011)	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (11)	ND (11)	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV						NA	NA	NA	NA		ND (1)	ND (1)			
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)				ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	16	16		6 J	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV				ND (1)		NA	NA	NA	NA						
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.078)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.011)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.49)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.078)	ND (0.011)	ND (2)	ND (2)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV	ND (3) R	ND (3) R	ND (14) R	ND (15) R	ND (16) UJ	NA	NA	NA	NA		ND (3) R	ND (3)	ND (3) R	ND (3) R	ND (3) R
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1.6)	0.018 B	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		2 J	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A
			Date	9/1/04	3/2/05	6/8/05	9/14/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03	2/25/04	6/9/04	9/1/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (59) R	ND (57) R	ND (57) R	ND (59) R	ND (78) R	NA	NA	NA	NA		ND (61) R	ND (57) R	ND (57) R	ND (61) R	ND (59) R
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.078)	ND (0.011)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.18)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1221	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1232	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1242	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1248	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1254	UG/L	NV	NV						NA	NA	NA	NA						
PCB 1260	UG/L	NV	NV						NA	NA	NA	NA						
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (5)	ND (0.9)	0.073 B		ND (0.3)	NA	NA	NA	NA	ND (8.5)		ND (2.5)	1.7 J	ND (5)	ND (0.9)
ANTIMONY (total)	UG/L	6	6				0.12 B	ND (0.3)	NA	NA	NA	NA						
ARSENIC (dissolved)	UG/L	10	10	2.4 B	ND (0.85)	2.8 J		ND (0.95)	3	ND (2)	2	ND (2)	ND (4.9)		ND (1.4)	0.88 J	3.9 B	ND (0.85)
ARSENIC (total)	UG/L	10	10				1.1 J	ND (0.95)	2	3	2	ND (2)						
BARIUM (dissolved)	UG/L	2000	2000	92.4	89.1	88.5		62.3	NA	NA	NA	NA	30.5		25.4	39.6	22.8	21.5
BARIUM (total)	UG/L	2000	2000				96.7	65.1	NA	NA	NA	NA						
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.97)	ND (0.97)	ND (0.44)		ND (0.9)	NA	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)
BERYLLIUM (total)	UG/L	4	4				ND (0.44)	ND (0.9)	NA	NA	NA	NA						
CADMIUM (dissolved)	UG/L	5	5	ND (0.76)	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)
CADMIUM (total)	UG/L	5	5				ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)						
CHROMIUM (dissolved)	UG/L	100	100	ND (2.5)	ND (2.5)	ND (4.8)		ND (3)	NA	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)
CHROMIUM (total)	UG/L	100	100				ND (4.8)	ND (3)	NA	NA	NA	NA						
COBALT (dissolved)	UG/L	NV	NV	ND (2)	2.7 J	ND (1.5)		ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)
COBALT (total)	UG/L	NV	NV				ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)						
COPPER (dissolved)	UG/L	NV	NV	3.4 J	ND (2.7)	ND (1.8)		3.3 J	NA	NA	NA	NA	4.6 J		ND (2.1)	ND (2.7)	3.3 J	ND (2.7)
COPPER (total)	UG/L	NV	NV				ND (1.8)	3 J	NA	NA	NA	NA						

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-07A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-08A
			Date	9/1/04	3/2/05	6/8/05	9/14/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03	2/25/04	6/9/04	9/1/04	3/2/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
IRON (total)	UG/L	NV	NV						NA	NA	NA	NA						
LEAD (dissolved)	UG/L	15	15	ND (10)	ND (10)	ND (8.4)		ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)
LEAD (total)	UG/L	15	15				ND (8.4)	ND (6.9)	ND (3)	ND (3)	6	ND (3)						
MANGANESE (total)	UG/L	NV	NV						NA	NA	NA	NA						
MERCURY (dissolved)	UG/L	2	2	0.056 J	ND (0.028)	ND (0.062)		ND (0.056)	NA	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)	0.047 J	ND (0.028)
MERCURY (total)	UG/L	2	2				ND (0.062)	ND (0.056)	NA	NA	NA	NA						
NICKEL (dissolved)	UG/L	NV	NV	ND (3.1)	8.4 J	ND (5.8)		ND (5.6)	NA	NA	NA	NA	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)
NICKEL (total)	UG/L	NV	NV				ND (5.8)	ND (5.6)	NA	NA	NA	NA						
SELENIUM (dissolved)	UG/L	50	50	ND (0.89) UJ	ND (1.6)	ND (8)		5.3	NA	NA	NA	NA	33.4		2.3 J	1.8 J	0.9 J	ND (1.6)
SELENIUM (total)	UG/L	50	50				1.7 B	5.3	NA	NA	NA	NA						
SILVER (dissolved)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (2.2)	NA	NA	NA	NA	ND (1.8)		ND (1.8)	2.5 J	ND (2)	ND (2)
SILVER (total)	UG/L	NV	NV				ND (2)	ND (2.2)	NA	NA	NA	NA						
SODIUM (total)	UG/L	NV	NV						NA	NA	NA	NA						
THALLIUM (dissolved)	UG/L	2	2	ND (1.3) UJ	ND (1.3) UJ	ND (1.2)		ND (0.15)	NA	NA	NA	NA	ND (8.9)		0.89 J	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ
THALLIUM (total)	UG/L	2	2				0.035 J	ND (0.15)	NA	NA	NA	NA						
TIN (dissolved)	UG/L	NV	NV	ND (5)	ND (5)	ND (9.8)		ND (8.8)	NA	NA	NA	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
TIN (total)	UG/L	NV	NV				ND (9.8)	ND (8.8)	NA	NA	NA	NA						
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.6)	ND (1.6)	ND (1)		ND (2.5)	NA	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)	1.8 J	ND (1.6)
VANADIUM (total)	UG/L	NV	NV				ND (1)	ND (2.5)	NA	NA	NA	NA						
ZINC (dissolved)	UG/L	NV	NV	ND (4.8)	ND (4.8)	ND (5.3)		ND (8.1)	NA	NA	NA	NA	ND (4.1)		ND (4.1)	ND (4.8)	5.8 B	ND (4.8)
ZINC (total)	UG/L	NV	NV				ND (5.3)	ND (8.1)	NA	NA	NA	NA						

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-10A
			Date	6/8/05	4/30/09	9/18/14	8/27/15	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/3/05	6/8/05	4/29/09	9/18/14	8/27/15	4/29/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	NA	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)		NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (1)	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	NA	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV			NA	NA									NA	NA	
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	NA	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	NA	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	ND (10)
METHANOL	UG/L	NV	NV			NA	NA									NA	NA	
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (25)	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	NA	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
N-BUTANOL	UG/L	NV	NV			NA	NA									NA	NA	
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-10A
			Date	6/8/05	4/30/09	9/18/14	8/27/15	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/3/05	6/8/05	4/29/09	9/18/14	8/27/15	4/29/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	NA	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (1)	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	NA	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	NA	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (3)	NA		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	NA	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (7)	ND (5)	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (1)	NA	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (0.9)	NA	NA	ND (1)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (14) UJ	ND (10)	NA	NA		ND (10)	ND (10)	ND (10) R	ND (10) R	ND (10) UJ	ND (10) UJ	ND (9) UJ	NA	NA	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV			NA	NA									NA	NA	
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (7)	ND (5)	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (4)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (4)	ND (4)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (4)	ND (3)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (5)	ND (5)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (28)	ND (20)	ND (25)	NA		ND (19)	ND (20)	ND (21)	ND (20)	ND (19)	ND (20)	ND (19)	ND (25)	ND (25)	ND (21)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (0.0095)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	NA	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (7)	ND (5)	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (25)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)	ND (25)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
2-NITROPROPANE	UG/L	NV	NV			NA	NA									NA	NA	
2-PICOLINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (3)	ND (2)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (14)	ND (10)	NA	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	NA	NA	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (25)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)	ND (25)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (7)	ND (5)	ND (20)	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (2)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)	ND (5)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-10A
			Date	6/8/05	4/30/09	9/18/14	8/27/15	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/3/05	6/8/05	4/29/09	9/18/14	8/27/15	4/29/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (3)	ND (2)	ND (20)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	NA	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (25)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)	ND (25)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (14)	ND (10)	ND (25)	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (25)	ND (25)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (28)	ND (20)	NA	NA		ND (19)	ND (20) R	ND (21)	ND (20)	ND (19)	ND (20)	ND (19)	NA	NA	ND (21)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (4)	ND (3)	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (0.0095)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (0.0095)
ACETOPHENONE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (0.0095)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	NA	ND (0.0095)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.3)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.01)	ND (1)	NA	ND (0.0095)
BENZYL ALCOHOL	UG/L	NV	NV	ND (15)	ND (5)	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (5)	NA	NA	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV			NA	NA		ND (1)	ND (1)						NA	NA	
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA				ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (3)	ND (2)	ND (5)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	6	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (3)	ND (2)	ND (5)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
CARBAZOLE	UG/L	NV	NV			NA	NA									NA	NA	
CHLOROBENZILATE	UG/L	NV	NV	ND (4)	ND (3)	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (0.01)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	NA	NA	ND (0.0095)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (4)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (4)	ND (4)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (3)	ND (2)	ND (5)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (3)	ND (2)	ND (5)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (3)	ND (2)	ND (5)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (1)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (0.0095)
FLUORENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (0.0095)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (10)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (7)	ND (5)	ND (5)	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (2)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (2)	NA	ND (0.0095)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (2)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	ND (2)
METHAPYRILENE	UG/L	NV	NV	ND (21) R	ND (15) UJ	NA	NA		ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3) UJ	ND (15) R	ND (14) UJ	NA	NA	ND (16) UJ
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	0.012 B	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	0.01 B
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-10A
			Date	6/8/05	4/30/09	9/18/14	8/27/15	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/3/05	6/8/05	4/29/09	9/18/14	8/27/15	4/29/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (3)	ND (2)	ND (5)	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (84) R	ND (75) R	NA	NA		ND (58) R	ND (59) R	ND (62) R	ND (59) R	ND (57) R	ND (59) R	ND (71) R	NA	NA	ND (78) R
PCN-2	UG/L	NV	NV	ND (1)	ND (2)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (4)	ND (3)	ND (5)	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (2)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (2)	ND (2)	ND (0.0095)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (0.01)	ND (5)	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (0.0095)
PYRIDINE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
SAFROLE	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
THIONAZIN	UG/L	NV	NV	ND (3)	ND (2)	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	ND (1)
PCB 1016	UG/L	NV	NV			NA	NA									NA	NA	
PCB 1221	UG/L	NV	NV			NA	NA									NA	NA	
PCB 1232	UG/L	NV	NV			NA	NA									NA	NA	
PCB 1242	UG/L	NV	NV			NA	NA									NA	NA	
PCB 1248	UG/L	NV	NV			NA	NA									NA	NA	
PCB 1254	UG/L	NV	NV			NA	NA									NA	NA	
PCB 1260	UG/L	NV	NV			NA	NA									NA	NA	
DIMETHOATE	UG/L	NV	NV	ND (4)	ND (3)	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)
ANTIMONY (dissolved)	UG/L	6	6		ND (0.3)	NA	NA	ND (8.5)		ND (2.5)	1.4 J	ND (1)	ND (0.9)	0.17 B	ND (0.3)	NA	NA	ND (0.3)
ANTIMONY (total)	UG/L	6	6		ND (0.3)	NA	NA								ND (0.3)	NA	NA	ND (0.3)
ARSENIC (dissolved)	UG/L	10	10		ND (0.95)	ND (2)	NA	ND (4.9)		ND (1.4)	ND (0.85)	0.96 B	ND (0.85)	2.6 J	ND (0.95)	ND (2)	ND (2)	ND (0.95)
ARSENIC (total)	UG/L	10	10		ND (0.95)	ND (2)	ND (2)								ND (0.95)	ND (2)	ND (2)	ND (0.95)
BARIUM (dissolved)	UG/L	2000	2000		16.2	NA	NA	57.9		36	41.3	52.6	35.5	46.9	33.6	NA	NA	36.3
BARIUM (total)	UG/L	2000	2000		17	NA	NA								36.6	NA	NA	38.1
BERYLLIUM (dissolved)	UG/L	4	4		ND (0.9)	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.9)	NA	NA	ND (0.9)
BERYLLIUM (total)	UG/L	4	4		ND (0.9)	NA	NA								ND (0.9)	NA	NA	ND (0.9)
CADMIUM (dissolved)	UG/L	5	5		ND (2)	ND (0.5)	NA	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (2)
CADMIUM (total)	UG/L	5	5		ND (2)	ND (0.5)	ND (0.5)								ND (2)	ND (0.5)	ND (0.5)	ND (2)
CHROMIUM (dissolved)	UG/L	100	100		ND (3)	NA	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)	ND (3)	NA	NA	ND (3)
CHROMIUM (total)	UG/L	100	100		ND (3)	NA	NA								ND (3)	NA	NA	ND (3)
COBALT (dissolved)	UG/L	NV	NV		ND (2.1)	ND (5)	NA	ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (2.1)
COBALT (total)	UG/L	NV	NV		ND (2.1)	ND (5)	ND (5)								ND (2.1)	ND (5)	ND (5)	ND (2.1)
COPPER (dissolved)	UG/L	NV	NV		3.3 B	NA	NA	2.2 J		ND (2.1)	ND (2.7)	ND (2.7)	ND (2.7)	ND (1.8)	ND (2.7)	NA	NA	ND (2.7)
COPPER (total)	UG/L	NV	NV		ND (2.7)	NA	NA								ND (2.7)	NA	NA	ND (2.7)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-08A	CRG-08A	CRG-08A	CRG-08A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-09A	CRG-10A
			Date	6/8/05	4/30/09	9/18/14	8/27/15	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/3/05	6/8/05	4/29/09	9/18/14	8/27/15	4/29/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
IRON (total)	UG/L	NV	NV			NA	NA									NA	NA	
LEAD (dissolved)	UG/L	15	15		ND (6.9)	ND (3)	NA	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (6.9)
LEAD (total)	UG/L	15	15		ND (6.9)	ND (3)	11								ND (6.9)	ND (3)	10	ND (6.9)
MANGANESE (total)	UG/L	NV	NV			NA	NA									NA	NA	
MERCURY (dissolved)	UG/L	2	2		ND (0.056)	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)	0.044 J	ND (0.028)	ND (0.062)	ND (0.056)	NA	NA	ND (0.056)
MERCURY (total)	UG/L	2	2		ND (0.056)	NA	NA								ND (0.056)	NA	NA	ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV		ND (5.6)	NA	NA	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.6)	NA	NA	ND (5.6)
NICKEL (total)	UG/L	NV	NV		ND (5.6)	NA	NA								ND (5.6)	NA	NA	ND (5.6)
SELENIUM (dissolved)	UG/L	50	50		ND (0.99)	NA	NA	11.7		5.9 J	1.8 J	ND (0.89) UJ	5.2 J	ND (8)	7.2	NA	NA	2.5
SELENIUM (total)	UG/L	50	50		ND (0.99)	NA	NA								6.7	NA	NA	2.6
SILVER (dissolved)	UG/L	NV	NV		ND (2.2)	NA	NA	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2.2)	NA	NA	2.8 J
SILVER (total)	UG/L	NV	NV		ND (2.2)	NA	NA								ND (2.2)	NA	NA	ND (2.2)
SODIUM (total)	UG/L	NV	NV			NA	NA									NA	NA	
THALLIUM (dissolved)	UG/L	2	2		ND (0.15)	NA	NA	ND (8.9)		ND (0.89)	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ	ND (1.2)	ND (0.15)	NA	NA	ND (0.15)
THALLIUM (total)	UG/L	2	2		ND (0.15)	NA	NA								ND (0.15)	NA	NA	ND (0.15)
TIN (dissolved)	UG/L	NV	NV		ND (8.8)	NA	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (8.8)	NA	NA	ND (8.8)
TIN (total)	UG/L	NV	NV		ND (8.8)	NA	NA								ND (8.8)	NA	NA	ND (8.8)
VANADIUM (dissolved)	UG/L	NV	NV		ND (2.5)	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)	2.6 J	NA	NA	ND (2.5)
VANADIUM (total)	UG/L	NV	NV		ND (2.5)	NA	NA								ND (2.5)	NA	NA	ND (2.5)
ZINC (dissolved)	UG/L	NV	NV		ND (8.1)	NA	NA	4.6 J		ND (4.1)	ND (4.8)	8.6 B	ND (4.8)	5.6 J	ND (8.1)	NA	NA	ND (8.1)
ZINC (total)	UG/L	NV	NV		ND (8.1)	NA	NA								ND (8.1)	NA	NA	ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-13A	CRG-13A
			Date	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	5/1/09	9/16/14	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	9/18/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600		ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75		ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (50)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (50)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	ND (25)	NA	NA	NA	NA	ND (25)	NA
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40) UJ		ND (40) UJ			NA	NA	ND (40)	
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4) UJ	ND (2)	ND (4) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (1)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
CHLOROFORM	UG/L	NV	NV	1 J	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	NA	NA	ND (0.8)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	ND (100)	NA	NA	NA	NA	ND (100)	NA
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	ND (10)	NA	NA	NA	NA	ND (10)	NA
METHANOL	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (3)	ND (25)	ND (25)	NA	NA	ND (3)	ND (25)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
N-BUTANOL	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-13A	CRG-13A
			Date	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	5/1/09	9/16/14	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	9/18/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	ND (30)	NA	NA	NA	NA	ND (30)	NA
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	NA	NA	ND (0.8)	ND (1)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	ND (15)	NA	NA	NA	NA	ND (15)	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (1)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (0.8)	ND (3)	ND (3)	NA	NA	ND (0.8)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV		ND (5)	ND (5)		ND (5)	ND (5)	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA
1,3-DINITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
1,4-DIOXANE	UG/L	NV	NV		ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV		ND (10)	ND (10) R		ND (10)	ND (10) UJ	NA	ND (10) UJ	NA	NA	NA	NA	ND (10)	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
1-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)		ND (5)	ND (5)	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (3)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV		ND (21)	ND (20)		ND (19)	ND (20)	ND (25)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)	ND (21)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1) UJ	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
2,6-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1) UJ	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
2-CHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (10)	ND (1)	ND (10)	ND (10)	NA	NA	ND (1)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)		ND (5)	ND (5)	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA
2-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)
2-NITROPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
2-NITROPROPANE	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
2-PICOLINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV		ND (10)	ND (10)		ND (10)	ND (10)	NA	ND (10)	NA	NA	NA	NA	ND (10)	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
3-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV		ND (5)	ND (5)		ND (5)	ND (5)	ND (20)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1) UJ	ND (1)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-13A	CRG-13A
			Date	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	5/1/09	9/16/14	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	9/18/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	ND (20)	ND (2)	ND (20)	ND (20)	NA	NA	ND (2)	ND (20)
4-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)
4-NITROPHENOL	UG/L	NV	NV		ND (10)	ND (10)		ND (10)	ND (10)	ND (25)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (10)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV		ND (21) R	ND (20)		ND (19)	ND (20)	NA	ND (20)	NA	NA	NA	NA	ND (21)	NA
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV		ND (3)	ND (3)		ND (3)	ND (3)	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
ACENAPHTHENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)
ACETOPHENONE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
ANILINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1) UJ	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.022 J	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.091	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.045 J	ND (1)	ND (0.01)	ND (1)	ND (1)	NA	NA	ND (0.011)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.032 J	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2		ND (1)	ND (1)		ND (0.2)	0.042 J	ND (1)	ND (0.01)	ND (1)	ND (1)	NA	NA	ND (0.011)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV		ND (5)	ND (5)		ND (5)	ND (5)	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV		ND (1)					NA		NA	NA	NA	NA		NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV			ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6		ND (2)	ND (2)		ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	7	7	ND (2)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
CARBAZOLE	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
CHLOROBENZILATE	UG/L	NV	NV		ND (3)	ND (3)		ND (3)	ND (3)	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA
CHRYSENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.065	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)
DIALLATE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	NA	ND (0.01)	NA	NA	NA	NA	ND (0.011)	NA
DIBENZOFURAN	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)
DIETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.13	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)
FLUORENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50		ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.039 J	ND (2)	ND (0.01)	ND (2)	ND (2)	NA	NA	ND (0.011)	ND (2)
ISODRIN	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
ISOPHORONE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
ISOSAFROLE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
METHAPYRILENE	UG/L	NV	NV		ND (3)	ND (3) R		ND (3) R	ND (15) UJ	NA	ND (15) UJ	NA	NA	NA	NA	ND (16) UJ	NA
METHYL METHANESULFONATE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
NAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (0.011)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	0.011 B	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
NITROBENZENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-13A	CRG-13A
			Date	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	5/1/09	9/16/14	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	9/18/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
O-TOLUIDINE	UG/L	NV	NV		ND (1)	ND (1)		ND (1) UJ	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV		ND (62) R	ND (60) R		ND (58) R	ND (77) UJ	NA	ND (75) UJ	NA	NA	NA	NA	ND (78) R	NA
PCN-2	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
PENTACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
PENTACHLOROPHENOL	UG/L	1	1		ND (3)	ND (3)		ND (3)	ND (3)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)
PHENACETIN	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
PHENANTHRENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.074	ND (2)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.011)	ND (2)
PHENOL	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)
PYRENE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	0.084	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)
PYRIDINE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
SAFROLE	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
THIONAZIN	UG/L	NV	NV		ND (2)	ND (2)		ND (2)	ND (2)	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA
PRONAMIDE	UG/L	NV	NV		ND (1)	ND (1)		ND (1)	ND (1)	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA
PCB 1016	UG/L	NV	NV						ND (0.0025)	NA		NA	NA	NA	NA		NA
PCB 1221	UG/L	NV	NV						ND (0.0025)	NA		NA	NA	NA	NA		NA
PCB 1232	UG/L	NV	NV						ND (0.0029)	NA		NA	NA	NA	NA		NA
PCB 1242	UG/L	NV	NV						ND (0.0019)	NA		NA	NA	NA	NA		NA
PCB 1248	UG/L	NV	NV						ND (0.0023)	NA		NA	NA	NA	NA		NA
PCB 1254	UG/L	NV	NV						ND (0.0023)	NA		NA	NA	NA	NA		NA
PCB 1260	UG/L	NV	NV						ND (0.0014)	NA		NA	NA	NA	NA		NA
DIMETHOATE	UG/L	NV	NV		ND (3)	ND (3)		ND (3)	ND (3)	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA
ANTIMONY (dissolved)	UG/L	6	6		ND (2.5)		ND (1)	ND (0.9)	0.49 J	NA	ND (0.3)	NA	NA	NA	NA	ND (0.3)	NA
ANTIMONY (total)	UG/L	6	6						0.57 J	NA	ND (0.3)	NA	NA	NA	NA	ND (0.3)	NA
ARSENIC (dissolved)	UG/L	10	10		ND (1.4)		2.7 B	2 J	ND (0.95)	ND (2)	ND (0.95)	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.95)	ND (2)
ARSENIC (total)	UG/L	10	10						ND (0.95)	ND (2)	ND (0.95)	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.95)	ND (2)
BARIUM (dissolved)	UG/L	2000	2000		47		60.1	30.4	42.1	NA	87.3	NA	NA	NA	NA	32.5	NA
BARIUM (total)	UG/L	2000	2000						41.5	NA	86.2	NA	NA	NA	NA	34	NA
BERYLLIUM (dissolved)	UG/L	4	4		ND (0.34)		ND (0.97)	ND (0.97)	ND (0.9)	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA
BERYLLIUM (total)	UG/L	4	4						ND (0.9)	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA
CADMIUM (dissolved)	UG/L	5	5		ND (0.87)		ND (0.76)	ND (0.76)	ND (2)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)
CADMIUM (total)	UG/L	5	5						ND (2)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100		ND (2.2)		ND (2.5)	ND (2.5)	ND (3)	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA
CHROMIUM (total)	UG/L	100	100						ND (3)	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA
COBALT (dissolved)	UG/L	NV	NV		ND (1.6)		ND (2)	ND (2)	ND (2.1)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)
COBALT (total)	UG/L	NV	NV						ND (2.1)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)
COPPER (dissolved)	UG/L	NV	NV		3.4 J		4.3 J	ND (2.7)	ND (2.7)	NA	ND (2.7)	NA	NA	NA	NA	3.2 B	NA
COPPER (total)	UG/L	NV	NV						3.4 J	NA	4.9 J	NA	NA	NA	NA	ND (2.7)	NA

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-11A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-12A	CRG-13A	CRG-13A
			Date	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	5/1/09	9/16/14	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	9/18/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**														
IRON (total)	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
LEAD (dissolved)	UG/L	15	15		ND (9.3)		ND (10)	ND (10)	ND (6.9)	ND (3)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)
LEAD (total)	UG/L	15	15						ND (6.9)	4	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)
MANGANESE (total)	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
MERCURY (dissolved)	UG/L	2	2		ND (0.16)		0.036 J	ND (0.028)	ND (0.056)	NA	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA
MERCURY (total)	UG/L	2	2						ND (0.056)	NA	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA
NICKEL (dissolved)	UG/L	NV	NV		ND (3.8)		ND (3.1)	ND (3.1)	ND (5.6)	NA	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA
NICKEL (total)	UG/L	NV	NV						ND (5.6)	NA	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA
SELENIUM (dissolved)	UG/L	50	50		2.3 J		ND (0.89) UJ	ND (1.6)	ND (0.99)	NA	ND (0.99)	NA	NA	NA	NA	4	NA
SELENIUM (total)	UG/L	50	50						ND (0.99)	NA	ND (0.99)	NA	NA	NA	NA	4.3	NA
SILVER (dissolved)	UG/L	NV	NV		ND (1.8)		ND (2)	ND (2)	ND (2.2)	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA
SILVER (total)	UG/L	NV	NV						ND (2.2)	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA
SODIUM (total)	UG/L	NV	NV							NA		NA	NA	NA	NA		NA
THALLIUM (dissolved)	UG/L	2	2		ND (0.89)		ND (1.3) UJ	ND (1.3) UJ	ND (0.15)	NA	ND (0.15)	NA	NA	NA	NA	ND (0.15)	NA
THALLIUM (total)	UG/L	2	2						ND (0.15)	NA	ND (0.15)	NA	NA	NA	NA	ND (0.15)	NA
TIN (dissolved)	UG/L	NV	NV		ND (5)		ND (5)	ND (5)	ND (8.8)	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA
TIN (total)	UG/L	NV	NV						ND (8.8)	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA
VANADIUM (dissolved)	UG/L	NV	NV		ND (1.7)		ND (1.6)	ND (1.6)	ND (2.5)	NA	ND (2.5)	NA	NA	NA	NA	ND (2.5)	NA
VANADIUM (total)	UG/L	NV	NV						ND (2.5)	NA	ND (2.5)	NA	NA	NA	NA	ND (2.5)	NA
ZINC (dissolved)	UG/L	NV	NV		62		58.6	91	99.9	NA	ND (8.1)	NA	NA	NA	NA	ND (8.1)	NA
ZINC (total)	UG/L	NV	NV						103	NA	ND (8.1)	NA	NA	NA	NA	ND (8.1)	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1
			Date	5/1/09	9/12/13	9/18/14	8/25/15	8/31/16	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP									
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)				ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	NA	NA	NA	NA		ND (25)				ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40) UJ			NA	NA		ND (40)				ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4) UJ	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)				ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)				ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV		NA	NA	NA	NA						ND (55)	ND (55)	ND (55)	ND (55)	ND (55)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	NA	NA	NA	NA		ND (100)				ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA		ND (10)				ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV		NA	NA	NA	NA						ND (200)	ND (200)	ND (200)	ND (200)	ND (200)
METHYL BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (25)	ND (25)	NA	NA		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV		NA	NA	NA	NA						ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1
			Date	5/1/09	9/12/13	9/18/14	8/25/15	8/31/16	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP									
PROPIONITRILE	UG/L	NV	NV	ND (30)	NA	NA	NA	NA		ND (30)				ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	NA	NA		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)				ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	NA	NA	NA	NA		ND (15)				ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (3)	ND (3)	NA	NA		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (70)				ND (70)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (11) UJ	NA	NA	NA	NA		ND (11) UJ				ND (10) UJ	ND (10) R	ND (11) R	ND (10) UJ	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV		NA	NA	NA	NA										
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2) R	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2) R	ND (2) R	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3) R	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)				ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (21) R	ND (25)	ND (25)	ND (25)	ND (25)		ND (21)				ND (21)	ND (19)	ND (21) R	ND (20) R	ND (20)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2) R	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2) R	ND (2) R	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1) R	ND (10)	ND (10)	NA	NA		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1) R	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
2-NITROPROPANE	UG/L	NV	NV		NA	NA	NA	NA						ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-PICOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (11)	NA	NA	NA	NA		ND (11)				ND (10)	ND (10)	ND (11)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5) R	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)				ND (5)	ND (5)	ND (5) R	ND (5) R	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1) R	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1
			Date	5/1/09	9/12/13	9/18/14	8/25/15	8/31/16	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP									
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2) R	ND (20)	ND (20)	NA	NA		ND (2)				ND (2)	ND (2)	ND (2) R	ND (2) R	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (11) R	ND (25)	ND (25)	ND (25)	ND (25)		ND (11)				ND (10)	ND (10)	ND (11) R	ND (10) R	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (21)	NA	NA	NA	NA		ND (21)				ND (21)	ND (19)	ND (21)	ND (20) R	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	1		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	1		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.01)	ND (1)	ND (1)	NA	NA		ND (0.2)				ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (12)				ND (11)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV		NA	NA	NA	NA										
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV		NA	NA	NA	NA										
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (0.01)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	0.024 J	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (0.01)	ND (2)	ND (2)	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)
METHAPYRILENE	UG/L	NV	NV	ND (16) UJ	NA	NA	NA	NA		ND (16) UJ				ND (15)	ND (14) UJ	ND (16) UJ	ND (15) UJ	ND (15)
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	0.08 B	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1
			Date	5/1/09	9/12/13	9/18/14	8/25/15	8/31/16	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP									
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (80) UJ	NA	NA	NA	NA		ND (64) UJ				ND (62) UJ	ND (71) R	ND (80) UJ	ND (73) R	ND (77) R
PCN-2	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3) R	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)				ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	0.022 J	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (1) R	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1)
PYRENE	UG/L	NV	NV	0.014 J	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV	ND (0.0025)	NA	NA	NA	NA										
PCB 1221	UG/L	NV	NV	ND (0.0025)	NA	NA	NA	NA										
PCB 1232	UG/L	NV	NV	ND (0.003)	NA	NA	NA	NA										
PCB 1242	UG/L	NV	NV	ND (0.0019)	NA	NA	NA	NA										
PCB 1248	UG/L	NV	NV	ND (0.0023)	NA	NA	NA	NA										
PCB 1254	UG/L	NV	NV	ND (0.0023)	NA	NA	NA	NA										
PCB 1260	UG/L	NV	NV	ND (0.0014)	NA	NA	NA	NA										
DIMETHOATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	0.33 J	NA	NA	NA	NA										
ANTIMONY (total)	UG/L	6	6	0.41 J	NA	NA	NA	NA		0.31 J				0.13 J	0.16 B	0.068 J	0.11 J	0.13 J
ARSENIC (dissolved)	UG/L	10	10	1.7 J	4	9	23	12										
ARSENIC (total)	UG/L	10	10	1.6 J	4	10	23	15		5.3 J				18 J	14.9	13.6 J	14	3.7
BARIUM (dissolved)	UG/L	2000	2000	145	NA	NA	NA	NA										
BARIUM (total)	UG/L	2000	2000	147	NA	NA	NA	NA		199				189	188	223	221	157
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA										
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA		ND (0.94)				ND (0.94)	ND (0.94)	ND (0.9)	ND (0.9)	ND (0.9)
CADMIUM (dissolved)	UG/L	5	5	ND (2)	0.7	ND (0.5)	ND (0.5)	ND (0.5)										
CADMIUM (total)	UG/L	5	5	ND (2)	1.4	14.3	0.8	ND (0.5)		ND (0.91)				ND (0.91)	ND (0.91)	ND (0.9)	ND (0.9)	ND (0.9)
CHROMIUM (dissolved)	UG/L	100	100	ND (3)	NA	NA	NA	NA										
CHROMIUM (total)	UG/L	100	100	ND (3)	NA	NA	NA	NA		ND (2.3)				ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)
COBALT (dissolved)	UG/L	NV	NV	7.6	ND (5)	ND (5)	ND (5)	ND (5)										
COBALT (total)	UG/L	NV	NV	5.4	ND (5)	ND (5)	ND (5)	ND (5)		ND (2.1)				ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)
COPPER (dissolved)	UG/L	NV	NV	ND (2.7)	NA	NA	NA	NA										
COPPER (total)	UG/L	NV	NV	13.5	NA	NA	NA	NA		ND (2.2)				ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CRG-14A	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1	CSP-MW1
			Date	5/1/09	9/12/13	9/18/14	8/25/15	8/31/16	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**						DUP									
IRON (total)	UG/L	NV	NV		NA	NA	NA	NA		1550								
LEAD (dissolved)	UG/L	15	15	ND (6.9)	ND (3)	9	ND (3)	ND (3)										
LEAD (total)	UG/L	15	15	ND (6.9)	ND (3)	38	ND (3)	ND (3)		ND (6.9)				ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)
MANGANESE (total)	UG/L	NV	NV		NA	NA	NA	NA		1040								
MERCURY (dissolved)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA										
MERCURY (total)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA		ND (0.056)				ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV	6.2 J	NA	NA	NA	NA										
NICKEL (total)	UG/L	NV	NV	5.8 J	NA	NA	NA	NA		6 J				ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)
SELENIUM (dissolved)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA										
SELENIUM (total)	UG/L	50	50	ND (5)	NA	NA	NA	NA		1.1 J				0.87 J	0.87 J	ND (0.53)	0.68 J	0.9 J
SILVER (dissolved)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA										
SILVER (total)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA		ND (1.6)				ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)
SODIUM (total)	UG/L	NV	NV		NA	NA	NA	NA		274000								
THALLIUM (dissolved)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA										
THALLIUM (total)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA		0.056 J				ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)
TIN (dissolved)	UG/L	NV	NV	ND (8.8)	NA	NA	NA	NA										
TIN (total)	UG/L	NV	NV	ND (8.8)	NA	NA	NA	NA		ND (8.4)				ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)
VANADIUM (dissolved)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA										
VANADIUM (total)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA		2.2 J				ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)
ZINC (dissolved)	UG/L	NV	NV	ND (8.1)	NA	NA	NA	NA										
ZINC (total)	UG/L	NV	NV	ND (8.1)	NA	NA	NA	NA		ND (8.1)				ND (8.1)	55.5	ND (8.1)	ND (8.1)	ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CSP-MW1	CSP-MW1	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW3
			Date	3/18/08	6/10/08	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/2/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**			DUP												DUP
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	
ACETONE	UG/L	NV	NV	ND (6)	ND (6)		ND (6)				ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)		ND (25)				ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)		ND (40)				ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)		ND (4)				ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)		ND (0.5)				ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	
BROMODICHLOROMETHANE	UG/L	80	80	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMOFORM	UG/L	80	80	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CYCLOHEXANONE	UG/L	NV	NV	ND (55)	ND (55)						ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)		ND (100)				ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)		ND (10)				ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	
METHANOL	UG/L	NV	NV	ND (200)	ND (200)						ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)		ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-BUTANOL	UG/L	NV	NV	ND (100)	ND (100)						ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CSP-MW1	CSP-MW1	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW3
			Date	3/18/08	6/10/08	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/2/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**			DUP												DUP
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)		ND (30)				ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	
STYRENE	UG/L	100	100	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)		ND (0.7)				ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)		ND (15)				ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)		ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)		ND (5)				ND (5) R	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)		ND (70)				ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) R	ND (10)		ND (11) UJ				ND (10) R	ND (10) R	ND (11) R	ND (10) UJ	ND (10) UJ	ND (10) R	ND (10)	
1-METHYLNAPHTHALENE	UG/L	NV	NV															
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2) R	ND (2) R		ND (2)				ND (2)	ND (2)	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3) R	ND (3) R		ND (3)				ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20) R	ND (19) R		ND (21)				ND (20)	ND (20)	ND (22) R	ND (19) R	ND (21) R	ND (20) R	ND (19) R	
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2) R	ND (2) R		ND (2)				ND (2) R	ND (2)	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
2-CHLOROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2-NITROPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
2-NITROPROPANE	UG/L	NV	NV	ND (2)	ND (2)						ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)		ND (11)				ND (10)	ND (10)	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5) R	ND (5) R		ND (5)				ND (5)	ND (5)	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R	
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (2)		ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CSP-MW1	CSP-MW1	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW3
			Date	3/18/08	6/10/08	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/2/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**			DUP												DUP
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2) R	ND (2) R		ND (2)				ND (2)	ND (2)	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R	
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
4-NITROPHENOL	UG/L	NV	NV	ND (10) R	ND (10) R		ND (11)				ND (10)	ND (10)	ND (11) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R	
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	ND (19)		ND (21)				ND (20) R	ND (20)	ND (22)	ND (19) R	ND (21)	ND (20)	ND (19)	
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)		ND (3)				ND (3) R	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
ANILINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.2)	ND (0.2)		ND (0.2)				ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)		ND (12)				ND (11)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV															
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)		ND (2)				ND (2)	2 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
CARBAZOLE	UG/L	NV	NV															
CHLOROBENZILATE	UG/L	NV	NV	ND (3) UJ	ND (3)		ND (3)				ND (3) R	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)	
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1) R	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2) UJ	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2) UJ	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1) UJ	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5) UJ	ND (5)		ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5) UJ	ND (5)	
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2) UJ	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1) R	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
ISOSAFROLE	UG/L	NV	NV	ND (2)	ND (2)		ND (1)				ND (1) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
METHAPYRILENE	UG/L	NV	NV	ND (15) UJ	ND (14) UJ		ND (16) UJ				ND (15) R	ND (15) UJ	ND (16) UJ	ND (14) UJ	ND (15)	ND (15) UJ	ND (14) UJ	
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1) R	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CSP-MW1	CSP-MW1	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW3
			Date	3/18/08	6/10/08	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/2/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**			DUP												DUP
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (75) R	ND (71) R		ND (64) UJ				ND (61) R	ND (74) R	ND (81) UJ	ND (71) R	ND (77) R	ND (74) R	ND (71) R	
PCN-2	UG/L	NV	NV	ND (2)	ND (2)		ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
PENTACHLOROPHENOL	UG/L	1	1	ND (3) R	ND (3) R		ND (3)				ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
PHENOL	UG/L	NV	NV	ND (1) R	ND (1) R		ND (1)				ND (1)	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R	
PYRENE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) R	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1) UJ	ND (1)		ND (1)				ND (1) R	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)		ND (2)				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)		ND (1)				ND (1) R	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
PCB 1016	UG/L	NV	NV															
PCB 1221	UG/L	NV	NV															
PCB 1232	UG/L	NV	NV															
PCB 1242	UG/L	NV	NV															
PCB 1248	UG/L	NV	NV															
PCB 1254	UG/L	NV	NV															
PCB 1260	UG/L	NV	NV															
DIMETHOATE	UG/L	NV	NV	ND (3) R	ND (3)		ND (3)				ND (3) R	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) R	ND (3)	
ANTIMONY (dissolved)	UG/L	6	6															
ANTIMONY (total)	UG/L	6	6	ND (0.3)	1.3		0.24 J				0.082 J	0.11 B	0.069 J	0.095 J	0.055 J	ND (0.3)	0.37 J	
ARSENIC (dissolved)	UG/L	10	10															
ARSENIC (total)	UG/L	10	10	ND (3.5)	ND (0.95) UJ		1 J				1.5 J	2.1	2.2 J	6.9	3	ND (3.5)	1.3 J	
BARIUM (dissolved)	UG/L	2000	2000															
BARIUM (total)	UG/L	2000	2000	229	315		75.6				97.8	73.3	162	145	115	132	146	
BERYLLIUM (dissolved)	UG/L	4	4															
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	ND (0.9)		ND (0.94)				ND (0.94)	ND (0.94)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	
CADMIUM (dissolved)	UG/L	5	5															
CADMIUM (total)	UG/L	5	5	ND (0.9)	ND (2)		ND (0.91)				ND (0.91)	1 J	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (2)	
CHROMIUM (dissolved)	UG/L	100	100															
CHROMIUM (total)	UG/L	100	100	ND (2.3)	ND (3)		ND (2.3)				ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (3)	
COBALT (dissolved)	UG/L	NV	NV															
COBALT (total)	UG/L	NV	NV	ND (2.1)	ND (2.1)		ND (2.1)				2.2 J	ND (2.1)	2.7 J	ND (2.1)	2.1 J	2.2 J	ND (2.1)	
COPPER (dissolved)	UG/L	NV	NV															
COPPER (total)	UG/L	NV	NV	ND (2.2)	ND (2.7)		ND (2.2)				ND (2.2)	2.5 J	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.7)	

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CSP-MW1	CSP-MW1	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW2	CSP-MW3
			Date	3/18/08	6/10/08	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/2/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**			DUP												DUP
IRON (total)	UG/L	NV	NV				ND (52.2)											
LEAD (dissolved)	UG/L	15	15															
LEAD (total)	UG/L	15	15	ND (6.9)	ND (6.9)		ND (6.9)				ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	
MANGANESE (total)	UG/L	NV	NV				1600											
MERCURY (dissolved)	UG/L	2	2															
MERCURY (total)	UG/L	2	2	ND (0.056)	0.063 J		ND (0.056)				ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	
NICKEL (dissolved)	UG/L	NV	NV															
NICKEL (total)	UG/L	NV	NV	7.9 J	ND (5.6)		ND (5.6)				ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	
SELENIUM (dissolved)	UG/L	50	50															
SELENIUM (total)	UG/L	50	50	ND (5)	0.52 J		1.5 J				0.88 J	0.54 J	ND (0.53)	1.1 J	0.95 J	ND (5)	ND (0.3)	
SILVER (dissolved)	UG/L	NV	NV															
SILVER (total)	UG/L	NV	NV	ND (1.6)	ND (2.2)		ND (1.6)				ND (1.6)	ND (1.6)	2.7 J	ND (1.6)	ND (1.6)	ND (1.6)	ND (2.2)	
SODIUM (total)	UG/L	NV	NV				417000											
THALLIUM (dissolved)	UG/L	2	2															
THALLIUM (total)	UG/L	2	2	ND (0.15)	ND (0.15)		0.065 J				ND (0.037)	0.037 J	0.1 J	0.073 J	ND (0.037)	ND (0.15)	ND (0.15)	
TIN (dissolved)	UG/L	NV	NV															
TIN (total)	UG/L	NV	NV	ND (8.4)	ND (8.8)		ND (8.4)				ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.8)	
VANADIUM (dissolved)	UG/L	NV	NV															
VANADIUM (total)	UG/L	NV	NV	ND (1.5)	ND (2.5)		3.3 J				ND (1.5)	2.9 J	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.5)	
ZINC (dissolved)	UG/L	NV	NV															
ZINC (total)	UG/L	NV	NV	ND (8.1)	ND (8.1)		ND (8.1)				ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	42.1 B	ND (8.1)	

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	TK13-MW1	TK13-MW1
			Date	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP												DUP	
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1-DICHLOROETHENE	UG/L	7	7			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROETHANE	UG/L	5	5			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2-HEXANONE	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)
ACETONE	UG/L	NV	NV			ND (6)				ND (6)	13 J	ND (6)	ND (6)	ND (6)	ND (6)	9 J		ND (6)
ACETONITRILE	UG/L	NV	NV			ND (25)				ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (25)
ACROLEIN	UG/L	NV	NV			ND (40)				ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)		ND (40)
ACRYLONITRILE	UG/L	NV	NV			ND (4)				ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)		ND (4)
ALLYL CHLORIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZENE	UG/L	5	5			ND (0.5)				ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)		ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BROMOFORM	UG/L	80	80			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CARBON DISULFIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CARBON TETRACHLORIDE	UG/L	5	5			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CHLOROBENZENE	UG/L	NV	NV			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CHLOROFORM	UG/L	NV	NV			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
CHLOROPRENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CYCLOHEXANONE	UG/L	NV	NV							ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)		
DICHLORODIFLUOROMETHANE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
ETHYL CHLORIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ETHYLBENZENE	UG/L	700	700			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
IODOMETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV			ND (100)				ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)		ND (100)
METHACRYLONITRILE	UG/L	NV	NV			ND (10)				ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)
METHANOL	UG/L	NV	NV							ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)		
METHYL BROMIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
METHYL CHLORIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)
METHYL METHACRYLATE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
METHYLENE BROMIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
METHYLENE CHLORIDE	UG/L	NV	5			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-BUTANOL	UG/L	NV	NV							ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)		
PENTACHLOROETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	TK13-MW1	TK13-MW1
			Date	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP												DUP	
PROPIONITRILE	UG/L	NV	NV			ND (30)				ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)		ND (30)
STYRENE	UG/L	100	100			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TETRACHLOROETHYLENE	UG/L	5	5			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
TOLUENE	UG/L	1000	1000			ND (0.7)				ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)		ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV			ND (15)				ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)		ND (15)
TRICHLOROETHENE	UG/L	5	5			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
VINYL ACETATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
VINYL CHLORIDE	UG/L	2	2			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
XYLENES	UG/L	10,000	10,000			ND (0.8)				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV			ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
1,4-DIOXANE	UG/L	NV	NV			ND (70)				ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)		ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV			ND (11) UJ				ND (10) UJ	ND (10) R	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) R	ND (10)		ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV															
1-NAPHTHYLAMINE	UG/L	NV	NV			ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2) R	ND (2)	ND (2)	ND (2) R	ND (2)		ND (2) R
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1) UJ		ND (1) R
2,4-DICHLOROPHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
2,4-DIMETHYLPHENOL	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3) R	ND (3)	ND (3)	ND (3) R	ND (3)		ND (3) R
2,4-DINITROPHENOL	UG/L	NV	NV			ND (22)				ND (21)	ND (20)	ND (21) R	ND (19)	ND (21)	ND (20) R	ND (20)		ND (21) R
2,4-DINITROTOLUENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2) R	ND (2)	ND (2)	ND (2) R	ND (2)		ND (2) R
2,6-DINITROTOLUENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
2-CHLOROPHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
2-METHYLNAPHTHALENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
2-NAPHTHYLAMINE	UG/L	NV	NV			ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)
2-NITROANILINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2-NITROPHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
2-NITROPROPANE	UG/L	NV	NV							ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		
2-PICOLINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV			ND (11)				ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
3-NITROANILINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV			ND (5)				ND (5)	ND (5)	ND (5) R	ND (5)	ND (5)	ND (5) R	ND (5)		ND (5) R
4-AMINOBIPHENYL	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
4-CHLOROANILINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV			ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	TK13-MW1	TK13-MW1
			Date	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP												DUP	
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2) R	ND (2)	ND (2)	ND (2) R	ND (2)		ND (2) R
4-NITROANILINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
4-NITROPHENOL	UG/L	NV	NV			ND (11)				ND (10)	ND (10)	ND (10) R	ND (10)	ND (10)	ND (10) R	ND (10)		ND (10) R
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV			ND (22)				ND (21)	ND (20)	ND (21)	ND (19) R	ND (21)	ND (20)	ND (20)		ND (21)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
ACENAPHTHENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ACENAPHTHYLENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ACETOPHENONE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
ANILINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ANTHRACENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	2 J		ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2			ND (0.2)				ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	0.9 J		ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV			ND (12)				ND (11)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (11)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV															
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	7		ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
CARBAZOLE	UG/L	NV	NV															
CHLOROBENZILATE	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)		ND (3)
CHRYSENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	2 J		ND (1)
DIALLATE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
DIBENZOFURAN	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)		ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)		ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
FLUORANTHENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	3 J		ND (1)
FLUORENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
HEXACHLOROBENZENE	UG/L	1	1			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)		ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50			ND (5)				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5) UJ	ND (5)		ND (5)
HEXACHLOROETHANE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)		ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ISODRIN	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)		ND (1)
ISOPHORONE	UG/L	NV	NV			ND (1)				ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
ISOSAFROLE	UG/L	NV	NV			ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)
METHAPYRILENE	UG/L	NV	NV			ND (16) UJ				ND (15)	ND (15) UJ	ND (15) UJ	ND (14) UJ	ND (15)	ND (15) UJ	ND (15) UJ		ND (16) UJ
METHYL METHANESULFONATE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
NAPHTHALENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
NITROBENZENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	TK13-MW1	TK13-MW1
			Date	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP												DUP	
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV			ND (2)				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV			ND (2)				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
O-TOLUIDINE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV			ND (65) UJ				ND (62) UJ	ND (75) R	ND (77) UJ	ND (72) R	ND (77) R	ND (76) R	ND (76) R		ND (62) UJ
PCN-2	UG/L	NV	NV			ND (1)				ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
PENTACHLOROPHENOL	UG/L	1	1			ND (3)				ND (3)	ND (3)	ND (3) R	ND (3)	ND (3)	ND (3) R	ND (3)		ND (3) R
PHENACETIN	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
PHENANTHRENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	2 J		ND (1)
PHENOL	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1) R	ND (1)	ND (1)	ND (1) R	ND (1)		ND (1) R
PYRENE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	2 J		ND (1)
PYRIDINE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
SAFROLE	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)		ND (1)
THIONAZIN	UG/L	NV	NV			ND (2)				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)
PRONAMIDE	UG/L	NV	NV			ND (1)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
PCB 1016	UG/L	NV	NV															
PCB 1221	UG/L	NV	NV															
PCB 1232	UG/L	NV	NV															
PCB 1242	UG/L	NV	NV															
PCB 1248	UG/L	NV	NV															
PCB 1254	UG/L	NV	NV															
PCB 1260	UG/L	NV	NV															
DIMETHOATE	UG/L	NV	NV			ND (3)				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) R	ND (3)		ND (3)
ANTIMONY (dissolved)	UG/L	6	6															
ANTIMONY (total)	UG/L	6	6			0.26 J				0.08 J	0.4 B	0.075 J	0.15 J	0.052 J	ND (0.3)	0.43 J		0.1 J
ARSENIC (dissolved)	UG/L	10	10															
ARSENIC (total)	UG/L	10	10			11.5 J				9.3 J	3.3	12.4 J	27.3	22.1	ND (3.5)	4.6 J		1.7 J
BARIUM (dissolved)	UG/L	2000	2000															
BARIUM (total)	UG/L	2000	2000			103				117	62.2	102	118	100	100	81.8		37.6
BERYLLIUM (dissolved)	UG/L	4	4															
BERYLLIUM (total)	UG/L	4	4			ND (0.94)				ND (0.94)	ND (0.94)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)		ND (0.94)
CADMIUM (dissolved)	UG/L	5	5															
CADMIUM (total)	UG/L	5	5			ND (0.91)				22	1240	1.1 J	2.6 J	1.9 J	1.4 J	29.4		ND (0.91)
CHROMIUM (dissolved)	UG/L	100	100															
CHROMIUM (total)	UG/L	100	100			ND (2.3)				ND (2.3)	ND (2.3)	ND (2.3)	9 J	ND (2.3)	ND (2.3)	ND (3)		ND (2.3)
COBALT (dissolved)	UG/L	NV	NV															
COBALT (total)	UG/L	NV	NV			ND (2.1)				ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)		ND (2.1)
COPPER (dissolved)	UG/L	NV	NV															
COPPER (total)	UG/L	NV	NV			ND (2.2)				ND (2.2)	141	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	14.5		ND (2.2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	CSP-MW3	TK13-MW1	TK13-MW1
			Date	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	8/2/06	11/29/06	3/27/07	6/26/07	9/13/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP												DUP	
IRON (total)	UG/L	NV	NV			1280												13300
LEAD (dissolved)	UG/L	15	15															
LEAD (total)	UG/L	15	15			ND (6.9)				ND (6.9)	491	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	20.1		ND (6.9)
MANGANESE (total)	UG/L	NV	NV			162												2720
MERCURY (dissolved)	UG/L	2	2															
MERCURY (total)	UG/L	2	2			ND (0.056)				ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)		ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV															
NICKEL (total)	UG/L	NV	NV			ND (5.6)				ND (5.6)	31.1	ND (5.6)	10.3	ND (5.6)	ND (5.6)	ND (5.6)		ND (5.6)
SELENIUM (dissolved)	UG/L	50	50															
SELENIUM (total)	UG/L	50	50			1 J				0.53 J	1 J	ND (0.53)	0.62 J	ND (0.53)	ND (5)	ND (0.3)		2.3
SILVER (dissolved)	UG/L	NV	NV															
SILVER (total)	UG/L	NV	NV			ND (1.6)				ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (2.2)		ND (1.6)
SODIUM (total)	UG/L	NV	NV			136000												206000
THALLIUM (dissolved)	UG/L	2	2															
THALLIUM (total)	UG/L	2	2			ND (0.037)				ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.15)	ND (0.15)		0.048 J
TIN (dissolved)	UG/L	NV	NV															
TIN (total)	UG/L	NV	NV			ND (8.4)				ND (8.4)	16 J	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.8)		ND (8.4)
VANADIUM (dissolved)	UG/L	NV	NV															
VANADIUM (total)	UG/L	NV	NV			ND (1.5)				ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.5)		ND (1.5)
ZINC (dissolved)	UG/L	NV	NV															
ZINC (total)	UG/L	NV	NV			ND (8.1)				ND (8.1)	75.2	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	460 J		ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	8/3/06	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**											DUP			
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,1,1-TRICHLOROETHANE	UG/L	200	200				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,1,2-TRICHLOROETHANE	UG/L	5	5				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
1,1-DICHLOROETHANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,1-DICHLOROETHENE	UG/L	7	7				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,2-DICHLOROBENZENE	UG/L	600	600				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,2-DICHLOROETHANE	UG/L	5	5				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,2-DICHLOROPROPANE	UG/L	5	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,3-DICHLOROBENZENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,4-DICHLOROBENZENE	UG/L	75	75				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
2-HEXANONE	UG/L	NV	NV				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)		
ACETONE	UG/L	NV	NV				ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)		ND (6)		
ACETONITRILE	UG/L	NV	NV				ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (25)		
ACROLEIN	UG/L	NV	NV				ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)		ND (40)		
ACRYLONITRILE	UG/L	NV	NV				ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)		ND (4)		
ALLYL CHLORIDE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BENZENE	UG/L	5	5				ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)		ND (0.5)		
BROMODICHLOROMETHANE	UG/L	80	80				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BROMOFORM	UG/L	80	80				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
CARBON DISULFIDE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
CARBON TETRACHLORIDE	UG/L	5	5				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
CHLOROBENZENE	UG/L	NV	NV				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
CHLORODIBROMOMETHANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
CHLOROFORM	UG/L	NV	NV				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
CHLOROPRENE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
CIS-1,2 DICHLOROETHENE	UG/L	70	NV				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
CYCLOHEXANONE	UG/L	NV	NV				ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)				
DICHLORODIFLUOROMETHANE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
ETHYL CHLORIDE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ETHYL METHACRYLATE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ETHYLBENZENE	UG/L	700	700				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
IODOMETHANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ISOBUTYL ALCOHOL	UG/L	NV	NV				ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)		ND (100)		
METHACRYLONITRILE	UG/L	NV	NV				ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)		
METHANOL	UG/L	NV	NV				ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)				
METHYL BROMIDE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
METHYL CHLORIDE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
METHYL ETHYL KETONE	UG/L	NV	NV				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)		
METHYL ISOBUTYL KETONE	UG/L	NV	NV				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)		
METHYL METHACRYLATE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
METHYLENE BROMIDE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
METHYLENE CHLORIDE	UG/L	NV	5				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-BUTANOL	UG/L	NV	NV				ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)				
PENTACHLOROETHANE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	8/3/06	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**											DUP			
PROPIONITRILE	UG/L	NV	NV				ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)		ND (30)		
STYRENE	UG/L	100	100				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
TETRACHLOROETHYLENE	UG/L	5	5				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
TOLUENE	UG/L	1000	1000				ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)		ND (0.7)		
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV				ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)		ND (15)		
TRICHLOROETHENE	UG/L	5	5				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
TRICHLOROFLUOROMETHANE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
VINYL ACETATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
VINYL CHLORIDE	UG/L	2	2				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
XYLENES	UG/L	10,000	10,000				ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)		
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
1,2,4-TRICHLOROBENZENE	UG/L	70	70				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
1,3,5-TRINITROBENZENE	UG/L	NV	NV				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)		
1,3-DINITROBENZENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
1,4-DIOXANE	UG/L	NV	NV				ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)		ND (70)		
1,4-NAPHTHOQUINONE	UG/L	NV	NV				ND (9) UJ	ND (10) R	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) R	ND (10)		ND (10) UJ		
1-METHYLNAPHTHALENE	UG/L	NV	NV														
1-NAPHTHYLAMINE	UG/L	NV	NV				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)		
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV				ND (2) R	ND (2)	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R		ND (2)		
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
2,4-DICHLOROPHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
2,4-DIMETHYLPHENOL	UG/L	NV	NV				ND (3) R	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R		ND (3)		
2,4-DINITROPHENOL	UG/L	NV	NV				ND (19) R	ND (20)	ND (21) R	ND (19) R	ND (20) R	ND (20) R	ND (19) R		ND (20)		
2,4-DINITROTOLUENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
2,6-DICHLOROPHENOL	UG/L	NV	NV				ND (2) R	ND (2)	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R		ND (2)		
2,6-DINITROTOLUENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
2-ACETYLAMINOFLUORENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
2-CHLOROPHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
2-METHYLNAPHTHALENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
2-NAPHTHYLAMINE	UG/L	NV	NV				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)		
2-NITROANILINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
2-NITROPHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
2-NITROPROPANE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)				
2-PICOLINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV				ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)		
3-METHYLCHOLANTHRENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
3-NITROANILINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV				ND (5) R	ND (5)	ND (5) R	ND (5) R	ND (5) R	ND (5) R	ND (5) R		ND (5)		
4-AMINOBIPHENYL	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
4-CHLOROANILINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV				ND (0.9)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)		
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	8/3/06	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**											DUP			
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV				ND (2) R	ND (2)	ND (2) R	ND (2) R	ND (2) R	ND (2) R	ND (2) R		ND (2)		
4-NITROANILINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
4-NITROPHENOL	UG/L	NV	NV				ND (9) R	ND (10)	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (10) R		ND (10)		
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV				ND (19)	ND (20)	ND (21)	ND (19)	ND (20)	ND (20)	ND (19)		ND (20)		
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)		
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
ACENAPHTHENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ACENAPHTHYLENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ACETOPHENONE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
ANILINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ANTHRACENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BENZO(A)ANTHRACENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BENZO(B)FLUORANTHENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BENZO(G,H,I)PERYLENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BENZO(K)FLUORANTHENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BENZO[A]PYRENE	UG/L	NV	0.2				ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)		ND (0.2)		
BENZYL ALCOHOL	UG/L	NV	NV				ND (10)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (11)		
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV														
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		3 J		
BUTYL BENZYL PHTHALATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
CARBAZOLE	UG/L	NV	NV														
CHLOROBENZILATE	UG/L	NV	NV				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)		ND (3)		
CHRYSENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
DIALLATE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
DIBENZOFURAN	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
DIETHYL PHTHALATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)		ND (2)		
DIMETHYL PHTHALATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)		ND (2)		
DI-N-BUTYL PHTHALATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
ETHYL METHANESULFONATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
FLUORANTHENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
FLUORENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
HEXACHLOROBENZENE	UG/L	1	1				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
HEXACHLOROBUTADIENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)		ND (1)		
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50				ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5) UJ	ND (5)		ND (5)		
HEXACHLOROETHANE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
HEXACHLOROPROPYLENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)		ND (2)		
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ISODRIN	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ISOPHORONE	UG/L	NV	NV				ND (0.9) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
ISOSAFROLE	UG/L	NV	NV				ND (0.9)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)		
METHAPYRILENE	UG/L	NV	NV				ND (14)	ND (15) UJ	ND (16) UJ	ND (15) UJ	ND (15)	ND (15) UJ	ND (15) UJ		ND (15) UJ		
METHYL METHANESULFONATE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
NAPHTHALENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
N-DIOCTYL PHTHALATE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
NITROBENZENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	8/3/06	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**											DUP			
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSODIETHYLAMINE	UG/L	NV	NV				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSODIMETHYLAMINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
N-NITROSODIPHENYLAMINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSOMORPHOLINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSOPIPERIDINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
N-NITROSOPYRROLIDINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV				ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
O-TOLUIDINE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
PARA-PHENYLENEDIAMINE	UG/L	NV	NV				ND (57) UJ	ND (75) R	ND (79) UJ	ND (73) R	ND (77) R	ND (75) R	ND (73) R		ND (60) UJ		
PCN-2	UG/L	NV	NV				ND (0.9)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)		
PENTACHLOROBENZENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
PENTACHLORONITROBENZENE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
PENTACHLOROPHENOL	UG/L	1	1				ND (3) R	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R		ND (3)		
PHENACETIN	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
PHENANTHRENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
PHENOL	UG/L	NV	NV				ND (0.9) R	ND (1)	ND (1) R	ND (1) R	ND (1) R	ND (1) R	ND (1) R		ND (1)		
PYRENE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
PYRIDINE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
SAFROLE	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)		ND (1)		
THIONAZIN	UG/L	NV	NV				ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)		
PRONAMIDE	UG/L	NV	NV				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)		
PCB 1016	UG/L	NV	NV														
PCB 1221	UG/L	NV	NV														
PCB 1232	UG/L	NV	NV														
PCB 1242	UG/L	NV	NV														
PCB 1248	UG/L	NV	NV														
PCB 1254	UG/L	NV	NV														
PCB 1260	UG/L	NV	NV														
DIMETHOATE	UG/L	NV	NV				ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) R	ND (3)		ND (3)		
ANTIMONY (dissolved)	UG/L	6	6														
ANTIMONY (total)	UG/L	6	6				ND (0.038)	0.073 B	ND (0.044)	ND (0.044)	ND (0.044)	ND (0.3)	0.42 J		1.1		
ARSENIC (dissolved)	UG/L	10	10														
ARSENIC (total)	UG/L	10	10				3.4 J	12.8	5.5 J	4.7	2.9	ND (3.5)	6.6 J		ND (0.67) UJ		
BARIUM (dissolved)	UG/L	2000	2000														
BARIUM (total)	UG/L	2000	2000				22.3	20.3	20.9	28.9	16.6	18.2	29.4		119		
BERYLLIUM (dissolved)	UG/L	4	4														
BERYLLIUM (total)	UG/L	4	4				ND (0.94)	ND (0.94)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)		ND (0.94)		
CADMIUM (dissolved)	UG/L	5	5														
CADMIUM (total)	UG/L	5	5				ND (0.91)	ND (0.91)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (2)		ND (0.91)		
CHROMIUM (dissolved)	UG/L	100	100														
CHROMIUM (total)	UG/L	100	100				ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (3)		ND (2.3)		
COBALT (dissolved)	UG/L	NV	NV														
COBALT (total)	UG/L	NV	NV				3.7 J	5.7	2.9 J	ND (2.1)	ND (2.1)	5.3	ND (2.1)		ND (2.1)		
COPPER (dissolved)	UG/L	NV	NV														
COPPER (total)	UG/L	NV	NV				ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.7)		ND (2.2)		

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW1	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	8/3/06	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08	8/3/06	8/3/06	8/3/06	8/3/06
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**											DUP			
IRON (total)	UG/L	NV	NV												ND (52.2)		
LEAD (dissolved)	UG/L	15	15														
LEAD (total)	UG/L	15	15				ND (6.9)	ND (34.3)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)		ND (6.9)		
MANGANESE (total)	UG/L	NV	NV												0.64 J		
MERCURY (dissolved)	UG/L	2	2														
MERCURY (total)	UG/L	2	2				ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)		ND (0.056)		
NICKEL (dissolved)	UG/L	NV	NV														
NICKEL (total)	UG/L	NV	NV				ND (5.6)	6.2 J	ND (5.6)	ND (5.6)	ND (5.6)	8.6 J	ND (5.6)		ND (5.6)		
SELENIUM (dissolved)	UG/L	50	50														
SELENIUM (total)	UG/L	50	50				1.1 J	0.87 J	ND (0.53)	0.91 J	0.78 J	ND (5)	ND (0.3)		1.4 J		
SILVER (dissolved)	UG/L	NV	NV														
SILVER (total)	UG/L	NV	NV				ND (1.6)	ND (1.6)	2.4 J	ND (1.6)	ND (1.6)	ND (1.6)	ND (2.2)		ND (1.6)		
SODIUM (total)	UG/L	NV	NV												50600		
THALLIUM (dissolved)	UG/L	2	2														
THALLIUM (total)	UG/L	2	2				ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.037)	ND (0.15)	ND (0.15)		0.087 J		
TIN (dissolved)	UG/L	NV	NV														
TIN (total)	UG/L	NV	NV				ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.8)		ND (8.4)		
VANADIUM (dissolved)	UG/L	NV	NV														
VANADIUM (total)	UG/L	NV	NV				ND (1.5)	ND (1.5)	1.5 J	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.5)		ND (1.5)		
ZINC (dissolved)	UG/L	NV	NV														
ZINC (total)	UG/L	NV	NV				ND (8.1)	15.9 J	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)		ND (8.1)		

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	80	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	80	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CYCLOHEXANONE	UG/L	NV	NV		ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)	ND (55)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHANOL	UG/L	NV	NV		ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)	ND (200)
METHYL BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-BUTANOL	UG/L	NV	NV		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
PENTACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								
PROPIONITRILE	UG/L	NV	NV		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	100		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV		ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV		ND (10) UJ	ND (9) R	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) R	ND (10)
1-METHYLNAPHTHALENE	UG/L	NV	NV								
1-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ
2,4-DICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV		ND (20)	ND (19)	ND (21)	ND (19)	ND (20)	ND (20)	ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPROPANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-PICOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV		ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV		ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV		ND (20)	ND (19)	ND (21)	ND (19)	ND (20)	ND (20)	ND (19)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2		ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)
BENZYL ALCOHOL	UG/L	NV	NV		ND (11)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV								
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV								
CHLOROBENZILATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)
CHRYSENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5) UJ	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISODRIN	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV		ND (1) UJ	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV		ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
METHAPYRILENE	UG/L	NV	NV		ND (15)	ND (14) UJ	ND (16) UJ	ND (15) UJ	ND (15)	ND (15) UJ	ND (14) UJ
METHYL METHANESULFONATE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4:
Dragun # 30380-27

			Location	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV		ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV		ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV		ND (60) UJ	ND (71) R	ND (78) UJ	ND (73) R	ND (74) R	ND (75) R	ND (71) R
PCN-2	UG/L	NV	NV		ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PHENOL	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)
THIONAZIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV		ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV								
PCB 1221	UG/L	NV	NV								
PCB 1232	UG/L	NV	NV								
PCB 1242	UG/L	NV	NV								
PCB 1248	UG/L	NV	NV								
PCB 1254	UG/L	NV	NV								
PCB 1260	UG/L	NV	NV								
DIMETHOATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) R	ND (3)
ANTIMONY (dissolved)	UG/L	6	6								
ANTIMONY (total)	UG/L	6	6		1	0.97 J	1.4	1.3	0.92 J	1.3	1.4
ARSENIC (dissolved)	UG/L	10	10								
ARSENIC (total)	UG/L	10	10		ND (0.67) UJ	ND (0.67)	ND (0.7) UJ	ND (0.7)	ND (0.7)	ND (3.5)	ND (0.95) UJ
BARIUM (dissolved)	UG/L	2000	2000								
BARIUM (total)	UG/L	2000	2000		76.4	116	117	110	57.8	171	127
BERYLLIUM (dissolved)	UG/L	4	4								
BERYLLIUM (total)	UG/L	4	4		ND (0.94)	ND (0.94)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)
CADMIUM (dissolved)	UG/L	5	5								
CADMIUM (total)	UG/L	5	5		ND (0.91)	ND (0.91)	ND (0.9)	ND (0.9)	ND (0.9)	ND (0.9)	ND (2)
CHROMIUM (dissolved)	UG/L	100	100								
CHROMIUM (total)	UG/L	100	100		ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (2.3)	ND (3)
COBALT (dissolved)	UG/L	NV	NV								
COBALT (total)	UG/L	NV	NV		ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)	ND (2.1)
COPPER (dissolved)	UG/L	NV	NV								
COPPER (total)	UG/L	NV	NV		ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.2)	ND (2.7)

Appendix B:

Summary of Laboratory Data, A-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 4
Dragun # 30380-27

			Location	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2	TK13-MW2
			Date	8/3/06	11/28/06	3/27/07	6/25/07	9/12/07	12/4/07	3/18/08	6/10/08
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**								
IRON (total)	UG/L	NV	NV								
LEAD (dissolved)	UG/L	15	15								
LEAD (total)	UG/L	15	15		ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)	ND (6.9)
MANGANESE (total)	UG/L	NV	NV								
MERCURY (dissolved)	UG/L	2	2								
MERCURY (total)	UG/L	2	2		ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)	ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV								
NICKEL (total)	UG/L	NV	NV		ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)	ND (5.6)
SELENIUM (dissolved)	UG/L	50	50								
SELENIUM (total)	UG/L	50	50		0.83 J	0.52 J	0.55 J	0.98 J	0.91 J	ND (5)	0.36 J
SILVER (dissolved)	UG/L	NV	NV								
SILVER (total)	UG/L	NV	NV		ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (2.2)
SODIUM (total)	UG/L	NV	NV								
THALLIUM (dissolved)	UG/L	2	2								
THALLIUM (total)	UG/L	2	2		ND (0.037)	0.046 J	0.089 J	0.086 J	ND (0.037)	ND (0.15)	ND (0.15)
TIN (dissolved)	UG/L	NV	NV								
TIN (total)	UG/L	NV	NV		ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.8)
VANADIUM (dissolved)	UG/L	NV	NV								
VANADIUM (total)	UG/L	NV	NV		ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.5)
ZINC (dissolved)	UG/L	NV	NV								
ZINC (total)	UG/L	NV	NV		ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)	ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-02B
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/27/09	9/10/13	9/15/14	8/24/15	8/24/15	8/29/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP			DUP
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,1-TRICHLOROETHANE	UG/L	200	200		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2-TRICHLOROETHANE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHENE	UG/L	7	7		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROBENZENE	UG/L	600	600		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROETHANE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROPROPANE	UG/L	5	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,3-DICHLOROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,4-DICHLOROBENZENE	UG/L	75	75		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
2-HEXANONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (50)	
ACETONE	UG/L	NV	NV		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (50)	
ACETONITRILE	UG/L	NV	NV		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA	NA	
ACROLEIN	UG/L	NV	NV		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)						
ACRYLONITRILE	UG/L	NV	NV		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
ALLYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
BENZENE	UG/L	5	5		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMODICHLOROMETHANE	UG/L	NV	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMOFORM	UG/L	NV	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CARBON DISULFIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
CARBON TETRACHLORIDE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROBENZENE	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLORODIBROMOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
CHLOROFORM	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROPRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CIS-1,2 DICHLOROETHENE	UG/L	70	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DICHLORODIFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
ETHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
ETHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
ETHYLBENZENE	UG/L	700	700		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
IODOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
ISOBUTYL ALCOHOL	UG/L	NV	NV		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA	NA	
METHACRYLONITRILE	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA	NA	
METHYL BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
METHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
METHYL ETHYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-02B
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/27/09	9/10/13	9/15/14	8/24/15	8/24/15	8/29/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP			DUP
METHYL ISOBUTYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	NA	
METHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
METHYLENE BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
METHYLENE CHLORIDE	UG/L	NV	5		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
PENTACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
PROPIONITRILE	UG/L	NV	NV		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA	NA	
STYRENE	UG/L	100	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TETRACHLOROETHYLENE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TOLUENE	UG/L	1000	1000		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA	NA	
TRICHLOROETHENE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRICHLOROFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
VINYL ACETATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
VINYL CHLORIDE	UG/L	2	2		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
XYLENES	UG/L	10,000	10,000		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
1,2,4-TRICHLOROBENZENE	UG/L	70	70		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
1,3,5-TRINITROBENZENE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	NA	
1,3-DINITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
1,4-DIOXANE	UG/L	NV	NV		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA	NA	
1,4-NAPHTHOQUINONE	UG/L	NV	NV		ND (10) R	ND (10)	ND (10) R	ND (10) UJ	ND (10)	ND (10) UJ	ND (10)	ND (10) UJ	NA	NA	NA	NA	NA	
1-METHYLNAPHTHALENE	UG/L	NV	NV								ND (1)		NA	NA	NA	NA	NA	
1-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	NA	
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	
2,4-DICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	
2,4-DIMETHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2,4-DINITROPHENOL	UG/L	NV	NV		ND (20)	ND (19)	ND (19)	ND (19)	ND (19)	ND (20)	ND (19)	ND (20) R	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	
2,4-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2,6-DICHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
2,6-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2-ACETYLAMINOFLUORENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
2-CHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	
2-METHYLNAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	
2-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	NA	
2-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	
2-NITROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-02B
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/27/09	9/10/13	9/15/14	8/24/15	8/24/15	8/29/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP			DUP
2-PICOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA	NA	
3-METHYLCHOLANTHRENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
3-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	
4-AMINOBIPHENYL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
4-CHLOROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	
4-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	
4-NITROPHENOL	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV		ND (20)	ND (19)	ND (19)	ND (19)	ND (19)	ND (20)	ND (19)	ND (20)	NA	NA	NA	NA	NA	
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	NA	
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV		ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
ACENAPHTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
ACENAPHTHYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
ACETOPHENONE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
ANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
BENZO(A)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(B)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(G,H,I)PERYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(K)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO[A]PYRENE	UG/L	NV	0.2		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.02)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZYL ALCOHOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (11)	ND (5)	NA	NA	NA	NA	NA	
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV		ND (1)	ND (1)							NA	NA	NA	NA	NA	
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6		3 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
BUTYL BENZYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
CARBAZOLE	UG/L	NV	NV								ND (1)		NA	NA	NA	NA	NA	
CHLOROBENZILATE	UG/L	NV	NV		ND (3) UJ	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	NA	
CHRYSENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.08)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DIALLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	NA	NA	NA	NA	NA	
DIBENZOFURAN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-02B
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/27/09	9/10/13	9/15/14	8/24/15	8/24/15	8/29/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP			DUP
DIETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
DIMETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
DI-N-BUTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
ETHYL METHANESULFONATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
FLUORENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROBENZENE	UG/L	1	1		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROBUTADIENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROPROPYLENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.08)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
ISODRIN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
ISOPHORONE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
ISOSAFROLE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA	NA	
METHAPYRILENE	UG/L	NV	NV		ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (14) R	ND (15) UJ	NA	NA	NA	NA	NA	
METHYL METHANESULFONATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
NAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	0.014 B	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
N-DIOCTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
NITROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
N-NITROSODIETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
N-NITROSODIMETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSODIPHENYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSOMORPHOLINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
N-NITROSOPIPERIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
N-NITROSOPYRROLIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
O-TOLUIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
PARA-PHENYLENEDIAMINE	UG/L	NV	NV		ND (60) R	ND (57) UJ	ND (58) R	ND (57) R	ND (58) R	ND (59) R	ND (58) R	ND (75) R	NA	NA	NA	NA	NA	
PCN-2	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA	NA	
PENTACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
PENTACHLORONITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
PENTACHLOROPHENOL	UG/L	1	1		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
PHENACETIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
PHENANTHRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.08)	0.011 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	
PHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.18)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
PYRIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-02B
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/27/09	9/10/13	9/15/14	8/24/15	8/24/15	8/29/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP			DUP
SAFROLE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
THIONAZIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	NA	
PRONAMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	NA	
PCB 1016	UG/L	NV	NV										NA	NA	NA	NA	NA	
PCB 1221	UG/L	NV	NV										NA	NA	NA	NA	NA	
PCB 1232	UG/L	NV	NV										NA	NA	NA	NA	NA	
PCB 1242	UG/L	NV	NV										NA	NA	NA	NA	NA	
PCB 1248	UG/L	NV	NV										NA	NA	NA	NA	NA	
PCB 1254	UG/L	NV	NV										NA	NA	NA	NA	NA	
PCB 1260	UG/L	NV	NV										NA	NA	NA	NA	NA	
DIMETHOATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	NA	
ANTIMONY (dissolved)	UG/L	6	6	ND (8.5)		ND (2.5)	1.2 B	ND (5)	0.16 J	0.18 B	ND (0.064)	ND (0.3)	NA	NA	NA	NA	NA	ND (8.5)
ANTIMONY (total)	UG/L	6	6								ND (0.064)	ND (0.3)	NA	NA	NA	NA	NA	
ARSENIC (dissolved)	UG/L	10	10	18.8		62	84.9	111 J	95.2	97	67.1	88	32	92	69	60	77	ND (4.9)
ARSENIC (total)	UG/L	10	10								158	220	34	103	76	73	91	
BARIUM (dissolved)	UG/L	2000	2000	805		848	879	939	907	934	902	837	NA	NA	NA	NA	NA	231
BARIUM (total)	UG/L	2000	2000								894	990	NA	NA	NA	NA	NA	
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.44)	ND (0.9)	NA	NA	NA	NA	NA	ND (0.34)
BERYLLIUM (total)	UG/L	4	4								ND (0.44)	ND (0.9)	NA	NA	NA	NA	NA	
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)
CADMIUM (total)	UG/L	5	5								ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)	ND (4.8)	ND (3)	NA	NA	NA	NA	NA	ND (2.2)
CHROMIUM (total)	UG/L	100	100								ND (4.8)	ND (3)	NA	NA	NA	NA	NA	
COBALT (dissolved)	UG/L	NV	NV	3.1 J		ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	1.7 J
COBALT (total)	UG/L	NV	NV								ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
COPPER (dissolved)	UG/L	NV	NV	ND (2.1)		ND (2.1)	3.4 J	ND (2.7)	ND (2.7)	ND (1.8)	ND (1.8)	4.9 J	NA	NA	NA	NA	NA	ND (2.1)
COPPER (total)	UG/L	NV	NV								ND (1.8)	ND (2.7)	NA	NA	NA	NA	NA	
LEAD (dissolved)	UG/L	15	15	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (8.4)	ND (6.9)	ND (3)	6	ND (3)	ND (3)	ND (3)	ND (9.3)
LEAD (total)	UG/L	15	15								ND (8.4)	ND (6.9)	ND (3)	7	ND (3)	ND (3)	ND (3)	
MERCURY (dissolved)	UG/L	2	2	ND (0.16)		ND (0.16)	ND (0.028)	0.18 B	ND (0.028)	ND (0.062)	ND (0.062)	0.07 J	NA	NA	NA	NA	NA	ND (0.16)
MERCURY (total)	UG/L	2	2								ND (0.062)	ND (0.056)	NA	NA	NA	NA	NA	
NICKEL (dissolved)	UG/L	NV	NV	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.8)	ND (5.6)	NA	NA	NA	NA	NA	ND (3.8)
NICKEL (total)	UG/L	NV	NV								ND (5.8)	ND (5.6)	NA	NA	NA	NA	NA	
SELENIUM (dissolved)	UG/L	50	50	ND (4.7)		10.5 J	5.2	3.9 J	ND (1.6)	9.2 J	3.5	ND (0.99)	NA	NA	NA	NA	NA	ND (4.7)
SELENIUM (total)	UG/L	50	50								3.3	ND (0.99)	NA	NA	NA	NA	NA	
SILVER (dissolved)	UG/L	NV	NV	2.2 J		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)	9.8	ND (2.2)	NA	NA	NA	NA	NA	1.8 J
SILVER (total)	UG/L	NV	NV								7.8	ND (2.2)	NA	NA	NA	NA	NA	
THALLIUM (dissolved)	UG/L	2	2	12.2 J		ND (0.89)	1.4 B	ND (1.3)	ND (1.3)	10.2 J	ND (0.032)	ND (0.15)	NA	NA	NA	NA	NA	10.1 J
THALLIUM (total)	UG/L	2	2								ND (0.032)	ND (0.15)	NA	NA	NA	NA	NA	
TIN (dissolved)	UG/L	NV	50	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (9.8)	ND (8.8)	NA	NA	NA	NA	NA	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-01B	CRG-02B
			Date	11/10/03	11/10/03	2/23/04	6/8/04	8/31/04	3/1/05	6/7/05	9/13/05	4/27/09	9/10/13	9/15/14	8/24/15	8/24/15	8/29/16	11/11/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP			DUP
TIN (total)	UG/L	NV	50								ND (9.8)	ND (8.8)	NA	NA	NA	NA	NA	
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)	ND (1)	ND (2.5)	NA	NA	NA	NA	NA	ND (1.7)
VANADIUM (total)	UG/L	NV	NV								ND (1)	ND (2.5)	NA	NA	NA	NA	NA	
ZINC (dissolved)	UG/L	NV	NV	ND (4.1)		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (5.3)	ND (5.3)	ND (8.1)	NA	NA	NA	NA	NA	ND (4.1)
ZINC (total)	UG/L	NV	NV								ND (5.3)	ND (8.1)	NA	NA	NA	NA	NA	

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B
			Date	11/11/03	11/11/03	11/11/03	2/23/04	2/23/04	6/8/04	6/8/04	8/31/04	8/31/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP		DUP		DUP		DUP	
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	NV	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHYL BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B
			Date	11/11/03	11/11/03	11/11/03	2/23/04	2/23/04	6/8/04	6/8/04	8/31/04	8/31/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP		DUP		DUP		DUP	
METHYL ISOBUTYL KETONE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PROPIONITRILE	UG/L	NV	NV		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV		ND (1)	ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV		ND (10) R	ND (10) R	ND (10)	ND (11)	ND (10) R	ND (11) R	ND (10) UJ	ND (10) UJ	ND (10)	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10)	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV														ND (1)	ND (1)
1-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV		ND (20)	ND (20)	ND (20)	ND (21)	ND (19)	ND (21)	ND (20)	ND (20)	ND (19)	ND (20)	ND (19)	ND (19)	ND (20)	ND (20)
2,4-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B
			Date	11/11/03	11/11/03	11/11/03	2/23/04	2/23/04	6/8/04	6/8/04	8/31/04	8/31/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP		DUP		DUP		DUP	
2-PICOLINE	UG/L	NV	NV		ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV		ND (5)	ND (5)	ND (10)	ND (11)	ND (10)	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV		ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV		ND (10)	ND (10)	ND (10)	ND (11)	ND (10)	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV		ND (20)	ND (20)	ND (20)	ND (21)	ND (19)	ND (21)	ND (20)	ND (20)	ND (19)	ND (20)	ND (19)	ND (19) R	ND (20)	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV		ND (2) UJ	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (1.6)
ACENAPHTHYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (1.6)
ACETOPHENONE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.04)
BENZO(A)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.02)
BENZO(B)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.04)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.1)	ND (0.1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.02)
BENZO[A]PYRENE	UG/L	NV	0.2		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.2)	ND (0.02)	ND (0.02)
BENZYL ALCOHOL	UG/L	NV	NV		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (10)	ND (11)	ND (11)	ND (11)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)										
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV						ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6		3 J	8 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV														ND (1)	ND (1)
CHLOROBENZILATE	UG/L	NV	NV		ND (3) UJ	ND (3) UJ	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.081)	ND (0.08)
DIALLATE	UG/L	NV	NV		ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.04)
DIBENZOFURAN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B
			Date	11/11/03	11/11/03	11/11/03	2/23/04	2/23/04	6/8/04	6/8/04	8/31/04	8/31/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP		DUP		DUP		DUP	
DIETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.04)
FLUORENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.51)	ND (0.5)
HEXACHLOROBENZENE	UG/L	1	1		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.081)	ND (0.08)
ISODRIN	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV		ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (15) R	ND (15) R
METHYL METHANESULFONATE	UG/L	NV	NV		ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (1.6)
N-DIOCTYL PHTHALATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV		ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV		ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV		ND (60) R	ND (61) R	ND (60) UJ	ND (63) UJ	ND (57) R	ND (63) R	ND (59) R	ND (60) R	ND (58) R	ND (60) R	ND (57) R	ND (58) R	ND (59) R	ND (60) R
PCN-2	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.081)	ND (0.08)
PHENOL	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.18)	ND (0.18)
PYRIDINE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B
			Date	11/11/03	11/11/03	11/11/03	2/23/04	2/23/04	6/8/04	6/8/04	8/31/04	8/31/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP		DUP		DUP		DUP	
SAFROLE	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV															
PCB 1221	UG/L	NV	NV															
PCB 1232	UG/L	NV	NV															
PCB 1242	UG/L	NV	NV															
PCB 1248	UG/L	NV	NV															
PCB 1254	UG/L	NV	NV															
PCB 1260	UG/L	NV	NV															
DIMETHOATE	UG/L	NV	NV		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (8.5)			ND (2.5)	ND (2.5)	1.6 B	1.5 B	ND (1)	ND (1)	ND (0.09)	0.2 J	0.1 B	0.44 B		
ANTIMONY (total)	UG/L	6	6														0.15 B	0.2 B
ARSENIC (dissolved)	UG/L	10	10	ND (4.9)			ND (1.4)	ND (1.4)	2.7 J	2.2 J	2.2 B	2.9 B	ND (0.85)	1.3 J	13.1	10.5		
ARSENIC (total)	UG/L	10	10														ND (9.3)	ND (9.3)
BARIUM (dissolved)	UG/L	2000	2000	217			275	279	257	254	248	261	268	266	259	254		
BARIUM (total)	UG/L	2000	2000														239	249
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)			ND (0.34)	ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.44)		
BERYLLIUM (total)	UG/L	4	4														ND (0.44)	ND (0.44)
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)			ND (0.87)	ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (0.97)		
CADMIUM (total)	UG/L	5	5														ND (0.97)	ND (0.97)
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)			ND (2.2)	ND (2.2)	ND (3)	ND (3)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (4.8)	ND (4.8)		
CHROMIUM (total)	UG/L	100	100														ND (4.8)	ND (4.8)
COBALT (dissolved)	UG/L	NV	NV	1.7 J			ND (1.6)	ND (1.6)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (1.5)		
COBALT (total)	UG/L	NV	NV														ND (1.5)	ND (1.5)
COPPER (dissolved)	UG/L	NV	NV	ND (2.1)			ND (2.1)	ND (2.1)	2.9 J	3.9 J	ND (2.7)	ND (2.7)	ND (2.7)	ND (2.7)	ND (1.8)	ND (1.8)		
COPPER (total)	UG/L	NV	NV														ND (1.8)	ND (1.8)
LEAD (dissolved)	UG/L	15	15	ND (9.3)			ND (9.3)	ND (9.3)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (8.4)		
LEAD (total)	UG/L	15	15														ND (8.4)	ND (8.4)
MERCURY (dissolved)	UG/L	2	2	ND (0.16)			ND (0.16)	ND (0.16)	ND (0.028)	ND (0.028)	0.13 B	0.14 B	ND (0.028)	ND (0.028)	ND (0.062)	ND (0.062)		
MERCURY (total)	UG/L	2	2														ND (0.062)	ND (0.062)
NICKEL (dissolved)	UG/L	NV	NV	4.4 J			ND (3.8)	ND (3.8)	ND (5.1)	ND (5.1)	3.1 J	ND (3.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.8)		
NICKEL (total)	UG/L	NV	NV														ND (5.8)	ND (5.8)
SELENIUM (dissolved)	UG/L	50	50	ND (4.7)			9.1 J	4.6 J	2.3 J	0.97 J	0.98 J	ND (0.89)	ND (1.6)	ND (1.6)	ND (8)	ND (8)		
SELENIUM (total)	UG/L	50	50														0.78 J	0.87 J
SILVER (dissolved)	UG/L	NV	NV	ND (1.8)			ND (1.8)	ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		
SILVER (total)	UG/L	NV	NV														ND (2)	ND (2)
THALLIUM (dissolved)	UG/L	2	2	11 J			ND (0.89)	ND (0.89)	1.6 B	1.7 B	ND (1.3)	ND (1.3)	ND (1.3)	ND (1.3)	ND (1.2)	ND (1.2)		
THALLIUM (total)	UG/L	2	2														0.066 J	0.066 J
TIN (dissolved)	UG/L	NV	50	ND (5)			ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	5.2 J	ND (5)	ND (5)	ND (9.8)	ND (9.8)		

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B
			Date	11/11/03	11/11/03	11/11/03	2/23/04	2/23/04	6/8/04	6/8/04	8/31/04	8/31/04	3/1/05	3/1/05	6/7/05	6/7/05	9/13/05	9/13/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		DUP		DUP		DUP		DUP		DUP		DUP		DUP	
TIN (total)	UG/L	NV	50														ND (9.8)	ND (9.8)
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.7)			ND (1.7)	ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)	ND (1)		
VANADIUM (total)	UG/L	NV	NV														ND (1)	1 J
ZINC (dissolved)	UG/L	NV	NV	8.3 J			ND (4.1)	ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (4.8)	ND (4.8)	ND (4.8)	5.6 J	ND (5.3)		
ZINC (total)	UG/L	NV	NV														ND (5.3)	ND (5.3)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	NA	NA	NA	NA		ND (25)	ND (25)	ND (25)		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	NA	NA	NA	NA		ND (40)	ND (40)	ND (40)		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	NA	NA	NA	NA		ND (100)	ND (100)	ND (100)		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA		ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)
METHYL BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)		ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
PROPIONITRILE	UG/L	NV	NV	ND (30)	NA	NA	NA	NA		ND (30)	ND (30)	ND (30)		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	NA	NA	NA	NA		ND (15)	ND (15)	ND (15)		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)		ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (70)	ND (70)		ND (70)	ND (70)	ND (70)	ND (70)	ND (1)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) UJ	NA	NA	NA	NA		ND (10) R	ND (10)	ND (10) R	ND (10) UJ		ND (10) UJ	ND (10) UJ	ND (10)	ND (10) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV		NA	NA	NA	NA									ND (1)	
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2) UJ
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1) UJ
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1) UJ
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1) UJ
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (3)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)		ND (21)	ND (20)	ND (20)	ND (19)		ND (20)	ND (20)	ND (19)	ND (20) UJ
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2) UJ
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1) UJ
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (0.01)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1) UJ

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
2-PICOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2) UJ
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (2)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA		ND (5)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (10)	ND (10)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (2)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2) UJ
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)		ND (10)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	NA	NA	NA	NA		ND (21)	ND (20)	ND (20)	ND (19)		ND (20)	ND (20)	ND (19)	ND (20)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2) UJ	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1.6)	ND (0.01)
ACENAPHTHYLENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1.6)	ND (0.01)
ACETOPHENONE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.04)	ND (0.01)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.02)	ND (0.01)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.04)	ND (0.01)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.099)	ND (0.01)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.02)	ND (0.01)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (0.2)	ND (0.2)	ND (0.02)	ND (0.01)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (11)	ND (11)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV		NA	NA	NA	NA		ND (1)	ND (1)							
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)				ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV		NA	NA	NA	NA									ND (1)	
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3) UJ	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.079)	ND (0.01)
DIALLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (0.01)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.04)	ND (0.01)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.04)	ND (0.01)
FLUORENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.5)	ND (0.01)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.079)	ND (0.01)
ISODRIN	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (2)
METHAPYRILENE	UG/L	NV	NV	ND (15) UJ	NA	NA	NA	NA		ND (3) R	ND (3) R	ND (3) R	ND (3) R		ND (3) R	ND (3) R	ND (15) R	ND (15) UJ
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	0.015 B	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1.6)	ND (0.01)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2) UJ
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (76) R	NA	NA	NA	NA		ND (62) R	ND (60) UJ	ND (61) R	ND (57) R		ND (60) R	ND (59) R	ND (58) R	ND (75) R
PCN-2	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (2)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.079)	ND (0.01)
PHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.18)	ND (0.01)
PYRIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
SAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)
PCB 1016	UG/L	NV	NV		NA	NA	NA	NA										
PCB 1221	UG/L	NV	NV		NA	NA	NA	NA										
PCB 1232	UG/L	NV	NV		NA	NA	NA	NA										
PCB 1242	UG/L	NV	NV		NA	NA	NA	NA										
PCB 1248	UG/L	NV	NV		NA	NA	NA	NA										
PCB 1254	UG/L	NV	NV		NA	NA	NA	NA										
PCB 1260	UG/L	NV	NV		NA	NA	NA	NA										
DIMETHOATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (0.3)	NA	NA	NA	NA	ND (8.5)		ND (2.5)	2.1 B		ND (5)	ND (0.09)	ND (0.064)	ND (0.064)	ND (0.3)
ANTIMONY (total)	UG/L	6	6	ND (0.3)	NA	NA	NA	NA									ND (0.064)	ND (0.3)
ARSENIC (dissolved)	UG/L	10	10	45	37	36	33	28	14.7		32	37.6		56.5 J	68.4	69.1	42.1	69.2
ARSENIC (total)	UG/L	10	10	54.4	38	52	35	34									51.3	91.3
BARIUM (dissolved)	UG/L	2000	2000	407	NA	NA	NA	NA	114		120	129		119	157	122	128	156
BARIUM (total)	UG/L	2000	2000	416	NA	NA	NA	NA									126	170
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)		ND (0.97)	ND (0.97)	ND (0.44)	ND (0.44)	ND (0.9)
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA									ND (0.44)	ND (0.9)
CADMIUM (dissolved)	UG/L	5	5	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)		ND (0.76)	ND (0.76)	ND (0.97)	ND (0.97)	ND (2)
CADMIUM (total)	UG/L	5	5	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)									ND (0.97)	ND (2)
CHROMIUM (dissolved)	UG/L	100	100	ND (3)	NA	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)		ND (2.5)	ND (2.5)	ND (4.8)	ND (4.8)	ND (3)
CHROMIUM (total)	UG/L	100	100	ND (3)	NA	NA	NA	NA									ND (4.8)	ND (3)
COBALT (dissolved)	UG/L	NV	NV	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	1.8 J		ND (1.6)	ND (2)		ND (2)	ND (2)	ND (1.5)	ND (1.5)	ND (2.1)
COBALT (total)	UG/L	NV	NV	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)									ND (1.5)	ND (2.1)
COPPER (dissolved)	UG/L	NV	NV	ND (2.7)	NA	NA	NA	NA	ND (2.1)		ND (2.1)	ND (2.7)		ND (2.7)	ND (2.7)	ND (1.8)	ND (1.8)	ND (2.7)
COPPER (total)	UG/L	NV	NV	4.6 J	NA	NA	NA	NA									ND (1.8)	ND (2.7)
LEAD (dissolved)	UG/L	15	15	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)		ND (10)	ND (10)	ND (8.4)	ND (8.4)	ND (6.9)
LEAD (total)	UG/L	15	15	ND (6.9)	ND (3)	4	ND (3)	ND (3)									ND (8.4)	ND (6.9)
MERCURY (dissolved)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)		0.18 B	ND (0.028)	ND (0.062)	ND (0.062)	ND (0.056)
MERCURY (total)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA									ND (0.062)	ND (0.056)
NICKEL (dissolved)	UG/L	NV	NV	ND (5.6)	NA	NA	NA	NA	5.6 J		ND (3.8)	ND (5.1)		ND (3.1)	ND (3.1)	ND (5.8)	ND (5.8)	ND (5.6)
NICKEL (total)	UG/L	NV	NV	ND (5.6)	NA	NA	NA	NA									ND (5.8)	ND (5.6)
SELENIUM (dissolved)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA	ND (4.7)		6.2 J	2.4 J		ND (0.89)	ND (1.6)	ND (8)	1 J	ND (0.99)
SELENIUM (total)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA									1 J	ND (0.99)
SILVER (dissolved)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA	ND (1.8)		ND (1.8)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2.2)
SILVER (total)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA									ND (2)	ND (2.2)
THALLIUM (dissolved)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA	ND (8.9)		0.93 B	1.5 B		ND (1.3)	ND (1.3)	ND (1.2)	ND (0.032)	ND (0.15)
THALLIUM (total)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA									ND (0.032)	ND (0.15)
TIN (dissolved)	UG/L	NV	50	ND (8.8)	NA	NA	NA	NA	ND (5)		ND (5)	ND (5)		ND (5)	ND (5)	ND (9.8)	ND (9.8)	ND (8.8)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-02B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	11/11/03	11/11/03	2/23/04	6/8/04	8/31/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TIN (total)	UG/L	NV	50	ND (8.8)	NA	NA	NA	NA									ND (9.8)	ND (8.8)
VANADIUM (dissolved)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)		ND (1.6)	ND (1.6)	ND (1)	ND (1)	ND (2.5)
VANADIUM (total)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA									ND (1)	ND (2.5)
ZINC (dissolved)	UG/L	NV	NV	ND (8.1)	NA	NA	NA	NA	ND (4.1)		ND (4.1)	ND (4.8)		ND (4.8)	ND (4.8)	5.6 J	ND (5.3)	ND (8.1)
ZINC (total)	UG/L	NV	NV	ND (8.1)	NA	NA	NA	NA									ND (5.3)	ND (8.1)

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B
			Date	9/10/13	9/16/14	8/25/15	8/30/16	8/30/16	11/11/03	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**				Dup											
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)
ACETONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)
ACETONITRILE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA
ACROLEIN	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA
ACRYLONITRILE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
BENZENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
CHLOROFORM	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ETHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ETHYLBENZENE	UG/L	700	700	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
IODOMETHANE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA
METHACRYLONITRILE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA
METHYL BROMIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B
			Date	9/10/13	9/16/14	8/25/15	8/30/16	8/30/16	11/11/03	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**				Dup											
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
METHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYLENE BROMIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
PROPIONITRILE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
TOLUENE	UG/L	1000	1000	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)
VINYL ACETATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA
1,3-DINITROBENZENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
1,4-DIOXANE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (10) R	ND (10)	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (11)	ND (10) UJ	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (1)		NA
1-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (21)	ND (20)	ND (21)	ND (19)	ND (20)	ND (20)	ND (21)	ND (20) UJ	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA
2-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B
			Date	9/10/13	9/16/14	8/25/15	8/30/16	8/30/16	11/11/03	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**				Dup											
2-PICOLINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (11)	ND (10)	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
3-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (11)	ND (10)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (21)	ND (20)	ND (21)	ND (19)	ND (20)	ND (20)	ND (21)	ND (20)	NA
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
ACENAPHTHENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.01)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.01)	ND (5)
ACETOPHENONE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
ANILINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ANTHRACENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.01)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.1)	ND (0.01)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.01)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.02)	ND (0.01)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (12)	ND (5)	NA
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)							NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (5)	5	ND (5)	ND (5)	ND (5)		5 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
CARBAZOLE	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (1)		NA
CHLOROBENZILATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (3) UJ	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.081)	ND (0.01)	ND (1)
DIALLATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.01)	NA
DIBENZOFURAN	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B
			Date	9/10/13	9/16/14	8/25/15	8/30/16	8/30/16	11/11/03	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**				Dup											
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	7	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.04)	0.014 J	ND (1)
FLUORENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.51)	ND (0.01)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.081)	ND (0.01)	ND (2)
ISODRIN	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ISOPHORONE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
ISOSAFROLE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA
METHAPYRILENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (16) R	ND (15) UJ	NA
METHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
NAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.01)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
NITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
O-TOLUIDINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (62) R	ND (61) UJ	ND (63) R	ND (57) R	ND (59) R	ND (60) R	ND (64) R	ND (77) R	NA
PCN-2	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA
PENTACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)
PHENACETIN	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PHENANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.081)	ND (0.01)	ND (2)
PHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
PYRENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.18)	ND (0.01)	ND (5)
PYRIDINE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B
			Date	9/10/13	9/16/14	8/25/15	8/30/16	8/30/16	11/11/03	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**				Dup											
SAFROLE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
THIONAZIN	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PRONAMIDE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
PCB 1016	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
PCB 1221	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
PCB 1232	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
PCB 1242	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
PCB 1248	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
PCB 1254	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
PCB 1260	UG/L	NV	NV	NA	NA	NA	NA	NA										NA
DIMETHOATE	UG/L	NV	NV	NA	NA	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
ANTIMONY (dissolved)	UG/L	6	6	NA	NA	NA	NA	NA	ND (8.5)		ND (2.5)	1.4 B	ND (1)	ND (0.9)	0.11 B		ND (0.3)	NA
ANTIMONY (total)	UG/L	6	6	NA	NA	NA	NA	NA								0.11 B	ND (0.3)	NA
ARSENIC (dissolved)	UG/L	10	10	85	79	65	83	84	ND (4.9)		ND (1.4)	1.2 J	6.7 B	2.9 B	4 J		7.3	3
ARSENIC (total)	UG/L	10	10	109	97	109	89	89								2.2	10.3	4
BARIUM (dissolved)	UG/L	2000	2000	NA	NA	NA	NA	NA	290		176	198	244	201	214		248	NA
BARIUM (total)	UG/L	2000	2000	NA	NA	NA	NA	NA								196	257	NA
BERYLLIUM (dissolved)	UG/L	4	4	NA	NA	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)		ND (0.9)	NA
BERYLLIUM (total)	UG/L	4	4	NA	NA	NA	NA	NA								ND (0.44)	ND (0.9)	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)
CADMIUM (total)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)								ND (0.97)	ND (2)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	NA	NA	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)		ND (3)	NA
CHROMIUM (total)	UG/L	100	100	NA	NA	NA	NA	NA								ND (4.8)	ND (3)	NA
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	2.5 J		ND (1.6)	ND (2)	ND (2)	ND (2)	2.2 J		2.5 J	ND (5)
COBALT (total)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)								ND (1.5)	3.1 J	ND (5)
COPPER (dissolved)	UG/L	NV	NV	NA	NA	NA	NA	NA	2.2 J		ND (2.1)	ND (2.7)	3.8 J	ND (2.7)	ND (1.8)		ND (2.7)	NA
COPPER (total)	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (1.8)	ND (2.7)	NA
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)		ND (6.9)	ND (3)
LEAD (total)	UG/L	15	15	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)								ND (8.4)	ND (6.9)	ND (3)
MERCURY (dissolved)	UG/L	2	2	NA	NA	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)	0.049 B	ND (0.028)	ND (0.062)		ND (0.056)	NA
MERCURY (total)	UG/L	2	2	NA	NA	NA	NA	NA								ND (0.062)	ND (0.056)	NA
NICKEL (dissolved)	UG/L	NV	NV	NA	NA	NA	NA	NA	4.6 J		ND (3.8)	ND (5.1)	4.7 J	3.2 J	ND (5.8)		ND (5.6)	NA
NICKEL (total)	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (5.8)	ND (5.6)	NA
SELENIUM (dissolved)	UG/L	50	50	NA	NA	NA	NA	NA	ND (4.7)		6.7 J	3.6 J	ND (0.89) UJ	ND (1.6)	ND (8)		ND (0.99)	NA
SELENIUM (total)	UG/L	50	50	NA	NA	NA	NA	NA								2	ND (0.99)	NA
SILVER (dissolved)	UG/L	NV	NV	NA	NA	NA	NA	NA	2.6 J		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2.2)	NA
SILVER (total)	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (2)	ND (2.2)	NA
THALLIUM (dissolved)	UG/L	2	2	NA	NA	NA	NA	NA	10 J		ND (0.89)	1.3 B	ND (6.5) UJ	ND (6.5) UJ	ND (6)		ND (0.15)	NA
THALLIUM (total)	UG/L	2	2	NA	NA	NA	NA	NA								0.038 J	ND (0.15)	NA
TIN (dissolved)	UG/L	NV	50	NA	NA	NA	NA	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)		ND (8.8)	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-03B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B	CRG-04B
			Date	9/10/13	9/16/14	8/25/15	8/30/16	8/30/16	11/11/03	11/11/03	2/24/04	6/8/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**				Dup											
TIN (total)	UG/L	NV	50	NA	NA	NA	NA	NA								ND (9.8)	ND (8.8)	NA
VANADIUM (dissolved)	UG/L	NV	NV	NA	NA	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)		ND (2.5)	NA
VANADIUM (total)	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (1)	ND (2.5)	NA
ZINC (dissolved)	UG/L	NV	NV	NA	NA	NA	NA	NA	ND (4.1)		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (5.3)		ND (8.1)	NA
ZINC (total)	UG/L	NV	NV	NA	NA	NA	NA	NA								ND (5.3)	ND (8.1)	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-04B	CRG-04B	CRG-04B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B
			Date	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/13/13	9/19/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)
ACETONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)
ACETONITRILE	UG/L	NV	NV	NA	NA	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA
ACROLEIN	UG/L	NV	NV	NA	NA	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	NA
ACRYLONITRILE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
BENZENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		0.5 J	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
CHLOROFORM	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ETHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ETHYLBENZENE	UG/L	700	700	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
IODOMETHANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA	NA	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA
METHACRYLONITRILE	UG/L	NV	NV	NA	NA	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA
METHYL BROMIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-04B	CRG-04B	CRG-04B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B
			Date	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/13/13	9/19/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA
METHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYLENE BROMIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
PROPIONITRILE	UG/L	NV	NV	NA	NA	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
TOLUENE	UG/L	1000	1000	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA	NA	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)
VINYL ACETATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (3)	ND (3)	ND (3)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA
1,3-DINITROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
1,4-DIOXANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA	NA	NA		ND (10)	ND (10)	ND (9) R	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10)	ND (10) UJ	NA	NA	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA	NA	NA								ND (1)		NA	NA	NA
1-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (4)	ND (4)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (19)	ND (19)	ND (19)	ND (19)	ND (19)	ND (19)	ND (20)	ND (19) UJ	ND (25)	ND (25)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0096)	ND (5)	ND (5)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA
2-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-04B	CRG-04B	CRG-04B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B
			Date	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/13/13	9/19/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
2-PICOLINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
3-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)	ND (20)	ND (20)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (20)	ND (20)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (10)	ND (10)	ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA	NA	NA		ND (19)	ND (19)	ND (19)	ND (19)	ND (19)	ND (19)	ND (20)	ND (19)	NA	NA	NA
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
ACENAPHTHENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.0096)	ND (5)	ND (5)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.0096)	ND (5)	ND (5)	ND (5)
ACETOPHENONE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
ANILINE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ANTHRACENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.0096)	ND (5)	ND (5)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.0096)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.0096)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.1)	ND (0.0096)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.0096)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	0.2 J	ND (0.2)	ND (0.02)	ND (0.0096)	ND (1)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (11)	ND (5)	NA	NA	NA
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)							NA	NA	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)				ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (5)	ND (5)	ND (5)		14	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	43
CARBAZOLE	UG/L	NV	NV	NA	NA	NA								ND (1)		NA	NA	NA
CHLOROBENZILATE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.08)	ND (0.0096)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.0096)	NA	NA	NA
DIBENZOFURAN	UG/L	NV	NV	ND (4)	ND (4)	ND (4)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-04B	CRG-04B	CRG-04B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B
			Date	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/13/13	9/19/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.04)	ND (0.0096)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (0.0096)	ND (5)	ND (5)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.08)	ND (0.0096)	ND (2)	ND (2)	ND (2)
ISODRIN	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ISOPHORONE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
ISOSAFROLE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA
METHAPYRILENE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (15) R	ND (15) UJ	NA	NA	NA
METHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
NAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1.6)	0.011 B	ND (5)	ND (5)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
NITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
O-TOLUIDINE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA	NA	NA		ND (57) R	ND (57) UJ	ND (57) R	ND (58) R	ND (58) R	ND (57) R	ND (60) R	ND (73) R	NA	NA	NA
PCN-2	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA
PENTACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)
PHENACETIN	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
PHENANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.08)	ND (0.0096)	ND (2)	ND (2)	ND (2)
PHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
PYRENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.18)	ND (0.0096)	ND (5)	ND (5)	ND (5)
PYRIDINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-04B	CRG-04B	CRG-04B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B
			Date	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/13/13	9/19/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
SAFROLE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
THIONAZIN	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
PRONAMIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
PCB 1016	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1221	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1232	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1242	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1248	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1254	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1260	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
DIMETHOATE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA
ANTIMONY (dissolved)	UG/L	6	6	NA	NA	NA	ND (8.5)		ND (2.5)	1.4 J	ND (1)	ND (0.09)	ND (0.064)		ND (0.3)	NA	NA	NA
ANTIMONY (total)	UG/L	6	6	NA	NA	NA								ND (0.064)	ND (0.3)	NA	NA	NA
ARSENIC (dissolved)	UG/L	10	10	12	9	7	16.5		10.4	20.9	25.5	19.4	22.1		17.6	19	22	17
ARSENIC (total)	UG/L	10	10	16	19	9								22	58.5	20	28	23
BARIUM (dissolved)	UG/L	2000	2000	NA	NA	NA	168		173	186	187	189	190		161	NA	NA	NA
BARIUM (total)	UG/L	2000	2000	NA	NA	NA								184	189	NA	NA	NA
BERYLLIUM (dissolved)	UG/L	4	4	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)		ND (0.9)	NA	NA	NA
BERYLLIUM (total)	UG/L	4	4	NA	NA	NA								ND (0.44)	ND (0.9)	NA	NA	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	0.8 J	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (0.5)
CADMIUM (total)	UG/L	5	5	0.9	ND (0.5)	ND (0.5)								ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)		ND (3)	NA	NA	NA
CHROMIUM (total)	UG/L	100	100	NA	NA	NA								ND (4.8)	ND (3)	NA	NA	NA
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	2.1 J		ND (1.6)	ND (2)	2.5 J	ND (2)	2.1 J		ND (2.1)	ND (5)	ND (5)	ND (5)
COBALT (total)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)								ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)
COPPER (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (2.1)		ND (2.1)	ND (2.7)	ND (2.7)	ND (2.7)	ND (1.8)		ND (2.7)	NA	NA	NA
COPPER (total)	UG/L	NV	NV	NA	NA	NA								ND (1.8)	ND (2.7)	NA	NA	NA
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)		ND (6.9)	ND (3)	ND (3)	ND (3)
LEAD (total)	UG/L	15	15	ND (3)	ND (3)	ND (3)								ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)
MERCURY (dissolved)	UG/L	2	2	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)	0.034 B	ND (0.028)	ND (0.062)		ND (0.056)	NA	NA	NA
MERCURY (total)	UG/L	2	2	NA	NA	NA								ND (0.062)	ND (0.056)	NA	NA	NA
NICKEL (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)		ND (5.6)	NA	NA	NA
NICKEL (total)	UG/L	NV	NV	NA	NA	NA								ND (5.8)	ND (5.6)	NA	NA	NA
SELENIUM (dissolved)	UG/L	50	50	NA	NA	NA	ND (4.7)		1.5 B	3 J	ND (0.89) UJ	ND (1.6)	ND (1.6)		ND (0.99)	NA	NA	NA
SELENIUM (total)	UG/L	50	50	NA	NA	NA								1.5 J	ND (0.99)	NA	NA	NA
SILVER (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2.2)	NA	NA	NA
SILVER (total)	UG/L	NV	NV	NA	NA	NA								ND (2)	ND (2.2)	NA	NA	NA
THALLIUM (dissolved)	UG/L	2	2	NA	NA	NA	ND (8.9)		ND (0.89)	2 B	ND (1.3) UJ	ND (1.3)	ND (1.2)		ND (0.15)	NA	NA	NA
THALLIUM (total)	UG/L	2	2	NA	NA	NA								ND (0.032)	ND (0.15)	NA	NA	NA
TIN (dissolved)	UG/L	NV	50	NA	NA	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)		ND (8.8)	NA	NA	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-04B	CRG-04B	CRG-04B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B	CRG-05B
			Date	9/17/14	8/25/15	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/13/13	9/19/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TIN (total)	UG/L	NV	50	NA	NA	NA								ND (9.8)	ND (8.8)	NA	NA	NA
VANADIUM (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)		ND (2.5)	NA	NA	NA
VANADIUM (total)	UG/L	NV	NV	NA	NA	NA								ND (1)	ND (2.5)	NA	NA	NA
ZINC (dissolved)	UG/L	NV	NV	NA	NA	NA	5.9 J		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (5.3)		ND (8.1)	NA	NA	NA
ZINC (total)	UG/L	NV	NV	NA	NA	NA								ND (5.3)	ND (8.1)	NA	NA	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-05B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-07B
			Date	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	
2-HEXANONE	UG/L	NV	NV	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	
ACETONE	UG/L	NV	NV	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	
ACETONITRILE	UG/L	NV	NV	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA	
ACROLEIN	UG/L	NV	NV	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	NA	NA	
ACRYLONITRILE	UG/L	NV	NV	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	
ALLYL CHLORIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
BENZENE	UG/L	5	5	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
BROMOFORM	UG/L	NV	80	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CARBON DISULFIDE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROBENZENE	UG/L	NV	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
CHLOROFORM	UG/L	NV	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
CHLOROPRENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
ETHYL CHLORIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ETHYL METHACRYLATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ETHYLBENZENE	UG/L	700	700	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
IODOMETHANE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA	
METHACRYLONITRILE	UG/L	NV	NV	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA	
METHYL BROMIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYL CHLORIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-05B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-07B
			Date	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
METHYL METHACRYLATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYLENE BROMIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
PENTACHLOROETHANE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	
PROPIONITRILE	UG/L	NV	NV	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA	
STYRENE	UG/L	100	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
TOLUENE	UG/L	1000	1000	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA	
TRICHLOROETHENE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	
VINYL ACETATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
VINYL CHLORIDE	UG/L	2	2	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	
XYLENES	UG/L	10,000	10,000	ND (3)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
1,3-DINITROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
1,4-DIOXANE	UG/L	NV	NV	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (0.9)	NA	NA	NA	NA	
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA		ND (10)	ND (10)	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10)	ND (9) UJ	NA	NA	NA	NA	
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA								ND (1)		NA	NA	NA	NA	
1-NAPHTHYLAMINE	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (5)	ND (5)	ND (5)	ND (5)	
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (4)	ND (4)	ND (4)	ND (4)	
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (10)	ND (10)	ND (10)	ND (10)	
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)		ND (20)	ND (21)	ND (19)	ND (20)	ND (19)	ND (20)	ND (20)	ND (19) UJ	ND (25)	ND (25)	ND (25)	ND (25)	
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (10)	ND (10)	ND (10)	ND (10)	
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	
2-NAPHTHYLAMINE	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	
2-NITROANILINE	UG/L	NV	NV	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)	ND (25)	ND (25)	ND (25)	
2-NITROPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9) UJ	ND (5)	ND (5)	ND (5)	ND (5)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-05B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-07B
			Date	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
2-PICOLINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	NA	NA	NA	NA	
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
3-NITROANILINE	UG/L	NV	NV	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)	ND (25)	ND (25)	ND (25)	
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	
4-AMINOBIPHENYL	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
4-CHLOROANILINE	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (20)	ND (20)	ND (20)	ND (20)	
4-NITROANILINE	UG/L	NV	NV	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)	ND (25)	ND (25)	ND (25)	
4-NITROPHENOL	UG/L	NV	NV	ND (25)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (25)	ND (25)	ND (25)	ND (25)	
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA		ND (20)	ND (21)	ND (19)	ND (20)	ND (19)	ND (20)	ND (20)	ND (19)	NA	NA	NA	NA	
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
ACENAPHTHENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	
ACETOPHENONE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
ANILINE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
ANTHRACENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.038)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.019)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.038)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.094)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.019)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.019)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	
BENZYL ALCOHOL	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (11)	ND (5)	NA	NA	NA	NA	
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	NA		ND (1)	ND (1)							NA	NA	NA	NA	
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (5)		19	6 B	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
CARBAZOLE	UG/L	NV	NV	NA								ND (1)		NA	NA	NA	NA	
CHLOROBENZILATE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
CHRYSENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.075)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	
DIALLATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.038)	ND (0.01)	NA	NA	NA	NA	
DIBENZOFURAN	UG/L	NV	NV	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (4)	ND (4)	ND (4)	ND (4)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-05B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-07B
			Date	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
ETHYL METHANESULFONATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
FLUORANTHENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.038)	0.013 J	ND (1)	ND (1)	ND (1)	ND (1)	
FLUORENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.47)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROBENZENE	UG/L	1	1	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.075)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)	
ISODRIN	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
ISOPHORONE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
ISOSAFROLE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA	
METHAPYRILENE	UG/L	NV	NV	NA		ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (15) R	ND (14) UJ	NA	NA	NA	NA	
METHYL METHANESULFONATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
NAPHTHALENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.5)	0.012 B	ND (5)	ND (5)	ND (5)	ND (5)	
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA		15	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
NITROBENZENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
O-TOLUIDINE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA		ND (60) R	ND (62) UJ	ND (57) R	ND (59) R	ND (57) R	ND (59) R	ND (59) R	ND (71) R	NA	NA	NA	NA	
PCN-2	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA	
PENTACHLOROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PENTACHLOROPHENOL	UG/L	1	1	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	
PHENACETIN	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PHENANTHRENE	UG/L	NV	NV	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.075)	0.011 J	ND (2)	ND (2)	ND (2)	ND (2)	
PHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	
PYRENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.17)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	
PYRIDINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-05B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-07B
			Date	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
SAFROLE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
THIONAZIN	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	
PRONAMIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA	NA	NA	NA	
PCB 1016	UG/L	NV	NV	NA										NA	NA	NA	NA	
PCB 1221	UG/L	NV	NV	NA										NA	NA	NA	NA	
PCB 1232	UG/L	NV	NV	NA										NA	NA	NA	NA	
PCB 1242	UG/L	NV	NV	NA										NA	NA	NA	NA	
PCB 1248	UG/L	NV	NV	NA										NA	NA	NA	NA	
PCB 1254	UG/L	NV	NV	NA										NA	NA	NA	NA	
PCB 1260	UG/L	NV	NV	NA										NA	NA	NA	NA	
DIMETHOATE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	
ANTIMONY (dissolved)	UG/L	6	6	NA	ND (8.5)		ND (2.5)	1.4 J	ND (1)	0.22 J	0.28 B		ND (0.3)	NA	NA	NA	NA	ND (8.5)
ANTIMONY (total)	UG/L	6	6	NA								0.2 B	ND (0.3)	NA	NA	NA	NA	
ARSENIC (dissolved)	UG/L	10	10	20	ND (4.9)		ND (1.4)	3.4 J	ND (0.85)	3.3 B	16.6		34.1	13	9	8	20	ND (4.9)
ARSENIC (total)	UG/L	10	10	26								4.2	78.2	22	22	14	15	
BARIUM (dissolved)	UG/L	2000	2000	NA	203		258	249	248	233	289		254	NA	NA	NA	NA	60.2
BARIUM (total)	UG/L	2000	2000	NA								238	284	NA	NA	NA	NA	
BERYLLIUM (dissolved)	UG/L	4	4	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	0.45 J		ND (0.9)	NA	NA	NA	NA	ND (0.34)
BERYLLIUM (total)	UG/L	4	4	NA								ND (0.44)	ND (0.9)	NA	NA	NA	NA	
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)
CADMIUM (total)	UG/L	5	5	ND (0.5)								ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	
CHROMIUM (dissolved)	UG/L	100	100	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	9.8 J		ND (3)	NA	NA	NA	NA	ND (2.2)
CHROMIUM (total)	UG/L	100	100	NA								ND (4.8)	ND (3)	NA	NA	NA	NA	
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)	5.6		ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1.6)
COBALT (total)	UG/L	NV	NV	ND (5)								ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	
COPPER (dissolved)	UG/L	NV	NV	NA	3.3 J		ND (2.1)	3.4 J	3.4 J	3.6 B	11.9		ND (2.7)	NA	NA	NA	NA	2.6 J
COPPER (total)	UG/L	NV	NV	NA								ND (1.8)	4.3 J	NA	NA	NA	NA	
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	11.1 J		ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)
LEAD (total)	UG/L	15	15	ND (3)								ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	
MERCURY (dissolved)	UG/L	2	2	NA	ND (0.16)		ND (0.16)	ND (0.028)	0.052 B	ND (0.028)	0.065 J		ND (0.056)	NA	NA	NA	NA	ND (0.16)
MERCURY (total)	UG/L	2	2	NA								ND (0.062)	ND (0.056)	NA	NA	NA	NA	
NICKEL (dissolved)	UG/L	NV	NV	NA	ND (3.8)		3.8 J	ND (5.1)	ND (3.1)	ND (3.1)	13		ND (5.6)	NA	NA	NA	NA	ND (3.8)
NICKEL (total)	UG/L	NV	NV	NA								ND (5.8)	ND (5.6)	NA	NA	NA	NA	
SELENIUM (dissolved)	UG/L	50	50	NA	ND (4.7)		1.4 B	1.3 J	ND (0.89) UJ	ND (1.6)	ND (16)		ND (0.99)	NA	NA	NA	NA	ND (4.7)
SELENIUM (total)	UG/L	50	50	NA								0.93 J	ND (0.99)	NA	NA	NA	NA	
SILVER (dissolved)	UG/L	NV	NV	NA	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2.2)	NA	NA	NA	NA	ND (1.8)
SILVER (total)	UG/L	NV	NV	NA								ND (2)	ND (2.2)	NA	NA	NA	NA	
THALLIUM (dissolved)	UG/L	2	2	NA	ND (8.9)		0.9 B	ND (1.3)	ND (1.3) UJ	ND (1.3)	ND (1.2)		ND (0.15)	NA	NA	NA	NA	ND (8.9)
THALLIUM (total)	UG/L	2	2	NA								0.032 J	ND (0.15)	NA	NA	NA	NA	
TIN (dissolved)	UG/L	NV	50	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)		ND (8.8)	NA	NA	NA	NA	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-05B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-06B	CRG-07B
			Date	8/30/16	11/12/03	11/12/03	2/24/04	6/9/04	8/31/04	3/2/05	6/7/05	9/13/05	4/28/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TIN (total)	UG/L	NV	50	NA								ND (9.8)	ND (8.8)	NA	NA	NA	NA	
VANADIUM (dissolved)	UG/L	NV	NV	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	11.8		ND (2.5)	NA	NA	NA	NA	ND (1.7)
VANADIUM (total)	UG/L	NV	NV	NA								ND (1)	2.9 J	NA	NA	NA	NA	
ZINC (dissolved)	UG/L	NV	NV	NA	4.8 J		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	32.7		ND (8.1)	NA	NA	NA	NA	5.5 J
ZINC (total)	UG/L	NV	NV	NA								ND (5.3)	9.5 J	NA	NA	NA	NA	

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-08B	CRG-08B
			Date	11/12/03	2/25/04	6/9/04	9/1/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)		ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)		ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)		ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)		ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA	NA		ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)		ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	NA	NA		ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)		ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)		ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.5)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)		ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA		ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA		ND (10)
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)		ND (3)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-08B	CRG-08B
			Date	11/12/03	2/25/04	6/9/04	9/1/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA		ND (1)
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)		ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA		ND (30)
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)		ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA		ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)		ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)		ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (1)	ND (70)	ND (70)	ND (70)		ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA		ND (1)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10)	ND (10)	ND (10) R	ND (10) R		ND (10) UJ	ND (10) UJ	ND (9) UJ	ND (10)	NA	NA	NA	NA		ND (11)
1-METHYLNAPHTHALENE	UG/L	NV	NV								ND (0.9)		NA	NA	NA	NA		
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (19)	ND (19)	ND (19)	ND (20)		ND (19)	ND (19)	ND (19)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)		ND (22)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA		ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-08B	CRG-08B
			Date	11/12/03	2/25/04	6/9/04	9/1/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (5)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (9)	ND (10)	NA	NA	NA	NA		ND (5)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)		ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)		ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)		ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)		ND (10)	ND (10)	ND (9)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)		ND (11)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (19)	ND (19) R	ND (19)	ND (20)		ND (19)	ND (19)	ND (19) UJ	ND (20)	NA	NA	NA	NA		ND (22)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	NA	NA		ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	ND (1)		ND (0.2)	ND (0.2)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (11)	ND (10)	ND (5)	NA	NA	NA	NA		ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	ND (1)	ND (1)								NA	NA	NA	NA		ND (1)
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV			ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	11	ND (5)		7 J
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
CARBAZOLE	UG/L	NV	NV								ND (0.9)		NA	NA	NA	NA		
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	NA	NA		ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	NA	NA	NA	NA		ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)		ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-08B	CRG-08B
			Date	11/12/03	2/25/04	6/9/04	9/1/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)		ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)		ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9) UJ	ND (1)	NA	NA	NA	NA		ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (2)	NA	NA	NA	NA		ND (1)
METHAPYRILENE	UG/L	NV	NV	ND (3)	ND (3)	ND (3) R	ND (3) R		ND (3) R	ND (14) R	ND (14) R	ND (15) UJ	NA	NA	NA	NA		ND (3) R
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	NA	NA		ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		2 J
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)		ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	NA	NA		ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (58) R	ND (57) R	ND (57) R	ND (59) R		ND (58) R	ND (58) R	ND (56) R	ND (75) R	NA	NA	NA	NA		ND (66) R
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (2)	NA	NA	NA	NA		ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)		ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)		ND (1)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-08B	CRG-08B
			Date	11/12/03	2/25/04	6/9/04	9/1/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	NA	NA		ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA		ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	NA	NA		ND (1)
PCB 1016	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1221	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1232	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1242	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1248	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1254	UG/L	NV	NV										NA	NA	NA	NA		
PCB 1260	UG/L	NV	NV										NA	NA	NA	NA		
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)		ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA		ND (3)
ANTIMONY (dissolved)	UG/L	6	6		ND (2.5)	1.2 J	ND (5)		ND (0.9)	0.11 B	0.13 B	ND (0.3)	NA	NA	NA	NA	ND (8.5)	
ANTIMONY (total)	UG/L	6	6								0.12 B	ND (0.3)	NA	NA	NA	NA		
ARSENIC (dissolved)	UG/L	10	10		1.6 J	0.88 J	2.4 B		2.7 B	3.7 J	0.99 J	1.1 J	2	3	5	4	17.4	
ARSENIC (total)	UG/L	10	10								1 J	ND (0.95)	2	3	6	5		
BARIUM (dissolved)	UG/L	2000	2000		59.4	58.8	60.3		54.9	56	49.6	51	NA	NA	NA	NA	291	
BARIUM (total)	UG/L	2000	2000								51.1	50.9	NA	NA	NA	NA		
BERYLLIUM (dissolved)	UG/L	4	4		ND (0.34)	ND (0.97)	ND (0.97)		ND (0.97)	ND (0.44)	ND (0.44)	ND (0.9)	NA	NA	NA	NA	ND (0.34)	
BERYLLIUM (total)	UG/L	4	4								ND (0.44)	ND (0.9)	NA	NA	NA	NA		
CADMIUM (dissolved)	UG/L	5	5		ND (0.87)	ND (0.76)	ND (0.76)		ND (0.76)	ND (0.97)	ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)	
CADMIUM (total)	UG/L	5	5								ND (0.97)	ND (2)	ND (0.5)	1.4	ND (0.5)	ND (0.5)		
CHROMIUM (dissolved)	UG/L	100	100		ND (2.2)	ND (3)	ND (2.5)		59	ND (4.8)	ND (4.8)	ND (3)	NA	NA	NA	NA	ND (2.2)	
CHROMIUM (total)	UG/L	100	100								ND (4.8)	ND (3)	NA	NA	NA	NA		
COBALT (dissolved)	UG/L	NV	NV		ND (1.6)	ND (2)	ND (2)		ND (2)	ND (1.5)	ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1.6)	
COBALT (total)	UG/L	NV	NV								ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)		
COPPER (dissolved)	UG/L	NV	NV		ND (2.1)	ND (2.7)	3.2 J		ND (2.7)	ND (1.8)	ND (1.8)	3.1 B	NA	NA	NA	NA	3 J	
COPPER (total)	UG/L	NV	NV								ND (1.8)	ND (2.7)	NA	NA	NA	NA		
LEAD (dissolved)	UG/L	15	15		ND (9.3)	ND (10)	ND (10)		ND (10)	ND (8.4)	ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)	
LEAD (total)	UG/L	15	15								ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)		
MERCURY (dissolved)	UG/L	2	2		ND (0.16)	ND (0.028)	ND (0.028)		ND (0.028)	ND (0.062)	ND (0.062)	ND (0.056)	NA	NA	NA	NA	ND (0.16)	
MERCURY (total)	UG/L	2	2								ND (0.062)	ND (0.056)	NA	NA	NA	NA		
NICKEL (dissolved)	UG/L	NV	NV		4.5 J	ND (5.1)	3.1 J		28	ND (5.8)	ND (5.8)	ND (5.6)	NA	NA	NA	NA	ND (3.8)	
NICKEL (total)	UG/L	NV	NV								ND (5.8)	ND (5.6)	NA	NA	NA	NA		
SELENIUM (dissolved)	UG/L	50	50		1.9 J	2.5 J	ND (0.89) UJ		1.8 J	ND (8)	1.1 B	ND (0.99)	NA	NA	NA	NA	ND (4.7)	
SELENIUM (total)	UG/L	50	50								1.2 B	ND (0.99)	NA	NA	NA	NA		
SILVER (dissolved)	UG/L	NV	NV		ND (1.8)	2.7 J	ND (2)		ND (2)	ND (2)	ND (2)	ND (2.2)	NA	NA	NA	NA	ND (1.8)	
SILVER (total)	UG/L	NV	NV								ND (2)	ND (2.2)	NA	NA	NA	NA		
THALLIUM (dissolved)	UG/L	2	2		ND (0.89)	ND (1.3)	ND (1.3) UJ		ND (1.3) UJ	ND (1.2)	0.04 J	ND (0.15)	NA	NA	NA	NA	ND (8.9)	
THALLIUM (total)	UG/L	2	2								0.039 J	ND (0.15)	NA	NA	NA	NA		
TIN (dissolved)	UG/L	NV	50		ND (5)	ND (5)	ND (5)		ND (5)	ND (9.8)	ND (9.8)	ND (8.8)	NA	NA	NA	NA	ND (5)	

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-07B	CRG-08B	CRG-08B
			Date	11/12/03	2/25/04	6/9/04	9/1/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/13/03	11/13/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TIN (total)	UG/L	NV	50								ND (9.8)	ND (8.8)	NA	NA	NA	NA		
VANADIUM (dissolved)	UG/L	NV	NV		ND (1.7)	ND (1.6)	ND (1.6)		ND (1.6)	1.2 J	ND (1)	ND (2.5)	NA	NA	NA	NA	ND (1.7)	
VANADIUM (total)	UG/L	NV	NV								ND (1)	ND (2.5)	NA	NA	NA	NA		
ZINC (dissolved)	UG/L	NV	NV		ND (4.1)	ND (4.8)	ND (4.8)		ND (4.8)	ND (5.3)	ND (5.3)	ND (8.1)	NA	NA	NA	NA	4.6 J	
ZINC (total)	UG/L	NV	NV								ND (5.3)	ND (8.1)	NA	NA	NA	NA		

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	6/9/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03	11/12/03	11/12/03	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		DUP	
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)			ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6) UJ	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)			ND (6)	ND (6)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25) UJ	ND (25)	ND (25)	NA	NA	NA	NA			ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40) UJ	ND (40)	ND (40)	NA	NA	NA	NA			ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4) UJ	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)			ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5) UJ	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100) UJ	ND (100)	ND (100)	NA	NA	NA	NA			ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10) UJ	ND (10)	ND (10)	NA	NA	NA	NA			ND (10)	ND (10)
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)			ND (3)	ND (3)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	6/9/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03	11/12/03	11/12/03	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		DUP	
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3) UJ	ND (3)	ND (3)	NA	NA	NA	NA			ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30) UJ	ND (30)	ND (30)	NA	NA	NA	NA			ND (30)	ND (30)
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7) UJ	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)			ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15) UJ	ND (15)	ND (15)	NA	NA	NA	NA			ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)			ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8) UJ	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)			ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA			ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (70)	ND (70) UJ	ND (70)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10)	ND (10) R	ND (10) R	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10)	NA	NA	NA	NA			ND (10)	ND (10)
1-METHYLNAPHTHALENE	UG/L	NV	NV						ND (1)		NA	NA	NA	NA				
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA			ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)			ND (1)	ND (1)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)			ND (1)	ND (1)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (19)	ND (19)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)			ND (20)	ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)			ND (1)	ND (1)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)			ND (1)	ND (1)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA			ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)			ND (1)	ND (1)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	6/9/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03	11/12/03	11/12/03	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		DUP	
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA			ND (5)	ND (5)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)			ND (1)	ND (1)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)			ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)			ND (1)	ND (1)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)			ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)			ND (1)	ND (1)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)			ND (10)	ND (10)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (19) R	ND (19)	ND (20)	ND (20)	ND (20)	ND (20) UJ	ND (20)	NA	NA	NA	NA			ND (20)	ND (19)
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA			ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.02)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.02)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (11)	ND (5)	NA	NA	NA	NA			ND (5)	ND (5)
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	ND (1)							NA	NA	NA	NA			ND (1)	ND (1)
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)				
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	7	ND (5)			ND (2)	ND (2)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV						ND (1)		NA	NA	NA	NA				
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA			ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.082)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.011)	NA	NA	NA	NA			ND (1)	ND (1)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)			ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	6/9/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03	11/12/03	11/12/03	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		DUP	
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.041)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)			ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.51)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)			ND (1)	ND (1)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)			ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.082)	ND (0.011)	ND (2)	ND (2)	ND (2)	ND (2)			ND (1)	ND (1)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA			ND (1)	ND (1)
METHAPYRILENE	UG/L	NV	NV	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (15) R	ND (15) R	ND (15) UJ	NA	NA	NA	NA			ND (3)	ND (3)
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.6)	0.015 B	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)			ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (58) R	ND (57) R	ND (59) R	ND (60) R	ND (59) R	ND (59) R	ND (75) R	NA	NA	NA	NA			ND (59) R	ND (57) R
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA	NA	NA	NA			ND (1)	ND (1)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)			ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.082)	ND (0.011)	ND (2)	ND (2)	ND (2)	ND (2)			ND (1)	ND (1)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.18)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1)	ND (1)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	6/9/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03	11/12/03	11/12/03	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		DUP	
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA			ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA			ND (1)	ND (1)
PCB 1016	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1221	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1232	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1242	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1248	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1254	UG/L	NV	NV								NA	NA	NA	NA				
PCB 1260	UG/L	NV	NV								NA	NA	NA	NA				
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA			ND (3)	ND (3)
ANTIMONY (dissolved)	UG/L	6	6	ND (2.5)	1.4 J	ND (1)	ND (0.9)	0.18 B	0.43 B	ND (0.3)	NA	NA	NA	NA	ND (8.5)	ND (8.5)		
ANTIMONY (total)	UG/L	6	6						0.33 B	ND (0.3)	NA	NA	NA	NA				
ARSENIC (dissolved)	UG/L	10	10	3.9 J	8.4	36	22.2	18.8	12.8 J	13.4 J	5	8	8	6	84.2	78.7		
ARSENIC (total)	UG/L	10	10						16.8 J	12.1 J	5	8	8	10				
BARIUM (dissolved)	UG/L	2000	2000	281	289	291	329	275	265	202	NA	NA	NA	NA	242	250		
BARIUM (total)	UG/L	2000	2000						273	211	NA	NA	NA	NA				
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.44)	ND (0.9)	NA	NA	NA	NA	ND (0.34)	ND (0.34)		
BERYLLIUM (total)	UG/L	4	4						ND (0.44)	ND (0.9)	NA	NA	NA	NA				
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)	ND (0.87)		
CADMIUM (total)	UG/L	5	5						ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)				
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)	ND (4.8)	ND (3)	NA	NA	NA	NA	ND (2.2)	3 J		
CHROMIUM (total)	UG/L	100	100						ND (4.8)	ND (3)	NA	NA	NA	NA				
COBALT (dissolved)	UG/L	NV	NV	ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1.6)	3.2 J		
COBALT (total)	UG/L	NV	NV						ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)				
COPPER (dissolved)	UG/L	NV	NV	ND (2.1)	4.3 J	ND (2.7)	ND (2.7)	ND (1.8)	ND (1.8)	3.2 B	NA	NA	NA	NA	ND (2.1)	7.5 J		
COPPER (total)	UG/L	NV	NV						ND (1.8)	ND (2.7)	NA	NA	NA	NA				
LEAD (dissolved)	UG/L	15	15	ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (9.3)	ND (9.3)		
LEAD (total)	UG/L	15	15						ND (8.4)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)				
MERCURY (dissolved)	UG/L	2	2	ND (0.16)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.062)	ND (0.062)	ND (0.056)	NA	NA	NA	NA	ND (0.16)	ND (0.16)		
MERCURY (total)	UG/L	2	2						ND (0.062)	ND (0.056)	NA	NA	NA	NA				
NICKEL (dissolved)	UG/L	NV	NV	ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.8)	ND (5.6)	NA	NA	NA	NA	ND (3.8)	6.7 J		
NICKEL (total)	UG/L	NV	NV						ND (5.8)	ND (5.6)	NA	NA	NA	NA				
SELENIUM (dissolved)	UG/L	50	50	ND (1.1) UJ	1.1 J	ND (0.89) UJ	ND (1.6)	ND (8)	ND (0.57)	ND (0.99)	NA	NA	NA	NA	ND (4.7)	ND (4.7)		
SELENIUM (total)	UG/L	50	50						0.7 B	ND (0.99)	NA	NA	NA	NA				
SILVER (dissolved)	UG/L	NV	NV	ND (1.8)	2.3 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2.2)	NA	NA	NA	NA	ND (1.8)	ND (1.8)		
SILVER (total)	UG/L	NV	NV						ND (2)	ND (2.2)	NA	NA	NA	NA				
THALLIUM (dissolved)	UG/L	2	2	ND (0.89)	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ	ND (1.2)	0.048 J	ND (0.15)	NA	NA	NA	NA	ND (8.9)	ND (8.9)		
THALLIUM (total)	UG/L	2	2						0.062 J	ND (0.15)	NA	NA	NA	NA				
TIN (dissolved)	UG/L	NV	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (9.8)	ND (8.8)	NA	NA	NA	NA	ND (5)	ND (5)		

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-08B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	6/9/04	9/1/04	3/2/05	6/8/05	9/14/05	4/30/09	9/11/13	9/18/14	8/26/15	8/31/16	11/12/03	11/12/03	11/12/03	11/12/03
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		DUP	
TIN (total)	UG/L	NV	50						ND (9.8)	ND (8.8)	NA	NA	NA	NA				
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)	ND (1)	ND (2.5)	NA	NA	NA	NA	ND (1.7)	5.4		
VANADIUM (total)	UG/L	NV	NV						ND (1)	ND (2.5)	NA	NA	NA	NA				
ZINC (dissolved)	UG/L	NV	NV	ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (5.3)	ND (5.3)	ND (8.1)	NA	NA	NA	NA	ND (4.1)	14.9 J		
ZINC (total)	UG/L	NV	NV						ND (5.3)	ND (8.1)	NA	NA	NA	NA				

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	2/25/04	6/9/04	6/9/04	9/1/04	9/1/04	3/3/05	3/3/05	6/8/05	6/8/05	9/14/05	9/14/05	4/29/09	9/13/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP			
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)
ACETONITRILE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	2/25/04	6/9/04	6/9/04	9/1/04	9/1/04	3/3/05	3/3/05	6/8/05	6/8/05	9/14/05	9/14/05	4/29/09	9/13/13
Analyte	Units	Ohio EPA MCLs	USEPA MCLs	DUP		DUP		DUP		DUP		DUP		DUP			
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)
VINYL ACETATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (50)	ND (50)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (0.9)	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (11)	ND (10)	ND (10) R	ND (10) R	ND (10) R	ND (10) R	ND (100) UJ	ND (100) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (9) UJ	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV											ND (1)	ND (1)		NA
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (50)	ND (50)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (21)	ND (20)	ND (20)	ND (20)	ND (20)	ND (21)	ND (200)	ND (200)	ND (19)	ND (20)	ND (20)	ND (20)	ND (19)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (50)	ND (50)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	2/25/04	6/9/04	6/9/04	9/1/04	9/1/04	3/3/05	3/3/05	6/8/05	6/8/05	9/14/05	9/14/05	4/29/09	9/13/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP			
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (100)	ND (100)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (50)	ND (50)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (11)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (100)	ND (100)	ND (10)	ND (10)	ND (10)	ND (10)	ND (9)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (21) R	ND (20) R	ND (20)	ND (20)	ND (20)	ND (21)	ND (200)	ND (200)	ND (19)	ND (20)	ND (20) UJ	ND (20) UJ	ND (19)	NA
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (30)	ND (30)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1.7)	ND (1.7)	ND (0.01)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1.7)	ND (1.7)	ND (0.01)	ND (5)
ACETOPHENONE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.042)	ND (0.042)	ND (0.01)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.021)	ND (0.021)	ND (0.01)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.042)	ND (0.042)	ND (0.01)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.1)	ND (0.1)	ND (0.01)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.021)	ND (0.021)	ND (0.01)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (0.2)	ND (0.2)	ND (0.021)	ND (0.021)	ND (0.01)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (50)	ND (50)	ND (11)	ND (11)	ND (11)	ND (11)	ND (5)	NA
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	ND (1)	ND (1)												NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV			ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
CARBAZOLE	UG/L	NV	NV											ND (1)	ND (1)		NA
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (30)	ND (30)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.083)	ND (0.083)	ND (0.01)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.042)	ND (0.042)	ND (0.01)	NA
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (4)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	2/25/04	6/9/04	6/9/04	9/1/04	9/1/04	3/3/05	3/3/05	6/8/05	6/8/05	9/14/05	9/14/05	4/29/09	9/13/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP			
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.042)	ND (0.042)	ND (0.01)	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.52)	ND (0.52)	ND (0.01)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (50)	ND (50)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.083)	ND (0.083)	ND (0.01)	ND (2)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (0.9)	NA
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA
METHAPYRILENE	UG/L	NV	NV	ND (3)	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (3) R	ND (30) UJ	ND (30) UJ	ND (15) R	ND (15) R	ND (15) R	ND (15) R	ND (14) UJ	NA
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1.7)	ND (1.7)	0.011 B	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (63) R	ND (61) R	ND (60) R	ND (59) R	ND (60) R	ND (62) R	ND (600) R	ND (600) R	ND (58) R	ND (59) R	ND (61) R	ND (59) R	ND (71) R	NA
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	NA
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (30)	ND (30)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.083)	ND (0.083)	ND (0.01)	ND (2)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (5)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (0.19)	ND (0.19)	ND (0.01)	ND (5)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	2/25/04	6/9/04	6/9/04	9/1/04	9/1/04	3/3/05	3/3/05	6/8/05	6/8/05	9/14/05	9/14/05	4/29/09	9/13/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP			
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	NA
PCB 1016	UG/L	NV	NV														NA
PCB 1221	UG/L	NV	NV														NA
PCB 1232	UG/L	NV	NV														NA
PCB 1242	UG/L	NV	NV														NA
PCB 1248	UG/L	NV	NV														NA
PCB 1254	UG/L	NV	NV														NA
PCB 1260	UG/L	NV	NV														NA
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (30)	ND (30)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA
ANTIMONY (dissolved)	UG/L	6	6	ND (2.5)	ND (2.5)	1 J	1.5 J	ND (1)	ND (1)	ND (0.9)	ND (0.9)	0.15 B	0.15 B	0.57 B	0.072 B	ND (0.3)	NA
ANTIMONY (total)	UG/L	6	6											0.31 B	0.36 B	0.42 J	NA
ARSENIC (dissolved)	UG/L	10	10	62.7	54.5	74.6	71.9	82.2	83.6	88.5	78.7	75.4	76.1	74.2	72	60.8	108
ARSENIC (total)	UG/L	10	10											82.4	84.5	760	171
BARIUM (dissolved)	UG/L	2000	2000	270	266	254	237	296	324	297	304	271	264	255	269	263	NA
BARIUM (total)	UG/L	2000	2000											279	281	490	NA
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.34)	ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)	ND (0.44)	ND (0.44)	ND (0.44)	ND (0.9)	NA
BERYLLIUM (total)	UG/L	4	4											ND (0.44)	ND (0.44)	ND (0.9)	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.87)	ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.97)	ND (2)	ND (0.5)
CADMIUM (total)	UG/L	5	5											ND (0.97)	ND (0.97)	ND (2)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	ND (2.2)	ND (2.2)	ND (3)	ND (3)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (4.8)	ND (4.8)	ND (4.8)	ND (4.8)	ND (3)	NA
CHROMIUM (total)	UG/L	100	100											ND (4.8)	ND (4.8)	11.3 J	NA
COBALT (dissolved)	UG/L	NV	NV	ND (1.6)	ND (1.6)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1.5)	ND (1.5)	ND (1.5)	ND (1.5)	ND (2.1)	ND (5)
COBALT (total)	UG/L	NV	NV											2.7 J	2.8 J	5.2	ND (5)
COPPER (dissolved)	UG/L	NV	NV	ND (2.1)	ND (2.1)	ND (2.7)	ND (2.7)	ND (2.7)	ND (2.7)	ND (2.7)	ND (2.7)	ND (1.8)	ND (1.8)	ND (1.8)	ND (1.8)	ND (2.7)	NA
COPPER (total)	UG/L	NV	NV											2.9 J	4.7 J	19.4	NA
LEAD (dissolved)	UG/L	15	15	ND (9.3)	ND (9.3)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (8.4)	ND (8.4)	ND (8.4)	ND (8.4)	ND (6.9)	ND (3)
LEAD (total)	UG/L	15	15											ND (8.4)	ND (8.4)	14.3 J	ND (3)
MERCURY (dissolved)	UG/L	2	2	ND (0.16)	ND (0.16)	ND (0.028)	ND (0.028)	0.033 J	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.062)	ND (0.062)	ND (0.062)	ND (0.062)	ND (0.056)	NA
MERCURY (total)	UG/L	2	2											ND (0.062)	ND (0.062)	ND (0.056)	NA
NICKEL (dissolved)	UG/L	NV	NV	ND (3.8)	ND (3.8)	ND (5.1)	ND (5.1)	ND (3.1)	ND (3.1)	ND (3.1)	ND (3.1)	ND (5.8)	ND (5.8)	ND (5.8)	ND (5.8)	ND (5.6)	NA
NICKEL (total)	UG/L	NV	NV											ND (5.8)	5.8 J	15.8	NA
SELENIUM (dissolved)	UG/L	50	50	1.2 J	1.8 J	0.93 J	1.6 J	ND (0.89) UJ	ND (0.89) UJ	ND (1.6)	ND (1.6)	ND (8)	ND (8)	0.59 B	0.69 B	ND (0.99)	NA
SELENIUM (total)	UG/L	50	50											1.4 B	1.1 B	ND (0.99)	NA
SILVER (dissolved)	UG/L	NV	NV	ND (1.8)	ND (1.8)	ND (2)	2.5 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	2.9 J	NA
SILVER (total)	UG/L	NV	NV											ND (2)	ND (2)	ND (2.2)	NA
THALLIUM (dissolved)	UG/L	2	2	ND (0.89)	ND (0.89)	ND (1.3)	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ	ND (1.3) UJ	ND (1.3) UJ	1.5 J	ND (1.2)	ND (0.032)	ND (0.032)	ND (0.15)	NA
THALLIUM (total)	UG/L	2	2											0.25 J	0.29 J	0.27 J	NA
TIN (dissolved)	UG/L	NV	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)	ND (9.8)	ND (9.8)	ND (9.8)	ND (8.8)	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B	CRG-09B
			Date	2/25/04	2/25/04	6/9/04	6/9/04	9/1/04	9/1/04	3/3/05	3/3/05	6/8/05	6/8/05	9/14/05	9/14/05	4/29/09	9/13/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**	DUP		DUP		DUP		DUP		DUP		DUP			
TIN (total)	UG/L	NV	50											ND (9.8)	ND (9.8)	ND (8.8)	NA
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.7)	ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2.5)	NA
VANADIUM (total)	UG/L	NV	NV											4.5 J	5.5	20	NA
ZINC (dissolved)	UG/L	NV	NV	ND (4.1)	ND (4.1)	ND (4.8)	ND (4.8)	7.7 B	8.3 B	ND (4.8)	ND (4.8)	ND (5.3)	ND (5.3)	ND (5.3)	ND (5.3)	ND (8.1)	NA
ZINC (total)	UG/L	NV	NV											10.5 B	12.7 B	39.1	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B
			Date	9/18/14	8/26/15	8/30/16	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/1/05	6/8/05	9/14/05	4/29/09	9/11/13	9/18/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)
ACETONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)
ACETONITRILE	UG/L	NV	NV	NA	NA	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	NA	NA	NA
ACROLEIN	UG/L	NV	NV	NA	NA	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	NA
ACRYLONITRILE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
BENZENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
CHLOROFORM	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ETHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ETHYLBENZENE	UG/L	700	700	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
IODOMETHANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA	NA	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA
METHACRYLONITRILE	UG/L	NV	NV	NA	NA	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA
METHYL BROMIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B
			Date	9/18/14	8/26/15	8/30/16	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/1/05	6/8/05	9/14/05	4/29/09	9/11/13	9/18/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA
METHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYLENE BROMIDE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	NA	NA	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA
PROPIONITRILE	UG/L	NV	NV	NA	NA	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
TOLUENE	UG/L	1000	1000	ND (1)	ND (1)	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA	NA	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)		1 J	ND (1)	1 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)
VINYL ACETATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (3)	ND (3)	ND (3)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (25)	ND (5)	NA	NA	NA
1,3-DINITROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
1,4-DIOXANE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA	NA	NA		ND (9)	ND (10)	ND (10) R	ND (10) R	ND (10)	ND (10) UJ	ND (49) UJ	ND (10) UJ	NA	NA	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA	NA	NA								ND (5)		NA	NA	NA
1-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (25)	ND (5)	NA	NA	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)	ND (4)	ND (4)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (4)	ND (4)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (10)	ND (10)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (15)	ND (3)	ND (5)	ND (5)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (19)	ND (19)	ND (19)	ND (19)	ND (19)	ND (19)	ND (99)	ND (20)	ND (25)	ND (25)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (10)	ND (10)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (10)	ND (10)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (25)	ND (5)	NA	NA	NA
2-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (25)	ND (25)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B
			Date	9/18/14	8/26/15	8/30/16	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/1/05	6/8/05	9/14/05	4/29/09	9/11/13	9/18/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
2-PICOLINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (49)	ND (10)	NA	NA	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
3-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (25)	ND (25)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)	ND (20)	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (25)	ND (5)	ND (20)	ND (20)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (5)	ND (1)	ND (10)	ND (10)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)	ND (20)	ND (20)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (20)	ND (20)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (25)	ND (25)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)		ND (9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (49)	ND (10)	ND (25)	ND (25)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA	NA	NA		ND (19)	ND (19) R	ND (19)	ND (19)	ND (19)	ND (19)	ND (99) UJ	ND (20)	NA	NA	NA
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (15)	ND (3)	NA	NA	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
ACENAPHTHENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)
ACETOPHENONE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
ANILINE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (5)	ND (1)	NA	NA	NA
ANTHRACENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	NA	NA	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (54)	ND (5)	NA	NA	NA
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)							NA	NA	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)				ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (5)	21	ND (5)		6 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
CARBAZOLE	UG/L	NV	NV	NA	NA	NA								ND (5)		NA	NA	NA
CHLOROBENZILATE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (15)	ND (3)	NA	NA	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	NA	NA	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	NA	NA	NA
DIBENZOFURAN	UG/L	NV	NV	ND (4)	ND (4)	ND (4)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (4)	ND (4)	ND (4)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B
			Date	9/18/14	8/26/15	8/30/16	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/1/05	6/8/05	9/14/05	4/29/09	9/11/13	9/18/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)		1 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (10)	ND (10)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (25)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (2)	ND (2)	ND (2)
ISODRIN	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5) UJ	ND (1)	NA	NA	NA
ISOPHORONE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
ISOSAFROLE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (2)	NA	NA	NA
METHAPYRILENE	UG/L	NV	NV	NA	NA	NA		ND (3) R	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (15) R	ND (74) R	ND (15) UJ	NA	NA	NA
METHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	NA	NA	NA
NAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	0.013 B	ND (5)	ND (5)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
NITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	ND (5)	ND (5)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
O-TOLUIDINE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (5)	ND (1)	NA	NA	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA	NA	NA		ND (57) R	ND (58) R	ND (58) R	ND (58) R	ND (58) R	ND (58) R	ND (300) R	ND (75) R	NA	NA	NA
PCN-2	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (2)	NA	NA	NA
PENTACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (5)	ND (5)	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (15)	ND (3)	ND (5)	ND (5)	ND (5)
PHENACETIN	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
PHENANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (2)	ND (2)	ND (2)
PHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)
PYRENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)
PYRIDINE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B
			Date	9/18/14	8/26/15	8/30/16	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/1/05	6/8/05	9/14/05	4/29/09	9/11/13	9/18/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
SAFROLE	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	NA	NA	NA
THIONAZIN	UG/L	NV	NV	NA	NA	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (10)	ND (2)	NA	NA	NA
PRONAMIDE	UG/L	NV	NV	NA	NA	NA		ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (1)	NA	NA	NA
PCB 1016	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1221	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1232	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1242	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1248	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1254	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
PCB 1260	UG/L	NV	NV	NA	NA	NA										NA	NA	NA
DIMETHOATE	UG/L	NV	NV	NA	NA	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (15)	ND (3)	NA	NA	NA
ANTIMONY (dissolved)	UG/L	6	6	NA	NA	NA	ND (8.5)		ND (2.5)	1.1 J	ND (5)	ND (0.9)	0.13 B		ND (0.3)	NA	NA	NA
ANTIMONY (total)	UG/L	6	6	NA	NA	NA									ND (0.3)	NA	NA	NA
ARSENIC (dissolved)	UG/L	10	10	124	102	108	ND (4.9)		ND (1.4)	ND (0.85)	1.2 B	1.2 J	2.6 J		ND (0.95)	ND (2)	ND (2)	ND (2)
ARSENIC (total)	UG/L	10	10	207	269	238									ND (0.95)	ND (2)	ND (2)	ND (2)
BARIUM (dissolved)	UG/L	2000	2000	NA	NA	NA	112		79.9	78.5	106	60.9	68		44	NA	NA	NA
BARIUM (total)	UG/L	2000	2000	NA	NA	NA									44.2	NA	NA	NA
BERYLLIUM (dissolved)	UG/L	4	4	NA	NA	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)		ND (0.9)	NA	NA	NA
BERYLLIUM (total)	UG/L	4	4	NA	NA	NA									ND (0.9)	NA	NA	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (0.5)
CADMIUM (total)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)									ND (2)	ND (0.5)	ND (0.5)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	NA	NA	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)		ND (3)	NA	NA	NA
CHROMIUM (total)	UG/L	100	100	NA	NA	NA									ND (3)	NA	NA	NA
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)		ND (2.1)	ND (5)	ND (5)	ND (5)
COBALT (total)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)									ND (2.1)	ND (5)	ND (5)	ND (5)
COPPER (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (2.1)		ND (2.1)	ND (2.7)	ND (2.7)	ND (2.7)	ND (1.8)		ND (2.7)	NA	NA	NA
COPPER (total)	UG/L	NV	NV	NA	NA	NA									ND (2.7)	NA	NA	NA
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (3)	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)		ND (6.9)	ND (3)	ND (3)	ND (3)
LEAD (total)	UG/L	15	15	ND (3)	ND (3)	ND (3)									ND (6.9)	ND (3)	ND (3)	ND (3)
MERCURY (dissolved)	UG/L	2	2	NA	NA	NA	ND (0.16)		ND (0.16)	ND (0.028)	0.046 J	ND (0.028)	ND (0.062)		ND (0.056)	NA	NA	NA
MERCURY (total)	UG/L	2	2	NA	NA	NA									ND (0.056)	NA	NA	NA
NICKEL (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)		ND (5.6)	NA	NA	NA
NICKEL (total)	UG/L	NV	NV	NA	NA	NA									ND (5.6)	NA	NA	NA
SELENIUM (dissolved)	UG/L	50	50	NA	NA	NA	ND (4.7)		2.6 J	2.2 J	ND (0.89) UJ	ND (1.6)	ND (8)		2.6	NA	NA	NA
SELENIUM (total)	UG/L	50	50	NA	NA	NA									2.8	NA	NA	NA
SILVER (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)		3.8 J	NA	NA	NA
SILVER (total)	UG/L	NV	NV	NA	NA	NA									2.9 J	NA	NA	NA
THALLIUM (dissolved)	UG/L	2	2	NA	NA	NA	ND (8.9)		0.91 J	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ	ND (1.2)		ND (0.15)	NA	NA	NA
THALLIUM (total)	UG/L	2	2	NA	NA	NA									ND (0.15)	NA	NA	NA
TIN (dissolved)	UG/L	NV	50	NA	NA	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)		ND (8.8)	NA	NA	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-09B	CRG-09B	CRG-09B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B	CRG-10B
			Date	9/18/14	8/26/15	8/30/16	11/12/03	11/12/03	2/25/04	6/9/04	9/1/04	3/1/05	6/8/05	9/14/05	4/29/09	9/11/13	9/18/14	8/26/15
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TIN (total)	UG/L	NV	50	NA	NA	NA									ND (8.8)	NA	NA	NA
VANADIUM (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)		2.8 J	NA	NA	NA
VANADIUM (total)	UG/L	NV	NV	NA	NA	NA									2.8 J	NA	NA	NA
ZINC (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (4.1)		4.4 B	ND (4.8)	ND (4.8)	ND (4.8)	ND (5.3)		ND (8.1)	NA	NA	NA
ZINC (total)	UG/L	NV	NV	NA	NA	NA									ND (8.1)	NA	NA	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-10B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B
			Date	8/30/16	11/11/03	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	6/8/05	9/14/05	5/1/09	5/1/09	9/12/13	9/15/14	8/24/15	8/29/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**										DUP					
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (50)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)
ACETONE	UG/L	NV	NV	ND (50)		ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)
ACETONITRILE	UG/L	NV	NV	NA		ND (25)	ND (25)	ND (25)	ND (25)	ND (25)		ND (25)	ND (25)	ND (25)	NA	NA	NA	NA
ACROLEIN	UG/L	NV	NV	NA		ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40)	ND (40) UJ	ND (40) UJ	NA	NA	NA	NA
ACRYLONITRILE	UG/L	NV	NV	ND (2)		ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4) UJ	ND (4) UJ	ND (2)	ND (2)	ND (2)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
BENZENE	UG/L	5	5	ND (1)		ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
CHLOROFORM	UG/L	NV	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
ETHYL METHACRYLATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
ETHYLBENZENE	UG/L	700	700	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
IODOMETHANE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA		ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA
METHACRYLONITRILE	UG/L	NV	NV	NA		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA
METHYL BROMIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
METHYL CHLORIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-10B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B
			Date	8/30/16	11/11/03	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	6/8/05	9/14/05	5/1/09	5/1/09	9/12/13	9/15/14	8/24/15	8/29/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**										DUP					
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA
METHYL METHACRYLATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
METHYLENE BROMIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
PROPIONITRILE	UG/L	NV	NV	NA		ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA
STYRENE	UG/L	100	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
TOLUENE	UG/L	1000	1000	ND (1)		ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA		ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)
VINYL ACETATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (3)		ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA
1,3-DINITROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
1,4-DIOXANE	UG/L	NV	NV	NA		ND (1)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (70)	ND (1)	ND (1)	NA	NA	NA	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA		ND (10) R	ND (10)	ND (10) R	ND (10) R	ND (10)	ND (10) UJ	ND (10) UJ	ND (10) UJ	ND (11) UJ	NA	NA	NA	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA								ND (1)			NA	NA	NA	NA
1-NAPHTHYLAMINE	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)		ND (19)	ND (20)	ND (19)	ND (20)	ND (19)	ND (19)	ND (19)	ND (21)	ND (21)	ND (25)	ND (25)	ND (25)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA
2-NITROANILINE	UG/L	NV	NV	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-10B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B
			Date	8/30/16	11/11/03	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	6/8/05	9/14/05	5/1/09	5/1/09	9/12/13	9/15/14	8/24/15	8/29/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**										DUP					
2-PICOLINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA		ND (5)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (11)	NA	NA	NA	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
3-NITROANILINE	UG/L	NV	NV	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (25)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (25)		ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (11)	ND (25)	ND (25)	ND (25)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA		ND (19)	ND (20) R	ND (19)	ND (20)	ND (19)	ND (19)	ND (19) UJ	ND (21)	ND (21)	NA	NA	NA	NA
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA		ND (2) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
ACENAPHTHENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.5)	ND (0.01)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.5)	ND (0.01)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
ACETOPHENONE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
ANILINE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
ANTHRACENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.01)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.019)	ND (0.01)	0.013 J	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.01)	0.041 J	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.097)	ND (0.01)	0.023 J	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.019)	ND (0.01)	0.019 J	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.019)	ND (0.01)	0.02 J	ND (1)	ND (1)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	NA		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (11)	ND (11)	ND (5)	ND (5)	NA	NA	NA	NA
BIS(2-CHLORO-1-METHYLETHYL) ETHER	UG/L	NV	NV	NA		ND (1)	ND (1)								NA	NA	NA	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)				ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	6	ND (5)		ND (2)	3 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
CARBAZOLE	UG/L	NV	NV	NA								ND (1)			NA	NA	NA	NA
CHLOROBENZILATE	UG/L	NV	NV	NA		ND (3) UJ	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA
CHRYSENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.077)	ND (0.01)	0.036 J	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.01)	ND (0.01)	NA	NA	NA	NA
DIBENZOFURAN	UG/L	NV	NV	ND (4)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-10B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B
			Date	8/30/16	11/11/03	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	6/8/05	9/14/05	5/1/09	5/1/09	9/12/13	9/15/14	8/24/15	8/29/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**										DUP					
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.039)	ND (0.01)	0.077	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.48)	ND (0.01)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.077)	ND (0.01)	0.02 J	ND (2)	ND (2)	ND (2)	ND (2)
ISODRIN	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	NA	NA	NA	NA
ISOPHORONE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
ISOSAFROLE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	NA	NA	NA	NA
METHAPYRILENE	UG/L	NV	NV	NA		ND (3) R	ND (3)	ND (3) R	ND (3) R	ND (3) R	ND (15) R	ND (14) R	ND (16) UJ	ND (16) UJ	NA	NA	NA	NA
METHYL METHANESULFONATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
NAPHTHALENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1.5)	0.014 B	0.012 B	ND (5)	ND (5)	ND (5)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
NITROBENZENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
O-TOLUIDINE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1) UJ	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA		ND (58) R	ND (59) R	ND (58) R	ND (59) R	ND (58) R	ND (58) R	ND (57) R	ND (78) UJ	ND (80) UJ	NA	NA	NA	NA
PCN-2	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	NA	NA	NA	NA
PENTACHLOROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (5)		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)
PHENACETIN	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
PHENANTHRENE	UG/L	NV	NV	ND (2)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.077)	ND (0.01)	0.051 J	ND (2)	ND (2)	ND (2)	ND (2)
PHENOL	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
PYRENE	UG/L	NV	NV	ND (5)		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.17)	ND (0.01)	0.047 J	ND (5)	ND (5)	ND (5)	ND (5)
PYRIDINE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-10B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B
			Date	8/30/16	11/11/03	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	6/8/05	9/14/05	5/1/09	5/1/09	9/12/13	9/15/14	8/24/15	8/29/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**										DUP					
SAFROLE	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
THIONAZIN	UG/L	NV	NV	NA		ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA
PRONAMIDE	UG/L	NV	NV	NA		ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA
PCB 1016	UG/L	NV	NV	NA										ND (0.0025)	NA	NA	NA	NA
PCB 1221	UG/L	NV	NV	NA										ND (0.0025)	NA	NA	NA	NA
PCB 1232	UG/L	NV	NV	NA										ND (0.0029)	NA	NA	NA	NA
PCB 1242	UG/L	NV	NV	NA										ND (0.0019)	NA	NA	NA	NA
PCB 1248	UG/L	NV	NV	NA										ND (0.0023)	NA	NA	NA	NA
PCB 1254	UG/L	NV	NV	NA										ND (0.0023)	NA	NA	NA	NA
PCB 1260	UG/L	NV	NV	NA										ND (0.0014)	NA	NA	NA	NA
DIMETHOATE	UG/L	NV	NV	NA		ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA
ANTIMONY (dissolved)	UG/L	6	6	NA	ND (8.5)		ND (2.5)	1.4 B	ND (5)	ND (0.9)	0.2 B		ND (0.3)	ND (0.3)	NA	NA	NA	NA
ANTIMONY (total)	UG/L	6	6	NA								0.21 B	0.31 J	ND (0.3)	NA	NA	NA	NA
ARSENIC (dissolved)	UG/L	10	10	ND (2)	ND (4.9)		ND (1.4)	ND (0.85)	ND (0.85)	ND (0.85)	ND (2.1)		ND (0.95)	3.8	ND (2)	4	4	3
ARSENIC (total)	UG/L	10	10	ND (2)								ND (0.66)	2.9	3.8	2	4	4	4
BARIUM (dissolved)	UG/L	2000	2000	NA	433		198	129	102	111	106		100	103	NA	NA	NA	NA
BARIUM (total)	UG/L	2000	2000	NA								113	108	103	NA	NA	NA	NA
BERYLLIUM (dissolved)	UG/L	4	4	NA	ND (0.34)		ND (0.34)	ND (0.97)	ND (0.97)	ND (0.97)	ND (0.44)		ND (0.9)	ND (0.9)	NA	NA	NA	NA
BERYLLIUM (total)	UG/L	4	4	NA								ND (0.44)	ND (0.9)	ND (0.9)	NA	NA	NA	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.87)		ND (0.87)	ND (0.76)	ND (0.76)	ND (0.76)	ND (0.97)		ND (2)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
CADMIUM (total)	UG/L	5	5	ND (0.5)								ND (0.97)	ND (2)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	NA	ND (2.2)		ND (2.2)	ND (3)	ND (2.5)	ND (2.5)	ND (4.8)		ND (3)	ND (3)	NA	NA	NA	NA
CHROMIUM (total)	UG/L	100	100	NA								ND (4.8)	ND (3)	ND (3)	NA	NA	NA	NA
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (1.6)		ND (1.6)	ND (2)	ND (2)	ND (2)	ND (1.5)		ND (2.1)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)
COBALT (total)	UG/L	NV	NV	ND (5)								ND (1.5)	ND (2.1)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)
COPPER (dissolved)	UG/L	NV	NV	NA	ND (2.1)		ND (2.1)	ND (2.7)	3.1 J	ND (2.7)	ND (1.8)		ND (2.7)	ND (2.7)	NA	NA	NA	NA
COPPER (total)	UG/L	NV	NV	NA								ND (1.8)	8.2 J	5.1 J	NA	NA	NA	NA
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (9.3)		ND (9.3)	ND (10)	ND (10)	ND (10)	ND (8.4)		ND (6.9)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)
LEAD (total)	UG/L	15	15	ND (3)								ND (8.4)	ND (6.9)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)
MERCURY (dissolved)	UG/L	2	2	NA	ND (0.16)		ND (0.16)	ND (0.028)	ND (0.028)	ND (0.028)	ND (0.062)		ND (0.056)	ND (0.056)	NA	NA	NA	NA
MERCURY (total)	UG/L	2	2	NA								ND (0.062)	ND (0.056)	ND (0.056)	NA	NA	NA	NA
NICKEL (dissolved)	UG/L	NV	NV	NA	ND (3.8)		ND (3.8)	ND (5.1)	ND (3.1)	ND (3.1)	ND (5.8)		ND (5.6)	ND (5.6)	NA	NA	NA	NA
NICKEL (total)	UG/L	NV	NV	NA								ND (5.8)	ND (5.6)	ND (5.6)	NA	NA	NA	NA
SELENIUM (dissolved)	UG/L	50	50	NA	ND (4.7)		2.5 J	2.9 J	1 J	ND (1.6)	ND (1.6) UJ		ND (0.99)	ND (0.99)	NA	NA	NA	NA
SELENIUM (total)	UG/L	50	50	NA								1.3 B	ND (0.99)	ND (0.99)	NA	NA	NA	NA
SILVER (dissolved)	UG/L	NV	NV	NA	ND (1.8)		ND (1.8)	ND (2)	ND (2)	ND (2)	ND (2)		ND (2.2)	ND (2.2)	NA	NA	NA	NA
SILVER (total)	UG/L	NV	NV	NA								ND (2)	ND (2.2)	ND (2.2)	NA	NA	NA	NA
THALLIUM (dissolved)	UG/L	2	2	NA	ND (8.9)		ND (0.89)	ND (1.3)	ND (1.3) UJ	ND (1.3) UJ	ND (1.2) UJ		ND (0.15)	ND (0.15)	NA	NA	NA	NA
THALLIUM (total)	UG/L	2	2	NA								ND (0.032)	ND (0.15)	ND (0.15)	NA	NA	NA	NA
TIN (dissolved)	UG/L	NV	50	NA	ND (5)		ND (5)	ND (5)	ND (5)	ND (5)	ND (9.8)		ND (8.8)	ND (8.8)	NA	NA	NA	NA

Appendix B:

Summary of Laboratory Data, B-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-10B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B	CRG-11B
			Date	8/30/16	11/11/03	11/11/03	2/25/04	6/8/04	9/1/04	3/1/05	6/8/05	9/14/05	5/1/09	5/1/09	9/12/13	9/15/14	8/24/15	8/29/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**										DUP					
TIN (total)	UG/L	NV	50	NA								ND (9.8)	ND (8.8)	ND (8.8)	NA	NA	NA	NA
VANADIUM (dissolved)	UG/L	NV	NV	NA	ND (1.7)		ND (1.7)	ND (1.6)	ND (1.6)	ND (1.6)	ND (1)		ND (2.5)	ND (2.5)	NA	NA	NA	NA
VANADIUM (total)	UG/L	NV	NV	NA								ND (1)	ND (2.5)	ND (2.5)	NA	NA	NA	NA
ZINC (dissolved)	UG/L	NV	NV	NA	5 J		ND (4.1)	ND (4.8)	ND (4.8)	ND (4.8)	ND (5.3)		ND (8.1)	ND (8.1)	NA	NA	NA	NA
ZINC (total)	UG/L	NV	NV	NA								ND (5.3)	ND (8.1)	ND (8.1)	NA	NA	NA	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-05D	CRG-05D
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	3/3/05	6/8/05	9/14/05	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	3/3/05	9/14/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (3)
ACETONE	UG/L	NV	NV	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	6 J
ACETONITRILE	UG/L	NV	NV	ND (25)	NA	NA	NA	NA	ND (25)		ND (25)	ND (25)	NA	NA	NA	NA	ND (25)	ND (25)
ACROLEIN	UG/L	NV	NV	ND (40)	NA	NA	NA	NA	ND (40)	ND (40)	ND (40)	ND (40)	NA	NA	NA	NA	ND (40)	ND (40)
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (4)	ND (4)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (4)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
BENZENE	UG/L	5	5	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (0.5)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	3 J
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
IODOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	NA	NA	NA	NA	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	NA	NA	ND (100)	ND (100)
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	NA	NA	ND (10)	ND (10)
METHYL BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (3)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)
PROPIONITRILE	UG/L	NV	NV	ND (30)	NA	NA	NA	NA	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	NA	NA	ND (30)	ND (30)
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-05D	CRG-05D
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	3/3/05	6/8/05	9/14/05	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	3/3/05	9/14/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (0.7)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	NA	NA	NA	NA	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	NA	NA	ND (15)	ND (15)
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)
VINYL ACETATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)		ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (0.8)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
1,4-DIOXANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	NA	NA	ND (70)	ND (70)
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) UJ	NA	NA	NA	NA	ND (10) UJ	ND (9) UJ	ND (10) UJ	ND (10) UJ	NA	NA	NA	NA	ND (10) UJ	ND (9) UJ
1-METHYLNAPHTHALENE	UG/L	NV	NV		NA	NA	NA	NA			ND (1)		NA	NA	NA	NA		ND (0.9)
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	ND (2)	ND (2)
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (0.9)	ND (1)	ND (1) UJ	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (0.9)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (3)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)	ND (19)	ND (19)	ND (20)	ND (20) UJ	ND (25)	ND (25)	ND (25)	ND (25)	ND (19)	ND (19)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	ND (2)	ND (2)
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)	ND (1)	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	ND (5)	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (0.9)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
2-PICOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	ND (2)	ND (2)
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (2)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA	ND (10)	ND (9)	ND (10)	ND (10)	NA	NA	NA	NA	ND (10)	ND (9)
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (0.9)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (5)	ND (5)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (5)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (2)	ND (2)	ND (2) UJ	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (2)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (0.9)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (10)	ND (9)	ND (10)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (10)	ND (9)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (20)	NA	NA	NA	NA	ND (19)	ND (19)	ND (20) UJ	ND (20)	NA	NA	NA	NA	ND (19)	ND (19) UJ

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-05D	CRG-05D
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	3/3/05	6/8/05	9/14/05	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	3/3/05	9/14/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
ACENAPHTHENE	UG/L	NV	NV	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1.9)	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1.5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1.9)	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1.5)
ACETOPHENONE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	7 J	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
ANILINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)
ANTHRACENE	UG/L	NV	NV	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (0.048)	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.038)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.024)	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.019)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	0.014 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.048)	0.017 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.038)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.12)	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.095)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.024)	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.019)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.2)	ND (0.024)	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.2)	ND (0.019)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	ND (10)	ND (11)	ND (5)	NA	NA	NA	NA	ND (5)	ND (10)
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	17	5	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	2 J	7
BUTYL BENZYL PHTHALATE	UG/L	NV	6	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
CARBAZOLE	UG/L	NV	NV		NA	NA	NA	NA			ND (1)		NA	NA	NA	NA		ND (0.9)
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)
CHRYSENE	UG/L	NV	NV	0.013 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.096)	0.012 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.076)
DIALLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (0.0096)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (0.048)	ND (0.0096)	NA	NA	NA	NA	ND (1)	ND (0.038)
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (0.9)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
FLUORANTHENE	UG/L	NV	NV	ND (0.0096)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (0.048)	0.019 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.038)
FLUORENE	UG/L	NV	NV	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (0.6)	ND (0.0096)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.48)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (0.9)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (0.0096)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (0.9)	ND (0.096)	ND (0.0096)	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (0.076)
ISODRIN	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1) UJ	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9) UJ
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
ISOSAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (2)	NA	NA	NA	NA	ND (1)	ND (0.9)
METHAPYRILENE	UG/L	NV	NV	ND (15) UJ	NA	NA	NA	NA	ND (3) UJ	ND (14) R	ND (15) R	ND (15) UJ	NA	NA	NA	NA	ND (3) UJ	ND (14) R
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)
NAPHTHALENE	UG/L	NV	NV	0.011 B	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1.9)	0.017 B	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1.5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	2 J	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2) UJ	NA	NA	NA	NA	ND (2)	ND (2)
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-05D	CRG-05D
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	3/3/05	6/8/05	9/14/05	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	3/3/05	9/14/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
O-TOLUIDINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (75) R	NA	NA	NA	NA	ND (58) R	ND (56) R	ND (59) R	ND (74) R	NA	NA	NA	NA	ND (58) R	ND (56) R
PCN-2	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (2)	NA	NA	NA	NA	ND (1)	ND (0.9)
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (3)
PHENACETIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
PHENANTHRENE	UG/L	NV	NV	0.02 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (0.9)	ND (0.096)	0.012 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (0.076)
PHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	5
PYRENE	UG/L	NV	NV	0.01 J	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.9)	ND (0.22)	0.014 J	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (0.17)
PYRIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
SAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)
THIONAZIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)
PRONAMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)	ND (1)	ND (1)	NA	NA	NA	NA	ND (1)	ND (0.9)
DIMETHOATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)
ANTIMONY	UG/L	6	6	0.62 J	NA	NA	NA	NA	1.5 J	1.3		ND (0.3)	NA	NA	NA	NA	1.4 J	
ANTIMONY	UG/L	6	6	0.65 J	NA	NA	NA	NA			1.6	ND (0.3)	NA	NA	NA	NA		0.67 J
ARSENIC (dissolved)	UG/L	10	10	3.6	5	ND (2)	6	5	1.9 J	ND (2.1)		4.6	6	7	7	8	5.3	
ARSENIC (total)	UG/L	10	10	4.7	7	ND (2)	6	5			ND (9.3)	4.4	5	6	7	9		ND (9.3)
BARIUM (dissolved)	UG/L	2000	2000	209	NA	NA	NA	NA	91.6	102		130	NA	NA	NA	NA	127	
BARIUM (total)	UG/L	2000	2000	256	NA	NA	NA	NA			149	131	NA	NA	NA	NA		115
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA	ND (0.97)	ND (0.44)		ND (0.9)	NA	NA	NA	NA	ND (0.97)	
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA			ND (0.44)	ND (0.9)	NA	NA	NA	NA		ND (0.44)
CADMIUM (dissolved)	UG/L	5	5	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.76)	
CADMIUM (total)	UG/L	5	5	ND (2)	ND (0.5)	ND (0.5)	0.5	ND (0.5)			1.7 J	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)		ND (0.97)
CHROMIUM (dissolved)	UG/L	100	100	ND (3)	NA	NA	NA	NA	ND (2.5)	ND (4.8)		ND (3)	NA	NA	NA	NA	ND (2.5)	
CHROMIUM (total)	UG/L	100	100	5.2 J	NA	NA	NA	NA			ND (4.8)	ND (3)	NA	NA	NA	NA		ND (4.8)
COBALT (dissolved)	UG/L	NV	NV	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (1.5)		ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	
COBALT (total)	UG/L	NV	NV	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)			ND (1.5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)		ND (1.5)
COPPER (dissolved)	UG/L	NV	NV	ND (2.7)	NA	NA	NA	NA	ND (2.7)	ND (1.8)		ND (2.7)	NA	NA	NA	NA	ND (2.7)	
COPPER (total)	UG/L	NV	NV	6.3 J	NA	NA	NA	NA			19.9	ND (2.7)	NA	NA	NA	NA		ND (1.8)
LEAD (dissolved)	UG/L	15	15	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (10)	ND (8.4)		ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (10)	
LEAD (total)	UG/L	15	15	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)			79.5	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)		ND (8.4)
MERCURY (dissolved)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA	ND (0.028)	ND (0.062)		0.062 J	NA	NA	NA	NA	ND (0.028)	
MERCURY (total)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA			ND (0.062)	ND (0.056)	NA	NA	NA	NA		ND (0.062)
NICKEL (dissolved)	UG/L	NV	NV	ND (5.6)	NA	NA	NA	NA	ND (3.1)	ND (5.8)		ND (5.6)	NA	NA	NA	NA	ND (3.1)	
NICKEL (total)	UG/L	NV	NV	6.1 J	NA	NA	NA	NA			8.7 J	ND (5.6)	NA	NA	NA	NA		ND (5.8)
SELENIUM (dissolved)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA	ND (1.6)	ND (1.6) UJ		ND (0.99)	NA	NA	NA	NA	ND (1.6)	
SELENIUM (total)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA			1.2 B	ND (0.99)	NA	NA	NA	NA		1 B
SILVER (dissolved)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA	ND (2)	ND (2)		ND (2.2)	NA	NA	NA	NA	ND (2)	
SILVER (total)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA			2 J	ND (2.2)	NA	NA	NA	NA		3.1 J
THALLIUM (dissolved)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA	ND (1.3) UJ	ND (1.2) UJ		ND (0.15)	NA	NA	NA	NA	ND (1.3) UJ	
THALLIUM (total)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA			0.076 J	ND (0.15)	NA	NA	NA	NA		ND (0.032)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43613
Dragun # 30380-27

			Location	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-02D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-04D	CRG-05D	CRG-05D
			Date	4/29/09	9/10/13	9/16/14	8/25/15	8/30/16	3/3/05	6/8/05	9/14/05	4/28/09	9/11/13	9/17/14	8/25/15	8/30/16	3/3/05	9/14/05
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**															
TIN (dissolved)	UG/L	NV	50	ND (8.8)	NA	NA	NA	NA	ND (5)	ND (9.8)		ND (8.8)	NA	NA	NA	NA	ND (5)	
TIN (total)	UG/L	NV	50	ND (8.8)	NA	NA	NA	NA			ND (9.8)	ND (8.8)	NA	NA	NA	NA		ND (9.8)
VANADIUM (dissolved)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA	ND (1.6)	ND (1)		ND (2.5)	NA	NA	NA	NA	ND (1.6)	
VANADIUM (total)	UG/L	NV	NV	6.5	NA	NA	NA	NA			1.8 J	ND (2.5)	NA	NA	NA	NA		ND (1)
ZINC (dissolved)	UG/L	NV	NV	ND (8.1)	NA	NA	NA	NA	7.4 J	63.3		ND (8.1)	NA	NA	NA	NA	ND (4.8)	
ZINC (total)	UG/L	NV	NV	15 J	NA	NA	NA	NA			57.8	ND (8.1)	NA	NA	NA	NA		18.9 B

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-10D	CRG-10D	CRG-10D	CRG-10D	CRG-10D
			Date	4/28/09	9/13/13	9/19/14	8/26/15	8/30/16	4/29/09	9/13/13	9/19/14	8/26/15	8/26/15	8/30/16	4/29/09	9/11/13	9/18/14	8/26/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**									DUP							
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)
ACETONE	UG/L	NV	NV	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)
ACETONITRILE	UG/L	NV	NV	ND (25)	NA	NA	NA	NA	ND (25)	NA	NA	NA	NA	NA	ND (25)	NA	NA	NA	NA
ACROLEIN	UG/L	NV	NV	ND (40)		NA	NA	NA	ND (40)	NA	NA	NA	NA	NA	ND (40)	NA	NA	NA	NA
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (2)	ND (2)	ND (2)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
BENZENE	UG/L	5	5	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
IODOMETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	NA	NA	NA	NA	ND (100)	NA	NA	NA	NA	NA	ND (100)	NA	NA	NA	NA
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA	ND (10)	NA	NA	NA	NA	NA	ND (10)	NA	NA	NA	NA
METHYL BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
PROPIONITRILE	UG/L	NV	NV	ND (30)	NA	NA	NA	NA	ND (30)	NA	NA	NA	NA	NA	ND (30)	NA	NA	NA	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-10D	CRG-10D	CRG-10D	CRG-10D	CRG-10D
			Date	4/28/09	9/13/13	9/19/14	8/26/15	8/30/16	4/29/09	9/13/13	9/19/14	8/26/15	8/26/15	8/30/16	4/29/09	9/11/13	9/18/14	8/26/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**									DUP							
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	NA	NA	NA	NA	ND (15)	NA	NA	NA	NA	NA	ND (15)	NA	NA	NA	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)
VINYL ACETATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
1,4-DIOXANE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) UJ	NA	NA	NA	NA	ND (9) UJ	NA	NA	NA	NA	NA	ND (10) UJ	NA	NA	NA	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV		NA	NA	NA	NA		NA	NA	NA	NA	NA		NA	NA	NA	NA
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2) UJ	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1) UJ	ND (4)	ND (4)	ND (4)	ND (4)	ND (0.9)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (21) UJ	ND (25)	ND (25)	ND (25)	ND (25)	ND (19)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2) UJ	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (1) UJ	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	0.012 J	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	0.017 J	ND (5)	ND (5)	ND (5)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (0.9)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
2-PICOLINE	UG/L	NV	NV	ND (2) UJ	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	NA	NA	NA	NA	ND (9)	NA	NA	NA	NA	NA	ND (10)	NA	NA	NA	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (0.9)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2) UJ	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (0.9)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (9)	ND (25)	ND (25)	ND (25)	ND (25)	ND (25)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (21)	NA	NA	NA	NA	ND (19)	NA	NA	NA	NA	NA	ND (20)	NA	NA	NA	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-10D	CRG-10D	CRG-10D	CRG-10D	CRG-10D
			Date	4/28/09	9/13/13	9/19/14	8/26/15	8/30/16	4/29/09	9/13/13	9/19/14	8/26/15	8/26/15	8/30/16	4/29/09	9/11/13	9/18/14	8/26/15	8/30/16
Analyte	Units	Ohio EPA MCLs	USEPA MCLs									DUP							
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
ACENAPHTHENE	UG/L	NV	NV	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	0.058	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
ACETOPHENONE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
ANILINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
ANTHRACENE	UG/L	NV	NV	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	0.026 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	0.015 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	0.011 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	0.014 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	14	14	ND (5)	ND (2)	ND (5)	ND (5)	7	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	6	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
CARBAZOLE	UG/L	NV	NV		NA	NA	NA	NA		NA	NA	NA	NA	NA		NA	NA	NA	NA
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA
CHRYSENE	UG/L	NV	NV	0.021 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (0.011)	NA	NA	NA	NA	ND (0.011)	NA	NA	NA	NA	NA	ND (0.01)	NA	NA	NA	NA
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (0.9)	ND (4)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
FLUORANTHENE	UG/L	NV	NV	0.044 J	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.011)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.011)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (10)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	0.013 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.011)	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)
ISODRIN	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
ISOSAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
METHAPYRILENE	UG/L	NV	NV	ND (16) UJ	NA	NA	NA	NA	ND (14) UJ	NA	NA	NA	NA	NA	ND (15) UJ	NA	NA	NA	NA
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
NAPHTHALENE	UG/L	NV	NV	0.027 B	ND (5)	ND (5)	ND (5)	ND (5)	0.012 B	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	0.022 B	ND (5)	ND (5)	ND (5)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2) UJ	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-10D	CRG-10D	CRG-10D	CRG-10D	CRG-10D
			Date	4/28/09	9/13/13	9/19/14	8/26/15	8/30/16	4/29/09	9/13/13	9/19/14	8/26/15	8/26/15	8/30/16	4/29/09	9/11/13	9/18/14	8/26/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**									DUP							
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
O-TOLUIDINE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (78) R	NA	NA	NA	NA	ND (71) R	NA	NA	NA	NA	NA	ND (76) R	NA	NA	NA	NA
PCN-2	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)
PHENACETIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
PHENANTHRENE	UG/L	NV	NV	0.026 J	ND (2)	ND (2)	ND (2)	ND (2)	0.015 J	ND (2)	ND (2)	ND (2)	ND (2)	ND (2)	0.015 J	ND (2)	ND (2)	ND (2)	ND (2)
PHENOL	UG/L	NV	NV	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)
PYRENE	UG/L	NV	NV	0.032 J	ND (5)	ND (5)	ND (5)	ND (5)	0.013 J	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)
PYRIDINE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
SAFROLE	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
THIONAZIN	UG/L	NV	NV	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA
PRONAMIDE	UG/L	NV	NV	ND (1)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA
DIMETHOATE	UG/L	NV	NV	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA
ANTIMONY	UG/L	6	6	ND (0.3)	NA	NA	NA	NA	4.7	NA	NA	NA	NA	NA	1.5	NA	NA	NA	NA
ANTIMONY	UG/L	6	6	ND (0.3)	NA	NA	NA	NA	4.1 J	NA	NA	NA	NA	NA	1.1	NA	NA	NA	NA
ARSENIC (dissolved)	UG/L	10	10	1.3 J	ND (2)	ND (2)	ND (2)	ND (2)	18.1	18	18	16	16	14	4.6	5	4	3	3
ARSENIC (total)	UG/L	10	10	1.7 J	ND (2)	ND (2)	ND (2)	ND (2)	20.9	19	18	16	17	14	7	5	4	3	3
BARIUM (dissolved)	UG/L	2000	2000	120	NA	NA	NA	NA	46.6	NA	NA	NA	NA	NA	166	NA	NA	NA	NA
BARIUM (total)	UG/L	2000	2000	123	NA	NA	NA	NA	91.8	NA	NA	NA	NA	NA	232	NA	NA	NA	NA
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA
BERYLLIUM (total)	UG/L	4	4	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA
CADMIUM (dissolved)	UG/L	5	5	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
CADMIUM (total)	UG/L	5	5	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	ND (3)	NA	NA	NA	NA	3.3 J	NA	NA	NA	NA	NA	6.3 J	NA	NA	NA	NA
CHROMIUM (total)	UG/L	100	100	ND (3)	NA	NA	NA	NA	4 J	NA	NA	NA	NA	NA	19.5	NA	NA	NA	NA
COBALT (dissolved)	UG/L	NV	NV	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)
COBALT (total)	UG/L	NV	NV	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	7.6	ND (5)	ND (5)	ND (5)	ND (5)
COPPER (dissolved)	UG/L	NV	NV	ND (2.7)	NA	NA	NA	NA	ND (2.7)	NA	NA	NA	NA	NA	ND (2.7)	NA	NA	NA	NA
COPPER (total)	UG/L	NV	NV	4.5 J	NA	NA	NA	NA	5.7 J	NA	NA	NA	NA	NA	10.2	NA	NA	NA	NA
LEAD (dissolved)	UG/L	15	15	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)
LEAD (total)	UG/L	15	15	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	7.2 J	ND (3)	ND (3)	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)
MERCURY (dissolved)	UG/L	2	2	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA	NA	NA	NA	NA	ND (0.056)	NA	NA	NA	NA
MERCURY (total)	UG/L	2	2	0.061 J	NA	NA	NA	NA	ND (0.056)	NA	NA	NA	NA	NA	ND (0.056)	NA	NA	NA	NA
NICKEL (dissolved)	UG/L	NV	NV	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA	NA	NA	NA	NA	8.4 J	NA	NA	NA	NA
NICKEL (total)	UG/L	NV	NV	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA	NA	NA	NA	NA	22.1	NA	NA	NA	NA
SELENIUM (dissolved)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA	6.2	NA	NA	NA	NA	NA	ND (0.99)	NA	NA	NA	NA
SELENIUM (total)	UG/L	50	50	ND (0.99)	NA	NA	NA	NA	5.8	NA	NA	NA	NA	NA	ND (0.99)	NA	NA	NA	NA
SILVER (dissolved)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA	NA	NA	NA	NA	ND (2.2)	NA	NA	NA	NA
SILVER (total)	UG/L	NV	NV	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA	NA	NA	NA	NA	2.7 J	NA	NA	NA	NA
THALLIUM (dissolved)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA	ND (0.15)	NA	NA	NA	NA	NA	ND (0.15)	NA	NA	NA	NA
THALLIUM (total)	UG/L	2	2	ND (0.15)	NA	NA	NA	NA	ND (0.15)	NA	NA	NA	NA	NA	0.24 J	NA	NA	NA	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-05D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-09D	CRG-10D	CRG-10D	CRG-10D	CRG-10D	CRG-10D
			Date	4/28/09	9/13/13	9/19/14	8/26/15	8/30/16	4/29/09	9/13/13	9/19/14	8/26/15	8/26/15	8/30/16	4/29/09	9/11/13	9/18/14	8/26/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**									DUP							
TIN (dissolved)	UG/L	NV	50	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA	NA	NA	NA	NA	ND (8.8)	NA	NA	NA	NA
TIN (total)	UG/L	NV	50	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA	NA	NA	NA	NA	8.8 J	NA	NA	NA	NA
VANADIUM (dissolved)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA	5.9	NA	NA	NA	NA	NA	10.5	NA	NA	NA	NA
VANADIUM (total)	UG/L	NV	NV	ND (2.5)	NA	NA	NA	NA	6.2	NA	NA	NA	NA	NA	28.3	NA	NA	NA	NA
ZINC (dissolved)	UG/L	NV	NV	ND (8.1)	NA	NA	NA	NA	ND (8.1)	NA	NA	NA	NA	NA	8.1 J	NA	NA	NA	NA
ZINC (total)	UG/L	NV	NV	17.8 J	NA	NA	NA	NA	14.5 J	NA	NA	NA	NA	NA	33.8	NA	NA	NA	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-13D	CRG-13D	CRG-13D
			Date	3/3/05	6/8/05	9/14/05	5/1/09	8/24/15	8/29/16	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	4/30/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (50)	ND (50)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (3)	ND (50)
ACETONE	UG/L	NV	NV	ND (6)	ND (6)	ND (6)	ND (6)	ND (50)	ND (50)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (6)	ND (50)
ACETONITRILE	UG/L	NV	NV	ND (25)	NA	ND (25)	ND (25)	NA	NA	ND (25)	NA	NA	NA	NA	ND (25)	ND (25)	NA
ACROLEIN	UG/L	NV	NV	ND (40)	ND (40)	ND (40)	ND (40) UJ	NA	NA	ND (40) UJ	NA	NA	NA	NA	ND (40)	ND (40)	NA
ACRYLONITRILE	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (4) UJ	ND (2)	ND (2)	ND (4) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (4)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
BENZENE	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (1)	ND (1)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (0.5)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (1)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
CHLOROFORM	UG/L	NV	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
ETHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
ETHYLBENZENE	UG/L	700	700	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
IODOMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	ND (100)	ND (100)	ND (100)	ND (100)	NA	NA	ND (100)	NA	NA	NA	NA	ND (100)	ND (100)	NA
METHACRYLONITRILE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (10)	NA	NA	ND (10)	NA	NA	NA	NA	ND (10)	ND (10)	NA
METHYL BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
METHYL CHLORIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	ND (25)	ND (25)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (3)	ND (25)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	NA
METHYL METHACRYLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
METHYLENE BROMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	ND (1)	NA
PROPIONITRILE	UG/L	NV	NV	ND (30)	ND (30)	ND (30)	ND (30)	NA	NA	ND (30)	NA	NA	NA	NA	ND (30)	ND (30)	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-13D	CRG-13D	CRG-13D
			Date	3/3/05	6/8/05	9/14/05	5/1/09	8/24/15	8/29/16	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	4/30/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		
TOLUENE	UG/L	1000	1000	ND (0.7)	ND (0.7)	ND (0.7)	ND (0.7)	ND (1)	ND (1)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (0.7)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (0.8)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	ND (15)	ND (15)	ND (15)	ND (15)	NA	NA	ND (15)	NA	NA	NA	NA	ND (15)	ND (15)	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (1)	ND (1)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (2)	ND (1)
VINYL ACETATE	UG/L	NV	NV	ND (2)		ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (0.8)	ND (0.8)	ND (0.8)	ND (0.8)	ND (3)	ND (3)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (0.8)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (6)	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	NA
1,3-DINITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
1,4-DIOXANE	UG/L	NV	NV	ND (70)	ND (70)	ND (70)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	ND (10) UJ	ND (10) UJ	ND (9) UJ	ND (11) UJ	NA	NA	ND (10) UJ	NA	NA	NA	NA	ND (9)	ND (11)	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV			ND (0.9)		NA	NA		NA	NA	NA	NA			NA
1-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (6)	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (0.9)	ND (1)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (1)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (1)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (3)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (19)	ND (19)	ND (19)	ND (22)	ND (25)	ND (25)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)	ND (19)	ND (21)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1) UJ	ND (5)	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1) UJ	ND (5)	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (1)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (0.01)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	0.058	0.04 J	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (1)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (6)	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	NA
2-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (0.9)	ND (1)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
2-PICOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (1)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	ND (10)	ND (10)	ND (9)	ND (11)	NA	NA	ND (10)	NA	NA	NA	NA	ND (9)	ND (11)	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
3-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (0.9)	ND (1)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (6)	ND (20)	ND (20)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (5)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (1)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (20)	ND (20)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (2)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (0.9)	ND (1)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (9)	ND (11)	ND (25)	ND (25)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (9)	ND (11)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	ND (19)	ND (19)	ND (19) UJ	ND (22)	NA	NA	ND (20)	NA	NA	NA	NA	ND (19)	ND (21)	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-13D	CRG-13D	CRG-13D
			Date	3/3/05	6/8/05	9/14/05	5/1/09	8/24/15	8/29/16	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	4/30/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
ACENAPHTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1.5)	ND (0.01)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (0.011)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1.5)	ND (0.01)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (0.011)	ND (5)
ACETOPHENONE	UG/L	NV	NV	ND (2)	10	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
ANILINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.038)	ND (0.01)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (0.011)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	0.043 J	0.011 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	0.011 J	ND (0.011)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	0.088 J	0.029 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	0.016 J	0.016 J	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	0.17 J	0.021 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	0.024 J	0.018 J	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	0.046 J	0.016 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (0.011)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (0.2)	ND (0.2)	0.068 J	0.015 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (0.011)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	ND (5)	ND (11)	ND (10)	ND (6)	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	ND (5)	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	NV	ND (2)	2 J	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	5	8	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	6	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
CARBAZOLE	UG/L	NV	NV			ND (0.9)		NA	NA		NA	NA	NA	NA			NA
CHLOROBENZILATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	0.11 J	0.025 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	0.041 J	0.029 J	ND (1)
DIALLATE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.038)	ND (0.01)	NA	NA	ND (0.01)	NA	NA	NA	NA	ND (0.0098)	ND (0.011)	NA
DIBENZOFURAN	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (0.9)	ND (1)	ND (4)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	0.16 J	0.037 J	ND (1)	ND (1)	ND (0.01)	ND (1)	ND (1)	ND (1)	ND (1)	0.01 J	0.018 J	ND (1)
FLUORENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.48)	ND (0.01)	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	0.01 J	ND (0.011)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (0.9)	ND (1)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (6)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (1)	ND (1)	0.1 J	0.017 J	ND (2)	ND (2)	ND (0.01)	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.0098)	ND (0.011)	ND (2)
ISODRIN	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9) UJ	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
ISOPHORONE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
ISOSAFROLE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
METHAPYRILENE	UG/L	NV	NV	ND (3) UJ	ND (15) R	ND (14) R	ND (17) UJ	NA	NA	ND (15) UJ	NA	NA	NA	NA	ND (14) UJ	ND (16) UJ	NA
METHYL METHANESULFONATE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
NAPHTHALENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1.5)	0.012 B	ND (5)	ND (5)	0.015 B	ND (5)	ND (5)	ND (5)	ND (5)	0.057 B	0.037 B	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
NITROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-13D	CRG-13D	CRG-13D
			Date	3/3/05	6/8/05	9/14/05	5/1/09	8/24/15	8/29/16	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	4/30/09	9/11/13
Analyte	Units	Ohio EPA MCLs	USEPA MCLs												DUP		
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (2)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
O-TOLUIDINE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	ND (58) R	ND (58) R	ND (57) R	ND (83) UJ	NA	NA	ND (74) UJ	NA	NA	NA	NA	ND (71) R	ND (80) R	NA
PCN-2	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
PENTACHLOROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (3)	ND (3)	ND (3)	ND (3)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (3)	ND (5)
PHENACETIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
PHENANTHRENE	UG/L	NV	NV	ND (1)	ND (1)	0.085 J	0.023 J	ND (2)	ND (2)	0.021 J	ND (2)	ND (2)	ND (2)	ND (2)	0.13	0.08	ND (2)
PHENOL	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.9)	ND (1)	ND (5)
PYRENE	UG/L	NV	NV	ND (1)	ND (1)	0.28 J	0.023 J	ND (5)	ND (5)	ND (0.01)	ND (5)	ND (5)	ND (5)	ND (5)	0.015 J	0.021 J	ND (5)
PYRIDINE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
SAFROLE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
THIONAZIN	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	ND (2)	NA
PRONAMIDE	UG/L	NV	NV	ND (1)	ND (1)	ND (0.9)	ND (1)	NA	NA	ND (1)	NA	NA	NA	NA	ND (0.9)	ND (1)	NA
DIMETHOATE	UG/L	NV	NV	ND (3)	ND (3)	ND (3)	ND (3)	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	ND (3)	NA
ANTIMONY	UG/L	6	6	ND (0.9)	0.078 J		ND (0.3)	NA	NA	0.63 J	NA	NA	NA	NA	1.2	1.7	NA
ANTIMONY	UG/L	6	6			ND (0.064)	0.39 J	NA	NA	0.78 J	NA	NA	NA	NA	1.3	1.4	NA
ARSENIC (dissolved)	UG/L	10	10	1.6 J	ND (2.1)		1.7 J	ND (2)	ND (2)	7.3	3	5	5	7	12.2 J	7.7 J	ND (2)
ARSENIC (total)	UG/L	10	10			3.6	1.9 J	ND (2)	ND (2)	8.5	8	6	5	8	10.8 J	17.5 J	2
BARIUM (dissolved)	UG/L	2000	2000	79.5	84.7		71.8	NA	NA	287	NA	NA	NA	NA	229	124	NA
BARIUM (total)	UG/L	2000	2000			101	73.7	NA	NA	344	NA	NA	NA	NA	285	426	NA
BERYLLIUM (dissolved)	UG/L	4	4	ND (0.97)	ND (0.44)		ND (0.9)	NA	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	ND (0.9)	NA
BERYLLIUM (total)	UG/L	4	4			ND (0.44)	ND (0.9)	NA	NA	ND (0.9)	NA	NA	NA	NA	1.1 J	2 J	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.76)	ND (0.97)		ND (2)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (2)	ND (0.5)
CADMIUM (total)	UG/L	5	5			ND (0.97)	ND (2)	ND (0.5)	ND (0.5)	ND (2)	1.6	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (2)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	ND (2.5)	ND (4.8)		ND (3)	NA	NA	ND (3)	NA	NA	NA	NA	22.2	ND (3)	NA
CHROMIUM (total)	UG/L	100	100			ND (4.8)	ND (3)	NA	NA	8.1 J	NA	NA	NA	NA	33.8	62.6	NA
COBALT (dissolved)	UG/L	NV	NV	ND (2)	ND (1.5)		ND (2.1)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	10.1	ND (2.1)	ND (5)
COBALT (total)	UG/L	NV	NV			ND (1.5)	ND (2.1)	ND (5)	ND (5)	2.2 J	17	ND (5)	ND (5)	ND (5)	14	27.9	ND (5)
COPPER (dissolved)	UG/L	NV	NV	ND (2.7)	ND (1.8)		ND (2.7)	NA	NA	ND (2.7)	NA	NA	NA	NA	21.2	5.6 B	NA
COPPER (total)	UG/L	NV	NV			ND (1.8)	ND (2.7)	NA	NA	7.5 J	NA	NA	NA	NA	28.3	55.9	NA
LEAD (dissolved)	UG/L	15	15	ND (10)	ND (8.4)		ND (6.9)	ND (3)	ND (3)	ND (6.9)	ND (3)	ND (3)	ND (3)	ND (3)	7.7 J	ND (6.9)	ND (3)
LEAD (total)	UG/L	15	15			ND (8.4)	ND (6.9)	ND (3)	ND (3)	7.3 J	21	ND (3)	ND (3)	ND (3)	14 J	28.3	ND (3)
MERCURY (dissolved)	UG/L	2	2	ND (0.028)	ND (0.062)		ND (0.056)	NA	NA	0.07 J	NA	NA	NA	NA	ND (0.056)	ND (0.056)	NA
MERCURY (total)	UG/L	2	2			ND (0.062)	ND (0.056)	NA	NA	0.11 J	NA	NA	NA	NA	ND (0.056)	ND (0.056)	NA
NICKEL (dissolved)	UG/L	NV	NV	ND (3.1)	ND (5.8)		ND (5.6)	NA	NA	ND (5.6)	NA	NA	NA	NA	26.9	ND (5.6)	NA
NICKEL (total)	UG/L	NV	NV			ND (5.8)	ND (5.6)	NA	NA	9 J	NA	NA	NA	NA	41.7	79.4	NA
SELENIUM (dissolved)	UG/L	50	50	ND (1.6)	ND (1.6) UJ		ND (0.99)	NA	NA	ND (0.99)	NA	NA	NA	NA	ND (0.99)	ND (0.99)	NA
SELENIUM (total)	UG/L	50	50			1.1 B	ND (0.99)	NA	NA	ND (0.99)	NA	NA	NA	NA	ND (0.99)	ND (0.99)	NA
SILVER (dissolved)	UG/L	NV	NV	ND (2)	ND (2)		ND (2.2)	NA	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	ND (2.2)	NA
SILVER (total)	UG/L	NV	NV			ND (2)	ND (2.2)	NA	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	ND (2.2)	NA
THALLIUM (dissolved)	UG/L	2	2	ND (1.3) UJ	ND (1.2) UJ		ND (0.15)	NA	NA	ND (0.15)	NA	NA	NA	NA	0.32 J	ND (0.15)	NA
THALLIUM (total)	UG/L	2	2			ND (0.032)	ND (0.15)	NA	NA	ND (0.15)	NA	NA	NA	NA	0.42 J	0.75	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-11D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-12D	CRG-13D	CRG-13D	CRG-13D
			Date	3/3/05	6/8/05	9/14/05	5/1/09	8/24/15	8/29/16	5/1/09	9/12/13	9/17/14	8/25/15	8/30/16	4/30/09	4/30/09	9/11/13
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**												DUP		
TIN (dissolved)	UG/L	NV	50	ND (5)	ND (9.8)		ND (8.8)	NA	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	ND (8.8)	NA
TIN (total)	UG/L	NV	50			ND (9.8)	ND (8.8)	NA	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	ND (8.8)	NA
VANADIUM (dissolved)	UG/L	NV	NV	ND (1.6)	ND (1)		ND (2.5)	NA	NA	ND (2.5)	NA	NA	NA	NA	31.3	2.9 J	NA
VANADIUM (total)	UG/L	NV	NV			ND (1)	ND (2.5)	NA	NA	12.2	NA	NA	NA	NA	45.8	78.8	NA
ZINC (dissolved)	UG/L	NV	NV	ND (4.8)	10.4 J		ND (8.1)	NA	NA	ND (8.1)	NA	NA	NA	NA	46.7	ND (8.1)	NA
ZINC (total)	UG/L	NV	NV			14.9 B	ND (8.1)	NA	NA	18.7 J	NA	NA	NA	NA	74.3	144	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-13D	CRG-13D	CRG-13D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-16D	CRG-16D	CRG-16D
			Date	9/18/14	8/25/15	8/30/16	5/1/09	9/12/13	9/16/14	8/25/15	8/31/16	5/1/09	9/12/13	9/16/14	8/24/15	8/31/16	4/30/09	9/10/13	9/17/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**																
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (50)	ND (50)	ND (50)	ND (50)	ND (3)	ND (50)	ND (50)
ACETONE	UG/L	NV	NV	ND (50)	ND (50)	ND (50)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (50)	ND (50)	ND (50)	ND (50)	ND (6)	ND (50)	ND (50)
ACETONITRILE	UG/L	NV	NV	NA	NA	NA	ND (25)	NA	NA	NA	NA	ND (25)	NA	NA	NA	NA	ND (25)	NA	NA
ACROLEIN	UG/L	NV	NV	NA	NA	NA	ND (40) UJ	NA	NA	NA	NA	ND (40) UJ	NA	NA	NA	NA	ND (40)	NA	NA
ACRYLONITRILE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	ND (4) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (4) UJ	ND (2)	ND (2)	ND (2)	ND (2)	ND (4)	ND (2)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
BENZENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.5)	ND (1)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
CHLOROFORM	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
ETHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
ETHYLBENZENE	UG/L	700	700	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
IODOMETHANE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA	NA	NA	ND (100)	NA	NA	NA	NA	ND (100)	NA	NA	NA	NA	ND (100)	NA	NA
METHACRYLONITRILE	UG/L	NV	NV	NA	NA	NA	ND (10)	NA	NA	NA	NA	ND (10)	NA	NA	NA	NA	ND (10)	NA	NA
METHYL BROMIDE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
METHYL CHLORIDE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (25)	ND (25)	ND (25)	ND (25)	ND (3)	ND (25)	ND (25)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA
METHYL METHACRYLATE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
METHYLENE BROMIDE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
PROPIONITRILE	UG/L	NV	NV	NA	NA	NA	ND (30)	NA	NA	NA	NA	ND (30)	NA	NA	NA	NA	ND (30)	NA	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-13D	CRG-13D	CRG-13D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-16D	CRG-16D	CRG-16D
			Date	9/18/14	8/25/15	8/30/16	5/1/09	9/12/13	9/16/14	8/25/15	8/31/16	5/1/09	9/12/13	9/16/14	8/24/15	8/31/16	4/30/09	9/10/13	9/17/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**																
TOLUENE	UG/L	1000	1000	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.7)	ND (1)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.8)	ND (1)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA	NA	NA	ND (15)	NA	NA	NA	NA	ND (15)	NA	NA	NA	NA	ND (15)	NA	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (1)	ND (1)	ND (1)	ND (1)	ND (2)	ND (1)	ND (1)
VINYL ACETATE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (3)	ND (3)	ND (3)	ND (3)	ND (0.8)	ND (3)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA
1,3-DINITROBENZENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
1,4-DIOXANE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA	NA	NA	ND (10) UJ	NA	NA	NA	NA	ND (10) UJ	NA	NA	NA	NA	ND (10)	NA	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA	NA	NA		NA	NA	NA	NA		NA	NA	NA	NA		NA	NA
1-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)	ND (20)	ND (25)	ND (25)	ND (25)	ND (25)	ND (20)	ND (25)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1) UJ	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (5)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA
2-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
2-PICOLINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA	NA	NA	ND (10)	NA	NA	NA	NA	ND (10)	NA	NA	NA	NA	ND (10)	NA	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
3-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)	ND (20)	ND (20)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (20)	ND (20)	ND (20)	ND (20)	ND (5)	ND (20)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)	ND (20)	ND (20)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (20)	ND (20)	ND (20)	ND (20)	ND (2)	ND (20)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)	ND (25)	ND (25)	ND (1)	ND (25)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)	ND (25)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (10)	ND (25)	ND (25)	ND (25)	ND (25)	ND (10)	ND (25)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA	NA	NA	ND (20)	NA	NA	NA	NA	ND (20)	NA	NA	NA	NA	ND (20)	NA	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-13D	CRG-13D	CRG-13D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-16D	CRG-16D	CRG-16D
			Date	9/18/14	8/25/15	8/30/16	5/1/09	9/12/13	9/16/14	8/25/15	8/31/16	5/1/09	9/12/13	9/16/14	8/24/15	8/31/16	4/30/09	9/10/13	9/17/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**																
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
ACENAPHTHENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (5)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (5)	ND (5)
ACETOPHENONE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
ANILINE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
ANTHRACENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (5)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	0.055	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	0.14	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	0.072	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	0.06	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)	ND (1)	0.075	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA	NA	NA	ND (5)	NA	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	NV	ND (5)	9	9	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	6	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
CARBAZOLE	UG/L	NV	NV	NA	NA	NA		NA	NA	NA	NA		NA	NA	NA	NA		NA	NA
CHLOROBENZILATE	UG/L	NV	NV	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	0.11	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA	NA	NA	0.017 J	NA	NA	NA	NA	ND (0.0095)	NA	NA	NA	NA	ND (0.0098)	NA	NA
DIBENZOFURAN	UG/L	NV	NV	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)	ND (4)	ND (4)	ND (1)	ND (4)	ND (4)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)	ND (1)	0.23	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0095)	ND (1)	ND (1)	ND (1)	ND (1)	ND (0.0098)	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	0.01 J	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (5)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)	ND (10)	ND (10)	ND (1)	ND (10)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	0.062	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.0095)	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.0098)	ND (2)	ND (2)
ISODRIN	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
ISOPHORONE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
ISOSAFROLE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
METHAPYRILENE	UG/L	NV	NV	NA	NA	NA	ND (15) UJ	NA	NA	NA	NA	ND (15) UJ	NA	NA	NA	NA	ND (15) UJ	NA	NA
METHYL METHANESULFONATE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
NAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	0.012 B	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	0.02 B	ND (5)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
NITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-13D	CRG-13D	CRG-13D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-16D	CRG-16D	CRG-16D
			Date	9/18/14	8/25/15	8/30/16	5/1/09	9/12/13	9/16/14	8/25/15	8/31/16	5/1/09	9/12/13	9/16/14	8/24/15	8/31/16	4/30/09	9/10/13	9/17/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**																
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2)	ND (5)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
O-TOLUIDINE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA	NA	NA	ND (76) UJ	NA	NA	NA	NA	ND (76) UJ	NA	NA	NA	NA	ND (74) R	NA	NA
PCN-2	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
PENTACHLOROBENZENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)	ND (5)	ND (5)	ND (3)	ND (5)	ND (5)
PHENACETIN	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
PHENANTHRENE	UG/L	NV	NV	ND (2)	ND (2)	ND (2)	0.16	ND (2)	ND (2)	ND (2)	ND (2)	ND (0.0095)	ND (2)	ND (2)	ND (2)	ND (2)	0.012 J	ND (2)	ND (2)
PHENOL	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (1)	ND (5)	ND (5)
PYRENE	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	0.18	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0095)	ND (5)	ND (5)	ND (5)	ND (5)	ND (0.0098)	ND (5)	ND (5)
PYRIDINE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
SAFROLE	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
THIONAZIN	UG/L	NV	NV	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA	NA	NA	ND (2)	NA	NA
PRONAMIDE	UG/L	NV	NV	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA	NA	NA	ND (1)	NA	NA
DIMETHOATE	UG/L	NV	NV	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA
ANTIMONY	UG/L	6	6	NA	NA	NA	0.82 J	NA	NA	NA	NA	0.87 J	NA	NA	NA	NA	0.6 J	NA	NA
ANTIMONY	UG/L	6	6	NA	NA	NA	0.95 J	NA	NA	NA	NA	0.93 J	NA	NA	NA	NA	1	NA	NA
ARSENIC (dissolved)	UG/L	10	10	ND (2)	2	ND (2)	1.5 J	ND (2)	ND (2)	ND (2)	ND (2)	NA	NA	ND (2)	9	ND (2)	ND (0.95)	ND (2)	ND (2)
ARSENIC (total)	UG/L	10	10	ND (2)	2	3	1.4 J	ND (2)	ND (2)	2	ND (2)	1.6 J	ND (2)	ND (2)	10	2	2 J	ND (2)	ND (2)
BARIUM (dissolved)	UG/L	2000	2000	NA	NA	NA	141	NA	NA	NA	NA	102	NA	NA	NA	NA	118	NA	NA
BARIUM (total)	UG/L	2000	2000	NA	NA	NA	147	NA	NA	NA	NA	116	NA	NA	NA	NA	160	NA	NA
BERYLLIUM (dissolved)	UG/L	4	4	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA	NA
BERYLLIUM (total)	UG/L	4	4	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA	NA	NA	NA	ND (0.9)	NA	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	5.5	0.9	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)
CADMIUM (total)	UG/L	5	5	ND (0.5)	ND (0.5)	ND (0.5)	25.7	1.2	ND (0.5)	0.8	ND (0.5)	ND (2)	0.6	ND (0.5)	ND (0.5)	ND (0.5)	ND (2)	ND (0.5)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA
CHROMIUM (total)	UG/L	100	100	NA	NA	NA	ND (3)	NA	NA	NA	NA	ND (3)	NA	NA	NA	NA	4.2 J	NA	NA
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)
COBALT (total)	UG/L	NV	NV	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)	ND (5)	ND (5)	ND (2.1)	ND (5)	ND (5)
COPPER (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (2.7)	NA	NA	NA	NA	ND (2.7)	NA	NA	NA	NA	3.9 B	NA	NA
COPPER (total)	UG/L	NV	NV	NA	NA	NA	ND (2.7)	NA	NA	NA	NA	ND (2.7)	NA	NA	NA	NA	5.4 B	NA	NA
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)	6	ND (3)	ND (3)	ND (6.9)	ND (3)	8	ND (3)	ND (3)	ND (6.9)	ND (3)	ND (3)
LEAD (total)	UG/L	15	15	ND (3)	ND (3)	ND (3)	ND (6.9)	ND (3)	10	15	ND (3)	ND (6.9)	ND (3)	8	ND (3)	ND (3)	ND (6.9)	ND (3)	ND (3)
MERCURY (dissolved)	UG/L	2	2	NA	NA	NA	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA	NA
MERCURY (total)	UG/L	2	2	NA	NA	NA	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA	NA	NA	NA	ND (0.056)	NA	NA
NICKEL (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA	NA
NICKEL (total)	UG/L	NV	NV	NA	NA	NA	ND (5.6)	NA	NA	NA	NA	ND (5.6)	NA	NA	NA	NA	8.6 J	NA	NA
SELENIUM (dissolved)	UG/L	50	50	NA	NA	NA	1.9 J	NA	NA	NA	NA	2.1	NA	NA	NA	NA	ND (0.99)	NA	NA
SELENIUM (total)	UG/L	50	50	NA	NA	NA	2.1	NA	NA	NA	NA	2.4	NA	NA	NA	NA	ND (0.99)	NA	NA
SILVER (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA	NA
SILVER (total)	UG/L	NV	NV	NA	NA	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA	NA	NA	NA	ND (2.2)	NA	NA
THALLIUM (dissolved)	UG/L	2	2	NA	NA	NA	ND (0.15)	NA	NA	NA	NA	ND (0.15)	NA	NA	NA	NA	0.15 J	NA	NA
THALLIUM (total)	UG/L	2	2	NA	NA	NA	ND (0.15)	NA	NA	NA	NA	ND (0.15)	NA	NA	NA	NA	0.26 J	NA	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-13D	CRG-13D	CRG-13D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-14D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-15D	CRG-16D	CRG-16D	CRG-16D
			Date	9/18/14	8/25/15	8/30/16	5/1/09	9/12/13	9/16/14	8/25/15	8/31/16	5/1/09	9/12/13	9/16/14	8/24/15	8/31/16	4/30/09	9/10/13	9/17/14
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**																
TIN (dissolved)	UG/L	NV	50	NA	NA	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA	NA
TIN (total)	UG/L	NV	50	NA	NA	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA	NA	NA	NA	ND (8.8)	NA	NA
VANADIUM (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (2.5)	NA	NA	NA	NA	ND (2.5)	NA	NA	NA	NA	ND (2.5)	NA	NA
VANADIUM (total)	UG/L	NV	NV	NA	NA	NA	ND (2.5)	NA	NA	NA	NA	ND (2.5)	NA	NA	NA	NA	6.7	NA	NA
ZINC (dissolved)	UG/L	NV	NV	NA	NA	NA	ND (8.1)	NA	NA	NA	NA	ND (8.1)	NA	NA	NA	NA	ND (8.1)	NA	NA
ZINC (total)	UG/L	NV	NV	NA	NA	NA	ND (8.1)	NA	NA	NA	NA	ND (8.1)	NA	NA	NA	NA	14.8 J	NA	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-16D	CRG-16D
			Date	8/25/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		
1,1,1,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)
1,1,1-TRICHLOROETHANE	UG/L	200	200	ND (1)	ND (1)
1,1,2,2-TETRACHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)
1,1,2-TRICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)
1,1-DICHLOROETHANE	UG/L	NV	NV	ND (1)	ND (1)
1,1-DICHLOROETHENE	UG/L	7	7	ND (1)	ND (1)
1,2,3-TRICHLOROPROPANE	UG/L	NV	NV	ND (1)	ND (1)
1,2-DIBROMO-3-CHLOROPROPANE	UG/L	NV	NV	ND (5)	ND (5)
1,2-DIBROMOETHANE (EDB)	UG/L	0.005	NV	ND (1)	ND (1)
1,2-DICHLOROBENZENE	UG/L	600	600	ND (1)	ND (1)
1,2-DICHLOROETHANE	UG/L	5	5	ND (1)	ND (1)
1,2-DICHLOROPROPANE	UG/L	5	NV	ND (1)	ND (1)
1,3-DICHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)
1,4-DICHLOROBENZENE	UG/L	75	75	ND (1)	ND (1)
2-HEXANONE	UG/L	NV	NV	ND (50)	ND (50)
ACETONE	UG/L	NV	NV	ND (50)	ND (50)
ACETONITRILE	UG/L	NV	NV	NA	NA
ACROLEIN	UG/L	NV	NV	NA	NA
ACRYLONITRILE	UG/L	NV	NV	ND (2)	ND (2)
ALLYL CHLORIDE	UG/L	NV	NV	NA	NA
BENZENE	UG/L	5	5	ND (1)	ND (1)
BROMODICHLOROMETHANE	UG/L	NV	80	ND (1)	ND (1)
BROMOFORM	UG/L	NV	80	ND (1)	ND (1)
CARBON DISULFIDE	UG/L	NV	NV	ND (5)	ND (5)
CARBON TETRACHLORIDE	UG/L	5	5	ND (1)	ND (1)
CHLOROBENZENE	UG/L	NV	NV	ND (1)	ND (1)
CHLORODIBROMOMETHANE	UG/L	NV	NV	NA	NA
CHLOROFORM	UG/L	NV	NV	ND (1)	ND (1)
CHLOROPRENE	UG/L	NV	NV	ND (1)	ND (1)
CIS-1,2 DICHLOROETHENE	UG/L	70	NV	ND (1)	ND (1)
CIS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)
DICHLORODIFLUOROMETHANE	UG/L	NV	NV	ND (5)	ND (5)
ETHYL CHLORIDE	UG/L	NV	NV	NA	NA
ETHYL METHACRYLATE	UG/L	NV	NV	NA	NA
ETHYLBENZENE	UG/L	700	700	ND (1)	ND (1)
IODOMETHANE	UG/L	NV	NV	NA	NA
ISOBUTYL ALCOHOL	UG/L	NV	NV	NA	NA
METHACRYLONITRILE	UG/L	NV	NV	NA	NA
METHYL BROMIDE	UG/L	NV	NV	NA	NA
METHYL CHLORIDE	UG/L	NV	NV	NA	NA
METHYL ETHYL KETONE	UG/L	NV	NV	ND (25)	ND (25)
METHYL ISOBUTYL KETONE	UG/L	NV	NV	NA	NA
METHYL METHACRYLATE	UG/L	NV	NV	NA	NA
METHYLENE BROMIDE	UG/L	NV	NV	NA	NA
METHYLENE CHLORIDE	UG/L	NV	5	ND (5)	ND (5)
PENTACHLOROETHANE	UG/L	NV	NV	NA	NA
PROPIONITRILE	UG/L	NV	NV	NA	NA
STYRENE	UG/L	100	NV	ND (1)	ND (1)
TETRACHLOROETHYLENE	UG/L	5	5	ND (1)	ND (1)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-16D	CRG-16D
			Date	8/25/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		
TOLUENE	UG/L	1000	1000	ND (1)	ND (1)
TRANS-1,2-DICHLOROETHENE	UG/L	100	NV	ND (1)	ND (1)
TRANS-1,3-DICHLOROPROPENE	UG/L	NV	NV	ND (1)	ND (1)
TRANS-1,4-DICHLOROBUTENE-2	UG/L	NV	NV	NA	NA
TRICHLOROETHENE	UG/L	5	5	ND (1)	ND (1)
TRICHLOROFLUOROMETHANE	UG/L	NV	NV	ND (1)	ND (1)
VINYL ACETATE	UG/L	NV	NV	NA	NA
VINYL CHLORIDE	UG/L	2	2	ND (1)	ND (1)
XYLENES	UG/L	10,000	10,000	ND (3)	ND (3)
1,2,4,5-TETRACHLOROBENZENE	UG/L	NV	NV	NA	NA
1,2,4-TRICHLOROBENZENE	UG/L	70	70	ND (5)	ND (5)
1,3,5-TRINITROBENZENE	UG/L	NV	NV	NA	NA
1,3-DINITROBENZENE	UG/L	NV	NV	NA	NA
1,4-DIOXANE	UG/L	NV	NV	NA	NA
1,4-NAPHTHOQUINONE	UG/L	NV	NV	NA	NA
1-METHYLNAPHTHALENE	UG/L	NV	NV	NA	NA
1-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA
2,3,4,6-TETRACHLOROPHENOL	UG/L	NV	NV	NA	NA
2,4,5-TRICHLOROPHENOL	UG/L	NV	NV	ND (5)	ND (5)
2,4,6-TRICHLOROPHENOL	UG/L	NV	NV	ND (4)	ND (4)
2,4-DICHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)
2,4-DIMETHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)
2,4-DINITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)
2,4-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)
2,6-DICHLOROPHENOL	UG/L	NV	NV	NA	NA
2,6-DINITROTOLUENE	UG/L	NV	NV	ND (5)	ND (5)
2-ACETYLAMINOFLUORENE	UG/L	NV	NV	NA	NA
2-CHLOROPHENOL	UG/L	NV	NV	ND (10)	ND (10)
2-METHYLNAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)
2-METHYLPHENOL (O-CRESOL)	UG/L	NV	NV	ND (10)	ND (10)
2-NAPHTHYLAMINE	UG/L	NV	NV	NA	NA
2-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)
2-NITROPHENOL	UG/L	NV	NV	ND (5)	ND (5)
2-PICOLINE	UG/L	NV	NV	NA	NA
3,3'-DICHLOROBENZIDINE	UG/L	NV	NV	ND (5)	ND (5)
3,3'-DIMETHYLBENZIDINE	UG/L	NV	NV	NA	NA
3-METHYLCHOLANTHRENE	UG/L	NV	NV	NA	NA
3-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)
4,6-DINITRO-2-METHYLPHENOL	UG/L	NV	NV	ND (20)	ND (20)
4-AMINOBIPHENYL	UG/L	NV	NV	NA	NA
4-BROMOPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)
4-CHLORO-3-METHYLPHENOL	UG/L	NV	NV	ND (5)	ND (5)
4-CHLOROANILINE	UG/L	NV	NV	ND (10)	ND (10)
4-CHLOROPHENYL PHENYL ETHER	UG/L	NV	NV	ND (5)	ND (5)
4-DIMETHYLAMINOAZOBENZENE	UG/L	NV	NV	NA	NA
4-METHYLPHENOL (P-CRESOL)	UG/L	NV	NV	ND (20)	ND (20)
4-NITROANILINE	UG/L	NV	NV	ND (25)	ND (25)
4-NITROPHENOL	UG/L	NV	NV	ND (25)	ND (25)
4-NITROQUINOLINE-N-OXIDE	UG/L	NV	NV	NA	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-16D	CRG-16D
			Date	8/25/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		
5-NITRO-ORTHO-TOLUIDINE	UG/L	NV	NV	NA	NA
7,12-DIMETHYLBENZ[A]ANTHRACENE	UG/L	NV	NV	NA	NA
ACENAPHTHENE	UG/L	NV	NV	ND (5)	ND (5)
ACENAPHTHYLENE	UG/L	NV	NV	ND (5)	ND (5)
ACETOPHENONE	UG/L	NV	NV	NA	NA
ANILINE	UG/L	NV	NV	NA	NA
ANTHRACENE	UG/L	NV	NV	ND (5)	ND (5)
BENZO(A)ANTHRACENE	UG/L	NV	NV	ND (1)	ND (1)
BENZO(B)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)
BENZO(G,H,I)PERYLENE	UG/L	NV	NV	ND (1)	ND (1)
BENZO(K)FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)
BENZO[A]PYRENE	UG/L	NV	0.2	ND (1)	ND (1)
BENZYL ALCOHOL	UG/L	NV	NV	NA	NA
BIS(2-CHLOROETHOXY)METHANE	UG/L	NV	NV	ND (5)	ND (5)
BIS(2-CHLOROETHYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)
BIS(2-CHLOROISOPROPYL)ETHER	UG/L	NV	NV	ND (5)	ND (5)
BIS(2-ETHYLHEXYL)PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)
BUTYL BENZYL PHTHALATE	UG/L	NV	6	ND (5)	ND (5)
CARBAZOLE	UG/L	NV	NV	NA	NA
CHLOROBENZILATE	UG/L	NV	NV	NA	NA
CHRYSENE	UG/L	NV	NV	ND (1)	ND (1)
DIALLATE	UG/L	NV	NV	NA	NA
DIBENZ(A,H)ANTHRACENE	UG/L	NV	NV	NA	NA
DIBENZOFURAN	UG/L	NV	NV	ND (4)	ND (4)
DIETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)
DIMETHYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)
DI-N-BUTYL PHTHALATE	UG/L	NV	NV	ND (5)	ND (5)
ETHYL METHANESULFONATE	UG/L	NV	NV	NA	NA
FLUORANTHENE	UG/L	NV	NV	ND (1)	ND (1)
FLUORENE	UG/L	NV	NV	ND (5)	ND (5)
HEXACHLOROBENZENE	UG/L	1	1	ND (5)	ND (5)
HEXACHLOROBUTADIENE	UG/L	NV	NV	ND (10)	ND (10)
HEXACHLOROCYCLOPENTADIENE	UG/L	50	50	ND (5)	ND (5)
HEXACHLOROETHANE	UG/L	NV	NV	ND (5)	ND (5)
HEXACHLOROPROPYLENE	UG/L	NV	NV	NA	NA
INDENO (1,2,3-CD) PYRENE	UG/L	NV	NV	ND (2)	ND (2)
ISODRIN	UG/L	NV	NV	NA	NA
ISOPHORONE	UG/L	NV	NV	ND (5)	ND (5)
ISOSAFROLE	UG/L	NV	NV	NA	NA
METHAPYRILENE	UG/L	NV	NV	NA	NA
METHYL METHANESULFONATE	UG/L	NV	NV	NA	NA
NAPHTHALENE	UG/L	NV	NV	ND (5)	ND (5)
N-DIOCTYL PHTHALATE	UG/L	NV	NV	NA	NA
NITROBENZENE	UG/L	NV	NV	ND (5)	ND (5)
N-NITROSO(METHYL)ETHYLAMINE	UG/L	NV	NV	NA	NA
N-NITROSODIETHYLAMINE	UG/L	NV	NV	NA	NA
N-NITROSODIMETHYLAMINE	UG/L	NV	NV	NA	NA
N-NITROSO-DI-N-BUTYLAMINE	UG/L	NV	NV	NA	NA
N-NITROSODI-N-PROPYLAMINE	UG/L	NV	NV	ND (5)	ND (5)

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-16D	CRG-16D
			Date	8/25/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		
N-NITROSODIPHENYLAMINE	UG/L	NV	NV	ND (5)	ND (5)
N-NITROSOMORPHOLINE	UG/L	NV	NV	NA	NA
N-NITROSOPIPERIDINE	UG/L	NV	NV	NA	NA
N-NITROSOPYRROLIDINE	UG/L	NV	NV	NA	NA
O,O,O-TRIETHYLPHOSPHOROTHIOATE	UG/L	NV	NV	NA	NA
O-TOLUIDINE	UG/L	NV	NV	NA	NA
PARA-PHENYLENEDIAMINE	UG/L	NV	NV	NA	NA
PCN-2	UG/L	NV	NV	NA	NA
PENTACHLOROBENZENE	UG/L	NV	NV	NA	NA
PENTACHLORONITROBENZENE	UG/L	NV	NV	NA	NA
PENTACHLOROPHENOL	UG/L	1	1	ND (5)	ND (5)
PHENACETIN	UG/L	NV	NV	NA	NA
PHENANTHRENE	UG/L	NV	NV	ND (2)	ND (2)
PHENOL	UG/L	NV	NV	ND (5)	ND (5)
PYRENE	UG/L	NV	NV	ND (5)	ND (5)
PYRIDINE	UG/L	NV	NV	NA	NA
SAFROLE	UG/L	NV	NV	NA	NA
TETRAETHYL DITHIOPYROPHOSPHATE	UG/L	NV	NV	NA	NA
THIONAZIN	UG/L	NV	NV	NA	NA
PRONAMIDE	UG/L	NV	NV	NA	NA
DIMETHOATE	UG/L	NV	NV	NA	NA
ANTIMONY	UG/L	6	6	NA	NA
ANTIMONY	UG/L	6	6	NA	NA
ARSENIC (dissolved)	UG/L	10	10	2	3
ARSENIC (total)	UG/L	10	10	2	3
BARIUM (dissolved)	UG/L	2000	2000	NA	NA
BARIUM (total)	UG/L	2000	2000	NA	NA
BERYLLIUM (dissolved)	UG/L	4	4	NA	NA
BERYLLIUM (total)	UG/L	4	4	NA	NA
CADMIUM (dissolved)	UG/L	5	5	ND (0.5)	ND (0.5)
CADMIUM (total)	UG/L	5	5	ND (0.5)	ND (0.5)
CHROMIUM (dissolved)	UG/L	100	100	NA	NA
CHROMIUM (total)	UG/L	100	100	NA	NA
COBALT (dissolved)	UG/L	NV	NV	ND (5)	ND (5)
COBALT (total)	UG/L	NV	NV	ND (5)	ND (5)
COPPER (dissolved)	UG/L	NV	NV	NA	NA
COPPER (total)	UG/L	NV	NV	NA	NA
LEAD (dissolved)	UG/L	15	15	ND (3)	ND (3)
LEAD (total)	UG/L	15	15	ND (3)	ND (3)
MERCURY (dissolved)	UG/L	2	2	NA	NA
MERCURY (total)	UG/L	2	2	NA	NA
NICKEL (dissolved)	UG/L	NV	NV	NA	NA
NICKEL (total)	UG/L	NV	NV	NA	NA
SELENIUM (dissolved)	UG/L	50	50	NA	NA
SELENIUM (total)	UG/L	50	50	NA	NA
SILVER (dissolved)	UG/L	NV	NV	NA	NA
SILVER (total)	UG/L	NV	NV	NA	NA
THALLIUM (dissolved)	UG/L	2	2	NA	NA
THALLIUM (total)	UG/L	2	2	NA	NA

Appendix B:

Summary of Laboratory Data, D-Zone
Groundwater Quality Evaluation Report
Axalta Coating Systems, LLC
EPA I.D. No. OHD 005-041-843
1930 Tremainsville Road, Toledo, Ohio 43(
Dragun # 30380-27

			Location	CRG-16D	CRG-16D
			Date	8/25/15	8/30/16
Analyte	**Units**	**Ohio EPA MCLs**	**USEPA MCLs**		
TIN (dissolved)	UG/L	NV	50	NA	NA
TIN (total)	UG/L	NV	50	NA	NA
VANADIUM (dissolved)	UG/L	NV	NV	NA	NA
VANADIUM (total)	UG/L	NV	NV	NA	NA
ZINC (dissolved)	UG/L	NV	NV	NA	NA
ZINC (total)	UG/L	NV	NV	NA	NA

Notes:
1. USEPA RSLs: United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs) for tap water.
2. Ohio EPA MCLs: Ohio Environmental Protection Agency Maximum Contaminant Levels.
   Ohio EPA MCLs are secondary screening levels, if no USEPA RSL is available.
3. USEPA RSLs are the primary screening level. Ohio EPA MCLs are used if no RSL is available.
4. Values highlighted in yellow indicate an exceedance of RSL and/or MCL.
5. ND = Not Detected above laboratory detection limits.
6. (5) = Laboratory Detectioni Limit.
7. NA = Not Analyzed.
8. NV = No Value.
9. DUP = Duplicate sample.
10. UG/L = micrograms per liter

APPENDIX
C

APPENDIX C
Mann-Kendall Trend Test for B and D Zone Arsenic

Groundwater Quality Evaluation Report
EPA I.D. No. OHD 005-041-843
Axalta Coating Systems, LLC
1930 Tremainsville Road
Toledo, Ohio 43613
Project #30380-27

GSI MANN-KENDALL TOOLKIT
for Constituent Trend Analysis

Evaluation Date:	15-Dec-17	Job ID:	30380-27
Facility Name:	Axalta Coating Systems, LLC	Constituent:	Arsenic
Conducted By:	M. Resch	Concentration Units:	ug/L

Sampling Point ID:		CRG-02D	CRG-04D	CRG-05D	CRG-09D	CRG-10D	CRG-12D	CRG-13D
Sampling Event	Sampling Date	ARSENIC CONCENTRATION (ug/L)						
1	4/29/09	4.7	4.6	1.7	20.9	7	8.5	17.5
2	9/10/13	7	6	1	19	5	8	2
3	9/16/14	1	7	1	18	4	6	1
4	8/25/15	6	7	1	17	3	5	2
5	8/30/16	5	9	1	14	3	8	3
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.48	0.24	0.27	0.14	0.38	0.21	1.37
Mann-Kendall Statistic (S):		0	9	-4	-10	-9	-5	-1
Confidence Factor:		40.8%	97.5%	75.8%	99.2%	97.5%	82.1%	50.0%
Concentration Trend:		Stable	Increasing	Stable	Decreasing	Decreasing	Stable	No Trend



Notes:

1. At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
2. Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
3. Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., www.gsi-net.com

GSI MANN-KENDALL TOOLKIT
for Constituent Trend Analysis

Evaluation Date:	15-Dec-17	Job ID:	30380-27
Facility Name:	Axalta Coating Systems, LLC	Constituent:	Arsenic
Conducted By:	M. Resch	Concentration Units:	ug/L

Sampling Point ID:		CRG-14D	CRG-15D	CRG-16D				
Sampling Event	Sampling Date	ARSENIC CONCENTRATION (ug/L)						
1	4/29/09	1.5	1.6	2				
2	9/10/13	1	1	1				
3	9/16/14	1	1	1				
4	8/25/15	2	10	2				
5	8/30/16	1	2	3				
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.34	1.24	0.46				
Mann-Kendall Statistic (S):		-1	3	4				
Confidence Factor:		50.0%	67.5%	75.8%				
Concentration Trend:		Stable	No Trend	No Trend				



Notes:

1. At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
2. Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
3. Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., www.gsi-net.com

GSI MANN-KENDALL TOOLKIT
for Constituent Trend Analysis

Evaluation Date: 15-Dec-17
Facility Name: Axalta Coating Systems, LLC
Conducted By: M. Resch

Job ID: 30380-27
Constituent: Arsenic
Concentration Units: ug/L

Sampling Point ID:		CRG-14D	CRG-15D	CRG-16D				
Sampling Event	Sampling Date	ARSENIC CONCENTRATION (ug/L)						
1	4/29/09	1.5	1.6	2				
2	9/10/13	1	1	1				
3	9/16/14	1	1	1				
4	8/25/15	2	10	2				
5	8/30/16	1	2	3				
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
Coefficient of Variation:		0.34	1.24	0.46				
Mann-Kendall Statistic (S):		-1	3	4				
Confidence Factor:		50.0%	67.5%	75.8%				
Concentration Trend:		Stable	No Trend	No Trend				



Notes:

1. At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
2. Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
3. Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.

GSI Environmental Inc., www.gsi-net.com