The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	FIELD BLANK 2003-09-03 QFB A3I040194012 µg/L	FIELD BLANK 2003-09-05 QFB A3I060169011 µg/L	FIELD BLANK 2004-03-26 QFB A4C270142002 µg/L	FIELD BLANK 2004-03-30 QFB A4C310291002 µg/L	FIELD BLANK 2004-06-16 QFB A4F170167015 µg/L	FIELD BLANK 2004-06-17 QFB A4F180238020 µg/L	FIELD BLANK 2004-07-09 QFB A4G100202018 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 200	< 200	< 200	< 200	< 50	< 50	< 50
2-BTANONE	< 10	< 10	< 10	< 10	< 10	0.75 J	12
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	< 10	< 10	< 10	< 10	20	24	6.8 J
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	< 1	< 1	< 1	0.32 J
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	0.16 J
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE			< 1	< 1	< 1	< 1	< 1
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	< 1	< 1	< 1	< 1	0.65 J	0.37 J	0.84 J
TRANS-1,2-DICHLOROETHENE			< 1	< 1	< 1	< 1	< 1
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	0.58 J

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	FIELD BLANK 2004-08-13 QFB A4H140136004 µg/L	FIELD BLANK 2004-08-17 QFB A4H180231016 µg/L	FIELD BLANK 2004-08-18 QFB A4H190207010 µg/L	FIELD BLANK 2004-09-01 QFB A4I020164009 µg/L	FIELD BLANK 2004-12-20 QFB A4L230115014 µg/L	FIELD BLANK 2004-12-21 QFB A4L230115013 µg/L	RINSEATE 2004-04-01 QRIN A4D020251003 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 50	35 J	< 50	< 50	< 50	18 J	< 200
2-BTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	1.5	2.4	2.2	1.5	1.8	2.4	< 1
CHLOROMETHANE	< 1	0.31 J	0.39 J	< 1	< 1	< 1	< 1
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	0.56 J B	< 1	< 1	< 1	0.45 J B	< 1	< 1
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	< 2	1.5 J	< 2	< 2	< 2	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	RINSEATE 2004-06-16 QRIN A4F170167016 µg/L	RINSEATE 2004-06-17 QRIN A4F180238021 µg/L	RINSEATE 2004-08-13 QRIN A4H140136008 µg/L	RINSEATE 2004-12-21 QRIN A4L230115015 µg/L	RINSEATE 2004-12-21 QRIN A4L230115016 µg/L	TRIP BLANK 2003-09-02 QTB A3I030288005 µg/L	TRIP BLANK 2003-09-03 QTB A3I040194013 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 50	< 50	80	< 50	< 50	< 200	< 200
2-BTANONE	0.83 J	0.57 J	< 10	< 10	< 10	< 10	< 10
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	17	4.9 J	< 10	1.5 J	< 10	< 10	< 10
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	0.47 J	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	< 1	< 1	1.2	2.2	1.9	< 1	< 1
CHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1		
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	< 1	< 1	2.2 B	< 1	< 1	< 1	< 1
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	0.28 J	0.29 J	< 1	< 1	< 1	< 1	< 1
TRANS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1		
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	TRIP BLANK 2003-09-04 QTB A3I050168006 µg/L	TRIP BLANK 2003-09-05 QTB A3I060169012 µg/L	TRIP BLANK 2003-09-08 QTB A3I100121003 µg/L	TRIP BLANK 2004-03-23 QTB A4C240239001 µg/L	TRIP BLANK 2004-03-24 QTB A4C250250001 µg/L	TRIP BLANK 2004-03-26 QTB A4C270142001 µg/L	TRIP BLANK 2004-03-29 QTB A4C300268008 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 200	< 200	< 200	< 200	< 200	< 200	< 200
2-BTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE				< 1	< 1	< 1	< 1
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,2-DICHLOROETHENE				< 1	< 1	< 1	< 1
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	TRIP BLANK 2004-03-30 QTB A4C310291001 µg/L	TRIP BLANK 2004-03-31 QTB A4D010333001 µg/L	TRIP BLANK 2004-04-01 QTB A4D020251001 µg/L	TRIP BLANK 2004-06-09 QTB A4F100149016 µg/L	TRIP BLANK 2004-06-11 QTB A4F120158011 µg/L	TRIP BLANK 2004-06-14 QTB A4F150251012 µg/L	TRIP BLANK 2004-06-15 QTB A4F160218002 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 200	< 200	< 200	< 50	< 50	< 50	< 50
2-BTANONE	< 10	< 10	< 10	0.5 J	0.62 J	< 10	1.8 J
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	< 10	< 10	< 10	1.2 J B	1.3 J B	1.1 J	5.9 J
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	1.2 B	1.4 B	< 1	< 1
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	1.1	< 1	< 1	< 1	< 1	< 1	< 1
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	< 1	< 1	< 1	0.2 J	0.28 J	0.18 J	< 1
TRANS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	TRIP BLANK 2004-06-16 QTB A4F170167002 µg/L	TRIP BLANK 2004-06-17 QTB A4F180238001 µg/L	TRIP BLANK 2004-06-21 QTB A4F220155001 µg/L	TRIP BLANK 2004-06-28 QTB A4F290191002 µg/L	TRIP BLANK 2004-07-09 QTB A4G100202019 µg/L	TRIP BLANK 2004-08-13 QTB A4H140136005 µg/L	TRIP BLANK 2004-08-16 QTB A4H170141008 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 50	< 50	< 50	< 200	< 50	< 50	< 50
2-BTANONE	1.1 J	1.2 J	1.1 J	< 10	< 10	0.43 J	< 10
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	1.6 J	3.6 J	1.7 J	< 10	1.4 J	1.1 J B	< 10
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	< 1	< 1	< 1	0.39 J B
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	0.26 J B
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	0.21 J	0.19 J	0.23 J	< 1	< 1	0.41 J	< 1
TRANS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

ANALYTE	TRIP BLANK 2004-08-17 QTB A4H180231017 µg/L	TRIP BLANK 2004-08-18 QTB A4H190207012 µg/L	TRIP BLANK 2004-09-01 QTB A4I020164011 µg/L	TRIP BLANK 2004-09-13 QTB A4I140148002 µg/L	TRIP BLANK 2004-09-15 QTB A4I160150002 µg/L	TRIP BLANK 2004-09-23 QTB A4I240108007 µg/L	TRIP BLANK 2004-09-24 QTB A4I270179002 µg/L
1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-DIOXANE	< 50	85	< 50	< 50	320	< 50	< 50
2-BTANONE	1.6 J	< 10	0.96 J	0.49 J	1.1 J	0.53 J	2.5 J
2-HEXANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10	< 10	< 10
ACETONE	1.6 J	< 10	8.9 J	1.6 J	0.79 J	1.1 J	5.7 J
ACETONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACROLEIN	< 20	< 20	< 20	< 20	< 20	< 20	< 20
ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20	< 20	< 20
BENZENE	< 1	< 1	< 1	< 1	0.28 J	0.27 J B	< 1
BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
BROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROFORM	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CHLOROMETHANE	< 1	< 1	< 1	< 1	0.19 J B	< 1	0.42 J B
CHLOROPRENE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
CIS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ETHYLBENZENE	0.82 J	< 1	< 1	< 1	< 1	< 1	< 1
IODOMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
ISOBTANOL	< 50	< 50	< 50	< 50	< 50	< 50	< 50
METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
METHYLENE CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	7.2
PROPIONITRILE	< 4	< 4	< 4	< 4	< 4	< 4	< 4
STYRENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOLENE	0.72 J	< 1	0.18 J	0.18 J	0.57 J	0.2 J	0.19 J
TRANS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
VINYL ACETATE	< 2	< 2	< 2	< 2	< 2	< 2	< 2
VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1	< 1	< 1
XYLENES (TOTAL)	2.6	< 2	< 2	< 2	< 2	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter

The Payne Firm, Inc.

EMD Chemicals Inc.

Norwood Facility
Cincinnati, Ohio
Project No. 0100.58.25

TABLE 10: Aqueous QA/QC VOC Results (September 2003 - December 2004)

TRIP BLANK 2004-09-28 QTB A4I290193004 µg/L	ANALYTE	TRIP BLANK 2004-09-30 QTB A4J010139002 µg/L	TRIP BLANK 2004-10-28 QTB A4J290129009 µg/L	TRIP BLANK 2004-11-11 QTB A4K120249002 µg/L	TRIP BLANK 2004-12-20 QTB A4L230115017 µg/L	TRIP BLANK 2005-01-21 QTB A5A220147002 µg/L
< 1	1,1,1,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 1	1,1,1-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 1	1,1,2,2-TETRACHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 1	1,1,2-TRICHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 1	1,1-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 1	1,1-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1
< 1	1,2,3-TRICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1
< 2	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	< 2	< 2	< 2	< 2	< 2
< 1	1,2-DIBROMOETHANE	< 1	< 1	< 1	< 1	< 1
< 1	1,2-DICHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 2	1,2-DICHLOROETHENE (TOTAL)	< 2	< 2	< 2	< 2	< 2
< 1	1,2-DICHLOROPROPANE	< 1	< 1	< 1	< 1	< 1
< 50	1,4-DIOXANE	< 50	< 50	< 50	< 50	< 50
0.48 J	2-BTANONE	0.44 J	< 10	13	3.5 J	4.5 J
< 10	2-HEXANONE	< 10	< 10	< 10	0.55 J	0.65 J
< 2	3-CHLOROPROPENE	< 2	< 2	< 2	< 2	< 2
< 10	4-METHYL-2-PENTANONE	< 10	< 10	< 10	< 10	< 10
0.95 J	ACETONE	1.1 J	2.2 J B	15	9.8 J	12
< 20	ACETONITRILE	< 20	< 20	< 20	< 20	< 20
< 20	ACROLEIN	< 20	< 20	< 20	< 20	< 20
< 20	ACRYLONITRILE	< 20	< 20	< 20	< 20	< 20
< 1	BENZENE	< 1	< 1	< 1	< 1	< 1
< 1	BROMODICHLOROMETHANE	< 1	< 1	< 1	< 1	< 1
< 1	BROMOFORM	< 1	< 1	< 1	< 1	< 1
< 1	BROMOMETHANE	< 1	< 1	< 1	< 1	< 1
< 1	CARBON DISLFIDE	< 1	< 1	< 1	< 1	< 1
< 1	CARBON TETRACHLORIDE	< 1	< 1	< 1	< 1	< 1
< 1	CHLOROBENZENE	< 1	< 1	< 1	< 1	< 1
< 1	CHLOROETHANE	< 1	< 1	< 1	< 1	< 1
< 1	CHLOROFORM	< 1	< 1	< 1	< 1	< 1
0.22 J B	CHLOROMETHANE	< 1	< 1	< 1	< 1	< 1
< 2	CHLOROPRENE	< 2	< 2	< 2	< 2	< 2
< 1	CIS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1
< 1	CIS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1
< 1	DIBROMOCHLOROMETHANE	< 1	< 1	< 1	< 1	< 1
< 1	DIBROMOMETHANE	< 1	< 1	< 1	< 1	< 1
< 2	DICHLOROFLOROMETHANE	< 2	< 2	< 2	< 2	< 2
< 1	ETHYL METHACRYLATE	< 1	< 1	< 1	< 1	< 1
< 1	ETHYLBENZENE	< 1	< 1	< 1	< 1	< 1
< 1	IODOMETHANE	< 1	< 1	< 1	< 1	< 1
< 50	ISOBTANOL	< 50	< 50	< 50	< 50	< 50
< 2	METHACRYLONITRILE	< 2	< 2	< 2	< 2	< 2
< 2	METHYL METHACRYLATE	< 2	< 2	< 2	< 2	< 2
< 1	METHYLENE CHLORIDE	< 1	< 1	0.64 J B	4.1 B	< 1
< 4	PROPIONITRILE	< 4	< 4	< 4	< 4	< 4
< 1	STYRENE	< 1	< 1	< 1	< 1	< 1
< 1	TETRACHLOROETHENE	< 1	< 1	< 1	< 1	< 1
0.19 J	TOLENE	0.2 J	< 1	0.57 J	0.28 J	0.33 J
< 1	TRANS-1,2-DICHLOROETHENE	< 1	< 1	< 1	< 1	< 1
< 1	TRANS-1,3-DICHLOROPROPENE	< 1	< 1	< 1	< 1	< 1
< 1	TRANS-1,4-DICHLORO-2-BTENE	< 1	< 1	< 1	< 1	< 1
< 1	TRICHLOROETHENE	< 1	< 1	< 1	< 1	< 1
< 1	TRICHLOROFLOROMETHANE	< 1	< 1	< 1	< 1	< 1
< 2	VINYL ACETATE	< 2	< 2	< 2	< 2	< 2
< 1	VINYL CHLORIDE	< 1	< 1	< 1	< 1	< 1
< 2	XYLENES (TOTAL)	< 2	< 2	0.53 J	< 2	< 2

Blank Cell=Not Analyzed
See data validation memo for definitions of data qualifiers
QA/QC = Quality Assurance/Quality Control
VOCs = Volatile Organic Compounds
GW = Ground Water
QFB = Field Blank Sample
QRIN = Equipment Rinseate Sample
QTB = Trip Blank Sample
µg/L = micrograms per liter