OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LSD	51	1	05	Q	05

E

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE

TO PIER 25

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					00-04
2345					ASSUME THE WATCH MOORED STBD SIDE TO
					PIER 25 FT LAUDERDALE, FL. WITH STANDARD
					MOORING LINES DOUBLED FORWARD AND
					AFT, TWO STORM LINES. RECEIVING VARIOUS
					SERVICES FROM THE PIER. SOPA IS EMBARKED
					ON USS BOSS. ENGINEERING PLANT STATUS
					IS AS FOLLOWS #2 EVPA #2 BOILER, #2 HPAC #3
					LPAC IN STANDBY, #3 LPAD, #2 LPAC IN LAG
					#1 LPAC LEAD, #1 LPAD IN LEAD #2 FIRE PUMP
					MATERIAL CONDITION YOKE IS SET CO IS
					ABOARD.
0100					SOUND SECURITY REPORTS ALL CONDITIONS
					NORMAL
0145					SOUND SECURITY REPORTS ALL CONDITIONS
					NORMAL
0245					SOUND SECURITY REPORTS ALL CONDITIONS
					NORMAL
0326					SOUND SECURITY REPORTS ALL CONDITIONS
					NORMAL
0335					OOD PROPERLY RELIEVED BY JO2/SW (b) (6)
					(b) (6) MS1
					MS1
					04-08
0335					ASSUME THE WATCH MOORED AS BEFORE
0425					SOUND SECURITY REPORTS ALL CONDITIONS NORMAL
0525					SOUND SECURITY REPORTS ALL CONDITIONS NORMAL
0537					RECEIVED DAILY DRAFT LOG
0615					STATION SPECIAL SEA/ANCHOR DETAIL.
0633					TESTED ALARMS IN AFTSTEERING. TEST SAT.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LSD	051	1	05	Q	05

E

USS OAK HILL LSD 51

AT / PASSAGE FROM FT LAUDERDALE FL

~~TO~~ PIER 25

CLASS: V HANDL:

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					04-08 (CONT)
0635					ENERGIZED SCC.
0639					CO IS ON THE BRIDGE.
0640					OOD SHIFTED THE WATCH FROM THE PHSTBD
					SIDE QUARTERDECK TO THE PILOT HOUSE.
0641					LT (b) (6) HAS THE CONN.
0642					LTJG (b) (6) HAS THE DECK.
					(b) (6)
					04-08 (CONT)
0642					ASSUMED THE WATCH MOORED AS BEFORE.
					PILOT IS ON THE SHIP. PILOT IS MR (b) (6)
0649					STARTED AND CLUTCHED IN ALL 4 MAIN ENGINES
					PILOT IS ON THE BRIDGE.
0650					CONDUCTED TIME CHECK FROM PILOT HOUSE
					EOT TEST SAT.
					MAIN TRANSFERRED CONTROL OF PORT/STBD
					SHAFTS TO PILOT HOUSE.
0653					RECEIVED DAILY LEAVING PORT DRAFT REPORT.
					FWD 18 FT 8; AFT 20 FT 6; MEAN 19 FT 7.
0657					FWD TUG IS MADE UP.
0658					SET RESTRICTED MANEUVERING.
0700					AFT TUG IS MADE UP.
0702					XO REPORTED TO CO THAT THE SHIP IS
					READY FOR GETTING U/W.
					ALL LINES SINGLED.
0704					BROW IS SECURED.
0705					UNDERWAY. SHIFTED COLORS.
					SOUNDED ONE PROLONGED BLAST FOLLOWED BY
					THREE SHORT BLASTS.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LSD 51	1	05	0	05

USS OAK HILL LSD 51

~~AT~~ / PASSAGE FROM FT LAUDERDALE FL

TO ANCHORAGE

E

CLASS: U HANDL: 1

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					04-08 (CONT)
/	RAMID				ALL LINES ON DECK
0707	SB1				USS OAK HILL U/W INTO VICINITY OF FT LAUDERDALE
/	SB2				FL ANCHORAGE FOR AIR/SEA SHOW.
0708	PB1				
0709	AB1				
0710	SB2				
0714					RENDERED HONORS TO USS ELROD
0716	AB2				
0717	SB1				
(b) (6) /					~~CASTED OFF AFT TUG~~ CAST OFF AFT TUG
0718	AB1				
0719	PSTOP				
0720	ASTOP				
/	R20R				
/	PA1				
/	AA1				
0722	R30R				
/	AA2				
/	RAMID				
/	L20R				
0723	RAMID				
/	STDY	092			
/					CASTED OFF FWD TUG
0724	CL	090			
/	CL	088		092	PSTGC
0725	CL	087			
0726	CR	088			
0727	CR	089			
0729	CR	091			
/	CL	090			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LSD 051	1	05	0	05

E

USS OAK HILL LSD51

~~AT~~ / PASSAGE FROM FT LAUDERDALE

TO ANCHORAGE

CLASS: V HANDL: 1

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					04-08 (CONT)
0732	CL	086			
/	SA1				
/	R20R				
0733	AA1				
/	R10R	155			
0734				PILOT IS OFF THE BRIDGE.	
/	CL	150		155	PSTGC
0737				PILOT IS OFF THE SHIP	
0738	LFR				
/	AA2		10		
0739	CL	005			
0742	STOV	010			
/	R15R	015		020	PSTGC
0744	AA2		8		
/	AA1		5		
0751				SET AND DRIFT IS 217 AT 3 KNOTS: CIC	
0752	CR	020		024	PSTGC
0757	CL	015			
0805	CL	355			
/	CL	350		355	
/	L15R				
0807		340		345	PSTGC
/				RECEIVED DAILY COMMAND MUSTER REPORT.	
0809	CR	343		347	PSTGC
0810	AA1		3		
/	ASTOP				
(b) (6) /	~~AB~~ ABI				
0811	AB2				
0812	ASTOP				
0813	AB1				

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LSD 051	1	05	Q	05

USS OAK HILL LSD 51

AT / PASSAGE FROM FT LAUDERDALE FL

TO ANCHORAGE

E

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					04-08 (CONT)
0814	AB1				
	ASTOP				
	AB1				
0815					ANCHORED SHIFT COLORS.
	AB2				ANCHOR TENDS UP/DOWN 2ND SHOT AROUND WILDCAT.
					USS OAK HILL IS ANCHORED POSITIONED 26° 02.7'N
					LAT AND 080° 04.7 W. ANCHOR HARD SANDY BOTTOM.
0819	ASTOP				
0821					4 SHOTS IN HAWSES PIPE.
					4TH SHOT AT WATERS EDGE
0822					5TH SHOT AROUND WILDCAT.
0824					5TH SHOT ON DECK BRAKER SET.
0825					SECURE FROM RESTRICTED MANEUVERING.
					SET THE ANCHOR WATCH.
0826					HAWSER STOPPER PASSED.
					SHIFTED CONTROL OF PORT/STBD SHAFTS FROM
					PILOT HOUSE TO MAIN CONTROL.
					SECURED STEERING UNITS.
0828					SECURE SEA AND ANCHOR DETAIL.
					SECURED SCC.
0830					DECLUTCHED MAIN ENGINES
0831					COMMENCED SEA/ANCHOR DEBRIEF
0841					SECURED SEA/ANCHOR DEBRIEF.
0852					LTJG (b) (6) HAS THE DECK
					(b) (6)
					08-12
0852					ASSUMED THE WATCH ANCHORED AS BEFORE
0855					SET CONDITION 1A

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LSD 51	1	05	Q	05

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE

TO ANCHORAGE

E

CLASS: 1 HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					08-12 (CONT)
(b) (6) 0858					RECEIVED DAILY COMBAT SYSTEM REPORT
0900					COMMENCE DEBALLASTING TO 0 AT SILL
					LOWERING STERNGATE TO 45°
0903					STERNGATE IS AT 45°
					RECEIVED DAILY FUEL AND WATER REPORT
					ANCHOR TENDS AROUND THE STEM LIGHT STRAIN
0909					CEASE BALLASTING 0 AT THE SILL
0913					DCENTRAL REPORTS ALL CONDITIONS NORMAL
0915					ANCHOR TENDS 9 O'CLOCK LIGHT STRAIN
0918					GREEN WELL
					108 OVER SILL
					68 FEET WET
0922					DEBALLASTING TO 3FT ABOVE SILL
					STERNGATE IS AT STOPS
0931					DEBALLASTED TO 3FT ABOVE SILL
					CEASE DEBALLASTING
					ANCHOR TENDS 9 O'CLOCK MODERATE STRAIN
					RED WELL JETTA FOR WET WELL OPS
0934					GREEN WELL
0934					CO IS ON BRIDGE
					CO IS OFF THE BRIDGE
0940					ANCHOR TENDS AROUND THE STEM
0952					#1ST AAV IN WELL
0955					#2 AAV IN WELL
(b) (6)					ANCHOR TENDS 10 O'CLOCK HEAVY STRAIN
0957					3rd 3 AAV IN WELL
1000					#4 AAV IN WELL
1004					#5 AAV IN WELL
					RED WELL
1005					CO IS ON BRIDGE

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LSD 51	1	05	Q	05

USS OAK HILL LSD 51

AT / PASSAGE FROM PIERS FT. LAUDERDALE

TO ANCHORAGE

CLASS: E

HANDL: U

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					08-12
1006					DEBALLASTING TO 1FT ABOVE SILL
1007					DEBALLASTED TO 1FT ABOVE SILL AND CEAST BALLASTING
					COMMENCE VENTING BALLAST TANKS
					DCCENTRAL REPORTS ALL CONDITIONS NORMAL
					ANCHOR TENDS 11 O'CLOCK LIGHT STRAIN
1011					CO IS OFF BRIDGE
					SECURED VENTING BALLAST TANKS
1017					ANCHOR TENDS 12 O'CLOCK MODERATE STRAIN
1018					ANCHOR TENDS 9 O'CLOCK LIGHT STRAIN
1030					ANCHOR TENDS AROUND THE STERN 3 O'CLOCK LIGHT STRAIN
1051					ANCHOR TENDS 9 O'CLOCK LIGHT STRAIN
1054					BRINGING STERNGATE TO 90°
					STERNGATE IS AT 90°
					ANCHOR TENDS 11 O'CLOCK MODERATE STRAIN
1058					GREEN WELL
1100					1 AAV OVER SILL FEET WET
					2 AAV OVER SILL FEET WET
					3 AAV OVER SILL FEET WET
1101					4 AAV OVER
					RED WELL
1102					COMMENCE TO BALLASTING TO 3FT ABOVE SILL
1103					STERNGATE AT STOPS 1½ ABOVE SILL
1105					CEAST DEBALLASTING 3FT ABOVE SILL
1106					ANCHOR TENDS 11 O'CLOCK LIGHT STRAIN
1108					CO IS ON BRIDGE
					CO IS OFF BRIDGE
1114					CO IS ON BRIDGE
					ANCHOR TENDS 10 O'CLOCK LIGHT STRAIN
					SET FLIGHT QUARTERS
1119					ENS (b) (6) HAS THE DECK

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	
DA LSD	051	1	05	8	15	E

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE, FL

TO ANCHORED

CLASS	HANDL
U	/

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					08-12 (CONT)
					λ (b) (6)
					λ LTJG USHER
					12-16
1119					ASSUMED THE WATCH ANCHORED AS BEFORE
1131					TESTED HELO CRASH ALARM
1133					RED DECK
					ANCHOR TENDS 90 O'CLOCK HEAVY STRAIN
1139					CO IS ON BRIDGE
1145					ANCHOR TENDS AROUND THE STEM HEAVY STRAIN
1150					GREEN DECK CO IS OFF THE BRIDGE
1153					RED DECK
1159					SECURED FROM FLIGHT & WATCHES
1200					ANCHOR TENDS 12 O'CLOCK LIGHT STRAIN
					CO IS ON BRIDGE
1202					GREEN WELL
1203					CO IS OFF BRIDGE
1204					1ST AAV IN WELL OVER SILL
1205					2ND AAV IN WELL OVER SILL
1206					3RD AAV IN WELL OVER SILL
1207					4TH AAV OVER SILL IN WELL DECK
					RED WELL
1217					CEASE BALLASTING 0° AT SILL
					CO ON BRIDGE
1229					ALARM TESTED IN AFT STEERING. TEST SAT
					ENERGIZED STEERING UNITS ON SCC. STBD UNIT
					IN LEAD. PORT UNIT IN STANDBY.
					RUDDER
1232					LT (b) (6) HAS THE CONN
					LTJG (b) (6) HAS THE DECK.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LSD	051	1	05	Q	05

E

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE FL

TO ANCHORED

CLASS / HANDL: U / 1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					12-16 (CONT)
1232					ASSUMED THE WATCH ANCHORED AS BEFORE
1235					STARTED ALL 4 MAIN ENGINES.
1237					CLUTCHED IN 4 MAIN ENGINES
					EOT TEST SAT
					MAIN SHIFTED CONTROL OF PORT/STBD SHAFTS
					TO THE PILOT HOUSE
					HEAVED AROUND TO SHORTSTAY WITH 3 SHOTS ON
					DECK.
					CEASED BALLASTING.
					COMMENCED VENTING BALLAST TANKS
1240					CONDUCTED TIME ~~CHECK~~ CHECK FROM PILOT HOUSE
					CO IS ON THE BRIDGE.
1244					CEASED VENTING BALLAST TANKS.
1247					ANCHOR CHAIN TENDS 12 O'CLOCK MODERATE
					COMMENCED NAV BRIEF
1250					SECURED NAV BRIEF.
					2ND SHOT ON DECK.
					1ST SHOT AT WATERS EDGE
	AA1				
					8 O'CLOCK MOD
1251					UNDERWAY SHIFT COLORS
	STDY	030			SOUNDED ONE PROLONGE BLAST OF SHIP WHISTLE.
	CR	090		097	PSTGC
1252					SET RESTRICTED MANEUVERING
	AA2		10		
					RECEIVED DAILY ENTERING PORT POST
					DEBALLASTING DRAFT. FWD 18 FT 8; AFT 20 FT 6

(b) (6)

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

U.S. GPO:1999-704-002/00003

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LSD	051	1	05	0	05

USS OAK HILL LSD51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE FL

~~TO~~ PORT EVERGLADES

CLASS	HANDL
U	/

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					12-16 (CONT)
				MEAN	19FT 7.
1257	AA1		5		
	CR	120			
1259	RFR				
	STDY	188		193	PSTGC
1300				NAVIGATION	SHIFTING CHARTS TO #11469
1302				BOTH	ANCHORS ARE READY FOR LETTING GO.
1304				CIC	SHIFTING CHARTS TO #11469.
1309				NAVIGATION	SHIFTING CHARTS TO #11470.
1310				CIC	SHIFTING CHARTS TO #11470
1312	CR	190		195	PSTGC
1314	CL	186		190	PSTGC
1318	LFR				
1319	STDY	150		152	PSTGC
	AA1		3		
(b) (6) 1323				USE	RUDDER NECESSARY TO MAINTAIN ~~COURSE~~ COURSE.
1324				PILOT	IS ON THE SHIP.
1325	LFR	090			
	AA1		5		
	SA2				
	PB2				
1326				PILOT	IS ON THE BRIDGE.
1328	AAS				
	L30R				
1330	AAS		15		
1331	L20R				
	RAMID				
1333	STDY	284			
1334	CL	280			
1335	L15R	270		274	PSTGC

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LSD	051	1	05	Q	05

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE FL

~~TO~~ PORT EVERGLADES

E

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					12-16 (CONT)
/	AAS		12		
1336	L15R	268		272	PSTGC
/	R15R	270			
1337	AA2		10		
/	R15R	272			
/	CR	273		278	PSTGC
1338	AA2		8		
/	CL	271		276	PSTGC
1340	AA1		6		
1341	AA1		4		
1342	CL	270		274	PSTGC
1345	L20R				
/	L35R				
1346	L20R				
1347	RAMID				
1349	L20R				
1350	RAMID				
/	SSTOP				
1351	R20R				
/	R35R				
/	SB1				
/	SSTOP				
1353	RAMID				
/	PSTOP				
1354	PB1				
1355	AB1				
1356	ASTOP				
1358					MOORED, SHIFT COLORS
/					USS OAK HILL MOORED STBD SIDE AT PORT
/					EVERGLADES PIER

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0499

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	251	1	05	Q	05

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE FL

TO PORT EVERGLADES

E

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					12-16 (CONT)
	SSTOP				
1401					SECURE RESTRICTED MANEUVERING.
1404					AFT TUG IS CAST OFF.
1405					LOWERED THE BROW.
					BROW IS ON THE PIER.
					SECURED THE STEERING UNITS
1408					PILOT HOUSE TRANSFERRED CONTROL OF PORT/STBD
					SHAFTS TO MAIN CONTROL.
					SECURE NAVIGATION DETAIL.
					DEENERGIZED SCC.
1411					FWD TUG IS CAST OFF.
					ALL LINES ARE SINGLED.
1417					DECLUTCHED AND SECURED 4 MAIN ENGINES.
1418					SECURE FROM SEA/ANCHOR DETAIL W/EXCEPTION
					OF LINEHANDLERS.
1419					OOD SHIFTING THE WATCH FROM PILOT HOUSE TO
					STBD SIDE QUARTERDECK.
1420					OOD PROPERLY RELIEVED BY HM1 (b) (6)
					12-16 (CONT)
1420					ASSUMED THE WATCH MOORED AS BEFORE.
1422					ALL LINES DOUBLED.
1424					COMMENCED NAV DERRICK.
1545					~~AE~~OOD PROPERLY RELIEVED BY ET2(SW) (b) (6)
					16-20

(b) (6)

(b) (6)

(b) (6)

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

		SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	
D	A	LSD	051	1	05	Q	05	E
1	2	3-4	5-7	12	13-14	15	16-17	22

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ FT LAUDERDALE FL.

~~TO~~ PORT EVERGLADES

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18-21	ORDER 23-29	CSE 30-32	SPEED 33-36	DEPTH 37-40	RECORD OF ALL EVENTS OF THE DAY 41-77
					16-20 (CONT)
1545					ASSUMED THE WATCH. MOORED AS BEFORE.
1600					SOUNDING/SECURITY REPORTS ALL CONDITIONS
					NORMAL.
1700					SOUNDING/SECURITY REPORTS ALL CONDITIONS
					NORMAL
1800					SOUNDING/SECURITY REPORTS ALL CONDITIONS
					NORMAL
1900					SOUNDING/SECURITY REPORTS ALL CONDITIONS
					NORMAL
1945					OOD PROPERLY RELIEVED BY BM2 (b) (6)
					(b) (6) ET2(SW)
					(b) (6) ET2(SW)
					20-24
1945					ASSUMED THE WATCH MOORED AS BEFORE
1955					OBSERVED SUNSET
2027					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
2100					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
2156					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
2249					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
2345					OOD PROPERLY RELIEVED BY ET1 (SW) (b) (6)
					(b) (6) BM2
					BM2

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0499

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LSD	051	1	05	Q	06	

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ PORT EVERGLADES

~~TO~~ PIER 25

CLASS: 4 HANDL:

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2345					ASSUMED THE WATCH MOORED AS BEFORE
					STBD SIDE TO PIER 25 FT LAUDERDALE, FL
					WITH SIX STANDARD MOORING LINES AND
					TWO(2) STORM LINES RECEIVING VARIOUS
					SERVICES FROM THE PIER. SOPA IS
					THE USS ROSS. ENGINEERING STATUS IS
					AS FOLLOWS # 2 EVAP, # 2 BOILER, #
					2 LPAC IN LAG, #1 LPAC IN LEAD #1
					LPAP IN LEAD #2 FIREPUMP MATERIAL
					CONDITION YOKE SET CD IS ON THE
					SHIP.
0000					S/S REPORTS ALL CONDITIONS NORMAL
0130					S/S REPORTS ALL CONDITIONS NORMAL
0230					S/S REPORTS ALL CONDITIONS NORMAL
0400					COD PROPERLY RELIEVED BY SM2(SW) (b) (6)
					(b) (6) SI(SW)
					SI(SW)
					01-08
0400					ASSUMED THE WATCH MOORED AS BEFORE
0505					SOUND AND SECURITY REPORTS ALL CONDITIONS NORMAL
0600					SOUND/SECURITY REPORTS ALL CONDITIONS NORMAL
0629					RECIEVED DAILY DRAFT REPORT
0705					SOUND AND SECURITY REPORTS ALL CONDITIONS
					NORMAL.
0709					RECEIVED DAILY COMBAT SYSTEM REPORT
(b) (6) 0710					STATION THE SPECIAL SEA AND ANCHOR DETAIL
0725					ENERGIZED SCC.
0726					LT (b) (6) HAS THE CONN.
					RUDDER TEST SAT.

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LSD	051	1	05	Q	06

USS OAK HILL LSD 51

AT / PASSAGE FROM PORT EVERGLADES

TO PIER 25

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					04-08 (CONT)
0730					LTJG (b) (6) HAS THE DECK
					(b) (6)
					(b) (6) SM2(SW)
					04-08 (CONT)
0730					ASSUMED THE WATCH MOORED AS BEFORE
					BOTH ANCHORS READY FOR LETTING GO.
					CLUTCHED IN MAIN ENGINES
0731					EOT TEST SAT
0733					MAIN SHIFTED CONTROL OF PORT/STBD SHAFTS
					TO THE PILOT HOUSE.
0734					CONDUCTED TIME CHECK FROM PILOT HOUSE.
					TESTED SHIP'S GENERAL, CHEMICAL, COLLISION
					ALARMS FROM PILOT HOUSE. TEST SAT.
					TESTED SHIPS WHISTLE FROM PILOT HOUSE. TEST SAT.
0747					CO IS OFF THE BRIDGE.
0751					PILOT IS ON THE SHIP.
					CO IS ON THE BRIDGE.
0755					BROW IS SECURED.
0757					ALL LINES ARE SINGLED
*					AFT/FWD TUGS ARE MADE UP
0759					UNDERWAY SHIFT COLORS
					SOUNDED ONE PROLONGED WHISTLE FOLLOWED BY THREE
					SHORT BLAST.
0800					SET RESTRICTED
0801	SB1				
	AB1				
0802					SOUNDED THREE SHORT BLASTS OF SHIP WHISTLE
0803	SB2				
0804	AB2				

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
D A	LSD 051	1	05	Q	06	E	U	/
1 2 3-4	5-7	12	13-14	15	16-17	22	78	79

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ PORT EVERGLADES

~~TO~~ ANCHORAGE

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18-21	ORDER 23-29	CSE 30-32	SPEED 33-36	DEPTH 37-40	RECORD OF ALL EVENTS OF THE DAY 41-77
					04-08 (CONT)
0805	AB1				
0806	AB2				
0808	AB1				RENDER HONORS TO THE USS ELROD.
0809					CAST OFF THE AFT TUG
/	SB1				
0812	PB1				
0814	SA1				
/	AA1				
0816	RAMID				
/	RIOR				
/	RAMID				
0817	STOV	087			
/	AA2				
/					CAST OFF THE FWD TUG
0818	CR	088			
/	CR	089		094	PSTGC
0820	CL	088		093	PSTGC
0823	CL	087		092	PSTGC
0825	CR	089		094	PSTGC
/	AA1		5		
0827	RIOR				
/	AA2		10		
0828	R2OR				
0829	AA1		5		
/	STOV	115			
/					RECEIVED DAILY FUEL/WATER REPORT
/	RFR	150		155	PSTGC
/					PILOT IS OFF THE BRIDGE.
0831					RECEIVED DAILY COMMAND MUSTER REPORT
/					PILOT IS OFF THE SHIP

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LSD 51	1	05	Q	06

USS OAK HILL LSD51

AT / ~~PASSAGE FROM~~ PORT EVERGLADES

TO ANCHORAGE

CLASS: U HANDL: /

E

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					04-08 (CONT)
0832	AA2		10		
/	L30R				
/	STDY	120		126	PSTG C
0835	LFR				
0837	STDY	001		006	PSTGC
0838	AA1		5		
*0758					XO REPORTED TO CO THAT SHIP IS READY FOR GETTING
/					U/W.
0844	CR	005		009	PSTGC
/					SET AND DRIFT IS 288 AT 1 KNOT
0845	CR	010			
/	R15R				
/	STDY	020			
0846	CR	025			
/	L15R	005			
0847	LFR	000		004	PSTGC
0851	RFR	010		015	PSTGC
0853					SET AND DRIFT IS 259 AT 3 KNOTS
0858					SET AND DRIFT IS 288 AT 1 KNOT
0901	R15R	011		016	PSTGC
0905					REPORTED LORN-G WITH FIGURE MERIT 07
/	AA1		3		
0907	ASTOP				
0908	RFR				
0909	AB1				
/	AB2				
0910	AB1				
0912	RAM10				
/					ANCHORED. SHIFT COLORS
/					USS OAK HILL ANCHORED IN FT LAUDERDALE FL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LSD	051	1	05	Q	06	

USS OAK HILL LSD 51

~~AT~~ / PASSAGE FROM PORT EVERGLADES

TO ANCHORAGE

CLASS	HANDL
U	/

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					04-08 (CONT)
					POSITIONED AT 26° 07.75 N / 080° 04.77 W WITH
					A HEADING OF 000 ON HARD SANDY BOTTOM.
0913	ASTOP				
	ABI				
	RAMLD				
0915	ASTOP				
0917					SECURE FROM RESTRICTED MANEUVERING
					ANCHOR TENDS 12 OCLOCK MOD STRAIN / 5 SHOTS ON DECK
0919					SECURE SEA / ANCHOR DETAIL.
					SECURE NAVIGATION DETAIL.
					SECURED STEERING UNITS
					PILOT HOUSE SHIFTED CONTROL OF PORT/STBD SHAFTS TO
					MAIN CONTROL.
0920					PASSING HANSING STOPPERS.
					CO IS OFF THE BRIDGE.
*0927					SECURED AND DECLUTCHED 4 MAIN ENGINES.
0929					ENS (b) (6) HAS THE DECK
					(b) (6)
					08-12
0929					ASSUMED THE WATCH ANCHORED AS BEFORE.
0930					COMMENCED NAV DEBRIEF.
0938					SECURED FROM NAV DEBRIEF
*0921					GYRO ERROR 0 BY AZIMUTH OF SUN
0954					CO IS OFF THE BRIDGE
1000					ANCHOR TENDS 11 O'CLOCK LIGHT STRAIN
					SET CONDITION 1A
1005					STARTED HPU'S
					LOWERED STERNGATE 45° AT THE SEAL

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO 1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LSD 051	1	05	Q	06

USS OAK HILL LSD 51

AT ~~PASSAGE FROM~~ ANCHORAGE

TO PORT EVERGLADES

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					07-12
1007					C.O ON BRIDGE
1012					DCC REPORTS ALL CONDITIONS NORMAL
1016					ANCHOR TENDS 3 O'CLOCK HEAVY STRAIN
1017					CEASE BALLASTING
1018					6 IN AT THE SEAL
1025					108 FEET WET 6 SOULS ONBOARD
1030					ANCHOR TENDS 11 O'CLOCK LIGHT STRAIN
1038					COMMENCE BALLASTING 4 FOOT ABOVE THE SILL
1039					RECEIVED THE BOAT REPORT
1043					ANCHOR TENDS 10 O'CLOCK HEAVY STRAIN
1044					COMMENCE BALLASTING TO 1 FOOT ABOVE THE SILL
1046					CEASE BALLASTING 1 FOOT ABOVE THE SILL
1052					MSI IS 4.7
1056					RED WELL
1100					ANCHOR TENDS 3 O'CLOCK LIGHT STRAIN
1108					GREEN WELL
(b) (6) ~~1510~~	1110				LAND THE LANDING FORCE
1111					3 AAV'S FEET WET
					4 AAV FEET WET
1112					5 AAV FEET WET
					RED WELL
					BALLASTING 3 FT ABOVE THE SEAL
1113					STERNGATE AT THE STOP
1115					2 FT ABOVE THE SEAL
1120					CEASE BALLASTING 3 FT. ABOVE THE SEAL
					ANCHOR TENDS 3 O'CLOCK LIGHT STRAIN
1130					ANCHOR TENDS 3 O'CLOCK MODERATE STRAIN
1144					ANCHOR TENDS 10 O'CLOCK HEAVY STRAIN
1149					ALL FIVE AAV FEET DRY
					2 AAV'S FEET WET

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

		SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		
D	A	LSD	0.51	1	0.5	Q	0.6	E	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	

USS OAK HILL LSD 51

AT ~~PASSAGE FROM~~ ANCHORAGE

TO PORT EVERGLADES, FL

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12
1150					STARTING #3 GENORATOR
(b) (6) 1200					~~12~~ ANCHOR READING 12 OCLOCK LIGHT STRAIN
1201					DCC REPORTS ALL CONDITIONS NORMAL
1205					GREEN WELL
1206					OOD PROPERLY RELIEVED BY ENS (b) (6)
					(b) (6)
					12-17
(b) (6)					~~CO ON BRIDGE~~
1206					ASSUMED THE WATCH ANCHORED AS BEFORE
1207					CO ON BRIDGE
1209					1 AAV IN THE WELL
1210					CO OFF BRIDGE
1212					2 AAV IN THE WELL
1213					3 AAV IN THE WELL
1214					4 AAV IN THE WELL
1215					5 AAV IN THE WELL
/					RED WELL
1220					STERNGATE AT 10° BELOW HORIZONTAL
(b) (6) 1221					1 FT ABOVE THE ~~SEAL~~ SEAL
1222					6 IN ABOVE THE SEAL
1224					CEASE BALLASTING STERNGATE 10° BELOW
/					GREEN WELL
1229					68 MAKING APPROACH
/					68 IN THE WELL
1230					ANCHOR TENDS 11 OCLOCK MODERATE STRAIN
1231					68 OFF CUSHION SPOT 1
1236					STERNGATE IS CLOSED DOGGING IN PROGRESS
1238					SECURE FROM CONDITION 1A

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LSD 051	1	05	Q	06

USS OAK HILL LSD51

AT / ~~PASSAGE FROM~~ ANCHORAGE

~~TO~~ PORT EVERGLADES

E

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					12-17 (CONT)
1301					ANCHOR TENDS 9 O CLOCK MODERATE
1302					~~ANCHOR~~ DCC REPORTS ALL CONDITIONS
/					NORMAL
1312					CO OFF THE ~~BRIDE~~ BRIDGE
1329					ANCHOR TENDS 120 CLOCK MODERATE STRAIN
1336					CO ON THE BRIDGE
1401					ANCHOR TENDS 90 CLOCK HEAVY STRAIN
1406					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1432					ANCHOR TENDS UNDER THE KEEL
/					CO OFF THE BRIDGE
1452					CO ON THE BRIDGE
1500					DCC REPORTS ALL CONDITIONS NORMAL
1516					ANCHOR TENDS 100 CLOCK HEAVY STRAIN
1528					ANCHOR TENDS AROUND THE STEM
1547					ANCHOR TENDS AROUND THE STEM
1555					CO IS ON THE BRIDGE
/					CO IS OFF THE BRIDGE
1559					DCC REPORTS ALL CONDITIONS NORMAL
1608					CO IS ON THE BRIDGE
1609					CO IS OFF THE BRIDGE
1631					ANCHOR TENDS 120 CLOCK MODERATE STRAIN
1710					ENS (b) (6) HAS THE DECK
					(b) (6) ENS
					17-22 ~~60~~
1710					ASSUMED THE WATCH ANCHORED AS BEFORE
1657					REFUELING LCACS
* 1704					DCC REPORTS ALL CONDITIONS NORMAL

(b) (6)

(b) (6)

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
DA	LSD 51	1	05	Q	06	E	U	
1 2	3 - 4 5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS OAK HILL LSD 51

AT ~~PASSAGE FROM~~ ANCHORAGE

~~TO~~ PORT EVERGLADES

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					17-22 (CONT.)
1716					ANCHOR TENDS 3 O'CLOCK MODERATE
					STRAIN
1730					STATION SPECIAL SEA/ANCHOR DETAIL.
1733					CO IS ON THE BRIDGE.
					STARTED ALL 4 MAIN ENGINES.
1735					TESTED AFTERSTEERING ALARMS. TEST SAT.
1737					CONDUCTED TIME CHECK FROM PILOT HOUSE.
					LT (b) (6) HAS THE CONN
1739					LTJG (b) (6) HAS THE DECK
					(b) (6) LTJG USNR
					17-22 (CONT)
1739					ASSUMED THE WATCH ANCHORED AS BEFORE.
					CLUTCHED IN 4 MAIN ENGINES.
1740					MAIN SHIFTED CONTROL OF PORT/STBD SHAFTS
					TO THE PILOT HOUSE.
					EOT TEST SAT.
					RUDDER TEST SAT.
1745					RECEIVED DAILY ENTERING PORT DRAFT REPORT. FWD 19 FT 2
					AFT 20 FT 4, MEAN 19 FT 8.
1747					SECURE REFUELING LINES
1749					COMMENCED NAV BRIEF.
1754					SECURED NAV BRIEF.
1755					HEAVING AROUND ANCHOR.
1803					ANCHOR CHAIN 10 O'CLOCK MOD STRAIN / 3 SHOTS ON DECK.
1806					BRAKE REGERSED. HEAVING AROUND.
					11 O'CLOCK MOD STRAIN / 2 SHOTS AT WATER EDGE.
1808					2 SHOTS ON DECK
1809					ANCHOR ~~TENDS~~ TENDS AROUND STEM

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LSD	051	1	05	0	06

USS OAK HILL LSD 51

AT / ~~PASSAGE FROM~~ ANCHORAGE

~~TO~~ PORT EVERGLADES

E

CLASS: V HANDL: /

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					17-22 (CONT)
1810	PA1				
	RFR				
	SA2				
	PB1				4 O'CLOCK MOD STRAIN; TEND AROUND STEM
1811					5 O'CLOCK MOD STRAIN; 1ST SHOT AT WATERS EDGE
1812	ASTOP				
	L35R				
	SA1				
	PB2				5 O'CLOCK HEAVY STRAIN
1814	AB1				
1815	ASTOP				
	RAMID				HEAVING AROUND.
					10 O'CLOCK HEAVY
					UNDERWAY. SHIFT COLORS.
	AA1				SOUNDED ONE PROLONGED BLAST OF SHIP WHISTLE.
	RFR	178		183	PSTGC
	AA2		10		USS OAK HILL (LSD) FROM ANCHORAGE IN TRANSIT TO
					PORT EVERGLADES PIER 25.
1818					SET RESTRICTED MANEUVERING.
	AA1		5		
1819					ANCHOR IS HAWSED.
1820	AA1		4		
1823					PORT ANCHOR READY FOR LETTING GO.
1828	AA1		3		
1830	ASTOP				
					PILOT IS ONBOARD. PILOT NAME IS MR (b) (6)
	AA1		3		
	AA1		5		
	L15R				CO IS OFF THE BRIDGE
1831	STDY	165		170	

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
1	2	3-4	5-7	12	13-14	15	16-17	22

USS OAK HILL LSD51

~~AT~~ / PASSAGE FROM ANCHORAGE

TO PORT EVERGLADES

CLASS	HANDL
✓	✓
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18-21	ORDER 23-29	CSE 30-32	SPEED 33-36	DEPTH 37-40	RECORD OF ALL EVENTS OF THE DAY 41-77
					17-22 (CONT)
/					PILOT IS ON THE BRIDGE.
1832	AA2		10		
/	R15R				
1835	STDY	192			
/	CL	190		195	PSTGC
1837	R15R				
1839	R10R				
/	RAMID				
/					CO IS ON THE BRIDGE.
1840	R10R	270		278	PSTGC
1842	CR	273			
1843	CR	275		280	PSTGC
/	AA1		5		
1844	CL	272		277	PSTGC
1845	CR	273			
1847					AFT TUG MADE UP.
/	AA1		3		
1849					FWD TUG MADE UP
1851	PSTOP				
1852	LFR				
1855	RAMID				
1857	SSTOP				
1858	AA1				
1859	R10R				
/	ASTOP				
1900	RAMID				
1905	AB1				
1906	ASTOP				
1908	AB2				
/	AB1				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	
DA LS	051	1	05	0	06	E

USS OAK HILL LSD 51

AT / PASSAGE FROM ANCHORAGE

TO PORT EVERGLADES PIER 25

CLASS	HANDL
U	/

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					17-22 (CONT)
	ASTOP				
1909	SSTOP				
					MOORED. SHIFT COLORS.
	RAMID				
					USS OAK HILL ~~MOORED~~ MOORED STBD SIDE PIER 25
					AT PORT EVERGLADES FL
1910	SSTOP				
	PB1				
1912	ASTOP				
1916					AFT TUG CAST OFF
					FWD TUG CAST OFF
1922					ALL LINES SINGLED.
					BROW IS ON THE PIER.
					PILOT HOUSE TRANSFER CONTROL OF PORT/STBD SHAFTS
					TO MAIN.
					SECURED THE SCC.
1924					SECURED 4 MAIN ENGINES.
1925					SECURED FROM SEA/ANCHOR DETAIL W/EXCEPTION
					OF LINEHANDLERS.
					~~OOP~~ PILOT IS OFF THE SHIP
1928					OOD SHIFTED THE WATCH FROM PILOT HOUSE TO THE
					STBD SIDE QUARTERDECK.
1932					ALL LINES DOUBLED
					OOD PROPERLY RELIEVED BY SM2 (b) (6)
					20-24
1932					ASSUMED THE WATCH MOORED
1934					COMMENCE NAV DERRICK

(b) (6)

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LSD	051	1	05	Q	06	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS OAK HILL LSD 51

AT / PASSAGE FROM PORT EVERGLADES

TO PIER 25

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					20-24 (CONT)
1945					FC2 (b) (6) CHECKED OUT ON LEAVE
1950					ET2 (b) (6) CHECKED IN FROM
					SPECIAL LIBERTY SSN/ (b) (6)
1953					CO AND XO DEPARTS THE SHIP TO GO ON LIBERTY
2100					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
2200					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
2257					CO AND XO RETURN TO SHIP OFF OF LIBERTY.
2258					SOUNDING AND SECURITY REPORTS ALL CONDITIONS NORMAL
0014					OOD PROPERLY RELIEVED BY BM2 (b) (6)
					(b) (6) SM2
					SM2

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

U.S. GPO:1999-704-002/00003

IF CLASSIFIED STAMP SECURITY MARKING HERE