SHIP'S DECK LOG - TITLE PAGE
OPNAV 3100/98 (Rev. 7-84) S/N 0107-LF-000-7600

IF CLASSIFIED STAMP SECURITY MARKING HERE

FOR OFFICIAL USE ONLY

SHIP'S DECK LOG

OF THE

U.S.S. SAIPAN

LHA-2
(hull number)

ATTACHED TO
- DIVISION
- COMPHIBRON FOUR — SQUADRON
- COMPHIBGRU TWO — GROUP
- COMSIXTHFLT — FLEET

COMMENCING 2330 –2B 31 AUGUST, 2000
(zone time and date)

AT PIERSIDE TRIESTE, ITALY
(location)

ENDING 2356 –2B 30 SEPTEMBER, 2000
(zone time and date)

AT ADRIATIC OPERATIONS AREA

EXAMINED AND CERTIFIED TO BE CORRECT (b) (6) [redacted] NAVIGATOR
(name, grade and signature)

APPROVED BY [redacted] (b) (6) R.T. WILLIAMS CAPT, USN COMMANDING
(name, grade and signature)

TO BE COMPLETED FOLLOWING CHANGE OF COMMAND

DATE OF CHANGE OF COMMAND

APPROVED BY
(name, grade and signature of Relieving Commanding Officer) COMMANDING

FORWARD DIRECT TO THE CHIEF OF NAVAL OPERATIONS AT THE END OF EACH MONTH

REPORT SYMBOL
OPNAV 3100 - 10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

*GPO: 1990—707-104

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1 2)	SHIP TYPE (3 - 4)	HULL NUMBER (5 - 7)	YEAR (12 13 - 14)	MONTH (15)	ZONE (16 - 17)	DAY	E (22)
D A	LH	002	00	9	B	01	E

USS SAIPAN

(AT) ~~PASSAGE FROM~~ TRIESTE, ITALY

TO PIER ~~VII~~

CLASS: V (78) HANDL: / (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

(b) (6) [redacted]

(b) (6) [redacted]

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					~~20-24 (CONT'D)~~
					(b) (6) [redacted]
					00-04
2330					ASSUMED THE WATCH MOORED STARBOARD SIDE TO
					PIER SEVEN AT TRIESTE, ITALY WITH 10 STANDARD
					AND 2 STORM LINES FORWARD AND AFT. PLANT STATUS
					IS AS FOLLOWS: #2 BOILER ON LINE, #2 MAIN ENGINE
					ONLINE, THE PLANT IS SPLIT, THE SHIP IS ON SHIPS POWER,
					#1 AND #2 SSTG'S ARE ONLINE. #1 AND #2 EDG'S ARE
					IN AUTO START. #2 FIRE PUMP ~~IS~~ IS ONLINE. CO IS
					ON BOARD. XO IS ON BOARD. PHIBRON 4 IS ONBOARD. CSO IS
					ON BOARD. ASSUMED CUSTODY OF 9MM S/N 1380759 AND
					2 MAGAZINES WITH 15 ROUNDS EACH.
0002					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0330					WATCH PROPERLY RELIEVED BY NCC (b) (6) [redacted]
					(b) (6) [redacted]
					04-08
0330					ASSUMED THE WATCH MOORED AS BEFORE.
0400					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0455					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0600					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0625					OBSERVED SUNRISE
0700					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0730					WATCH PROPERLY RELIEVED BY LT JG (b) (6) [redacted]
					(b) (6) [redacted]
					NO FURTHER ENTRIES THIS PAGE

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1-2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12-13)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
	LH	002	09	B	1		

USS SAIPAN

(AT) ~~PASSAGE~~ FROM TRIESTE, ITALY

TO PIER VII

CLASS (78)	HANDL (79)
U	

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					08-12
0730					ASSUMED THE WATCH MOORED AS BEFORE.
(b) (6)					ASSUMED CUSTODY OF ONE (1) 9mm PISTOL ~~AND~~ S/N 1380759
					AND TWO (2) MAGAZINES WITH FIFTEEN (15) ROUNDS OF
					AMMUNITION EACH.
0801					RECEIVED MEDICAL REPORT.
0802					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0815					RECEIVED FUEL AND WATER REPORT.
0826					RECEIVED CHRONOMETER REPORT.
0830					DC CENTRAL REPORTS YOKE SET.
0900					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0901					RECEIVED MAG TEMP REPORT.
0925					RECEIVED BOAT REPORT.
0926					RECEIVED MUSTER REPORT.
0959					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
*0937					CO DEPARTS.
					XO DEPARTS.
1100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1130					WATCH PROPERLY RELIEVED BY ENS (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted]
					12-16
1130					ASSUMED THE WATCH MOORED AS BEFORE
					ASSUMED CUSTODY OF ONE (1) 9MM PISTOL
					SERIAL NR 1380759 AND TWO (2) MAGAZINES
					WITH FIFTEEN (15) ROUNDS OF AMMUNITION.
1201					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1301					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1401					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1515					DC CENTRAL REPORTS ALL CONDITIONS NORMAL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LHA	002	0	09	B	01

USS SAIPAN

(AT)/~~PASSAGE FROM~~ TRIESTE, ITALY

TO PIER VII

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					12-16 (CONT)
1530					WATCH PROPERLY RECEIVED ETC (SW) [redacted]
					[redacted]
					ENS [redacted]
					16-20
1530					ASSUMED THE WATCH. MOORED AS BEFORE. ASSUMED
					CUSTODY OF ONE (1) 9MM PISTOL, SERIAL # 1380759
					AND TWO (2) MAGAZINES WITH (15) ROUNDS OF AMMUNITION
					A PIECE
1546					PHIBRON 4 DEPARTED
1601					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1611					26 MEU AND DEPARTED
					26 MEU XO DEPARTED
1754					V4 REPORTS ALL CONDITIONS NORMAL.
1930					WATCH PROPERLY RECEIVED BY ABAGS (AW/SW) [redacted]
					[redacted]
					20-24
1930					ASSUMED THE WATCH. MOORED AS BEFORE. ASSUMED CUSTODY
					OF ONE (1) 9mm PISTOL S/N 1380759 AND TWO (2) MAGAZINES
					WITH FIFTEEN (15) ROUNDS IN EACH
1944					OBSERVED EVENING COLORS
1958					SIMPSON ARRIVED FOR MEDICAL ATTENTION
2000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2050					SIMPSON DEPARTED
2100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2110					CO RETURNED
2112					PHIBRON 4 RETURNED
2135					26 MEU RETURNED
2136					26 MEU XO RETURNED
2156					DC CENTRAL REPORTS ALL CONDITIONS NORMAL

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A L H	002	0	09	B	01

E

USS SAIPAN

(AT) / ~~PASSAGE FROM~~ TRIESTE, IT

TO PIER VII

CLASS	HANDL
d	/

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					20-24 (CONT)
2222				LCPL [redacted] (b) (6)	FROM ACE RETURNED TO
					THE SHIP BY CITY AMBULANCE WITH APPARENT
					ASTHMA ATTACK.
2300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2325					XO RETURNED.
2330					WATCH PROPERLY RELIEVED BY AOC (AW) [redacted] (b) (6)
2330					AD [redacted] (b) (6)
					AD [redacted] (b) (6)

NO FURTHER ENTRIES THIS PAGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	0	09	B	02

USS SAIPAN

AT / ~~PASSAGE~~ FROM TRIESTE, IT

TO PIER VII

E

CLASS: U HANDL: 1

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2330					ASSUMED THE WATCH MOORED STARBOARD SIDE TO PIER SEVEN AT TRIESTE, ITALY WITH 10 STANDARD AND 2 STORM LINES FORWARD AND AFT. PLANT STATUS IS AS FOLLOWS: #2 BOILER ON LINE, #2 MAIN ENGINE ONLINE, THE PLANT IS SPLIT, THE SHIP IS ON SHIPS POWER #1 AND #2 SSTG'S ARE ONLINE, #1 AND #2 EDG'S ARE IN AUTO START. #2 FIRE PUMP IS ONLINE. CO IS ONBOARD. XO IS ONBOARD. PHIBRON 4 IS ONBOARD CSO IS ONBOARD. ASSUMED CUSTODY OF 9mm SN 1380759 AND 2 MAGAZINES WITH 15 ROUNDS EACH.
0003					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0059					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0258					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0330					PROPERLY RELIEVED BY ENS, (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted] ACCIAW
(b) (6) [redacted] 0330					04-08 (b) (6)
0330					ASSUMED THE WATCH MOORED AS BEFORE ASSUMED CUSTODY OF ONE(1) 9mm S# 1380759 AND TWO(2) MAGAZINES WITH 15 ROUNDS EACH
0400					DC CENTRAL REPORTS ALL CONDITION NORMAL
0502					DC CENTRAL REPORTS ALL CONDITION NORMAL
0602					DC CENTRAL REPORTS ALL CONDITION NORMAL
0620					RECEIVED FUELS REPORT
0700					DC CENTRAL REPORTS ALL CONDITION NORMAL
0712					RECEIVED DRAFT REPORT

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	09	B	02	

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE, IT

TO PIER VII

E

CLASS: 4 HANDL:

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					04-08 CONT
0730					PROPERLY RELIEVED BY LT [redacted] (b) (6)
					08-12
0730					ASSUMED THE WATCH MOORED AS BEFORE
0801					DC CENTRAL REPORTS ALL CONDITIONS NORMAL. FIREMAIN 185
0900					DC CENTRAL REPORTS ALL CONDITIONS NORMAL. FIREMAIN 195
0901					PHIBRON FOUR DEPARTS.
1000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL. FIREMAIN 195
1058					DC CENTRAL REPORTS ALL CONDITIONS NORMAL FIREMAIN 198
1134					WATCH PROPERLY RELIEVED BY EWC [redacted] (b) (6) (b) (6)
					12-16
1134					ASSUMED THE WATCH MOORED AS BEFORE.
1200					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1232					COMMANDING OFFICER DEPARTED
1300					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1305					26 MEU DEPARTED.
1400					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1406					26 MEU RETURNED.
1455					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1502					PHIBRON 4 RETURNED.
1526					WATCH PROPERLY RELIEVED BY BMC [redacted] (b) (6) (b) (6)
					16-20
1530					ASSUMED THE WATCH MOORED AS BEFORE
1600					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1700					DC CENTRAL REPORTS ALL CONDITIONS NORMAL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	09	09	B	02	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TRIESTE, IT

TO PIER VII

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					16:20 (CONT)
1710					YOKE SET THROUGHOUT THE SHIP
1759					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1850					PHIBRON 4 DEPARTED
1900					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1910					WATCH PROPERLY RELEIVED BY ICC (b) (6) [redacted]
					(b) (6) [redacted] BMC(SW)
					(b) (6) [redacted] BMC(SW) USN
*					20-24
1918					26 MEU DEPARTED
* 1910					ASSUMED THE WATCH MOORED AS BEFORE
1957					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2001					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2110					SAIPAN RETURNED.
2138					PHIBRON 4 RETURNED.
2153					AS² (b) (6) [redacted] SSN (b) (6) [redacted] RETURNED
					FROM UA.
2200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2226					26 MEU RETURNED.
2300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2340					WATCH PROPERLY RELIEVED BY ICC (b) (6) [redacted]
					(b) (6) [redacted] JTC(SW) USN

NO FURTHER ENTRIES THIS PAGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	
DA	LHA 002	09	B	~~03~~ 04		E

USS SAIPAN

AT / ~~PASSAGE~~ FROM TRIESTE, IT

~~TO~~ PIER VII

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2340					ASSUMED THE WATCH MOORED STARBOARD SIDE
					TO PIER SEVEN AT TRIESTE, ITALY WITH 10
					STANDARD AND 2 STORM LINES FORWARD AND AFT.
					PLANT STATUS IS AS FOLLOWS: #2 BOILER ONLINE,
					#2 MAIN ENGINE ONLINE, THE PLANT IS SPLIT, THE
					SHIP IS ON SHIPS POWER #1 AND #2 SSTG'S ARE
					ONLINE, #1 AND #2 EDG'S ARE IN AUTO START.
					#2 FIRE PUMP IS ONLINE. CO IS ONBOARD. XO
					IS ONBOARD. PHIBRON 4 IS ONBOARD. CSO IS
					ONBOARD. ASSUMED CUSTODY OF 9mm S/N 138059
					AND 2 MAGAZINES WITH 15 ROUNDS EACH.
2356					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0059					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0157					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0330					WATCH PROPERLY RELIEVED BY ENS [redacted]
					LT [redacted]
					04-08
0330					ASSUMED THE WATCH AS MOORED BEFORE
0407					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0500					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0558					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0627					OBSERVED SUNRISE
0656					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0715					RECEIVED DRAFT REPORT
0734					PROPERLY RELIEVED BY LTJG [redacted]
					ENS [redacted]
					ENS, SC, USNR
					08-12

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1-2)	SHIP TYPE LH (3-4)	HULL NUMBER 02 (5-7)	YEAR 0 (12)	MONTH 09 (13-14)	ZONE B (15)	DAY 03 (16-17)	E (22)

USS SAIPAN LHA-2

(AT) ~~PASSAGE FROM~~ TRIESTE, IT

TO PIER VII

CLASS U (78) HANDL / (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					08-12 (CONT.)
0730					ASSUMED THE WATCH, MOORED AS BEFORE.
0800					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0830					YOKE SET THROUGHOUT THE SHIP.
0832					PHIBRON FOUR DEPARTED.
0900					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0929					PHIBRON FOUR RETURNING.
1000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1130					PROPERLY RELIEVED BY LT [redacted] (b) (6)
					[redacted] (b) (6) LIC(SW)
					[redacted] (b) (6) LI(SW)
					12-16
1130 ~~1148~~					ASSUMED THE WATCH, MOORED AS BEFORE.
1148					PHIBRON FOUR DEPARTED.
1200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1400					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1500					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
[redacted] (b) (6) 1525					~~BIEU~~ 22 DEPARTED
1535					PROPERLY RELIEVED BY CWO2 [redacted] (b) (6)
					16 [redacted] (b) (6) LT, MSC(SS)
					1600-2000
1535					ASSUMED THE WATCH, MOORED AS BEFORE
1600					DC CENTRAL REPORT ALL CONDITIONS NORMAL
1654					TWO SIX MEU RETURNING
1700					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1800					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1857					PHIBRON FOUR DEPARTED

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	03	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS _____

(AT) / ~~PASSAGE FROM~~ SAIPAN CHAZ

TO TRIESTE ITALY

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					16-20 (CON'T)
1930					PROPERLY RELIEVED BY ENS [redacted] (b) (6)
					[redacted] (b) (6) CWO2 USN
					[redacted] (b) (6) CWO3
					20-24
1930					ASSUMED THE WATCH MOORED AS BEFORE.
1955					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2143					PHIBRON 4 RETURNING.
2159					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2245					X O RETURNS
2301					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2330					PROPERLY RELIEVED BY ABHC [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6)

NO FURTHER ENTRIES ON THIS PAGE.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 2	0	0 9	B	0 4

USS SAIPAN LHA-2

AT / ~~PASSAGE FROM~~ PIER 7

TO TRIESTE ITALY

CLASS: U HANDL:

POSITION ZONE TIME 0800 L ____ BY ____ λ ____ BY ____

POSITION ZONE TIME 1200 L ____ BY ____ λ ____ BY ____

POSITION ZONE TIME 2000 L ____ BY ____ λ ____ BY ____

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00 - 04
2330					ASSUMED THE WATCH MOORED STARBOARD SIDE
					TO PIER SEVEN AT TRIESTE, ITALY WITH TEN
					STANDARD AND TWO STORM LINES FORWARD
					AND AFT. PLANT STATUS IS AS FOLLOWS:
					#2 BOILER ON LINE, #2 MAIN ENGINE ONLINE
					THE SHIP IS ON SHIP POWER, #1 AND #2
					SSTG'S ON LINE. #1 AND #2 EDG'S ARE IN
					AUTOSTART. #2 FIREPUMP IS ONLINE. CO, XO,
					PHIBRON FOUR IS ONBOARD. CSO IS ON BOARD.
					ASSUMED CUSTODY OF 9mm S/N 1380759
					AND 2 MAGAZINES WITH 15 ROUNDS EACH.
0000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
					FIREMAIN AT 195 PSI.
0202					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0305					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0324					FIRE LIGHTED IN #1 BOILER
0330					WATCH PROPERLY RELIEVED BY CTOC [redacted] (b) (6)
					[redacted] (b) (6) AOLC (SW)
					04-08
0330					ASSUMED THE WATCH MOORED AS BEFORE.
0718					RECIEVED DAILY DRAFT REPORT FWD 26', AFT 26'
					MEAN 26'.
0731					WATCH PROPERLY RELIEVED BY ANC [redacted] (b) (6)
					[redacted] (b) (6) CTOC (SW/AW)
					[redacted] (b) (6) CDC (SW/AW)
					ALERT

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 02	0	09	B	04

USS SAIPAN

AT ~~PASSAGE FROM~~ TRIESTE

~~TO~~ IT., PIER VII

E

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					08-12
0731					ASSUMED THE DECK MOORED AS BEFORE
0757					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0813					YORE SET THROUGHOUT THE SHIP.
0813					RECEIVED DRAFT REPORT.
0838					ALL SECURITY DESK BADGES WERE INVENTORIED
					AT THE ASSUMPTION OF THIS WATCH. THE
					FOLLOWING BADGES ARE UNACCOUNTED FOR
					00001, 00002.
0900					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0907					PHIBRON 4 DEPARTED.
0953					PHIBRON 4 RETURNED.
1007					DC CENTRAL REPORTED ALL CONDITIONS NORMAL
1101					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1130					PROPERLY RELIEVED BY ENS [redacted] (b) (6) (b) (6) (b) (6) AHC(AW)
					12-16
1130					ASSUMED THE WATCH. MOORED AS BEFORE. ASSUMED
					CUSTODY OF ONE NINE MM AND THIRTY ROUNDS
					OF AMMUNITION IN TWO MAGAZINES OF FIFTEEN
					ROUNDS EACH.
1200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1400					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1500					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1530					PROPERLY RELIVED BY SHC [redacted] (b) (6) ENS (b) (6) (b) (6)
					N FETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0488

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LHA	002	0	09	B	04

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE

TO IT, PIER VII

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					16-20
1530					ASSUMED THE WATCH. MOORED AS BEFORE.
					ASSUMED THE CUSTODY OF ONE 9MM WEAPON, SERIAL
					NUMBER 1380759 AND 30 ROUNDS OF AMMUNITION.
1600					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1700					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1800					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1809					PHIBRON 4 DEPARTS
1816					PHIBRON 4 RETURNS
1859					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1925					WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted] SHC(SW)
					20-24
1925					ASSUMED THE WATCH, MOORED AS BEFORE. ASSUMED
					CUSTODY OF ONE 9mm PISTOL, SERIAL # 1380759
					AND 30 ROUNDS OF AMMUNITION.
2000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2120					FIRES LIT IN #2 BOILER
2200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2330					WATCH PROPERLY RELIEVED BY AKC (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted], ITNG, SC, USNR
					NFETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	0	09	B	05

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE

~~TO~~ IT., PEIR 7

E

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2330					ASSUMED THE WATCH MOORED AS BEFORE. STARBOARD SIDE TO PEIR 7 TRIESTE, ITALY WITH 10 STANDARD AND 2 STORM LINES FORWARD AND AFT. PLANT STATUS IS AS FOLLOWS: #1 AND #2 BOILERS ARE ONLINE, #2 MAIN ENGINE IS ONLINE. THE PLANT IS SPLIT. THE SHIP IS ON SHIPS POWER. #1 AND #2 SSTG'S ARE ONLINE. #1 AND #2 EDGS ARE IN AUTOSTART. #2 FIRE PUMP IS ONLINE. CO IS ABOARD. XO IS ABOARD. PHIBRON 4 IS ABOARD. CSO IS ABOARD. HOTEL SERVICES RECEIVED FROM THE PEIR ARE WATER, STEAM, SEWAGE, PHONES AND FIREMAN. ASSUMED CUSTODY OF ONE 9MM WEAPON SN # 1380759 AND 30 ROUNDS OF AMMUNITION.
0001					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0055					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0159					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0302					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0330					WATCH PROPERLY RELEIVED BY LT [redacted] (b) (6)
					04-08 ARC [redacted] (b) (6)
0345					ASSUMED THE WATCH MOORED AS BEFORE. ASSUMED CUSTODY OF ONE 9MM PISTOL SERIAL # 1380759 AND 30 ROUNDS OF AMMUNITION.
0403					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0500					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0559					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0600					REVEILLE
0712					DC CENTRAL REPORTS ALL CONDITIONS NORMAL. WATCH PROPERLY RELIEVED BY LT [redacted] (b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A L.H.A.	002	0	09	B	05

USS SAIPAN

~~AT / PASSAGE FROM~~ TRIESTE, IT

~~TO~~ PETR 7

CLASS: C HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					08-12
					[redacted] (b) (6) LT
0734					ASSUMED THE WATCH, MOORED AS BEFORE. ASSUMED
					CUSTODY OF ONE 9MM PISTOL, SERIAL # 1380759 AND
					30 ROUNDS OF AMMUNITION.
0800					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0818					DC CENTRAL REPORTS YOKE IS SET AT 0816
0901					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0901					COMMENCE FLIGHT QUARTERS
0930					SECURE FROM FLIGHT QUARTERS
0959					DC CENTRAL REPORTS ALL CON[redacted] (b) (6)
1002					TAKING ON FUEL SMOKING [redacted]
1100					DC CENTRAL REPORTS ALL CON[redacted]
1130					WATCH PROPERLY RELIEVED B[redacted]
					12-16
1130					Assumed the watch moored as before. Assumed custody
					of one 9mm pistol, serial # 1380759 and 30 rounds of
					ammunition.
1200					DC central Reports all conditions normal.
1300					DC central Reports all conditions normal.
1340					26 men departed
1347					secured from pumping fuel.
1400					DC central Reports all conditions normal.
1428					26 men returned
1500					DC central Reports all conditions normal.
1530					WATCH PROPERLY RELIEVED BY ENS [redacted] (b) (6)
					[redacted] (b) (6) (SWIM)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	05	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS Saipan

(AT) / PASSAGE FROM TRIESTE, IT

TO PIER 7

CLASS	HANDL
4	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					16-20
1530					ASSUMED THE WATCH MOORED AS BEFORE. ASSUMED
					CUSTODY OF ONE GUN 9MM PISTOL, SERIAL #1380759
					AND 30 ROUNDS OF AMMUNITION.
1600					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1700					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1800					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1844					FLOODING DRILL IN COMPARTMENT 02-85-1-L
1845					DC CENTRAL HAS CONTROL OF 1MC.
1858					SECURE FROM DRILL.
1900					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1930					WATCH PROPERLY RELIEVED BY AMSCS [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6)
					20-24
1930					ASSUMED THE WATCH MOORED AS BEFORE. ASSUMED
					CUSTODY OF ONE 9MM PISTOL AND 30 ROUNDS.
[redacted] (b) (6) 2000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2330					WATCH Properly Relieved By ENS [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6)
					NO FURTHER ENTRIES THIS PAGE.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LHA	002	0	09	B	06

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE, IT

TO PIER VII

CLASS: U HANDL:

E

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2330					ASSUMED THE WATCH MOORED AS BEFORE. STARBOARD SIDE TO PEIR 7 TRIESTE, ITALY WITH 10 STANDARD AND 2 STORM LINES FORWARD AND AFT, PLANT STATUS IS AS FOLLOWS: #2 BOILER IS ONLINE, #2 MAIN ENGINE IS ONLINE. THE PLANT IS SPLIT. THE SHIP IS ON SHIPS POWER, #1 AND #2 SSTG'S ARE ONLINE, #1 AND #2 EDGS ARE IN AUTO START. #5 FIRE PUMP IS ONLINE. CO IS ABOARD. XO IS ABOARD. PHIBRON 4 IS ABOARD. CSO IS ABOARD. HOTEL SERVICES RECEIVED FROM THE PIER ARE WATER, STEAM, SEWAGE, PHONES AND FIRE MAIN. ASSUMED CUSTODY OF ONE 9MM WEAPON SN # 1380759 AND 30 ROUNDS OF AMMUNITION.
0001					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0055					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0155					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0330					WATCH PROPERLY RELEIVED BY QMC (SW) [redacted] (b) (6) [redacted] (b) (6) [redacted] ENS
					04-08
0330					ASSUMED THE WATCH MOORED AS BEFORE. ~~ASSUMED CUSTODY OF ONE 9MM PISTOL S/N 1380759, AND 30 ROUNDS IN TWO MAGAZINES.~~
0359					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0458					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0559					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0600					REVEILLE.
0631					OBSERVED SUNRISE.
0654					RECEIVED DRAFT REPORT
0659					DC CENTRAL REPORTS ALL CONDITIONS NORMAL

(b) (6) [redacted]

(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
D A	LHA 002	09	B	06		

USS SAIPAN

AT ~~PASSAGE FROM~~ TRIESTE, IT

TO PIER VII

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					04-08 (CONT)
0730					WATCH PROPERLY RELIEVED BY EWC [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6) QMC
					08-12
0730					ASSUMED THE WATCH MOORED AS BEFORE.
0731					RECEIVED DAILY SICK AND INJURED REPORT.
0751					RECEIVED FUEL AND WATER REPORT.
0800					OBSERVED MORNING COLORS.
0801					PHIBRON 4 DEPARTED. DCCENTRAL REPORTED ALL
					CONDITIONS NORMAL.
0830					RECEIVED DAILY MAGAZINE REPORT.
0842					RECEIVED MUSTER REPORT AND CHRONOMETER REPORT
0903					DCCENTRAL REPORTED ALL CONDITIONS NORMAL.
0915					INTERNAL TRANSFER OF FUEL BEGINS
1000					DCCENTRAL REPORTED ALL CONDITIONS NORMAL
1027					SECURE INTERNAL TRANSFER OF FUEL.
1035					RECEIVED DAILY BOAT REPORT.
1059					DCCENTRAL REPORTED ALL CONDITIONS NORMAL.
1130					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6) SGL/BW
					[redacted] (b) (6) EWC (SGL/BW)
					12-16
1130					ASSUMED THE WATCH MOORED AS BEFORE.
1159					DCCENTRAL REPORTS ALL CONDITIONS NORMAL.
1300					DCCENTRAL REPORTS ALL CONDITIONS NORMAL
1400					DCCENTRAL REPORTS ALL CONDITIONS NORMAL.
1500					DCCENTRAL REPORTS ALL CONDITIONS NORMAL
1530					WATCH PROPERLY RELIEVED BY BHC [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6) LTJG, USNR

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	0	09	B	06

E

USS SAIPAN

AT ~~PASSAGE FROM~~ TRIESTE, IT

TO PIOR VII

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					16-20
1530					ASSUMED THE WATCH MOORED AS BEFORE.
1607				DC	CENTRAL REPORTS ALL CONDITIONS NORMAL.
1700				DC	CENTRAL REPORTS ALL CONDITIONS NORMAL.
1803				LT	(b) (6) [redacted] DEPARTED.
1804				DC	CENTRAL REPORTS ALL CONDITIONS NORMAL.
1808					SAIPAN DEPARTED.
1833				26	MEU DEPARTED.
1900				DC	CENTRAL REPORTS ALL CONDITIONS NORMAL.
1930					WATCH PROPERLY RELIEVED BY ENS (b) (6) [redacted]
					(b) (6) [redacted] ANC(SW)
					(b) (6) [redacted] BM1(SW) USN
					20-24
1930					ASSUMED THE WATCH AS MOORED BEFORE
2002					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2054					SAIPAN RETURNED
2101					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2202					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2302					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
2330					WATCH PROPERLY RELIEVED BY LT (b) (6) [redacted]
					(b) (6) [redacted]
					ENS (b) (6) [redacted] SE, USNR
					NFETD

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	07	

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE IT

TO PIER VII

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2330					ASSUMED THE WATCH MOORED STARBOARD SIDE TO
					PIER SEVEN AT TRIESTE, ITALY WITH 10 STANDARD
					AND 2 STORM LINES FORWARD AND AFT. PLANT
					STATUS IS AS FOLLOWS: #1 Boiler SECURED #1 MAIN
					ENGINE SECURED. #2 Boiler ONLINE #2 MAIN ENGINE ONLINE
					THE PLANT IS SPLIT. SHIP IS ON SHIPS POWER #1 AND #2
					SSTG'S ARE ONLINE #1 AND #2 EDG'S ARE IN AUTO
					START #8 FIRE PUMP IS ONLINE. CO IS ABOARD. XO IS
					ABOARD. PHIBRON IS ASHORE CSO IS ON BOARD
0001					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0159					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0330					PROPERLY RELIEVED BY ICC [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] LT, SC, USN
					04-08
0330					ASSUMED THE WATCH MOORED AS BEFORE.
0400					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0500					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0600					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
0632					OBSERVED SUNRISE.
0653					RECIEVED AVIATION FUELS REPORT.
0700					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0730					PROPERLY RELIEVED BY LT [redacted] (b) (6)
					[redacted] (b) (6) ICC(SW)
					[redacted] (b) (6) ICC(SW)
					08-12
0730					ASSUMED THE WATCH MOORED AS BEFORE.
0800					OBSERVED COLORS.

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DAY	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
D	A	LH	Ø	Ø9	B	Ø7	E

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE IT.

TO PIER ~~VII~~

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					08-12 (CONT.)
0804					DC CENTRAL REPORTS ALL CONDITIONS NORMAL. YOKE
					SET THROUGHOUT THE SHIP.
(b) (6) 0838					RECEIVED DAILY CHRONOMETER REPORT.
0842					RECEIVED FUEL AND WATER REPORT.
0902					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0905					RECEIVED BOAT REPORT.
0930					COMMENCED FLIGHT QUARTERS.
0938					RECEIVED MUSTER REPORT.
0943					RECEIVED MAG TEMP REPORT.
1003					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1050					SECURED FROM FLIGHT QUARTERS.
1100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1130					PROPERLY RELIEVED BY CWO2 (b) (6) [redacted]
					(b) (6) [redacted] TRANSCRIBER
					(b) (6) [redacted]
					12-16
1130					ASSUMED THE WATCH MOORED AS BEFORE
1204					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1314					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1358					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1440					TWO SIX MEN DEPARTED
1500					DC CENTRAL REPORTS ALL CONDITIONS
1514					TWO SIX MEN RETURN
1530					PROPERLY RELIEVED BY ENS (b) (6) [redacted]
					(b) (6) [redacted] CWO2, USN
					(b) (6) [redacted] CWO2
					16-20
1530					ASSUMED THE WATCH MOORED AS BEFORE
1614					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1656					DC CENTRAL REPORTS ALL CONDITIONS

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE: LHA	HULL NUMBER: 002	YEAR: 09	MONTH: 8	ZONE: 07	E
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TRIESTE IT.

TO PIER VII

CLASS	HANDL
V	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					16 - 20 (CONT)
1700					YOKE SET.
1805					DC CENTRAL ALL CONDITIONS NORMAL
1821					EXECUTIVE OFFICER DEPARTS
1825					TWO SIX MEU DEPARTING
1900					DC CENTRAL ALL CONDITIONS NORMAL
1930					PROPERLY RELIEVED BY ABHC (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted]
					20 - 24
1930					ASSUMED THE WATCH MOORED AS BEFORE.
1945					TWO SIX MEU ON BOARD
(b) (6) 2000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2100					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2200					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
					TWO SIX MEU ASHORE
2305					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
2331					WATCH PROPERLY RELIEVED BY ETC (b) (6) [redacted] (b) (6) [redacted] ABHC (b) (6) [redacted]

NFETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	0	09	B	08

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17

E (22)

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE, IT

TO PIER VII

CLASS: U HANDL: /

78 79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					00 - 04
2331					ASSUMED THE WATCH. MOORED STBD SIDE TO
					PIER 7 IN TRIESTE, ITALY WITH 10 STANDARD AND
					2 STORM LINES FWD AND AFT. PLANT STATUS IS
					AS FOLLOWS: #1 BOILER SECURED #1 MAIN ENGINE
					SECURED. #2 BOILER ONLINE #2 MAIN ENGINE
					ONLINE. THE PLANT IS SPLIT. SHIP IS ON SHIPS
					POWER #1 AND #2 SSTG'S ARE ONLINE. #1 AND
					#2 EDG'S ARE IN AUTO START. #8 FIRE
					PUMP IS ONLINE. CO IS ONBOARD. PHIBRON
					IS ON EMERGENCY LEAVE. CO IS ACTING
					PHIBRON. CDO IS LCDR (b) (6) [redacted]
2345					26 MEU RETURN
0330					WATCH PROPERLY RELIEVED BY ENS (b) (6) [redacted]
					(b) (6) [redacted]
					04 - 08
0330					ASSUMED THE WATCH MOORED AS BEFORE.
0634					OBSERVED SUNRISE.
0730					WATCH PROPERLY RELIEVED BY NCC (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted]
					08-12
0730					ASSUMED THE WATCH MOORED AS BEFORE.
0800					YOKE SET THROUGHOUT THE SHIP.
0842					RECEIVED DAILY DRAFT REPORT. 27'FWD, 26'6" AFT, 26'9" MEAN, 1/2° PORT LIST.
0858					COMMENCED TRANSFERING FUEL.
0918					SECURED TRANSFERING FUEL.
1100					#2 MAIN ENGINE PLACED ON JACKS
1115					WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 002	0	09	B	08

USS SAIPAN

AT / ~~PASSAGE~~ FROM TRIESTE, ITALY

~~TO~~ PIER 7

E

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					08-12
					(b) (6) [redacted] NCC(SW)
					12-16
1115					ASSUMED THE WATCH MOORED AS BEFORE.
					STBD SHAFT JACKED IN AHEAD DIRECTION.
1245					TWO SIX MEU DEPARTS.
1350					TWO SIX MEU RETURNS.
1535					WATCH PROPERLY RELIEVED (b) (6) [redacted] (b) (6) [redacted]
					LTJG (b) (6) [redacted] SC, USNR
					16-20
1535					ASSUMED THE WATCH, MOORED AS BEFORE
1710					26 MEU DEPARTS
* 1600					CONDUCTED STEERING CHECKS, CHECK SAT
1812					COMMANDING OFFICER DEPARTS
1924					WATCH PROPERLY RELIEVED BY CWO2 (b) (6) [redacted] (b) (6) [redacted]
					(b) (6) [redacted], USN
					20-24
1932					ASSUMED THE WATCH MOORED AS BEFORE
1933					OBSERVED COLORS
1947					V-4 WATCH REPORTED ALL SECURED
2015					SECURED FROM MEN WORKING ALOFT
					ON BOARD USS BARRY
2128					COMMANDING OFFICER RETURNED ON BOARD
2315					TWO SIX MEU RETURNED ON BOARD.
2325					WATCH PROPERLY RELIEVED BY CNS (b) (6) [redacted]
					(b) (6) [redacted] CWO2 USN

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	08	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE, ITALY

TO PIER 7

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					CWO2 (b) (6) [redacted] USN
					NETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LH	002	0	09	R	09

E

USS SAIPAN

(AT) ~~PASSAGE FROM~~ TRIESTE, ITALY

~~TO~~ PIER 7

CLASS	HANDL
U	

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2330					ASSUMED THE WATCH MOORED AS BEFORE STBD SIDE TO PIER 7 IN TRIESTE, ITALY WITH 10 STANDARD AND 2 STORM LINES FWD AND AFT. PLANT STATUS IS AS FOLLOWS: #1 BOILER SECURED. #2 BOILER ONLINE. #2 MAIN ENGINE ONLINE. THE PLANT IS SPLIT. SHIP IS ON SHIPS POWER. #1 AND #2 SSTGS ARE ONLINE. #1 AND #2 EDG ARE IN AUTOSTART. #8 FIREPUMP IS ONLINE. CO IS ONBOARD. PHIBRON IS ON EMERGENCY LEAVE. CO IS ACTING PHIBRON. CDO IS LT [redacted] (b) (6) ASSUMED CUSTODY OF ONE 9MM PISTOL, SERIAL #1380759 AND 30 ROUNDS.
2340					#1 BOILER LIT.
2345					#1, 2, AND 3 SSDG ON AUTOMATIC BUS TRANSFER.
0301					#6 FIRE PUMP ONLINE.
0330					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6) [redacted] (b) (6) [redacted] (b) (6) ENS. [redacted] (b) (6)
					04-08
0330					Assumed the watch Moored As Before
0600					Reveille
0632					Observed Sunrise
0730					Watch Properly Relieved By LTJG [redacted] (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted] LTJG
					08-12
0730					ASSUMED THE WATCH MOORED AS BEFORE.
					RECEIVED MEDICAL REPORT.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09		09	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TRIESTE, ITALY

~~TO~~ PIER 7

CLASS: U (78) HANDL: (79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					08-12 CONT.
					RECEIVED FUEL AND WATER REPORT.
					RECEIVED AVIATION FUELS REPORT.
0805					DC CENTRAL REPORTS YOKE SET.
0912					RECEIVED BOAT REPORT.
0938					RECEIVED DRAFT REPORT. FWD 26', AFT 26', MEAN 26',
					LIST 0°, DISPLACEMENT 39,000.
0948					RECEIVED MAG TEMP REPORT.
1025					RECEIVED MUSTER REPORT.
1041					NAVIGATION/ BALLAST BRIEF COMPLETED FOR DEPARTURE FROM
					TRIESTE.
1103					RECEIVED CHRONOMETER REPORT.
1130					WATCH PROPERLY RELEIVED BY/ AOC (b) (6) [redacted]
					(b) (6) [redacted]
					V LTJG (b) (6) [redacted]
					12-16
1130					ASSUMED THE WATCH MOORED AS BEFORE
1200					OBSERVED 12 O' CLOCK REPORTS
1210					SHIFT THE Q-DECK WATCH TO THE BRIDGE
					WATCH PROPERLY RELEIVED BY/ (b) (6) [redacted]
					(b) (6) [redacted]
					AOC (AW) (b) (6) [redacted]
					12-16 (CONT'D)
1210					ASSUMED THE DECK MOORED AS BEFORE.
					ENS (b) (6) [redacted] HAS THE CONN.
1221					CO IS OFF THE BRIDGE.
					PILOT IS ON THE BRIDGE.
1226					CO IS ON THE BRIDGE.
1244					ALTAIR TUG ~~FWD~~ OFF DENAB TUG FWD
1253					BOILER #2 WARMED AND READY.

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	Ø	Ø9	R	Ø9	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

(AT) / ~~PASSAGE FROM~~ TRIESTE, ITALY

TO PIER 7

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	~~TIME~~
L		BY
λ		BY

POSITION 1200	ZONE	~~TIME~~
L		BY
λ		BY

POSITION 2000	ZONE	~~TIME~~
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16 (CONT)
1253					TAKE IN ALL LINES.
1254					ENS [redacted] HAS ASSUMED THE CONN.
1256					UNDERWAY FROM TRIESTE ITALY, SHIFTED COLORS.
					SET RESTRICTED MANUVERING.
1258	AA 1/3		5	Ø36	RPM'S
1259				999	RPM'S FOR MANUVERING COMBINATIONS
1300	AA 1/3				RENDERED HONORS TO 3 TBD, USS BARY & USS HADFORD.
1302	NISR	225			
1304	STOY	~~229~~ 219			
1305				FWD	TUG CAST OFF AFT TUG CAST OFF
	AA 2/3		8		
	CR	223			
1307	CR	225			
	STOY	225		CK 223	
	CR	227			
	CR	229			
1309					SET AND 050° TAND. SIGTS
1310	CR	231			
1311	STOY	231		CK 228	
	CR	236			
1313	STOY	236		CK 234	
1314	RSR	274			
	CR	26			
1316	CR	279			
1317				PILOT	IS OFF BRIDGE
	CR	283			
1318	STOY	283		CK 281	
1319	CL	279			
1320				SET	COND. 1A
	STOY	279		CK	277

[redacted] (b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	A 002	0	09	R	09	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM NAPLES, IT

TO TUNIS OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
(b) (6) [redacted] 1326					SET AND DRIFT IS NEG.
1327					SET AND DRIFT ~~10.2~~ 102° AT .2 KTS
1329	AA 1/3		5	036	RPM'S
1332	R 30R	299			
1335	CR	305			
1336	STDY	305			CK 303
	ASTP				
(b) (6) 1337	AA 1/3		3	022	RPMS
1338	AA 1/3		5	036	
1344					SET AND DRIFT 305° AT .4 KTS
					SECURE FROM RESTRICTED MANOUVERING
1345	ASTP				
1347	AB 2/3			067	RPM
1348	RAMP				
1350	ASTP				
					LET GO STBD ANCHOR.
1351					ANCHORED.
					ANCHOR CHAIN TENDS UP AND DOWN
1352					15 FATHOMS AT WATERS HEAD ANCHOR TENDS UP
					AND DOWN.
1354					12 O'CLOCK MODERATE
					12 O'CLOCK LIGHT
1356					ANCHOR CHAIN TENDS UP AND DOWN
1357					ANCHOR CHAIN TENDS UP AND DOWN
					35 FATHOMS ON DECK
1358					45 FATHOMS AT WATERS EDGE
					60 FATHOMS ON DECK
1359					BRAKE SET TWO MAN TIGHT
1400					PASS RIDING STOPPER.
					2 O'CLOCK MODERATE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	00	09	B	09	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAIN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNIS OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					12-16 (CONT)
1401					CO IS OFF BRIDGE
/					SECURE FROM SEA AND ANCHOR DETAIL.
/					SET ANCHOR WATCH
1404					MAN PORT DAVIT
1406					CO IS ON THE BRIDGE
1414					CONN PROPERLY RELIEVED BY LTJG (b) (6)
1420					CONN PROPERLY RELIEVED BY ENS. (b) (6)
1421					HERO CONDITION THREE SET.
1425					ANCHOR CHAIN TEND'S 11 O'CLOCK MODERATE.
1444					CO IS OFF THE BRIDGE.
1455					CO IS ON THE BRIDGE.
1458					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
1500					12 O'CLOCK LIGHT. ANCHOR TEND'S
1555					ANCHOR CHAIN ACROSS THE STEM.
1608					ANCHOR CHAIN TEND 12 O'CLOCK LIGHT.
1601					DC CENTRAL REPORTS ALL CONDITIONS NORMAL
1618					MEDICAL EMERGENCY IN S-5 OFFICE.
1637					ENS (b) (6) HAS THE CONN.
*1500					CO IS OFF THE BRIDGE.
1638					CO IS ON THE BRIDGE.
1657					LTJG (b) (6) HAS THE OPER (b) (6) LT USNR
					(b) (6) LT USNR
					17-22
1657					ASSUMED THE DECK ANCHORED AS BEFORE
1700					SET FLIGHT QUARTERS
/					YOKE SET.
1721					CO IS ON THE BRIDGE.
1730					ANCHOR CHAIN TENDS 1 O'CLOCK LIGHT.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
		LHA	002	0	09	B	09	

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNIS ORANEA

CLASS (78)	HANDL (79)
U	/

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 45° 37.5N		BY 244
λ 013° 37.7E		BY 244

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					17 - 22 (CON'T)
1747				GREEN DECK	
1803				ANCHOR CHAIN TENDED 10 o'clock MODERATE STRAIN	
1845				DISENGAGE JACKING GEAR TEST MAIN ENGINES	
				STATION SEA AND ANCHOR DETAIL	
1911				HOUSING STOPPER TRIPPED	
1942				UNDERWAY FROM ANCHORAGE TRIESTE, IT.	
				ENERGIZED NAV LIGHTS.	
1944	L3 ON				
1946	AAHD				
	AFULL				
1947				SECURED A.A. EXCEPT BALLAST DETAIL.	
(b) (6)	~~AA 2/3~~		~~+0~~	~~068 RPMS.~~	
1948	L FULL				
1949	N3 ON				
	PA 2/3			999 RPMS. MANEUVERING COMBINATION	
	SB 1/3				
1953	SB 2/3				
	PA 1/3				
1957	PA 2/3				
	SB 1/3				
(b) (6) 2002	N3 ON	261			
~~2003~~					
(b) (6)	~~AA FULL~~				
2006	AA 2/3		10KTS	068	RPMS
2009			5KTS	036	RPMS
2011	LFR			PASS	RIDING STOPPER
2013	STOP	277			
	AA 1/3		5	036	RPMS
* 2010	ASTP				

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LH4 00.2	0	09	B	09

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNIS, TUNISIA

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					22-02 (CONT)
2154				LCDR	(b) (6) [redacted] ASSUMED THE DECK UNDERWAY
					AS BEFORE
2210					CO IS OFF THE BRIDGE
2214	LIOR	180			
2217	STDY	180			CL 180
2249	OA 1/3		10		068 RPMS
2302	OA 1/3		5		036 RPMS
2350				LCDR	(b) (6) [redacted] RETAINED THE DECK UNDERWAY
					AS BEFORE.
					(b) (6) [redacted]
					(b) (6) [redacted] LCDR, USN

N.E.G.T.R.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA		002	09B	10

USS SAIPAN

AT / PASSAGE FROM Trieste ITALY

TO TUNIS, TUNISIA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					22-02
2350					REPAINED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE LOCATION
					NORTHERN ADRIATIC SEA. SOPA AND OTC IS
					COMAMPHIBRON 4 EMBARKED IN USS SAIPAN (LHA-2)
					ENGINEERING PLANT STATUS IS AS FOLLOWS
					BOILERS #1 #2 ONLINE MAIN ENGINES
					#1 #2 ONLINE SSTG'S #1 #2 #3 ONLINE
					#4 IN STANDBY. EDG'S #1 #2 IN AUTO
					FIRE PUMPS #4 #6 ONLINE WITH #2 #3 #5
					#7 #8 IN STANDBY. MATERIAL CONDITION
					YOKE IS SET THROUGHOUT THE SHIP WITH
					EXCEPTION NOTED IN DC CLOSURE 206
					READINESS CONDITION III AND EMCON
					PLAN DELTA ARE IN EFFECT DARKEN SHIP IS
					SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					TO NAVIGATION LIGHTS. THE CO IS IN HIS
					AT SEA CABIN
2357	R15R	270			
	AA FULL		20	136	RPM's
0000	R5R	270			
0003	STDY	270		CK	271
0013	AA STD		15	099	
0014	R5°R	085			
0020	STDY ON	064			
0021	STDY	064		CK	064
	AA STD		17	113	
0025	AA FULL		20	136	
	CR	090			
0027	STDY	090		CK	091

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LAA	002	0	09	B	10	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNIS, TUNISA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CON'T)
0028	R 5°R	—			
~~0030~~	R 3°R	—			
	STDY ON	180			
0032	STDY	180		CK	181
(b) (6) 0037	AA ~~STD.~~ Full		18	120	RPM'S
0040	L 5°R	070			
0045					START SOOT BLOW.
	STDY	070		CK	073
0058					DC CENTRAL REPORTS ALL CONDITION NORMAL.
0102					SECURE SOOT BLOW.
	AA 2/3		10	068	
0103	L 5°R	—			
0111	STDY	000		CK.	001
0115					SHIFT STEERING SETS.
0132					DECK PROPERLY RELEIVED BY LTJG (b) (6)
(b) (6) ~~0135~~	~~AA 1/3~~		~~5~~	~~036~~	
					(b) (6)
					(b) (6) LCDR, USN
					02-07
0132					RELIVED THE WATCH UNDERWAY AS BEFORE
0133	AA 1/3		5	036	RPM'S
0146					CONN PROPERLY RELEIVED BY ENS. (b) (6)
0204	L 20°R	270			
0210	STDY	270		CK	270
0256					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
0414	L20R	090			
0430	STDY	090		CK	092
0647				ENS	(b) (6) HAS ASSUMED THE CONN.
0657	L20°R	270		268	PSTGC

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LN A [redacted] 070 2	0	09	B	10

USS SAIPAN

~~AT~~ PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OPAREA

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L 45°14.8		BY 24
λ 013°07.0		BY 24

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					02-07 (CONT'D)
0710				CO	IS ON THE BRIDGE
0710	STDY	270		CHK	268
0730				WATCH	PROPERLY RELIEVED BY LT [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6) USNR
					07-12
0730					RELIEVED THE ~~WATCH~~ DECK UNDERWAY AS BEFORE.
0745					COMPUTED SET AND DRIFT: 155°T AT 0.8 KNOTS.
0755					CO IS OFF THE BRIDGE.
0757					CO IS ON THE BRIDGE
0757					CO IS OFF THE BRIDGE
0830					RECEIVED DRAFT REPORT 26'9" FWD 26'9" AFT 26'9 MEAN
					1/4° LIST 41,000 DISPLACEMENT.
					COMPUTED SET AND DRIFT AS NEGLIGABLE.
* 0800					SET FLIGHT QUARTERS FOR RESPOT
0835					SET FLIGHT QUARTERS
0845					CO IS OFF THE BRIDGE.
0846					RECEIVED DAILY MUSTER REPORT
0900					COMPUTED SET AND DRIFT: 151°T AT 1 KNOT
0914					RECEIVED BOAT REPORT
					RECEIVED FUEL AND WATER REPORT
0922					CO IS ON THE BRIDGE.
0949	AA 3/3		10	068	RPM'S
	L30°R	090			
0951	AA 1/3		5	036	RPM'S
0955	STDY	090		CHK	092
1005					RECEIVED MUSTER REPORT
* 1000	L30°R	025			
1009	STDY	025		CHK	021

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	8	09	B	10	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OF AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 45 - 00.7N		BY 244
λ 012 - 03.2E		BY 244

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
1012				CO IS	OFF THE BRIDGE
1017	AA1		5	036	RPMS
1045				RECEIVED	DAILY AMMO REPORT.
1048	CR	157		155	PSTGC
1051	AAF		20	136	RPMS
1054	AAS		15	099	RPMS
1059				COMPLETED	TRANSFERING FUEL.
1137				LTJG	(b) (6) HAS THE DECK
					(b) (6) LT USNR
					(b) (6) LT USNR
					12-17
1137				ASSUMED	THE DECK UNDERWAY AS BEFORE
1212	ASN	170			
1214	STDY	170		C/S	170
1302	C/A	180		AED	DECK
1306	STDY	180		C/S	180
				GREEN	DECK.
1342				CO	IS OFF THE BRIDGE.
1344	LLON	130			
1347	STDY	130		C/S	133
1350				AWAY	SNOOPY TEAM PORT SIDE.
1427				CO ON	THE BRIDGE.
1630				ENS	(b) (6) HAS THE CONN.
1631				CO IS	OFF THE BRIDGE.
1632				CO ON	THE BRIDGE.
1643				LCDR	(b) (6) HAS THE DECK
					(b) (6) LTJG
					(b) (6) LTJG

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	10	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT/PASSAGE FROM TALESTE, IT

TO TUNSIA OPAREA

CLASS: V HANDL: 78 79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L 43° 39.1N	BY 2A	
λ 014° 26.3E	BY 2A	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22
1647					ASSUMED THE DECK UNDERWAY AS BEFORE
1736					RED DECK
1738	RSIR	146			
1740	STDY	146			CR 147
1742					GREEN DECK
1755					CO IS ON THE BRIDGE
1803					SECURE FROM FLT QTRS, FLT QTRS FOR RESPOT
1806					SECURE FROM FLT QTRS FOR RESPOT
					CO IS OFF THE BRIDGE
1851					TRANSFERING FUEL FROM STORAGE TO SERVICE
1921	AA 1/3		5	036	RPMS
1944	AA		15	099	RPMS
	RIOR	176			
1945	RAMD				
	CR	176			
1946	STDY	176			CR 176
2005	LIOR	143			
2009	STDY	143			CR 143
2019					CO IS ON THE BRIDGE
2024	ASTD		16	106	RPMS
2106					PORT RUNNING LIGHT DEGRADED, NOT AS BRIGHT AS NORMAL
2107					ENS [redacted] (b) (6) ASSUMED THE CONN
2115					CO IS ON THE BRIDGE
					CO IS OFF THE BRIDGE
2116					CO IS ON THE BRIDGE
2136					WATCH PROPERLY RELIEVED BY 1716 [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6), LCDR, USN

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
DA	LR4 002	0	09	B	10	E	V	/
1 2	3 - 4 5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

~~AT~~ PASSAGE FROM Trieste, IT

TO TUNIS OPAREA

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
1200		
L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02
2136				LTJG	(b) (6) [redacted] ASSUMED THE DECK UNDERWAY
				AS	BEFORE
2319	LIOR	112			
2326	STDY	112		CR	114 PSTR
2332	ASTD		15	0999	RPMS
2340	CL	110			
2342	STDY	110		CR	113
2355				LTJG	(b) (6) [redacted] RETAINED THE DE (b) (6) [redacted] LTJG (b) (6) [redacted] TJG, USNR

NO FURTHER ENTRIES THIS PAGE

QM2 (b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		USS	CLASS	HANDL
D A	LHA 6	0	0 9	1 3	1 1	E	SAIPAN	U	P
1 2 3 - 4	5 - 7	12	13 - 14	15	16 - 17	22		78	79

AT/PASSAGE FROM: Trieste, IT
TO: TUNIS OPARA

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					72-02 CONT
					RETAINED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE
					LOCATION NORTHERN ADRIATIC SEA CHC AND
					SOPA IS COMPAIBRON FOUR EMBARKED
					IN USS SAIPAN (LHA-2) ENGINEERING PLANT
					STATUS IS AS FOLLOWS BOILERS #1+2 ON
					LINE, MAIN ENGINES #1+2 ONLINE, SSTG'S
					#1+2+4 ONLINE, EDG'S #1+2 IN
					STANDBY IN AUTO. FIRE PUMPS #4+6 ONLINE
					#2+3+5+7+8 IN STANDBY. FIRE PUMP
					#1 IS OOC. MATERIAL CONDITION YOKE IS
					SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					NOTED IN DC CLOSURE LOG. READINESS
					CONDITION III AND EMCON PLAN DELTA
					ARE IN EFFECT. DARKEN SHIP IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS ~~NOTED IN~~ TO
					NAVIGATION LIGHTS THE CO IS IN HIS
					AT SEA CABIN.
0030					SET AND DRIFT: 285°T AT .4 KTS
0035			16		106 RPM'S
0106					SHIFTED STEERING SETS TO SET #1 STBD CABLE.
0116					LTJG (b) (6) ASSUMED THE CONN.
0132					WATCH PROPERLY RELIEVED BY LT (b) (6) (b) (6) (b) (6) LTJG, USNR
					02-07
0132					LT (b) (6) ASSUMED THE DECK UNDERWAY AS BEFORE.
0137					ENS (b) (6) ASSUMED THE CONN
0139					OTOD PALAGRUZA LIGHT SPOTTED AT 137°T.

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	4	0	09	B	11	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					02-07 (CONT'D)
0210	C/R	115			
0212	STDY	115		CK	117
0215				OTAK	SUSAC LIGHT SPOTTED, BEARING 062° T.
0225					COMMENCED TRANSFERING FUEL.
0332	R10R	129			
0334	STDY	129		CK.	130
0422	CL	110			
0425	STDY	110		CK	112
0445	R10R	140			
	AA FULL		20	136	
0448	STDY	140		CK	141
0509	L10R	129			
0510	STDY	129		CK	130
0516	AA STD		14	092	
0600	AA STD		15	099	
0626					SECURE NAVIGATION LIGHTS
0631				ENS	[redacted] HAS THE CONN
0643				WATCH	PROPERLY RELIEVED BY LT [redacted]
					[redacted] LT USNR
					[redacted] LT USNR
					07-12
0643				RELIEVED	THE DECK UNDERWAY AS BEFORE.
0710				CO	IS OFF THE BRIDGE
0716				CO	IS ON THE BRIDGE.
0717				CO	IS OFF THE BRIDGE.
0724				RECEIVED	CHRONOMETER REPORT
				RECEIVED	DRAFT REPORT: 27'0" FWD 27'0" AFT 27'0" MEAN
					0° LIST 42,000 DISPLACEMENT.
0727				RECEIVED	MEDICAL REPORT

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	11	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800 L 41°57.5N		BY 24
λ 017°35.8E		BY 24

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
0735				CO	IS ON BRIDGE
0802				RECEIVED MAGAZINE TEMPERATURES REPORT.	
0803				CO IS	OFF THE BRIDGE
0828	L10°R	125			
0830	STDY	125		CHK	127
0831	L10°R	120			
0832	STDY	120		CHK	122
0838				CO IS	ON THE BRIDGE.
				RECEIVED MUSTER REPORT	
0840				HERO	CONDITION III SET.
0841				FIRE	REPORTED IN 02-35-0-Q CHIEF'S GALLEY.
0851				ASFP	MANNED AND READY
0855				CLASS	"C" FIRE IN REFER IS OUT REFLASH WATCH IS SET
0900				CO IS	ON BRIDGE
0908				SECURED HERO CONDITION III	
0909				SECURED BECCES	
0916				CO IS	OFF THE BRIDGE.
0926				RECEIVED FUEL AND WATER REPORT.	
0936	R10°R	136			
0938	STDY	136		CHK	137
	AASTD		15	09	RPM'S
0941				CO IS	ON THE BRIDGE
1015				RECIEVED BOAT REPORT.	
1027	R10°R	149			
1030	STDY	149		CHK	151
1045				CO IS	OFF THE BRIDGE.
1051				CO IS	ON THE BRIDGE.
1054				FIRES	LIT IN #2 BOILER
1132				ENS	(b) (6) [redacted] HAS THE CONN

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1–2)	SHIP TYPE (3–4)	HULL NUMBER (5–7)	YEAR (12–13)	MONTH (13–14)	ZONE (15–16)	DAY (16–17)	E (22)
D A	LH	002	09	8	L	11	E

USS SAIPAN

~~AT~~ PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OP AREA

CLASS: U (78) HANDL: / (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L 41-14.9N		BY 244
λ 018-16.7E		BY 244

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (1–21)	ORDER (23–29)	CSE (30–32)	SPEED (33–36)	DEPTH (37–40)	RECORD OF ALL EVENTS OF THE DAY (41–77)
[redacted]					07-12 ~~12-16~~ (CONT)
1139				WATCH	PROPERLY RELIEVED BY LCDR [redacted]
					[redacted] LTJG
					[redacted] LTJG USNR
					12-16
1139				LCDR	[redacted] HAS THE DECK UNDERWAY AS BEFORE.
					[redacted] LTJG.
					[redacted] LTJG
1200				CO	IS OFF THE BRIDGE
[redacted] 1301				ENS	[redacted] HAS THE DECK.
					[redacted]
					[redacted] LCDR, USN
					12-16 (CONT'D)
1301					ASSUMED THE DECK UNDERWAY AS BEFORE
1342	AA1		5	036	RPMS.
* 1330				SET	FLIGHT QUARTERS
				COM	MENCE TRANSFERING FUEL
1350	AAFULL		20	136	RPMS.
	N10A	180			
1351	N15A	180			
1353		180		C/C	180
1357	N3A	140			
1359	STDY	190		C/C	190
1410	L3A	135			
1411	L5A	135			
1412	L3A	135			
1413	C/L	130			
1414	N10A	130			
1416	AA2		10	068	RPMS.
				COM	PLETED TRANSFERING FUEL

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TRIESTE, IT

TO TUNISIA OPAREA

CLASS	HANDL
V	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16 (CONT'D)
1422	AA STD		15	099	RPMS.
1425	CSR	100		CK	100
1438	M3M	149			
1440	M5M	149			
1441	AA2		10	068	RPMS.
1442				GREEN	DECK.
1443	STDY	149		CK	150
(b) (6) 1504				26 MEV	DEPARTED.
1509	AA ~~43~~ 1		5	056	RPMS
1523	AA 2		10	069	RPMS.
	25M	120			
1528	STDY	120		CK	122
1533	M10M	149			
1535	STDY	140			
1536	L10R	120			
1537	L10R	130		CK	132
	AA FULL		20	136	RPMS
1544	RSR	135			
1545	C/M	137			
	C/M	139			
1546	C/M	143			
1547	M5M	157			
1548	C/M	165			
1550	STDY	165		CK	167
1633				ENS	(b) (6) HAS THE CONN.
				LTJG	(b) (6) HAS THE DECK.
					(b) (6) [redacted]
					(b) (6) [redacted] FNS
					17-22

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	3	11	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT/PASSAGE FROM TRIESTE, IT

TO TUNISIA OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					17-22 (CONT'D)
1633					ASSUMED THE DECK UNDERWAY AS BEFORE
1642	AASTD		13	085	RPMS,
1644	AAFULL		20	136	RPMS,
1658	AA1		5	036	RPMS
	CSR				
1701	C3R				
1703	C10R	350			
1704					CO OFF THE BRIDGE
	C20R				
1706	AA1		3	022	RPMS
1707	AA2		8	054	RPMS
1708	AA1		3	022	RPMS
1710					CK ~~315~~ 345
1727					CO IS ON THE BRIDGE.
1740					26 MEN RETURNED
1748					CO IS OFF THE BRIDGE
1751	AA1/3		4	029	RPMS
1803	R20R				
1805	R15R	140			
1809	STDY	140			CK 143
	CR	150			
1810	STDY	150			CK 143 PSTGC
1827	R10R	180			
1830	AAFULL		~~20~~ 18	120	RPM
	STDY	180			CK 182
1836	AASTD		17	113	RPMS
1842	AAFULL		20	136	RPMS
1845					CO IS ON THE BRIDGE
1900					OBSERVED SUNSET NAV LIGHTS ENERGIZED
1913	AAFULL		21	144	RPMS

(b) (6) [redacted]

(b) (6) [redacted]

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	L [redacted] 002	0	09	B	11

USS SAIPAN

~~AT~~ PASSAGE FROM Trieste, IT

TO TUNIS CARGO

CLASS / HANDL: U

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 39° 52.8N		BY
λ 019° 02.9E		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18-21	ORDER 23-29	CSE 30-32	SPEED 33-36	DEPTH 37-40	RECORD OF ALL EVENTS OF THE DAY 41-77
					17-22 (CONT)
1917	AA FULL		22	151	RPMS
(b) (6) [redacted] 1945 ~~2045~~					NAVIGATE CONFIGURED FOR NVG OPS NOT IAW
					RULES OF THE ROAD
2003					CO IS OFF THE BRIDGE
2047					TRANSFERING FUEL FROM STORAGE TO SERVICE
2050					CO IS ON THE BRIDGE
2100	AA 2/3		8	054	RPMS
	R10R	345			
2103	R3R	345			
2105					CO IS OFF THE BRIDGE
(b) (6) [redacted]	AA 1/3		43	029	RPMS
	STDY	345		340	PSTGE
2132					SECURE FROM TRANSFERING FUEL
					ENS (b) (6) [redacted] ASSUMED THE CONN
					LT (b) (6) [redacted] ASSUMED THE DECK
					(b) (6) [redacted]
					(b) (6) [redacted]
					22-02
2132					LT (b) (6) [redacted] ASSUMED THE DECK UNDERWAY
					AS BEFORE
2352					SECURE FLIGHT QUARTERS.
					NAVIGATION LIGHTS AR IAW RULES OF THE ROAD
2354	CL	183			
2355	AA STD		13	085	
					CO IS OFF THE BRIDGE
2359					RETAINED THE D (b) (6) [redacted]
					(b) (6) [redacted] LT USNR
					LT USNR

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM Trieste, IT

TO TUNIS OPAREA

CLASS: U (78) HANDL: / (79)

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					22-02 (CONT)
2359					RETAINED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT Deployment Schedule
					ON STATION IN SOUTH ADRIATIC SEA SOPA
					AND OTC IS COMPHIBRON FOUR EMBARKED IN
					USS SAIPAN (LHA 2) ENGINEERING PLANT STATUS
					IS AS follows BOILERS #1+2 ONLINE
					MAIN ENGINES #1 #2 ONLINE SSTG'S #1 #3 #4
					ON LINE EDG #1 #2 IN STANDBY AUTO START
					FIRE PUMPS #4 #5 ONLINE #2 #3 #6 #7 #8
					IN STANDBY MATERIAL CONDITION YOKE IS SET
					THROUGHOUT THE SHIP WITH EXCEPTIONS NOTED
					IN DC CLOSURE LOG. READINESS CONDITION III
					AND FALLEN PLAN DELTA ARE IN EFFECT.
					DARKEN SHIP IS SET THROUGHOUT THE SHIP
					WITH EXCEPTIONS TO NAVIGATIONAL LIGHTS
					THE CO IS OFF THE BRIDGE
0000	STDY	123		CK	120°
0014	AH 1/3		5	036	
0015					CONDUCTING STEERING CHECKS.
0033	AH STD		15	099	
0034					STEERING CHECKS SAT
0126					CONN PROPERLY RELIEVED BY ENS [redacted] (b) (6)
0127	AH STD.		13	085	
0206					DECK PROPERLY RELIEVED BY LT/JG [redacted] (b) (6)
					[redacted] (b) (6) LT USNR
					[redacted] (b) (6) LT USNR
					02-07
0206					RELIEVED THE WATCH UNDER WAY AS BEFORE.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LA	02	0	09	B	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM TRIESTE, ITALY

TO TUNIS OPAZIA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800 L 37°54.4N	BY 24	
λ 018°50.4E	BY 24	

POSITION	ZONE	TIME
1200 L	BY	
λ	BY	

POSITION	ZONE	TIME
2000 L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					02-07 (CON'T)
0225	CR	190			
0227	STDY	190		CK	187
	CR	195			
0229	STDY	195		CK	195
	CR	200			
0231	STDY	200		CK	196
0246	CL	190			
0249	STDY	190		CK	186
0332	CL	185			
	STDY	185		CK	183
0343	CL	180			
0345	STDY	180		CK	176
0600	AA 2/3		12	079	RPMS
0624					OBSERVED SUNRISE. NAV LIGHTS SECURED.
0629					CO IS ON THE BRIDGE.
0632					ENS (b) (6) HAS ASSUMED THE CONN.
0639					WATCH PROPERLY RELIEVED BY LCDR (b) (6)
					(b) (6) LTJG
					(b) (6) LTJG
0639					RELIEVED THE DECK UNDERWAY AS BEFORE.
0640	AA 2/3		9	060	RPMS
0700	R15	200			PSTGC
0703	STDY	200		CHK	198
0706	AA 2/3		11	073	RPM'S
0710					RECEIVED DAILY BINNACLE REPORT
0710					RECEIVED DAILY CHRONOMETER REPORT
0800					RECEIVED DRAFT REPORT 26'6" FWD 26'6" AFT 26'6" MEAN 0° LIST
					48 500 DISPLACEMENT.
					COMMENCED TRANSFERRING FUEL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OP AREA

CLASS: U / HANDL: 78 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
0812					SECURED STREAMING NIXIE
0815	AASTD		15	099	RPM's
	L5°R	195			
0816	STDY	195		CHK	192
(b) (6) 0828					RECEIVED ~~DRAFT~~ MUSTER REPORT
0821	C/R	197		195	PSTEC
0842					FLIGHT DECK REPORTED ALL SECURE.
0845					CO IS OFF THE BRIDGE.
					COMMENCED STEERING CHECKS.
0846					CO IS ON THE BRIDGE.
0848	L10°R	197			COMPLETED STEERING CHECKS; CHECKED SATISFACTORY.
0854	STDY	197		CHK	194
					COMPLETED TRANSFERRING FUEL.
0904	AASTD		15	102	RPM's
0907					CO IS OFF THE BRIDGE
0918					RECEIVED FUEL AND WATER REPORT.
0934					FLIGHT DECK ALL SECURE
1000					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1005	AASTD		15	099	RPM's
1007					RECEIVED BOAT REPORT.
1017	AASTD		15	102	RPM's
1054					CO IS OFF THE BRIDGE
1102					CO IS ON THE BRIDGE.
1109	R10°R	220			
	AAFULL		18	120	RPM's
1110	STDY	220	CHK	217	
1117	L3°R	205			
(b) (6) 1119	STDY	~~22~~ 205		CHK	203
1123				CO IS	ON THE BRIDGE
1127	AASTD		15	099	RPM's

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L 37°11.0N		BY DH
λ 018°37.0E		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					~~07~~ 07-12 (CONT)
1129	L10°R	170			
1130	AASTD	~~0~~	13	085	RPM's
	STDY	170			
	C/L	160			
1131	L10°R	060			
1133	L5°R	060			
1135	AASTD		15	099	RPM's
	STDY	010		CHK	055
	C/L	045			
1136	L5°R	035			
	AASTD		13	085	RPM's
1138	STDY	035		CHK	030
	AASTD		15	099	RPM's
1143	C/L	030			
1144	L10°R	015			
1145	STDY	015		CHK	009
1146	AA2/3		12	079	RPM's
1149	L5°R	010			
	AASTD		14	092	RPM's
1150	STDY	010		CHK	005
1151	C/L	005			
1152	STDY	005		CHK	359
	C/L	000			
1153	STDY	000		CHK	354
	C/L	355			
1155	CL	345			PSTGC
1156	CL	347			PSTGC
1158	STDY	347		CK	347
1200	AASTD		13	085	

(b) (6)

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CON'T)
1205					DECK PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6) LCDR, USN
					12-16
1205					RELIEVED THE DECK UNDERWAY AS BEFORE.
1208					CONN PROPERLY RELIEVED BY ENS [redacted] (b) (6)
	AA STD		14	092	RPMS
1213	AA STD		13	090	RPM
1217	AA STD		13	088	
1221	AR FULL		17	120	RPM'S
	C L	343			
1226	C R	345			
1227	STDY	345		CK	341
1229	C L	344			
1229	STDY	344		CK	341
1230	C R	347			
	STDY	343		340	
1230	C/L	342			
1233	STDY	347			
1234		346			
	C/L	345			
1235	C/L	343			
1237	C/L	341		SET	NES TAILTED MANUVERING.
	C/R	343			
1238	AHSTD			080	RPM
	C/R	345		ALONGSIDE USNS SATURN BASE COURSE / BASE SPEED	
				345°T AT 13/KTS. WITH VARIOUS MINOR RPM & COURSE	
				CHANGES.	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	13	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM TRIESTE, IT

TO TUNISIA OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12 - 16 (CONT'D)
1305					TENSIONED SPAN WIRE STATION 3.
					TENSIONED HIGH LINE.
1308	C/R	344.5			
1310	STDY	344.5			
1312	STDY	344		090	RPMS
1314				081	RPMS.
1315	STDY	343.5			
1316	STDY	344			
1318	STDY	344.5			
1319				090	RPMS.
1321	STDY	344			
		343.5			
(b) (6) [redacted] 1322				081	RPMS.
1323		344			
1325				090	RPMS.
1326	STDY	343.5			
1328				081	RPMS.
				ENS	(b) (6) [redacted] HAS THE CONN.
1330	STDY	344			
1332				090	RPMS.
1336				091	RPMS.
1338		343.5			
1339				090	RPMS.
1341		344			
1342				081	RPMS.
1345				090	RPMS.
1347		343.5			
1349				081	RPMS.
1351		344			
1352				ENS	(b) (6) [redacted] HAS THE CONN.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~ATH~~ PASSAGE FROM TRIESTE, IT

TO TUNISIA CRANEA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16L CONT'D
1355				090	RPMS.
1357		343.5			
1359				091	RPMS.
1404		344			
1410				090	RPMS.
1413				091	RPMS
1414		343.5			
1417				ENS	(b) (6) HAS THE CONN.
1422		344			
1428				090	RPMS
1429		343.5			
1434		343			
1436		343.5			
				091	RPMS
1437		344			
1441				090	RPMS.
1442		343.5			
1443				091	RPMS.
1444				LTJG	(b) (6) HAS THE CONN
1445		344			
1446				090	RPMS.
1447		343.5			
1448		343		091	RPMS.
1450		343.5			
				092	RPMS.
1451		344			
1452				091	RPMS.
1454		343.5			
(b) (6) 1455		344			
~~1500~~	~~OC~~				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A L H A	002	0	0 9	B	12

E

USS SAIPAN

AT / PASSAGE FROM TRIESTE, IT

TO TUNISIA OPAREA

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					1216 (CONT'D)
1500	C/L	343.5			
	STDY	343.5		092	RPMS
1503	C/R	344			
1504	STDY	344			
1507				091	RPMS
1508	CL	343.5			
	STDY	343.5			
1510				ENS.	(b) (6) [redacted] HAS THE CONN.
				092	RPMS
1512				091	RPMS
1514	CR	344			
	STDY	344			
1517				COMMENCE EMERGENCY BREAK AWAY DRILL	
	CL	343.5			
	CL	343			
1518	STDY	343			
1519				STANDBY TO DETENSION MIDSHIPS	
			~~092~~	092	RPMS
1521	CL	342			
	CL	341			
	STDY	341			
1522	CL	340			
	STDY	340			
	CL	339			
	STDY	339			
1523	CL	337			
1524	STDY	337			
1524	CL	335			
1525	STDY	335			
1525	CL	330			

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TRIESTE, IT

TO TUNISIA, OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT'D)
	STDY	330			
				093	RPMS
1526				091	RPM
	CR	340			
1527	CR	343			
1528	STDY	343			
1530				093	RPM.
				SECURE FROM RESTRICTED MANEUVERING	
				SECURE FROM MUREP DETAIL	
(b) (6) 1533				LT 13 ~~HAS THE DECK.~~	(b) (6) [redacted] (b) (6) [redacted] HE DECK.
					(b) (6) [redacted] ITER
					STS, USNR
					16-18
1533				ASSUMED THE DECK UNDERWAY AS BEFORE	
1530	CR	345			
			090	RPMS	
	STDY	345			
(b) (6) 1538				QMC	(b) (6) [redacted] HAS THE CONN
	PA 1/3		085	0 360	RPM
1540					
1545	AASTO		15	099	RPMS
	LUR	180			
1554	STDY	180		CK	179
1557			13	085	RPMS.
1649				AZIMUTH COMPUTED AS 0.2°E ERROR.	
1713			14	098	RPM'S
1723				YORE	SET THROUGHOUT THE SHIP.
1725	RUDR	200			
1727	STDY	200		CK 197 PSTGC	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 002	0	0 9	B	1 2

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17

E 22

USS SAIPAN

~~AT~~ / PASSAGE FROM Trieste, IT

TO TUNIS OPAREA

CLASS HANDL 78 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 36°40.9N		BY 24
λ 017°27.7E		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					16-18 (CONT)
1730				ENS	(b) (6) [redacted] ASSUMED THE CONN
1733					WATCH Properly Relieved By LCDR (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted]
					18-20
1733					LCDR SANFORD ASSUMED THE DECK UNDERWAY
					AS BEFORE
1814					LTJG (b) (6) [redacted] ASSUMED THE CONN
1821					ENS (b) (6) [redacted] ASSUMED THE CONN
1825					CO IS OFF THE BRIDGE
1900					RETARDED SHIPS CLOCKS 1 HOUR TO CONFORM
					WITH TIME ZONE -1A
1840					OBSERVED SUNSET NAV LIGHTS ENERGIZED
					CO IS ON THE BRIDGE
1854					LIGHTING CONFIGURATION CHANGED TO SUPPORT NVG
					OPERATIONS STBD LIGHT ILLUMINATED, BLUE
					STERN LIGHT ENERGIZED ALL OTHER LIGHTS OUT.
					NOT IAW THE RULES OF THE ROAD.
1931					ENS (b) (6) [redacted] ASSUMED THE CONN
					WATCH Properly Relieved By LTJG (b) (6) [redacted]
					(b) (6) [redacted]
					20-24
1931					LTJG (b) (6) [redacted] ASSUMED THE DECK UNDERWAY AS Before
1950					CO IS OFF THE BRIDGE
2023					CO IS ON THE BRIDGE
2027					CO IS OFF THE BRIDGE
2031					RED DECK

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 007	09	09	A	12

USS SAIPAN

AT/PASSAGE FROM Trieste, IT

TO TUNIS OPAREA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					20-24 (CONT)
2052	R10R	251			
					CO IS ON THE BRIDGE
2055	STDY	251			CK TYG POTOL
					GREEN DECK
2200					SECURE FROM FLT QTRS, FLT QTRS FOR RESPOT
					NAVIGATION LIGHTS ARE IAW RULES OF ROAD
	AASTD		15	099	RPMS
2206					CO IS OFF THE BRIDGE
2211					SECURE FROM FLT QTRS FOR RESPOT
2219					TRANSFERING fuel FROM STORAGE TO SERVICE
2227					CO IS ON THE BRIDGE
2231					CO IS OFF THE BRIDGE
* 2230					COMMENCE DUMPING TRASH
2307					SECURE FROM DUMPING TRASH
2310	AAFULL		18	120	RPMS
2321					COMPLETED TRANSFERING fuel
2332					ENS [redacted] (b) (6) ASSUMED THE CONN
2337					WATCH PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) UDC
					[redacted] (b) (6) LTJG

NFETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
D A	LHA 002	0	09	A	13	E	U	/
1 2 3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / PASSAGE FROM Trieste, IT

TO TUNUS OPAREA

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
1200 L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					00-04
2337					ASSUMED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE
					ON LOCATION IN THE IONIAN SEA. SOPA
					AND OTC IS COMPHIBRON FOUR EMBARKED
					IN USS SAIPAN (LHA-2) ENGINEERING PLANT
					STATUS IS AS FOLLOWS. BOILERS #1 #2 ONLINE
					#1 #2 MAIN ENGINES ONLINE SSTG'S #1 #3 #4
					ONLINE, EDG'S #1 #2 IN STANDBY IN
					AUTO START. FIRE PUMPS #4 #5 ON LINE
					FIRE PUMPS #2 #3 #6 #7 #8 IN STANDBY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS NOTED IN THE
					DC CLOSURE LOG. READINESS CONDITION IV
					AND EMCON PLAN DELTA ARE IN EFFECT
					DARKEN SHIP IS SET THROUGHOUT THE SHIP
					WITH EXCEPTIONS ~~NOTED~~ TO NAVIGATIONAL
					LIGHTS. THE CO IS IN HIS AT SEA CABIN
2339	C/L	250			
2340	STDY	250		CB	248
2345	AASTD		17	117	RPM's
2353	AAFULL		18	120	RPM's
0005				122	RPM's
0140					SHIFTED STEERING SETS TO SET #1, STBD CABLE.
0202			18	120	RPM's
0210					COMMENCED DUMPING METAL OFF STBD SIDE. 36°18.1'N; 016°09.4'E.
0214					SECURED DUMPING METAL.
0220					FLIGHT DECK SECURED.
0235			18	122	RPM's
0300					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE LH (3-4)	HULL NUMBER 002 (5-7)	YEAR 0 (12)	MONTH 09 (13-14)	ZONE A (15)	DAY 13 (16-17)	E (22)

USS SAIPAN

AT / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OPAREA

CLASS / HANDL (78-79): U

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					00 - 04 (CONT)
0302	CR	270			
0308	AA FULL		18	124	
0311	AA FULL		18	123	
					FLT DECK ALL SECURE.
0330	L10R	240			
	L5°R	240			
0332	STDY	240		CK	239
0337	AA FULL		20	136	
0343					DECK PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					LT [redacted] (b) (6) HAS THE DECK U.T.
					[redacted] (b) (6) (b) (6) LCDR, USN
					04 - 08
0343					RELIEVED THE DECK UNDERWAY AS BEFORE.
0345	AA STD		16	106	
0355					CONN PROPERLY RELIEVED BY ENS [redacted] (b) (6)
0437	R5°R	270			
0441					TRANSFERRING FUEL.
0444	R5°R	291			
0446	STDY	291		CK	291
0447	AA STD		15	099	RPMS
0506	R5°R	320			
0509	STDY	320		CK	318
0525	L5R	291			
0526					SECURE TRANSFERING FUEL.
0528	STDY	291		CK.	291
0554					SECURE NAVIGATION LIGHTS.
0555					DC CENTRAL REPORTS ALL CONDITION NORMAL.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	0	09	B	13

USS SAIPAN

AT / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN, OPAREA

E

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME
L 36°21.1N		BY 2,4
λ 014°31.5E		BY 2,4

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					04-08 (CON'T)
0630					CO IS ON THE BRIDGE.
0633					CO IS OFF THE BRIDGE.
					CO IS ON THE BRIDGE.
0635					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6) [redacted] (b) (6) ~~LCDR~~
					John W. Moore, LCDR USNR
					08-12
0635					RELIEVED THE DECK UNDERWAY AS BEFORE.
					OMC [redacted] (b) (6) HAS ASSUMED THE CONN.
0641					RECEIVED CHRONOMETER REPORT.
0656					BLACK SMOKE REPORTED FROM FWD STACK.
0657					STACK REPORTED CLEAR.
0703					GREEN RANGE
0712					ELECTRICAL RECONFURATION: #2 AND #3 SSTG, #2 EDG
0727	R00°R	300			
0730	STDY	300		CHK	298
0734	L00°R	291			
0737	STDY	291		CHK	
0749					ELECTRICAL RECONFIGURATION: #1, #2, #3 SSTG's.
0752					LOCKED SHAFT MAX SPEED AVAILABLE 18 KNOTS STBD SHAFT, SIMULATED.
0756					CO IS ON THE BRIDGE.
0831					COMMENCE ~~G~~ GENERAL QUARTERS DRILL.
0837					LT [redacted] (b) (6) HAS THE CONN
0838					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6) [redacted] (b) (6) [redacted] (b) (6)
0847					CO IS ON THE BRIDGE
0853					CO IS OFF THE BRIDGE
0924					SET 087 °T AT 2 KTS DRIFT

[redacted] (b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	13	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM TRIESTE, ITALY

TO TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 36-36.8N		BY 244
λ 013-46.8E		BY 244

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					08-12 (CONT)
0945	CL	280		279	PSTGC
1000	RSR	291		291	PSTGC
1021	AA2		10	000	RPMS
1023	RSR	300		299	PSTGC
1027				CO IS	ON THE BRIDGE
1030				WATCH	PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6) ~~LTJG~~
					[redacted] (b) (6) LTJG USNR
					08-12 (CONT)
1030				LTJG	[redacted] (b) (6) HAS THE DECK, UNDERWAY AS BEFORE
1030				FLIGHT	QUARTERS
1032	AA2		08	054	RPMS
1117	AA1		03	022	RPMS
1120				SET	089°T AT 2 KTS DRIFT
1135				ENS	[redacted] (b) (6) HAS THE CONN
1135				WATCH	PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6)
(b) (6) [redacted]					[redacted] (b) (6) LTJG USNR
					12-16
1135				LCDR	[redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
1200				CO IS	ON THE BRIDGE
1353				CO IS	OFF THE BRIDGE.
1458	R30R	320		NEW	DECK
1500	AA1		5	036	RPMS
	SAS6	317			
1503	STDY	317		CIS	314
1507				GREEN	DECK
1508				NEW	DECK
1509	L15A	300			
	L30A	300			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	13	

USS SAIPAN

AT/PASSAGE FROM TRIESTE, IT

TO TUNISIA OPAREA

CLASS	HANDL
U	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT'D)
1511	STDY	300		CK	298
					GREEN DECK.
1527					TRANSFERING FUEL.
1533					ENS. [redacted] HAS THE CONN
1547					WATCH PROPERLY RELIEVED LTJG [redacted]
					[redacted]
					16-18
1547					RELIEVED THE DECK UNDERWAY AS BEFORE.
1553					CO IS ON THE BRIDGE.
1601					CO IS OFF THE BRIDGE
			3	022	RPMS 26 MEU DEPARTED.
1651					CO IS ON THE BRIDGE
1706	P30P	320			
1712	STDY	320		CK	318
1714			5	036	RPMS.
1716			7	048	RPMS.
1718	AASTD		15	099	RPMS
1725					26 MEU WE TURNED
1726	AAFULL		18	120	RPMS
1733	LSR	298			
1735	STDY	298		CK	291 PSTGE
1741				ENS	[redacted] ASSUMED THE CONN
	AA 1/3		5	036	RPMS
1742	R10R	320			
	AAFULL		18	120	RPMS
	SAS6	315			
1743	L3R	310			
1746					GREEN DECK
	STDY	310		CK	318 PSTGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
LHA	002	09	A	13	

D A (1 2) E (22)

USS SAIPAN

AT/PASSAGE FROM Trieste, IT

TO TUNIS OPAREA

CLASS U HANDL I (78 79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					1678 (CONT)
1748				WATCH	PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) LTJG
					[redacted] (b) (6) LTJG
					18-20
1748				LCDR	[redacted] (b) (6) ASSUMED THE DECK UNDERWAY AS BEFORE
1749					CO IS OFF THE BRIDGE
1800					DC CENTRAL REPORTS ALL NORMAL
					IRD DECK
	L3R	298			
1802	L3R	270			
1805					CO IS ON THE BRIDGE
	STDY	270			CIL 769 PSTGC
1816					OBSERVED SUNSET NAV LIGHTS ENERGIZED
1825					SECURE FROM FIT QTRS FIT QTRS FOR RESPOT
1827	CR	275			
1830	STDY	275		274	PSTGC
1849	L10R	265			
1851	STDY	265		261	PSTGC
	L5R	305			
1853	RAMD				
	R10R	305			
1854	R5R	305			
1855					CO IS OFF THE BRIDGE
1856	CR	310			
1901	STDY	310		310	PSTGC
1907				ENS	[redacted] (b) (6) ASSUMED THE CONN
1916	AA 2/3		10	060	RPMS
1935				WATCH	PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	[redacted] 002	09	A	13	

E

USS SAIPAN

AT / PASSAGE FROM Trieste, IT

TO TUNIS, OPAREA

CLASS / HANDL: U /

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 37°02.7N		BY 24
λ 017°50.0E		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					18-20 (cont)
					[redacted], LCDR, USN
					20-24
1946				1706	[redacted] ASSUMED THE DECK UNDERWAY AS BEFORE
2000	AASTD		16	106	RPMS
2102	AAF		18	120	RPMS
2112					NAVIGATION SHIFT CHARTS TO 52180
*2104					DARKENED SHIP SET
2149	CL	270			PSTGC
2200					CO IS OFF THE BRIDGE
2225	AA2		10	068	RPMS
2246	AAFULL		18	120	RPMS
2252	CR	274		272	PSTGC
2351					WATCH PROPERLY RELIEVED BY ATTC [redacted]
					[redacted] LT, USN
					NFETP

[redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	L4A 2	Ø	Ø9	A	14

USS SAIPAN

~~AT~~ / PASSAGE FROM ADRIATIC SEA

TO CAP SERRAT, TUNISIA

E

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					ØØ - Ø4
2331					STEAMING IAW COMSIXTHFLT DEPLOYMENT
					SCHEDULE ENROUTE FROM STRAITS OF SICILY
					TO CAP SERRAT, TUNISIA. OTC IS COMPHIBRON
					4 EMBARKED IN USS SAIPAN. ENGINEERING STATUS
					IS AS FOLLOWS. # 1, # 2 MAIN ENGINES ONLINE
					# 1, 2 BOILERS ONLINE # 1, 2, 3 SSTG'S
					ONLINE. WITH # 1, 2 EDG IN AUTO START
					WITH # 4, 5 FIRE PUMPS ONLINE. MATERIAL
					CONDITION YOKE IS SET READINESS CONDITION
					IV EMCON PLAN DELTA IS IN EFFECT.
					STEERING SET 1 STBD CABLE, AND THE AUX
					GYRO IS ONLINE. THE SHIP IS DARKENED WITH
					THE EXCEPTION OF NAVIGATION LIGHTS IAW
					THE RULES OF THE ROAD.
2332					QMC (b) (6) HAS THE CONN
0000	ASN	282			
0001	STDY	282		C/C	281
0006					SHIFTED TO SET 2 PORT CABLE.
0017	AA1		5	036	RPMS.
0021					COMMENCED STEERING CHECKS.
0023					COMMENCED TRANSFERING FUEL.
0031	AAFULL		18	128	RPMS.
	NIOA	282			COMPLETED STEERING CHECKS, TEST SAT.
0034	STDY	282		C/C	281
0103					COMPLETED TRANSFERING FUEL.
0115					SIGHTED LIGHT AT POS 37°-26.7N 011°-12.2E ATA
					BEARING OF 176°T.
0124	LSA	270			
0127	STDY	270		C/C	268

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	0	09	A	14

USS SAIPAN

AT/PASSAGE FROM TRIESTE IT

TO TUNISIA OPAREA

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					00-04 (CONT)
0142	NSR	285			
0144	STDY	285		CK	284
0216			18	120	RPMS
0218	LSR	280			
0220	STDY	280		CK	280
0239	RSR	285			
0241	STDY	285		CK	284
0256				DC CENTRAL REPORTED ALL CONDITIONS NORMAL.	
0325	LSR	270			
0326	STDY	270		CK	268
0331				ENS (b) (6) ASSUMED THE CONN.	
0338				WATCH PROPERLY RELIEVED BY LCDR (b) (6) (b) (6)	
					(b) (6)
					04-07
0338				ASSUMED THE DECK UNDERWAY AS BEFORE	
0340	AAFULL		19	128	RPM'S
0349	RSR	290			
	CIR	305			
	SAS6	302			
0351	STDY	302		CK	300
0358				DC CENTRAL REPORTED ALL CONDITIONS NORMAL	
0404	LSR	295			
0406	CIR	280			
	SAS6	294			
0407	STDY	294		CK	294
0416	LSR	270			
0419	STDY	270		CK	269
0510	CIL	265		CK	263

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LH	070.2	0	09	A	14

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, ITALY

TO TUNISIAN OP AREA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L 37° 22.2 N	BY 24	
λ 009° 17.4 E	BY 24	

POSITION	ZONE	TIME
1200 L	BY	
λ	BY	

POSITION	ZONE	TIME
2000 L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					04-07 (CONT'D)
0529	LSR	245			
	SAS6	261			
0530	LSR	243			
0531	STDY	245		CK	242
0607	LSR	229			
0609	STDY	229		CK	226
0614	AAFULL		18	120	RPM'S
0616				CO	IS ON THE BRIDGE.
					OBSERVED SUNRISE NAV LIGHTS SECURED.
0632	C/R	235		231	PSTGC
0634				ENS	(b) (6) HAS THE CONN
0643					WATCH PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6)
					(b) (6) LCDR USN
					07-12
0643				LTJG	(b) (6) HAS THE DECK UNDERWAY AS BEFORE
0649	CR	240			PSTGC
0652	AA1		5	036	RPMS
0715	R10	060			PSTGC
0715	AA2		10	068	RPMS
0719	CR	090			PSTGC
0722	STDY	080		078	PSTGC
	AA1		5	036	RPMS
0735	RFR	185			PSTGC
0739	STDY	180			PSTGC
0741	AA2		12	079	RPMS
0748	AA1		5	036	RPMS
0749				RECEIVED	DAILY DRAFT REPORT DRAFT FWD 26' DRAFT
				AFT	26' FT MEAN 26' FT DISPLACEMENT 29,000
				TONS	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LH	A 2	Ø	Ø9	A	14

E

USS SAIPAN

~~AT~~ / PASSAGE FROM TRIESTE, IT

TO TUNISIA OPAREA

CLASS / HANDL: U

POSITION	ZONE	TIME
0800 L 37°20.2N		BY 2,4
λ 009°17.4E		BY 2,4

POSITION	ZONE	TIME
1200 L 37°21.7N		BY 2,4
λ 009°20.0E		BY 2,4

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					Ø7-12 (CONT)
Ø755				YOKE	IS SET
Ø759				CO	IS OFF THE BRIDGE
Ø841				CO	IS ON THE BRIDGE.
Ø842	RFR	Ø9Ø			PSTGC
Ø843	LFR	Ø9Ø			PSTGC
Ø85Ø	CR	Ø95			PSTGC
Ø857	CR/STDY	Ø9Ø		Ø88	PSTGC
Ø915	LFR	27Ø			PSTGC
Ø921				RECEIVED AMMUNITIONS REPORT.	
Ø926	STDY	27Ø		CHK 269	
Ø927				RED DECK	
Ø928	C/L	26Ø			
Ø929	SASL	268			
	C/R	265			
Ø939				CO IS	OFF THE BRIDGE
*Ø945	STDY	265		CHK	264 GREEN DECK.
Ø945				RECEIVED BOAT REPORT.	
Ø949				CO IS	ON THE BRIDGE.
Ø957				CO IS	OFF THE BRIDGE.
				CO IS	ON THE BRIDGE.
Ø958				DC CENTRAL REPORTED ALL CONDITIONS NORMAL.	
1ØØ1	R3ØØR	Ø25			
(b) (6) [redacted] ~~1003~~	~~C/R~~	~~Ø22~~			
1Ø11	STDY	Ø25		CHK	Ø2Ø
Ø93Ø				CONDUCTED BALLAST BRIEF.	
(b) (6) [redacted] ~~1016~~ 1016				CO IS	OFF THE BRIDGE.
1128				ENS (b) (6) [redacted]	HAS RELIEVED THE CONN.
1137				CO IS	ON THE BRIDGE
1143				WATCH	PROPERLY RELIEVED BY LCDR (b) (6) [redacted]
					(b) (6) [redacted] CJS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH[redacted]	[redacted]002	0	09	B	14	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TWISIAN OP AREA

TO

CLASS	HANDL
V	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 37-21.4N		BY 2+4
λ 008-19.5 E		BY 2+4

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-12 (CONT)
					[redacted] (b) (6) CTJ9
					12-16
1143				LCDR	[redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE
1158				DL	CENTRAL REPORTED ALL ~~LANDING~~ CONDITIONS NORMAL
1203	FMISN	217			
	AA2		10	068	RPMS
1204	NORON	217			
1211	AA1		7	042	RPMS.
1214	STOY	217		C/S	217
1231					MAN QUICK SILVER TEAM.
1256	LISN	090			
1257					SECURED FROM QUICK SILVER TEAMS.
1302				SET	CONDITION LA.
				DL	CENTRAL REPORTED ALL CONDITIONS NORMAL
			3	022	RPMS
1306	STOY	090		C/S	092
			2	015	RPMS.
1313				CO IS	OFF THE BRIDGE.
1315				CO IS	ON THE BRIDGE.
1322				STERN	GATE UP & LOCKED
				COMMENCED	BALLASTING.
1340				GREEN	HULL
1405				RED	DECK
1406	LZDR	270			
	AA1		5	036	RPMS.
1408	AA2		8	054	RPMS.
1410		295	5	036	RPMS.
1414	AA2		8	054	RPMS.
1416	AA1		5	036	RPMS.

[redacted] (b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	14	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNSIAIN

~~TO~~ OPAREA

CLASS: U HANDL: /
78 79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16 (CONT'D)
1418	AA1		3	022	RPMS.
					GREEN DECK.
1420	STOP	285		CK 284	
1421					CEASE DEBALASING SET ASSULT DRAFT.
1439					CO IS OFF THE BRIDGE.
1441					CO IS ON THE BRIDGE.
*1515					SET CONDITION 1 ALPHA
1521					CONDITION 1 ALPHA MANNED AND READY
1525	L30R				
1526	AA2		8	054	RPMS.
1533	AA1		5	036	RPMS
1534	L30A	080		CK 025	
(b) (6) 1536	AA1/2	~~022~~	3	022	RPMS
			2	015	RPM
1537					COMMENCE DEBALLASTING
(b) (6)	AA1/3		3	022 ~~022~~	RPM
	~~AA1/3~~				SET ~~EDAF~~ EDATF ALERT 15
1541			2	015	RPM
					ENS (b) (6) HAS RELIVED THE CONN
1545					LTJG (b) (6) HAS THE DECK
(b) (6) ~~1600~~					(b) (6)
					(b) (6) LCDR, USN
1600					CO IS OFF THE BRIDGE
					LTJG (b) (6) HAS THE DECK, UNDERWAY AS BEFORE
1603					CO ON THE BRIDGE
1609					GREEN WELL
1652					COMMENCE DEBALLASTING
1706	L40R				
1705	AA2		8	054	RPMS.
	L25A				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	0	09	A	14

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISAIAN

TO OPAREA

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					16 - 18 (CONT)
1708	L20R				
	AA1		5	036	RPMS
	L15R	335			
1713			3	022	RPMS
1714	STDY	335		CK	336
1714			4	029	RPMS
1715			3	022	RPMS
1729					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6) ~~LTJG~~
					[redacted] (b) (6) LTJG, USNR
					18-20
1729					LTJG [redacted] (b) (6) ASSUMED THE DECK UNDERWAY AS BEFORE
					QMC [redacted] (b) (6) ASSUMED THE CONN
1738					SECURE FROM 1A
					GREEN DECK
1750					SECURE FROM FLT QTRS
1753					CO IS OFF THE BRIDGE
1756	AA 2/3		8	054	RPMS
	R15R	000			
1802	STDY	000		CK	357 PSTBC
1810	AA 1/3		4	029	RPMS
1813	AA 1/3		3	022	RPMS
1816					RECIEVED DRAFT REPORT 27'6" FWD 27'6" AFT
					27'6" MEAN 0° LIST DISPLACEMENT 42,500 TAKEN
					AT 1750 BY DC3 [redacted] (b) (6)
1837	AA 2/3		10	068	RPMS
	CL	350			
1838	STDY	350		CK	346 PSTBC
1907	L20R	020			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	0	09	A	14

USS SAIPAN
AT ~~PASSAGE FROM~~ TUNIS
~~TO~~ OPAREA

E

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 37°37.4N		BY 24
λ 009° 21.0E		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					18-20 (CONT)
1907	AA STD		15	099	RPMS
1910	STDY	020		CIL	015 PSTBC
1925	CC	000			
1926	STDY	000		CIL	359 PSTBC
1927				ENS	(b) (6) [redacted] ASSUMED THE CONN
1939				LCDR	(b) (6) [redacted] ASSUMED THE DECK
					(b) (6) [redacted]
					(b) (6) [redacted]
					20-24
1939				LCDR	SANFORD ASSUMED THE DECK UNDERWAY AS
					BEFORE
(b) (6) [redacted] 1943	AA 1/3		7	048	RPMS
1946	AA 2/3		10	~~038~~ 068	RPMS
1951					TRANSFERING fuel FROM STORAGE TO SERVICE
					CO IS ON THE BRIDGE
1956	AA 1/3		7	048	RPMS
1959					CO IS OFF THE BRIDGE
2005	AA 1/3		6	042	RPMS
2010					SECURE TRANSFER fuel
2018	AA 2/3		7	048	RPMS
2100	AA 2/3		6	042	RPMS
2132	LSOR	260			
2143	STDY	260		CIL	260 PSTBC
2200	AA 2/3		10	068	RPMS
2210	AA 1/3		5	036	RPMS
					SHIPS LIGHTS CONFIGURED FOR DECEPTIVE LIGHTING
2210					EMCON CONDITION 1A SET
2210					SHIPS RUNNING LIGHTS ARE SECURED. RANGE LIGHT SECURED
					MAST SHIP RUNNING LIGHTS ARE ENERGIZED ON 08 level

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	14	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM TUNIS

~~TO~~ OPAREA

CLASS / HANDL: 78 / 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					20-24 (CONT)
					Ships Lighting Does not comply with the
					Rules of the Road
2240					COMMENCE DUMPING TRASH
2237					SECURE FROM DUMPING TRASH
2243	AA 4/3		10	068	RPMS
	R 15R	265			
	R 25R	265			
2246	STDY	265		CK	265 PSTOL
2325	AA 1/3	0	7	048	RPMS
2326	AA 1/3		60	042	RPMS
	UNL	253			
2331				ENS	[redacted] (b) (6) ASSUMED TAR COMM
2332	STDY	253		CK	252 PSTOL
2333				LTJG	[redacted] (b) (6) ASSUMED THE DECK [redacted] (b) (6)
					NEETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
D A	LHA	0	0 9	A	1 5	
1 2 3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM TUNIS

~~TO~~ OPAREA

CLASS	HANDL
U	1
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					00 - 04
2333					ASSUMED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE LOCATION
					MEDITERRANEAN SEA SOPA AND OTC IS
					COMPHIBRON FIVE EMBARKED IN USS SAIPAN (LHA-2)
					ENGINEERING PLANT STATUS IS AS FOLLOWS BOILERS
					#1+2 ONLINE MAIN ENGINES #1+2 ONLINE
					SSTG'S #1+2+3 ONLINE EDGS #1+2 IN AUTO
					STANDBY FIRE PUMPS #4+5 ONLINE
					#2+3+6+7+8 IN STANDBY MATERIAL
					CONDITION YOKE IS SET THROUGHOUT THE SHIP
					WITH EXCEPTIONS NOTED IN DC CLOSURE LOG
					READINESS CONDITION IV AND FUEL PLAN
					DELTA ARE IN EFFECT DARKEN SHIP IS SET
					THROUGHOUT THE SHIP WITH EXCEPTIONS TO
					NAVIGATION LIGHTS THE CO IS IN HIS AT SEA
					CABIN.
2339	C/L	250			
	L15R	180			
(b) (6) 2348	STDY	180		CR	179
0000	AASTD		15	099	RPM'S
0016	AAFULL		18	120	RPM'S
0026			20	136	RPM'S
0101	R2R	195			
0104	STDY	191		CR	190
0109	C/L	180			
0114	C/L	175			
0115	STDY	174		CR	174
	L2R				
	SAS6	177			
0117	L5R				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LH	070 2	0	09	A	15

E

USS SAIPAN

AT / PASSAGE FROM TUNISIAN

TO OPAREA

CLASS	HANDL
U	

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					070-04 (CONT'D)
0117	SASG	167			
0119	STDY	167		CK	166
0120	AA 2/3		10	068	RPM'S
	L5R				
0123	R5R				
	SASG	087			
0125	STDY	087		CK	089
0141	AA 1/3		5	036	
0144	STDY	080		CK	081
0145	C/L	070			
	STDY	075			
0147	STDY	075		CK	077
0153	AA 1/3		3	022	RPMS
0200				SHIFTED STEERING SETS TO SET #1 PORT CABLE	
0218				EMCON DELTA SET	
0253	R30R	180			
0300				DC CENTRAL REPORTED ALL CONDITIONS NORMAL	
0304	L FULL				
	AA STD		10	068	
	AA STD		15	099	
	AA FULL		20	136	RPM'S
0307	L 30 R	—	—		
0308	R30 MID	—			
	L 15 R	—			
0309	AA 1/3		5	036	RPM'S
0310	L 15 R	180			
0318	STDY	180		CK.	180
	L 15 R	—			
0319	L 30 R				

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	15	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNGSIAN

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					00 - 04 (CON'T)
0320	STDY ON	176			
	AA 2/3		10	068	
0321	R 15 R	180			
0326	STDY	180		CK	180
0332	AA 1/3		5	036	
0340	AA 1/3		3	022	
0348					DECK PROPERLY RELIEVED BY LCDR [redacted]
					[redacted] LTJG
					[redacted] LTJG
					04 - 08
0348					RELIEVED THE WATCH UNDERWAY AS BEFORE.
0430					CO IS ON THE BRIDGE.
0441	C R	190			
0444	STDY ON	185			
0451	L 30 R	090			
0452	AA 1/3		7	048	RPM'S
0501	C L	085			
0502	AA 1/3		3	022	
	STDY	085		CK	085
0510	AA 1/3		2	015	RPM'S
					AIR DEPARTMENT MANNED AND READY.
0511					CO IS OFF THE BRIDGE.
0515					CO IS ON THE BRIDGE.
0520					GREEN DECK.
* 0530					SET FLT. QUARTERS.
0535					CO IS OFF THE BRIDGE. START BALLASTING
0541					CEASED BALLASTING 8 FOOT AT THE SEAL.
[redacted] 0552					START ~~DEBALLASTING~~ DEBALLASTING

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	15	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS / HANDL: U / (78 79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					04-08 (CON'T)
0600	CR	090			
	AA 1/3		2	029	
0603				GREEN DECK.	
	AA 1/3		2	015	
0604	STDY	090		CK	094
0605				SECURE NAVIGATION LIGHTS	
0614				CO IS OFF THE BRIDGE.	
				CO IS ON THE BRIDGE.	
0617				CEASED DEBALLASTING SHIP AT SALT DRAFT.	
0625				RED DECK	
	AA 1/3		7	012	
	L30R	—			
0632	AA 1/3		2	015 RPM'S	STERN GATE CLOSED
0635				WATCH	PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					08-12
0635				LTJG	[redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
0637	AA 1/3		4	029	RPM'S
					[redacted] (b) (6)
					[redacted] (b) (6) LCDR, USN
0640	STDY	265		CHK	264
	AA 1/3		2	015	RPM'S
				ENS	[redacted] (b) (6) HAS THE CONN.
0649				COMMENCED TRANSFERRING FUEL.	
0701				LCU'S	TOUCHDOWN ON BEACH.
0707				COMPUTED SET AND DRIFT: 244°T AT 2 KNOTS.	
0721	L20°R	250			
	L30°R	250			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	15	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISIAN OP AREA

TO

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L 37°17.0N		BY 2,4
λ 009°17.2E		BY 2,4

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					08-12 (CONT)
0722	AA 1/3		4	029	RPM's
0724					RECEIVED CHRONOMETER REPORT.
0725	AA 1/3		2	015	RPM's
					GREEN DECK.
0726	STDY	250		CHK	250
0739	L20°R	230			
0740	AA 1/3		4	029	RPM's
0742	STDY	240		CHK	240
0743	AA 1/3		2	015	RPM's
0752					COMMENCED BALLASTING
0807					COMPLETED BALLASTING, GREEN WELL.
0814					CO IS OFF THE BRIDGE.
0818					CO IS ON THE BRIDGE.
0819					RECEIVED FUEL AND WATER REPORT
					RECEIVED MEDICAL REPORT
					CO IS OFF THE BRIDGE.
0822					CO IS OFF THE BRIDGE.
0825	AA 1/3		3	022	RPM'S
0828	L20°R		5	036	RPM'S
	L30°R				
0830			7	048	RPM'S
0836	L15°R	090			
0841	STDY	090		CHK	095
0842	AA 1/3		2	015	RPM'S
0900					COMPUTED SET AND DRIFT: 080°T AT 2 KNOTS
0905					RECEIVED AMMUNITIONS REPORT
0958					RECEIVED DAILY DRAFT REPORT FWD 21' AFT 36'6"
					MEAN 28'9" LIST 0° DISPLACEMENT 46,000
1007	AA1		7	048	RPMS
	LFR	270			PSTGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A L H	Ø.Ø.2	Ø	Ø9	A	1.5

E

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISIAN OP AREA

~~TO~~

CLASS U HANDL

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L 37-16.7N		BY 244
λ 009 15.7E		BY 244

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18-21	ORDER 23-29	CSE 30-32	SPEED 33-36	DEPTH 37-40	RECORD OF ALL EVENTS OF THE DAY 41-77
					Ø8-12 (CONT)
1Ø14	STDY	270		269	PSTGC
1Ø17	AA1		2	Ø15	RPMS
1Ø57	AA1		5	Ø36	RPMS
11Ø7	AA1		2	Ø15	RPMS
1113				CO	IS OFF THE BRIDGE
1115				CO	IS ON THE BRIDGE
1137				WATCH	PROPERLY RELIEVED BY LTJG [redacted] (b) (6) [redacted] LTJG [redacted] (b) (6) USN
					12-16
1137				LTJG	[redacted] (b) (6) HAS THE DECK, UNDERWAY AS BEFORE
				QMC	[redacted] (b) (6) HAS THE CONN
1149				ENS	[redacted] (b) HAS THE CONN
1157	RFR	Ø9Ø			PSTGC
	AAS		15	099	RPMS
	AA2		1Ø	Ø68	RPMS
1201	AA1		5	036	RPMS.
1203	A30A	090			
1204			2	015	RPMS.
1207	STDY	090		C/S	095
1222				QMC	[redacted] (b) (6) HAS THE CONN.
1242				CO	IS OFF THE BRIDGE.
1247				CO	IS ON THE BRIDGE.
1249			3	022	RPMS.
1255	L10A				
	L30A	085			
	C/L	080			
1256			5	036	RPMS.
1300	STDY	080		C/S	085
1305			3	022	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LA	002	0	09	A	15	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TONISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT'D)
1322	L30A	270			
1330	AASTD		15	099	RPMS.
1333	AA2		10	068	RPMS.
1334	AA1		5	036	RPMS.
1335	L30A	280			
1337			3	022	RPMS.
1339	STDY	280		CK	275
1402				SECURED FLIGHT QUARTERS	
1437				MEDICAL EMERGENCY DRILL COM 1-43-1-L.	
1454				SECURED MEDICAL EMERGENCY DRILL.	
1514	LFULL	080			
	STDY		15	099	RPMS
1520	AA1		3	036	RPMS.
	STDY	080		CK 095	
1524			3	022	RPMS.
1531		0		ENS	(b) (6) HAS THE CONN
				LCDR	(b) (6) HAS THE DECK [redacted]
					[redacted] (b) (6)
					16-18
1531				ASSUMED THE DECK UNDERWAY AS BEFORE	
1539				CO IS OFF THE BRIDGE	
1550	L20A	080			
1556	STDY	080		CK	084
1612				CO IS ON THE BRIDGE.	
1645	L30A	280			
				CO IS OFF THE BRIDGE.	
1647			5	036	RPMS.
1657	STDY	280		CK	278

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	02	A	15	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					16 - 18 (CONT'D)
1715					COMMENCED DE-BALLASTING
1730					ENS [redacted] (b) (6) ASSUMED THE CONN
1736					YOKE SET TARPAULIN ABOUT THE SHIP
1737	AA1/3		3		022 RPM
1738					CO IS ON THE BRIDGE
1743					LOWERED STERNGATE
1748					DECK PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					18-20
1748					LTJG [redacted] (b) (6) ASSUMED THE DECK UNDERWAY AS BEFORE
1750					SECURE FROM CONDITION 1A
1755					CO IS OFF THE BRIDGE
1808	RFR	000			
1810					RECEIVED DRAFT REPORT 27'6" FWD, 27'6" AFT
					27'6" MEAN 0° LIST 39,000 DISPLACEMENT
					TAKEN AT 1800 BY HTFN [redacted] (b) (6)
	CR	020			
1813	CR	025			
1820					CO IS ~~BY~~ ON THE BRIDGE
1821	SADY	025			CIC 023 PSTBC
	RFR	080			
1823					CO IS OFF THE BRIDGE
1833					OBSERVED SUNSET NAV LIGHTS ENERGIZED
* 1880	SADY	080			CIC 083 PSTBC
1936					WATCH PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) IJG
					LTJG

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 002	09	A	L5	

E

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNIS

~~TO~~ OPAREA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 37°18.7N		BY 2.4
λ 009°19.8E		BY 2.4

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24
1937				LCDR	[redacted] (b) (6) ASSUMED THE DECK UNDERWAY
					AS BEFORE
				ENS	[redacted] (b) (6) ASSUMED THE CONN
					CO IS ON THE BRIDGE
(b) (6) 1954	L30R ~~L30R~~	005			
	AA1/3		5	036	RPMS
1955					CO IS OFF THE BRIDGE
1958					DC CENTRAL REPORTED ALL CONDITIONS NORMAL
2007	AA1/3		3	022	RPMS
2022					CO IS ON THE BRIDGE
					CO IS OFF THE BRIDGE
* 2040	STDY	005		CK	002 PSTOL
2100	L30R				
	RAMD				
	R30R				
	AA1/3		7	048	RPMS
2105	STDY	185			
2108					FLIGHT DECK WATCH REPORTED ALL SECURE
2105	AA1/3		3	022	RPMS
2110	STDY	185			CK 185 PSTOL
2124					CO IS ON THE BRIDGE
2126					CO IS OFF THE BRIDGE
2145	R30R	005			
	AA1/3		7	048	RPMS
2153					TRANSFERING fuel FROM STORAGE TO SERVICE
2155	AA1/3		5	036	RPMS
	AA1/3		3	022	RPMS
2156	AA1/3		2	015	RPMS
	STDY	005			CK 003 PSTOL
2208					FLT DECK INTERCATY IS ALL SECURE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 062	0	09	A	15

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNIS

~~TO~~ OPAREA

E

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					20-24 (CONT)
2237					SECURED FROM TRANSFERING FUEL
2303					FLIGHT DECK INTEGRITY REPORTED ALL SECURE
2327					ENS [redacted] (b) (6) ASSUMED THE CONN
2334					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6) (b) (6) (b) (6) LCDR, USN

N.E.E.T.P.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	09	A	16	

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUMS

~~TO~~ OPAREA

CLASS U HANDL /

E

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2334					ASSUMED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFT DEPLOYMENT SCHEDULE ON STATION
					SOUTH MEDITERRANEAN SEA SOPAAND OTC IS
					COMPHIBRON FOUR EMBARKED IN USS SAIPAN (LHA-2)
					ENGINEERING PLANT STATUS IS AS FOLLOWS BOILERS
					#1+2 ONLINE MAIN ENGINES #1+2 ONLINE SSTG'S
					#1+2+3 ONLINE EDG'S #1+2 IN STANDBY AUTOSTART
					FIRE PUMPS #4+5 ONLINE #2+3+6+7+8 IN STANDBY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT THE
					SHIP WITH EXCEPTIONS NOTED IN THE DC CLOSURE LOG
					READINESS CONDITION IV AND EMCON PLAN DELTA
					ARE IN EFFECT DARKEN SHIP IS SET THROUGHOUT THE
					SHIP WITH EXCEPTIONS TO NAVIGATION LIGHTS THE
					CO IS IN HIS AT SEA CABIN.
2352	L15R	180			
2353	L30R	180			
0011	AA 1/3		2	015	RPM'S
0012	STDY	180		CK	180
0140					SHIFT STEERING TO SET TWO PORT.
0320	R30R				
			5	036	RPMS
0326	STDY	000			
0331					WATCH PROPERLY RELIEVED BY LTJG [redacted]
					[redacted] LTJG
					[redacted] LTJG, USNR
					04-08
0331					ASSUMED THE DECK UNDERWAY AS BEFORE
0332	STDY	000		CK	000
			2	015	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	00.2	0	09	A	16	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L 37° 19.4N	BY 2.4	
λ 089° 19.3E	BY 2.4	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					04-08 (CONT'D)
0334				QMC	(b) (6) ASSUMED THE CONN.
0400					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0458					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0515	AA 3/3		10	068	RPM'S
	R10R	180			
0521	AA 1/3		5	036	RPMS
0523	STDY	180		CK	179
0524			2	015	RPMS
0550					DC CENTRAL REPORTED ALL CONDITIONS NORMAL
0606					OBSERVED SUNRISE. NAV LIGHTS SECURED.
0610					AMPLITUDE COMPUTED AS 1.0°E GYRO ERROR
0629					CO IS ON THE BRIDGE.
0630					SET FLIGHT QUARTERS.
0636					ENS (b) (6) HAS THE CONN.
0637					WATCH PROPERLY RELIEVED BY LCDR (b) (6) (b) (6)
					LTJG, CONN
					08-12
0637					LCDR (b) (6) HAS THE DECK UNDERWAY AS BEFORE
					RECEIVED AVIATION FUELS REPORT.
0657					DC CENTRAL REPORTED ALL CONDITIONS NORMAL
0703					CO IS OFF THE BRIDGE.
0718					CO IS ON THE BRIDGE.
0756					MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP.
0758					CO IS OFF THE BRIDGE.
0831					RED DECK.
0832	R30°R	270			
	AA 1/3		5	036	RPMS
0848	STDY	270	CHK	269	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E	CLASS	HANDL
		LH	002	0	09	A	16		U	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / ~~PASSAGE FROM~~ _____

~~TO~~ TUNISIAN OP AREA

POSITION 0800	ZONE	TIME	POSITION 1200	ZONE	TIME	POSITION 2000	ZONE	TIME
L		BY	L 37-16.9N		BY 244	L		BY
λ		BY	λ 009-18.7E		BY 244	λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					08-12 (CONT
0841	AA1/3		2	015	RPMS
0842					RECEIVED FUEL AND WATER REPORT.
					RECEIVED MEDICAL REPORT.
0844					GREEN DECK.
0846					RECEIVED DRAFT REPORT: 27'6" FWD 27'6" AFT MEAN 27'6" 0° LIST
					42,000 DISPLAEMENT.
0857					CO IS ON THE BRIDGE.
0900					SET CONDITION LA
0912					CO IS OFF THE BRIDGE.
0935					RECEIVED AMMUNITIONS REPORT.
1012	R15	090			PSTGC
	AA1		5	036	RPMS
1017	INRRF	090		095	PSTGC
1027	AA1		2	015	RPMS
1035					CO IS OFF THE BRIDGE
1039	CR	085		089	PSTGC
1042					CO IS OFF THE BRIDGE
1131				ENS	(b) (6) HAS THE CONN
1138				WATCH	PROPERLY RELIEVED BY LTJG (b) (6) (b) (6)
					LCDR (b) (6) USN
					12-16
1138				LTJG	(b) (6) HAS THE WATCH UNDERWAY AS BEFORE.
1142				ENS	(b) (6) HAS THE CONN
1209				26	MEV DEPARTED
1219				MED	DECK.
			5	036	RPMS.
	L30A				
1227		280			
1231			2	015	RPMS.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	16	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT'D)
1232				CO	IS OFF THE BRIDGE.
1233	STDY	280		C/S	278
				GREEN	DECK.
1238				CO	IS ON THE BRIDGE.
1243				CO	IS OFF THE BRIDGE.
1253				~~ENS~~	LT. (b) (6) HAS THE CONN.
1310				COMMENCED	TRANSFERING FUEL.
1316				CO	IS ON THE BRIDGE.
1334				CO	IS OFF THE BRIDGE.
1336				ENS	(b) (6) HAS THE CONN.
1350	AA 1/3		5	OJ6	RPM'S
	R30R	—			
1355					SECURE TRANSFERING FUEL.
1400				DC	CENTRAL REPORTS ALL CONDITION NORMAL.
1401	AA 1/3		2	OJ5	RPM'S
1403	STDY	020		CK	0-85
1405				CO	IS ON THE BRIDGE.
1407				CO	IS OFF THE BRIDGE.
1408				CO	IS ON THE BRIDGE
1430				CO	IS OFF THE BRIDGE.
1501				DC	CENTRAL REPORTS ALL CONDITION NORMAL.
1528				ENS	(b) (6) HAS THE CONN.
*1523					SECURED FLIGHT QUARTERS.
1533				LCDR	(b) (6) HAS THE DECK.
					(b) (6) LTJG
					(b) (6) LTJG
					16-18
1533					ASSUMED THE DECK UNDERWAY AS BEFORE.
*1452				CO	IS ON THE BRIDGE.

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E	CLASS	HANDL
		LH[redacted]	002	0	09	A	16		U	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / PASSAGE FROM TUNISIAN

TO OPAREA

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					16-18 (CONT)
1535			3	OPPARAS.	
1554				ENS	(b) (6) [redacted] HAS THE CONN.
1556				OC CENTRAL	REPORTED ALL CONDITIONS NORMAL.
1600					COMMENCED TRANSFERING FUEL.
1602				CO IS	OFF THE BRIDGE.
				SET	FLIGHT QUARTERS
				GREEN	DECK.
1610				26	MEU RETURNED.
1615				SECURED	FLIGHT QUARTERS
1628	L30A				
1629			5	036	RPMS
1631	AA2		8	054	RPMS
1635	AA1		5	036	RPMS.
		280			
1637			3	022	RPMS.
1647				CO IS	ON THE BRIDGE.
1652	STOY	280		CK	280
1645			7	019	RPMS.
1657				SET	CONDITION 1 A.
1708				CO	IS OFF THE BRIDGE.
1723				LT16	(b) (6) [redacted] HAS THE DECK. [redacted] (b) (6)
					(b) (6) [redacted]
					(b) (6) [redacted], LCDR, USN
					18-20
1723				LT16	(b) (6) [redacted] ASSUMED THE DECK UNDERWAY AS BEFORE
1729				ENS	(b) (6) [redacted] ASSUMED THE CONN
1732				CO IS	ON THE BRIDGE.
1734				CO IS	OFF THE BRIDGE
1736				COMMENCE	DEBATASTING

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E	CLASS	HANDL
		LHA	062	0	09	A	16		U	/
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

(AT) ~~PASSAGE FROM~~ TUNIS

~~TO~~ OPAREA

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 37°36.0N		BY 24
λ 008°16.2E		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					18-20 (CONT)
1756	RFR	000			
1758	RAMD				
1800	C2D2	300			
1803	AA1/3		5	036	RPMS
1811	STDY	300		CK	300 PSTBC
1817	AA1/3		37	072	RPMS
1819				LOWERED STERNGATE	
1824				SECURED FROM CONDITION 1A	
1832				OBSERVED SUNSET NAV LIGHTS ENERGIZED	
1835				BALLASTED UP TO STEAMING DRAFT	
1838	AA2/3		10	068	RPMS
	R15R	000			
1840				TRANSFERING FUEL	
1842	STDY	100		CK	358 PSTBC
				RECEIVED DRAFT REPORT FWD 26' AFT 26'	
				MEAN 26' LIST 0° DISPLACEMENT 39,500	
				TAKEN AT 1830 BY BMFM ZAFOSA	
1853	AASTD		15	090	RPMS
	R10R	020			
1856	SR				
1901	STDY			CHK	015
1927				WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]	
				(b) (6) [redacted] LTJG	
				(b) (6) [redacted] JG, USNR	
					20-24
1927				LTJG (b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE	
	AA2/3		10	068	RPM'S
1935				CO IS ON THE BRIDGE	
1942				OMC (b) (6) [redacted] HAS THE CONN.	

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	16	

USS SAIPAN

AT ~~PASSAGE FROM~~

TO TUNISIAN OP AREA

CLASS: U HANDL:

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 37°33.4N		BY 24
λ 009°18.2		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24 (CONT)
1951				CO IS	OFF THE BRIDGE.
1956				CO IS	ON THE BRIDGE.
(b) (6) 2000				CO IS	OFF THE BRIDGE.
2011	AA 2/3 STD		14	092	RPM's
2041				CO IS	ON THE BRIDGE.
2046				CO IS	OFF THE BRIDGE.
2105	CR	030			
2107	CR	040			
2109	STDY	040		CK	038 PSTGC
2112				COMMENCE	DUMPING TRASH
2115	AA 1/3		5	036	RPMS
	L15R	000			
2125	L15R	350			
2127	STDY	350		CK	348 PSTGC
				CO IS	ON THE BRIDGE
2133	AA 2/3		10	068	RPMS
2148	AA 1/3		5	036	RPMS
2150				SECURE	FROM DUMPING TRASH
2157				TRANSFERING	FUEL FROM STORAGE TO SERVICE
2201				CO IS	OFF THE BRIDGE
2205	L20R	310			
2208	STDY	340		CK	336 PSTGC
2241				COMPLETED	TRANSFERING FUEL
2333				ENS	(b) (6) [redacted] ASSUMED THE CONN
2347				WATCH	PROPERLY RELIEVED BY LT (b) (6) [redacted] (b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	0	09	A	17

USS SAIPAN

(AT) / ~~PASSAGE FROM~~ TUNISA

~~TO~~ OPAREA

E

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					00 - 04
2347					ASSUMED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE ON STATION
					SOUTHERN MEDITERRANEAN SEA SOPA AND OTC
					IS COMPHIBRON FOUR EMBARKED IN USS SAIPAN
					(LHA-2) ENGINEERING PLANT STATUS IS AS FOLLOWS
					BOILERS #1 + 2 ONLINE MAIN ENGINES #1 + 2
					ONLINE SSTG #1 + 2 + 3 ONLINE #4 IS IN STANDBY
					EDG'S #1 + 2 ARE IN STANDBY AUTO START
					FIRE PUMPS #4 + 5 ONLINE #2 + 3 + 6 + 7 + 8 IN STANDBY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT THE
					SHIP WITH EXCEPTIONS NOTED IN THE DC CLOSURE
					LOG READINESS CONDITION II AND EMCON PLAN
					DELTA ARE IN EFFECT. DARKEN SHIP IS SET
					THROUGHOUT THE SHIP WITH EXCEPTIONS TO
					NAVIGATION LIGHTS. THE CO IS IN HIS AT SEA
					CABIN
0002	AA 1/3		3	022	RPM'S
0018			2	015	RPMS
0020					COMMENCED STEERING CHECKS.
0028					SECURED STEERING CHECKS. TEST SAT.
					SHIFTED STEERING CABLES TO SET #1, STBD CABLE
0043	R30R	020			
			5	036	RPMS
0051	STDY	020		CK 017	
0130	R20R	045			
0134	STDY	045		CK	043
0135	C/R	050			
0137	R20R	060			
0139	STDY	060		CK 060	
0200				DC CENTRAL REPORTED ALL CONDITIONS NORMAL.	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A 4H	002	0	09	A	17

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

E

CLASS: U HANDL:

POSITION 0800	ZONE	TIME	POSITION 1200	ZONE	TIME	POSITION 2000	ZONE	TIME
L		BY	L		BY	L		BY
λ		BY	λ		BY	λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					00-04 (CONT'D)
0205	R20R	265			
0221	STDY	265		CK	265
0310	L20R	236			
0315	STDY	236		CK	236
0322	CR	239			
	AA 1/3		6	042	RPM'S
0324	STDY	239		239' CK.	
0341				DECK PROPERLY RELEIVED BY LT JG (b) (6)	
				(b) (6) [redacted]	
					LT
					04-08
0341				RELEIVED THE WATCH UNDERWAY AS BEFORE.	
				LT. (b) (6) [redacted] HAS THE DECK UNDER INSTRUCTION.	
0406				DC CENTRAL REPORTS ALL CONDITIONS NORMAL.	
0430	R5R	295			
	R10R	295			
0435	R15R	295			
0439	STDY	295		CK	294
0448	L15R	—			
	L15R	270			
0451	STDY	270		CK	270
0510	CL	235			
0515	STDY	235		CK	234
0551				CONN PROPERLY RELEIVED BY LT. (b) (6) [redacted]	
0604				SECURE NAVIGATION LIGHTS.	
0621				CO IS ON THE BRIDGE.	
0625	AA 2/3		10	068	
	L10R	222			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ JUNISAN

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					04 - 08 (CONT)
0627	AA 2/3		15	099	
	STDY	222		CK	222
0629	LI0°R	210			
0631	STDY	210		CHK	209
0632	AAFULL		18	120	RPM'S
0633	AASTD		15	099	RPM'S
0634	C/R	211			
0635	STDY	211		CHK	210
0636				WATCH PROPERLY RELIEVED BY LCDR	(b) (6) [redacted]
					(b) (6) [redacted] LTJG
					(b) (6) [redacted] LTJG
					08-12
(b) (6) 0636				LCDR	(b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.
0640	AASTD		13	085	RPM'S
	R10°R	222			
0642	STDY	222		CHK	221
	AA 2/3		11	073	RPM'S
0643	C/R	224			
	STDY	224		CHK	224
0647	C/R	226			
0648	STDY	226		CHK	225
				RECEIVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN 0° LIST	
				DISPLACEMENT 42,000.	
0649	C/L	224			
0650	AA 2/3		10	068	RPM'S
	STDY	224		CHK	224
				RECEIVED AVIATION FUELS REPORT.	
0651	AA 2/3		9	060	RPM'S
0652	AA 2/3		8	054	RPM'S

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	Ø Ø [redacted] 6 H A	Ø Ø	9 A	1	7

E

USS SAIPAN

AT ~~PASSAGE FROM~~

~~TO~~ TUNISIAN OP AREA

CLASS U HANDL

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					Ø8-12 (CONT)
Ø653	AA 1/3		7	Ø48	RPM's
Ø654	STDY	223		CHK	223
	C/L	222			
Ø656	C/R	223			
	STDY	223		CHK	223
Ø657	AA 2/3		8	Ø54	RPM's
Ø658	C/R	224			
Ø659	AA 2/3		10	Ø68	RPM's
	STDY	224		CHK	223
Ø701	AASTD		13	Ø85	RPM's
Ø706	C/R	230			
Ø706	AASTD		15	Ø99	RPM's
Ø707	C/L	229			
Ø708	STDY	229		CHK	226
	C/R	230			
Ø709				ENS	(b) (6) [redacted] HAS THE CONN.
	STDY	230		CHK	229
Ø718	C/R	231			
	STDY	231		CHK	231
	AASTD		13	Ø85	RPM's
Ø719	C/R	232			
	STDY	232		CHK	232
Ø721	C/R	233			
Ø722	STDY	233		CHK	233
Ø724				GRUMAN DISPLAYED ROMEO AT THE DIP	
(b) (6)				~~GU~~ GRUMAN DISPLAYED ROMEO CLOSED UP	
	C/L	231			
Ø725	STDY	231		CHK	231
Ø729	C/L	228			
Ø730	AASTD		15	Ø99	RPM's

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		ØØ	LHA	Ø	Ø9	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~

~~TO~~ TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L 37°48.3N	BY	2,4
λ Ø08°42.7E	BY	2,4

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					Ø8-12 (CONT)
Ø73Ø	STDY	228		CHK	228
				RECEIVED MEDICAL REPORT	
Ø733	C/R	231		SET FLIGHT QUARTERS.	
Ø734				CO IS OFF THE BRIDGE.	
Ø737				CO IS ON THE BRIDGE.	
Ø742				RECEIVED FUEL AND WATER REPORT.	
Ø747				SAIPAN DISPLAYED ROMEO AT THE DIP.	
Ø754	AASTD		13	Ø85	RPM'S
Ø755				SET RESTRICTED MANUVERING	
Ø801	AAFULL		18	12Ø	RPM'S
Ø8Ø3	C/R	232			
Ø8Ø4	STDY	232		CHK	232
	AASTD		13	Ø85	RPM'S
	C/L	231			
Ø8Ø5	STDY	231			
	C/R	232			
Ø8Ø6	C/R	232.5		Ø9Ø	RPM'S
	STDY	232.5			
Ø8Ø7				Ø92	RPM'S
Ø8Ø8	C/L	232		Ø9Ø	RPM'S
	STDY	232			
				LOWERED THE STERN ELEVATOR	
				~~Ø900~~	Ø88 RPM'S
Ø8Ø9	~~232.5~~ C/R	232.5		Ø85	RPM'S
	~~232.5~~			Ø83	RPM'S
Ø81Ø	STDY	232.5			
Ø811	C/L	232			
	STDY	232		RAISED THE STERN ELEVATOR.	
Ø812				Ø85	RPM'S
	C/L	231		Ø87	RPM'S

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		AL	002	Ø	Ø9	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~

~~TO~~ TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					Ø8-12 (CONT)
Ø813	STDY	231		Ø89	RPM'S
Ø814				Ø91	RPM'S
				Ø92	RPM'S
Ø816				Ø91	RPM'S. SENT SHOT LINES. FORWARD LINE NOT RECIEVED
	C/R	231.5		Ø90	RPM'S
Ø817	STDY	231.5		Ø89	RPM'S
				Ø88	RPM'S
Ø82Ø				Ø87	RPM'S
	C/L	231			
	STDY	231		STATION 5 MESSENGER IN HAND.	
Ø821				Ø88	RPM'S
Ø822	C/R	231.5		Ø89	RPM'S UNREP CHECKLIST COMPLETE
	STDY	231.5		SENT SHOT LINES. FORWARD SHOT LINE NOT RECEIVED	
Ø824				Ø9Ø	RPM'S
				SENT SHOT LINES.	
				STATION 5 GYPSY HEAD JAMMED, HEAVING AROUND ON MESSENGER BY	
				HAND.	
Ø827				Ø89	RPM'S
Ø828	C/R	232		STATION 5 HAS ESTABLISHED COMMS WITH THE USNS GRUMAN	
Ø829	STDY	232		STATION 1 HAS MESSENGER IN HAND.	
Ø83Ø	C/R	231.5			
	STDY	231.5		Ø9Ø	RPM'S
Ø833				GREEN DECK.	
Ø835	C/L	231			
	STDY	231			
Ø836				Ø89	RPM'S
Ø837	C/R	231.5		STATION 1 HAS COMMS WITH THE USNS GRUMAN	
Ø838	STDY	231.5		TENSIONING SPAN WIRE STATION 1	
Ø839				Ø9Ø	RPM'S

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		L [redacted]	002	0	09	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~

~~TO~~ TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					08-12 CONT
0842	CL	231			
0843				PROBE	SEATED STA 1
0845	AAS			089	RPMS
0846				STATION 1: PERMISSION GRANTED TO BEGIN FUELING.	
0848	C/L	230.5		090	RPM'S
0849	STDY	230.5		STATION 1 RECEIVING JP-5 AND DFM AT MINIMUM PRESSURE	
0851	C/R	231			
	STDY	231		089	RPM'S
0852	C/R	231.5		PERMISSION GRANTED TO INCREASE PRESSURE ON JP-5 AND DFM AS NEEDED.	
	STDY	231.5			
0853				RECEIVED AMMUNITIONS REPORT.	
0854	C/L	231			
	STDY	231		STATION 5 TENSIONING SPAN WIRE.	
0859				STATION 1 RECEIVING MAX PRESSURE ON DFM. STATION 5 SPAN WIRE	
				TENSIONED.	
0905				ENS (b) (6) [redacted] HAS THE CONN.	
0906	C/L	230.5			
	STDY	230.5			
0908				STATION 5 REPORTED PROBE IS SEATED.	
0910				PERMISSION GRANTED TO TAKE ON FUEL ON STATION 5.	
0912				WATCH PROPERLY ~~RELEE~~ RELIEVED BY LCDR (b) (6) [redacted]	
				(b) (6) [redacted]	
				(b) (6) [redacted] LCDR, USN	
				08-12 (CONT)	
0912				LCDR (b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.	
0913				STATION 5 IS RECEIVING DFM AND JP-5 AT MINIMUM PRESSURE.	
0915				STATION 5 IS RECEIVING MAX PSI OF DFM AND JP-5.	
0917				091	RPM'S
0919				090	RPM'S

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~

~~TO~~ TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					08-12 (CONT)
0920	C/L	230			
0921	STDY	230			
0922	C/R	230.5			
	STDY	230.5		091	RPM'S
0926	C/R	231		090	RPM'S
0931	C/L	230.5			
	STDY	230.5		091	RPM'S
0934	C/R	231			
	STDY	231		090	RPM'S CEASED PUMPING JP-5
0939	C/R	230.5			
0940				091	RPMS
0941	C/R	231			
0945	C/L	230.5			
	STDY	230.5			
0946				ENS	(b) (6) ASSUMED THE CONN
(b) (6) 0952		~~0940~~	~~090~~	RPMS	
0953	C/R	231			
	STDY	231			
0957	C/L	230.5			
	STDY	230.5			
1008	C/L	230			
	STDY	230			
1010	C/L	230.5			
	STDY	230.5			
1011	C/R	231			
	STDY	231			
1013	C/L	230.5			
	STDY	230.5			
				089	RPMS
1015				RELIEVED 290K DFM	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	09	A	17	

USS SAIPAN

~~AT / PASSAGE FROM~~ TUNIS

~~TO~~ OPAREA

E

CLASS ✓ HANDL ✓

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					8-12 (CONT)
1015	CR	230			
				090	RPMS
1017	CR	230.5			
1020				ENS	(b) (6) [redacted] ASSUMED THE CONN
(b) (6) [redacted] 1021	CL	231		089	RPMS
	STDY	~~230~~ 231			
1022	CR	230.5			
					COMPLETED TRANSFERING HAZMAT
	STDY	230.5			
				091	RPMS
1023				090	RPMS
1026				089	RPMS
1027				090	RPMS
1030				091	RPMS
				090	RPMS
	CL	230			
	STDY	230			
1035					10 MIN STANDBY ON DFM
				091	RPMS
1036				090	RPMS
	CR	231		ENS	(b) (6) [redacted] ASSUMED THE CONN
1037					PUMPING MINIMUM PRESSURE
1039					5 MIN STANDBY
	CL	230			
	STDY	230			
1042	CR	230.5			2 MIN STANDBY DFM
	STDY	230.5			
1045	CR	231			
1045					COMPLETED TRANSFERING fuel
				089	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	L [redacted] 002	0	09	A	17

USS SAIPAN

AT / ~~PASSAGE FROM~~ TOMS

~~TO~~ APRA

E

CLASS: J HANDL: /

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
1044				COMMENCE EMERGENCY DRILL	
	CL	230.5			
	STDY	230.5			
1047	CL	230			
	STDY	230			
				GALLONS RECIEVED WERE 380998	
1048				091 RPMS	
				092 RPMS	
	CL	229			
	STDY	229			
1049	CL	228			
	STDY	228		094 RPMS	
	CL	227			
1050				095 RPMS	
	STDY	227			
	CL	226			
	STDY	226			
1051	CL	224			
	STDY	224			
	SL	222			
1052	CL	220			
	STDY	220			
1054	LISR	115			
	LISR	215			
1057				RED	DECK
	L20R	050			
1058				SECURE FROM RESTRICTIVE MANUVERING	
1105	AAFULL		20	136 RPMS	
1107	R10R	105			
	STDY	105		CK	109

(b) (6) [redacted]

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1 2)	SHIP TYPE (3 - 4)	HULL NUMBER (5 - 7)	YEAR (12)	MONTH (13 - 14)	ZONE (15)	DAY (16 - 17)	E (22)
D A	LH	002	0	09	A	17	E

USS SAIPAN

AT / PASSAGE FROM TUNIS

TO OPAREA

CLASS (78)	HANDL (79)
U	/

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L 37°17.3N		BY 27
λ 008°21.7E		BY 27

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					08-12 (CONT)
1114				ENS	[redacted] (b) (6) HAS THE CONN
1124	R3°R	145			
1126	R3°R	155			
1127	STDY	155		CHK	159
1133	LSR	145			
—	STDY	145		CIL	148 PSTGC
1135	CL	140			
1136	STDY	140		142	PSTGC
1137	CL	135			
1138	STDY	135		137	PSTGC
1141	AASTD		15	099	RPM's
1142	L5°R	088			
1143	AA2/3		10	068	RPM's
1144	AASTD		15	099	RPM's
1146				WATCH	PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6) ECOR
					12-16
1146				LTJG	[redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
				ENS	[redacted] (b) (6) HAS THE CONN
1153				RED DECK	
	C/L	086			
	AAFULL		20	136	RPM's
1157	STDY	086		CHK	088
1228				CO IS	OFF THE BRIDGE.
1239				CO IS	ON THE BRIDGE.
1245	L30	070		RED	DECK
1247	STDY	070		CK	068
1248			18	120	RPMS.
1249	AASTD		16	106	RPMS.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	009	0	08	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L 37-17.3N		BY 244
λ 008-21.7E		BY 244

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16 (CONT)
1256				NED	DECK.
	N5A	085			
1258		087			
1259	STDY	087		C/C	090
1300				GREEN	DECK.
1304			17	113	RPMS
1318			16	106	RPMS.
1332	KIOR	090		C/C	092
1334			15	099	RPMS
			13	055	RPMS
1350				COMMENCE	TRANSFERING FUEL
1356	AA2/3		8	054	RPMS
1401	AA1/3		5	036 ~~043~~	RPMS
1408			3	022	RPMS
1410				CO IS	OFF THE BRIDGE.
1420			5	036	RPMS
1422				CO IS	ON THE BRIDGE.
1423				COMPLETED	TRANSFERING FUEL
1426			2	015	RPMS.
1430				NED	DECK.
	AASTD		15	090	RPMS
1433	N3A	110			
	AFULL		20	136	RPMS.
1439	C/N	115			
1440	STDY	115		C/C	119
1445				SET	CONDITION 1 ALPHA
1447	C/N	120			
1449	STDY	120		C/C	123
1452				NED	DECK.
	AA1		3	022	RPMS.

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT)
1503	L30A	090			
1504					STEAM GATE UP + LOCKED. COMMENCED BALLASTING
1513	STDY	090		C/L	023
1522					GREEN WELL.
1526				LT/16	(b) (6) [redacted] HAS THE DE (b) (6) [redacted] ~~LTJG~~
					(b) (6) [redacted] LTJG USNR
					16-18
1526					ASSUMED THE DECK UNDERWAY AS BEFORE.
1532					QMC (b) (6) [redacted] HAS THE CONN.
1535					TUNISIAN NIB BOATS CAME ALONGSIDE, TO TAKE ON
					4 PASSENGERS.
1542					COMMENCED DE-BALLASTING.
1555					CO IS OFF THE BRIDGE
1558					CO IS ON THE BRIDGE
1601					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1610					SECURED CONDITION 1 ALPHA.
					COMPLETED DE-BALLASTING TO ASSAULT DRAFT.
1618	L20A	085		RED	DECK
1619	L30A	085			
1620	STDY	085		C/L	087
					GREEN DECK.
1630					RECIEVED DRAFT REPORT: FWD 27', AFT 27', MEAN 27', LIST 0°
					DISPLACEMENT 42,000.
1645				RED	DECK
	AASTB		05	079	RPMS
	L30A	270			
1648	AA2		10	068	RPMS.
1650		275			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	A 002	0	02	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS / HANDL: U (78 79)

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					16-18 (CONT)
1650	AA1		5	036	RPMS.
1652	STDY	275		CK 274	
			7	022	RPMS.
1710				CO IS OFF THE BRIDGE.	
1727				ENS [redacted] ASSUMED THE CONN	
1735				CO IS ON THE BRIDGE	
				WATCH PROPERLY RELIEVED BY LT [redacted]	
					18-20
1735				LT [redacted] ASSUMED THE DECK UNDERWAY AS BEFORE	
				CO IS OFF THE BRIDGE	
1753				CO IS ON THE BRIDGE	
1804				RED DECK	
				SET AND DRIFT COMPUTED AS 277° T .1 KTS	
	R30R	085			
1805	AA 1/3		5	036	RPMS
1808	CR	180			
1821	AA 2/3		8	054	RPMS
1824	STDY	180		CK 180 PSTGC	
				GREEN DECK	
1825				RED DECK	
	L20R	050			
1827				OBSERVED SUNSET NAV LIGHTS ENERGIZED	
1831	STDY	090		CK 090 PSTGC	
				GREEN DECK	
1903	L30R	000			
	AA 1/3		5	036	RPM
1945	AA 2/3		10	068	RPM

[redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	17	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TUNSIA

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24 (CONT)
2128					COMMENCE BOTTOM BLOW #1 BOILER
2135					COMPLETED BOTTOM BLOW #1 BOILER
2142					CO IS OFF THE BRIDGE
2219					FIRE'S LIT #1 BOILER
2231	L20R	180			
	L30R	180			
2232	AA 1/3		5	036	
2237	AA 1/3		3	022	RPMS
2239	STDY	180			OK 180
2330					CONN PROPERLY RELIEVED BY ENS (b) (6) [redacted]
2336					WATCH PROPERLY RELIEVED BY ~~LTJG~~ (b) (6) [redacted] (b) (6) [redacted]
					(b) (6) [redacted] LTJG
					[redacted] LTJG
					N EETA

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 002	0	09	A	18

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNIS

TO OPAREA

CLASS: U HANDL: /

E

POSITION 0800 ZONE TIME
L _____ BY ____
λ _____ BY ____

POSITION 1200 ZONE TIME
L _____ BY ____
λ _____ BY ____

POSITION 2000 ZONE TIME
L _____ BY ____
λ _____ BY ____

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00-04
2336					ASSUMED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE ON STATION
					TUNISIAN COASTAL WATERS IWO BARE SARRAT
					SOPA AND OTC IS COMPHIBRON FIVE EMBARKED
					IN USS SAIPAN (LHA-2) ENGINEERING PLANT
					STATUS IS AS FOLLOWS BOILERS #1 #2
					ON LINE MAIN ENGINES #1 #2 ONLINE
					SSTG'S #1 #2 #4 ONLINE EDG'S #1 #2 IN
					AUTO IS STANDBY AUTO START FIRE PUMPS
					#4 #5 ONLINE WITH #2 #3 #6 #7 #8 IN
					STANDBY #1 IS OOC MATERIAL CONDITION YOKE
					IS SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					NOTED IN DC CLOSURE LOG READINESS CONDITION
					IV AND EMCON PLAN DELTA ARE IN EFFECT
					DARKEN SHIP IS SET THROUGHOUT THE SHIP
					WITH EXCEPTIONS TO NAVIGATION LIGHTS
					MAR CO IS IN HIS AT SEA CABIN.
0000					DC CENTRAL REPORTS ALL CONDITIONS NORMAL.
	L30R	—			
0001	AA 1/3		7	048	RPM'S
0006					#1 AND #4 SSTG'S WITH #2 EDG ONLINE.
	STDY	070		CK	071
0007	AA 1/3		5	036	RPM'S
0017	L20R	000			
	L30R	000			
0021	STDY	000		CK	359
	AA 1/3		2	015	
0037					LITE OFF APU ON SPOT 8
0116	L30R	—			
	AA 1/3		7	048	

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA	0	0 9	A	1 8

E

USS SAIPAN

AT / PASSAGE FROM TUNIS

TO OPAREA

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					00 - 04 (CONT)
0123	L 15 R	220			
0128	STDY	220		ck	219
0130	L 10 R	180			
0131	AA 1/3		5	036	
0135	STDY	180		ck	179
0136	AA 1/3		3	022	RPM'S
0145	L R	125			
0150	AA 1/3		4	029	
0152	STDY	125		ck	125
0200					12C CENTRIAL REPORTS ALL CONDITIONS NORMAL.
0205	R 5° R	—			
0224	STDY ON	265			
0225	STDY	265		ck	263
0237	R 5° R	—			
					COMPLETED ~~COMPLEMENT~~ DISEL TRENDS.
0244	R 5° R	285			
0250	R 10 R	—			
0302	STDY	067			
0303					DIESEL TRENDS COMPLETE. #1, #2 AND #4 SSTG'S ON LINE, #1 AND #2 EDG'S IN AUTO.
	CIR	068			
0304	STDY	068		ck	069
0309	R 10 R	070			
0311	STDY	070		ck	071
0315					COMMENCED TRANSFERING FUEL.
0326					SHIFTED STEERING SETS TO SET #2 PORT CABLE.
0328	R 15 R	100			
0330					WATCH PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6)
					(b) (6)

(b) (6)

LCDR USN

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	070A	0	09	A	18	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					04-07
0330					ASSUMED THE WATCH UNDERWAY AS BEFORE.
0331	STDY	110		CK	113
0337				ENS	(b) (6) ASSUMED THE CONN.
0349					SECURED TRANSFERING FUEL.
0400	L30R	290			
0422	STDY	290		CK	288
	L30R	260			
0426	C/L	255			
0429	STDY	255		CK	253
0441	L20R	240		CK	209
0443	C/L	210	5	036 RPMS	
0452			4	029 RPMS	
0454			3	022 RPMS	
0517	R30R	270			
0524	STDY	270		CK	269
	R30R	280			
0527	STDY	280		CK	278
0544	C/L	270			
0547	STDY	270		CK	268
0556	C/L	260			
0600	STDY	260		CK	258
0603	C/L	255			
0606	STDY	255		CK	253
0609				OBSERVED SUNRISE, NAV LIGHTS SECURED.	
0611	C/L	250			
0613	STDY	250		CK	248
0624	L30R	185			
0630				OMC	HAS THE CONN
	AA7/3		8	084	RPM's
				CO	IS ON THE BRIDGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	02	0	09	A	12	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM

TO TUNISIAN OP AREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 – 77
[redacted]					~~08-11~~ 04-07 (CONT)
0632	STDY	185		CHK	185
0632				WATCH	PROPERLY RELIEVED BY LTJG [redacted]
					[redacted]
					[redacted] LTJG, USNR
					07-12
0632				LTJG	[redacted] HAS THE DECK UNDERWAY AS BEFORE.
0640	C/L	180			
0642	STDY	180		CHK	180
0645					UNIFORM 64 UNDERWAY FROM BEACH
					SET CONDITION 1A. COMMENCE BALLASTING.
0647	C/L	175			
0649	STDY	175		CHK	176
0651	AP 1/3		3	022	RPMs
0653	L20°R	085			
0656	L30°R	085			
0700			5	036	RPM's
0702			3	022	RPM's
0703	STDY	085		CHK	022
					RECEIVED DRAFT REPORT 27' FWD 27' AFT 27' MEAN 1/2° STBD LIST
					42,000 DISPLACEMENT.
0719					CO IS OFF THE BRIDGE
0720					CEASED BALLASTING.
0722					CO IS ON THE BRIDGE.
0724					CO IS OFF THE BRIDGE
0731					CO IS ON THE BRIDGE
0736					RECEIVED MEDICAL REPORT
					CO IS OFF THE BRIDGE.
0745	R20°R	090			
	R30°R	090			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	Ø	Ø9	A	1R	

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17 22

USS SAIPAN

AT / PASSAGE FROM

TO TUNISIAN OP AREA

CLASS U HANDL 78 79

POSITION	ZONE	TIME
0800 L 37°16.8N		BY 2,4
λ 0090 17.6E		BY 2,4

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 77
					Ø7-12 (CONT)
Ø749	STDY	Ø90		CHK	Ø95
Ø75Ø					MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP.
Ø759					CO IS ON THE BRIDGE
					CO IS OFF THE BRIDGE.
Ø82Ø					RECEIVED FUEL AND WATER REPORT.
Ø828	L30°R	275			
	AA1/3		1Ø	Ø68	RPM'S
Ø835	AA1/3		3	Ø22	RPM'S
Ø838	STDY	275		CHK	~~276~~ 271
Ø847					RECEIVED MUSTER REPORT.
Ø85Ø					DISCHARGING PULP AND NON-PLASTIC MATERIAL.
Ø9Ø2	L30°R	27Ø			
Ø9Ø5	STDY	27Ø	CHK	267	
Ø92Ø				CO IS	ON THE BRIDGE
Ø924				SET	OP SET CONDITION ONE
Ø93Ø					COMMENCE TRANSFER OF AMMO
Ø931					FLIGHT QUARTERS
Ø953				CO	IS OFF THE BRIDGE
Ø931				OPSEC	CONDITION ONE SET
1ØØ3				ENS	(b) (6) HAS THE CONN
1ØØ9				QMC	(b) (6) HAS THE CONN.
1Ø38	4Ø	Ø9Ø		Ø95	PSTGL
1Ø38.	AA2		1Ø	Ø68	RPMS
1Ø47	AA1		5	Ø36	RPMS
1Ø48	AA1		3	Ø22	RPMS
11Ø6					RED DECK
111Ø				DC	CENTRAL REPORTS ALL CONDITIONS NORMAL
1118				SET	290 °T AT .5 KTS.
1131				ENS	(b) (6) HAS THE CONN.

(b) (6) [redacted]

(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	2	Ø	Ø9	A	18

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIA

~~TO~~ OPAREA

E

CLASS 4 HANDL

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L 37°17.2		BY 24
λ 009°19.0		BY 24

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41
					07-12 (CONT)
1141					WATCH PROPERLY RELIEVED BY [redacted] (b) (6)
					[redacted] (b) (6)
					LTJG USN
1141					12-16 (CONT)
					LT [redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
1208	230M	270			RED DECK
			5	036	RPMS.
1216			3	022	RPMS.
1224		270		CK	267
			2	015	RPMS.
1239					CO IS ON THE BRIDGE.
1307					LTJG SILK HAS THE CONN
1327					RED DECK
1324	230R	235			
	AA 1/3		5	036	RPM'S
1340					GREEN DECK
1341	STDY	235		CK	233
1352					GREEN WELL.
1355					RED WELL.
1358	AA 1/3		3	22	
					CO IS OFF THE BRIDGE
1359	230R	090			
1408					GREEN DECK
1410	SASG	092			
1411	STDY	092		CK	~~092~~ 093
1432					PITBOSS 4 BRAINING
1436					RED DECK.
	230M	085			
1438					GREEN DECK.
1442	STDY	085		CK	087

(b) (6) [redacted]

(b) (6) [redacted]

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	19	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TUNISIAN

TO OPAREA

CLASS: U (78) HANDL: (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					12-16 (CONT)
1450			3	022	RPMS.
		080			
1453	STOY	090		CK	084
1457				RED	DECK, RED WELL.
1458	L30R				
1459			5	036	RPMS.
1503			7	048	RPMS.
1507	L15R				
	AAY3		3	022	RPMS
	R20R				
1508	R30R	335			
1509			5	036	RPMS
	AAY3		7	048	RPMS
1511			3	022	RPMS.
1514				CO	IS ON THE BRIDGE
	R30R	345			
1515	RAMP			GREEN	DECK
		340			
1517	STOY	340		CK	337
1530				WATCH	PROPERLY RELIEVED BY LTJG (b) (6) [redacted] (b) (6) [redacted], LT
					16-18
1536				ASSUMED	THE DECK UNDERWAY AS BEFORE
1538				CO	IS OFF THE BRIDGE
1540				CO	IS ON THE BRIDGE
1543				ENS	(b) (6) [redacted] HAS THE CONN.
1606	L30R		7	RED	DECK, RED WELL
			5	036	RPMS

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	008	0	09	A	18	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
V	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					16-18 (CONT
1607	AA2/3		10	068	RPMS
1608	R20	230		CK	228
1614	AA4/3		3	022	RPMS
1620				GREEN	DECK
(b) (6) 1637				CO IS	~~ON~~ OFF THE BRIDGE
1646				RED	WELL
1651				CO IS	ON THE BRIDGE
1653	L30A	085			
			5	036	RPMS.
1654	AA2		10	068	RPMS.
1657	L15A	085			
1658	L10A	085			
(b) (6) 1659	AA1		3	022	RPMS.
1702	STDY	085		~~A~~ CK	090
1705				CO IS	OFF THE BRIDGE.
1731				WATCH	PROPERLY RELIEVED BY LCDR (b) (6)
					(b) (6) LJG
					(b) (6) LJG
					18-20
1731				LCDR	(b) (6) ASSUMED THE DECK UNDERWAY
				AS	BEFORE
1747				CO IS	ON THE BRIDGE.
1754				CO IS	OFF THE BRIDGE.
1805				TRANSERING	FUEL
1816				CO IS	ON THE BRIDGE
1818				RED	DECK
	R34R	STDY 285		CK	271
	AA3/3		11	073	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1-2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
D A	LH	008	0	09	A	18	E

USS SAIPAN

AT / PASSAGE FROM TUNISAN

TO OPAREA

CLASS (78)	HANDL (79)
U	

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					18-20 CONT.
	~~AV3~~				
1824	AA 1/3		5	036	RPMS
1827	AA 1/3		2	015	RPMS
1829					OBSERVED SUNSET. NAV. LIGHTS ENERGIZED.
1830					CO IS OFF THE BRIDGE
1831	AA 1/3		3	022	RPMS
1841					COMPLETED TRANSFER OF FUEL
1851					SHIPS LIGHTING CONFIGURED FOR NVG OPS NOT IAW
					RULES OF THE ROAD
1853					COMMENCE DEBALLASTING TO ASSAULT DRAFT
1854	AA 2/3		10	068	RPMS
1855					RED DECK
1856	NASTD		15	099	RPMS
1901	R10R				
1902	AA 2/3		10	068	RPMS
1903	SASG	320			
1904	STDY	320			CK 324 PSTOL
1905	CL	300			
	SASG	313			
1907	STDY	313			CK 309 PSTOL
1915					CO IS ON THE BRIDGE
1917	R10R	000			
1919					CO IS OFF THE BRIDGE
1920	CR	010			
1921	CR	015			
1922	STDY	015			
	CR	035			
1925	CR	050			
1922	STDY	050		048	PSTOL
1930					CO IS ON THE BRIDGE.

(b) (6) redacted

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	02	0	09	A	18	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNIS

TO OP AREA

CLASS	HANDL
J	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 37°19.7N		BY JH
λ 009°18.9E		BY JH

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					18-20 (CONT)
	RIOR	145			
					CO IS OFF THE BRIDGE
			7	048	RPMS
1932	AA1/3		5	036	RPMS
	AA1/3		3	022	RPMS
1935					GREEN DECK
			2	015	RPMS
1936					SECURE FROM CONDITION 1A
1937	STDY	145			CK 149
					ENS (b) (6) [redacted] ASSUMED THE CONN
1945					WATCH PROPERLY RELIEVED BY LTJG. (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted] / LCDR, USN
					20-24
1945					LTJG (b) (6) [redacted] ASSUMED THE DECK UNDERWAY
					AS BEFORE
1953	LFR	130			
1959	CL	120			
	RFR	250			
2000	CR	235			
2003	AA2/3		8	048	RPMS
2005	AA1/3		5	036	RPMS
2006	STDY	235			CK 234 PSTGC
2015					RED DECK
	LFR	210			
2016					CO IS ON THE BRIDGE
2020	STDY	210			CK 210 PSTGC
2021	AA1/3		4	029	RPMS
2023	AA1/3		3	022	RPMS

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	1002	0	09	A	18	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNIS

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24 (CONT)
2024				CO	IS OFF THE BRIDGE
2025	AA 1/3		2	015	RPM
2029	AA 1/3		3	023	RPMS
2032				CO	IS ON THE BRIDGE
2045				RED	DECK
2046	RAR	270			
	AA 2/3		10	068	RPMS
2052	AA 1/3		7	048	RPMS
	STDY	270		CK	270
2054	AA 2/3		8	054	
2057			10	068	RPM
2105	RSTDR	350			
2106	AASTD		15	099	RPMS
2108			18	120	RPMS
2109	STDY	350		CK	349
	AASTD		15	099	RPMS
2118	AAFULL		20	136	RPM
	AAFULL		18	120	RPMS
2147			15	099	RPMS
2151			13	085	RPM
2200				SECURE	FROM FLIGHT QTRS
	LIOR	260			
				NAVIGATION	LIGHTS ARE IAW RULES OF THE ROAD
2203				CO	IS OFF THE BRIDGE
	LSR	260			
2204	CL	250			
2205	STDY	250		CK	249 PSTGE
2209	LSR	230			
2213	STDY	230		CK	230 PSTGE
2217	LSR	155			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	L K A 062	0	09	A	18

E

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUMS

TO OPAREA

CLASS	HANDL
U	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					20-24 (CONT)
2225	STDY	155		CK	156
2226	4				
2226	LSR	145			
2227	STDY	145		CK	146
2256	13R	130			
2257	STDY	130		CK	132
2259	AA 1/3		5	036	RPMS
					CO IS ON THE BRIDGE
2300					CO IS OFF THE BRIDGE
2301	AA 1/3		2	015	RPMS
2321					WATCH PROPERLY RELEIVED BY LTJG (b) (6) [redacted]
					(b) (6) [redacted] USN
					(b) (6) [redacted] LTJG, USNR
					NFETP
					(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	09	A	18	

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNIS

~~TO~~ OPAREA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					00-04
2321					ASSUMED THE DECK UNDERWAY STEAMING DAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE ON STATION
					TUNISIAN COASTAL WATERS EVO CAP SERRAT
					JOPA AND CTG IS COMPHIBRON FOUR EMBARKED
					ON USS SAIPAN (LHA-2) ENGINEERING PLANT STATUS
					IS AS FOLLOWS BOILERS #1 #2 ONLINE MAIN
					ENGINES #1 & 2 ONLINE SSTG'S #1 #2 #3 ONLINE
					EDG #1 #2 IN STANDBY IN AUTO START
					FIRE PUMPS #4 #5 ONLINE #2 #3 #6 #7 #8 IN
					STAND BY MATERIAL CONDITION YOKE IS SET
					THROUGHOUT THE SHIP WITH EXCEPTION NOTED
					IN THE DC CLOSURE LOG READINESS CONDITION II
					AND FMCON PLAN DELTA ARE IN EFFECT
					DARKEN SHIP IS SET THROUGHOUT THE SHIP
					WITH EXCEPTIONS TO NAV LIGHTS THE
					CO IS IN THE AT SEA CABIN
2330					QMC [redacted] (b) (6) ASSUMED THE CONN.
0000					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0047	R30R	270			
			7	048	RPMS.
0048	AA 2/3		10	068	RPMS
0053	AA 1/3		5	036	RPMS
0055	STDY	270		CR	268
			2	015	RPMS.
[redacted] (b) (6) 0105					SHIFTED STEERING SETS TO SET ~~#2~~, #1 STBD CABLE
0148			3	022	RPMS.
0307	AA 2/3		10	067	RPMS
	L30R	090			
0315	AA 1/3		5	036	
0316	AA 1/3		2	015	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
		LHA	002	0	09	A	18	E	U	/
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / PASSAGE FROM TUNIS

TO OP AREA

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					00-04 (CONT)
0318	STDY	090		CK	092
0327					DECK PROPERLY RELIEVED BY LT (b) (6)
					(b) (6)
(b) (6)					[redacted] TIC USN
					04-08 ~~(CONT)~~
0327					RELIEVED THE DECK UNDERWAY AS BEFORE.
0345					CONN PROPERLY RELIEVED BY ENS GERARDO
0400					LTJG (b) (6) HAS THE DECK U.I.
0415					SET & DRIFT 059° @ 1 KT.
0445	R30R	245			
0446	AA 1/3		5	036	
0458	AA 1/3		2	015	
0500	STDY	245		CK	244
0527					TRANSFERING FUEL
0604					SUN RISE SECURE NAVIGATION LIGHTS
0621	R30R	270			
0625					PLANT STATUS #1, #2 #3 SSTG'S AT THE BUSS.
0628					CO IS ON THE BRIDGE.
0631				ENS	(b) (6) HAS THE CONN.
	STDY	278		CHK	269
0636					WATCH PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6) LT USNR
					(b) (6) LT USNR
					08-12
0636				LTJG	(b) (6) HAS THE DECK UNDERWAY AS BEFORE.
0737					RECEIVED MEDICAL REPORT.
0738	L30°R	185	5	036	RPM'S
0748	AA 2/3		8	054	RPM'S

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LH	002	0	09	A	19

E

USS SAIPAN

AT ~~/PASSAGE FROM~~

TO TUNISIAN OP AREA

CLASS: U HANDL:

POSITION 0800	ZONE	TIME
L 37°18.2N		BY 2,4
λ 009°16.2E		BY 2,4

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					08-12 (CONT)
0742	AA 1/3		5	036	RPM'S
(b) (6)	~~R20°R LWR~~	185			
0743			2	015	RPM'S
0744	C/R	190			
0746	STDY	185		CHK	185
0800				CO IS OFF THE BRIDGE	
0814				RECEIVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN 0° LIST	
				42,000 DISPLACEMENT.	
0831	L20°R	175	4	029 RPM'S	
0833				SET FLIGHT QUARTERS.	
0835	AA 1/3		2	015 RPM'S	
0836	STDY	175		CHK	176
0853	AA 2/3		8	054	RPM'S
	L20°R	085		RECEIVED MUSTER REPORT	
0857	AA 1/3		3	022	RPM'S
0858	AA 1/3		2	015	RPM'S
0900				SET CONDITION 1A.	
0904	AA 1/3		5	036 RPM'S	
0906	AA 1/3		2	015 RPM'S	
	STDY	085		CHK	087
0908				RECEIVED FUEL AND WATER REPORT.	
0915				CO IS ON THE BRIDGE.	
0916	C/L	080		COMMENCE BALLASTING	
0921				CO IS OFF THE BRIDGE.	
0922	STDY	080		CHK	082
0923				CO IS ON THE BRIDGE	
0928				RECEIVED BOAT REPORT.	
0935				SINGLE VALVE ON 2 A/C PUMP	
0939				CO IS OFF THE BRIDGE	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A L H	Ø Ø 2	Ø	Ø 9	A	1 9

E

USS SAIPAN

AT ~~PASSAGE~~ FROM

TO TUNISIAN OP AREA

CLASS: U HANDL:

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					Ø7 - 12 (CONT)
Ø94Ø				CO	IS ON THE BRIDGE
Ø941				GREEN	DECK
1Ø1Ø	AA1		5	Ø36	RPMS
1Ø13	AA1		3	Ø22	RPMS
1Ø23	L2Ø	27Ø		267	~~PST~~ PSTGC
1Ø29	AA 2/3		3 KTS	Ø22	RPMS
1Ø34	L2Ø	240		238	PSTGC
1Ø35	AA2		8	Ø54	RPMS
1Ø33				COMMODORE	IS ON THE BRIDGE
1Ø34	AA 1/3		2	Ø15	RPMS
1Ø45	L2Ø	23Ø			PSTGC
1Ø54				COMMODORE	IS OFF THE BRIDGE
1Ø59	AA1		5	Ø36	RPMS
1Ø59				CO	IS OFF THE BRIDGE
11Ø3				SET	354° T AT 1KT DRIFT
11Ø5				CO	IS ON THE BRIDGE
1111	AA1		7	Ø48	RPMS
1126	AA2		1Ø	Ø68	RPMS
1127	R2Ø	1ØØ			PSTGC
1127				HERO	CONDITION III SET
1133	AA1		3	Ø22	
1136	STDY	Ø7Ø			PSTGC
1136	STDY	Ø75			PSTGC
1137	CL	Ø8Ø			PSTGC
1138	CL	Ø9Ø		Ø96	PSTGC
1141				SECURED	FROM HERO CONDITION III
1144				WATCH	PROPERLY RELIEVED BY LCDR (b) (6) [redacted]
					[redacted] (b) (6) JG
					[redacted] (b) (6) LTJG USNR

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 2	Ø	Ø9	A	19

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17

E 22

USS SAIPAN

AT / ~~PASSAGE FROM~~ TUNISIAN

TO OPAREA

CLASS: U HANDL: /

78 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 37 16.3 N		BY 2,4
λ ØØ9° 17.1 E		BY 2,4

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16
(b) (6) ~~1120~~ 1144				LCOR	(b) (6) HAD THE DECK UNDERWAY AS BEFORE
1218				GREEN WELL	
1240				RED WELL	
1242				RED DECK	
	L30R				
1243	AA 1/3		7	Ø48	RPMS
1245	AA 2/3		8	Ø54	RPMS
1250		280		CK	276
1251	AA 1/3		2	Ø15	RPMS
1252				GREEN DECK AND GREEN WELL	
1309				COMMENCED DE-BALLASTING.	
1313			3	022	RPMS.
1317			4	029	RPMS.
1334	R30R			RED	DECK
1335		345			
			5	036	RPMS.
1340				GREEN DECK.	
1342	R10R	040			
			7	048	RPMS.
1343			5	036	RPMS.
1348				GREEN	DECK
			3	022	RPMS.
	STDY	040		CK	037
1349				LOWER STERN GATE.	
1350				HERO CONDITION III	SET.
1356				SECURED CONDITION 1A.	
1424				SECURED HERO CONDITION III	
1425				DRAFT REPORT FWD 27FT AFT 27FT MEAN 27FT	
1455				SAIPAN + 26 MEU MARINES.	
1457				RANGE IS HOT	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	19	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ TUNISIAN

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16 (cont'd)
1504				RED	DECK.
	MAN	050		DL	CENTRAL REPORTED ALL CONDITIONS NORMAL
	C/A	055			
1505			7	048	RPMS.
1506	MA 2/3		10	068	RPMS
1509	STDY	055		045	
(b) (6) 1520		~~06~~			RANGE IS HOT.
1524	CR	065			
1524				CO	IS ON THE BRIDGE.
1525				GREEN	DECK
1526	STDY	065		CK	065
(b) (6) 1527				COLD	RANGE SECURE GUN ~~SHOT~~ EX.
1530				CONN	PROPERLY RELIEVED BY ENS (b) (6)
1536				DECK	PROPERLY RELIEVED BY LTJG (b) (6) (b) (6)
					(b) (6) LCDR, USN
					16-18
1536				RELIEVED	THE DECK UNDERWAY AS BEFORE.
1537				ENS	(b) (6) HAS THE DECK UNDER INSTRUCTION
1545	AA 1/3		3	022	RPM'S
	L 10 R	040			
1549	L 10 R	030			
1550	AA 1/3		2	015	RPMS
1555				RED	DECK
1556	AA 2/3		10	068	
	CR	065			
1559	STDY	065		CK	066
1604	AA 1/3		4	029	
	CR	090			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	A	19	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TUNISIAN

TO OPAREA

CLASS: U (78) HANDL: / (79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					16 - 18 (CONT)
1605	AA 1/2		2	015	
	R 20 R	085			
1606	AA 1/2		7	048	
1607	STDY	085		CK 087	
				CAPT IS ON THE BRIDGE.	
1610	CL	080		CK 082	
1621			2	015 RPMS.	
				COMMODAE OFF THE BRIDGE.	
1623	R10R	105			
1626				GREEN DECK.	
			5	076 RPMS	
1627				RED DECK.	
	L15R	080			
			7	048 RPMS	
1629	L20R				
1633	AA2		10	068 RPMS.	
1634	STDY	080		CK 083	
1639	AA 1/3		2	015 RPMS	
1642	R10R	100			
1645			5	036 RPMS	
1647	AA FULL		18	120 RPMS	
	R10R	080			
1648	L15R	080			
1649			22	152 RPMS	
	L15R	073		CO IS OFF THE BRIDGE.	
1651	STDY	073		CK 075	
1655			20	126 RPMS	
1658	C/L	070			
1659				CO IS ON THE BRIDGE	
1700	AA FULL		19	120 RPMS.	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
	LHA	002	0	09	A	18	

USS SAIPAN

AT / PASSAGE FROM TUNISIAN OPAREA

TO SICILIAN OPAREA

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L 37°30.5 BY 2 λ 010°01.8 BY 4		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					16-18 (CONT)
1700	STDY	070		CK OTI	
1703				GREEN DECK.	
1713				CO IS OFF THE BRIDGE.	
1722				LTJG	(b) (6) HAS THE [redacted]
					[redacted] ~~1756~~
					[redacted] LTJG, USNR
					18-20
1722					ASSUMED THE DECK UNDERWAY AS BEFORE.
1724				QMC	(b) (6) ASSUMED THE CONN
*1722					YOKE SET THROUGHOUT THE SHIP
1739					CO IS ON THE BRIDGE.
1744					CO IS OFF THE BRIDGE
1753	RSR	~~090~~			
1754	STDY	090		CK	091
1815					CO IS ON THE BRIDGE
1817					RED DECK
1818					GREEN DECK
1819					CO IS ~~ON~~ OFF THE BRIDGE
1822					CO IS ON THE BRIDGE.
1825					NAVIGATION OBSERVED SUNSET. NAV LIGHTS ENERGIZED.
1836					CO IS OFF THE BRIDGE
1846					TRANSERING FUEL FROM STORAGE TO SERVICE
1853					CO IS ON THE BRIDGE
1856					SHIPS LIGHTING IS CONFIGURED WITH NVG OPS NOT
					TAN RUNS OFF THE ROAD
1900					ADVANCED SHIPS CLOCKS TO TIME ZONE - 2B
2001					CO IS OFF THE BRIDGE
	RSR	100			
2003	STDY	110		CK	113 PSTOC

(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	19	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TUNIS OPAREA

TO

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					18-20 (CONT)
2004					SHIPS LIGHTS ARE NORMAL UNDERWAY LIGHT. IAW
					RULES OF THE ROAD
2005					CO IS ON THE BRIDGE
2013	LSR	100			
	CL	090			
2015	STDY	090		CK	092
2016					CO IS OFF THE BRIDGE
	LSR	080			
2017					CO IS ON THE BRIDGE
2018	STDY	080			CK 082 PSTGC
2019				LT	(b) (6) [redacted] HAS THE DECK [redacted] (b) (6)
					[redacted] (b) (6)
					20-24
2019				LT	(b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE
2024	LSR	015			
	LIOR	015			
2025					COMPLETED TRANSFERING FUEL
2026	LSR	015			
2028	STDY	015		CK	016
2030	AAFULL		20	136	RPM
2056					SHIPS LIGHTS CONFIGURED FOR NVG OPS NOT IAW
					RULES OF THE ROAD PORT RUNNING LIGHT IS
					SECURED. NOT IAW RULES OF THE ROAD
2102				RED	DECK
2103	RSR	130			
	ASTP			0000	RPMS
2104	AB1/3			037	RPMS
2105	RIOR	130			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	Ø	09	B	19	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TUNS OPAREA

TO

CLASS	HANDL
U	1
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24 (CONT)
2107	ΔSTP			ØØØ	RPMS
	AA1/3		5	Ø36	RPMS
2108	SASG	140			
	STDY	135			
				CoFeeN DECK	
2109	STDY	138			
2110	STDY	138		140 PSTGC	
2135				RED	DECK
	RISR				
	LFR				
	AASTD		15	Ø99	RPMS
2120	L20R				
(b) (6) 2140	L30R				
	SR				
(b) (6) 2140	STDY	340			
2145	STDY	340		332	PSTGC
2146				SECURE FROM FLT QTRS	
	RISR	110			
				SHIPS LIGHTING CONFIGURED FOR NORMAL	
				UNDERWAY STEAMING IAW RULES OF THE ROAD	
2147	AAFULL		20	136	RPMS
	STDY	110		113	PSTGC
2151	AASTD		15	Ø99	RPMS
2156	AASTD		17	113	RPMS
2207	AAFULL		19	128	RPMS
2210	AAFULL		21	144	RPMS
2219				COMPLETED DUMPING TRASH	
2150				COMMENCE DUMPING TRASH	
2220				CO IS OFF THE BRIDGE	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA 002	0	09	B	19

USS SAIPAN

~~AT~~/PASSAGE FROM TUNIS OPANA

TO ADRIADIC SEA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					20-24 (CONT)
2238			CO	LS	ON THE BRIDGE
2245				CO/S	OFF THE BRIDGE
2248	R10R	115			
	R3R	115			
2250	STDY	115		CR 118	PSTGC
2319	AAFULL		21	144	RPMS
2323	AAFULL		22	152	
2330					CONN PROPERLY RELIEVED BY ENS (b) (6) [redacted]
2341					DECK PROPERLY RELIEVED BY LTJG (b) (6) [redacted] (b) (6) [redacted]

N.E.T.R.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 002	0	09	B	20

E

USS SAIPAN

AT / PASSAGE FROM

TO

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					00-04
2341					ASSUMED THE DECK UNDERWAY STEAMING IAW
					CONSUTHFIT DEPLOYMENT SCHEDULE ON STATION
					IN THE STRAITS OF SICILY. SOPA AND OTC
					IS COMPHIBRON FOUR EMBARKED IN USS SAIPAN
					(LHA-2) ENGINEERING PLANT STATUS IS AS
					FOLLOWS BOILERS #1 & 2 ONLINE MAIN ENGINES
					#1 & 2 ONLINE SSTG'S #1 + 2 & 4 ONLINE
					EDG'S #1 + 2 IN STANDBY IN AUTO FIRE PUMPS
					#3 + 6 ONLINE & 2 + 4 + 5 + 7 + 8 IN STANDBY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS NOTED IN THE DC
					CLOSURE LOG. READINESS CONDITION ~~TO~~ AND
					EMCON PLAN DELTA ARE IN EFFECT DARKEN
					SHIP IS SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					TO NAV LIGHTS THE CO IS IN HIS AT SEA
					CABIN.
2342					LT. (b) (6) HAS THE DECK UNDER INSTRUCTION.
2358	L 3 R	110°			
0040	AA FLANK		23	160	
0116	L 3° R	107			
0117	STDY	107		CK	110
0121	AA FULL		18	120	
0122				HOT	BEARING 1 ~~AFFA~~ BRVO MAIN FEED PUMP.
0137	AA FULL		20	136	
* 0124					BEARING TEMP. UNDER CONTROL ON # BRVO FEED PUMP.
0146	AA FULL		18	120	
0150					TRANSFERING FUEL.
0200	AA FULL		21	144	
0212	R 3 R	117			

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		L.H.A.	002	0	09	B	20	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM TUNISIAN OPAREA

TO SICILY MODLOC

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					00 - 04
0213	STDY	117		CK	120
	AA FULL		19	12X	
0214	AA FULL		18	120	
0217	R3R°	123			
	AA STD		17	113	
0222	R3R	125			
0223	STDY	125		CK	128
0225	AA FULL		18	120	
0229	R3R	128			
0230	STDY	128		CK	131
	AA FULL		20	136	
0234					SECURE TRANSFERING FUEL
0236	AA FULL		22	152	
0238	R3°R	130			
0245	L3°R	116			
0247	STDY	116		CK	120
0331				ENS	[redacted] (b) (6) ASSUMED THE CONN.
0348				WATCH	PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) LTJG
					[redacted] (b) (6) LTJG
					04-07
0348					ASSUMED THE DECK UNDERWAY AS BEFORE.
0359					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0400					SET AND DRIFT: 295°T AT 1.1 KTS
0412	R5R	130			
0414	STDY	130		CK	132
0415	L5R	090			
0418	STDY	090		CK	092
0422	R5R	110			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	20	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ / PASSAGE FROM TUNISIAN OPAREA

TO SICILY MODLOC

CLASS: U HANDL: 78 79

POSITION	ZONE	TIME
0800 L 36°34.0	BY	24
λ 014°15.7	BY	24

POSITION	ZONE	TIME
1200 L	BY	
λ	BY	

POSITION	ZONE	TIME
2000 L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					04-07 (CONT'D)
0423	R5R	120			
0424	STDY	120		CK	123
0427	R5R	125			
0428	STDY	125		CK	127
0435	L5R	107			
0438	STDY	107		CK	110
0500				SET AND DRIFT: 285°T AT 1.1 KTS.	
0506	AAFULL		20	136	RPM'S
0508				DC CENTRAL REPORTED ALL CONDITIONS NORMAL.	
0522				COMMENCED TRANSFERING FUEL.	
0609				DC CENTRAL REPORTED ALL CONDITIONS NORMAL.	
0631				WATCH PROPERLY RELIEVED BY LTJG	(b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted] CDR, USN
					07-12
0631				LTJG	(b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.
				ENS	(b) (6) [redacted] HAS THE CONN.
0650				OBSERVED SUNRISE. NAVIGATION LIGHTS DE ENERGIZED.	
0713	L/R	110			
0715	STDY	110		CHK	112
0718				CO IS	OFF THE BRIDGE.
0719				CO IS	ON THE BRIDGE.
0731	L/R	115			
0732	STDY	115		CHK	118
0733				RECEIVED MEDICAL REPORT.	
0750				RECEIVED DAILY DRAFT REPORT DRAFT FWD 27'	
				DRAFT AFT 27' MEAN 27' DISPLACEMENT 42,040	
0800				CO IS OFF THE BRIDGE	
0815	L3L	100			PSTBL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	02	0	09	B	20	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

~~AT~~ PASSAGE FROM TUNISIAN OP AREA

TO MODLOC

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					07-12 (CONT)
0816				CO IS	ON THE BRIDGE.
0817	STDY	100		CHK	103
0828	C/R	102			
0830	STDY	102		CHK	103
0835	C/L	095			
0836	STDY	095		CHK	102
0901	C/R	097			
0902		097		CHK	099
0907	CR	00		101	PSTGC
0919	CR	105			
	AAF		18	120	RPMS
0925	AAF		20	136	RPMS
0930	AAS		17	113	RPMS
0937	AAF		20	136	RPMS
1007				CO	IS ON THE BRIDGE
1012	CL	100			PSTGC
(b) (6) [redacted] 1015	~~TO~~ STDY	100		CHK	097
1036	L3°R	040		RED DECK	
1040	STDY	040		CHK	036 GREEN DECK.
1044	L3°R	026		RED DECK	
1047	STDY	026		CHK	028
	AASTD		17	113	RPM'S
1048	AAFULL		18	128	RPM'S GREEN DECK.
1100				CO IS	ON THE BRIDGE
1132				WATCH	PROPERLY RELIEVED BY LTJG (b) (6) [redacted] (b) (6) [redacted] ~~LTJG~~ (b) (6) [redacted] LTJG, USNR
					12-16
(b) (6) [redacted] 1132				LTJG	(b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.
				BMC	(b) (6) [redacted] ~~A~~ HAS THE COND

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	00	09	B	20	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT/PASSAGE FROM TUNISIAN OP AREA

TO MODLOC

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L 36-44.3N	BY 244	
λ 015-30.4E	BY 244	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT)
1137	R10°R				
	RAMID	036			
1139	L5°R	026			
1140	STDY	026		020	
1220				HERO	CONDITION III SET
1227				CO	IS ON THE BRIDGE
1228	NAMO				
		022			
1230	N3N	026		020	
1231	STDY	020		CK	
1234				SECURED	HERO CONDITION III
1255	LION	342			
1302		342		CK	336
1307				SNOOPY	TEAM STBD SIDE.
1400	AAS TD		15	099	RPMS.
1415				COM	MODRE IS ON THE BRIDGE.
1417				COMMODRE	IS OFF THE BRIDGE.
				CO	IS OFF THE BRIDGE.
1441				CO	IS ON THE BRIDGE.
1446				CO	IS OFF THE BRIDGE.
1450				CO	IS ON THE BRIDGE.
1455				HERO	CONDITION III SET.
1509				SECURED	HERO CONDITION III.
1510				ENS	(b) (6) HAS THE CONN.
1521				NED	DECK
	LSN	195			
1522	N15N	185			
1524	AA 2		10	068	RPMS.
1527	AA1		5	036	RPMS.
1530			3	022	RPMS

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	A	20	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ SICILIAN

TO MODLOC

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-16 (CONT)
1531				GREEN DECK.	
1535				LT [redacted] HAS THE DECK.	[redacted]
					16-18
1535				ASSUMED THE DECK UNDERWAY AS BEFORE.	
*1530	STOY	185		CK	186
1631				SET	HERO CONDITION ~~III~~
1633				HERO CONDITION ~~III~~	SET.
1646				RED	DECK.
	L3A	150			
	AA2		8	054	rpms.
1650	AA1		3	042	rpms
1651	STOY	150		CK	151
1700	AA2		10	068	rpms.
1708	AA1		3	042	rpms.
1727				ENS [redacted]	ASSUMED THE CONN
1739				WATCH	Properly relieved by LTJG [redacted]
					[redacted] LT USNR
					LT USNR
					18-20
1739				LTJG [redacted]	HAS THE DECK UNDERWAY AS BEFORE
1757	AA2/3		10	068	rpms
1758	R20R	330			
1800	R30R				
1807	STOY	330		CK	~~30~~ 331
1817				CO	IS OFF THE BRIDGE.
				CO	IS ON THE BRIDGE

[redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	062	0	09	A	20	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM SICILIAN

TO MODLOC

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L 37°27.1	BY 2.4	
λ 015° 78.0	BY 2.4	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					18-20 (CONT)
1824	R10R	150			
1825	AA 1/3		5	036	RPMS
1830	AA 1/3		3	022	RPMS
1835	STDY	150		CK	148
1838					TRANSFERING FUEL
1844					GREEN DECK
1859					OBSERVE SUNSET NAV. LIGHTS ENERGIZED.
1901					CO IS ON THE BRIDGE
					SECURE FROM HERO CONDITION III
1906					SECURE FROM TRANSFERING FUEL
1930					ENS [redacted] HAS THE CONN.
					NAVIGATION LIGHTS CONFIGURED FOR NVG
					OPS NOT IAW RULES OF THE ROAD
					DARKEN SHIP SET
1946					LCDR [redacted] HAS THE DECK
					[redacted] LTJG
					[redacted] LTJG
					20-24
1946					LCDR [redacted] HAS THE DECK UNDERWAY AS BEFORE
2013					COMODORE ON THE BRIDGE
2018					COMODORE AND CO OFF THE BRIDGE
2020					CO IS ON THE BRIDGE
2021					COMODORE IS ON THE BRIDGE
2026					COMODORE OFF THE BRIDGE.
2030					CO IS OFF THE BRIDGE
2033					CO IS ON THE BRIDGE
2115					SET AND DRIFT 278° .7 KTS
2140					NAVIGATION LIGHTS ARE IAW RULES OF THE ROAD
2146					REP DECK

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		L HA	002	09	A	20		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM SICILIAN

TO MODLOC

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24 (CONT)
2148	R30R	190			
	AA1/3		7	048	RPMS
2150	AA1/3		3	022	RPMS
2151	STDY	190		CL	189 PSTOL
2154	AA1/3		5	036	RPMS
2157	AA1/3		7	048	RPMS
2158	CL	180			
2200	CL	175			
	CL	160			
2203	CL	150			
2204	CL	140			
2205	STDY	140		CL	141 PSTOL
	AA1/3		3	022	RPMS
2208				GREEN	DECK
2223				RED	DECK
	L30R	110			
2228	STDY	110		113	PSTOL
2230	L20R	077			
	AA STD		15	099	RPMS
2235	STDY	077			
	AA FULL		18	120	RPMS
2240				CO IS	OFF THE BRIDGE
2253				CO IS	ON THE BRIDGE
(b) (6) 2254				~~CO IS~~	GREEN DECK
2307				CO IS	OFF THE BRIDGE
2309	AA1/3		3	022	RPMS
				RED	DECK
2312				CO IS	ON THE BRIDGE
					N FETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	09	8	20		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM SICILIAN

TO MODLOC

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					20-24 (CONT)
2326	AA 1/3		2	015	RPMS
2330					WATCH PROPERLY RELIEVED BY LTJG [redacted] (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted], LCDR, USN

NEXT

[redacted] (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted] (b) (6) [redacted]

DMC

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 002	0	09	B	21

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17

E (22)

USS SAIPAN

AT / PASSAGE FROM SICILIAN MODLOC

TO ALBANIAN MODLOC

CLASS: U (78) HANDL: / (79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					00-04
2330					ASSUMED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE ON
					STATION IONIAN SEA. SOPA AND OTC
					IS COMPHIBRON FOUR EMBARKED IN USS SAIPAN
					(LHA-2). ENGINEERING PLANT STATUS IS AS
					FOLLOWS BOILERS #1+2 ONLINE MAIN ENGINES
					#1+2 ONLINE, SSTG'S #1+2+3 ONLINE
					EDG'S #1+2 STAND BY IN AUTO START
					FIRE PUMPS #3+6 ONLINE #2+4+5+7+8
					IN STAND BY MATERIAL CONDITION YOKE IS
					SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					NOTED IN THE DC CLOSURE LOG READINESS
					CONDITION IV AND EMCON PLAN DELTA
					ARE IN EFFECT. DARKEN SHIP IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS TO NAVIGATION LIGHTS
					THE CO IS IN HIS AT SEA CABIN.
					ENS [redacted] ASSUMED THE CONN
2336					CO IS OFF THE BRIDGE
2358					CO IS ON THE BRIDGE.
0000	AA 2/3		10	068	RPM'S
0013					SECURED FLIGHT QUARTERS.
	AA FULL		20	136	RPMS
0016					COMMENCED DUMPING TRASH.
					CO IS OFF THE BRIDGE.
0034					SHIFTED STEERING SETS. SET #1 STBD CABLE
0102					SECURED DUMPING TRASH.
0130	L2R	047			
0132	STD1	047		CK	045
0247	L2R	330			
0252					COMMENCED SOOT BLOW

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	070.2	0	09	B	21	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS JAIPAN

~~AT~~ / PASSAGE FROM TUNISIAN OPAREA

TO ALBANIAN OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					00-04 (CONT'D)
0253	STDY	330		CH	325
0320	R5°R	055			
					COMPLETE SUTT BLOW.
0323	AA FULL		22	152	RPM'S
0325					DECK PROPERLY RELIEVED BY LT (b) (6) [redacted]
					(b) (6) [redacted] LEG
					(b) (6) [redacted] JG, USNR
					04-08
0325					RELIEVED THE DECK UNDERWAY AS BEFORE.
0330					CONN PROPERLY RELIEVED BY QMC (b) (6) [redacted]
*0326	STDY	055		CH.	053
0339					TRANSFERING FUEL
0447					SECURE TRANSFERING FUEL
0628	L 5 R	047			
0633	STDY	047		CH	045
0633					CO IS ON THE BRIDGE.
					ENS (b) (6) [redacted] HAS THE CONN.
0638					WATCH PROPERLY RELIEVED BY LT (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted] TYR USN
					08-12
0641					LT (b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.
0644					OBSERVED SUNRISE. NAVIGATIONAL LIGHTS DE ENERGIZED.
0647					CO IS OFF THE BRIDGE.
0655					CO IS ON THE BRIDGE.
0733					RECIEVED MEDICAL REPORT
					RECIEVED FUELS REPORT
0747					COMMENCE TRANSFERRING FUEL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A L.H	002	0	09	B	21

USS SAIPAN

AT / PASSAGE FROM TUNISIAN OP AREA

TO ALBANIA OP AREA

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L 38°54.8N		BY 2,4
λ 018°12.0E		BY 2,4

POSITION	ZONE	TIME
1200 L 39°59.8 N		BY 2,4
λ 019°02.2 E		BY 2,4

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					08-12 (CONT)
0757					CO IS OFF THE BRIDGE.
0807					RECEIVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN 0° LIST
					42,000 DISPLACEMENT.
					GREEN RANGE FOR SMALL ARMS FIRE.
0830					CO IS ON THE BRIDGE
(b) (6) 0832					WEAPONS POSTURE 2 SET. SECTOR HOLD BACK TOOL REMOVED.
** ~~0835~~ 0745					MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP.
0839					COMPLETED TRANSFERRING FUEL.
0844					CO IS OFF THE BRIDGE.
0848					RECEIVED AMMUNITIONS REPORT
(b) (6) ~~0855~~ 0856					RECEIVED BOAT REPORT.
0858					RECEIVED CHRONOMETER REPORT.
0917					RED RANGE.
0938					GREEN RANGE.
0949	CL	043		041	PSTGC
0955				CO	IS ON THE BRIDGE
1001				CO	IS OFF THE BRIDGE
1030	L5	000		358	PSTGC
1100				FIGHT	QUARTERS
1106	L3	340			PSTGC
1107	STDY	343		341	PSTGC
1110	CL	340			PSTGC
1124	R3°R	010		NAVIGATION SHIFTED TO CHART # 54260	
1130	STDY	010		CHK	008
				ENS (b) (6)	HAS THE CONN.
1138				RECEIVED MUSTER REPORT.	
1142	R5°R	040			
1146	STDY	040		CHK	038
1148	L5°R	000			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE LH (3-4)	HULL NUMBER 02 (5-7)	YEAR Ø (12)	MONTH Ø9 (13-14)	ZONE 8 (15)	DAY 21 (16-17)	E (22)

USS SAIPAN

~~AT~~ / PASSAGE FROM IONISIAN OP AREA

TO ALBANIAN OP AREA

CLASS U (78) HANDL (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					7-12 (CONT)
1152					WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]
					& (b) (6) [redacted]
					(b) (6) [redacted] LT USN)
					12-17
1152					LTJG (b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.
1152	AAS		15	Ø99	RPMS
1156	AAS		13	Ø85	RPMS
1157	RS	346		344	PSTBC
1208		346		CK	379
					TRANSFERING FUEL.
1210					CO IS ON THE BRIDGE.
1218	AA FULL		22	152	RPM'S
1251	L3A	315		AED	DECK
1254	STDY	315		CK	311
					COMPLETED TRANSFERING FUEL.
1256					GREEN DECK.
1405	A5A	010		AED	DECK.
	A3A	010			
1408	AAL		10	068	RPMS.
	C/A	135			
1410	AA1		3	022	RPMS.
1417				CO	IS OFF THE BRIDGE.
	STDY	135		CK	136
1418				CO	IS ON THE BRIDGE.
					GREEN DECK.
1427	A20R	120			
	AA 1/3		5	036	
1428			7	048	RPMS.
1431	A15A	350			

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		2H	002	002	A	21		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~ ARRAITIC

TO OPAREA

CLASS	HANDL
V	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12 - 17 (CONT'D)
1431	AASTD		15	098	RPMS
				CO	IS OFF THE BRIDGE.
1438		340			
1439	STDY	340		CK	342
1442				CO IS	ON THE BRIDGE.
1445	AA 2/3		10	068	RPMS
1450			8	054	RPMS
1453	AASTD		15	099	RPMS
1457	AAFULL		18	120	RPMS
1501	RIOR			RED	DECK
1503	R5R				
1504	RAMID				
1505	SASG	105			
	C/L	100			
1508			20	136	RPM'S
1510			22	152	RPMS
1511	C/R	105			
1512	R3R	140			
	AA 2/3		10	068	RPMS
	AA 1/3		5	036	RPMS
1514	C/R	150	3	022	RPMS
1515	R3R	160			
1517	C/A	165			
1519	STDY	165		CK	166
1538				RED	DECK.
1539			5	036	RPMS.
1541	C/A	172			
1542			3	022	RPMS.
	STDY	172		CK	173
1543				GREEN	DECK.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	08	A	21	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-17 (CONT'D)
1604			5	036 RPMS	
1614				CO	IS OFF THE BRIDGE.
1623			3	022 RPMS	
1629				CO	IS ON THE BRIDGE.
1634				ENS	(b) (6) [redacted] HAS THE CONN.
1643				LCDR	(b) (6) [redacted] HAS THE DECK
					(b) (6) [redacted] LTJG
					(b) (6) [redacted] LTJG
					17-22
1643					ASSUMED THE DECK UNDERWAY AS BEFORE.
1657				CO	IS ON THE BRIDGE.
1650				CO	IS OFF THE BRIDGE
1708				CO	IS OFF THE BRIDGE.
1730					CO IS ON THE BRIDGE.
1743					CPR-4 IS ON THE BRIDGE
1751					CPR-4 IS OFF THE BRIDGE
1756					BALLAST BRIEF CONDUCTED FOR WET WELL OPERATIONS
					ON 21 SEP 00
1758					COMMENCE WHITE SMOKE DRILL IN COMPT
					07-77-1-Q, FAN ROOM
1833					COMMODORE IS ON THE BRIDGE
					SECURE FROM WHITE SMOKE DRILL
1839					COMMODORE IS OFF THE BRIDGE
1844					OBSERVED SUNSET. NAV LIGHTS ENERGIZED.
1900					CO IS ON THE BRIDGE
					CO IS OFF THE BRIDGE
1901					CO IS ON THE BRIDGE
1912					CO IS OFF THE BRIDGE
1935					CO IS ON THE BRIDGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED ST SECURITY MARKING

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E	CLASS	HANDL
		L	002	0	09	B	21		U	/
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ SEA

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					22-02 (CONT)
2329	RFR	205			
				RED	DECK
	AA1/3		5	032	BPMS
2330	RFR	210			
2332	CR	220			
2334	STDY	220		219	PSTOC
				GREEN	DECK
2347					DECK RETAINED BY LTJG [redacted]
					~~LTJG~~
					[redacted] JG, USNR

VERITAS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA 02	0	0 9	B	2 2

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ SEA

E

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L		BY
λ		BY

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					22-02 (CONT)
2347					RETAINED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE LOCATION
					ADRIATIC SEA SOPA AND OTC IS COMPHIBRON
					FOUR EMBARKED IN USS SAIPAN (LHA-2)
					ENGINEERING PLANT STATUS IS AS FOLLOWS
					BOILERS #1 + 2 ONLINE MAIN ENGINES #1 + 2 ONLINE
					SSTG'S #1 + 2 + 3 ONLINE EDG'S #1 + 2 IN AUTO
					FWPUMPS #3 + 6 ONLINE #2 + 4 + 5 + 7 + 8 IN STANDBY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT THE
					SHIP WITH EXCEPTIONS NOTED IN THE DC CLOSURE
					LOG READINESS CONDITION III AND EMCON
					PLAN DELTA ARE INEFFECT. DARKEN SHIP IS
					SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					TO NAV LIGHTS THE CO IS ON THE BRIDGE.
2351					RED DECK
2352	R 10 R	315			
	AA 2/3		8	054	RPM's
2359	STDY ON	300			
2359	STDY	300		ck	299
					GREEN DECK
1222					RED DECK
	R 20 R	330			
1226	STDY	330		ck	329
1228	AA STD.		15	099	
1230				CO	IS OFF THE BRIDGE.
	R 15 R	340			
1231	STDY	340		ck	337
1233	AA 2/3		12	079	
0100	AA 1/2		3	022	
0107	L 20 R	315			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRIATIC SEA

TO

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CON'T)
0110	AA 1/3		5	036	RPM'S
0115	STDY	315		309	C.K.
					GREEN DECK.
0140					DECK PROPERLY RELEIVED BY LT. (b) (6)
					(b) (6) ~~LTJG~~
					(b) (6) LTJG, USNR
					02-07
0140					RELEIVED THE DECK UNDERWAY AS BEFORE
0145	AA STD		15	099	
					CONN PROPERLY RELEIVED BY ENS (b) (6)
0154					C.O. IS OFF THE BRIDGE.
(b) (6)					~~ENS~~ LTJG (b) (6) HAS THE DECK U.I.
0203	L10R	290			
0205	STDY	290		CK 398	
					GREEN DECK.
	AA 1/2		5	036	
(b) (6) 0230	~~R15R~~				SECURE FLT QUARTERS
0231	R15R	350			
	AA STD		15	099	
0232					C.O. IS OFF THE BRIDGE.
0234	STDY	350		CK 342	
0238	R10R	020			
0241	STDY	020		CK 014	
0252					SECURE #2 BOILER, PLANT CROSS CONNECTED.
	AA 2/3		10	064	
(b) (6) ~~0308~~ ~~0320~~				FIRES	OUT IN #2 BOILER.
0330					SET AND DRIFT: 175°T AT 2 KTS.
0334	L15R	315			
			12	079	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	022	0	09	6	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRIATIC SEA

~~TO~~

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 77
					02-07 (CON'T)
0338	STDY	315		CK	311
0345	AASTD		13	085	RPMS
0413					SHIFTED STEERING TO SET #2 PORT CABLE.
0415	L5R	305			
0416	STDY	305		CK	302
0451					PERMISSION GRANTED TO MAKE PREPS FOR LIGHTING FIRES IN #2 BOILER.
0510					COMMENCED PREPS FOR LIGHTING FIRES IN #2 BOILERS.
0515					FIRES LIT #2 BOILER.
0534	C/L	300			
0536	STDY	300		CK	297
					SET AND DRIFT: 157°T AT 1.2 KTS.
0542	AA43		11	073	RPMS
	C/L	295			
0544	STDY	295		CK	292
0600					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0622					ENGINEERING PLANT SPLIT.
0626					ENS (b) (6) [redacted] ASSUMED THE CONN.
0631					RECEIVED AVIATION FUELS REPORT.
					OBSERVED SUNRISE. NAVIGATIONAL LIGHTS ARE DEENERGIZED.
0640					WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]
					(b) (6) [redacted]
					(b) (6) [redacted] LT
					07-12
0640					LTJG (b) (6) [redacted] HAS THE DECK UNDERWAY AS BEFORE.
0646			12	079	RPM'S
0710					RECIEVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN
					0° LIST 42,000 DISPLACEMENT.
0720	AA43		5	036	RPM'S
0727	L15°R	255			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	22	

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17 22

USS SAIPAN

AT ~~/ PASSAGE FROM~~ ABANIAN OP AREA

TO

CLASS	HANDL
U	

78 79

POSITION	ZONE	TIME
0800		
L 41°13.0N		BY 24
λ 017 40.7E		BY 24

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
0723	AA 2/3		18	068	RPM'S
0724				RECEIVED MEDICAL REPORT.	
0726	STDY	270		CHK	268
0727				RECEIVED CHRONOMETER REPORT.	
	R15°R	295		291	PSTGC
0758	AA 2/3		712	074	~~RR~~ RPMS CO IS ON THE BRIDGE
0815	ASTP				
				LOSS	Fire #1 Boiler
	STDY	291			
0816	AA 2/3		8	054	RPMS
*0803				HELMSMAN STEERING BY MAGNETIC COMPASS	
0819	STDY	291			
0828	AA 2/3		10	068	RPMS
0835	R10°R	330		HELMSMAN STEERING BY GYRO COMPASS.	
	AA 2/3		12	074	RPMS
0837				COMMODORE IS ON THE BRIDGE	
0839				SYSTEM IN PARALELL MAKING PREPS TO LIGHT BOILER	
	STDY	330		CHK	325
0841				COMMODORE IS OFF THE BRIDGE.	
0842				#1 #2 DIESEL ONLINE.	
0844				COMMENCED LIGHTING FIRE IN #1 BOILER. #1 #2 IN PARALLEL	
0846				RECEIVED AMMUNITIONS REPORT.	
0848	AASTD		15	099	RPM'S #1 EDG ON STOP
0849				FIRES LIT IN #1 BOILER.	
0903				#2 EDG ON STOP	
0913	L5°R	270			
0917	STDY	270		CHK	267
0944				NEW [illegible] #1, 2 BOILER	
				#2 3, 4 [illegible] #1 2 MAIN [illegible]	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

(b) (6)

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE LH (3-4)	HULL NUMBER 2 (5-7)	YEAR Ø (12)	MONTH Ø9 (13-14)	ZONE B (15)	DAY 22 (16-17)	E (22)

USS SAIPAN

AT ~~PASSAGE FROM~~ SOUTHERN

TO ADRIATIC OPAREA

CLASS (78)	HANDL (79)
4	/

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					Ø7-12 (CONT)
Ø946					CO IS OFF THE BRIDGE
Ø948					RECEIVED DAILY FUEL AND WATER REPORT
Ø949					CO IS ON THE BRIDGE
Ø956					RECEIVED BOAT REPORT.
					CO IS OFF THE BRIDGE.
1ØØØ	AASTD		15	Ø99	RPM'S
1016			1Ø	Ø68	RPM'S
1Ø3Ø	AA'/3		5	Ø36	RPM'S
1Ø33	AA'/3		3	Ø22	RPM'S
* Ø945					SET FLIGHT QUARTERS.
1Ø39					GREEN DECK.
11Ø8					RECEIVED MUSTER REPORT.
1116					RED DECK
1117	L2Ø°R	115	5	Ø36	RPM'S
1119	AA2/3		1Ø	Ø68	RPM'S
1121					COMMENCE TRANSFERRING FUEL.
1127	STDY	115		CHK 116	
1128	AASTD		15	Ø99	RPM'S
1134	LSR	1ØS			PSTGC
1136	STDY	1ØS		CHK 1Ø7	
1137				ENS (b) (6)	HAS THE CONN
1142				WATCH	PROPERLY RELIEVED BY LCDR (b) (6)
					(b) (6) LTJG
					(b) (6) LTJG
					12-16
1142				LCDR (b) (6)	HAS THE DECK UNDERWAY AS BEFORE.
					CO IS OFF THE BRIDGE
1154					LOSS OF BOILER FIRE #2 BOILER, MANNED FWD AND AFT DIESEL.
					CO IS ON THE BRIDGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~

~~TO~~ ADRIATIC OF AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 41°15.8N		BY 2,4
λ 017°03.5E		BY 2,4

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-16 (CONT)
1155	AA3		5	036	RPM'S
(b) (6) 1156					FUEL LEAK REPORTED IN FUEL TRANSFER ~~SYSTE~~ SYSTEM SECURED #2 BOILER,
					#1 EDG IN LINE WITH #1 #2 EDGS.
					CO IS OFF THE BRIDGE
1201	AA1		3	022	RPMS
1229					DISCHARGING FUEL OVER THE SIDE @ 41°-15.9N 017°-15.4E
1232	AA2		10	068	RPMS
1233				CO	IS ON THE BRIDGE.
1236				CO	IS OFF THE BRIDGE
1242				RED	DECK.
1244	RISR	280			
1245	RIOR	280			
1250	AA1		5	036	RPMS.
1251	STDY	280		CK	278
				GREEN	DECK.
1302				CO	IS ON THE BRIDGE.
1309	RIOR	295		RED	DECK.
1314	STDY	295		CK	292
1349	RSR	302		RED	DECK
1351				GREEN	DECK
	STDY	302		CK	300
1356				CO IS	OFF THE BRIDGE.
1403				COMMODORE	IS ON THE BRIDGE
				CO IS	ON THE BRIDGE.
				DESRON	22 DEPARTED.
1430	RIOR	310		RED	DECK.
1431				COMMODORE	IS OFF THE BRIDGE.
1433	STDY	310		CK	307
1545	RIOR			RED	DECK.
1546	AA1		7	048	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ARAITIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
[redacted]					12 ~~12~~-17 (CONT'D)
1546	R30R				
1550		115			
1556	AA2		10	068	RPMS.
1557	STDY	115		CIS	117
1616	R15R			NED	DECK.
1617				COMMENCED TRANSFERING FUEL.	
1621		295			
1624	AA1		5	036	RPMS
1628	STDY	295		CIS	293
1630				NED	DECK
	L15R	275			
1631	L30R	275			
1634				GREEN DECK	
			3	002	RPMS.
1640				REPAIR COMPLETE TO FUEL OIL TRANSFER GASKET.	
				PREPARE TO LITE FIRE # 2 BOILER.	
1641				COMM PROPERLY RELIEVED BY LTJG [redacted]	
	CR	295			
1644				DECK PROPERLY RELIEVED BY LTJG [redacted]	
					LCDR USN
					17 - 22
1644				RELIEVED THE DECK UNDERWAY AS BEFORE.	
1645				GREEN DECK.	
	STDY	295		CIS	292
1647	2 FWR	275			
1648				FIRE LIT # 2 BOILER.	
1651	AA 1/3		5	036	
		280			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		L,1	002	0	09	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					12-22 (CONTD)
1654	STDY	280		CK	279
1655	L30R				
1656	AA2		10	068	RPMS.
1659		115			
1700				YOKE	SET THROUGHOUT THE SHIP
1705	C/L	110			
	STDY	110		CK	112
				GREEN	DECK.
1714	L15R	080			
1716	STDY	080		CK	079
1717	L15R	310			
1718	L10R	310			
1719	AA1		5	036	RPMS.
1723		325			
		320			
1725	STDY	320		CK	315
1727	C/R	330			
1730	STDY ON	326			
1731	STDY	326		CK	320
1738				CO	IS ON THE BRIDGE.
1741	AA 1/3		3	022	RPMS
1752				#2	BOILER ON LINE
1756	AA1/3		5	036	RPMS
1800				RED	DECK
	RFR	120			
1807	STDY	120		CK	127
1823				GREEN	DECK
* 1818	AAF		20	136	RPMS
1833	CR	130			
1836	STDY	130		131	PSTBL

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 41°09.2 N		BY 24
λ 017°30.1 E		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					17-22 (CONT)
1838	CR	135			
* 1836	AA2/3		10	068	RPMS
1839	STDY			CK	136 PSTBC
				GREEN DECK	
1841	CR	145			
				RED DECK	
1844	STDY	145		CK	146 PSTBC
1849				OBSERVED SUNSET NAVIGATION LIGHTS ENERGIZED	
	DA1/3		5	032	RPMS
1854	LZ012	130			
1855	STDY	130		CK	132 PSTBC
1911	LFR	315			
1912	AA2/3		10	068	RPMS
1917	STDY	315		CK	311
	AA1/3		4	029	RPMS
1922				GREEN DECK	
1926				SHIPS	LIGHTING CONFIGURED FOR NVG OPS NOT RAW
				RULES	OF THE ROAD
1935				RED	DECK
	LZOR	090			
	AAF		20	136	RPMS
1940				SHIPS	LIGHTING CONFIGURED FOR RULES OF THE ROAD
1945	STDY	090		CK	090 PSTBC
	AAFULL		22	152	RPMS
2007	CR	095			
2010	STDY	095		CK	096
2023	R3R				
2025	AASTD		15	099	RPM
2027	RAMID				
	STDY	180			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LA	002	0	09	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT)
2027	AAF		20		120 RPMS
					SHIP IS CONDUCTING NVG OPS MAST
					RANGE AND WHITE STERN LIGHT SECURED
					PORT AND STBD RUNNING LIGHTS ENERGIZED
					WITH BLUE STERN LIGHT NOT IAW RULES
					OF THE ROAD
2037	L3R	040			
					SECURE FROM FLIGHT QUARTERS
					SHIPS LIGHTING IS IN ACCORDANCE WITH RULES OF
					THE ROAD.
2047					CO IS OFF BRIDGE
	STDY	040	CK	035	
2050	CR3	050			
2052					TRANSFERING FUEL
2054	STDY	050	CK	045	
2059	CL	040			
2100	STDY	040	CK	045	
2106	L3R	020			
2109	STDY	020			CK 015 PSTOL
2124					SECURE FROM FLIGHT QUARTERS
2131					ENS (b) (6) [redacted] ASSUMED THE CONN
2135					LT (b) (6) [redacted] HAS THE DECK
					[redacted] (b) (6) (b) (6) LTJG
					LTJG, USNR
2135					LT (b) (6) [redacted] ASSUMED THE DECK UNDERWAY
					AS BEFORE
					SECURE FROM TRANSFERING FUEL
2141					CO IS ON THE BRIDGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	Ø	Ø9	B	22	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CONT)
2154					COMMODORE IS ON THE BRIDGE
2208					COMMODORE IS OFF THE BRIDGE
2215					CO IS OFF THE BRIDGE
2222			5	030	RPM
2228				LTJG	(b) (6) HAS THE DECK U/I
2242	RFR	030			
2250	L30R	020			
2255	STDY	020		CK	025 PSTGL
(b) (6) 2335	~~R~~	~~090~~			
2338	R 30 R	090			
2340	STDY	090		CK	092
				LT	(b) (6) RETAINED THE DECK
					(b) (6) LT

N.E.E.T.P.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

TO OPATA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					22-02 (CONT)
2340					RETAINED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE
					LOCATION ADRIATIC SEA SOPA AND OTC IS
					COMPHIBRON FOUR EMBARKED IN USS SAIPAN (LHA2)
					ENGINEERING PLANT STATUS IS AS FOLLOWS
					BOILERS #1 + 2 ONLINE MAIN ENGINES #1 + 2
					SSTG #2 + 3 + 4 ONLINE EDG'S #1 + 2 AUTO
					FIRE PUMPS + 3 + 6 ONLINE + 2 + 4 + 5 + 7 + 8
					IN STAND BY + 1 IS OOC MATERIAL CONDITION
					YOKE IS SET THROUGHOUT THE SHIP WITH
					EXCEPTIONS NOTED IN DC CLOSURE LOG
					READINESS CONDITION III AND EMCON PLAN
					DELTA ARE IN EFFECT DARKEN SHIP IS
					SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					TO NAVIGATION LIGHTS. THE CO IS IN
					HIS AT SEA CABIN.
2349					CONDUCTED LOSS OF STEERING DRILL.
2350					SHIFTED STEERING CONTROL TO AFTER STEERING.
0000					20 KT LIMITATION TO STBD SHAFT DUE TO CHANGE OUT OF O RING
					BAIL OUT IN AFT PLANT.
0006					SHIFTED STEERING CONTROL TO THE BRIDGE
0007					SECURED LOSS OF STEERING DRILL
0011					SHIFTED STEERING SETS TO SET #1, STBD CABLE.
0016	L10R	010			
0021	STDY	010		CK	008
0043	L30R	190			
0056	STDY	190		CK	186
0130				DECK	PROPERLY RELIEVED BY LT/JG [redacted] (b) (6)
					[redacted] (b) (6) LT

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	A 002	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ALBANIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-07
0130					ASSUMED THE DECK UNDERWAY AS BEFORE.
					ENS [redacted] (b) (6) ASSUMED THE CONN
0145	R25R	230			
0202	STDY	230		CH	227
0208	L20R	090			
	RAMID				
0210	R20R	015			
0223	STDY	015		CH	010
0242			3		022 RPMS
0257					DC CENTRAL REPORTED ALL CONDITIONS NORMAL,
0612	AA 1/3		5		036
	R30°R	170			
0614	AA 1/3		7		044 RPM'S
0623	STDY	170			CH 169
	AA 1/3		3		022
0632					CO IS ON THE BRIDGE.
0633					CONN PROPERLY RECEIVED BY ENS ATKINS.
0634					OBSERVED SUNRISE, NAVIGATIONAL LIGHTING IS DEENERGIZED.
0638					WATCH PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) LTJG
					[redacted] (b) (6) LTJG
					07-12
0638					LCDR [redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
0645					RECIEVED AVIATION FUELS REPORT
0726					RECIEVED MEDICAL REPORT
0740					MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP
0812					CO IS OFF THE BRIDGE.
0833					RECEIVED DAILY DRAFT REPORT 27 FWD, 27 AFT
					27 MEAN DISPLACEMENT 42,000 TONS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~

~~TO~~ ADRIATIC OP AREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L 41 37.0 N	BY	24
λ 018° 10.5 E	BY	24

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
0938				CO	IS ON THE BRIDGE.
1000				ENS	(b) (6) HAS THE CONN
1012					SET FLIGHT QUARTERS FOR RESPOT.
1029				ENS	(b) (6)
1030					SET FLIGHT QUARTERS FOR SINGLE SPOT OPERATIONS.
1041					SET HERO CONDITION III.
1103					CO IS OFF THE BRIDGE.
1106					GREEN DECK.
1132				ENS	(b) (6) HAS THE CONN
1134					CO IS ON THE BRIDGE.
1135				WATCH	PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6)
					(b) (6)
					, LCDR, USN.
					12-17
1135				LTJG	(b) (6) HAS THE DECK, UNDERWAY AS BEFORE.
1144.				CO	IS OFF THE BRIDGE
1145	RFR	200		195	PSTGE
1153	AA1		3	022	RPMS
1241				CO	IS ON THE BRIDGE
(b) (6) 1246			5	036 ~~063~~	RPMS
	LFULL	020			
1249			10	068	RPMS
1254	AA1		5	036	RPMS
1255	STBY	020		CK	018
			3	RPMS	022
1328				CO	IS OFF THE BRIDGE.
1355				COMMENCED	TRANSFERING FUEL.
1356	L30R				
			5	036	RPMS
1400		310			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L 41-27.0N	BY 244	
λ 018-13.8E	BY 244	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-17 (CONT'D)
1401	C/1	300			
1405	STDY	300		CK.	296
				CO IS	ON THE BRIDGE.
	L30A				
1407		280			
1410				SECURED	HERO CONDITION III
*1406	AA2		10	068	RPMS.
1411	AA1		3	022	RPMS.
				GREEN	DECK.
1413	STDY	280		CK	276
1437	B30A	020	5	036	RPMS.
1440				COMPLETED	TRANSFERRING.
1445	STDY	020		CK	025
1448			3	022	RPMS.
1449				CO	IS ~~ON~~ OFF THE BRIDGE
1450				CO	IS ON THE BRIDGE.
1451				RED	DECK.
	R30A	195			
1452	AASTD		15	099	RPMS.
1457	L15R	195			
1500				CK	193
1521	AA2		10	068	RPMS
1530			8	054	RPMS
1533				CO IS	OFF THE BRIDGE
1541	R15R			RED	DECK
	STDY	020			
1551	L15R	350			
1555	LSTDR	345			
1556				GREEN	DECK
1557				CK	345

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					12-17 (CONT'D)
1619				REDDECK	
	RSTOR	030			
			15	044 RPMS	
1620	RSTOR	020			
1625	AA43		10	065	
	LSR				
1626	STDY	350			
				CK 345	
1627				ENS. (b) (6) [redacted] HAS THE CONN	
1628	AA43		8	045	
1640				WATCH PROPERLY RELIEVED BY LT (b) (6) [redacted]	
					(b) (6) [redacted] ~~LTJG~~
					(b) (6) [redacted] JG USNR
					17-22
1640				LT (b) (6) [redacted] HAS THE DECK, UNDERWAY AS BEFORE	
1703			3	020 RPMS	
1708				YOKE SET	
1742				CO IS ON BRIDGE	
1744				CO IS OFF THE BRIDGE	
1750			5	036 RPMS	
1756			4	029	
1806				CO IS ON THE BRIDGE	
1809			6	042	
	CR	125			
1818	STDY	125		CK 120	
1825				CO IS OFF THE BRIDGE	
1826	R30R				
1828	L30R	125			
1834	STDY	125		CK 125	ASTOL
1842				CO IS OFF THE BRIDGE	

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	02	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRIATIC

TO OPAREA

CLASS U HANDL / (78 79)

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
1200 L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
2000 L 41°29.6 N	BY 24	
λ 0199 09.7E	BY 24	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					17-22 (CONT)
1842				CO	IS OFF THE BRIDGE
1844					OBSERVED SUNSET NAV LIGHT ENERGIZED
1856	13012	320			
				CO	IS ON THE BRIDGE
1906			4	029	RPM
1907	STDY	320		CK	315
1915					COMMENCE EMERGENCY FLIGHT QUATERS DRILL
1921					HERO CONDITION III SET
1924					SHIPS LIGHTS ARE CONFIGUERED FOR NVG OPS. MAST-
					LIGHT, RANGE LIGHT, STERN LIGHT, PORT RUNNING
					LIGHT ARE SECURED. BLUE STERN LIGHT ENERGIZED.
					NOT IAW RULES OF THE ROAD.
1929					PORT RUNNING LIGHT ENERGIZED
1958					DARKEN SHIP SET
2015					RED DECK
2018	R20R	340			
2019					CO IS OFF THE BRIDGE
2020					CO IS ON THE BRIDGE
2024	AA1/3		5	032	RPMS
	AA2/3		8	054	RPMS
* 2022					GREEN DECK
2027	AA4/3		5	036	RPM
	STDY	340		CK	335
2030					CO IS OFF THE BRIDGE
2034					CO IS ON THE BRIDGE
2056					HERO III SET
2117					SECURE FROM HERO III
2127				ENS	(b) (6) [redacted] ASSUMED THE CONN
2133					SECURE FROM FLIGHT QUATERS
				SMPS	LIGHTS ARE IAW RULES OF THE ROAD

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	09	03	23		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 ~~02~~ (CONT)
2145					WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]
					[redacted]
					22-02
2145				LTJG	(b) (6) HAS THE DECK UNDERWAY AS BEFORE
2204	R20R	000			
	AA 1/3		3	022	RPMS
2207	STDY	000		353	PSTBC
2223					CO IS OFF THE BRIDGE
2251					CO IS ON THE BRIDGE
2301					CO IS OFF THE BRIDGE
2304					SHIFTED STEERING TO SET 2 PORT CABLE
2359					RETAINED THE DECK.
					[redacted] LTJG
					[redacted] LTJG
					N.E.T.R.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	00	09	B	24	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIADIC

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CONT)
2359					RETAINED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE ON STATION
					ADRIADIC SEA. SOPA AND OTC IS COMPHIBRON FOUR
					EMBARKED IN USS SAIPAN (LHA-2) ENGINEERING
					PLANT STATUS IS AS FOLLOWS BOILERS #1+2 ONLINE
					MAIN ENGINE #1+2 ONLINE SSTG #2+3+4 ONLINE
					EDG #1+2 IN AUTO FIRE PUMPS #3+6 ONLINE
					#2+4+5+7+8 IN STAND BY. MATERIAL CONDITION
					YOKE IS SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					NOTED IN THE DC CLOSURE LOG. READINESS CONDITION
					III AND ENCON PLAN DRILLS ARE IN EFFECT
					DARKEN SHIP IS SET THROUGHOUT THE SHIP WITH
					EXCEPTIONS TO NAVIGATION LIGHTS. THE CO
					IS IN HIS AT SEA CABIN.
0007	R 20R	165			
	AA 1/3		5	056	
0018	AA 1/5		3	022	
0021	STDY	165		CK	165
0128					CONN PROPERLY RELIEVED BY ENS [redacted] (b) (6)
0140					DECK PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) USG
					[redacted] (b) (6) LTJG
					02-07
0140					RELIEVED THE DECK UNDERWAY AS BEFORE.
0330					SET AND DRIFT: 287°T AT .6KTS.
0400					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0428					COMMENCED TRANSFERING FUEL.
0500					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0505					COMPLETED TRANSFERING FUEL.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	Ø	Ø9	B	24	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800 L 41°31.3N		BY 24
λ Ø18°Ø8.9E		BY 24

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					Ø2-Ø7 (CONT'D)
0554					DC CONTROL REPORTED ALL CONDITIONS NORMAL.
Ø620					HELMSMAN LOST STEERAGEWAY.
0621			4		099 RPM's
0637					OBSERVED SUNRISE. NAV LIGHTS SECURED.
					ENS (b) (6) ASSUMED THE CONN.
0645					WATCH PROPERLY RELIEVED BY LT.JG (b) (6)
					(b) (6)
					(b) (6) LCDR, USN
					Ø7-12
0645					ASSUMED THE DECK UNDERWAY AS BEFORE.
Ø710	R3Ø°R	345			
Ø711	AA1/3		5		Ø36 RPM's
Ø713	AA2/3		8		Ø54 RPM's
Ø715					CO IS ON THE BRIDGE.
Ø72Ø					RECEIVED MEDICAL REPORT.
	STDY	345			CHK 342
	AA1/3		4		Ø29 ~~RR~~ RPM's
Ø728	R3Ø°R	Ø1Ø			
Ø732	STDY	Ø18			CHK Ø06
Ø743	R3Ø°R	Ø55			
Ø75Ø	STDY	Ø55			CHK 254
Ø8Ø7					CO IS OFF THE BRIDGE.
Ø826					CO IS ON THE BRIDGE.
(b) (6) ~~Ø843~~	Ø845				~~CO IS ON TH~~ CO IS OFF THE BRIDGE.
Ø9Ø9					RECEIVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN Ø° LIST
					42,ØØØ DISPLACEMENT.
Ø914					RECEIVED CHRONOMETER REPORT.
Ø918					CO IS ON THE BRIDGE.
Ø919					RECEIVED MUSTER REPORT.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	24	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/PASSAGE FROM~~ ALBANIAN

TO OP AREA

CLASS: U HANDL: 78 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 41-30.0N		BY 24
λ 018-07.0E		BY 24

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
0932				CO	IS OFF THE BRIDGE.
0952	442		8	054	RPMS
0952	RFR	235			PSTGC
1001	STDY	220			PSTGC
1007	441		3	022	RPMS
1038					DETERMINED GYRO ERROR BY AZIMOUTH OF THE SUN TO BE 0.7E.
1043				CO	IS ON THE BRIDGE
1058					RECEIVED AMMUNITIONS REPORT.
1059					SET FLIGHT QUARTERS FOR RESPOT.
1110					CO IS ON THE BRIDGE.
1113					CO IS OFF THE BRIDGE.
1115					SET FLIGHT QUARTERS
1141					GREEN DECK.
1143	AA'13		5	036	RPMS
1146					WATCH PROPERLY RELIEVED BY LT [redacted]
					[redacted]
					[redacted], USNR
					12-16
1146				LT	[redacted] HAS THE DECK UNDERWAY AS BEFORE.
1203			4	029	RPMS.
1207				CO	IS ON THE BRIDGE.
					COMMODORE DEPARTED.
1238				RED	DECK.
1240			5	036	RPMS
1242	L30R	130			
1251	STDY	130		CK	131
1255	L30R	070			
1301				GREEN	DECK
	STDY	070		CK	069

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	24	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-17 (CONT'D)
1306			4	029	RPMS.
1354	L30M	339			
1402	STDY	338		CK	334
1405				CO	IS OFF THE BRIDGE
1429				CO	IS ON THE BRIDGE.
1431				CO	IS OFF THE BRIDGE.
(b) (6) 1509				GREEN	DECK.
[redacted] 1514	~~AA 2~~			RED	DECK.
	AA2		10	068	RPMS.
1526				CO	IS ON THE BRIDGE.
1534				CO	IS OFF THE BRIDGE
1537				HERO	CONDITION III SET.
1539	AA 1/3		7	Ø48	RPMS.
1540			5	Ø36	RPMS
1541				CO	IS ON THE BRIDGE.
1545			3	022	RPMS
					SECURED HERO CONDITION III
1555				CO	IS OFF THE BRIDGE
1556				CO	IS ON THE BRIDGE.
1606				HERO	III SET.
1625				HERO	CONDITION III SECURED.
1640				CO	IS OFF THE BRIDGE.
1642				DESRON	22 ARRIVED.
1645				ENS	(b) (6) [redacted] HAS THE CONN.
1649				LT/O	(b) (6) [redacted] HAS THE DECK
					(b) (6) [redacted]
					(b) (6) [redacted], LT
					17 - 22
1649					ASSUMED THE DECK UNDERWAY AS BEFORE.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	24	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 41°48.2N		BY ZJ
λ 017°59.1E		BY ZJ

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT'D)
1722				YOKE	SET THROUGHOUT THE SHIP.
1802				DESRON 22	DEPARTING
1811				CO IS	ON THE BRIDGE.
1814				CO IS	OFF THE BRIDGE.
1819				RED	DECK
	L2OR	325			
1828	STOY	325		CK	321
1843				OBSERVE	SUNSET NAV LIGHTS ENERGIZED.
1850				GREEN	DECK
1912	L2OR	315			
				CO IS	ON THE BRIDGE.
1916	STOY	315		312	PSTGL
1919				SHIPS	LIGHTING CONFIGURED FOR NVG ~~LIGHT~~ OPS
				NOT	IAW RULES OF THE ROAD
*1915	AA1/3		2	015	RPMS
1929				CO IS	OFF THE BRIDGE
1930				CO IS	ON THE BRIDGE
2048				RED	DECK
	R2OR	135			
	AA3/3		10	~~044~~ 036	RPM
	AA5/10		15	099	RPMS
2055	R10R	135			
2058	STOY	135		CK	136
2100	CR	140			
2103	STOY	140		CK	143
2110	RSR	315			
2111				CO IS	OFF THE BRIDGE
2113	AA2/3		10	063	RPM
				CO IS	ON THE BRIDGE
2115	AA1/3		5	036	RPM

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LHA	Ø	Ø9	B	24
1 2	3 - 4 5 - 7	12	13 - 14	15	16 - 17

E (22)

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS: U (78) HANDL: / (79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					17-22 (CONT)
(b) (6) 2116	AA1/3		Ø2	Ø15	RPMS
2118	SASG	317		CK	316 PSGC
2132				ENS	(b) (6) HAS CONN.
2145					WATCH PROPERLY RELIEVED BY LCDR (b) (6)
					(b) (6) LTJG
					(b) (6) LTJG
					22-Ø2
2145				LCDR	(b) (6) HAS THE DECK UNDERWAY AS DESIRED
2150					SECURE FROM FLIGHT QUARTERS
2226					CO IS OFF THE BRIDGE
2241					CO IS ON THE BRIDGE
					CO IS OFF THE BRIDGE
2318	CSOR	155			
	AA1/3		7	Ø48	RPMS
2328	AA1/3		3	Ø22	RPMS
	STAY	155		CK154	PSTGC
2330					COMMENCE STEERING CHECKS
2341				LCDR	(b) (6) RETAINED THE DECK
					(b) (6)
					(b) (6) LCDR, USN
					NFETP

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
		LH	002	0	09	B	25	

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS / HANDL: U (78, 79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					22-02 (CONT)
2341					RETAINED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE ON STATION
					ADRIATIC SEA. SOPA AND OTC IS COMPHIBRON FOUR
					EMBARKED IN USS SAIPAN (LHA-2) ENGINERING
					STATUS IS FOLLOWS: BOILERS 1,3,2 ONLINE, MAIN
					ENGINES 1,3,2 ONLINE. SSTG 2,3,4 ONLINE. EDG 1,2,
					AUTO FIRE PUMPS 3,1,6 ON LINE. 2,4,5,7,8 ON STANDBY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP
					WITH EXCEPTIONS NOTED IN DC CLOSURE LOG, READINESS
					CONDITION III EMCON PLAN DELTA, DARKEN SHIP IS
					SET THROUGH OUT THE SHIP WITH EXCEPTION TO NAVIGATION
					LIGHTS. CO IS IN AT SEA CABIN
2343	L20R	155			
2344				STEERING TESTS SAT.	
2345				COMMENCED TRANSFERING FUEL.	
			4	029	RPMS.
2354	STDY	160			
			3	022	RPMS.
2358	STDY	160		CK	~~155~~ 159
0025	R30R	330	7	048	RPMS
0033			3	022	RPMS
				SECURED TRANSFERING FUEL.	
0038	STDY	330		CK	326
0100				DC CENTRAL REPORTED ALL CONDITIONS NORMAL.	
0137				WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]	
					(b) (6) [redacted]
					(b) (6) [redacted], LCDR, USN
					NFFTP

(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	9	0	09	B	25	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

CLASS: U HANDL: (78 79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					02-07
0137					ASSUMED THE DECK UNDERWAY AS BEFORE.
0139				ENS	(b) (6) [redacted] ASSUMED THE CONN.
0216	R30R	130			
	AA2/3		10	068	RPMS.
0221	C/R	135			
	AA1/3		3	022	RPM'S.
0224	STDY	135		CK	136
0426	R30R	315			
0427	AA 2/3		8	054	RPM'S
0435	AA 1/3		3	022	RPM'S
0436	STDY	315		CK	311
(b) (6) [redacted] 0515 ~~0515~~	CL	280			
0517	STDY	280		CK	278
0548	CR	315			
0554	STDY	315		CK	315
0630				CO	IS ON THE BRIDGE.
0638				CONN	PROPERLY RELIEVED BY ENS (b) (6) [redacted]
0641				DECK	PROPERLY RELIEVED BY LT (b) (6) [redacted], (b) (6) [redacted] ~~LTJG~~
					(b) (6) [redacted] LTJG, USNR
					07-12
0641					RELIEVED THE DECK UNDERWAY AS BEFORE.
0704	L30°R	140			
0711				CO	IS OFF THE BRIDGE.
0725	STDY	140		CHK	140
0727	AAFULL		22	152	RPM'S
0736	AA1/3		5	036	RPMS
0746	L30°R	320			
0757	STDY	320		CHK	315

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		L 11A	002	0	09	B	25	

USS SAIPAN

AT / PASSAGE FROM ALBANIAN

TO OPAREA

CLASS: U HANDL: /

POSITION	ZONE	TIME
0800 L 41°36.5N		BY 24
λ 018°07.5E		BY 24
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					07-12 (CON'T)
0808					CO IS ON THE BRIDGE
(b) (6) [redacted]					GREEN RANGE
* 0749					MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP.
0833	R30°R	180			
0834	AA 1/3		7	048	RPM's
0841					COMMENCE TRANSFERRING FUEL.
0848	AA 1/3		3	022	RPM's
0901					CO IS OFF THE BRIDGE
0959	R30°R	310			
	AA 1/3		7	048	RPMs
1002	L30°R	200			CO IS ON THE BRIDGE.
1006					CO IS OFF THE BRIDGE.
1009	STDY	200		CR	192
1010	AA 1/3		3	022	RPM
1023					CO IS ON THE BRIDGE
1030	L30R	800		355	PSTGC
	AA 2/3		12	070	RPM
1052					CO IS OFF THE BRIDGE
1055	AA 2/3		11	073	
1058	AA 2/3		10	068	
1110	AA 2/3		8	054	
1115					CO IS ON THE BRIDGE
1119					CO IS OFF THE BRIDGE
1125	AA 2/3		5	036	
1126					ENSIGN (b) (6) [redacted] HAS THE CONN
1127	AA 2/3		10	068	
1135	L10R	345		340	PSTGC
1142					WATCH PROPERLY RELIEVED BY LTJG (b) (6) [redacted]
					(b) (6) [redacted]
					* (b) (6) [redacted] LT USN

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	CLASS	HANDL
D A	LH 4 2	Ø	Ø9	B	25	U	/

USS SAIPAN

AT / ~~PASSAGE FROM~~ AMIATIC

TO OPAREA

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 41-50.6N		BY ~~JJ~~
λ 017-57.6E		BY ~~JJ~~

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-17
1142				LTG	(b) (6) HAS THE DECK UNDERWAY AS BEFORE.
1154	L1Ø	31Ø		3Ø7	PSTGC
12Ø2				COMMECE	DUMPING METH TRASH
12Ø2	AAS		15	099	RPMS
1215				COMPLETED	~~FA~~ DUMPING OF TRASH.
1216			16	106	RPMS.
1230				SET	FLIGHT QUARTERS.
1255	A1OA	330			
1257			15	099	RPMS.
1258	STDY	330		CK	326
1311				CO	IS ~~ON~~ OFF THE BRIDGE.
1324			~~17~~ 17	113	RPMS
1336				CO	IS ON THE BRIDGE.
1338				GREEN	DECK.
1340				CO	IS OFF THE BRIDGE.
1348	AA2		12	079	RPMS.
1352				CO	IS ON THE BRIDGE.
1356	AA1		3	022	RPMS.
1357			5	036	RPMS.
1358				RED	DECK.
1400	L5A				
	L1OA				
	RAMD				
1401	AA2		8	054	RPMS.
1403	A1OA				
	A15A				
1404	RAMD				
1405	A1OA				
	RPMD				
1406	L15A	340			

(b) (6)

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	02	0	09	B	25

USS SAIPAN

AT ~~/PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					12-17 (CONT)
1407				GREEN	DECK
1408	AA1		4	029	RPMS
	STDY	340		CK	336
1425			3	022	RPMS.
				COMPLETED	TRANSFERING FUEL
1500				CONN	PROPERLY RELEIVE BY QMC [redacted]
1520				CONN	PROPERLY RELEIVE BY ENS [redacted]
1628				CO	IS OFF THE BRIDGE.
1630				CONN	PROPERLY RELEIVED BY ENS [redacted]
1644				DECK	PROPERLY RELEIVED BY LCDR [redacted]
					[redacted] LTJG
					[redacted] LTJG
					17-22
1644				RELEIVED	THE DECK UNDERWAY AS BEFORE.
1654				RED	DECK.
1655	L30R	—			
	AA 1/2		7	047	RPM'S
1658	STDY ON	317			
1659	L30 R	—			
1700				CO	IS ON THE BRIDGE.
	L30 R	—			
1706	L30 R	160			
1707	AA 1/3		3	022	
				GREEN	DECK
1709	STDY	160		CK	159'
1715				CO	IS OFF THE BRIDGE
1734	R30R	200			
	AA1/3		7	048	RPMS
1735				CO IS	ON THE BRIDGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	25	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRIATIC

TO OPAREA

CLASS: U (78) HANDL: / (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 41°59.1		BY 2,4
λ 017°40.9		BY 2,4

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					17-22 (CON'T)
1737	AA1/3		3		022 RPMS
1738	STDY	200		CK	199
1812	AD2/3		10	068	RPMS
1815					CO IS OFF THE BRIDGE
1816	L20R	180			
1819					CO IS OFF THE BRIDGE
	STDY	180		CK	179
1825					CO IS OFF THE BRIDGE
1840					OBSERVED SUNSET NAV. LIGHTS ENERGIZED
1853					RED DECK
1857	L15R	145			
	AA2/3		12	079	RPM
1859					COMMODORE IS ON THE BRIDGE
	AA2/3		10	068	RPMS
1900	STDY	145		146	PSTGC
1901	AASTD		16	106	RPMS
* 1900					GREEN DECK
1901					RED DECK
1909	L10R	130			
1911	STDY	130		131	PSTGC
1912	AA2/3		10	068	RPMS
1913	RSR				
	SASG	130			
	RSR				
1915					SHIPS LIGHTS CONFIGURED FOR NVG OPS NOT IAW
					RULES OF THE ROAD
					COMMODORE IS OFF THE BRIDGE
1918	AA1/3		5	036	RPMS
	STDY	300			
1919					GREEN DECK

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	25	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 41°59.1	24	BY
λ 017°40.9		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT)
1920	AA 1/3		3	022	RPMS
1921	STDY	300		CK	297 PSTGL
1924				RED DECK	
	AAFULL		22	152	RPM
(b) (6)				~~HERO CONDITION III~~	
1925				SHIPS LIGHTING CONFIGURED WITH RULES OF ROAD	
1926				HERO CONDITION SET.	
1925	L30R				
1928	L15R				
	L10R	145			
1930	STDY	145		CK	143
1932				SECURE FROM HERO ~~III~~	
1936				GREEN DECK	
1957				SHIPS LIGHTS CONFIGURED FOR NVG OPS NOT	
				IAW RULES OF THE ROAD	
2000	LSR	130			
				RED DECK	
2002				GREEN DECK	
	STDY	130		CK	134 PSTGL
2015				CO IS OFF THE BRIDGE	
2017				CO IS ON THE BRIDGE	
2043	R32	170			
				RED DECK	
2048	STDY	170		CK	172 PSTGL
2050	CR	177			
				LCDR (b) (6)	HAS THE CONN
2051				GREEN DECK	
				ENS (b) (6)	HAS THE CONN
2052	STDY	177		CK	174 PSTGL
2057				RED	DECK

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
D A	LHA 002	0	09	B	25	E	U	/
1 2 3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN
AT / ~~PASSAGE FROM~~ ADRIATIC
~~TO~~ OPAREA

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT)
(b) (6) 2048	2058 AA1/3		7	048	RPMS
	R3R				
	R5R				
2059	R3R				
2100	AA1/3		5	036	RPMS
2102				HERO	CONDITION SET
	STDY	330		CK	327.
	AA 1/3		3	022	RPM
2107					
2132				ENS	(b) (6) HAS THE CONN
2142				LTJG	(b) (6) HAS THE DECK.
					(b) (6)
					(b) (6) LCDR, USN
					22-02
2142				LTJG	(b) (6) HAS THE DECK UNDERWAY AS BEFORE
2249					SECURE FROM FLIGHT QTRS
					SHIPS LIGHTS ARE RAW RULES OF THE ROAD
2250	RSR	155			
	AA2/3		8	054	RPMS
2304	STDY	155		CK	155
	AA1/3		3	022	RPM.
2319				CO	IS OFF THE BRIDGE
2321	RFULR				
(b) (6) 2321	AA2/3		8		054 RPM.
2330	AA1/3		3	022	RPMS
	STDY	195		CIL	195 PSTGC
2335				LTJG	(b) (6) RETAINED THE DECK (b) (6)
					(b) (6) LTJG, USNR

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CONT'D)
					(b) (6) [redacted] ~~LTJG~~
					(b) (6) [redacted] LTJG, USNR
					02-07
0142				ASSUMED THE DECK UNDERWAY AS BEFORE	
0143	STDY	130		CK	131
0228	L30R				
			7	048	RPMS
0232	STDY	310			
0234			3	022	RPMS.
0241	STDY	310		CK	307
0251			5	036	RPMS.
0330	L30R	130			
0332			3	028	RPMS
0337	R30R				
0338	STDY	140			
	STDY	150			
0342	STDY	150		CK	149
0403	L30R	130			
0409	STDY	130		CK	131
0426	L30R	050			
(b) (6) 0534	AA1/3		5	036	RPMS
0539	STDY	050		CK	078
0548	L30R	350			
0555	STDY	350		CK	346
0607	AA2/3		10	068	RPMS
0609	R20R	020			
0610	L20R				
0611	CIR	010			
0613	CIR	020			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LA	002	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ EX-BANIAN

~~TO~~ OPAREA

CLASS	HANDL
✓	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					02-07 (CONT'D)
0614	C/R	030			
0616	C/R	040			
0618	STDY	040		CK	036
0621	R20R	080			
0622				CO IS ON THE BRIDGE.	
0623	AA 1/3		5	036	RPMS
0624	STDY	050		CK	078
0631	AA 2/3		10	068	RPMS
				ENS	(b) (6) [redacted] ASSUMED THE CONN
0634			8	054	RPMS
0638				WATCH PROPERLY RECIEVED BY LTJG	(b) (6) [redacted]
					(b) (6) [redacted] LT
					(b) (6) [redacted]
					07-12
0638				ASSUMED THE DECK UNDERWAY AS BEFORE	
0640			9	066	RPM'S
0643	AA 1/3		7	048	RPMS
0644	AA 2/3		11	073	RPMS
				OBSERVED SUNRISE. NAV LIGHTS SECURED.	
0646			12	079	RPMS
0648	R10R				
0649	RAMID				
0650	C/C	095			
0651	STDY	098			
	STDY	098		CK	099
0652	RSR				
0653	RAMID	103			
0654	SAS6	105	9	060	RPMS
	STDY	105		CK	106

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ALBANIAN

TO OPAREA

CLASS	HANDL
V	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-12 (CONT'D)
0655	R5R		8	054	RPMS
0656	RAMID				
	SASG	113	9	060	RPMS
0657	STDY	113		CK	114
0659	R5R				
0700	RAMID			STATIONED	UNREP DETAIL
0701	SASG	121			
0702	STDY	121		CHK	122
0703	R5°R			RECEIVED	DRAFT REPORT: 27' FWD 27' AFT 27' MEAN 0° LIST 42,000
				DISPLACEMENT	
0704	RAMID				
	SASG	125			
0705	STDY	125		CHK	125
0707	AA 2/3		12	079	RPM'S
0707	R5°R				
0708	RAMID				
	SASG	129			
	C/R	130			
0709	AASTD		15	099	RPM'S
	STDY	130		CHK	130
0714	C/R	132			
	STDY	132		CHK	132
0719	C/R	134			
	STDY	134		CK	134
0722	AA 2/3		12	079	
				CO	IS OFF THE BRIDGE.
0725	C/R	135 ~~CR~~			
0726	AA 2/3		11	073	
0729	STDY	135		CHK	135
0730	CL	133			

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/PASSAGE FROM~~

~~TO~~ ADRIATIC OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-12 (CONT'D)
0731			15	099	RPMS
0734	CL ~~132~~	133			
0735	CR ~~133~~	133			
	STDY	133			
	CR	134			
0736	CR	135			
0737	STDY	135		CK	135
0738	CL	134			
	STDY	134		CK	134
0740	CL	133		CK	133
0741	CR	134			
0742	CR	135			
0743	STDY	135		CK	135
	CL	134			
	CR	135			
	STDY	135		CK	135
0744	AA 7/3		10	062	RPM
	CL	134			
	CL	133			
	CL	130			
			8	054	RPM
0745	STDY	131			
				UNREP	CHECK LIST COMPLETE
				SET	RESTRICTED MANUVERING
0746				ENS	(b) (6) HAS THE CONN
0747	CR	135		BOW	IS 25 YARDS FROM ORDING THE STERN
0748	CR	137		090	RPM 1
0749	STDY	137			
0751	CL	135			
0752				MED	CAL BEGAN OPERATION

(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	R	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM

TO ADRATIC OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800 L 41°30.3 N	BY 2,4	
λ 018°17.2 E	BY	

POSITION	ZONE	TIME
1200 L	BY	
λ	BY	

POSITION	ZONE	TIME
2000 L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					7-12 (CONT)
0753	CL	134			
0754	STDY	134			
0755	CL	133.5			
0756	STDY	133.5			
0757	CR	134			
	STDY	134			
0759				ROMEO	CLOSED ON JOHN LENTHAL
	AAFULL		18	120	RPM
0800	CR	134.5			
	STDY	134.5			
0803				BOW	IS ACCROSS THE STEAK
	AASTD			085	RPM
0804	CL	134			
0805	STDY	134			
	CR	134.5			
0806	STDY	134.5			
				ALONG	SIDE USNS JOHN LENTHAL
* 0805	CR	135			
	STDY	135		090	RPMS
0807				092	RPMS
0808	CL	134.5			
0809	STDY	134.5		091	RPM
	CL	134			
	CL	133.5			
	STDY	133.5			
* 0808				SHOT	LINE FWD, MIDSHIPS, AFT)
0810	CR	134			
	STDY	134			
0815	CR	134.5			HAUL DOWN ROMEO
	STDY	134.5			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	0	R	26	

1 2 3 - 4 5 - 7 12 13 - 14 15 16 - 17 22

USS SAIPAN

AT / PASSAGE FROM

TO ADRATIC OP AREA

CLASS	HANDL
U	/

78 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					7-12 (CONT)
0816	CL	134			
	STDY	134			
0819				093	RPM's
0820				094	RPM.
0823					STATION 1 & 5 HAS COMM'S WITH USNS JOHN LENTHAL
X					MESSENGER IN HAND
				093	RPM's
0824					TENTION SPAN WIRE ON STA #1
0826	CL	133.5		094	RPM's
0827					SPAN WIRE TENTION ON FWD
(b) (6)					TENS STANDBY WHILE TENSION SPAN WIRE AFT.
					TENSION AFT.
0830	CL	133			
					PROBE SEEDED STA# 1
0831					PROBE SEEDED STA# 5
					TAKE ON FUEL FWD
					TAKE ON FUEL AFT
0832	CR	133.5			
	STDY	133.			
	CL	133			
	STDY	133			
0835					STATION 1 & 5 HAS BEGUN REFUELING
	CL	132.5		095	
	STDY	132.5			
0837					MAXIMUM PRESSURE AFT.
0838					MAXIMUM PRESSURE FWD
	CR	133			
	STDY	133			
0840					STATION 5 RECIVED MAXIMUM. PRESSURE
	CL	132.			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
		LH	002	0	09	R	26	

USS SAIPAN

AT / PASSAGE FROM

TO ADRIATIC OP AREA

CLASS (78): U HANDL (79):

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
0840	CL	132			
	CL	131			
0841	CR	132			
	CR	132.5			
0843	CR	133			
	STDY	133			
0845				094	RPMs
	CL	132.5			
0846	STDY	132.5		CO IS	OFF BRIDGE
~~0845~~				749	complete 24k
	CL	132			
	STDY	132			
0849				CO IS	ON BRIDGE
	CL	131.5			
	STDY	131.5			
(b) (6) 0848	CR	132			
	STDY	132		095	RPMs
0850	CR	132.5			
0851	STDY	132.5			
	CR	133			
	STDY	133			
0852				094	RPMs
0853	CL	132.5			
0854	STDY	132.5			
(b) (6)	~~CL~~	~~1~~			
0855				095	RPMs
0856				FMJ	(b) (6) HAS THE CONN
0857	CR	132.5			
	STDY	132.5			
0858				094	RPMs

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	R	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM

TO ADRATIC OPAREA

CLASS | HANDL (78 79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					7-12 (CONT)
CL		132			
0859	STDY	132			
0900				095	RPMS
0905				094	RPMS
	CR	132.5			
0906	STDY	132.5			
0907	CL	132			
	STDY	132			
0908	CL	131			
				095	
	STDY	131			
*0900				90K	at 70% complete.
0909				096	RPMS
0910	CR	132			
				095	RPMS
0911	STDY	132			
0912				094	RPM
0913				CEASE PUMPING ON SPS FWD & AFT	
0914				098	RPM
0915				81% A1/62 IS complete.	
0917	CL	131.5			
	STDY	131.5			
0919	CR	132			
	STDY	132			
0921	CR	132.5			
				PROBE IS UNSEEDED STA#1	
0923	CL	132			
	STDY	132			
0924	CL	131.5		095	RPM

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	R	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM

TO ADRIATIC OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
/					7-12 (CONT)
0924					PROBE SEEDED
0925	CR	132			
0926	STDY	132			
0927				095	RPM's
0928				094	RPMS
0929					COMMENCE PUMPING STA# 1
0930				095	RPM's
0931				224	K 8490 COMPLETE
0932				096	RPM's
0933				095	RPM's
0934	CR	132.5			PUMPING MAX PRESSURE
0935	STDY	132			
(b) (6) ~~/~~	~~CR~~				
0939					CO IS OFF THE BRIDGE
/	CR	132.5			
/	STDY	132.5			
0940					CO IS ON THE BRIDGE
/	CL	132.			
/	STDY	132			
0943				291	K 27070 COMPLETE
0950				ENS	(b) (6) HAS THE CONN
0953	CR	132.5			
0954	STDY	132.5			
0955	CL	132			
	STDY	132			
1000					15 min stand by
(b) (6) ~~1001~~	~~CL~~				
1001				094	RPM's
1002				ENS	(b) (6) HAS THE CONN
1003				354A	4070 COMPLETE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
D A L H	002	0	09	R	26	E	U	/
1 2 3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / PASSAGE FROM

TO ADRATIC OPAREA

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
1200 L ____ BY ____		
λ ____ BY ____		

POSITION	ZONE	TIME
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					7-12 CONT
1005				096	RPM's
1006				095	RPM's
1008		132.5			
	STDY	132.5			
1010	CL	132			
	STDY	132			
1012				096	RPM's
1015	CR	132.5		095	RPM's
(b) (6) [redacted]					
	STDY	132.5		PREP IS AT THE DIP	
				CEASE PUMPING 1335	
1016				094	RPM's
1017	CL	132			
				CLOSE UP PREP	
	STDY	132			
1018				DETENSION STAT #1	
				405,010 gal DEM	
				095 RPM	
1019				STADBY DETENSION AFT	
				096 RPM's	
				DETENSION AFT.	
(b) (6) [redacted] 1020	CR	132.5		~~13~~ 096 RPM	
				STATION 1 TRIP PELICAN HOOK	
				START RECOVERING TSD LINK	
				STATION #1 ALL LINES CLEAR	
1021				096	RPM's
				094	RPM
	CL	131			
1022				4AL	dim #1 PREP
CL		130			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1-2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
D A	LH	002	0	09	R	26	E

USS SAIPAN

AT / PASSAGE FROM

TO ADRATIC OPAREA

CLASS / HANDL (78-79): U

POSITION 0800	ZONE	TIME	POSITION 1200	ZONE	TIME	POSITION 2000	ZONE	TIME
L		BY	L 41°28.2N		BY 24	L		BY
λ		BY	λ 018°50.5E		BY 24	λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					7-12 CONT
	STDY	130			
1024			18	120	RPM
*1023	CL	128			
1025	CL	125			
	CL	120			
1026	STDY	120			
	CSR	070			
1028					SECURE FROM RESTRICTIVE MANUVERING
1029	AD2/3		10	068	RPMS
					SECURE FROM SURGERY
1033	AA/13		5	052	RPMS
*1030	STDY	070			CLOISPTGE
1105	AA1		3	027	RPMS
1106					CO IS OFF THE BRIDGE.
1126					CO IS ON THE BRIDGE.
1130					EAOS (b) (6) HAS THE CONN.
1142					WATCH PROPERLY RELIEVED BY LCDR (b) (6)
					(b) (6) UJC
					(b) (6) UJC
					12-16
1142					LCDR (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
1214					COMMODORE IS ON THE BRIDGE.
(b) (6) 1230					LAUNCHED A WEATHER ~~BOLLON~~ BALLOON
1236	L30A	225			
			7	048	RPMS.
	AA2		10	068	RPMS.
1239					COMMODORE IS OFF THE BRIDGE.
1243	STDY	225		CM	223
1254	L15A	195			
1256	STDY	195		CM	195

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	09	12	6		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					12-17 (CONT'D)
1304				CO IS	OFF THE BRIDGE.
1330				SET	FLIGHT QUARTERS.
				CO IS	ON THE BRIDGE.
1347				CO IS	OFF THE BRIDGE.
1358	AASTD		15	099	RPMS.
1403	AA1		5	036	RPMS.
1413	L20R	135			
	AA2		10	068	RPMS
1414		130			
1422	STDY	130		CK	130
				SET	HERO CONDITION III.
1428				SECURED	HERO CONDITION III.
1433	AASTD		15	099	RPMS
1438	L10R	000			
1440	AA1/3		5	036	RPM'S
1442			3	022	RPMS
1443				CO IS	OFF THE BRIDGE.
1444			5	036	RPMS.
1446			3	022	RPMS.
1447	STDY	000		CK	358
1510				CO IS	ON THE BRIDGE.
1555				CO IS	OFF THE BRIDGE.
1559				CO IS	ON THE BRIDGE
1614				HERO	CONDITION III SET.
1633				ENS	(b) (6) HAS THE CONN.
1645				LT/JG	(b) (6) HAS THE DECK.
					(b) (6)
					(b) (6) LCDR, USN
					17-22

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 41 05.1		BY Z4
λ 018 09.6		BY Z4

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT'D)
1645				ASSUMED	THE DECK UNDERWAY AS BEFORE
1702			4	029	
1709				CO	IS OFF THE BRIDGE
1711				YOKE	IS SET THROUGHOUT THE SHIP
1830				RED	DECK
	R30R	160	15	099	RPM's
1834				OBSERVED	SUNSET. NAVIGATION LIGHTS ENERGIZED
1839		160		CK	159
1841	AAFOZL		18	120	RPM
1851				TRANSFERING FUEL	
1912	ICSR	310			
1912	AA2/3		8	054	RPM's
				SHIPS	LIGHTS ARE CONFIGURED FOR ~~NVG~~ NVG OPS NOT IAW RULES
					OF THE ROAD
1917	STDY	310		CK 318	PSTGL
	AA1/3		3	022	RPMS
	CR	320			
1919	STDY	320		318	PSTGL
	CR	330			
	AA1/3		5	036	RPMS
1920	SASG	324			
1921	CR	325			
				GREEN	DECK
	STDY	325		CK 321	PSTGL
1923	AA1/3		3	022	RPMS
1925				TRANSFERING	FUEL
1947				CO IS	OFF THE BRIDGE
2019	AA1		5	036	RPMS
	CR	335			PSTGL

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	2	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ SOUTH

~~TO~~ ADRIATIC

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					17-22
(b) (6) [redacted] ~~2020~~	RFR	340		335	PSTGC
2024	AA1		2	022	RPMS
2041	CR	350			
	AA1/3		5	036	RPM's
2046	STDY	350		CK	345
				RED DECK	
2047			3	022	RPMS
2055	CR	000	5	036	RPM's
2057			2	022	RPM's
				GREEN DECK	
2100				CO IS ON THE BRIDGE	
*2058	STDY	000		CK	354
2127				SECURE FROM FLIGHT QUARTERS	
				SHIPS LIGHTS IAW RULES OF ROAD.	
2135				ENS (b) (6) [redacted] ASSUMED THE CONN	
2142				WATCH PROPERLY RELIEVED BY LT (b) (6) [redacted]	
				(b) (6) [redacted]	
				(b) (6) [redacted] USNR	
				22-02	
				LT (b) (6) [redacted] HAS THE DECK UNDERWAY AS Before	
(b) (6) [redacted] ~~2150~~				CO IS OFF THE BRIDGE	
2205	L30R	330	5	036	RPM's
2212	STDY	320		CK	325
2242	RFULLR	150			
2248	AAFULL		18	120	RPM's
2244	AAFULL		20	136	RPM's
2250				COMMENCE SOOT BLOW	
2251	STDY	150		CK 151	PSTGC
2308				COMPLETED SOOT BLOW	
	AA1/3		3	022	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	26	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					22-02 (CONT)
2319					HELM LOST STEERING
					SHIFTED TO SET 1 STBD CABLE
	LSR				
2321					SHIFTED TO AFT STEERING STEERING BY RAO
2324					SHIFTED CONTROL TO PILOT HOUSE
					SHIFTED TO AFT STEERING BY RAO
2325	LSR				
2327	RSR				
2328	R30R	150			
2329	RAMD				
	R30R				
2340	AA 1/3		5	036	RPM'S
	RUDD MID				
2341					SHIFT STEERING CONTROL TO BRIDGE.
	L5R	—			
2342	L30R	035			
2343	AA STD		15		RPM'S
	L30R	220			
2345					RETAINED THE DECK
					[redacted] (b) (6)
					[redacted] (b) (6), LT
					N.F.E.T.P.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A (1 2)	LHA (3 - 4)	00 (12 13 - 14)	09 (15)	B (16 - 17)	26

E (22)

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS: U (78) HANDL: / (79)

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					22-02 (CONT)
2335					RETAINED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE
					LOCATION ADRIATIC SEA SOPA AND OTC
					IS COMPHIBRON FOUR EMBARKED IN USS
					SAIPAN (LHA-2). ENGINEERING PLANT STATUS
					IS AS FOLLOWS BOILERS #1+2 ONLINE
					MAIN ENGINES #1+2 ONLINE SSTG'S #2+3+4
					ONLINE EDG'S #1+2 IN AUTO FIRE PUMPS
					#3+6 ONLINE +2+4-5+7+8 IN STAND BY
					MATERIAL CONDITION YOKE IS SET THROUGHOUT THE
					DECK WITH EXCEPTIONS NOTED IN THE DC CLOSURE LOG
					READINESS CONDITION III AND EMCON PLAN DELTA
					ARE IN EFFECT DARKEN SHIP IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS TO NAVIGATION LIGHTS
					THE CO IS IN HIS ~~AT~~ SEA CABIN.
2353					SECURED FLIGHT QUARTERS.
0013					COMMENCED STEERING CHECKS
(b) (6) [redacted] 0020		~~5~~	5	036	RPMS.
0022		~~3~~	3	022	RPMS.
0028					COMPLETED STEERING CHECKS. TEST SAT. SET #2 PORT CABLE.
	L30R	185			
0030	C/L	180			
0037	STDY	180		CK	179
0116	L30R	153			
0123	STDY	153		CK	153
0125	C/L	150			
0126	STDY	150		CK	149
0136				ENS	(b) (6) [redacted] ASSUMED THE CONN.
0138	L30R	130			
0141				WATCH PROPERLY RELIEVED BY LT	(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	09	12	27		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-02 (CONT)
2345					RETAINED THE DECK UNDERWAY STEAMING
					IAW CONSISTANT DEPLOYMENT SCHEDULE
					ON STATION ADRIATIC SEA. SOPA AND OTC IS
					COMPHIBRON FOUR EMBARKED IN USS SAIPAN
					(LHA-2) ENGINEERING PLANT STATUS IS AS
					FOLLOWS BOILERS #1+2 ONLINE MAIN ENGINES
					#1+2 ONLINE SSTG #2+3+4 ONLINE
					EDG #1+2 AUTO FIRE PUMPS #3+6
					ONLINE #2+4+5+7+8 STANDBY.
					MATERIAL CONDITION YOKE IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS NOTED IN DC
					CLOSURE LOG. READINESS CONDITION III
					AND ENGINEERING PLAN DELTA ARE IN EFFECT DARKEN
					SHIP IS SET THROUGHOUT THE SHIP THE CO
					IS IN HIS AT SEA CABIN.
0006	AA 1/3		5	036	RPMS
0015	R 20 R	050			
	R 30 R	090			
0032	STDY	090		CK	090
0128					CONN PROPERLY RELIEVED BY ENS [redacted] (b) (6)
0141					DECK PROPERLY RELIEVED BY LTJG [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6) LT
					02-07
0141					RELIEVED THE DECK UNDERWAY AS BEFORE.
0227	L 15 R	000			
0243	STDY	000		CK	355
0249	AA 1/3		3	022	RPM'S

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	09	B	27		
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRIATIC

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					02-07 (CONT)
0400					SET AND DRIFT 235°T AT 1.0 KTS
0402	L20R	270			
	L20R	280	5	036	RPMS
0409	STDY	300	3	022	RPMS
0411	C/L	310	4	029	RPMS
0415			7	048	RPMS
0425	STDT	310 ~~315~~		CK	308
0427			6	042	RPMS
0433	L15R	180			
0436	AA 2/3		10	065	RPMS
0443	STDT	180		CK	178
0445	L10R	160			
0448	STDY	160		CK	158
0515				WHITE	INTERMITENT LIGHT SPOTTED BEARING 205°T ON THE HORIZON.
				UNKNOWN	ORIGIN. POSSIBLE SEARCH LIGHT.
0523	R15R	315			
0532	STDY	315		CK	312
0534	AA 1/3		6	042	RPMS
0632				EMS	(b) (6) ASSUMED THE CONN.
0635				CO IS	ON THE BRIDGE.
0638				WATCH	PROPERLY RELIEVED BY LCDR (b) (6)
					(b) (6) LTJG
					(b) (6) LTJG
					07-12
0638				ASSUMED	THE DECK UNDERWAY AS BEFORE.
0639				OBSERVED	SUNRISE. NAV LIGHTS SECURED.
0645	AA 1/3		2	015	RPMS
0647			3	022	RPMS
			2	015	RPMS

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	A 002	0	09	B	27	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L 41°12.8N		BY 2,4
λ 018°16.5E		BY 2,4

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT'D)
0649				HELMSMAN LOST STEERAGEWAY	
0653	R5R	025			
	R30R	025			
0701	SA56	019			
0702	STD1	019		CK ~~019~~ 015	
0708	AA⅔		12	079	
0708	L15R	228			
0709	L30	228			
0714	CL	215		214	PSTGC
0715	AA5		15	099	RPMS
0716				RECEIVED DAILY DRAFT REPORT DRAFT FWD 27 FT	
				DRAFT AFT 27 FT MEAN 27 FT DISPLACEMENT	
				42 000 TONS	
0723				RECEIVED MEDICAL REPORT.	
0725				HERO CONDITION III SET.	
0725	R10	276			PSTGC
0729	AA15		17	113	RPMS
0730	AAF		18	120	RPMS
0738				SECURE HERO CONDITION III	
0740	AA STD	~~STD~~	17	113	
0745	AA STD		17	115	2 TURNS OVER 17 KNOTS
0755				CO IS OFF THE BRIDGE	
0805				RECEIVED FUEL AND WATER REPORT	
0807				RECEIVED AVIATION FUEL; REPORT	
0840				CO IS ON THE BRIDGE	
0850	CL	235		234	PSTGC
0854	~~AAA~~ AA1		5	036	RPMS
0923				COMMENCE CVIS DAEFIRE CHECKLIST	
0951				FLIGHT DECK SECURED	
0954				COMMENCED TRANSFERRING FUEL.	

(b) (6)

(b) (6)

(b) (6)

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	27	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~

~~TO~~ ADRIATIC OP AREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-12 (CONT)
0957				CO IS	ON THE BRIDGE.
1005				RECEIVED	BOAT REPORT
1006				RED RA	NGE.
1007				GREEN	RANGE
1009				RED	RANGE
1012	R30	270			
	AA 1/3		7	048	
1017				GREEN	RANGE.
1018	STDY	270		CHK	269 RED RANGE.
			5	036	RPM's
1019	AA 1/3		7	048	RPM's
	40°R	180			
1024				GREEN	RANGE
1025	STDY	180		CHK	179
	AA 1/3		3	022	RPM's
1026				MOUNT	23 IS SAFE.
1031				BATTERIES	RELEASED NO APPARENT CASUALTIES MT. 28
1033				BATTERIES	RELEASED 100 ROUNDS CLEARED NO APPARENT CASUALTIES MT 28
1035	R30°R	235			
1036			5	036	RPM'S
				HERO	CONDITION III SET.
1037				MT 28	IS SAFED. SECURE FROM CIWS PACFIRE
1038				SET	FLIGHT QUARTERS. COMPLETED SURGERY.
1042	AA 1/3		3	022	RPM'S
1045	STDY	235		CHK	234
	C/R	240			
1046	AA 1/3		5	036	RPM's
1047	STDY	240		CHK	238
1048	AA 1/3		3	022	RPM's
1050	AA 1/3		2	015	RPM's

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	27	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/PASSAGE FROM~~

TO ADRIATIC OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L 41-05.1N	BY 244	
λ 017-46.7E	BY 244	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-12 (CONT'D)
1059	AA1/3		5	036	RPM's
1102	AA2/3		10	068	RPM's
1107	AASTD		13	085	RPM's
1112	C/L	230			
1115	STDY	230		CHK	229
1118	C/R	240			
1119	RAMID				
	L5°R				
	RAMID				
1120	R5°R				
1121	C/R	245		SECURED FROM HERO CONDITION III	
1123				CO IS ON THE BRIDGE.	
1126	STDY	245		CHK	244
1127				GREEN DECK	
1135				WATCH	PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6) [redacted]
					(b) (6) [redacted] LCDR, USN
					12-17
1135				LTJG	(b) (6) HAS THE DECK UNDERWAY AS BEFORE
1146				CO IS	OFF THE BRIDGE
1147	R10°R	350			
1150	R5°R	050			
1153	AA2/3		8	054	RPM's
1154	AA1/3		5	036	RPM's
1155	STDY	050		CHK	041
1226	AA2		10	068	RPMS
1231			8	054	RPMS.
1255				CO IS	OFF THE BRIDGE
1259				CO IS	ON THE BRIDGE

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	27	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					1277 (CONT)
1315	AP1		3	022	RPMS.
1322	N30N			NED	DECK
	N20N	200			
	ABSTO		15	022	RPMS.
1323	N30N	200			
1325	N15N	200			
1328	AA2		10	068	RPMS
	STD	200		CK	197
1328	C/N	210			
1332	STDY	210		C/K	208
1335	C/N	220			
1338	STDY	220		CK	210
1344				CO	IS OFF THE BRIDGE.
1349				CO	IS ON THE BRIDGE
1356	AA1		5	036	RPMS.
1404			3	022	RPMS.
1413				CO	IS OFF THE BRIDGE.
				NED	DECK.
1414	C/L	210			
1416			5	036	RPMS
				CO	IS ON THE BRIDGE.
1418	SAS6	207			
1421			3	022	RPMS
	STDY	207		C/S	205
1436	L30R	030			
1444	AA3		10	~~10~~	065RPMS
1445	L15R	040			
1446	AA3		3	022	RPMS
		040		CK	043
1455				2A MCBP HAS SUFFERED A GROUND; LIMIT TO 15 KNOTS ON	

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE: LHA	HULL NUMBER: 002	YEAR: 0	MONTH: 09	ZONE: B	DAY: 27	E
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADAKTAIL

~~TO~~ OPANZA

CLASS: U HANDL: /
78 79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					12-17 (CONT)
				PORT	SHAFT.
1525				CO IS	OFF THE BRIDGE,
1553				CO IS	ON THE BRIDGE,
1554				CO IS	OFF THE BRIDGE,
1556				HERO	CONDITION III SET
1603				SECURE	HERO CONDITION III
1614	L10R	035			
(b) (6) 1616				2A MEBP	HAS BEEN ~~REBUILT~~, REPAIRED
1621				CO IS	ON THE BRIDGE,
				CK	030
1632			5	036	RPMS
	L FULL R	000			
1635	STBY	020			
1637			3	022	RPMS
				CK	015
1638				ENS. (b) (6) [redacted]	HAS THE CONN
1639				WATCH PROPERLY RELIEVED LT. (b) (6) [redacted]	
					(b) (6) [redacted] ~~LT50~~
					(b) (6) [redacted] LT50, USNR
					12-22
1639				ASSUMED	THE DECK UNDERWAY AS BEFORE
1702				CO IS	OFF THE BRIDGE
1705				RED	DECK
1731				CO	IS ON THE BRIDGE
1732				CO IS	OFF THE BRIDGE
1733				CO IS	ON THE BRIDGE
1827				RED	DECK
	R30R	090			
	AA FULL		18	120	RPM
1830	RAM10				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

DA (1–2)	SHIP TYPE (3–4)	HULL NUMBER (5–7)	YEAR (12)	MONTH (13–14)	ZONE (15)	DAY (16–17)	E (22)
	LHA	002	0	09	B	27	

USS SAIPAN

AT / PASSAGE FROM ADRATIC

TO OPAREA

CLASS U (78) HANDL (79)

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 41°07.8		BY 24
λ 010°39.7		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18–21)	ORDER (23–29)	CSE (30–32)	SPEED (33–36)	DEPTH (37–40)	RECORD OF ALL EVENTS OF THE DAY (41–77)
					17-22 (CONT)
1831	CR	080			
	STDY	080		CK	079
1832	AASTD		15	099	RPMS
1839					OBSERVED SUNSET. NAV LIGHTS ENERGIZED.
1909					RED DECK
	RIOR	130			
	AAF		20	136	RPMS
1912	STDY	130		CK	131 PSTGL
					SHIPS LIGHTS CONFIGURED FOR NVG OPS
					DOES NOT COMPLY WITH RULES OF THE ROAD
1920	LTR	110			
1921					GREEN DECK
	STDY	110		CK	112
1925	CL	100			
1927	STDY	100		CK	100
1952					RED DECK
2000					GREEN DECK
2020					RED DECK
			3	022	RPMS
2022	LSR	030			
2023					MAN OVER BOARD STBD SIDE 41° 08.4 N, 018° 40.0 E
2025					BRIDGE HAS COMM WITH DAUT
2024					MAN BEAR 245.
2027					MAN HAS BEEN IN WATER 4 MIN
					MAN HAS BEEN IN THE WATER 5 MIN
					MAN HAS BEEN IN THE WATER 6 MIN
2031	AASTD			999	MANUVERING COORDINATIONS
	RØR				
	R20R				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA	LHA	002	09	B	27

USS SAIPAN

AT / PASSAGE FROM ADRATIC

TO OPAREA

E

CLASS 01 HANDL

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					17-22 ~~7-12~~ CONT
(b) (6) [redacted] ~~R30K~~					
2033					PORT DOWN MANNED AND READY
(b) (6) [redacted] 2034					SN (b) (6) [redacted] IS ASSUMED MANOVERBOARD
2035	~~P PA2/3~~				~~PORT ENGINE.~~
2036	AA 1/3				
2037	SR				
(b) (6) [redacted] 38	ASTP				
					~~LOWER BOAT IN WATER~~
					AIRCRAFT HAS SURVIVOR IN SIGHT
2039	AA 1/3		2	15	RPM.
	RFULR				
2041	STDY	240			
2043			3	22	RPM
*2044	RFULR	245			
	STDY	245			
					SN (b) (6) [redacted] ASSUMED MAN OVER BOARD
(b) (6) [redacted] 2046					SAR HELO DOES NOT HAVE MAN IN SIGHT.
					LOWERING BOAT IN WATER.
2050					MAN BEARS 350 700 yds 41°08.4N 018°40.0
2052					BOAT IS AWAY
2054				COMPLETE MUSTER	SN (b) (6) [redacted] REPORTED U/A
2104				HELO	IS OVER SURVIVOR (SECOND REPORT)
2105				HELO	IS HOVERING ABOVE SURVIVOR (LOWERING SAR)
				PL-2	STANDING OFF ALONG STBD SIDE
2106				SAR	SWIMMER IN THE WATER
	RFR				
2108	AA 2/3		10	068	RPMS
(b) (6) [redacted]					
					~~NFEYP~~
					~~GMC~~ (b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	00	09	B	27	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT)
2109	AA 2/3		10	068	RPMS
					SECOND CONFORMED MUSTER WITH
					SN (b) (6) AS U/A
2114					SAR HELO IS HOOKING UP SURVIVOR
	R30R	000			
2112	SASC	344			
	C30R	350			
2113	C30R	353			
2114					GREEN DECK
					SAR HELO INBOUND
2115	STDY	353			CK 347 PSTBC
2122					MAN HAS BEEN RECOVERED SAR HELO
					INBOUND
2123					MAN APPEARS TO BE IN SHOCK
2128					SHIPS LIGHTS ARE DAW RULES OF THE ROAD
2130					PL IS ENROUTE TO PICK UP LIGHTERING
2131					MEDICAL RESPONSE TEAM IS ONSTATION
					MAN IS REPORTED TO BE IN SHOCK AND
					CONFUSED
2132					SECURE FROM PLT QTRS
2136	RFIR	095			
	AA 2/3		7	048	RPMS
2141	SR				
	AA 1/3		3	022	RPMS
2143	AA 1/3		5	036	RPMS
2147	SR	020			
	AA 1/3		3	022	RPMS
2148	SASC	013			
					PERMISSION TO RECOVER PL WHEN READY
2150	STDY	013		018	PSTBC

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	27	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT)
2158					PLZ IS ONBOARD ALL CREW MEMBERS ONBOARD
2200					ENS [redacted] HAS THE CONN
	R25R	040			
2202					CO IS OFF THE BRIDGE
	AA 1/3		5	036	RPMS
* 2204					PL IS SECURE FOR SEA
2205	R30R	090			
2208					WATCH PROPERLY RELIEVED BY LTJG [redacted]
					[redacted], LT
2208					LTJG [redacted] HAS THE DECK UNDERWAY AS BEFORE
	STDY	090		090	PSTBC
	AA 1/3		3	022	RPMS
2240					CO IS ON THE BRIDGE
2251					CO IS OFF THE BRIDGE
2256					CO IS ON THE BRIDGE
2327					CO IS OFF THE BRIDGE
2335					LTJG [redacted] RETAINED THE DECK
					[redacted] LTJG
					[redacted] LTJG
					NFETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	28	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

~~TO~~ SEA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CONT)
2335					RETAINED THE DECK UNDERWAY STEAMING IAW
					COMSIXTHFLT DEPLOYMENT SCHEDULE ON STATION
					ADRIATIC SEA SOPA AND OTC 25 COMPHIBRON
					FOUR EMBARKED IN USS SAIPAN (LHA-2) ENGINEERING
					PLANT IS AS FOLLOWS BOILERS #1+2 ONLINE
					MAIN ENGINES +1+2 ONLINE SSTGS +2+3+4
					ONLINE EDG #1+2 IN AUTO FIRE PUMPS +3+6
					ONLINE +2+4+5+7+8 IN STANDBY MATERIAL
					CONDITION YOKE IS SET WITH EXCEPTIONS IN
					DC CLOSURE LOG READINESS CONDITION III AND
					EMCON PLAN DELTA IS IN EFFECT. DARKEN
					SHIP IS SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					TO NAV LIGHTS THE CO IS IN MS AT SEA CABIN
0010					SHIFT STEERING SETS TO SET TWO PORT.
0105	R20R	270			
			5	036	RPMS.
0111	STDY	265			
0112	STDY	210			
0114			3	023	RPMS.
0116	C/R	180	5	036	RPMS.
0120			3	022	RPMS.
0121	STDY	180		~~15~~ CH	178
0127				ENS	[redacted] ASSUMED THE CONN.
0140				WATCH	PROPERLY RELIEVED BY LCDR [redacted]
					[redacted] LTJG
					[redacted] LTJG
					02-07
0140					ASSUMED THE DECK UNDERWAY AS BEFORE.
0300					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	28	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					02-07 (CONT'D)
0311					FUELS WATCH REPORTED ALL SECURE.
0315					ALL NAVIGATION LIGHTS ARE BRIGHT.
					FLIGHT DECK SECURE.
0404	L 30 R	—			
	AA 1/3		5	036	RPM'S
0410	L 30 R	015			
0415	STDY	015			CK 011
	AA 1/3		3	022	RPM'S
0427					SURFACE BLOW #1 BOILER
0449					COMPLETED SURFACES BLOW #1 BOILER.
0456					DC CENTRIAL REPORTS ALL CONDITIONS NORMAL.
					ALL NAVIGATION LIGHTS ARE BRIGHT.
0552	AA 1/3		2	015	RPM'S
0605	AA 1/3		5	036	RPM'S
	L 30 R	—			
0612	L 30 R	190			
0617	STDY	190			CK 187°
	AA 1/3		3	022	RPM'S
0625					CO IS ON THE BRIDGE.
0635					CONN PROPERLY RELIEVED BY ENS. [redacted] (b) (6)
0638					DECK PROPERLY RELIEVED BY LT/G [redacted] (b) (6)
					[redacted] (b) (6)
					[redacted] (b) (6), LCDR, USN
					07 - 12
0638					RELIEVED THE DECK UNDERWAY AS BEFORE.
0642					SECURE NAVIGATION LIGHTS
0644					CO IS OFF THE BRIDGE.
0645					CO IS ON THE BRIDGE.
					CO IS OFF THE BRIDGE.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	28	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ALBANIAN

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800 L 41°09.0 N		BY 2,4
λ 018°49.8 E		BY 2,4

POSITION	ZONE	TIME
1200 L		BY
λ		BY

POSITION	ZONE	TIME
2000 L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					07-12 (CONT)
0702					CO IS ON THE BRIDGE.
0722					RECEIVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN 0° LIST 42,000 DISPLACEMENT.
0726					FIRE OUT #1 BOILER.
					RECEIVED MEDICAL REPORT.
0738					CO IS OFF THE BRIDGE
0758					CO IS ON THE BRIDGE.
0759					CO IS OFF THE BRIDGE
					MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP.
					HERO CONDITION III SET.
0804					RECEIVED FUEL AND WATER REPORT.
0824					CO IS ON THE BRIDGE.
0835	AA1/3		5	036 RPM'S	
	R30°R	020			
(b) (6) [redacted] 0848					#2 AND #3 ~~EDGS~~ SSTGS IN PARALLEL WITH #2 EDG.
					RECEIVED MUSTER REPORT.
0853	AA1/3		3	022 RPM'S	
	STDY	020		CHK 014	
0922					CO IS OFF THE BRIDGE.
0924					CO IS ON THE BRIDGE.
0948					RECEIVED BOAT REPORT.
0950					RECEIVED AMMUNITIONS REPORT.
0956					CO IS OFF THE BRIDGE.
1021	AA1		5	036	RPMS
	RFR	200		198	PSTGC
1031					HERO CONDITION III SET
1050					SECURE FROM HERO CONDITION III
1104					CO IS ON THE BRIDGE
1115					FLIGHT QUARTERS
1137				ENS	(b) (6) [redacted] HAS THE CONN

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	02	0	09	B	28	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~

~~TO~~ ADRIATIC OF AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L 41-10.9N		BY 244
λ 010-50.9E		BY 244

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					07-12 (CONT)
1141				WATCH	PROPERLY RECIEVED BY LT [redacted] (b) (6)
					[redacted] (b) (6) ~~LTJG~~
					UTJG [redacted] (b) (6) USN
					12-17
1141				LT [redacted] (b) (6)	HAS THE DECK UNDERWAY AS BEFORE.
				CO	IS OFF THE BRIDGE
1149.	L30	145			PSTGL
1156	STOY	145		CHK	145
1209				CO	IS ON THE BRIDGE.
1211				CO	IS OFF THE BRIDGE.
1214				RED	DECK.
1239	L30A	335			
			5	036	RPMS.
1250	STOY	335		CK	333
1252	AA Y3		3	022	RPMS
1310				CO	IS ON THE BRIDGE
1354				CO	IS OFF THE BRIDGE.
1402	L30A	100			
	R30A	100			
1403	AA1		5	036	RPMS.
1408			2	015	RPMS.
1415	STOY	100		CK	101
1434				GREEN	DECK.
1439				CO	IS ON THE BRIDGE.
1509	R30A	210			
			5	036	RPMS
1513			2	015	RPMS
		215			
1517	STOY	215		CK	213
1544				RED	DECK.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE LH (3-4)	HULL NUMBER 002 (5-7)	YEAR 0 (12)	MONTH 09 (13-14)	ZONE B (15)	DAY 28 (16-17)	E (22)

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS (78)	HANDL (79)
U	/

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					12-17 (CONT)
1545			5	036	RPMS
1546	AA2		10	068	RPMS
	R30R				
1547	AA1		5	036	RPMS
	L30R				
1548		250			
1551	STDY	250		CIC	247
1601			3	022	RPMS
1608			2	015	RPMS
1612	R30R	260			
1613			5	036	RPMS
1615			2	015	RPMS
1630				ENS	(b) (6) HAS THE CONN
* 1616	STDY	260		CIC	258
1640				LTJG	(b) (6) HAS THE DECK
					(b) (6)
					(b) (6)
					17-22
1640				ASSUMED THE DECK UNDERWAY AS BEFORE	
1710	R20R				
	AA2		10	068	RPMS
1711	R30R	080°			
1714	R20R	090			
1718		070			
1719	AA1		3	022	RPMS
1720	STDY	070		CIC	068
1728			2	015	RPMS
1731	R20R				
	AA1/3		5	036	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LA	002	0	09	B	28	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

TO ~~TO~~ GAETA

CLASS	HANDL
U	1
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L 41°09.5N		BY 2,4
λ 018°54.2E		BY 2,4

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 CONT
1732	AA 2/3		10	036	RPMS
	R30R	140			
1737	STDY	140		CL	140 PSTGC
1738					GREEN DECK
1750	AA 1/3		6	042	RPM
1753			3	022	RPM
1756			10	562	
1759	STDY				
	R20R				
	R25R	140			
1802					CO IS ON THE BRIDGE.
1804	STDY	140		141	
1806	~~HA~~ AA 1/3		2	15	RPM
1809	R20R	160			
	R30R	160	5	036	RPM
1813	STDY	160		CL	160
	AA 1/3		10	022	RPM
	~~CO~~			~~CO IS RPM'S~~	
			2	015	RPM
				CO IS ON THE BRIDGE	
1827				GREEN DECK	
				PERMISSION GRANTED TO MAKE PREPS TO	
				Lite fires IN #1 BOILER	
1839				OBSERVED SUNSET. NAV LIGHTS EMERGED	
1907				SHIPS LIGHTS ARE CONFIGURED WITH NVG OPS.	
				IAW	NOT IN ACCORDING with RULES OF THE ROAD
~~1910~~				~~LIGHT FIR~~	
1929				Fires	LITE #1 BOILER
1945				RED DECK	
	R20R	325	10	08	RPM

(b) (6)

(b) (6)

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	23	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRATIC

TO OPAREA

CLASS / HANDL (78 / 79)

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					17-22 (CONT)
	R30R	325			
1951			5	036	RPMS
1950			2	15	RPMS
					GREEN DECK.
1952	STDY	325		CK	322
2026	CR	350		350	PSTBC
2030	AA1		3	022	RPMS
2100	AA2/3		8	054	RPMS
	R30R	130			
					RED DECK
	CR	140			
2116	STDY	140		CK	139 PSTBC
	AA1/3		2	015	RPMS
					RED DECK
2125					ENS [redacted] (b) (6) HAS THE CONN
2145					SECURE FROM FLIGHT QUARTERS.
					NAV LIGHTS TAKE RULES OF THE ROAD.
2145					LTJG [redacted] (b) (6) HAS THE DECK
					[redacted] (b) (6) LTJG
					[redacted] (b) (6) LTJG
					22-02
2145				LCDR	[redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE
2215					SECURE FROM FLIGHT QTRS. FOR RESPOT.
2230	R30R	190	3	022	RPM
2235	STDY	190		CK	188
2253	AA1/3		2	022	RPMS
2315					COMMENCE SURFACE BLOW
2320	AAF		20	136	RPMS
2326	AA2/3		14	068	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	28	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					22-02 (CONT)
2331	AA 1/3		32	015	RPMS
2336					REPAIR COMPLETE TO #1 BOILER FEED CONTROL VALVE.
2351	L30R	—			
2352	AA 1/7		3	022	RPM'S
2355					RETAINED THE DECK.
					(b) (6) [redacted]
					(b) (6) [redacted], LCDR, USN

RELIEF

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE (LH)	HULL NUMBER (002)	YEAR (00)	MONTH (09)	ZONE (B)	DAY (29)	E
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / PASSAGE FROM ADRIATIC

TO OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					22-02 (CONT)
2355					RETAINED THE DECK UNDERWAY STEAMING
					IAW COMSIXTHFLT DEPLOYMENT SCHEDULE
					ON STATION ADRIATIC SEA SOPA AND OTC
					IS COMPHIBRON FOUR EMBARKED IN USS
					SAIPAN (LHA-2) ENGINEERING PLANT STATUS
					IS AS FOLLOWS BOILERS #2 ONLINE
					MAIN ENGINES #1 #2 ONLINE SSTG #2+3+4 ONLINE
					EDG #2 IN AUTO FIRE PUMPS #3+6 ONLINE
					#2-4-5-7+8 IN STAND BY MATERIAL CONDITION
					YOKE IS SET THROUGHOUT THE SHIP WITH EXCEPTIONS
					NOTED IN THE DC CLOSURE LOG READINESS
					CONDITION III AND FORCON PLAN DELTA ARE IN
					EFFECT DARKEN SHIP IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS TO NAV LIGHTS
					THE CO IS IN HIS AT SEA CABIN
0003	STDY ON	015			
0008	STDY	015		CK	008
0045					TRANSFERING FUEL.
	AA 1/3		3	022	RPM'S
0051	R30R	—			
	AA 1/3		5	036	RPM'S
0053	AA 1/3		7	042	RPM'S
0058	R30R	180			
0100	AA 2/3		18	068	
0102	STDY	180		CK	179
0112	AA 1/3		3	022	RPM'S
0120					CONDUCTING STEERING CHECKS.
0127					COMPLETED STEERING CHECKS.
* 2335					COMPLETED SURFACE BLOW.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
DA LHA	002	0	09	29	

USS SAIPAN

AT / PASSAGE FROM ADRIATIC

TO OPAREA

CLASS: U HANDL: /

POSITION 0800 ZONE TIME
L _____ BY ____
λ _____ BY ____

POSITION 1200 ZONE TIME
L _____ BY ____
λ _____ BY ____

POSITION 2000 ZONE TIME
L _____ BY ____
λ _____ BY ____

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					22-02 (CON'T)
0136					CONN PROPERLY RELIEVED BY ENS [redacted]
0140					DECK PROPERLY RELIEVED BY LTJG [redacted]
					[redacted]
					[redacted] LCDR, USN
					02-07
0140					RECEIVED THE DECK UNDERWAY AS BEFORE.
0155					#1 BOILER FEED WATER CONTROL IN FULL AUTO
0305					V-4 ALL SECURE
0400					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0502					DC CENTRAL REPORTED ALL CONDITIONS NORMAL
0530	L30R	000	5	036	RPMS
0532	L30R	020			
0543	STDY	030		CK	016
			2	015	RPMS.
0556					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
0631					ENS [redacted] ASSUMED THE CONN
0634					CO IS ON THE BRIDGE.
0635					WATCH PROPERLY RELIEVED BY LT [redacted]
					[redacted] LTJG
					[redacted] LTJG USNR
					07-12
0635					ASSUMED THE DECK UNDERWAY AS BEFORE.
0637					OBSERVED SUNRISE. NAV LIGHTS SECURED.
0652					DC CENTRAL REPORTED ALL CONDITIONS NORMAL
0706					CO IS OFF THE BRIDGE
0710					GREEN RANGE
0713					CO IS ON THE BRIDGE
0722	R30°R				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	29	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~

TO ADRIATIC OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L 41°07.0N	BY 2,4	
λ 018°54.5E	BY 2,4	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					07-12 (CONT'D)
0722	AA 1/3		5	036	RPM's
0728	R30°R	220			
0732					RECEIVED DRAFT REPORT: 27' FWD 27' AFT 27' MEAN 0° LIST 42,000 DISPLACEMENT.
0733			2	015	RPM's
0737	STDY	220		CHK	217
0738	AA 1/3		3	022	RPM's
	L30°R	210			
0743	STDY	220		CHK	219
0755	C/L	210			FRESH AND FEED: 74/76
0758					CO IS OFF THE BRIDGE.
0759	STDY	210		CHK	208
0813					CO IS ON THE BRIDGE.
0815					COMMENCE QUICKSILVER DRILL.
0822					SECURED FROM QUICKSILVER DRILL
0827					WEAPONS POSTURE SET ON ALL MOUNTS
0839					CO IS OFF THE BRIDGE.
					CO IS ON THE BRIDGE.
0859					CO IS OFF THE BRIDGE.
0906					COMPUTED SET AND DRIFT: 318° T AT 1 KNOT.
0924					RECEIVED MUSTER REPORT
					RECEIVED CHRONOMETER REPORT
					RECEIVED AVIATION FUELS REPORT
					RECEIVED MEDICAL REPORT
					RECEIVED FUEL AND WATER REPORT
0933					CO IS ON THE BRIDGE.
0944					CO IS OFF THE BRIDGE.
0946					RECEIVED BOAT REPORT.
0958					COMMODORE IS ON THE BRIDGE.
					COMMODORE IS OFF THE BRIDGE
1004	R20°R	335			

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	0	09	B	29	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~/ PASSAGE FROM~~

TO ADRIATIC OP AREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L 41°12.7N	BY 2,4	
λ 018°40.9E	BY 2,4	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME (18 - 21)	ORDER (23 - 29)	CSE (30 - 32)	SPEED (33 - 36)	DEPTH (37 - 40)	RECORD OF ALL EVENTS OF THE DAY (41 - 77)
					07-12 (CONT'D)
1004	AA'13		7	048 RPMs	
	R30°R	335			
1019	STDY	335		CHK	330
1023				HERO	CONDITION III SET.
1028					SECURED HERO CONDITION III.
1048					RECEIVED AMMUNITIONS REPORT.
1056					~~Sgt.~~ (b) (6) SGT (b) (6) WAS REPORTED IN MEDICAL WITH A CUT ON
					HIS HEAD CAUSED BY THE OVERHEAD IN P-WAY 02-B1-G-L.
1106				RED	RANGE
1124	AA'13		2	015 RPM's	
1126				CO	IS ON THE BRIDGE.
1127				ENS (b) (6)	HAS THE CONN
1139				WATCH	PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6)
					(b) (6) CT
					12-17
1139				LTJG (b) (6)	HAS THE DECK UNDERWAY AS BEFORE.
1144	AA'13		5	036 RPM's	
	R25°R	~~015~~ 030			
1151	STDY	~~015~~ 030		CHK	047
	AA'13		2	015 RPM's	
1153	R25°R	070			
1156	AA'13		3	022	RPM's
1157	AA'13		5	036	RPM's
1201	R30°R	120			
1205	CP	125			PSTGC
1210	AA1		2	015	~~RPM~~ RPMs
1223	R20	140			PSTGC
1224	AA1		5	036	RPMS.

(b) (6) [redacted]

(b) (6) [redacted]

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	LH 2	Ø	Ø9	B	29

USS SAIPAN

AT / ~~PASSAGE FROM~~ SOUTH

~~TO~~ ADRIATIC

E

CLASS: U HANDL:

POSITION 0800	ZONE	TIME	POSITION 1200	ZONE	TIME	POSITION 2000	ZONE	TIME
L		BY	L		BY	L		BY
λ		BY	λ		BY	λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-17 CONT
(b) (6) 1231				CO	IS ~~ON~~ OFF THE BRIDGE
1252	AA1		3	Ø22	RPMS
1415				CO	IS ON THE BRIDGE
1417				CO	IS OFF THE BRIDGE
	AA2		10	Ø68	RPMS
				CO	IS ON THE BRIDGE
1418	A30A				
1420	AA1		3	022	RPMS.
1422	STDY	020		CK	016
1428			8	054	RPMS.
1430	A15A	040			
1432	STDY	040		CK	036
1436	A10A	050			
1438	C/A	055			
1440	STDY	055		CK	054
1442	A10A	065			
	A15A	100			
1444	AA1		5	036	RPMS.
1445	RSR				NNCG
1449	STDY	115			PSTGC
1451	RSR				NNCG
1454	AA1		2	Ø22	RPMS
1456	STDY	170		168	PSTGC
(b) (6) 1512	AA1		4	~~082~~ 034	RPMS
1519	AA1		5	Ø36	RPMS
1602				CO	IS ON THE BRIDGE
1618	CR	175		174	PSTGC
1632				ENS	(b) (6) ASSUMED THE CONN.
1639				WATCH	PROPERLY RELIEVED BY LCDR (b) (6) (b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

☆U.S. GPO: 1996—705-294

IF CLASSIFIED STAMP SECURITY MARKING HERE

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

		SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY		CLASS	HANDL
D	A	LH	002	0	09	B	29	E	U	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

POSITION	ZONE	TIME	POSITION	ZONE	TIME	POSITION	ZONE	TIME
0800			1200			2000		
L		BY	L		BY	L 41°05.8'N		BY 2,4
λ		BY	λ		BY	λ 018°53.0'E		BY 2,4

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					12-17 (CONT'D)
					[redacted] (b) (6) LTJG
					17-22
1639					ASSUMED THE DECK UNDERWAY AS BEFORE.
1646			4	029	RPMS
1704					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1728					CO IS OFF THE BRIDGE.
1753					ATEMPTED TO CONTACT FERRY BOAT WITH CLOSE CPA. VIA BRIDGE
					TO BRIDGE RADIO.
1800					SET AND DRIFT: ~~000~~°T AT 1.6KTS
					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1848					COMMENCED TRANSFERING FUEL.
1900					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
					NAV LIGHTS CONFIGURED FOR NVG OPS. CURRENT LIGHT CONFIGURATION IS
					NOT IN ACCORDANCE WITH RULES OF THE ROAD.
1907					CO IS ON THE BRIDGE.
1919					COMPLETED TRANSFERING FUEL.
					SET AND DRIFT: 357°T AT 1.4KTS.
2030					SECURED FLIGHT QUARTERS. SHIPS LIGHTING CONFIGURED FOR NORMAL
					U/W STEAMING IAW RULES OF THE ROAD.
2032					SET AND DRIFT: 000°T AT 1.5KTS.
2036			3	022	RPMS.
2049	R30R		5	036	RPMS.
2056	STDY	015		CO IS	OFF THE BRIDGE.
2102			3	022	RPMS
2109	STDY	015		CK	010
2120	L30R	340			
2120	AA 3/3		10	OGT	RPMS
2125	STDY	340		CK	335
2136				LTJG	[redacted] (b) (6) HAS THE DECK.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LH A	00A	0	09	B	29

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIA

TO OPAREA

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L ____ BY ____ λ ____ BY ____		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 - 77
					17-22 (CONT'D)
					(b) (6) [redacted]
					(b) (6) [redacted], LCDR, USN
					22-02
2136					ASSUMED THE DECK UNDERWAY AS BEFORE.
2154				CO	IS ON THE BRIDGE.
2205	MION	200			
2210	AAI		5	036	APMS.
2222	STDY	200		CK	200
2303				CO IS	OFF THE BRIDGE.
2312				HEAD	CONDITION III SECURED.
					N.F.E.T.P.

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	CLASS	HANDL
D A LH	4 2	0	09	B	30	4	/

USS SAIPAN

AT ~~PASSAGE FROM~~ SOUTH

TO ADRIATIC

POSITION 0800	ZONE	TIME
L 41° 12.1 N	BY	2.4
λ 017° 15.9 E	BY	2.4

POSITION 1200	ZONE	TIME
L	BY	
λ	BY	

POSITION 2000	ZONE	TIME
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					02-07 (CONT)
					[redacted] (b) (6)
					[redacted] (b) (6) LT USN
					07-12
0641				LTJG	[redacted] (b) (6) HAS THE DECK UNDERWAY AS BEFORE.
0642					OBSERVE SUNRISE, NAVIGATION LIGHTS DEENERGIZED.
0657	AAL		15	099	RPMS
0701	RSR	278			PSTGC
0702	AAF		20	136	RPMS
0703	INC R7	278			PSTGC
0704					RECEIVED DAILY DRAFT REPORT: DRAFT FWD 27'
					DRAFT AFT 27' MEAN 27' DISPLACEMENT
					42,000 TONS
0722	CL	270		260	PSTGC
0733	CR	275			PSTGC
0740				YOKE	SET
0759					COMMENCE SCHEDULED SURGERY
0800	CR	280		280	PSTGC
0808					COMMENCE TRANSFERING FUEL.
0836				CO	IS OFF THE BRIDGE
0855					COMPLETED TRANSFERING FUEL
0855					COMPLETED SURGERY
0930	LSR	245			PSTGC
0935	STDY	245		CK	243
0936	RSR	315			
				CO	IS ON THE BRIDGE
0937	STDY ON	245			
0938	STDY	245		CK	243'
0950	AAF		22	152	RPMS
0951	LS	235			PSTGC
0959	RS	270			PSTGC

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	30	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					02-07 CONT
0322	CR	215			
	AA1/3		4	029	RPMS
0324	STDY	215		213	PSTGL
0419	R30R				
	L30R				
0420	AA1/3		7	048	RPMS
0430	R30R				
0431	STDY	020			
	CL	020			
0435	STDY	020		CIL	016 PSTGL
0448	AA1/3		4	029	RPMS
0503				DC	CENTRAL REPORTED ALL CONDITIONS NORMAL
0513	R30R				
0524	AA1/3		7	048	RPMS
0528	RAND				
	L30R				
0530	L10R				
	R10R				
	R30R				
	RAND				
0531	CL	210			
0532	STDY	210		CIL	209 PSTGL
0541	CL	200			
0543	STDY	200		CIL	199 PSTGL
0551	AA2/3		10	068	RPMS
0558	CR	205			
0602	STDY	205		CIL	203
0633				CO	IS ON THE BRIDGE
				ENS	(b) (6) HAS THE CONN.
0641				WATCH	PROPERLY RELIEVED BY LTJG (b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	30	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					02 - 07 (CONT)
0146	AA1/3		3	022	RPMS
0149					HELMSMAN LOST STEERAGEWAY
	AA1/3		5	036	RPMS
0152	AA2/3		8	054	RPMS
0156	R30R				
0157	SAS6	031			
0158	L10R				
0159	L20R				
0200	R10R	030			
0201	L10R	030			
0202	STDY	030		CK 025 PSTBD	
0204	AA1/3		5	036	RPMS
0214	AA1/3		3	022	RPMS
0217					HELMSMAN LOST STEERAGEWAY
	AA1/3		7	048	RPMS
0259	R30R				
0305	L10R				
	L20R				
	L30R				
0307	L10R				
	RAMD				
(b) (6) 0308	CL	170			
0309	STDY	~~160~~ 170		CK 169 PSTBD	
	AA1/3		5	036	RPMS
0313	AA1/3		4	029	RPMS
0317	AA1/3		7	048	RPMS
	R30R				
0320	L10R				
	L30R				
0322	RAMD				

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	CLASS	HANDL
DA	L14A	0	0 9	B	3 0	U	

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					22-02 (CONT'D)
0000					RETAINED THE DECK UNDERWAY AS BEFORE. STEAMING
					IAW COMSIXFLT DEPLOYMENT SCHEDULE, ON STATION IN
					SOUTHERN ADRIATIC SEA. SOPA & OIC IS COMPHIBRON
					4 EMBARKED IN USS SAIPAN. WITH THE USS BRISCOE,
					USS COLE, USS SIMPSON & USS ASHLAND IN COMPANY.
					ENGINEERING PLANT STATUS AS FOLLOWS: #1 & #2
					BOILERS ON LINE. #1 & #2 MAIN ENGINES ONLINE.
					#2, #3 & #4 SSTG'S ON LINE. WITH #1 & #2 EDG'S IN
					AUTO START. #3 & #6 FIREPUMPS ON LINE WITH #2, 4, 5, 7 & 8
					IN STANDBY. MATERIAL CONDITION YOKE IS SET THROUGHOUT
					THE SHIP WITH EXCEPTIONS NOTED IN OC CLOSURE LOG.
					READINESS CONDITION ~~III~~ IS IN EFFECT. EMCON CONDITION
					DELTA IS IN EFFECT. THE SHIP IS DARKENED WITH
					THE EXCEPTION OF NAV LIGHTS. CO IS IN HIS AT
					SEA CABIN.
0001					SET DRIFT COMPUTED 273°T AT 1.5 KTS
0003			3	022	RPMS
0114			5	036	RPMS
0115	L30A	180			
0119	STDY	180		CK 178	
			3	022	RPMS
0130				ENS (b) (6) [redacted]	HAS THE CONN
0132				WATCH Properly relieved By ~~LTJG~~ LT (b) (6) [redacted]	
					(b) (6) [redacted] ~~LTJG~~
					(b) (6) [redacted] LTJG, USNR
					02-07
0132				LT (b) (6) [redacted]	HAS THE DECK UNDERWAY AS BEFORE
0136	L30R				
	AP1/3		5	036	RPMS

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A	L H [redacted] 002	09	A	17	

USS SAIPAN

AT / ~~PASSAGE~~ FROM TUNISIAN

~~TO~~ DPANEA

CLASS: U HANDL: /

POSITION 0800	ZONE	TIME	POSITION 1200	ZONE	TIME	POSITION 2000	ZONE	TIME
L		BY	L		BY	L 37 20.6 N		BY 24
λ		BY	λ		BY	λ 009 20.6 E		BY 24

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

(b) (6) [redacted]

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
~~1910~~	~~AA 1/3~~				18-00 (CONT)
1910	AA 1/3		5	036	
1919 ~~2019~~				CO IS ON THE BRIDGE	
1922	L 20 R	025			
	R 20 R	025			
1925				CO IS OFF THE BRIDGE	
1926	STDY	025		CK 020	
	R 15 R	040			
1929	AA 1/3		3	022 RPMS	
1930	STDY	040		CK 040 PSTGC	
				ENS	(b) (6) [redacted] ASSUMED THE CONN
1940				LTJG	(b) (6) [redacted] ASSUMED THE DECK
					(b) (6) [redacted] LT USNR
					(b) (6) [redacted] LT USNR
					20-24
1940				LTJG	(b) (6) [redacted] ASSUMED THE DECK UNDERWAY AS BEFORE
1945	ASTP				
	AA 1/3		3	022 RPMS	
	L 20 R	000			
1940	L 25 R	000			
				SIGS	REPORTED A YELLOW FLARE AT 030° R
1951	STDY	000		CK 356 PSTGC	
2004	L 20 R	310			
2010	STDY	310		CK 310 PSTGC	
2016				FIRES	OUT #1 BOILER
2030	L 20 R	298			
2035	STDY	298		CK	296
2057 ~~2107~~	L 20 R	270			
2057	CL	250			
2102	STDY	250		CK	249

(b) (6) [redacted]

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	002	Ø	Ø9	B	3Ø	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ SOUTH

~~TO~~ ADRIATIC

CLASS	HANDL
4	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					Ø7 - 12 (CONT)
1ØØØ	AAF		20	136	RPMS
	CR	288		287	PSTGC
1Ø15				SET	115 °T AT 1.1 KTS DRIFT
1Ø21	AAF		22	152	RPMS
1Ø24	CR	29Ø		289	PSTGC
1Ø59	RS	115			PSTGC
11ØØ	AAS		15	Ø99	RPMS
11Ø1	AA2		1Ø	Ø68	RPMS
11Ø3	AA1		5	Ø36	RPMS
11Ø6	AA1		2	Ø22	RPMS
11Ø7	AA1		2	Ø15	RPMS
11Ø8	AA1		3	Ø22	RPMS
11Ø9	CR	13Ø		128	PSTGC
1113	AA1		4	Ø29	RPMS
1130	L20R	12Ø	5	036	RPMS
1135	L20R			CO IS ON THE BRIDGE.	
1136	STDY	1Ø4			
	CIL	105			
1140	STDY	105		CK	106
1147	R20R	130			
1150	CIR	135			
1152	STDY	135		CK	135
			4	Ø29	RPMS
1154				ENS	[redacted] (b) (6) ASSUMED THE CONN.
1156				WATCH	PROPERLY RELIEVED BY LCDR [redacted] (b) (6)
					[redacted] (b) (6) LDS
					[redacted] (b) (6) LDS
					N + ETP

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D (1)	A (2)	SHIP TYPE (3-4)	HULL NUMBER (5-7)	YEAR (12)	MONTH (13-14)	ZONE (15)	DAY (16-17)	E (22)
		LH	020	0	09	B	30	

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

CLASS (78)	HANDL (79)
U	

POSITION 0800	ZONE	TIME
L	BY	
λ	BY	

POSITION 1200	ZONE	TIME
L 41° 21.4 N	BY 2,4	
λ 017° 06.3E	BY 2,4	

POSITION 2000	ZONE	TIME
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

TIME (18-21)	ORDER (23-29)	CSE (30-32)	SPEED (33-36)	DEPTH (37-40)	RECORD OF ALL EVENTS OF THE DAY (41-77)
					12-16
1156					ASSUMED THE DECK UNDERWAY AS BEFORE.
1216					CO IS OFF THE BRIDGE.
1219					CO IS ON THE BRIDGE.
1222					ATTEMPTED TO CONTACT A VESSEL WITH CLOSE CPA VIA BRIDGE
					TO BRIDGE RADIO. NO RESPONSE.
1228	R20R	155	5	036	RPMS. RED DECK
1233					GREEN DECK
	STDY	155		CK	154
1241	R20R			RED	DECK.
			7	048	RPMS
1243	AA 2/3		10	068	RPMS
	R30R				
1247	STDY	310			
1249	C/L	300			
1251	STDY	300		CK	297. GREEN DECK
	AA 1/3		5	036	RPMS
1257	AA 2/3		12	079	RPMS
1330	CRC	310			
	AAS		13	085	RPMS
1331	STDY	310		CK	315.
1335	CRC	320		RED	DECK
	AAS		15		
1338	STDY	320		CK	317.
1343	L10R				
	AA 2/3		10	068	RPMS
1345	STDY	160			
1348	AA 1/3		5	036	RPMS
1350	C/L	150		GREEN	DECK.
1352	STDY	150		CK	150
			3	022	RPMS

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		6H	002	0	09	B	30	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT / ~~PASSAGE FROM~~ ALBANIAN

~~TO~~ OPAREA

CLASS	HANDL
U	
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 77
					12-17 (CONT'D)
1353					CPR-4 IS ON THE BRIDGE.
1358					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1419					CO IS OFF THE BRIDGE.
					CPR-4 IS OFF THE BRIDGE.
1422					HELMSMAN LOST STEERAGEWAY
			4	029	RPMS
			5	036	RPMS
1426	AA1/3		7	048	RPMS
1431	STDY	150			CO IS ON THE BRIDGE.
1434			4	029	RPMS
1442			3	020	RPMS
1451			4		HELMSMAN LOST STEERAGEWAY.
1452			7	048	RPMS
1459	STDY	150	5	036	RPMS. DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1521					CO IS OFF THE BRIDGE.
1526					CO IS ON THE BRIDGE.
1539	L30R		7	048	RPMS
1545	AA3/3		10	068	RPMS
1547	STDY	320			
1550	AASTD		15	099	RPMS
1552	STDY	320			CK 316
1557					DC CENTRAL REPORTED ALL CONDITIONS NORMAL.
1603	R10R	140			
1608	AA1/3		5	036	RPMS
1611					COMMENCED TRANSFERING FUEL
1614	STDY	140			CK 140
(b) (6) 1631					LTJG (b) (6) [redacted] HAS THE DECK
					(b) (6) [redacted]
					(b) (6) [redacted] LCDR USN

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	30	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

~~TO~~ OPAREA

CLASS	HANDL
U	/
78	79

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	

POSITION	ZONE	TIME
1200		
L	BY	
λ	BY	

POSITION	ZONE	TIME
2000		
L	BY	
λ	BY	

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					17-22
1631					ASSUMED THE DECK UNDERWAY AS BEFORE.
1643					ENS (b) (6) [redacted] HAS THE CONN
1649					CO IS OFF THE BRIDGE.
1650					CO IS ON THE BRIDGE.
1700			3	022	RPMS.
1701				SE	COMPLETED TRANSFERRING FUEL.
1713			5	036	RPMS.
			4	029	RPMS.
*1657				CO	IS OFF THE BRIDGE.
1715			5	036	RPMS.
1740				CO	IS ON THE BRIDGE.
1803				SET	DRIFT COMPUTED 021°T @ 11KT.
1805			4	029	RPMS.
1808	AA2		10	068	RPMS.
	L30R				
1811		320			
1814	AAFULL		20	136	RPMS.
1818	STDY	320		C/R	318
1822			22	152	RPMS.
1825	C/R	330			
1827	STDY	330		C/R	326
1828	AAFLANK		25	176	RPMS.
1833	AA1		5	036	
			8	HEAD	CONDITION ~~III~~ SET.
1838	L2R	140		OBSERVED	SUNSET ENERGIZED NAV LIGHTS
				SECURED	HEAD CONDITION ~~III~~
1840	L10R	140			
1841	L5R	140			
1848	STDY	140		C/R	140
	AA1		5	036	RPMS

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LHA	002	0	09	B	30	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
U	
78	79

POSITION 0800	ZONE	TIME
L		BY
λ		BY

POSITION 1200	ZONE	TIME
L		BY
λ		BY

POSITION 2000	ZONE	TIME
L 41-38.2 N		BY 2+4
λ 016-52.9 E		BY 2+4

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME 18 - 21	ORDER 23 - 29	CSE 30 - 32	SPEED 33 - 36	DEPTH 37 - 40	RECORD OF ALL EVENTS OF THE DAY 41 - 77
					17-22 (CONT'D)
1851				GREEN DECK.	
1856	AAFLANK		25	176 RPMS	
	L20A				
1857	L30A	330			
1900	L20A	330			
1901				COMMENCED NAV OPERATIONS NAV LIGHTS DIMED	
				AND RANG, MAST, STERN LIGHT ARE OUT.	
1903	STD	330		C/S 328	
1906	L2A				
	AA2		10	068 RPMS.	
1910					
~~1910~~		170			
1913	SAS6	173			
		160			
1914	AA1		5	036 RPMS	
	STDY	160		C/S	158
1924	L30A	330			
1925	AAFLANK		25	176 RPMS.	
1929	L20A	330			
1932	STDY	330		C/S	328
2038	A2A				
	AA2		10	068 RPMS	
2042		140			
2045			5	036 RPMS.	
2046	C/L	130			
2047	SAS6	137			
2048	STDY	137		C/S	137
2102	A30A	145			
2103		150			
2106	STDY	150		C/S	151
	L30A				

(b) (6)

REPORT SYMBOL OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0496

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY
D A LHA	002	0	09	A	21

USS SAIPAN

AT / PASSAGE FROM ADRATIC

TO OPAREA

E

CLASS: U HANDL:

POSITION	ZONE	TIME
0800 L ____ BY ____ λ ____ BY ____		
1200 L ____ BY ____ λ ____ BY ____		
2000 L 40°36.1 BY 2,4 λ 018°40.1 BY 2,4		

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
					17-22 (CONT)
					CO IS OFF THE BRIDGE
1937					CO IS ON BRIDGE
2003					ENS (b) (6) HAS THE CONN
2005					NAVIGATION LIGHTING CONFIGURATION SHIFTED FOR
					NVG ~~OPRC~~ OPERATIONS MAST HEAD, RANGE AND
					STERN LIGHTS DEENERGIZED NOT IAW THE
					RULES OF THE ROAD
2007					SECURE FROM TRANSFERING FUEL.
2010					DARKEN SHIP SET
2035					CO IS OFF THE BRIDGE
2036					CO IS ON THE BRIDGE
2112					STBD DAVIT MANNED AND READY
2126					WATCH PROPERLY RELIEVED BY LTJG (b) (6)
					(b) (6)
					(b) (6) , LCDR, USN
					22-02
2126					LTJG (b) (6) HAS THE DECK UNDERWAY AS BEFORE
2131					ENS (b) (6) HAS THE CONN
2132					LTJG (b) (6) HAS ASSUMED DUTIES AS TAO AND IS IN
					POSSESSION OF ALL RAM AND CIWS KEYS.
2229					RED DECK
	LFR				
2231	SR				
2233	AA1/3		5	036	RPMS
2235	STDY	195			
2237	AA1/3		3	022	RPMS
	STDY	195		CIC	194 PSTBC
				GREEN	DECK
~~2239~~				~~RED~~	~~DECK~~

(b) (6)

(b) (6)

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E
		LH	02	0	09	B	30	
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22

USS SAIPAN

AT ~~PASSAGE FROM~~ ADRIATIC

TO OPAREA

CLASS	HANDL
V	/
78	79

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					17-22 (CONT'D)
2106	AAFLK		25	176	RPMS
2109	CION				
2113		345			
2114	STDY	345		CK	343
2126	AA 2/3		14	068	RPMS
	R2R	135			
2129	AA 1/3		5	036	RPMS
2130	RELTR	130			
2131	STDY	130		CK	131 PSTOL
2132				ENS	(b) (6) HAS THE CONN
				GREEN	DECK
2134				CO IS	OFF THE BRIDGE
2139				RED	DECK
	LFR	100			
2142	LFR	094			
2145	AA STD		15	099	RPMS
	R13R	116			
				SHIPS	NAV LIGHTS ARE IAW RULES OF THE ROAD
2148				WATCH	PROPERLY RELIVED BY LT (b) (6)
					(b) (6) LOT
					(b) (6) JJC, USNR
					22-02
2148				LT	(b) (6) HAS THE DECK UNDERWAY AS BEFORE
2150	STDY	116		CK	115 PSTOL
2211	R5R	130			
2214	STDY	130		133	PSTOL
2220				GREEN	RANGE FOR WEAPONS FUNCTION CHECK
				ON THE	HANGER BAY ELEVATOR (PORT SIDE)
				CO IS	ON THE BRIDGE

(b) (6) [redacted]

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294

OPNAV 3100/99 (Rev. 7-84)
S/N 0107-LF-031-0498

SHIP'S DECK LOG SHEET

IF CLASSIFIED STAMP SECURITY MARKING HERE

USE BLACK INK TO FILL IN THIS LOG

D	A	SHIP TYPE	HULL NUMBER	YEAR	MONTH	ZONE	DAY	E	CLASS	HANDL
		LHA	002	Ø	Ø9	B	3Ø		U	/
1	2	3 - 4	5 - 7	12	13 - 14	15	16 - 17	22	78	79

USS SAIPAN

AT / ~~PASSAGE~~ FROM ADRIATIC

~~TO~~ OPAREA

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND
1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D.R.

TIME	ORDER	CSE	SPEED	DEPTH	RECORD OF ALL EVENTS OF THE DAY
18 - 21	23 - 29	30 - 32	33 - 36	37 - 40	41 — 77
					22-02 (CONT)
2223	R3R	14Ø			
2224	STDY	14Ø			CIC 141 PSTGE
2227					TRANSFERING F76 FROM STORAGE TO SERVICE
2228					SECURE FROM WEAPONS FUNCTION CHECK ON
					THE PORT SIDE HANGER BAY ELEVATOR
2229	CSIR	115			
2232	STDY	115			CIC 116 PSTGE
2237					CO IS OFF THE BRIDGE
2305					SECURE FROM TRANSFERING fuel
2307					COMPUTED SET AND DRIFT IS 3Ø6°T AT 1.5 KTS
2311	CR	117			
2314	STDY	117			CIC 112 PSTGE
2327	AA1/3		5	Ø36	RPMS
2343	AASTD		15	Ø99	RPMS
* 2330				.Ø4	INCREASE IN THE BAROMETER FROM 2300
				TO	2330
2354	AA1/3		5	Ø36	RPMS

N.F.E.T.P.

(b) (6) [redacted]

Ø/12

REPORT SYMBOL
OPNAV 3100-10

IF CLASSIFIED STAMP REVIEW / DECLASSIFICATION DATE HERE

IF CLASSIFIED STAMP SECURITY MARKING HERE

☆U.S. GPO: 1996—705-294