FILE COPY

CHECKED FOR COMPLETENESS
OF PARAMETERS ORDERED BY:
2-16-11

# OLIN CORPORATION
# WILMINGTON
# SDG: WIL-7
# SC5256, SC5326, SC5415, SC5605


KATAHDIN ANALYTICAL SERVICES, INC.
600 TECHNOLOGY WAY
SCARBOROUGH, ME 04074

# TABLE OF CONTENTS

**Total number of pages: 319**


| | | | | |
|---|---|---|---|---|
| **SAMPLE DATA PACKAGE** | | 0000001 | | |
| Narrative | ---------- | 0000002 | to | 0000004 |
| Supporting Documents | ---------- | 0000005 | to | 0000013 |
| Chain of Custody Record | ---------- | 0000014 | to | 0000032 |
| Login Report | ---------- | 0000033 | to | 0000037 |
| **SAMPLE DATA SUMMARY** | | | | |
| Report of Analytical Results | ---------- | A0000001 | to | A0000076 |
| **DMF DATA** | | 1000001 | | |
| QC Summary | ---------- | 1000002 | to | 1000011 |
| Sample Data | ---------- | 1000012 | to | 1000077 |
| Standards Data | ---------- | 1000078 | to | 1000122 |
| Raw QC Data | ---------- | 1000123 | to | 1000160 |
| Logbooks and Supporting Documents | ---------- | 1000161 | to | 1000169 |
| **CONVENTIONAL AND PHYSICAL ANALYTICAL DATA** | | 5000001 | | |
| QC Summary | ---------- | 5000002 | to | 5000009 |
| Sample Data | ---------- | 5000010 | to | 5000030 |
| Raw Data | ---------- | 5000031 | to | 5000037 |

# SAMPLE DATA PACKAGE

# SDG NARRATIVE
# KATAHDIN ANALYTICAL SERVICES
# OLIN CORPORATION
# WILMINGTON
# WIL-7
# SC5256, SC5326, SC5415, SC5605

## Sample Receipt

The following samples were received on September 4, 10, 12 and 19, 2009 and were logged in under Katahdin Analytical Services work order numbers SC5256, SC5326, SC5415 and SC5605 for a hardcopy due date of October 8, 2009.

| KATAHDIN Sample No. | OLIN CORPORATION Sample Identification |
|---|---|
| SC5256-1 | OC-SB-472-30/32-XXX |
| SC5326-1 | OC-SB-450-0.0/1.0-X |
| SC5326-2 | OC-SB-450-8.0/10-XX |
| SC5326-3 | OC-SB-466-30/32-XXX |
| SC5326-4 | OC-SB-466-6.0/8.0-X |
| SC5326-5 | OC-EBK-008 |
| SC5415-1 | OC-SB-427-0.0/1.0-X |
| SC5415-2 | OC-SB-434-0.0/1.0-X |
| SC5415-3 | OC-SB-434-7.0/9.0-X |
| SC5415-4 | OC-SB-456-0.0/1.0-X |
| SC5415-5 | OC-SB-456-16/18-XXX |
| SC5415-6 | OC-SB-456-7.0/9.0-D |
| SC5415-7 | OC-SB-456-7.0/9.0-X |
| SC5415-8 | OC-SB-457-0.0/1.0-X |
| SC5415-9 | OC-SB-457-8.0/10-XX |
| SC5605-1 | OC-SB-413-0.0/1.0-X |
| SC5605-2 | OC-SB-413-1.0/5.0-X |
| SC5605-3 | OC-SB-435-0.0/1.0-X |
| SC5605-4 | OC-SB-435-11/15-XXX |
| SC5605-5 | OC-SB-435-6.0/10-XX |
| SC5605-6 | OC-EBK-012 |

The samples were logged in for the analyses specified on the chain of custody form. All problems encountered and resolved during sample receipt have been documented on the applicable chain of custody forms.

We certify that the test results provided in this report meet all the requirements of the NELAC standards unless otherwise noted in this narrative or in the Report of Analysis.
Sample analyses have been performed by the methods as noted herein.

Should you have any questions or comments concerning this Report of Analysis, please do not hesitate to contact your Katahdin Analytical Services Project Manager, **Andrea J. Colby**. This narrative is an integral part of the Report of Analysis.

## Organics Analysis

The samples of SDG WIL-7 were analyzed in accordance with "Test Methods for Evaluating Solid Wastes: Physical/Chemical Methods." SW-846 , 2nd edition, 1982 (revised 1984), 3rd edition, 1986, and Updates I, II, IIA, III, IIIA, and IIIB 1996, 1998 & 2004, Office of Solid Waste and Emergency Response, U.S. EPA, and/or for the specific methods listed below or on the Report of Analysis. Sample SC5415-7 was used for the matrix spike (MS) and matrix spike duplicate (MSD), as per client request. Some manual integrations may have been performed due to split peaks and/or corrected baselines. All have been flagged with an "M" (software-generated) on the pertinent quantitation reports.

### 8033M DMF Analysis

All samples except SC5605-1, 2, 3 and 6 were manually integrated for the surrogate diethylformamide (DEF). The specific reasons for the manual integrations are indicated on the raw data by the manual integration codes (M1-M11). These codes are further explained in the attachment following this narrative.

The sample with the client ID OC-SB-456-7.0/9.0-X (laboratory ID SC5415-7) exceeds the 19-character limit of the Katahdin Analytical Services' organics forms processing system when appended with the MSD designation. Therefore, the first three characters ("OC-") in the client ID for this sample were omitted on all forms for the sample, MS, and MSD analyses.

The LCS WG68776-2 had a low recovery for the spiked analyte dimethylformamide (DMF), which was outside of the nominal acceptance limits. Since the LCSD spike recovery was acceptable, the associated samples were not reextracted.

The LCS WG68986-2 had a low recovery for the spiked analyte DMF, which was outside of the nominal acceptance limits. Since the LCSD spike recovery was acceptable, the associated samples were not reextracted.

The closing calibration verification (CV) (file BCI6076) had a low response for DMF, which resulted in a %D that was outside of the laboratory acceptance limits of 25%. Since the associated LCS/LCSD had acceptable DMF recoveries, the other associated samples were not reanalyzed.

The closing CV (file BCJ2112) had a low response for DEF, which resulted in a %D that was outside of the laboratory acceptance limits of 25%. The associated samples may be biased low for the surrogate DEF.

There were no other protocol deviations or observations noted by the organics laboratory staff.

## Wet Chemistry Analysis

The samples of SDG WIL-7 were analyzed in accordance with the specific methods listed on the Report of Analysis.

Analyses for total solids were performed according to "Standard Methods for the Examination of Water and Wastewater", 15th, 16th, 17th, 18th, 19th, and 20th editions, 1980, 1985, 1989, 1992, 1995, 1999. APHA-AWWA-WPCF.

All analyses were performed within analytical holding times, and all quality control criteria were met.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Operations Manager or the Quality Assurance Officer as verified by the following signature.

Leslie Dimond
10.13.09

Leslie Dimond
Quality Assurance Officer

# Katahdin Analytical Services, Inc.

## Manual Integration Codes For GC/MS, GC, HPLC and/or IC

| | |
|---|---|
| M1 | Peak splitting. |
| M2 | Well defined peaks on the shoulders of the other peaks. |
| M3 | There is additional area due to a coeluting interferant. |
| M4 | There are negative spikes in the baseline. |
| M5 | There are rising or falling baselines. |
| M6 | The software has failed to detect a peak or misidentified a peak. |
| M7 | Excessive peak tailing. |
| M8 | Analysis such as GRO, DRO and TPH require a baseline hold. |
| M9 | Peak was not completely integrated as in GC/MS. |
| M10 | Primary ion was correctly integrated, but secondary or tertiary ion needed manual integration as in GC/MS. |
| M11 | For GC analysis, when a sample is diluted by 1:10 or more, the surrogate is set to undetected and then the area under the surrogate is manually integrated. |
| M12 | Manual integration saved in method due to TurboChrom floating point error. |

**Katahdin Analytical Services, Inc.** **Sample Receipt Condition Report**

| | | | | | |
|---|---|---|---|---|---|
| Client: | MacTec / Olin | KAS PM: | AJC | Sampled By: | Client |
| Project: | | KIMS Entry By: | DD | Delivered By: | Client |
| KAS Work Order#: | SC5255 / SC5256 | KIMS Review By: | AJC | Received By: | DD |
| SDG #: | | Cooler: 1 of 1 | | Date/Time Rec.: | 9-4-09 1615 |

| Receipt Criteria | Y | N | EX* | NA | Comments and/or Resolution |
|---|---|---|---|---|---|
| 1. Custody seals present / intact? | ✓ | | | | |
| 2. Chain of Custody present in cooler? | ✓ | | | | |
| 3. Chain of Custody signed by client? | ✓ | | | | |
| 4. Chain of Custody matches samples? | ✓ | | | | |
| 5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun. | ✓ | | | | Temp (°C): 0.1 |
| Samples received at <6 °C w/o freezing? | ✓ | | | | Note: Not required for metals analysis. |
| Ice packs or ice present? | ✓ | | | | The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data. |
| If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool? | | | | ✓ | Note: No cooling process required for metals analysis. |
| 6. Volatiles free of headspace: **Aqueous:** No bubble larger than a pea | | | | ✓ | |
| **Soil/Sediment:** Received in airtight container? | | | | ✓ | |
| Received in methanol? | | | | ✓ | |
| Methanol covering soil? | | | | ✓ | |
| 7. Trip Blank present in cooler? | | | | ✓ | |
| 8. Proper sample containers and volume? | ✓ | | | | |
| 9. Samples within hold time upon receipt? | ✓ | | | | |
| 10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 | | | | ✓ | |
| Sulfide - >9 | | | | ✓ | |
| Cyanide – pH >12 | | | | ✓ | |

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

All samples changed to Cat 1 per Tige Cunningham 9/8/09.

## Andrea Colby

**From:** Cunningham, Tige [TLCunningham@mactec.com]
**Sent:** Tuesday, September 08, 2009 12:37 PM
**To:** acolby@katahdinlab.com
**Cc:** Ricardi, Christian; Chatterton, Kelly
**Subject:** Olin Wilm: Changes to COC of DMF received by Katahdin on 9-4-09

Andrea,
Attached is the COC with the up-dates to the Category change.
Please confirm that this change has been made.
Thanks
Tige

Katahdin - Soil



| | | | |
|---|---|---|---|
| Client: Olin Corporation | Client Project #: 6107090016 | INVOICE INFO | Shaded Areas for office use only |
| Address: 3855 North Ocoee St. Suite 200 | Work Site ID: Wilmington, MA | Company Name: Olin Corp | |
| Cleveland, TN 37312 | Reports Sent To: Steve Morrow | Company Contact: ERG Accounts Payable | |
| Phone: 423-336-4511 Fax: 423-336-1466 | Email: SGMorrow@olin.com Email Rpt: ____ | Address: Same as Client | |
| Requested Turnaround Time (SPECIFY) | Regulatory Programs: MADEP MCP ____ Superfund ____ | Phone: Email | |
| Standard ____ Rush ____ (Lab Approval Required) | Report Requirements: Level IV Package ____ Level II Package ____ | | |
| | EDD Requirements: MACTEC EQUIS EZ EDD ____ | Job # ____ | Quote # ____ |
| | | Lab SDG # ____ | PO # ____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr-6 (3060A / 7199) G | Cr-6 (7199) P | DMF (Mod 8033 - GC/NPD) G | DMF (Mod 8033 - GC/NPD) V | Opex / Kelmpore (8030B - HPLC) V | Perchlorate (6850) V | | | | | | | | | | | | Hydrazine MMH, UDMH (Mod 8315 LC/MS/MS) AG | Hydrazine MMH, UDMH (Mod 8315 LC/MS/MS) Zn AV | | <--Preservative Type (4) <--Bottle Type (5) Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OC-SB-472-0.0/1.0-XXX | 9/4/2009 7:45:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40ml VOA Glass Vial, AG = Amber Glass, AV = 40ml VOA Amber Glass Vial

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| | Temp @ receipt: ____ Deg C |
| | Preservation / pH checked? Y / N |
| | By: ____ Date: ____ |

Relinquished: [signature] Date: 9 / 4 / 09 Time: 1600 Received: [signature] Date: 9 / 4 / 09 Time: [illegible]

Relinquished: ____ Date: ___ / ___ / ___ Time: ____ Received: ____ Date: ___ / ___ / ___ Time: ____

2000000

Katahdin - Soil



# MACTEC

<--Preservative Type (4)
<--Bottle Type (5)

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | 1,4-Dioxane (8260A / 8270C) | PCBs (8082) | DRO / MRO 8082B - GC/NPD | DRO / MRO 8082A - GC/NPD | Gasoline Range Organics (GRO) | Acetone | Methyl Ethyl Ketone | Methyl Isobutyl Ketone | Methyl Tert Butyl Ether | Hydrocarbon MRP - UGMA | Hydrocarbon MRP - UGMA | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| OC-SB-472-30/32-XXX | 9/4/2009 8:50:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | ~~Category 3~~ Category 1 (TC 9/8/09) |
| OC-SB-472-8.0/10-XXX | 9/4/2009 7:55:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | ~~Category 2~~ Category 1 (TC 9/8/09) |

## Special Instructions For Lab

Notes:

1) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Bank Water, NA = Non-Aqueous Liquid, RP = Product, O = Oil

4) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, ZN = Zinc Acetate, MS = Methanol, DI = DI Water

5) Bottle Type: G = Glass, P = Plastic, V = 40ml VOA Glass Vial, AG = Amber Glass, 4 = 4oz, 8 = 8oz, 32 = 32oz Amber Glass Jar

| Cooler ? Y / N | MADEP Requirement |
|---|---|
| | Samples Iced? Y / N |
| Temp @ receipt | Deg C |
| Preservation / pH checked? Y / N | |
| By: | Date: |

Relinquished: [signature] Date: 09/07/09 Time: 16:00 Received: [signature] Date: 9/14/09 Time: 1000

Relinquished: Date: / / Time: Received: Date: / / Time:

000009

Olin Wilmington OU1 Soil Sampling Categories

There will be three categories of samples submitted to the laboratories during the soil sampling program based primarily on the depth of soil locations. These categories will be indentified in notes provided with the chain of custody submitted with samples. The following categories are included:

Category 1

Soil boring samples 0'-1': request that all samples are analyzed and reported in the normal project turnaround time (TAT).

Category 2

Soil boring samples from the 1'-10' interval: All samples are analyzed. Rush TAT is requested on a subset of analyses as indicated below:

VOCs: rush 7-day TAT
SVOCs: NDMA, and phthalic anhydride: normal 30-day TAT
DMF: normal 21-day TAT
Hydrazine: rush 7 day TAT
Metals: normal 30-day TAT (except mercury)
Mercury: 10 day TAT
Hexavalent Chromium: 10 day TAT
Formaldehyde/acetaldehyde: normal TAT
Anions: normal TAT
Ammonia: normal TAT

Category 3

Soil boring samples from >10 ft: Sample are held with analysis pending. For a subset of analyses the samples will be extracted and held by the lab pending instructions from MACTEC-Olin.

VOCs: hold pending results of Category 2
SVOCs: extract and hold pending results of Category 2
NDMA: extract and hold pending results of Category 2
DMF: extract and hold pending results of Category 2
Hydrazine: hold pending results of Category 2
Metals: hold pending results of Category 2
Mercury: hold pending results of Category 2
Hexavalent Chromium: hold pending results of Category 2
Phthalic anhydride: extract and hold pending results of Category 2
Formaldehyde/acetaldehyde: run normal TAT
Anions: run normal TAT
Ammonia: run normal TAT

For rush TAT samples the laboratory will provide preliminary results with a narrative and sample results summary report. The lab will also provide data on a preliminary data EDD. Final result and supporting data packages will be provided in the normal TAT for the project.

**Katahdin Analytical Services, Inc.** **Sample Receipt Condition Report**

| | | | | | |
|---|---|---|---|---|---|
| Client: | Olin / MacTec | KAS PM: | AJC | Sampled By: | Client |
| Project: | | KIMS Entry By: | DD | Delivered By: | Fed Ex |
| KAS Work Order#: | SC5326 / SC5327 | KIMS Review By: | MC | Received By: | DD |
| SDG #: | Cooler: 1 of 1 | | | Date/Time Rec.: | 9-10-09 1000 |

| Receipt Criteria | Y | N | EX* | NA | Comments and/or Resolution |
|---|---|---|---|---|---|
| 1. Custody seals present / intact? | ✓ | | | | |
| 2. Chain of Custody present in cooler? | ✓ | | | | |
| 3. Chain of Custody signed by client? | ✓ | | | | |
| 4. Chain of Custody matches samples? | ✓ | | | | |
| 5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun. | ✓ | | | | Temp (°C): 1.1 |
| Samples received at <6 °C w/o freezing? | ✓ | | | | Note: Not required for metals analysis. |
| Ice packs or ice present? | ✓ | | | | The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data. |
| If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool? | | | | ✓ | Note: No cooling process required for metals analysis. |
| 6. Volatiles free of headspace: **Aqueous:** No bubble larger than a pea | | | | ✓ | |
| **Soil/Sediment:** Received in airtight container? | | | | ✓ | |
| Received in methanol? | | | | ✓ | |
| Methanol covering soil? | | | | ✓ | |
| 7. Trip Blank present in cooler? | | | | ✓ | |
| 8. Proper sample containers and volume? | ✓ | | | | |
| 9. Samples within hold time upon receipt? | ✓ | | | | |
| 10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 | | | | ✓ | |
| Sulfide - >9 | | | | ✓ | |
| Cyanide – pH >12 | | | | ✓ | |

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

**Katahdin Analytical Services, Inc.** **Sample Receipt Condition Report**

| | | | | | |
|---|---|---|---|---|---|
| Client: | MacTec / Olin | KAS PM: | AJC | Sampled By: | Client |
| Project: | | KIMS Entry By: | DD | Delivered By: | Client |
| KAS Work Order#: | SC5415 / SC5416 | KIMS Review By: | DC | Received By: | KR |
| SDG #: | Cooler: 1 of 1 | | | Date/Time Rec.: | 9-12-09 1000 |

| Receipt Criteria | Y | N | EX* | NA | Comments and/or Resolution |
|---|---|---|---|---|---|
| 1. Custody seals present / intact? | | ✓ | | | |
| 2. Chain of Custody present in cooler? | ✓ | | | | |
| 3. Chain of Custody signed by client? | ✓ | | | | |
| 4. Chain of Custody matches samples? | ✓ | | | | |
| 5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun. | ✓ | | | | Temp (°C): -0.6 |
| Samples received at <6 °C w/o freezing? | ✓ | | | | Note: Not required for metals analysis. |
| Ice packs or ice present? | ✓ | | | | The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data. |
| If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool? | | | | ✓ | Note: No cooling process required for metals analysis. |
| 6. Volatiles free of headspace: **Aqueous:** No bubble larger than a pea | | | | ✓ | |
| **Soil/Sediment:** Received in airtight container? | | | | ✓ | |
| Received in methanol? | | | | ✓ | |
| Methanol covering soil? | | | | ✓ | |
| 7. Trip Blank present in cooler? | | | | ✓ | |
| 8. Proper sample containers and volume? | ✓ | | | | |
| 9. Samples within hold time upon receipt? | ✓ | | | | |
| 10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 | | | | ✓ | |
| Sulfide - >9 | | | | ✓ | |
| Cyanide – pH >12 | | | | ✓ | |

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

0000012

**Katahdin Analytical Services, Inc.** **Sample Receipt Condition Report**

| | | |
|---|---|---|
| Client: Olin / MacTec | KAS PM: AJC | Sampled By: Client |
| Project: | KIMS Entry By: DD | Delivered By: Client |
| KAS Work Order#: SC5605/SC5606 | KIMS Review By: KJC | Received By: DD |
| ~~SDG #~~: SC5607 | Cooler: 1 of 1 | Date/Time Rec.: 9-19-09 11:11 |

| Receipt Criteria | Y | N | EX* | NA | Comments and/or Resolution |
|---|---|---|---|---|---|
| 1. Custody seals present / intact? | ✓ | | | | |
| 2. Chain of Custody present in cooler? | ✓ | | | | |
| 3. Chain of Custody signed by client? | ✓ | | | | |
| 4. Chain of Custody matches samples? | ✓ | | | | |
| 5. Temperature Blanks present? If not, take temperature of any sample w/ IR gun. | ✓ | | | | Temp (°C): 0.8 |
| Samples received at <6 °C w/o freezing? | ✓ | | | | Note: Not required for metals analysis. |
| Ice packs or ice present? | ✓ | | | | The lack of ice or ice packs (i.e. no attempt to begin cooling process) may not meet certain regulatory requirements and may invalidate certain data. |
| If temp. out, has the cooling process begun (i.e. ice or packs present) and sample collection times <6hrs., but samples are not yet cool? | | | | ✓ | Note: No cooling process required for metals analysis. |
| 6. Volatiles free of headspace: **Aqueous:** No bubble larger than a pea | ✓ | | | | |
| **Soil/Sediment:** Received in airtight container? | | | | ✓ | |
| Received in methanol? | | | | ✓ | |
| Methanol covering soil? | | | | ✓ | |
| 7. Trip Blank present in cooler? | | ✓ | | | |
| 8. Proper sample containers and volume? | ✓ | | | | |
| 9. Samples within hold time upon receipt? | ✓ | | | | |
| 10. Aqueous samples properly preserved? Metals, COD, NH3, TKN, O/G, phenol, TPO4, N+N, TOC, DRO, TPH – pH <2 | | | | ✓ | |
| Sulfide - >9 | | | | ✓ | |
| Cyanide – pH >12 | | | | ✓ | |

* Log-In Notes to Exceptions: document any problems with samples or discrepancies or pH adjustments

SC5255
SC5254

Katahdin - Soil



| | | | |
|---|---|---|---|
| Client: Olin Corporation | Client Project #: 6107090016 | INVOICE INFO | Shaded Areas for office use only |
| Address: 3855 North Ocoee St. Suite 200 | Work Site ID: Wilmington, MA | Company Name: Olin Corp | |
| Cleveland, TN 37312 | Reports Sent To: Steve Morrow | Company Contact: ERG Accounts Payable | |
| Phone: 423-336-4511 Fax: 423-336-1466 | Email SGMorrow@olin.com Email Rpt:____ | Address: Same as Client | |
| Requested Turnaround Time (SPECIFY) | Regulatory Programs: MADEP MCP____ Superfund _____ | Phone: | Email |
| Standard_____ Rush_____ (Lab Approval Required) | Report Requirements Level IV Package ____ Level II Package _____ | | |
| | EDD Requirements: MACTEC EQUIS EZ EDD _____ | Job # _____ | Quote # _____ |
| | | Lab SDG #_____ | PO #_____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - G | - P | - G | - V | - V | - V | - | - | - | - | - | - | - | - | - | - | - | - | - | - AG | Zn AV | - | - | <--Preservative Type (4) <--Bottle Type (5) |
| OC-SB-472-0.0/1.0-XXX | 9/4/2009 7:45:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| | |
|---|---|
| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
| Temp @ receipt: _____Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

Relinquished: [signature] Date: 9 / 4 / 09 Time: 1606 Received: [signature] Date: 9 / 4 / 09 Time: 1606

Relinquished: _____ Date: ___/___/___ Time: _____ Received: _____ Date: ___/___/___ Time: _____

0000014

Katahdin -Soil



# MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | Zn | - | - | <--Preservative Type (4) |
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | AV | | | <--Bottle Type (5) |
| OC-SB-472-30/32-XXX | 9/4/2009 8:50:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 3 |
| OC-SB-472-8.0/10-XXX | 9/4/2009 7:55:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 2 |

## Special Instructions For Lab

Notes:

1 ) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2 ) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3 ) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4 ) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5 ) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| Cooler ? Y / N | MADEP Requirement |
|---|---|
| | Samples Iced? Y / N |
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ | Date: _____ |

Relinquished: [signature] Date: 09/04/09 Time: 1600 Received: [signature] Date: 9/4/00 Time: 1600

Relinquished: _____ Date: __/__/__ Time: ____ Received: _____ Date: __/__/__ Time: ____

**Olin Wilmington OU1 Soil Sampling Categories**

There will be three categories of samples submitted to the laboratories during the soil sampling program based primarily on the depth of soil locations. These categories will be indentified in notes provided with the chain of custody submitted with samples. The following categories are included:

**Category 1**

Soil boring samples 0'-1': request that all samples are analyzed and reported in the normal project turnaround time (TAT).

**Category 2**

Soil boring samples from the 1'-10' interval: All samples are analyzed. Rush TAT is requested on a subset of analyses as indicated below:

VOCs: rush 7-day TAT
SVOCs: NDMA, and phthalic anhydride: normal 30-day TAT
DMF: normal 21-day TAT
Hydrazine: rush 7 day TAT
Metals: normal 30-day TAT (except mercury)
Mercury: 10 day TAT
Hexavalent Chromium: 10 day TAT
Formaldehyde/acetaldehyde: normal TAT
Anions: normal TAT
Ammonia: normal TAT

**Category 3**

Soil boring samples from >10 ft: Sample are held with analysis pending. For a subset of analyses the samples will be extracted and held by the lab pending instructions from MACTEC-Olin.

VOCs: hold pending results of Category 2
SVOCs: extract and hold pending results of Category 2
NDMA: extract and hold pending results of Category 2
DMF: extract and hold pending results of Category 2
Hydrazine: hold pending results of Category 2
Metals: hold pending results of Category 2
Mercury: hold pending results of Category 2
Hexavalent Chromium: hold pending results of Category 2
Phthalic anhydride: extract and hold pending results of Category 2
Formaldehyde/acetaldehyde: run normal TAT
Anions: run normal TAT
Ammonia: run normal TAT

For rush TAT samples the laboratory will provide preliminary results with a narrative and sample results summary report. The lab will also provide data on a preliminary data EDD. Final result and supporting data packages will be provided in the normal TAT for the project.

SC5326
SC5327

Katahdin - Soil



| | | | |
|---|---|---|---|
| Client: | Olin Corporation | Client Project #: | 6107090016 |
| Address: | 3855 North Ocoee St. Suite 200 | Work Site ID: | Wilmington, MA |
| | Cleveland, TN 37312 | Reports Sent To: | Steve Morrow |
| Phone: | 423-336-4511 | Fax: | 423-336-1466 |
| Email | SGMorrow@olin.com | Email Rpt: | |

| INVOICE INFO | Shaded Areas for office use only |
|---|---|
| Company Name: | Olin Corp |
| Company Contact: | ERG Accounts Payable |
| Address: | Same as Client |
| Phone: | Email |
| Job # | Quote # |
| Lab SDG # | PO # |

Requested Turnaround Time (SPECIFY): Standard_____ Rush_____ (Lab Approval Required)

Regulatory Programs: MADEP MCP____ Superfund _____

Report Requirements Level IV Package ____ Level II Package _____

EDD Requirements: MACTEC EQUIS EZ EDD _____

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | Zn | - | - | <--Preservative Type (4) |
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | AV | | | <--Bottle Type (5) |
| OC-SB-450-0.0/1.0-XXX | 9/9/2009 1:40:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| Cooler ? Y / N | MADEP Requirement |
|---|---|
| | Samples Iced? Y / N |
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

**Relinquished:** [signature] **Date:** 9/9/09 **Time:** 1800 **Received:** [signature] **Date:** 9/10/09 **Time:** 1000

**Relinquished:** _____ **Date:** __/__/__ **Time:** _____ **Received:** _____ **Date:** __/__/__ **Time:** _____

1 cooler w/ ice Fed Ex P1 tracking = 8372-3852-1813

100000

Katahdin - Soil



# MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | Zn AV | | | <--Preservative Type (4) <--Bottle Type (5) |
| OC-SB-450-33/35-XXX | 9/9/2009 4:55:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 3 |
| OC-SB-450-8.0/10-XXX | 9/9/2009 1:55:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 2 |
| OC-SB-466-30/32-XXX | 9/8/2009 3:50:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-466-6.0/8.0-XXX | 9/8/2009 1:50:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ | Date: _____ |

**Relinquished:** [signature] **Date:** 9/9/09 **Time:** 1800 **Received:** [signature] **Date:** 9/10/09 **Time:** 1000

**Relinquished:** _____ **Date:** __/__/__ **Time:** _____ **Received:** _____ **Date:** __/__/__ **Time:** _____

8100000

Katahdin - Water



| | | | |
|---|---|---|---|
| Client: Olin Corporation | Client Project #: 6107090016 | INVOICE INFO | Shaded Areas for office use only |
| Address: 3855 North Ocoee St. Suite 200 | Work Site ID: Wilmington, MA | Company Name: Olin Corp | |
| Cleveland, TN 37312 | Reports Sent To: Steve Morrow | Company Contact: ERG Accounts Payable | |
| Phone: 423-336-4511 Fax: 423-336-1466 | Email SGMorrow@olin.com Email Rpt:____ | Address: Same as Client | |
| Requested Turnaround Time (SPECIFY) | Regulatory Programs: MADEP MCP____ Superfund _____ | Phone: | Email |
| Standard_____ Rush_____ (Lab Approval Required) | Report Requirements Level IV Package ____ Level II Package _____ | | |
| | EDD Requirements: MACTEC EQUIS EZ EDD _____ | Job # _____ | Quote # _____ |
| | | Lab SDG #_____ | PO #_____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - G | - P | - G | - V | - V | - V | - | - | - | - | - | - | - | - | - | - | - | - | - | - AG | Zn AV | - | - | <--Preservative Type (4) <--Bottle Type (5) |
| OC-EBK-008 | 9/8/2009 11:00:00 | T | EB | BW | G | 2 | | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

*Relinquished:* [signature] *Date:* 9 / 9 / 09 *Time:* 1800 *Received:* [signature] *Date:* 9 / 10 / 09 *Time:* 1000

*Relinquished:* _____ *Date:* ___/___/___ *Time:* _____ *Received:* _____ *Date:* ___/___/___ *Time:* _____

0000019

**Olin Wilmington OU1 Soil Sampling Categories**

There will be three categories of samples submitted to the laboratories during the soil sampling program based primarily on the depth of soil locations. These categories will be indentified in notes provided with the chain of custody submitted with samples. The following categories are included:

**Category 1**

Soil boring samples 0'-1': request that all samples are analyzed and reported in the normal project turnaround time (TAT).

**Category 2**

Soil boring samples from the 1'-10' interval: All samples are analyzed. Rush TAT is requested on a subset of analyses as indicated below:

VOCs: rush 7-day TAT
SVOCs: NDMA, and phthalic anhydride: normal 30-day TAT
DMF: normal 21-day TAT
Hydrazine: rush 7 day TAT
Metals: normal 30-day TAT (except mercury)
Mercury: 10 day TAT
Hexavalent Chromium: 10 day TAT
Formaldehyde/acetaldehyde: normal TAT
Anions: normal TAT
Ammonia: normal TAT

**Category 3**

Soil boring samples from >10 ft: Sample are held with analysis pending. For a subset of analyses the samples will be extracted and held by the lab pending instructions from MACTEC-Olin.

VOCs: hold pending results of Category 2
SVOCs: extract and hold pending results of Category 2
NDMA: extract and hold pending results of Category 2
DMF: extract and hold pending results of Category 2
Hydrazine: hold pending results of Category 2
Metals: hold pending results of Category 2
Mercury: hold pending results of Category 2
Hexavalent Chromium: hold pending results of Category 2
Phthalic anhydride: extract and hold pending results of Category 2
Formaldehyde/acetaldehyde: run normal TAT
Anions: run normal TAT
Ammonia: run normal TAT

For rush TAT samples the laboratory will provide preliminary results with a narrative and sample results summary report. The lab will also provide data on a preliminary data EDD. Final result and supporting data packages will be provided in the normal TAT for the project.

SC5415
SC5416

Katahdin - Soil



| | | | |
|---|---|---|---|
| Client: Olin Corporation | Client Project #: 6107090016 | INVOICE INFO | Shaded Areas for office use only |
| Address: 3855 North Ocoee St. Suite 200 | Work Site ID: Wilmington, MA | Company Name: Olin Corp | |
| Cleveland, TN 37312 | Reports Sent To: Steve Morrow | Company Contact: ERG Accounts Payable | |
| Phone: 423-336-4511 Fax: 423-336-1466 | Email SGMorrow@olin.com Email Rpt:____ | Address: Same as Client | |
| Requested Turnaround Time (SPECIFY) | Regulatory Programs: MADEP MCP____ Superfund _____ | Phone: | Email |
| Standard_____ Rush_____ (Lab Approval Required) | Report Requirements Level IV Package ____ Level II Package _____ | | |
| | EDD Requirements: MACTEC EQUIS EZ EDD _____ | Job # _____ | Quote # _____ |
| | | Lab SDG #_____ | PO #_____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - G | - P | - G | - V | - V | - V | - | - | - | - | - | - | - | - | - | - | - | - | - | - AG | Zn AV | - | - | <--Preservative Type (4) <--Bottle Type (5) |
| OC-SB-427-0.0/1.0-XXX | 9/10/2009 1:40:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| | | | | | | |
|---|---|---|---|---|---|---|
| Relinquished: [signature] | Date: ~~0 / 9 / 1~~ 09 12 09 (TC) | Time: 1020 | Received: [signature] | Date: 9 / 12 / 09 | Time: 1020 | Cooler ? Y / N |
| Relinquished: _____ | Date: ___/___/___ | Time: _____ | Received: _____ | Date: ___/___/___ | Time: _____ | MADEP Requirement Samples Iced? Y / N |
| | | | | | | Temp @ receipt: _____ Deg C |
| | | | | | | Preservation / pH checked? Y / N |
| | | | | | | By: _____ Date: _____ |

0000021

SC5415
SC5416

Katahdin - Soil



# MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | Zn | - | - | <--Preservative Type (4) |
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | AV | | | <--Bottle Type (5) |
| OC-SB-434-0.0/1.0-XXX | 9/10/2009 7:50:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-434-15/16-XXX | 9/10/2009 9:35:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 3 |
| OC-SB-434-7.0/9.0-XXX | 9/10/2009 8:15:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 2 |
| OC-SB-456-0.0/1.0-XXX | 9/11/2009 8:30:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-456-16/18-XXX | 9/11/2009 10:40:00 | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-456-7.0/9.0-DUP | 9/11/2009 9:00:00 AM | T | FD | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-456-7.0/9.0-MSD | 9/11/2009 9:00:00 AM | T | MS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| Cooler ? Y / N | MADEP Requirement |
|---|---|
| | Samples Iced? Y / N |
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

**Relinquished:** [signature] **Date:** 09 / 12 / 09 **Time:** 1020 **Received:** [signature] **Date:** 9 / 12 / 09 **Time:** 1020

**Relinquished:** _____ **Date:** ___ / ___ / ____ **Time:** _____ **Received:** _____ **Date:** ___ / ___ / ____ **Time:** _____

000023

SC5416

Katahdin - Soil



# MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | AG | Zn AV | | | <--Preservative Type (4)<br><--Bottle Type (5) |
| OC-SB-456-7.0/9.0-XMS | 9/11/2009 9:00:00 AM | T | MS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-456-7.0/9.0-XXX | 9/11/2009 9:00:00 AM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-457-0.0/1.0-XXX | 9/11/2009 1:10:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | Category 1 |
| OC-SB-457-8.0/10-XXX | 9/11/2009 1:20:00 PM | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial,

| Cooler ? Y / N | MADEP Requirement<br>Samples Iced? Y / N |
|---|---|
| | Temp @ receipt: _____ Deg C<br>Preservation / pH checked? Y / N<br>By: _____ Date: _____ |

**Relinquished:** [signature] **Date:** 09/12/09 **Time:** 1020 **Received:** [signature] **Date:** 9/10/09 **Time:** 1000

**Relinquished:** _____ **Date:** ___/___/___ **Time:** _____ **Received:** _____ **Date:** ___/___/___ **Time:** _____

0000023

**Olin Wilmington OU1 Soil Sampling Categories**

There will be three categories of samples submitted to the laboratories during the soil sampling program based primarily on the depth of soil locations. These categories will be indentified in notes provided with the chain of custody submitted with samples. The following categories are included:

**Category 1**

Soil boring samples 0'-1': request that all samples are analyzed and reported in the normal project turnaround time (TAT).

**Category 2**

Soil boring samples from the 1'-10' interval: All samples are analyzed. Rush TAT is requested on a subset of analyses as indicated below:

VOCs: rush 7-day TAT
SVOCs: NDMA, and phthalic anhydride: normal 30-day TAT
DMF: normal 21-day TAT
Hydrazine: rush 7 day TAT
Metals: normal 30-day TAT (except mercury)
Mercury: 10 day TAT
Hexavalent Chromium: 10 day TAT
Formaldehyde/acetaldehyde: normal TAT
Anions: normal TAT
Ammonia: normal TAT

**Category 3**

Soil boring samples from >10 ft: Sample are held with analysis pending. For a subset of analyses the samples will be extracted and held by the lab pending instructions from MACTEC-Olin.

VOCs: hold pending results of Category 2
SVOCs: extract and hold pending results of Category 2
NDMA: extract and hold pending results of Category 2
DMF: extract and hold pending results of Category 2
Hydrazine: hold pending results of Category 2
Metals: hold pending results of Category 2
Mercury: hold pending results of Category 2
Hexavalent Chromium: hold pending results of Category 2
Phthalic anhydride: extract and hold pending results of Category 2
Formaldehyde/acetaldehyde: run normal TAT
Anions: run normal TAT
Ammonia: run normal TAT

For rush TAT samples the laboratory will provide preliminary results with a narrative and sample results summary report. The lab will also provide data on a preliminary data EDD. Final result and supporting data packages will be provided in the normal TAT for the project.

SC5605
SC5606
SC5607

Katahdin - Soil



| | | | |
|---|---|---|---|
| Client: | Olin Corporation | Client Project #: | 6107090016 |
| Address: | 3855 North Ocoee St. Suite 200 | Work Site ID: | Wilmington, MA |
| | Cleveland, TN 37312 | Reports Sent To: | Steve Morrow |
| Phone: | 423-336-4511 | Fax: 423-336-1466 | Email SGMorrow@olin.com Email Rpt:____ |

Requested Turnaround Time (SPECIFY): Standard_____ Rush_____ (Lab Approval Required)

Regulatory Programs: MADEP MCP____ Superfund _____

Report Requirements Level IV Package ____ Level II Package ____

EDD Requirements: MACTEC EQUIS EZ EDD _____

| INVOICE INFO | Shaded Areas for office use only |
|---|---|
| Company Name: | Olin Corp |
| Company Contact: | ERG Accounts Payable |
| Address: | Same as Client |
| Phone: | Email |
| Job # _____ | Quote # _____ |
| Lab SDG #_____ | PO #_____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | <--Preservative Type (4) <--Bottle Type (5) | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | Zn AV | | | | |
| OC-SB-413-0.0/1.0-XXX | 9/17/2009 11:10:00 | T | FS | SO | G | 1 | | | X | | | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial

Relinquished: [signature] Date: 9/19/09 Time: 1111 Received: [signature] Date: 9/19/09 Time: 1116

Relinquished: _____ Date: ___/___/___ Time: _____ Received: _____ Date: ___/___/___ Time: _____

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

000026

Katahdin-Soil



# MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) G | Cr+6 (7199) P | DMF (Mod 8033 - GC/NPD) G | DMF (Mod 8033 - GC/NPD) V | Opex / Kempore (8000B - HPLC) V | Perchlorate (6850) V | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) AG | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) Zn AV | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | <--Preservative Type (4) <--Bottle Type (5) |
| OC-SB-413-1.0/5.0-XXX | 9/17/2009 10:20:00 | T | FS | SO | G | 1 | | | X | | | | | | Category 2 |
| OC-SB-413-10/12-XXX | 9/17/2009 10:50:00 | T | FS | SO | G | 1 | | | X | | | | | | Category 3 |
| OC-SB-435-0.0/1.0-XXX | 9/17/2009 2:45:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SB-435-11/15-XXX | 9/17/2009 2:00:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SB-435-6.0/10-XXX | 9/17/2009 1:35:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SB-453-0.0/1.0-XXX | 9/17/2009 4:25:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SB-453-1.0/6.0-XXX | 9/17/2009 4:00:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1 ) Fraction: T = Total D = Dissolved, S = SPLP, C = TCLP N = Not Applicable

2 ) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3 ) Sample Matrix: GW = Groundwater SW = Surface Water, DW = Drinking Water SO = Soil SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid PR = Product, O = Oil

4 ) Preservation Type: HA = Hydrochloric Acid NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate ME = Methanol, DI = DI Water

5 ) Bottle Type: G = Glass P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

Relinquished: [signature] Date: 9/19/09 Time: 1111 Received: [signature] Date: 9/19/09 Time: 11:11

Relinquished: _____ Date: __/__/__ Time: ____ Received: _____ Date: __/__/__ Time: ____

0000026

Katahdin - Soil



# MACTEC

| Sample ID | Date Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A - 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Ops / Kempore (8000B - HPLC) | Perchlorate (6850) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | G | P | G | V | V | V | AG | Zn AV | <--Preservative Type (4) <--Bottle Type (5) |
| OC-SB-457-28/30-XXX | 9/14/2009 11:30:00 | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SB-473-0.0/1.0-XXX | 9/18/2009 9:40:00 AM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SB-473-13/15-XXX | 9/18/2009 9:20:00 AM | T | FS | SO | G | 1 | | | X | | | | | | Category 3 |
| OC-SB-473-4.0/6.0-XXX | 9/18/2009 9:05:00 AM | T | FS | SO | G | 1 | | | X | | | | | | Category 2 |
| OC-SS-420-0.0/1.0-XXX | 9/15/2009 3:25:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-422-0.0/1.0-XXX | 9/15/2009 4:30:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-424-0.0/1.0-XXX | 9/15/2009 5:20:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1 ) Fraction T = Total, D = Dissolved, S = SPLP, C = TCLP N = Not Applicable

2 ) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3 ) Sample Matrix GW = Groundwater SW = Surface Water DW = Drinking Water SO = Soil SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product O = Oil

4 ) Preservation Type, HA = Hydrochloric Acid NI = Nitric Acid SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol DI = DI Water

5 ) Bottle Type: G = Glass, P = Plastic V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Relinquished: [signature] Date: 9/19/09 Time: 1111 Received: [signature] Date: 9/19/09 Time: 11:11

Relinquished: _____ Date: __/__/__ Time: _____ Received: _____ Date: __/__/__ Time: _____

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

000027

Katahdin - Soil



MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+ (8060A / 7199) | Cr+ (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Ope / Kempore (8000B - HPLC) | Perchlorate (6850) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | G | P | G | V | V | V | AG | Zn AV | <--Preservative Type (4) <--Bottle Type (5) |
| OC-SS-427-0.0/1.0-XXX | 9/16/2009 9:40:00 AM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-429-0.0/1.0-XXX | 9/16/2009 10:25:00 | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-431-0.0/1.0-XXX | 9/16/2009 11:35:00 | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-434-0.0/1.0-XXX | 9/16/2009 4:15:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-440-0.0/1.0-XXX | 9/16/2009 1:45:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-450-0.0/1.0-XXX | 9/16/2009 3:55:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-453-0.0/1.0-XXX | 9/17/2009 5:40:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water, SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Relinquished: [signature] Date: 9/19/09 Time: 1111 Received: [signature] Date: 9/19/09 Time: 11:11

Relinquished: _____ Date: __/__/__ Time: _____ Received: _____ Date: __/__/__ Time: _____

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ | Date: _____ |

0000028

Katahdin - Soil



# MACTEC

| Sample ID | Date Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Tot # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Ope / Kempore (3000B - HPLC) | Perchlorate (6850) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| <--Preservative Type (4) | | | | | | | | | | | | | | Zn | |
| <--Bottle Type (5) | | | | | | | G | P | G | V | V | V | AG | AV | |
| OC-SS-455-0.0/1.0-XXX | 9/16/2009 5:50:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-456-0.0/1.0-XXX | 9/18/2009 1:20:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-457-0.0/1.0-XXX | 9/17/2009 5:55:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-459-0.0/1.0-XXX | 9/18/2009 1:45:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |
| OC-SS-460-0.0/1.0-XXX | 9/16/2009 5:30:00 PM | T | FS | SO | G | 1 | | | X | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1 ) Fraction T = Total, D = Dissolved S = SPLP, C = TCLP, N = Not Applicable

2 ) QC Codes FS = Field Sample, TB = Trip Blank, FD = Field Duplicate EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3 ) Sample Matrix GW = Groundwater SW = Surface Water DW = Drinking Water SO = Soil SD = Sediment BW = Blank Water NAL = Non-Aqueous Liquid, PR = Product O = Oil

4 ) Preservation Type HA = Hydrochloric Acid NI = Nitric Acid SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5 ) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial.

Relinquished: [signature] Date: 9/19/09 Time: 1111 Received: [signature] Date: 9/19/09 Time: 11:11

Relinquished: ______ Date: __/__/__ Time: ____ Received: ______ Date: __/__/__ Time: ____

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: ________ Deg C | |
| Preservation / pH checked? Y / N | |
| By: __________ Date: __________ | |

Katahdin – Water



| | | | |
|---|---|---|---|
| Client: | Olin Corporation | Client Project #: | 6107090016 |
| Address: | 3855 North Ocoee St. Suite 200 | Work Site ID: | Wilmington, MA |
| | Cleveland, TN 37312 | Reports Sent To: | Steve Morrow |
| Phone: | 423-336-4511 | Fax: | 423-336-1466 |
| Email | SGMorrow@olin.com | Email Rpt: | ____ |

| INVOICE INFO | Shaded Areas for office use only |
|---|---|
| Company Name: Olin Corp | |
| Company Contact: ERG Accounts Payable | |
| Address: Same as Client | |
| Phone: Email | |
| Job # _____ | Quote # _____ |
| Lab SDG # _____ | PO # _____ |

| Requested Turnaround Time (SPECIFY) | | Regulatory Programs: MADEP MCP____ Superfund _____ |
|---|---|---|
| Standard_____ | Rush_____ (Lab Approval Required) | Report Requirements Level IV Package ____ Level II Package _____ |
| | | EDD Requirements: MACTEC EQUIS EZ EDD _____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | Zn | - | - | <--Preservative Type (4) |
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | AV | | | <--Bottle Type (5) |
| OC-EBK-011 | 9/16/2009 8:35:00 AM | T | EB | BW | G | 2 | | | | X | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1.) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2.) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3.) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4.) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5.) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial

| | |
|---|---|
| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
| Temp @ receipt: _____Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ Date: _____ | |

*Relinquished:* [signature] *Date:* 9/19/09 *Time:* 11:11 *Received:* [signature] *Date:* 9/19/09 *Time:* 11:11

*Relinquished:* _____ *Date:* ___/___/___ *Time:* _____ *Received:* _____ *Date:* ___/___/___ *Time:* _____

000032

| | | | |
|---|---|---|---|
| Client: | Olin Corporation | Client Project #: | 6107090016 |
| Address: | 3855 North Ocoee St. Suite 200 | Work Site ID: | Wilmington, MA |
| | Cleveland, TN 37312 | Reports Sent To: | Steve Morrow |
| Phone: | 423-336-4511 | Fax: | 423-336-1466 |
| Email | SGMorrow@olin.com | Email Rpt: | |

Requested Turnaround Time (SPECIFY): Standard_____ Rush_____ (Lab Approval Required)

Regulatory Programs: MADEP MCP____ Superfund _____

Report Requirements Level IV Package ____ Level II Package _____

EDD Requirements: MACTEC EQUIS EZ EDD

| INVOICE INFO | Shaded Areas for office use only |
|---|---|
| Company Name: Olin Corp | |
| Company Contact: ERG Accounts Payable | |
| Address: Same as Client | |
| Phone: | Email |
| Job # _____ | Quote # _____ |
| Lab SDG #_____ | PO #_____ |

MACTEC

| Sample ID | Date/Time Collected | Fraction (1) | QC Code (2) | Sample Matrix (3) | Composite (C) or Grab (G) | Total # of Containers | Cr+6 (3060A / 7199) | Cr+6 (7199) | DMF (Mod 8033 - GC/NPD) | DMF (Mod 8033 - GC/NPD) | Opex / Kempore (8000B - HPLC) | Perchlorate (6850) | | | | | | | | | | | | | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | Hydrazine, MMH, UDMH (Mod 8315 LC/MS/MS) | | | Comments (Special Instructions) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | G | P | G | V | V | V | | | | | | | | | | | | | AG | Zn AV | | | <--Preservative Type (4) <--Bottle Type (5) |
| OC-EBK-012 | 9/17/2009 5:15:00 PM | T | EB | BW | G | 2 | | | | X | | | | | | | | | | | | | | | | | | | Category 1 |

## Special Instructions For Lab

Notes:

1 ) Fraction: T = Total, D = Dissolved, S = SPLP, C = TCLP, N = Not Applicable

2 ) QC Codes: FS = Field Sample, TB = Trip Blank, FD = Field Duplicate, EB = Equipment Blank, MS = Matrix Spike, MSD = Matrix Spike Duplicate, PE = Performance Evaluation Sample, FB = Field Blank

3 ) Sample Matrix: GW = Groundwater, SW = Surface Water, DW = Drinking Water SO = Soil, SD = Sediment, BW = Blank Water, NAL = Non-Aqueous Liquid, PR = Product, O = Oil

4 ) Preservation Type: HA = Hydrochloric Acid, NI = Nitric Acid, SA = Sulfuric Acid, SH = Sodium Hydroxide, Zn = Zinc Acetate, ME = Methanol, DI = DI Water

5 ) Bottle Type: G = Glass, P = Plastic, V = 40mL VOA Glass Vial, AG = Amber Glass, AV = 40mL VOA Amber Glass Vial

*Relinquished:* [signature] *Date:* 9/19/09 *Time:* 11 11 *Received:* [signature] *Date:* 9/19/09 *Time:* 11:11

*Relinquished:* _____ *Date:* ___/___/___ *Time:* _____ *Received:* _____ *Date:* ___/___/___ *Time:* _____

| Cooler ? Y / N | MADEP Requirement Samples Iced? Y / N |
|---|---|
| Temp @ receipt: _____ Deg C | |
| Preservation / pH checked? Y / N | |
| By: _____ | Date: _____ |

000031

**Olin Wilmington OU1 Soil Sampling Categories**

There will be three categories of samples submitted to the laboratories during the soil sampling program based primarily on the depth of soil locations. These categories will be indentified in notes provided with the chain of custody submitted with samples. The following categories are included:

**Category 1**

Soil boring samples 0'-1': request that all samples are analyzed and reported in the normal project turnaround time (TAT).

**Category 2**

Soil boring samples from the 1'-10' interval: All samples are analyzed. Rush TAT is requested on a subset of analyses as indicated below:

VOCs: rush 7-day TAT
SVOCs: NDMA, and phthalic anhydride: normal 30-day TAT
DMF: normal 21-day TAT
Hydrazine: rush 7 day TAT
Metals: normal 30-day TAT (except mercury)
Mercury: 10 day TAT
Hexavalent Chromium: 10 day TAT
Formaldehyde/acetaldehyde: normal TAT
Anions: normal TAT
Ammonia: normal TAT

**Category 3**

Soil boring samples from >10 ft: Sample are held with analysis pending. For a subset of analyses the samples will be extracted and held by the lab pending instructions from MACTEC-Olin.

VOCs: hold pending results of Category 2
SVOCs: extract and hold pending results of Category 2
NDMA: extract and hold pending results of Category 2
DMF: extract and hold pending results of Category 2
Hydrazine: hold pending results of Category 2
Metals: hold pending results of Category 2
Mercury: hold pending results of Category 2
Hexavalent Chromium: hold pending results of Category 2
Phthalic anhydride: extract and hold pending results of Category 2
Formaldehyde/acetaldehyde: run normal TAT
Anions: run normal TAT
Ammonia: run normal TAT

For rush TAT samples the laboratory will provide preliminary results with a narrative and sample results summary report. The lab will also provide data on a preliminary data EDD. Final result and supporting data packages will be provided in the normal TAT for the project.

Katahdin
ANALYTICAL SERVICES

# Katahdin Analytical Services

## Login Chain of Custody Report (lno1)

*Sep. 08, 2009*
*11:33 AM*



**Login Number: SC5256**

**Account:** OLINCO001 NoWeb
Olin Corporation

**Project:**

***Primary Report Address:***
Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland,ME 04112-7050
csricardi@mactec.com

***Primary Invoice Address:***
ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland,TN 37312

***Report CC Addresses:***
***Invoice CC Addresses:***

### Login Information

| | | |
|---|---|---|
| ANALYSIS INSTRUCTIONS | : | |
| CHECK NO. | : | |
| CLIENT PO# | : | ERRE9844 REWI0014 |
| COOLER TEMPERATURE | : | 1.0 |
| DELIVERY SERVICES | : | Client |
| EDD FORMAT | : | KAS075-CSV |
| PM | : | AJC |
| PROJECT NAME | : | Wilmington |
| QC LEVEL | : | IV |
| REGULATORY LIST | : | |
| REPORT INSTRUCTIONS | : | Send rpt & EDD on CD, no hc. Email SDS to csricardi@mactec.com. Email EDD to kjchatterton@mactec.com. Data summary needs all forms. EDD sample ID needs to match the ID on the COC. |
| SDG ID | : | WIL-7 |
| SDG STATUS | : | Begin |

| Laboratory Sample ID | Client Sample Number | Collect Date/Time | Receive Date | PR | Verbal Date | Due Date | Mailed |
|---|---|---|---|---|---|---|---|
| SC5256-1 | OC-SB-472-30/32-XXX | 04-SEP-09 08:50 | 04-SEP-09 | | | 23-SEP-09 | |

| *Matrix* | | *Product* | *Hold Date (shortest)* | *Bottle Type* | *Bottle Count* | *Comments* |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 18-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 04-OCT-09 | | | |

***Total Samples:*** *1* ***Total Analyses:*** *2*

Katahdin
ANALYTICAL SERVICES

# Katahdin Analytical Services

## Login Chain of Custody Report (lno1)

*Sep. 10, 2009*
*02:42 PM*



**Login Number: SC5326**

**Account:** OLINCO001 NoWeb
Olin Corporation

**Project:**

*Primary Report Address:*
Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland,ME 04112-7050
csricardi@mactec.com

*Primary Invoice Address:*
ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland,TN 37312

*Report CC Addresses:*
*Invoice CC Addresses:*

### Login Information

| | |
|---|---|
| ANALYSIS INSTRUCTIONS | : |
| CHECK NO. | : |
| CLIENT PO# | : ERRE9844 REWI0014 |
| COOLER TEMPERATURE | : 1.1 |
| DELIVERY SERVICES | : Fed Ex |
| EDD FORMAT | : KAS075-CSV |
| PM | : AJC |
| PROJECT NAME | : Wilmington |
| QC LEVEL | : IV |
| REGULATORY LIST | : |
| REPORT INSTRUCTIONS | : Send rpt & EDD on CD, no hc. Email SDS to csricardi@mactec.com. Email EDD to kjchatterton@mactec.com. Data summary needs all forms. EDD sample ID needs to match the ID on the COC. |
| SDG ID | : WIL-7 |
| SDG STATUS | : Cont. |

| Laboratory Sample ID | Client Sample Number | Collect Date/Time | Receive Date | PR | Verbal Date | Due Date | Mailed |
|---|---|---|---|---|---|---|---|
| SC5326-1 | OC-SB-450-0.0/1.0-X | 09-SEP-09 13:40 | 10-SEP-09 | | | 29-SEP-09 | |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 23-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 09-OCT-09 | | | |

| SC5326-2 | OC-SB-450-8.0/10-XX | 09-SEP-09 13:55 | 10-SEP-09 | | | 29-SEP-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 23-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 09-OCT-09 | | | |

| SC5326-3 | OC-SB-466-30/32-XXX | 08-SEP-09 15:50 | 10-SEP-09 | | | 29-SEP-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 22-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 08-OCT-09 | | | |

| SC5326-4 | OC-SB-466-6.0/8.0-X | 08-SEP-09 13:50 | 10-SEP-09 | | | 29-SEP-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 22-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 08-OCT-09 | | | |

| SC5326-5 | OC-EBK-008 | 08-SEP-09 11:00 | 10-SEP-09 | | | 29-SEP-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Aqueous | S | SW8033M | 22-SEP-09 | 40mL Vial+HCl | 2 | |

*Total Samples:* 5 *Total Analyses:* 9

Katahdin ANALYTICAL SERVICES

# Katahdin Analytical Services

## Login Chain of Custody Report (lno1)

*Sep. 14, 2009*
*02:54 PM*



**Login Number: SC5415**

**Account:** OLINCO001 NoWeb
Olin Corporation

**Project:**

***Primary Report Address:***
Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland,ME 04112-7050
csricardi@mactec.com

***Primary Invoice Address:***
ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland,TN 37312

***Report CC Addresses:***
***Invoice CC Addresses:***

## Login Information

| | | |
|---|---|---|
| ANALYSIS INSTRUCTIONS | : | |
| CHECK NO. | : | |
| CLIENT PO# | : | ERRE9844 REWI0014 |
| COOLER TEMPERATURE | : | -0.6 |
| DELIVERY SERVICES | : | Client |
| EDD FORMAT | : | KAS075-CSV |
| PM | : | AJC |
| PROJECT NAME | : | Wilmington |
| QC LEVEL | : | IV |
| REGULATORY LIST | : | |
| REPORT INSTRUCTIONS | : | Send rpt & EDD on CD, no hc. Email SDS to csricardi@mactec.com. Email EDD to kjchatterton@mactec.com. Data summary needs all forms. EDD sample ID needs to match the ID on the COC. |
| SDG ID | : | WIL-7 |
| SDG STATUS | : | Cont. |

| Laboratory Sample ID | Client Sample Number | Collect Date/Time | Receive Date | PR | Verbal Date | Due Date | Mailed |
|---|---|---|---|---|---|---|---|
| SC5415-1 | OC-SB-427-0.0/1.0-X | 10-SEP-09 13:40 | 12-SEP-09 | | | 01-OCT-09 | |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 24-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 10-OCT-09 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| SC5415-2 | OC-SB-434-0.0/1.0-X | 10-SEP-09 07:50 | 12-SEP-09 | | | 01-OCT-09 |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 24-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 10-OCT-09 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| SC5415-3 | OC-SB-434-7.0/9.0-X | 10-SEP-09 08:15 | 12-SEP-09 | | | 01-OCT-09 |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 24-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 10-OCT-09 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| SC5415-4 | OC-SB-456-0.0/1.0-X | 11-SEP-09 08:30 | 12-SEP-09 | | | 01-OCT-09 |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 25-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 11-OCT-09 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| SC5415-5 | OC-SB-456-16/18-XXX | 11-SEP-09 10:40 | 12-SEP-09 | | | 01-OCT-09 |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 25-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 11-OCT-09 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| SC5415-6 | OC-SB-456-7.0/9.0-D | 11-SEP-09 09:00 | 12-SEP-09 | | | 01-OCT-09 |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 25-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 11-OCT-09 | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| SC5415-7 | OC-SB-456-7.0/9.0-X | 11-SEP-09 09:00 | 12-SEP-09 | | | 01-OCT-09 |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 25-SEP-09 | 100g Glass | 3 | MS/MSD |
| Solid | S | TS | 11-OCT-09 | | | |

Katahdin ANALYTICAL SERVICES

# Katahdin Analytical Services

## Login Chain of Custody Report (lno1)

*Sep. 14, 2009*
*02:54 PM*



**Login Number: SC5415**

**Account:** OLINCO001 NoWeb
Olin Corporation

**Project:**

| Laboratory Sample ID | Client Sample Number | Collect Date/Time | Receive Date | PR | Verbal Date | Due Date | Mailed |
|---|---|---|---|---|---|---|---|
| SC5415-8 | OC-SB-457-0.0/1.0-X | 11-SEP-09 13:10 | 12-SEP-09 | | | 01-OCT-09 | |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 25-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 11-OCT-09 | | | |

| SC5415-9 | OC-SB-457-8.0/10-XX | 11-SEP-09 13:20 | 12-SEP-09 | | | 01-OCT-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 25-SEP-09 | 100g Glass | 1 | |
| Solid | S | TS | 11-OCT-09 | | | |

***Total Samples:*** *9* ***Total Analyses:*** *18*

Katahdin ANALYTICAL SERVICES

# Katahdin Analytical Services

## Login Chain of Custody Report (Ino1)

*Sep. 21, 2009*
*03:37 PM*



**Login Number: SC5605**

**Account:** OLINCO001 NoWeb
Olin Corporation

**Project:**

***Primary Report Address:***
Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS

Portland,ME 04112-7050
csricardi@mactec.com

***Primary Invoice Address:***
ERG
Olin Corporation
3855 North Ocoee St
Suite 200
Cleveland,TN 37312

***Report CC Addresses:***
***Invoice CC Addresses:***

### Login Information

| | | |
|---|---|---|
| ANALYSIS INSTRUCTIONS | : | |
| CHECK NO. | : | |
| CLIENT PO# | : | ERRE9844 REWI0014 |
| COOLER TEMPERATURE | : | 0.8 |
| DELIVERY SERVICES | : | Client |
| EDD FORMAT | : | KAS075-CSV |
| PM | : | AJC |
| PROJECT NAME | : | Wilmington |
| QC LEVEL | : | IV |
| REGULATORY LIST | : | |
| REPORT INSTRUCTIONS | : | Send rpt & EDD on CD, no hc. Email SDS & EDD to csricardi@mactec.com and kjchatterton@mactec.com. Data summary needs all forms. EDD sample ID needs to match the ID on the COC. |
| SDG ID | : | WIL-7 |
| SDG STATUS | : | End |

| Laboratory Sample ID | Client Sample Number | Collect Date/Time | Receive Date | PR | Verbal Date | Due Date | Mailed |
|---|---|---|---|---|---|---|---|
| SC5605-1 | OC-SB-413-0.0/1.0-X | 17-SEP-09 11:10 | 19-SEP-09 | | | 08-OCT-09 | |

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 01-OCT-09 | 100g Glass | 1 | |
| Solid | S | TS | 17-OCT-09 | | | |

| SC5605-2 | OC-SB-413-1.0/5.0-X | 17-SEP-09 10:20 | 19-SEP-09 | | | 08-OCT-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 01-OCT-09 | 100g Glass | 1 | |
| Solid | S | TS | 17-OCT-09 | | | |

| SC5605-3 | OC-SB-435-0.0/1.0-X | 17-SEP-09 14:45 | 19-SEP-09 | | | 08-OCT-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 01-OCT-09 | 100g Glass | 1 | |
| Solid | S | TS | 17-OCT-09 | | | |

| SC5605-4 | OC-SB-435-11/15-XXX | 17-SEP-09 14:00 | 19-SEP-09 | | | 08-OCT-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 01-OCT-09 | 100g Glass | 1 | |
| Solid | S | TS | 17-OCT-09 | | | |

| SC5605-5 | OC-SB-435-6.0/10-XX | 17-SEP-09 13:35 | 19-SEP-09 | | | 08-OCT-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Solid | S | SW8033M | 01-OCT-09 | 100g Glass | 1 | |
| Solid | S | TS | 17-OCT-09 | | | |

| SC5605-6 | OC-EBK-012 | 17-SEP-09 17:15 | 19-SEP-09 | | | 08-OCT-09 | |
|---|---|---|---|---|---|---|---|

| Matrix | | Product | Hold Date (shortest) | Bottle Type | Bottle Count | Comments |
|---|---|---|---|---|---|---|
| Aqueous | S | SW8033M | 01-OCT-09 | 40mL Vial+HCl | 2 | |

***Total Samples:*** *6* ***Total Analyses:*** *11*

# SAMPLE DATA SUMMARY PACKAGE

## KATAHDIN ANALYTICAL SERVICES - ORGANIC DATA QUALIFIERS

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.

* Compound recovery outside of quality control limits.

D Indicates the result was obtained from analysis of a diluted sample. Surrogate recoveries may not be calculable.

E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.

J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).

or

J Used for Pesticide/Aroclor analyte when there is a greater than 40% difference for detected concentrations between the two GC columns.

B Indicates the analyte was detected in the laboratory method blank analyzed concurrently with the sample.

N Presumptive evidence of a compound based on a mass spectral library search.

A Indicates that a tentatively identified compound is a suspected aldol-condensation product.

P Used for Pesticide/Aroclor analyte when there is a greater than 25% difference for detected concentrations between the two GC columns. (for CLP methods only).

## KATAHDIN ANALYTICAL SERVICES – INORGANIC DATA QUALIFIERS

**(Refer to BOD Qualifiers Page for BOD footnotes)**

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.

E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.

J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).

I-7 The laboratory's Practical Quantitation Level could not be achieved for this parameter due to sample composition, matrix effects, sample volume, or quantity used for analysis.

A-4 Please refer to cover letter or narrative for further information.

MCL Maximum Contaminant Level

NL No limit

NFL No Free Liquid Present

FLP Free Liquid Present

NOD No Odor Detected

TON Threshold Odor Number

H1 Please note that the regulatory holding time for pH is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. pH for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

H2 Please note that the regulatory holding time for DO is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. DO for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

H3 Please note that the regulatory holding time for sulfite is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Sulfite for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

H4 Please note that the regulatory holding time for residual chlorine is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Residual chlorine for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/04/09
Received Date: 09/04/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 17:35
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 90.8

Lab ID: SC5256-1
Client ID: OC-SB-472-30/32-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.82 | 1.0 | 0.80 | 0.82 | 0.82 |
| | diethylformamide | | 95% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/09/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 17:50
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 94.3

Lab ID: SC5326-1
Client ID: OC-SB-450-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.61 | 1.0 | 0.80 | 0.61 | 0.61 |
| | diethylformamide | | 84% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/09/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 18:04
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 86.9

Lab ID: SC5326-2
Client ID: OC-SB-450-8.0/10-XX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.62 | 1.0 | 0.80 | 0.62 | 0.62 |
| | diethylformamide | | 83% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/08/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 18:18
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.2

Lab ID: SC5326-3
Client ID: OC-SB-466-30/32-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.60 | 1.0 | 0.80 | 0.60 | 0.60 |
| | diethylformamide | | 90% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/08/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 18:33
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.2

Lab ID: SC5326-4
Client ID: OC-SB-466-6.0/8.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.61 | 1.0 | 0.80 | 0.61 | 0.61 |
| | diethylformamide | | 91% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/08/09
Received Date: 09/10/09
Extraction Date:
Analysis Date: 15-SEP-2009 14:20
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: SC5326-5RA
Client ID: OC-EBK-008
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 106% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/10/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 19:16
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.1

Lab ID: SC5415-1
Client ID: OC-SB-427-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.57 | 1.0 | 0.80 | 0.57 | 0.57 |
| | diethylformamide | | 89% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/10/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 19:31
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.6

Lab ID: SC5415-2
Client ID: OC-SB-434-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.81 | 1.0 | 0.80 | 0.81 | 0.81 |
| | diethylformamide | | 88% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/10/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 19:45
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.5

Lab ID: SC5415-3
Client ID: OC-SB-434-7.0/9.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.52 | 1.0 | 0.80 | 0.52 | 0.52 |
| | diethylformamide | | 93% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:00
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 97.2

Lab ID: SC5415-4
Client ID: OC-SB-456-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.61 | 1.0 | 0.80 | 0.61 | 0.61 |
| | diethylformamide | | 82% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:14
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.1

Lab ID: SC5415-5
Client ID: OC-SB-456-16/18-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.50 | 1.0 | 0.80 | 0.50 | 0.50 |
| | diethylformamide | | 85% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:29
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 94.3

Lab ID: SC5415-6
Client ID: OC-SB-456-7.0/9.0-D
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.70 | 1.0 | 0.80 | 0.70 | 0.70 |
| | diethylformamide | | 87% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:43
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 92.0

Lab ID: SC5415-7
Client ID: SB-456-7.0/9.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.60 | 1.0 | 0.80 | 0.60 | 0.60 |
| | diethylformamide | | 88% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:57
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 94.9

Lab ID: SC5415-8
Client ID: OC-SB-457-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.68 | 1.0 | 0.80 | 0.68 | 0.68 |
| | diethylformamide | | 86% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 21:12
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.7

Lab ID: SC5415-9
Client ID: OC-SB-457-8.0/10-XX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.52 | 1.0 | 0.80 | 0.52 | 0.52 |
| | diethylformamide | | 84% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:08
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 73.2

Lab ID: SC5605-1
Client ID: OC-SB-413-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.79 | 1.0 | 0.80 | 0.79 | 0.79 |
| | diethylformamide | | 72% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:23
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 88.6

Lab ID: SC5605-2
Client ID: OC-SB-413-1.0/5.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.77 | 1.0 | 0.80 | 0.77 | 0.77 |
| | diethylformamide | | 75% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:37
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 19.3

Lab ID: SC5605-3
Client ID: OC-SB-435-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 2.2 | 1.0 | 0.80 | 2.2 | 2.2 |
| | diethylformamide | | 71% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:52
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.7

Lab ID: SC5605-4
Client ID: OC-SB-435-11/15-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.48 | 1.0 | 0.80 | 0.48 | 0.48 |
| | diethylformamide | | 75% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 09-OCT-2009 00:06
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.5

Lab ID: SC5605-5
Client ID: OC-SB-435-6.0/10-XX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.45 | 1.0 | 0.80 | 0.45 | 0.45 |
| | diethylformamide | | 76% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date:
Analysis Date: 23-SEP-2009 10:32
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: SC5605-6
Client ID: OC-EBK-012
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68988
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 79% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 15-SEP-2009 12:42
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: WG68660-1
Client ID: WG68660-Blank
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 90% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 23-SEP-2009 09:22
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: WG68988-1
Client ID: WG68988-Blank
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68988
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 111% | | | | |

Page 01 of 01 BCI6064.d

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 15:27
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 100

Lab ID: WG68776-1
Client ID: WG68776-Blank
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.80 | 1.0 | 0.80 | 0.80 | 0.80 |
| | diethylformamide | | 75% | | | | |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 21:26
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 100

Lab ID: WG68986-1
Client ID: WG68986-Blank
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.80 | 1.0 | 0.80 | 0.80 | 0.80 |
| | diethylformamide | | 82% | | | | |

FORM 2
SOIL DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

Level:(low/med) LOW

| | CLIENT SAMPLE ID | LAB SAMPLE ID | SMC1 # | SMC2 # | SMC3 # | SMC4 | TOT OUT |
|---|---|---|---|---|---|---|---|
| 01 | WG68776-BLANK | WG68776-1 | 75 | | | | 0 |
| 02 | WG68776-LCS | WG68776-2 | 78 | | | | 0 |
| 03 | WG68776-LCSD | WG68776-3 | 112 | | | | 0 |
| 04 | SB-456-7.0/9.0-XMS | WG68776-4 | 92 | | | | 0 |
| 05 | SB-456-7.0/9.0-XMSD | WG68776-5 | 94 | | | | 0 |
| 06 | OC-SB-472-30/32-XXX | SC5256-1 | 95 | | | | 0 |
| 07 | OC-SB-450-0.0/1.0-X | SC5326-1 | 84 | | | | 0 |
| 08 | OC-SB-450-8.0/10-XX | SC5326-2 | 83 | | | | 0 |
| 09 | OC-SB-466-30/32-XXX | SC5326-3 | 90 | | | | 0 |
| 10 | OC-SB-466-6.0/8.0-X | SC5326-4 | 91 | | | | 0 |
| 11 | OC-SB-427-0.0/1.0-X | SC5415-1 | 89 | | | | 0 |
| 12 | OC-SB-434-0.0/1.0-X | SC5415-2 | 88 | | | | 0 |
| 13 | OC-SB-434-7.0/9.0-X | SC5415-3 | 93 | | | | 0 |
| 14 | OC-SB-456-0.0/1.0-X | SC5415-4 | 82 | | | | 0 |
| 15 | OC-SB-456-16/18-XXX | SC5415-5 | 85 | | | | 0 |
| 16 | OC-SB-456-7.0/9.0-D | SC5415-6 | 87 | | | | 0 |
| 17 | SB-456-7.0/9.0-X | SC5415-7 | 88 | | | | 0 |
| 18 | OC-SB-457-0.0/1.0-X | SC5415-8 | 86 | | | | 0 |
| 19 | OC-SB-457-8.0/10-XX | SC5415-9 | 84 | | | | 0 |
| 20 | WG68986-BLANK | WG68986-1 | 82 | | | | 0 |
| 21 | WG68986-LCS | WG68986-2 | 82 | | | | 0 |
| 22 | WG68986-LCSD | WG68986-3 | 87 | | | | 0 |
| 23 | OC-SB-413-0.0/1.0-X | SC5605-1 | 72 | | | | 0 |
| 24 | OC-SB-413-1.0/5.0-X | SC5605-2 | 75 | | | | 0 |
| 25 | OC-SB-435-0.0/1.0-X | SC5605-3 | 71 | | | | 0 |
| 26 | OC-SB-435-11/15-XXX | SC5605-4 | 75 | | | | 0 |
| 27 | OC-SB-435-6.0/10-XX | SC5605-5 | 76 | | | | 0 |
| 28 | | | | | | | |

QC LIMITS
SMC1 = diethylformamide (61-137)

# Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 2
WATER DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

| | CLIENT SAMPLE ID | LAB SAMPLE ID | SMC1 # | SMC2 # | SMC3 # | SMC4 | TOT OUT |
|---|---|---|---|---|---|---|---|
| 01 | WG68660-BLANK | WG68660-1 | 90 | | | | 0 |
| 02 | WG68660-LCS | WG68660-2 | 114 | | | | 0 |
| 03 | WG68660-LCSD | WG68660-3 | 116 | | | | 0 |
| 04 | OC-EBK-008 | SC5326-5RA | 106 | | | | 0 |
| 05 | WG68988-BLANK | WG68988-1 | 111 | | | | 0 |
| 06 | WG68988-LCS | WG68988-2 | 141 | | | | 0 |
| 07 | WG68988-LCSD | WG68988-3 | 135 | | | | 0 |
| 08 | OC-EBK-012 | SC5605-6 | 79 | | | | 0 |
| 09 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | | | | | | | |
| 23 | | | | | | | |
| 24 | | | | | | | |
| 25 | | | | | | | |
| 26 | | | | | | | |
| 27 | | | | | | | |
| 28 | | | | | | | |

QC LIMITS
SMC1 = diethylformamide (56-154)

# Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 09/15/09
Report Date: 10/09/2009
Matrix: WATER

Lab ID: WG68660-2 & WG68660-3
Client ID: WG68660-LCS & WG68660-LCSD
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.10 | 0.10 | NA | 0.08 | 0.08 | 78 | 85 | 9 | 30 | 70-130 |



FORM III DMF-1

BCI4087.d & BCI4089.d

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 09/23/09
Report Date: 10/09/2009
Matrix: WATER

Lab ID: WG68988-2 & WG68988-3
Client ID: WG68988-LCS & WG68988-LCSD
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68988
Units: mg/L

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.10 | 0.10 | NA | 0.08 | 0.08 | 80 | 82 | 2 | 30 | 70-130 |

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/17/09
Analysis Date: 10/08/09
Report Date: 10/09/2009
Matrix: SOIL

Lab ID: WG68776-2 & WG68776-3
Client ID: WG68776-LCS & WG68776-LCSD
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 10 | 10 | NA | 6.6 | 10 | * 66 | 103 | 44 | 50 | 70-130 |



FORM III DMF-2

BCJ2076.d & BCJ2078.d

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/23/09
Analysis Date: 10/08/09
Report Date: 10/09/2009
Matrix: SOIL

Lab ID: WG68986-2 & WG68986-3
Client ID: WG68986-LCS & WG68986-LCSD
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 10 | 10 | NA | 6.7 | 7.2 | * 67 | 72 | 7 | 50 | 70-130 |


FORM III DMF-2
BCJ2103.d & BCJ2105.d

# KATAHDIN ANALYTICAL SERVICES
## MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 10/08/09
Report Date: 10/09/2009
Matrix: SOIL

Lab ID: WG68776-4 & WG68776-5
Client ID: SB-456-7.0/9.0-XMS & SB-456-7.0/9.0-XMSD
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| COMPOUND | MS SPIKE | MSD SPIKE | SAMPLE CONC. | MS CONC. | MSD CONC. | MS %REC. | MSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 5.5 | 8.0 | 0.00 | 4.7 | 6.7 | 85 | 83 | 35 | 50 | 70-130 |

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68660-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Lab File ID: BCI4086 Lab Sample ID: WG68660-1

Date Analyzed: 09/15/09 Time Analyzed: 1242

GC Column: ZB-WAX ID: 0.53 (mm) Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68660-LCS | WG68660-2 | BCI4087 | 09/15/09 | 1256 |
| 02 | WG68660-LCSD | WG68660-3 | BCI4089 | 09/15/09 | 1324 |
| 03 | OC-EBK-008 | SC5326-5RA | BCI4093 | 09/15/09 | 1420 |
| 04 | | | | | |
| 05 | | | | | |
| 06 | | | | | |
| 07 | | | | | |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68988-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Lab File ID: BCI6064 Lab Sample ID: WG68988-1

Date Analyzed: 09/23/09 Time Analyzed: 0922

GC Column: ZB-WAX ID: 0.53 (mm) Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68988-LCS | WG68988-2 | BCI6065 | 09/23/09 | 0936 |
| 02 | WG68988-LCSD | WG68988-3 | BCI6067 | 09/23/09 | 1004 |
| 03 | OC-EBK-012 | SC5605-6 | BCI6069 | 09/23/09 | 1032 |
| 04 | | | | | |
| 05 | | | | | |
| 06 | | | | | |
| 07 | | | | | |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68776-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Lab File ID: BCJ2075 Lab Sample ID: WG68776-1

Date Analyzed: 10/08/09 Time Analyzed: 1527

GC Column: ZB-WAX ID: 0.53 (mm) Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68776-LCS | WG68776-2 | BCJ2076 | 10/08/09 | 1542 |
| 02 | WG68776-LCSD | WG68776-3 | BCJ2078 | 10/08/09 | 1610 |
| 03 | SB-456-7.0/9.0-XMS | WG68776-4 | BCJ2080 | 10/08/09 | 1638 |
| 04 | SB-456-7.0/9.0-XMSD | WG68776-5 | BCJ2082 | 10/08/09 | 1707 |
| 05 | OC-SB-472-30/32-XXX | SC5256-1 | BCJ2084 | 10/08/09 | 1735 |
| 06 | OC-SB-450-0.0/1.0-X | SC5326-1 | BCJ2085 | 10/08/09 | 1750 |
| 07 | OC-SB-450-8.0/10-XX | SC5326-2 | BCJ2086 | 10/08/09 | 1804 |
| 08 | OC-SB-466-30/32-XXX | SC5326-3 | BCJ2087 | 10/08/09 | 1818 |
| 09 | OC-SB-466-6.0/8.0-X | SC5326-4 | BCJ2088 | 10/08/09 | 1833 |
| 10 | OC-SB-427-0.0/1.0-X | SC5415-1 | BCJ2091 | 10/08/09 | 1916 |
| 11 | OC-SB-434-0.0/1.0-X | SC5415-2 | BCJ2092 | 10/08/09 | 1931 |
| 12 | OC-SB-434-7.0/9.0-X | SC5415-3 | BCJ2093 | 10/08/09 | 1945 |
| 13 | OC-SB-456-0.0/1.0-X | SC5415-4 | BCJ2094 | 10/08/09 | 2000 |
| 14 | OC-SB-456-16/18-XXX | SC5415-5 | BCJ2095 | 10/08/09 | 2014 |
| 15 | OC-SB-456-7.0/9.0-D | SC5415-6 | BCJ2096 | 10/08/09 | 2029 |
| 16 | SB-456-7.0/9.0-X | SC5415-7 | BCJ2097 | 10/08/09 | 2043 |
| 17 | OC-SB-457-0.0/1.0-X | SC5415-8 | BCJ2098 | 10/08/09 | 2057 |
| 18 | OC-SB-457-8.0/10-XX | SC5415-9 | BCJ2099 | 10/08/09 | 2112 |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68986-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Lab File ID: BCJ2100 Lab Sample ID: WG68986-1

Date Analyzed: 10/08/09 Time Analyzed: 2126

GC Column: ZB-WAX ID: 0.53 (mm) Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68986-LCS | WG68986-2 | BCJ2103 | 10/08/09 | 2210 |
| 02 | WG68986-LCSD | WG68986-3 | BCJ2105 | 10/08/09 | 2239 |
| 03 | OC-SB-413-0.0/1.0-X | SC5605-1 | BCJ2107 | 10/08/09 | 2308 |
| 04 | OC-SB-413-1.0/5.0-X | SC5605-2 | BCJ2108 | 10/08/09 | 2323 |
| 05 | OC-SB-435-0.0/1.0-X | SC5605-3 | BCJ2109 | 10/08/09 | 2337 |
| 06 | OC-SB-435-11/15-XXX | SC5605-4 | BCJ2110 | 10/08/09 | 2352 |
| 07 | OC-SB-435-6.0/10-XX | SC5605-5 | BCJ2111 | 10/09/09 | 0006 |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 6
DMF INITIAL CALIBRATION DATA

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date(s): 09/15/09 09/15/09

Column: ZB-WAX ID: 0.53 (mm) Calibration Time(s): 0936 1143

LAB FILE ID: RF0.02: BCI4073 RF0.05: BCI4074 RF0.1: BCI4075
RF0.25: BCI4077 RF0.5: BCI4079 RF1: BCI4082

| COMPOUND | RF0.02 | RF0.05 | RF0.1 | RF0.25 | RF0.5 | RF1 | CURVE | COEFFICENTS A0 | A1 | %RSD OR R^2 | MAX %RSD OR R^2 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 921 | 1500 | 3764 | 12201 | 24415 | 55088 | LINR | 2.106e-002 | 1.811e-005 | 0.99669 | 0.99000 |
| diethylformamide | 13241 | 25644 | 58420 | 154630 | 276360 | | LINR | 9.989e-002 | 1.448e-005 | 0.99576 | 0.99000 |

FORM VI DMF

FORM 6
DMF INITIAL CALIBRATION DATA

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date(s): 10/08/09 10/08/09

Column: ZB-WAX ID: 0.53 (mm) Calibration Time(s): 1042 1348

LAB FILE ID: RF0.02: BCJ2059 RF0.05: BCJ2060 RF0.1: BCJ2061
RF0.25: BCJ2063 RF0.5: BCJ2072 RF1: BCJ2068

| COMPOUND | RF0.02 | RF0.05 | RF0.1 | RF0.25 | RF0.5 | RF1 | CURVE | COEFFICENTS A0 | COEFFICENTS A1 | %RSD OR R^2 | MAX %RSD OR R^2 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 5578 | 11606 | 26284 | 60752 | 108470 | 218910 | LINR | -9.67e-003 | 4.605e-006 | 0.99901 | 0.99000 |
| diethylformamide | 40915 | 91554 | 186960 | 455970 | 759670 | | LINR | 2.296e-002 | 5.285e-006 | 0.99945 | 0.99000 |

FORM VI DMF

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 09/15/09 Time: 1435

Lab File ID: BCI4094 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2084400 | 0.2500000 | 41392.000 | 0.01 | -16.62 | 25.00 | LINR |
| diethylformamide | 2.4826000 | 2.5000000 | 65813.000 | 0.01 | -0.70 | 25.00 | LINR |

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 09/23/09 Time: 0852

Lab File ID: BCI6062 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2015400 | 0.2500000 | 39868.000 | 0.01 | -19.38 | 25.00 | LINR |
| diethylformamide | 2.3109000 | 2.5000000 | 61071.000 | 0.01 | -7.56 | 25.00 | LINR |

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 09/23/09 Time: 1212

Lab File ID: BCI6076 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE | |
|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.1692400 | 0.2500000 | 32732.000 | 0.01 | -32.30 | 25.00 | LINR | <- |
| diethylformamide | 1.8903000 | 2.5000000 | 49452.000 | 0.01 | -24.39 | 25.00 | LINR | |

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 10/08/09 Time: 1847

Lab File ID: BCJ2089 Init. Calib. Date(s): 10/08/09 10/08/09

Init. Calib. Times: 1042 1348

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2272700 | 0.2500000 | 205790.00 | 0.01 | -9.09 | 25.00 | LINR |
| diethylformamide | 2.2377000 | 2.5000000 | 167640.00 | 0.01 | -10.49 | 25.00 | LINR |

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 10/08/09 Time: 2141

Lab File ID: BCJ2101 Init. Calib. Date(s): 10/08/09 10/08/09

Init. Calib. Times: 1042 1348

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2173100 | 0.2500000 | 197140.00 | 0.01 | -13.08 | 25.00 | LINR |
| diethylformamide | 2.0864000 | 2.5000000 | 156190.00 | 0.01 | -16.54 | 25.00 | LINR |

FORM VII PEST

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 10/09/09 Time: 0021

Lab File ID: BCJ2112 Init. Calib. Date(s): 10/08/09 10/08/09

Init. Calib. Times: 1042 1348

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE | |
|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.1929600 | 0.2500000 | 175990.00 | 0.01 | -22.82 | 25.00 | LINR | |
| diethylformamide | 1.6930000 | 2.5000000 | 126400.00 | 0.01 | -32.28 | 25.00 | LINR | <- |

FORM VII PEST

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION
S1 : 2.68

| | CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED | TIME ANALYZED | S1 RT # | RT # |
|---|---|---|---|---|---|---|
| 01 | | ICAL 0.02 | 09/15/09 | 0936 | 2.69 | |
| 02 | | ICAL 0.05 | 09/15/09 | 0950 | 2.69 | |
| 03 | | ICAL 0.1 | 09/15/09 | 1004 | 2.69 | |
| 04 | | ICAL 0.25 | 09/15/09 | 1032 | 2.68 | |
| 05 | | ICAL 0.5 | 09/15/09 | 1101 | 2.69 | |
| 06 | | ICAL 1.0 | 09/15/09 | 1143 | | |
| 07 | WG68660-BLAN | WG68660-1 | 09/15/09 | 1242 | 2.69 | |
| 08 | WG68660-LCS | WG68660-2 | 09/15/09 | 1256 | 2.68 | |
| 09 | WG68660-LCSD | WG68660-3 | 09/15/09 | 1324 | 2.68 | |
| 10 | OC-EBK-008 | SC5326-5RA | 09/15/09 | 1420 | 2.68 | |
| 11 | | CV 0.25 | 09/15/09 | 1435 | 2.68 | |
| 12 | | CV 0.25 | 09/23/09 | 0852 | 2.68 | |
| 13 | WG68988-BLAN | WG68988-1 | 09/23/09 | 0922 | 2.68 | |
| 14 | WG68988-LCS | WG68988-2 | 09/23/09 | 0936 | 2.68 | |
| 15 | WG68988-LCSD | WG68988-3 | 09/23/09 | 1004 | 2.68 | |
| 16 | OC-EBK-012 | SC5605-6 | 09/23/09 | 1032 | 2.68 | |
| 17 | | CV 0.25 | 09/23/09 | 1212 | 2.68 | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

QC LIMITS
S1 = diethylformamide (+/- 0.20 MINUTES)

# Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



FORM VIII DMF

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 10/08/09 10/08/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION
S1 : 4.76

| | CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED | TIME ANALYZED | S1 RT # | RT # |
|---|---|---|---|---|---|---|
| 01 | | ICAL 0.02 | 10/08/09 | 1042 | 4.75 | |
| 02 | | ICAL 0.05 | 10/08/09 | 1057 | 4.76 | |
| 03 | | ICAL 0.1 | 10/08/09 | 1111 | 4.76 | |
| 04 | | ICAL 0.25 | 10/08/09 | 1140 | 4.76 | |
| 05 | | ICAL 1.0 | 10/08/09 | 1251 | | |
| 06 | | ICAL 0.5 | 10/08/09 | 1348 | 4.75 | |
| 07 | WG68776-BLAN | WG68776-1 | 10/08/09 | 1527 | 4.73 | |
| 08 | WG68776-LCS | WG68776-2 | 10/08/09 | 1542 | 4.73 | |
| 09 | WG68776-LCSD | WG68776-3 | 10/08/09 | 1610 | 4.73 | |
| 10 | SB-456-7.0/9 | WG68776-4 | 10/08/09 | 1638 | 4.73 | |
| 11 | SB-456-7.0/9 | WG68776-5 | 10/08/09 | 1707 | 4.75 | |
| 12 | OC-SB-472-30 | SC5256-1 | 10/08/09 | 1735 | 4.76 | |
| 13 | OC-SB-450-0. | SC5326-1 | 10/08/09 | 1750 | 4.75 | |
| 14 | OC-SB-450-8. | SC5326-2 | 10/08/09 | 1804 | 4.75 | |
| 15 | OC-SB-466-30 | SC5326-3 | 10/08/09 | 1818 | 4.75 | |
| 16 | OC-SB-466-6. | SC5326-4 | 10/08/09 | 1833 | 4.76 | |
| 17 | | CV 0.25 | 10/08/09 | 1847 | 4.75 | |
| 18 | OC-SB-427-0. | SC5415-1 | 10/08/09 | 1916 | 4.75 | |
| 19 | OC-SB-434-0. | SC5415-2 | 10/08/09 | 1931 | 4.75 | |
| 20 | OC-SB-434-7. | SC5415-3 | 10/08/09 | 1945 | 4.75 | |

QC LIMITS
S1 = diethylformamide (+/- 0.20 MINUTES)

# Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



FORM VIII DMF

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 10/08/09 10/08/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION
S1 : 4.76

| | CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED | TIME ANALYZED | S1 RT # | RT # |
|---|---|---|---|---|---|---|
| 01 | OC-SB-456-0. | SC5415-4 | 10/08/09 | 2000 | 4.75 | |
| 02 | OC-SB-456-16 | SC5415-5 | 10/08/09 | 2014 | 4.75 | |
| 03 | OC-SB-456-7. | SC5415-6 | 10/08/09 | 2029 | 4.75 | |
| 04 | SB-456-7.0/9 | SC5415-7 | 10/08/09 | 2043 | 4.75 | |
| 05 | OC-SB-457-0. | SC5415-8 | 10/08/09 | 2057 | 4.75 | |
| 06 | OC-SB-457-8. | SC5415-9 | 10/08/09 | 2112 | 4.75 | |
| 07 | WG68986-BLAN | WG68986-1 | 10/08/09 | 2126 | 4.76 | |
| 08 | | CV 0.25 | 10/08/09 | 2141 | 4.75 | |
| 09 | WG68986-LCS | WG68986-2 | 10/08/09 | 2210 | 4.75 | |
| 10 | WG68986-LCSD | WG68986-3 | 10/08/09 | 2239 | 4.75 | |
| 11 | OC-SB-413-0. | SC5605-1 | 10/08/09 | 2308 | 4.75 | |
| 12 | OC-SB-413-1. | SC5605-2 | 10/08/09 | 2323 | 4.75 | |
| 13 | OC-SB-435-0. | SC5605-3 | 10/08/09 | 2337 | 4.75 | |
| 14 | OC-SB-435-11 | SC5605-4 | 10/08/09 | 2352 | 4.75 | |
| 15 | OC-SB-435-6. | SC5605-5 | 10/09/09 | 0006 | 4.75 | |
| 16 | | CV 0.25 | 10/09/09 | 0021 | 4.73 | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

QC LIMITS
S1 = diethylformamide (+/- 0.20 MINUTES)

# Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



FORM VIII DMF

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5256-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-472-30/32-XXX | SL | 04-SEP-09 | 04-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 91. % | 1 | SM2540G | WG68699 | 16-SEP-09 08:30:00 | ASTM D2216 | 15-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-450-0.0/1.0-X | SL | 09-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-2
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-450-8.0/10-XX | SL | 09-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 87. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-3
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-466-30/32-XXX | SL | 08-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 91. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-4
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-466-6.0/8.0-X | SL | 08-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 93. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

nelac
Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-427-0.0/1.0-X | SL | 10-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 93. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-2
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-434-0.0/1.0-X | SL | 10-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-3
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-434-7.0/9.0-X | SL | 10-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-4
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-0.0/1.0-X | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 97. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-5
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-16/18-XXX | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 93. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-6
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-7.0/9.0-D | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94 % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-7
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-7.0/9.0-X | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-8
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-457-0.0/1.0-X | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 95. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-9
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REW10014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-457-8.0/10-XX | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94 % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-413-0.0/1.0-X | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 73. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-2
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-413-1.0/5.0-X | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 88. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-3
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-435-0.0/1.0-X | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 19 % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-4
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-435-11/15-XXX | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-5
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REW10014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-435-6.0/10-XX | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

# Quality Control Report

## Blank Sample Summary Report

### *Total Solids*

| Samp Type | QC Batch | Anal. Method | Anal. Date | Prep. Date | Result | PQL |
|---|---|---|---|---|---|---|
| MBLANK | WG68699 | ASTM D2216 | 16-SEP-09 | 15-SEP-09 | U 1 % | 1 % |

# Quality Control Report

## Blank Sample Summary Report

### *Total Solids*

| Samp Type | QC Batch | Anal. Method | Anal. Date | Prep. Date | Result | PQL |
|---|---|---|---|---|---|---|
| MBLANK | WG68904 | ASTM D2216 | 21-SEP-09 | 18-SEP-09 | U 1 % | 1 % |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029
http://katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Blank Sample Summary Report

### *Total Solids*

| Samp Type | QC Batch | Anal. Method | Anal. Date | Prep. Date | Result | PQL |
|---|---|---|---|---|---|---|
| MBLANK | WG69073 | ASTM D2216 | 24-SEP-09 | 23-SEP-09 | U 1 % | 1 % |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029
http://katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Laboratory Control Sample Summary Report

### *Total Solids*

| Lab Sample Id | Samp Type | QC Batch | Analysis Date | Prep Date | Units | Spike Amt. | Result | Recovery | Acceptance Range | RPD |
|---|---|---|---|---|---|---|---|---|---|---|
| WG68699-2 | LCS | WG68699 | 16-SEP-09 | 15-SEP-09 | % | 90 | 90 | 100 | 80-120 | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029
http://katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Laboratory Control Sample Summary Report

### *Total Solids*

| Lab Sample Id | Samp Type | QC Batch | Analysis Date | Prep Date | Units | Spike Amt. | Result | Recovery | Acceptance Range | RPD |
|---|---|---|---|---|---|---|---|---|---|---|
| WG68904-2 | LCS | WG68904 | 21-SEP-09 | 18-SEP-09 | % | 90 | 90. | 100 | 80-120 | |
| WG68904-4 | LCSD | WG68904 | 21-SEP-09 | 18-SEP-09 | % | 90 | 90. | 100 | 80-120 | 0 |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029
http://katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Laboratory Control Sample Summary Report

### *Total Solids*

| Lab Sample Id | Samp Type | QC Batch | Analysis Date | Prep Date | Units | Spike Amt. | Result | Recovery | Acceptance Range | RPD |
|---|---|---|---|---|---|---|---|---|---|---|
| WG69073-2 | LCS | WG69073 | 24-SEP-09 | 23-SEP-09 | % | 90 | 90. | 100 | 80-120 | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

# Quality Control Report

## Duplicate Sample Summary Report

### *Total Solids*

| Duplicate Sample ID | Original Sample ID | QC Batch | Analysis Date | Result Units | Sample Result | Duplicate Result | RPD(%) | RPD Limit |
|---|---|---|---|---|---|---|---|---|
| WG68904-5 | SC5415-5 | WG68904 | 21-SEP-09 | % | 93. | 93. | 0 | 20 |

# DMF DATA

# QC Summary Section

FORM 2
SOIL DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

Level:(low/med) LOW

| | CLIENT SAMPLE ID | LAB SAMPLE ID | SMC1 # | SMC2 # | SMC3 # | SMC4 | TOT OUT |
|---|---|---|---|---|---|---|---|
| 01 | WG68776-BLANK | WG68776-1 | 75 | | | | 0 |
| 02 | WG68776-LCS | WG68776-2 | 78 | | | | 0 |
| 03 | WG68776-LCSD | WG68776-3 | 112 | | | | 0 |
| 04 | SB-456-7.0/9.0-XMS | WG68776-4 | 92 | | | | 0 |
| 05 | SB-456-7.0/9.0-XMSD | WG68776-5 | 94 | | | | 0 |
| 06 | OC-SB-472-30/32-XXX | SC5256-1 | 95 | | | | 0 |
| 07 | OC-SB-450-0.0/1.0-X | SC5326-1 | 84 | | | | 0 |
| 08 | OC-SB-450-8.0/10-XX | SC5326-2 | 83 | | | | 0 |
| 09 | OC-SB-466-30/32-XXX | SC5326-3 | 90 | | | | 0 |
| 10 | OC-SB-466-6.0/8.0-X | SC5326-4 | 91 | | | | 0 |
| 11 | OC-SB-427-0.0/1.0-X | SC5415-1 | 89 | | | | 0 |
| 12 | OC-SB-434-0.0/1.0-X | SC5415-2 | 88 | | | | 0 |
| 13 | OC-SB-434-7.0/9.0-X | SC5415-3 | 93 | | | | 0 |
| 14 | OC-SB-456-0.0/1.0-X | SC5415-4 | 82 | | | | 0 |
| 15 | OC-SB-456-16/18-XXX | SC5415-5 | 85 | | | | 0 |
| 16 | OC-SB-456-7.0/9.0-D | SC5415-6 | 87 | | | | 0 |
| 17 | SB-456-7.0/9.0-X | SC5415-7 | 88 | | | | 0 |
| 18 | OC-SB-457-0.0/1.0-X | SC5415-8 | 86 | | | | 0 |
| 19 | OC-SB-457-8.0/10-XX | SC5415-9 | 84 | | | | 0 |
| 20 | WG68986-BLANK | WG68986-1 | 82 | | | | 0 |
| 21 | WG68986-LCS | WG68986-2 | 82 | | | | 0 |
| 22 | WG68986-LCSD | WG68986-3 | 87 | | | | 0 |
| 23 | OC-SB-413-0.0/1.0-X | SC5605-1 | 72 | | | | 0 |
| 24 | OC-SB-413-1.0/5.0-X | SC5605-2 | 75 | | | | 0 |
| 25 | OC-SB-435-0.0/1.0-X | SC5605-3 | 71 | | | | 0 |
| 26 | OC-SB-435-11/15-XXX | SC5605-4 | 75 | | | | 0 |
| 27 | OC-SB-435-6.0/10-XX | SC5605-5 | 76 | | | | 0 |
| 28 | | | | | | | |

SMC1 = diethylformamide  QC LIMITS (61-137)

# Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 2
WATER DMF SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

| | CLIENT SAMPLE ID | LAB SAMPLE ID | SMC1 # | SMC2 # | SMC3 # | SMC4 | TOT OUT |
|---|---|---|---|---|---|---|---|
| 01 | WG68660-BLANK | WG68660-1 | 90 | | | | 0 |
| 02 | WG68660-LCS | WG68660-2 | 114 | | | | 0 |
| 03 | WG68660-LCSD | WG68660-3 | 116 | | | | 0 |
| 04 | OC-EBK-008 | SC5326-5RA | 106 | | | | 0 |
| 05 | WG68988-BLANK | WG68988-1 | 111 | | | | 0 |
| 06 | WG68988-LCS | WG68988-2 | 141 | | | | 0 |
| 07 | WG68988-LCSD | WG68988-3 | 135 | | | | 0 |
| 08 | OC-EBK-012 | SC5605-6 | 79 | | | | 0 |
| 09 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | | | | | | | |
| 23 | | | | | | | |
| 24 | | | | | | | |
| 25 | | | | | | | |
| 26 | | | | | | | |
| 27 | | | | | | | |
| 28 | | | | | | | |

QC LIMITS

SMC1 = diethylformamide (56-154)

# Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68660-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Lab File ID: BCI4086 Lab Sample ID: WG68660-1

Date Analyzed: 09/15/09 Time Analyzed: 1242

GC Column: ZB-WAX ID: 0.53 (mm) Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68660-LCS | WG68660-2 | BCI4087 | 09/15/09 | 1256 |
| 02 | WG68660-LCSD | WG68660-3 | BCI4089 | 09/15/09 | 1324 |
| 03 | OC-EBK-008 | SC5326-5RA | BCI4093 | 09/15/09 | 1420 |
| 04 | | | | | |
| 05 | | | | | |
| 06 | | | | | |
| 07 | | | | | |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68988-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

Lab File ID: BCI6064  Lab Sample ID: WG68988-1

Date Analyzed: 09/23/09  Time Analyzed: 0922

GC Column: ZB-WAX  ID: 0.53 (mm)  Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68988-LCS | WG68988-2 | BCI6065 | 09/23/09 | 0936 |
| 02 | WG68988-LCSD | WG68988-3 | BCI6067 | 09/23/09 | 1004 |
| 03 | OC-EBK-012 | SC5605-6 | BCI6069 | 09/23/09 | 1032 |
| 04 | | | | | |
| 05 | | | | | |
| 06 | | | | | |
| 07 | | | | | |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68776-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

Lab File ID: BCJ2075  Lab Sample ID: WG68776-1

Date Analyzed: 10/08/09  Time Analyzed: 1527

GC Column: ZB-WAX  ID: 0.53 (mm)  Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68776-LCS | WG68776-2 | BCJ2076 | 10/08/09 | 1542 |
| 02 | WG68776-LCSD | WG68776-3 | BCJ2078 | 10/08/09 | 1610 |
| 03 | SB-456-7.0/9.0-XMS | WG68776-4 | BCJ2080 | 10/08/09 | 1638 |
| 04 | SB-456-7.0/9.0-XMSD | WG68776-5 | BCJ2082 | 10/08/09 | 1707 |
| 05 | OC-SB-472-30/32-XXX | SC5256-1 | BCJ2084 | 10/08/09 | 1735 |
| 06 | OC-SB-450-0.0/1.0-X | SC5326-1 | BCJ2085 | 10/08/09 | 1750 |
| 07 | OC-SB-450-8.0/10-XX | SC5326-2 | BCJ2086 | 10/08/09 | 1804 |
| 08 | OC-SB-466-30/32-XXX | SC5326-3 | BCJ2087 | 10/08/09 | 1818 |
| 09 | OC-SB-466-6.0/8.0-X | SC5326-4 | BCJ2088 | 10/08/09 | 1833 |
| 10 | OC-SB-427-0.0/1.0-X | SC5415-1 | BCJ2091 | 10/08/09 | 1916 |
| 11 | OC-SB-434-0.0/1.0-X | SC5415-2 | BCJ2092 | 10/08/09 | 1931 |
| 12 | OC-SB-434-7.0/9.0-X | SC5415-3 | BCJ2093 | 10/08/09 | 1945 |
| 13 | OC-SB-456-0.0/1.0-X | SC5415-4 | BCJ2094 | 10/08/09 | 2000 |
| 14 | OC-SB-456-16/18-XXX | SC5415-5 | BCJ2095 | 10/08/09 | 2014 |
| 15 | OC-SB-456-7.0/9.0-D | SC5415-6 | BCJ2096 | 10/08/09 | 2029 |
| 16 | SB-456-7.0/9.0-X | SC5415-7 | BCJ2097 | 10/08/09 | 2043 |
| 17 | OC-SB-457-0.0/1.0-X | SC5415-8 | BCJ2098 | 10/08/09 | 2057 |
| 18 | OC-SB-457-8.0/10-XX | SC5415-9 | BCJ2099 | 10/08/09 | 2112 |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 4
VOLATILE METHOD BLANK SUMMARY

CLIENT SAMPLE ID

WG68986-BLANK

Lab Name: KATAHDIN ANALYTICAL SERVICES  Lab Code: KAS

Project: WILMINGTON  SDG No.: WIL-7

Lab File ID: BCJ2100  Lab Sample ID: WG68986-1

Date Analyzed: 10/08/09  Time Analyzed: 2126

GC Column: ZB-WAX  ID: 0.53 (mm)  Heated Purge: (Y/N) N

Instrument ID: GC11

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS and MSD:

| | CLIENT SAMPLE ID | LAB SAMPLE ID | LAB FILE ID | DATE ANALYZED | TIME ANALYZED |
|---|---|---|---|---|---|
| 01 | WG68986-LCS | WG68986-2 | BCJ2103 | 10/08/09 | 2210 |
| 02 | WG68986-LCSD | WG68986-3 | BCJ2105 | 10/08/09 | 2239 |
| 03 | OC-SB-413-0.0/1.0-X | SC5605-1 | BCJ2107 | 10/08/09 | 2308 |
| 04 | OC-SB-413-1.0/5.0-X | SC5605-2 | BCJ2108 | 10/08/09 | 2323 |
| 05 | OC-SB-435-0.0/1.0-X | SC5605-3 | BCJ2109 | 10/08/09 | 2337 |
| 06 | OC-SB-435-11/15-XXX | SC5605-4 | BCJ2110 | 10/08/09 | 2352 |
| 07 | OC-SB-435-6.0/10-XX | SC5605-5 | BCJ2111 | 10/09/09 | 0006 |
| 08 | | | | | |
| 09 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |
| 21 | | | | | |
| 22 | | | | | |
| 23 | | | | | |
| 24 | | | | | |
| 25 | | | | | |
| 26 | | | | | |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |

COMMENTS:



FORM IVDMF

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 09/15/09 09/15/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION
S1 : 2.68

| | CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED | TIME ANALYZED | S1 RT # | RT # |
|---|---|---|---|---|---|---|
| 01 | | ICAL 0.02 | 09/15/09 | 0936 | 2.69 | |
| 02 | | ICAL 0.05 | 09/15/09 | 0950 | 2.69 | |
| 03 | | ICAL 0.1 | 09/15/09 | 1004 | 2.69 | |
| 04 | | ICAL 0.25 | 09/15/09 | 1032 | 2.68 | |
| 05 | | ICAL 0.5 | 09/15/09 | 1101 | 2.69 | |
| 06 | | ICAL 1.0 | 09/15/09 | 1143 | | |
| 07 | WG68660-BLAN | WG68660-1 | 09/15/09 | 1242 | 2.69 | |
| 08 | WG68660-LCS | WG68660-2 | 09/15/09 | 1256 | 2.68 | |
| 09 | WG68660-LCSD | WG68660-3 | 09/15/09 | 1324 | 2.68 | |
| 10 | OC-EBK-008 | SC5326-5RA | 09/15/09 | 1420 | 2.68 | |
| 11 | | CV 0.25 | 09/15/09 | 1435 | 2.68 | |
| 12 | | CV 0.25 | 09/23/09 | 0852 | 2.68 | |
| 13 | WG68988-BLAN | WG68988-1 | 09/23/09 | 0922 | 2.68 | |
| 14 | WG68988-LCS | WG68988-2 | 09/23/09 | 0936 | 2.68 | |
| 15 | WG68988-LCSD | WG68988-3 | 09/23/09 | 1004 | 2.68 | |
| 16 | OC-EBK-012 | SC5605-6 | 09/23/09 | 1032 | 2.68 | |
| 17 | | CV 0.25 | 09/23/09 | 1212 | 2.68 | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

S1 = diethylformamide QC LIMITS (+/- 0.20 MINUTES)

# Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



FORM VIII DMF

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 10/08/09 10/08/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION
S1 : 4.76

| | CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED | TIME ANALYZED | S1 RT # | RT # |
|---|---|---|---|---|---|---|
| 01 | | ICAL 0.02 | 10/08/09 | 1042 | 4.75 | |
| 02 | | ICAL 0.05 | 10/08/09 | 1057 | 4.76 | |
| 03 | | ICAL 0.1 | 10/08/09 | 1111 | 4.76 | |
| 04 | | ICAL 0.25 | 10/08/09 | 1140 | 4.76 | |
| 05 | | ICAL 1.0 | 10/08/09 | 1251 | | |
| 06 | | ICAL 0.5 | 10/08/09 | 1348 | 4.75 | |
| 07 | WG68776-BLAN | WG68776-1 | 10/08/09 | 1527 | 4.73 | |
| 08 | WG68776-LCS | WG68776-2 | 10/08/09 | 1542 | 4.73 | |
| 09 | WG68776-LCSD | WG68776-3 | 10/08/09 | 1610 | 4.73 | |
| 10 | SB-456-7.0/9 | WG68776-4 | 10/08/09 | 1638 | 4.73 | |
| 11 | SB-456-7.0/9 | WG68776-5 | 10/08/09 | 1707 | 4.75 | |
| 12 | OC-SB-472-30 | SC5256-1 | 10/08/09 | 1735 | 4.76 | |
| 13 | OC-SB-450-0. | SC5326-1 | 10/08/09 | 1750 | 4.75 | |
| 14 | OC-SB-450-8. | SC5326-2 | 10/08/09 | 1804 | 4.75 | |
| 15 | OC-SB-466-30 | SC5326-3 | 10/08/09 | 1818 | 4.75 | |
| 16 | OC-SB-466-6. | SC5326-4 | 10/08/09 | 1833 | 4.76 | |
| 17 | | CV 0.25 | 10/08/09 | 1847 | 4.75 | |
| 18 | OC-SB-427-0. | SC5415-1 | 10/08/09 | 1916 | 4.75 | |
| 19 | OC-SB-434-0. | SC5415-2 | 10/08/09 | 1931 | 4.75 | |
| 20 | OC-SB-434-7. | SC5415-3 | 10/08/09 | 1945 | 4.75 | |

S1 = diethylformamide QC LIMITS (+/- 0.20 MINUTES)

# Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



FORM VIII DMF

FORM 8
DMF ANALYTICAL SEQUENCE

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

GC Column: ZB-WAX ID: 0.53 (mm) Init. Calib. Date(s): 10/08/09 10/08/09

Instrument ID: GC11

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES, AND STANDARDS IS GIVEN BELOW:

MEAN SURROGATE RT FROM INITIAL CALIBRATION
S1 : 4.76

| | CLIENT SAMPLE ID | LAB SAMPLE ID | DATE ANALYZED | TIME ANALYZED | S1 RT # | RT # |
|---|---|---|---|---|---|---|
| 01 | OC-SB-456-0. | SC5415-4 | 10/08/09 | 2000 | 4.75 | |
| 02 | OC-SB-456-16 | SC5415-5 | 10/08/09 | 2014 | 4.75 | |
| 03 | OC-SB-456-7. | SC5415-6 | 10/08/09 | 2029 | 4.75 | |
| 04 | SB-456-7.0/9 | SC5415-7 | 10/08/09 | 2043 | 4.75 | |
| 05 | OC-SB-457-0. | SC5415-8 | 10/08/09 | 2057 | 4.75 | |
| 06 | OC-SB-457-8. | SC5415-9 | 10/08/09 | 2112 | 4.75 | |
| 07 | WG68986-BLAN | WG68986-1 | 10/08/09 | 2126 | 4.76 | |
| 08 | | CV 0.25 | 10/08/09 | 2141 | 4.75 | |
| 09 | WG68986-LCS | WG68986-2 | 10/08/09 | 2210 | 4.75 | |
| 10 | WG68986-LCSD | WG68986-3 | 10/08/09 | 2239 | 4.75 | |
| 11 | OC-SB-413-0. | SC5605-1 | 10/08/09 | 2308 | 4.75 | |
| 12 | OC-SB-413-1. | SC5605-2 | 10/08/09 | 2323 | 4.75 | |
| 13 | OC-SB-435-0. | SC5605-3 | 10/08/09 | 2337 | 4.75 | |
| 14 | OC-SB-435-11 | SC5605-4 | 10/08/09 | 2352 | 4.75 | |
| 15 | OC-SB-435-6. | SC5605-5 | 10/09/09 | 0006 | 4.75 | |
| 16 | | CV 0.25 | 10/09/09 | 0021 | 4.73 | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |

QC LIMITS
S1 = diethylformamide (+/- 0.20 MINUTES)

# Column used to flag retention time values with an asterisk.
* Values outside of QC limits.



FORM VIII DMF

# Sample Data Section

## KATAHDIN ANALYTICAL SERVICES - ORGANIC DATA QUALIFIERS

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.

* Compound recovery outside of quality control limits.

D Indicates the result was obtained from analysis of a diluted sample. Surrogate recoveries may not be calculable.

E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.

J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).

or

J Used for Pesticide/Aroclor analyte when there is a greater than 40% difference for detected concentrations between the two GC columns.

B Indicates the analyte was detected in the laboratory method blank analyzed concurrently with the sample.

N Presumptive evidence of a compound based on a mass spectral library search.

A Indicates that a tentatively identified compound is a suspected aldol-condensation product.

P Used for Pesticide/Aroclor analyte when there is a greater than 25% difference for detected concentrations between the two GC columns. (for CLP methods only).

# Katahdin Analytical Services, Inc.

## Manual Integration Codes For GC/MS, GC, HPLC and/or IC

| | |
|---|---|
| M1 | Peak splitting. |
| M2 | Well defined peaks on the shoulders of the other peaks. |
| M3 | There is additional area due to a coeluting interferant. |
| M4 | There are negative spikes in the baseline. |
| M5 | There are rising or falling baselines. |
| M6 | The software has failed to detect a peak or misidentified a peak. |
| M7 | Excessive peak tailing. |
| M8 | Analysis such as GRO, DRO and TPH require a baseline hold. |
| M9 | Peak was not completely integrated as in GC/MS. |
| M10 | Primary ion was correctly integrated, but secondary or tertiary ion needed manual integration as in GC/MS. |
| M11 | For GC analysis, when a sample is diluted by 1:10 or more, the surrogate is set to undetected and then the area under the surrogate is manually integrated. |
| M12 | Manual integration saved in method due to TurboChrom floating point error. |

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/04/09
Received Date: 09/04/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 17:35
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 90.8

Lab ID: SC5256-1
Client ID: OC-SB-472-30/32-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.82 | 1.0 | 0.80 | 0.82 | 0.82 |
| | diethylformamide | | 95% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2084.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2084.d
Lab Smp Id: SC5256-1 Client Smp ID: OC-SB-472-30/32-XXX
Inj Date : 08-OCT-2009 17:35
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5256-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00107 | Sample Weight |
| M | 9.157 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.760 | 4.760 | 0.000 | 85338 | 0.47394 | 19.5(M) | M5 |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2084.d
Date : 08-OCT-2009 17:35
Client ID: OC-SB-472-30/32-XXX
Instrument: gc11.i
Sample Info: DMFB040A,M,GC11CJ08B1,B,1,SC5256-1
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000017

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/09/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 17:50
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 94.3

Lab ID: SC5326-1
Client ID: OC-SB-450-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.61 | 1.0 | 0.80 | 0.61 | 0.61 |
| | diethylformamide | | 84% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2085.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2085.d
Lab Smp Id: SC5326-1 Client Smp ID: OC-SB-450-0.0/1.0-X
Inj Date : 08-OCT-2009 17:50
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5326-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00139 | Sample Weight |
| M | 5.670 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 74723 | 0.41784 | 12.7(M) | M5 |

JL 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2085.d
Date : 08-OCT-2009 17:50
Client ID: OC-SB-450-0.0/1.0-X
Sample Info: DMFB040A,M,GC11CJ08B1,B,1,SC5326-1
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000020

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/09/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 18:04
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 86.9

Lab ID: SC5326-2
Client ID: OC-SB-450-8.0/10-XX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.62 | 1.0 | 0.80 | 0.62 | 0.62 |
| | diethylformamide | | 83% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2086.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2086.d
Lab Smp Id: SC5326-2 Client Smp ID: OC-SB-450-8.0/10-XX
Inj Date : 08-OCT-2009 18:04
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5326-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00147 | Sample Weight |
| M | 13.058 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 74002 | 0.41403 | 13.0(M) | M5 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2086.d
Date : 08-OCT-2009 18:04
Client ID: OC-SB-450-8.0/10-XX
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5326-2
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000023

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/08/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 18:18
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.2

Lab ID: SC5326-3
Client ID: OC-SB-466-30/32-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.60 | 1.0 | 0.80 | 0.60 | 0.60 |
| | diethylformamide | | 90% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2087.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2087.d
Lab Smp Id: SC5326-3 Client Smp ID: OC-SB-466-30/32-XXX
Inj Date : 08-OCT-2009 18:18
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5326-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00147 | Sample Weight |
| M | 8.828 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 80356 | 0.44761 | 13.4(M) | M5 |

JW 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2087.d
Date : 08-OCT-2009 18:18
Client ID: OC-SB-466-30/32-XXX
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5326-3
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000026

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/08/09
Received Date: 09/10/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 18:33
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.2

Lab ID: SC5326-4
Client ID: OC-SB-466-6.0/8.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.61 | 1.0 | 0.80 | 0.61 | 0.61 |
| | diethylformamide | | 91% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2088.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2088.d
Lab Smp Id: SC5326-4 Client Smp ID: OC-SB-466-6.0/8.0-X
Inj Date : 08-OCT-2009 18:33
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5326-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00141 | Sample Weight |
| M | 6.830 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.760 | 4.760 | 0.000 | 81873 | 0.45562 | 13.9(M) | M5 |

JLS 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2088.d
Date : 08-OCT-2009 18:33
Client ID: OC-SB-466-6.0/8.0-X
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5326-4
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000029

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/08/09
Received Date: 09/10/09
Extraction Date:
Analysis Date: 15-SEP-2009 14:20
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: SC5326-5RA
Client ID: OC-EBK-008
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 106% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4093.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4093.d
Lab Smp Id: SC5326-5RA  Client Smp ID: OC-EBK-008
Inj Date : 15-SEP-2009 14:20
Operator : JLP  Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,SC5326-5RA
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott  Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43  Cal File: BCI4082.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon  Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 29560 | 0.52797 | 0.528(M) | M5 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4093.d
Date : 15-SEP-2009 14:20
Client ID: OC-EBK-008
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI15A1.B,1,SC5326-5RA
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000032

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/10/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 19:16
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.1

Lab ID: SC5415-1
Client ID: OC-SB-427-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.57 | 1.0 | 0.80 | 0.57 | 0.57 |
| | diethylformamide | | 89% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2091.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2091.d
Lab Smp Id: SC5415-1 Client Smp ID: OC-SB-427-0.0/1.0-X
Inj Date : 08-OCT-2009 19:16
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00150 | Sample Weight |
| M | 6.882 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 80153 | 0.44653 | 12.8(M) | M5 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2091.d
Date : 08-OCT-2009 19:16
Client ID: OC-SB-427-0.0/1.0-X
Instrument: gc11.i
Sample Info: DMFB040A,M,GC11CJ08B1.B,1,SC5415-1
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000035

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/10/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 19:31
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.6

Lab ID: SC5415-2
Client ID: OC-SB-434-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.81 | 1.0 | 0.80 | 0.81 | 0.81 |
| | diethylformamide | | 88% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2092.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2092.d
Lab Smp Id: SC5415-2 Client Smp ID: OC-SB-434-0.0/1.0-X
Inj Date : 08-OCT-2009 19:31
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00105 | Sample Weight |
| M | 6.354 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 78558 | 0.43811 | 17.8(M) | M5 |

JH 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2092.d
Date : 08-OCT-2009 19:31
Client ID: OC-SB-434-0.0/1.0-X
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-2
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000038

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/10/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 19:45
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.5

Lab ID: SC5415-3
Client ID: OC-SB-434-7.0/9.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.52 | 1.0 | 0.80 | 0.52 | 0.52 |
| | diethylformamide | | 93% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2093.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2093.d
Lab Smp Id: SC5415-3 Client Smp ID: OC-SB-434-7.0/9.0-X
Inj Date : 08-OCT-2009 19:45
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00168 | Sample Weight |
| M | 8.467 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 83336 | 0.46336 | 12.0(M) | M5 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2093.d
Date : 08-OCT-2009 19:45
Client ID: OC-SB-434-7.0/9.0-X
Sample Info: DMFB040A,M,GC11CJ08B1,B,1,SC5415-3
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000041

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:00
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 97.2

Lab ID: SC5415-4
Client ID: OC-SB-456-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.61 | 1.0 | 0.80 | 0.61 | 0.61 |
| | diethylformamide | | 82% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2094.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2094.d
Lab Smp Id: SC5415-4 Client Smp ID: OC-SB-456-0.0/1.0-X
Inj Date : 08-OCT-2009 20:00
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00134 | Sample Weight |
| M | 2.766 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 73779 | 0.41285 | 12.7(M) | M5 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2094.d
Date : 08-OCT-2009 20:00
Client ID: OC-SB-456-0.0/1.0-X
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-4
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000044

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:14
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.1

Lab ID: SC5415-5
Client ID: OC-SB-456-16/18-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.50 | 1.0 | 0.80 | 0.50 | 0.50 |
| | diethylformamide | | 85% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2095.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2095.d
Lab Smp Id: SC5415-5 Client Smp ID: OC-SB-456-16/18-XXX
Inj Date : 08-OCT-2009 20:14
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-5
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00173 | Sample Weight |
| M | 6.890 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 76469 | 0.42707 | 10.6(M) | M5 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2095.d
Date : 08-OCT-2009 20:14
Client ID: OC-SB-456-16/18-XXX
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-5
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000047

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:29
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 94.3

Lab ID: SC5415-6
Client ID: OC-SB-456-7.0/9.0-D
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.70 | 1.0 | 0.80 | 0.70 | 0.70 |
| | diethylformamide | | 87% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2096.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2096.d
Lab Smp Id: SC5415-6 Client Smp ID: OC-SB-456-7.0/9.0-D
Inj Date : 08-OCT-2009 20:29
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-6
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00122 | Sample Weight |
| M | 5.658 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 77752 | 0.43385 | 15.1(M) | M5 |

JW 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2096.d
Date : 08-OCT-2009 20:29
Client ID: OC-SB-456-7.0/9.0-D
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-6
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000050

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:43
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 92.0

Lab ID: SC5415-7
Client ID: SB-456-7.0/9.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.60 | 1.0 | 0.80 | 0.60 | 0.60 |
| | diethylformamide | | 88% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2097.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2097.d
Lab Smp Id: SC5415-7 Client Smp ID: SB-456-7.0/9.0-X
Inj Date : 08-OCT-2009 20:43
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-7
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00144 | Sample Weight |
| M | 7.978 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 78770 | 0.43923 | 13.2(M) | M5 |

JVP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2097.d
Date : 08-OCT-2009 20:43
Client ID: SB-456-7.0/9.0-X
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-7
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000053

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 20:57
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 94.9

Lab ID: SC5415-8
Client ID: OC-SB-457-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.68 | 1.0 | 0.80 | 0.68 | 0.68 |
| | diethylformamide | | 86% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2098.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2098.d
Lab Smp Id: SC5415-8 Client Smp ID: OC-SB-457-0.0/1.0-X
Inj Date : 08-OCT-2009 20:57
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-8
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00123 | Sample Weight |
| M | 5.057 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 76798 | 0.42880 | 14.7(M) | M5 |

JLP 10/09/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2098.d
Date : 08-OCT-2009 20:57
Client ID: OC-SB-457-0.0/1.0-X
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-8
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000056

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 21:12
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 93.7

Lab ID: SC5415-9
Client ID: OC-SB-457-8.0/10-XX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.52 | 1.0 | 0.80 | 0.52 | 0.52 |
| | diethylformamide | | 84% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2099.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2099.d
Lab Smp Id: SC5415-9 Client Smp ID: OC-SB-457-8.0/10-XX
Inj Date : 08-OCT-2009 21:12
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5415-9
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00165 | Sample Weight |
| M | 6.329 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 75052 | 0.41958 | 10.8(M) | M5 |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2099.d
Date : 08-OCT-2009 21:12
Client ID: OC-SB-457-8.0/10-XX
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5415-9
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000059

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:08
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 73.2

Lab ID: SC5605-1
Client ID: OC-SB-413-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.79 | 1.0 | 0.80 | 0.79 | 0.79 |
| | diethylformamide | | 72% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2107.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2107.d
Lab Smp Id: SC5605-1 Client Smp ID: OC-SB-413-0.0/1.0-X
Inj Date : 08-OCT-2009 23:08
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5605-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00138 | Sample Weight |
| M | 26.771 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 63590 | 0.35901 | 14.2 | |

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2107.d
Date : 08-OCT-2009 23:08
Client ID: OC-SB-413-0.0/1.0-X
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5605-1
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000062

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:23
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 88.6

Lab ID: SC5605-2
Client ID: OC-SB-413-1.0/5.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.77 | 1.0 | 0.80 | 0.77 | 0.77 |
| | diethylformamide | | 75% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2108.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2108.d
Lab Smp Id: SC5605-2 Client Smp ID: OC-SB-413-1.0/5.0-X
Inj Date : 08-OCT-2009 23:23
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5605-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00117 | Sample Weight |
| M | 11.444 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 66350 | 0.37359 | 14.4 | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2108.d
Date : 08-OCT-2009 23:23
Client ID: OC-SB-413-1.0/5.0-X
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5605-2
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000065

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:37
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 19.3

Lab ID: SC5605-3
Client ID: OC-SB-435-0.0/1.0-X
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 2.2 | 1.0 | 0.80 | 2.2 | 2.2 |
| | diethylformamide | | 71% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2109.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2109.d
Lab Smp Id: SC5605-3 Client Smp ID: OC-SB-435-0.0/1.0-X
Inj Date : 08-OCT-2009 23:37
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5605-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00191 | Sample Weight |
| M | 80.716 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 62807 | 0.35487 | 38.5 | |

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2109.d
Date : 08-OCT-2009 23:37
Client ID: OC-SB-435-0.0/1.0-X
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5605-3
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000068

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 23:52
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.7

Lab ID: SC5605-4
Client ID: OC-SB-435-11/15-XXX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.48 | 1.0 | 0.80 | 0.48 | 0.48 |
| | diethylformamide | | 75% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2110.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2110.d
Lab Smp Id: SC5605-4 Client Smp ID: OC-SB-435-11/15-XXX
Inj Date : 08-OCT-2009 23:52
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5605-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00183 | Sample Weight |
| M | 8.315 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 67075 | 0.37742 | 9.00(M) | M5 |

JVP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2110.d
Date : 08-OCT-2009 23:52
Client ID: OC-SB-435-11/15-XXX
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5605-4
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000071

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date: 09/23/09
Analysis Date: 09-OCT-2009 00:06
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 91.5

Lab ID: SC5605-5
Client ID: OC-SB-435-6.0/10-XX
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.45 | 1.0 | 0.80 | 0.45 | 0.45 |
| | diethylformamide | | 76% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2111.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2111.d
Lab Smp Id: SC5605-5 Client Smp ID: OC-SB-435-6.0/10-XX
Inj Date : 09-OCT-2009 00:06
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,SC5605-5
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00196 | Sample Weight |
| M | 8.499 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 67202 | 0.37809 | 8.43(M) | M5 |

JW 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2111.d
Date : 09-OCT-2009 00:06
Client ID: OC-SB-435-6.0/10-XX
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,SC5605-5
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000074

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/17/09
Received Date: 09/19/09
Extraction Date:
Analysis Date: 23-SEP-2009 10:32
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: SC5605-6
Client ID: OC-EBK-012
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68988
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 79% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6069.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6069.d
Lab Smp Id: SC5605-6 Client Smp ID: OC-EBK-012
Inj Date : 23-SEP-2009 10:32
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI23A1.B,1,SC5605-6
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI23A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 20388 | 0.39515 | 0.395 | |

Data File: \\Target_server\GC\chem\gc11.i\GC11CI23A1.b\BCI6069.d
Date : 23-SEP-2009 10:32
Client ID: OC-EBK-012
Instrument: gc11.i
Sample Info: DMFB038A,M,GC11CI23A1.B,1,SC5605-6
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000077

# Standards Data Section

FORM 6
DMF INITIAL CALIBRATION DATA

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date(s): 09/15/09 09/15/09

Column: ZB-WAX ID: 0.53 (mm) Calibration Time(s): 0936 1143

LAB FILE ID: RF0.02: BCI4073 RF0.05: BCI4074 RF0.1: BCI4075
RF0.25: BCI4077 RF0.5: BCI4079 RF1: BCI4082

| COMPOUND | RF0.02 | RF0.05 | RF0.1 | RF0.25 | RF0.5 | RF1 | CURVE | COEFFICENTS A0 | COEFFICENTS A1 | %RSD OR R^2 | MAX %RSD OR R^2 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 921 | 1500 | 3764 | 12201 | 24415 | 55088 | LINR | 2.106e-002 | 1.811e-005 | 0.99669 | 0.99000 |
| diethylformamide | 13241 | 25644 | 58420 | 154630 | 276360 | | LINR | 9.989e-002 | 1.448e-005 | 0.99576 | 0.99000 |

FORM VI DMF

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4073.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4073.d
Lab Smp Id: ICAL 0.02
Inj Date : 15-SEP-2009 09:36
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.02
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:36 Cal File: BCI4073.RAW
Als bottle: 1 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.973 | 1.960 | 0.013 | 921 | 0.02000 | 0.0377(M) | M5 |
| $ 2 diethylformamide | 2.693 | 2.680 | 0.013 | 13241 | 0.25000 | 0.292(M) | |

JLP
100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4073.d
Date : 15-SEP-2009 09:36
Client ID:
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI15A1.B,1,ICAL 0.02
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000081

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4074.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4074.d
Lab Smp Id: ICAL 0.05
Inj Date : 15-SEP-2009 09:50
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.05
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 09:50 Cal File: BCI4074.d
Als bottle: 1 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.973 | 1.960 | 0.013 | 1500 | 0.05000 | 0.0482(M) | M5 |
| $ 2 diethylformamide | 2.693 | 2.680 | 0.013 | 25644 | 0.50000 | 0.471(M) | |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4074.d
Date : 15-SEP-2009 09:50
Client ID:
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI15A1.B,1,ICAL 0.05
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000083

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4075.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4075.d
Lab Smp Id: ICAL 0.1
Inj Date : 15-SEP-2009 10:04
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.1
Misc Info :
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 10:04 Cal File: BCI4075.d
Als bottle: 1 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.973 | 1.960 | 0.013 | 3764 | 0.10000 | 0.102(M) | MS |
| $ 2 diethylformamide | 2.693 | 2.680 | 0.013 | 58420 | 1.00000 | 1.02(M) | |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4075.d
Date : 15-SEP-2009 10:04
Client ID:
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI15A1.B,1,ICAL 0.1
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000085

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4077.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4077.d
Lab Smp Id: ICAL 0.25
Inj Date : 15-SEP-2009 10:32
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.25
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\dmfB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 10:32 Cal File: BCI4077.d
Als bottle: 1 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 12201 | 0.25000 | 0.255(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 154631 | 2.50000 | 2.34(M) | |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4077.d
Date : 15-SEP-2009 10:32
Client ID:
Instrument: gc11.i
Sample Info: DMFB038A,M,GC11CI15A1.B,1,ICAL 0.25
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000087

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4079.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4079.d
Lab Smp Id: ICAL 0.5
Inj Date : 15-SEP-2009 11:01
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 0.5
Misc Info :
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:01 Cal File: BCI4079.d
Als bottle: 1 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo)*1000 * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | Final Volume (L) |
| Vo | 0.00100 | Sample Volume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 24415 | 0.50000 | 0.500(M) | M5 |
| $ 2 diethylformamide | 2.693 | 2.680 | 0.013 | 276361 | 4.00000 | 4.10(AM) | |

JLP 100909

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4079.d
Date : 15-SEP-2009 11:01
Client ID:
Sample Info: DMFB038A,M,GC11CI15A1,B,1,ICAL 0.5
Purge Volume: 0.0
Column phase: ZB-1

Instrument: gc11.i
Operator: JLP
Column diameter: 0.25




Katahdin Analytical Services 1000089

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4082.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4082.d
Lab Smp Id: ICAL 1.0
Inj Date : 15-SEP-2009 11:43
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,ICAL 1.0
Misc Info :
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 55088 | 1.00000 | 1.02(AM) | M5 |

JLP 100909

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.
M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4082.d
Date : 15-SEP-2009 11:43
Client ID:
Sample Info: DMFB038A,M,GC11CI15A1.B,1,ICAL 1.0
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000091

FORM 6
DMF INITIAL CALIBRATION DATA

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date(s): 10/08/09 10/08/09

Column: ZB-WAX ID: 0.53 (mm) Calibration Time(s): 1042 1348

LAB FILE ID: RF0.02: BCJ2059 RF0.05: BCJ2060 RF0.1: BCJ2061
RF0.25: BCJ2063 RF0.5: BCJ2072 RF1: BCJ2068

| COMPOUND | RF0.02 | RF0.05 | RF0.1 | RF0.25 | RF0.5 | RF1 | CURVE | COEFFICENTS A0 | A1 | %RSD OR R^2 | MAX %RSD OR R^2 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 5578 | 11606 | 26284 | 60752 | 108470 | 218910 | LINR | -9.67e-003 | 4.605e-006 | 0.99901 | 0.99000 |
| diethylformamide | 40915 | 91554 | 186960 | 455970 | 759670 | | LINR | 2.296e-002 | 5.285e-006 | 0.99945 | 0.99000 |

FORM VI DMF

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2059.d
Report Date: 12-Oct-2009 11:51

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2059.d
Lab Smp Id: ICAL 0.02
Inj Date : 08-OCT-2009 10:42
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.02
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 12-Oct-2009 11:51 gc11.i Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.693 | 3.707 | -0.014 | 5578 | 0.02000 | 0.0160(aM) | M2 |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 40915 | 0.25000 | 0.239(M) | |

RCT 101209

QC Flag Legend

a - Target compound detected but, quantitated amount Below Limit Of Quantitation(BLOQ).
M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2059.d
Date : 08-OCT-2009 10:42
Client ID:
Sample Info: DMFB040A,M,GC11CJ08B1,B,1,ICAL 0.02
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000094

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2060.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2060.d
Lab Smp Id: ICAL 0.05
Inj Date : 08-OCT-2009 10:57
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.05
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 10:57 Cal File: BCJ2060.RAW
Als bottle: 1 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.706 | 3.707 | -0.001 | 11606 | 0.05000 | 0.0781(M) | M2 |
| $ 2 diethylformamide | 4.760 | 4.760 | 0.000 | 91554 | 0.50000 | 0.509 | |

JLP 10/09/09

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2060.d
Date : 08-OCT-2009 10:57
Client ID:
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.05
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000096

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2061.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2061.d
Lab Smp Id: ICAL 0.1
Inj Date : 08-OCT-2009 11:11
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.1
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 11:11 Cal File: BCJ2061.RAW
Als bottle: 1 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.693 | 3.707 | -0.014 | 26284 | 0.10000 | 0.106 | |
| $ 2 diethylformamide | 4.760 | 4.760 | 0.000 | 186958 | 1.00000 | 1.02 | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2061.d
Date : 08-OCT-2009 11:11
Client ID:
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.1
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000098

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2063.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2063.d
Lab Smp Id: ICAL 0.25
Inj Date : 08-OCT-2009 11:40
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.25
Misc Info :
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 11:40 Cal File: BCJ2063.RAW
Als bottle: 1 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.760 | 4.760 | 0.000 | 455973 | 2.50000 | 2.50 | |

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2063.d
Date : 08-OCT-2009 11:40
Client ID:
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.25
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000100

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2068.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2068.d
Lab Smp Id: ICAL 1.0
Inj Date : 08-OCT-2009 12:51
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,ICAL 1.0
Misc Info :
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CJ08B1.B\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 12:51 Cal File: BCJ2068.d
Als bottle: 1 Calibration Sample, Level: 6
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.693 | 3.707 | -0.014 | 218911 | 1.00000 | 0.932(M) | M4 |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2068.d
Date : 08-OCT-2009 12:51
Client ID:
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,ICAL 1.0
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000102

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2072.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2072.d
Lab Smp Id: ICAL 0.5
Inj Date : 08-OCT-2009 13:48
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,ICAL 0.5
Misc Info :
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CJ08B1.B\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.680 | 3.707 | -0.027 | 108466 | 0.50000 | 0.490 | |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 759669 | 4.00000 | 4.04(A) | |

QC Flag Legend

A - Target compound detected but, quantitated amount exceeded maximum amount.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2072.d
Date : 08-OCT-2009 13:48
Client ID:
Instrument: gc11.i
Sample Info: DMFB040A,M,GC11CJ08B1.B,1,ICAL 0.5
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000104

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 09/15/09 Time: 1435

Lab File ID: BCI4094 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2084400 | 0.2500000 | 41392.000 | 0.01 | -16.62 | 25.00 | LINR |
| diethylformamide | 2.4826000 | 2.5000000 | 65813.000 | 0.01 | -0.70 | 25.00 | LINR |

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4094.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4094.d
Lab Smp Id: CV 0.25
Inj Date : 15-SEP-2009 14:35
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,CV 0.25
Misc Info : CV
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 10348 | 0.25000 | 0.208(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 164533 | 2.50000 | 2.48(M) | |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4094.d
Date : 15-SEP-2009 14:35
Client ID:
Instrument: gc11.i
Sample Info: DMFB038A,M,GC11CI15A1,B,1,CV 0.25
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000107

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 09/23/09 Time: 0852

Lab File ID: BCI6062 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2015400 | 0.2500000 | 39868.000 | 0.01 | -19.38 | 25.00 | LINR |
| diethylformamide | 2.3109000 | 2.5000000 | 61071.000 | 0.01 | -7.56 | 25.00 | LINR |

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6062.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6062.d
Lab Smp Id: CV 0.25
Inj Date : 23-SEP-2009 08:52
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI23A1.B,1,CV 0.25
Misc Info : CV
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI23A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 9967 | 0.25000 | 0.202(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 152677 | 2.50000 | 2.31(M) | |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI23A1.b\BCI6062.d
Date : 23-SEP-2009 08:52
Client ID:
Sample Info: DMFB038A.M,GC11CI23A1.B,1,CV 0.25
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000110

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 09/23/09 Time: 1212

Lab File ID: BCI6076 Init. Calib. Date(s): 09/15/09 09/15/09

Init. Calib. Times: 0936 1143

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE | |
|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.1692400 | 0.2500000 | 32732.000 | 0.01 | -32.30 | 25.00 | LINR | < |
| diethylformamide | 1.8903000 | 2.5000000 | 49452.000 | 0.01 | -24.39 | 25.00 | LINR | |

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6076.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6076.d
Lab Smp Id: CV 0.25
Inj Date : 23-SEP-2009 12:12
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI23A1.B,1,CV 0.25
Misc Info : CV
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI23A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 8183 | 0.25000 | 0.169(M) | M2 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 123630 | 2.50000 | 1.89(M) | |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6076.d
Date : 23-SEP-2009 12:12
Client ID:
Sample Info: DMFB038A.M,GC11CI23A1.B,1,CV 0.25
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000113

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 10/08/09 Time: 1847

Lab File ID: BCJ2089 Init. Calib. Date(s): 10/08/09 10/08/09

Init. Calib. Times: 1042 1348

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2272700 | 0.2500000 | 205790.00 | 0.01 | -9.09 | 25.00 | LINR |
| diethylformamide | 2.2377000 | 2.5000000 | 167640.00 | 0.01 | -10.49 | 25.00 | LINR |

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2089.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2089.d
Lab Smp Id: CV 0.25
Inj Date : 08-OCT-2009 18:47
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,CV 0.25
Misc Info : CV
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CJ08B1.B\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.693 | 3.707 | -0.014 | 51448 | 0.25000 | 0.227(M) | M4 |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 419093 | 2.50000 | 2.24 | |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2089.d
Date : 08-OCT-2009 18:47
Client ID:
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,CV 0.25
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000116

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 10/08/09 Time: 2141

Lab File ID: BCJ2101 Init. Calib. Date(s): 10/08/09 10/08/09

Init. Calib. Times: 1042 1348

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE |
|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.2173100 | 0.2500000 | 197140.00 | 0.01 | -13.08 | 25.00 | LINR |
| diethylformamide | 2.0864000 | 2.5000000 | 156190.00 | 0.01 | -16.54 | 25.00 | LINR |

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2101.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2101.d
Lab Smp Id: CV 0.25
Inj Date : 08-OCT-2009 21:41
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,CV 0.25
Misc Info : CV
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CJ08B1.B\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.706 | 3.707 | -0.001 | 49286 | 0.25000 | 0.217(M) | M5 |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 390465 | 2.50000 | 2.09 | |

JW 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2101.d
Date : 08-OCT-2009 21:41
Client ID:
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,CV 0.25
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000119

FORM 7B
VOLATILE CALIBRATION VERIFICATION SUMMARY

Lab Name: KATAHDIN ANALYTICAL SERVICES Lab Code: KAS

Project: WILMINGTON SDG No.: WIL-7

Instrument ID: GC11 Calibration Date: 10/09/09 Time: 0021

Lab File ID: BCJ2112 Init. Calib. Date(s): 10/08/09 10/08/09

Init. Calib. Times: 1042 1348

GC Column: ZB-WAX ID: 0.53 (mm)

| COMPOUND | RRF or AMOUNT | RRF0.2500 or AMOUNT | CCAL RRF0.2500 | MIN RRF | %D or %DRIFT | MAX %D or %DRIFT | CURV TYPE | |
|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.1929600 | 0.2500000 | 175990.00 | 0.01 | -22.82 | 25.00 | LINR | |
| diethylformamide | 1.6930000 | 2.5000000 | 126400.00 | 0.01 | -32.28 | 25.00 | LINR | < |

FORM VII PEST

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2112.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2112.d
Lab Smp Id: CV 0.25
Inj Date : 09-OCT-2009 00:21
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,CV 0.25
Misc Info :
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CJ08B1.B\DMFB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | AMOUNTS CAL-AMT ( mg/L) | AMOUNTS ON-COL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.666 | 3.707 | -0.041 | 43997 | 0.25000 | 0.193 | |
| $ 2 diethylformamide | 4.733 | 4.760 | -0.027 | 316014 | 2.50000 | 1.69 | |

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2112.d
Date : 09-OCT-2009 00:21
Client ID:
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,CV 0.25
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000122

# Raw QC Data Section

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 15-SEP-2009 12:42
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: WG68660-1
Client ID: WG68660-Blank
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 90% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4086.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4086.d
Lab Smp Id: WG68660-1 Client Smp ID: WG68660-Blank
Inj Date : 15-SEP-2009 12:42
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68660-1
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 2.693 | 2.680 | 0.013 | 24048 | 0.44815 | 0.448(M) | M5 |

JLP 100907

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4086.d
Date : 15-SEP-2009 12:42
Client ID: WG68660-Blank
Instrument: gc11.i
Sample Info: DMFB038A,M,GC11CI15A1,B,1,WG68660-1
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000126

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 23-SEP-2009 09:22
Report Date: 10/09/2009
Matrix: WATER
% Solids: NA

Lab ID: WG68988-1
Client ID: WG68988-Blank
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68988
Units: mg/L

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.020 | 1.0 | 0.020 | 0.020 | 0.0048 |
| | diethylformamide | | 111% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6064.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6064.d
Lab Smp Id: WG68988-1 Client Smp ID: WG68988-Blank
Inj Date : 23-SEP-2009 09:22
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI23A1.B,1,WG68988-1
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI23A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 31354 | 0.55395 | 0.554(M) | M4 |

JP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI23A1.b\BCI6064.d
Date : 23-SEP-2009 09:22
Client ID: WG68988-Blank
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI23A1.B,1,WG68988-1
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000129

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/17/09
Analysis Date: 08-OCT-2009 15:27
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 100

Lab ID: WG68776-1
Client ID: WG68776-Blank
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.80 | 1.0 | 0.80 | 0.80 | 0.80 |
| | diethylformamide | | 75% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2075.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2075.d
Lab Smp Id: WG68776-1 Client Smp ID: WG68776-Blank
Inj Date : 08-OCT-2009 15:27
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68776-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00100 | Sample Weight |
| M | 0.00000 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.733 | 4.760 | -0.027 | 66612 | 0.37498 | 15.0(M) | M5 |

JLO 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2075.d
Date : 08-OCT-2009 15:27
Client ID: WG68776-Blank
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68776-1
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000132

# KATAHDIN ANALYTICAL SERVICES
## Report of Analytical Results

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/23/09
Analysis Date: 08-OCT-2009 21:26
Report Date: 10/09/2009
Matrix: SOIL
% Solids: 100

Lab ID: WG68986-1
Client ID: WG68986-Blank
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| CAS# | Compound | Flags | Results | DF | PQL | Adj.PQL | Adj.MDL |
|---|---|---|---|---|---|---|---|
| | dimethylformamide | U | 0.80 | 1.0 | 0.80 | 0.80 | 0.80 |
| | diethylformamide | | 82% | | | | |

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2100.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2100.d
Lab Smp Id: WG68986-1 Client Smp ID: WG68986-Blank
Inj Date : 08-OCT-2009 21:26
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68986-1
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00100 | Sample Weight |
| M | 0.00000 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| $ 2 diethylformamide | 4.760 | 4.760 | 0.000 | 73451 | 0.41112 | 16.4 | |

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2100.d
Date : 08-OCT-2009 21:26
Client ID: WG68986-Blank
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68986-1
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000135

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 09/15/09
Report Date: 10/09/2009
Matrix: WATER

Lab ID: WG68660-2 & WG68660-3
Client ID: WG68660-LCS & WG68660-LCSD
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68660
Units: mg/L

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.10 | 0.10 | NA | 0.08 | 0.08 | 78 | 85 | 9 | 30 | 70-130 |



FORM III DMF-1

BCI4087.d & BCI4089.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4087.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4087.d
Lab Smp Id: WG68660-2 Client Smp ID: WG68660-LCS
Inj Date : 15-SEP-2009 12:56
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68660-2
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 3152 | 0.07814 | 0.0781(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 32476 | 0.57020 | 0.570(M) | |

JLP 100906

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4087.d
Date : 15-SEP-2009 12:56
Client ID: WG68660-LCS
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI15A1.B,1,WG68660-2
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000138

Data File: \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4089.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI15A1.b\BCI4089.d
Lab Smp Id: WG68660-3 Client Smp ID: WG68660-LCSD
Inj Date : 15-SEP-2009 13:24
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI15A1.B,1,WG68660-3
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI15A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.960 | 1.960 | 0.000 | 3542 | 0.08520 | 0.0852(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 33320 | 0.58242 | 0.582(M) | |

JB 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI15A1.b\BCI4089.d
Date : 15-SEP-2009 13:24
Client ID: WG68660-LCSD
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI15A1.B,1,WG68660-3
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000140

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date:
Analysis Date: 09/23/09
Report Date: 10/09/2009
Matrix: WATER

Lab ID: WG68988-2 & WG68988-3
Client ID: WG68988-LCS & WG68988-LCSD
SDG: WIL-7
Extracted by:
Extraction Method: 8033M
Analyst: JLP
Analysis Method: SW846 M8033
Lab Prep Batch: WG68988
Units: mg/L

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 0.10 | 0.10 | NA | 0.08 | 0.08 | 80 | 82 | 2 | 30 | 70-130 |



FORM III DMF-1

BCI6065.d & BCI6067.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6065.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6065.d
Lab Smp Id: WG68988-2 Client Smp ID: WG68988-LCS
Inj Date : 23-SEP-2009 09:36
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI23A1.B,1,WG68988-2
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI23A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 2.066 | 1.960 | 0.106 | 3272 | 0.08031 | 0.0803(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 41858 | 0.70607 | 0.706(M) | |

JB 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI23A1.b\BCI6065.d
Date : 23-SEP-2009 09:36
Client ID: WG68988-LCS
Instrument: gc11.i
Sample Info: DMFB038A.M,GC11CI23A1.B,1,WG68988-2
Purge Volume: 0.0
Operator: JLP
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000143

Data File: \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6067.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CI23A1.b\BCI6067.d
Lab Smp Id: WG68988-3 Client Smp ID: WG68988-LCSD
Inj Date : 23-SEP-2009 10:04
Operator : JLP Inst ID: gc11.i
Smp Info : DMFB038A.M,GC11CI23A1.B,1,WG68988-3
Misc Info : SW846 M8033
Comment :
Method : \\TARGET_SERVER\GG\chem\gc11.i\GC11CI23A1.B\DMFB038A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 15-SEP-2009 11:43 Cal File: BCI4082.d
Als bottle: 1 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12
Processing Host: V200T2

Concentration Formula: Amt * DF * (Vt/Vo) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.00100 | FinalVolume (L) |
| Vo | 0.00100 | SampleVolume (L) |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL ( mg/L) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 1.973 | 1.960 | 0.013 | 3351 | 0.08174 | 0.0817(M) | M5 |
| $ 2 diethylformamide | 2.680 | 2.680 | 0.000 | 39597 | 0.67333 | 0.673(M) | |

JB 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CI23A1.b\BCI6067.d
Date : 23-SEP-2009 10:04
Client ID: WG68988-LCSD
Sample Info: DMFB038A.M,GC11CI23A1.B,1,WG68988-3
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: JLP
Column diameter: 0.53




Katahdin Analytical Services 1000145

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/17/09
Analysis Date: 10/08/09
Report Date: 10/09/2009
Matrix: SOIL

Lab ID: WG68776-2 & WG68776-3
Client ID: WG68776-LCS & WG68776-LCSD
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 10 | 10 | NA | 6.6 | 10 | * 66 | 103 | 44 | 50 | 70-130 |



FORM III DMF-2

BCJ2076.d & BCJ2078.d

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2076.d
Lab Smp Id: WG68776-2 Client Smp ID: WG68776-LCS
Inj Date : 08-OCT-2009 15:42
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68776-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00100 | Sample Weight |
| M | 0.00000 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.666 | 3.707 | -0.041 | 37786 | 0.16435 | 6.57(R) | |
| $ 2 diethylformamide | 4.733 | 4.760 | -0.027 | 32540 | 0.19492 | 7.80 | |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2076.d
Date : 08-OCT-2009 15:42
Client ID: WG68776-LCS
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68776-2
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000148

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2078.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2078.d
Lab Smp Id: WG68776-3 Client Smp ID: WG68776-LCSD
Inj Date : 08-OCT-2009 16:10
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68776-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00100 | Sample Weight |
| M | 0.00000 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.666 | 3.707 | -0.041 | 58227 | 0.25849 | 10.3(M) | M5 |
| $ 2 diethylformamide | 4.733 | 4.760 | -0.027 | 48490 | 0.27921 | 11.2 | |

JJ 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2078.d
Date : 08-OCT-2009 16:10
Client ID: WG68776-LCSD
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68776-3
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000150

# KATAHDIN ANALYTICAL SERVICES
## LAB CONTROL SAMPLE

Client:
Project: Wilmington
PO No:
Sample Date:
Received Date:
Extraction Date: 09/23/09
Analysis Date: 10/08/09
Report Date: 10/09/2009
Matrix: SOIL

Lab ID: WG68986-2 & WG68986-3
Client ID: WG68986-LCS & WG68986-LCSD
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68986
Units: mg/Kgdrwt

| COMPOUND | LCS SPIKE | LCSD SPIKE | SAMPLE CONC. | LCS CONC. | LCSD CONC. | LCS %REC. | LCSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 10 | 10 | NA | 6.7 | 7.2 | * 67 | 72 | 7 | 50 | 70-130 |



FORM III DMF-2

BCJ2103.d & BCJ2105.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2103.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2103.d
Lab Smp Id: WG68986-2 Client Smp ID: WG68986-LCS
Inj Date : 08-OCT-2009 22:10
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68986-2
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00100 | Sample Weight |
| M | 0.00000 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.693 | 3.707 | -0.014 | 38564 | 0.16793 | 6.72(R) | |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 34333 | 0.20439 | 8.18 | |

QC Flag Legend

R - Spike/Surrogate failed recovery limits.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2103.d
Date : 08-OCT-2009 22:10
Client ID: WG68986-LCS
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68986-2
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000153

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2105.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2105.d
Lab Smp Id: WG68986-3 Client Smp ID: WG68986-LCSD
Inj Date : 08-OCT-2009 22:39
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68986-3
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: LCSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00100 | Sample Weight |
| M | 0.00000 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.706 | 3.707 | -0.001 | 41289 | 0.18048 | 7.22(M) | M5 |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 36999 | 0.21848 | 8.74 | |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2105.d
Date : 08-OCT-2009 22:39
Client ID: WG68986-LCSD
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68986-3
Purge Volume: 0.0
Column phase: ZB-WAX

Instrument: gc11.i
Operator: KT
Column diameter: 0.53




Katahdin Analytical Services 1000155

# KATAHDIN ANALYTICAL SERVICES
## MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Client: Olin Corporation
Project: Wilmington
PO No:
Sample Date: 09/11/09
Received Date: 09/12/09
Extraction Date: 09/17/09
Analysis Date: 10/08/09
Report Date: 10/09/2009
Matrix: SOIL

Lab ID: WG68776-4 & WG68776-5
Client ID: SB-456-7.0/9.0-XMS & SB-456-7.0/9.0-XMSD
SDG: WIL-7
Extracted by: JLP
Extraction Method: 8033M
Analyst: KT
Analysis Method: SW846 8033M
Lab Prep Batch: WG68776
Units: mg/Kgdrwt

| COMPOUND | MS SPIKE | MSD SPIKE | SAMPLE CONC. | MS CONC. | MSD CONC. | MS %REC. | MSD %REC. | %RPD | %RPD LIMIT | QC. LIMITS |
|---|---|---|---|---|---|---|---|---|---|---|
| dimethylformamide | 5.5 | 8.0 | 0.00 | 4.7 | 6.7 | 85 | 83 | 35 | 50 | 70-130 |



FORM III DMF-2

BCJ2080.d & BCJ2082.d

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2080.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2080.d
Lab Smp Id: WG68776-4 Client Smp ID: SB-456-7.0/9.0-XMS
Inj Date : 08-OCT-2009 16:38
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68776-4
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: MS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00197 | Sample Weight |
| M | 7.978 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.666 | 3.707 | -0.041 | 48240 | 0.21250 | 4.69(M) | M5 |
| $ 2 diethylformamide | 4.733 | 4.760 | -0.027 | 39018 | 0.22915 | 5.06 | |

JS 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2080.d
Date : 08-OCT-2009 16:38
Client ID: SB-456-7.0/9.0-XMS
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68776-4
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000158

Data File: \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2082.d
Report Date: 09-Oct-2009 10:23

Katahdin Analytical Services

Data file : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\BCJ2082.d
Lab Smp Id: WG68776-5 Client Smp ID: SB-456-7.0/9.0-XMSD
Inj Date : 08-OCT-2009 17:07
Operator : KT Inst ID: gc11.i
Smp Info : DMFB040A.M,GC11CJ08B1.B,1,WG68776-5
Misc Info : SW846 8033M
Comment :
Method : \\Target_server\GG\chem\gc11.i\GC11CJ08B1.b\dmfB040A.m
Meth Date : 09-Oct-2009 10:22 jprescott Quant Type: ESTD
Cal Date : 08-OCT-2009 13:48 Cal File: BCJ2072.d
Als bottle: 1 QC Sample: MSD
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: SW8033M.sub
Target Version: 4.12

Concentration Formula: Amt * DF * (Vt/Vo)*(100/(100-M)) * CpndVariable

| Name | Value | Description |
|---|---|---|
| DF | 1.000 | Dilution Factor |
| Vt | 0.04000 | Volume of final extract (L) |
| Vo | 0.00135 | Sample Weight |
| M | 7.978 | % Moisture |
| Cpnd Variable | | Local Compound Variable |

| Compounds | RT | EXP RT | DLT RT | RESPONSE | CONCENTRATIONS ON-COLUMN ( mg/L) | CONCENTRATIONS FINAL (mg/Kgdrwt) | REVIEW CODE |
|---|---|---|---|---|---|---|---|
| 1 dimethylformamide | 3.680 | 3.707 | -0.027 | 47154 | 0.20749 | 6.68(M) | M5 |
| $ 2 diethylformamide | 4.746 | 4.760 | -0.014 | 40084 | 0.23478 | 7.56 | |

JLP 100909

QC Flag Legend

M - Compound response manually integrated.

Data File: \\Target_server\GC\chem\gc11.i\GC11CJ08B1.b\BCJ2082.d
Date : 08-OCT-2009 17:07
Client ID: SB-456-7.0/9.0-XMSD
Instrument: gc11.i
Sample Info: DMFB040A.M,GC11CJ08B1.B,1,WG68776-5
Purge Volume: 0.0
Operator: KT
Column phase: ZB-WAX
Column diameter: 0.53




Katahdin Analytical Services 1000160

# Logbooks and Supporting Documents

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
~~SW846 8015M - 2-MOE~~
SW846 8033M - DMF
Signal_____ Power_____

Reviewed by/Date:_____

| Date | Init | Result File | Sample Number | Accept Y/N | Method Channel A: B: | Column | Comments |
|---|---|---|---|---|---|---|---|
| 9-15-09 | JLP | BCI4072 | LOW Pt test | Y | DMFB037A | 227 | |
| | | 73 | ICAL 0.02 | Y | DMFB038A | | GCV2306 |
| | | 74 | 0.05 | Y | | | GCV2307 |
| | | 75 | 0.1 | Y | | | GCV2308 |
| | | 76 | W | N | | | |
| | | 77 | ICAL 0.25 | Y | | | GCV2309 |
| | | 78 | W | N | | | |
| | | 79 | ICAL 0.5 | Y | | | GCV2310 |
| | | 80 | W | N | | | |
| | | 81 | W | N | | | GCV2311 |
| | | 82 | ICAL 1.0 | Y | | | |
| | | 83 | W | N | | | |
| | | 84 | W | | | | |
| | | 85 | W | | | | |
| | | 86 | W-68660-1 | Y | | | |
| | | 87 | -2 | Y | | | |
| | | 88 | W | N | | | |
| | | 89 | W-68660-3 | Y | | | |
| | | 90 | W | N | | | |
| | | 91 | SC5104-10RA B | Y | | | |
| | | 92 | SC5142-8RA | Y | | | |
| | | 93 | SC5326-5RA | Y | | | |
| | | 94 | CV 0.25 | Y | | | GCV2309 |
| | | 95 | W | N | | | |
| | | 96 | SC4941-4RA | Y | | | |
| | | 97 | SC4995-4RA | Y | | | |
| | | 98 | -2RA | Y | | | |

JLP 091509

| | STANDARD ID | uL added | STD. CODE | STD. CODE |
|---|---|---|---|---|
| 1 | Surrogate | 5 | GCV ~~2305~~ | 2346 |
| 2 | LCS | 10 | GCV2305 | |
| 3 | CV | — | GCV2~~310~~ 09 | |
| 4 | | | | |

JLP 091509

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal_____ Power_____

Reviewed by/Date:_____

| Date | Init | Result File | Sample Number | Accept Y/N | Method Channel A: B: | Column | Comments |
|---|---|---|---|---|---|---|---|
| 9-18-09 | JLP | BCJ60 58 | CV 0.25 | Y | DMFB038A | 227 | |
| ↓ | ↓ | BCJ60 59 | W | N | ↓ | ↓ | |
| 9-22-09 | JLP | 60 | CV 0.25 | N | | | ↓ |
| | | 61 | W | N | | | |
| | | 62 | CV 0.25 | Y | | | |
| | | 63 | W | N | | | |
| | | 64 | WG68988-1 | Y | | | |
| | | 65 | ↓ -2 | Y | | | ~~↓ DMF~~ JLP 092309 |
| | | 66 | W | N | | | |
| | | 67 | WG68988-3 | Y | | | |
| | | 68 | W | N | | | |
| | | 69 | SC 5605-6 A | Y | | | |
| | | 70 | SC5606-21 A | Y | | | |
| | | 71 | WG68961-1 | Y | | | |
| | | 72 | ↓ -2 | Y | | | |
| | | 73 | W | N | | | |
| | | 74 | WG68961-3 | Y | | | |
| | | 75 | W | N | | | |
| | | 76 | CV 0.25 | Y | | | ↓ |
| | | 77 | W | N | | | |
| | | 78 | CV 0.25 | N | | | ↓ |
| | | 79 | W | N | | | |
| | | New liner + Septa | | | | | |
| | | 80 | CV 0.25 | N | | | signal dropped |
| | | 81 | W | N | | | |
| | | 82 | CV 0.25 | N | | | ↓ |
| ↓ | ↓ | 83 | W | N | ↓ | ↓ | |

| | STANDARD ID | uL added | STD. CODE | STD. CODE |
|---|---|---|---|---|
| 1 | Surrogate | 5ul | GCV2346 | |
| 2 | LCS | 10ul | GCV2305 | |
| 3 | CV | — | GCV2309 | |
| 4 | | | | |

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal_____ Power_____

Reviewed by/Date:_____

| Date | Init | Result File | Sample Number | Accept Y/N | Method Channel A: B: | Column | Comments |
|---|---|---|---|---|---|---|---|
| 10-8-09 | JWP | BCJ2056 | Water | N | DMFB040A | 342 | |
| | | 57 | Prime | | | | |
| | | 58 | Water | | | | |
| | | 59 | ICAL 0.02 | Y | | | GCV2306 |
| | | 60 | 0.05 | | | | GCV2307 |
| | | 61 | 0.1 | | | | GCV2308 |
| | | 62 | W | N | | | |
| | | 63 | ICAL 0.25 | Y | | | GCV2309 |
| | | 64 | W | N | | | |
| | | 65 | ICAL 0.5 | N | | | ↑ response |
| | | 66 | W | N | | | |
| | | 67 | W | N | | | |
| | | 68 | ICAL 1.0 | Y | | | GCV2311 |
| | | 69 | W | N | | | |
| | | 70 | W | N | | | |
| | | 71 | W | N | | | |
| | | 72 | ICAL 0.5 | Y | | | GCV2310 |
| | | 73 | W | N | | | |
| | | 74 | W | N | | | |
| | KT | 75 | WG68776-1 | Y | | | |
| | | 76 | -2 | Y | | | spike |
| | | 77 | W | N | | | |
| | | 78 | WG68776-3 | Y | | | |
| | | 79 | W | N | | | |
| | | 80 | WG68776-4 | Y | | | |
| | | 81 | W | N | | | |
| | | 82 | WG68776-5 | Y | | | |

| | STANDARD ID | uL added | STD. CODE | STD. CODE |
|---|---|---|---|---|
| 1 | Surrogate | | | |
| 2 | LCS | | | |
| 3 | CV | | | |
| 4 | | | | |

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal_____ Power_____

Reviewed by/Date:_____

| Date | Init | Result File | Sample Number | Accept Y/N | Method Channel A: B: | Column | Comments |
|---|---|---|---|---|---|---|---|
| 10-8-09 | KT | BCJ2083 | W | N | DMFB040A | 342 | |
| | | 84 | SC5256-1 | Y | | | |
| | | 85 | SC5326-1 | | | | |
| | | 86 | -2 | | | | |
| | | 87 | -3 | | | | |
| | | 88 | -4 | | | | |
| | | 89 | CV 0.25 | Y | | | |
| | | 90 | W | N | | | |
| | | 91 | SC5415-1 | Y | | | |
| | | 92 | -2 | | | | |
| | | 93 | -3 | | | | |
| | | 94 | -4 | | | | |
| | | 95 | -5 | | | | |
| | | 96 | -6 | | | | |
| | | 97 | -7 | | | | |
| | | 98 | -8 | | | | |
| | | 99 | -9 | | | | |
| | | BCJ2100 | WG68986-1 | | | | |
| | | 101 | CV 0.25 | Y | | | |
| | | 102 | W | N | | | |
| | | 103 | WG68986-2 | Y | | | Spike ↓ |
| | | 104 | W | N | | | |
| | | 105 | WG68986-3 | Y | | | |
| | | 106 | W | N | | | |
| | | 107 | SC5605-1 | Y | | | |
| | | 108 | -2 | | | | |
| | | 109 | -3 | | | | |

| | STANDARD ID | uL added | STD. CODE | STD. CODE |
|---|---|---|---|---|
| 1 | Surrogate | | | |
| 2 | LCS | | | |
| 3 | CV | — | GCV2309 | |
| 4 | | | | |

Katahdin Analytical Services, Inc
GC Laboratory Instrument Runlog
Instrument GC11

Method (circle):
SW846 8015M - Glycols
SW846 8015M - Alcohols
SW846 8015M - 2-MOE
SW846 8033M - DMF
Signal_____ Power_____

Reviewed by/Date:_____

| Date | Init | Result File | Sample Number | Accept Y/N | Method Channel A: B: | Column | Comments |
|---|---|---|---|---|---|---|---|
| 10-8-09 | KT | BCJ2 110 | SC5605-4 | Y | DnFB040A | 342 | |
| 10-9-09 | ↓ | ↓ 111 | ↓ -5 | Y | ↓ | ↓ | |
| ↓ | ↓ | 112 | CV 0.25 | Y | ↓ | ↓ | SS↓ |
| ↓ | ↓ | 113 | W | N | ↓ | ↓ | |
| ↓ | ↓ | 114 | W | N | ↓ | ↓ | |

| | STANDARD ID | uL added | STD. CODE | STD. CODE |
|---|---|---|---|---|
| 1 | Surrogate | | | |
| 2 | LCS | | | |
| 3 | CV | — | GCV2309 | |
| 4 | | | | |

KATAHDIN ANALYTICAL SERVICES

GC SOIL PREP LOG

| Date of Sample Preparation | Analyst Initials | Sample # | Sample Weight (g) | Volume ~~Methanol~~ DI $H_2O$ (mL) | Spike ID and Volume (µL) | Surrogate ID and Volume (µL) | Method | Comments |
|---|---|---|---|---|---|---|---|---|
| 9-17-09 | JLP | WG687776-1 | 0.98 | 40 | NA | 200ul GCV2348 100ug/mL | 8033 | Shaken Start: 1435 Stop: 0710 |
| | | -2 | 0.97 | | 100ul GCV2304 100ug/mL | 100ul GCV2348 100ug/mL | | |
| | | -3 | 1.01 | | | | | |
| | | -4 | 1.97 | | | | | SC5415-7MS A |
| | | -5 | 1.35 | | | | | -7MSD A |
| | | SC5256-1A | 1.07 | | NA | 200 ul GCV2348 100ug/mL | | |
| | | SC5326-1 | 1.39 | | | | | |
| | | -2 | 1.47 | | | | | |
| | | -3 | 1.47 | | | | | |
| | | -4 | 1.41 | | | | | |
| | | SC5415-1 | 1.50 | | | | | |
| | | -2 | 1.05 | | | | | |
| | | -3 | 1.68 | | | | | |
| | | -4 | 1.34 | | | | | |
| | | -5 | 1.73 | | | | | |

Reviewed By: _____ Date: _____

KATAHDIN ANALYTICAL SERVICES
GC SOIL PREP LOG

| Date of Sample Preparation | Analyst Initials | Sample # | Sample Weight (g) | Volume ~~Methanol~~ DI $H_2O$ (mL) | Spike ID and Volume (µL) | Surrogate ID and Volume (µL) | Method | Comments |
|---|---|---|---|---|---|---|---|---|
| 9-17-09 | JLP | SC5415-6A | 1.22 | 40 | NA | 200ul GCV2348 100ug/mL | 8033 | |
| ↓ | ↓ | -7 | 1.44 | ↓ | ↓ | ↓ | ↓ | |
| ↓ | ↓ | -8 | 1.23 | ↓ | ↓ | ↓ | ↓ | |
| ↓ | ↓ | -9 | 1.65 | ↓ | ↓ | ↓ | ↓ | |
| | | | | | | | | JLP 091709 |

Reviewed By: _____ Date: _____

QAGC201 Katahdin Analytical Services 100016800

KATAHDIN ANALYTICAL SERVICES
GC SOIL PREP LOG

| Date of Sample Preparation | Analyst Initials | Sample # | Sample Weight (g) | Volume ~~Methanol~~ DI H2O (mL) | Spike ID and Volume (µL) | Surrogate ID and Volume (µL) | Method | Comments |
|---|---|---|---|---|---|---|---|---|
| 9-23-09 | JLP | WG689864 | 0.98 | 40 | NA | 200ul GCV2346 100ug/mL | 8033 | Shaked Start: 1430 Stop: 0710 |
| | | -2 | 1.00 | | 100ul GCV2304 100ug/mL | 100ul GCV2346 100ug/mL | | |
| | | -3 | 0.99 | | | | | |
| | | SC5416-1A | 1.48 | | NA | 200ul GCV2346 100ug/mL | | |
| | | SC5607-1 | 1.90 | | | | | |
| | | -2 | 1.92 | | | | | |
| | | SC5605-1 | 1.38 | | | | | |
| | | -2 | 1.17 | | | | | |
| | | -3 | 1.91 | | | | | |
| | | -4 | 1.83 | | | 200ul GCV2348 100ug/mL | | |
| | | -5 | 1.96 | | | | | |
| | | | | | | | | JP 092409 |

Reviewed By: _____ Date: _____

# CONVENTIONAL AND PHYSICAL ANALYTICAL DATA

# QC Summary Section

# Quality Control Report

**Blank Sample Summary Report**

## *Total Solids*

| Samp Type | QC Batch | Anal. Method | Anal. Date | Prep. Date | Result | PQL |
|---|---|---|---|---|---|---|
| MBLANK | WG68699 | ASTM D2216 | 16-SEP-09 | 15-SEP-09 | U 1 % | 1 % |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

**Blank Sample Summary Report**

## *Total Solids*

| Samp Type | QC Batch | Anal. Method | Anal. Date | Prep. Date | Result | PQL |
|---|---|---|---|---|---|---|
| MBLANK | WG68904 | ASTM D2216 | 21-SEP-09 | 18-SEP-09 | U 1 % | 1 % |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

**Blank Sample Summary Report**

## *Total Solids*

| Samp Type | QC Batch | Anal. Method | Anal. Date | Prep. Date | Result | PQL |
|---|---|---|---|---|---|---|
| MBLANK | WG69073 | ASTM D2216 | 24-SEP-09 | 23-SEP-09 | U 1 % | 1 % |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029
http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Laboratory Control Sample Summary Report

### *Total Solids*

| Lab Sample Id | Samp Type | QC Batch | Analysis Date | Prep Date | Units | Spike Amt. | Result | Recovery | Acceptance Range | RPD |
|---|---|---|---|---|---|---|---|---|---|---|
| WG68699-2 | LCS | WG68699 | 16-SEP-09 | 15-SEP-09 | % | 90 | 90. | 100 | 80-120 | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029
http://katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Laboratory Control Sample Summary Report

### *Total Solids*

| Lab Sample Id | Samp Type | QC Batch | Analysis Date | Prep Date | Units | Spike Amt. | Result | Recovery | Acceptance Range | RPD |
|---|---|---|---|---|---|---|---|---|---|---|
| WG68904-2 | LCS | WG68904 | 21-SEP-09 | 18-SEP-09 | % | 90 | 90. | 100 | 80-120 | |
| WG68904-4 | LCSD | WG68904 | 21-SEP-09 | 18-SEP-09 | % | 90 | 90. | 100 | 80-120 | 0 |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

# Quality Control Report

## Laboratory Control Sample Summary Report

### *Total Solids*

| Lab Sample Id | Samp Type | QC Batch | Analysis Date | Prep Date | Units | Spike Amt. | Result | Recovery | Acceptance Range | RPD |
|---|---|---|---|---|---|---|---|---|---|---|
| WG69073-2 | LCS | WG69073 | 24-SEP-09 | 23-SEP-09 | % | 90 | 90. | 100 | 80-120 | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Quality Control Report

## Duplicate Sample Summary Report

### *Total Solids*

| Duplicate Sample ID | Original Sample ID | QC Batch | Analysis Date | Result Units | Sample Result | Duplicate Result | RPD(%) | RPD Limit |
|---|---|---|---|---|---|---|---|---|
| WG68904-5 | SC5415-5 | WG68904 | 21-SEP-09 | % | 93. | 93. | 0 | 20 |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029



http://katahdinlab.com
sales@katahdinlab.com

# Sample Data Section

## KATAHDIN ANALYTICAL SERVICES – INORGANIC DATA QUALIFIERS

**(Refer to BOD Qualifiers Page for BOD footnotes)**

The sampled date indicated on the attached Report(s) of Analysis (ROA) is the date for which a grab sample was collected or the date for which a composite sample was completed. Beginning and start times for composite samples can be found on the Chain-of-Custody.

U Indicates the compound was analyzed for but not detected above the laboratory Practical Quantitation Limit.

E Estimated value. This flag identifies compounds whose concentrations exceed the upper level of the calibration range of the instrument for that specific analysis.

J Estimated value. The analyte was detected in the sample at a concentration less than the laboratory Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).

I-7 The laboratory's Practical Quantitation Level could not be achieved for this parameter due to sample composition, matrix effects, sample volume, or quantity used for analysis.

A-4 Please refer to cover letter or narrative for further information.

MCL Maximum Contaminant Level

NL No limit

NFL No Free Liquid Present

FLP Free Liquid Present

NOD No Odor Detected

TON Threshold Odor Number

H1 Please note that the regulatory holding time for pH is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. pH for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

H2 Please note that the regulatory holding time for DO is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. DO for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

H3 Please note that the regulatory holding time for sulfite is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Sulfite for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

H4 Please note that the regulatory holding time for residual chlorine is "analyze immediately". Ideally, this analysis must be performed in the field at the time of sample collection. Residual chlorine for this sample was not performed at the time of sample collection. The analysis was performed as soon as possible after receipt by the laboratory.

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5256-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-472-30/32-XXX | SL | 04-SEP-09 | 04-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 91. % | 1 | SM2540G | WG68699 | 16-SEP-09 08:30:00 | ASTM D2216 | 15-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-450-0.0/1.0-X | SL | 09-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-2
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-450-8.0/10-XX | SL | 09-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 87. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-3
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-466-30/32-XXX | SL | 08-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 91. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5326-4
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-466-6.0/8.0-X | SL | 08-SEP-09 | 10-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 93. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-427-0.0/1.0-X | SL | 10-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 93. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-2
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-434-0.0/1.0-X | SL | 10-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-3
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-434-7.0/9.0-X | SL | 10-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-4
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-0.0/1.0-X | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 97. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-5
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-16/18-XXX | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 93. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-6
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-7.0/9.0-D | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-7
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-456-7.0/9.0-X | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-8
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-457-0.0/1.0-X | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 95. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5415-9
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-457-8.0/10-XX | SL | 11-SEP-09 | 12-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 94. % | 1 | SM2540G | WG68904 | 21-SEP-09 10:00:00 | ASTM D2216 | 18-SEP-09 | JF | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-1
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-413-0.0/1.0-X | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 73. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

600 Technology Way
P.O. Box 540, Scarborough, ME 04070
Tel:(207) 874-2400 Fax:(207) 775-4029

http://katahdinlab.com
sales@katahdinlab.com

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-2
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-413-1.0/5.0-X | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 88. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-3
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-435-0.0/1.0-X | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 19. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-4
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-435-11/15-XXX | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

Katahdin
ANALYTICAL SERVICES

Cert No E87604

# Report of Analytical Results

**Client:** Chris Ricardi
Mactec Engineering and Consulting
P.O. Box 7050 DTS
Portland,ME 04112-7050

**Lab Sample ID:** SC5605-5
**Report Date:** 08-OCT-09
**Client PO:** ERRE9844 REWI0014
**Project:** Wilmington
**SDG:** WIL-7

| Sample Description | Matrix | Date Sampled | Date Received |
|---|---|---|---|
| OC-SB-435-6.0/10-XX | SL | 17-SEP-09 | 19-SEP-09 |

| Parameter | Result | Adj PQL | Anal. Method | QC.Batch | Anal. Date | Prep. Method | Prep. Date | Analyst | Footnotes |
|---|---|---|---|---|---|---|---|---|---|
| Total Solids | 92. % | 1 | SM2540G | WG69073 | 24-SEP-09 09:00:00 | ASTM D2216 | 23-SEP-09 | JF | |

# Raw Data Section

TOTAL SOLIDS BATCH REPORT
Sep 16 2009, 09:27 am
Batch: WG68699

| Sample | Matrix | Type | Batch | Prep Date | Tare | Initial | Final | by | Date | Raw TS | Rep TS | Recovery | RPD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SC5141-3 | SL | SAMP | WG68699 | 15-SEP-09 | 1.017 g | 6.765 g | 6.035 g | JF | 16-SEP-09 | 87.3000 | 87. % | | |
| SC5142-1 | SL | SAMP | WG68699 | 15-SEP-09 | .986 g | 8.146 g | 7.936 g | JF | 16-SEP-09 | 97.0670 | 97. % | | |
| SC5142-2 | SL | SAMP | WG68699 | 15-SEP-09 | 1.093 g | 5.467 g | 4.736 g | JF | 16-SEP-09 | 83.2880 | 83. % | | |
| SC5142-3 | SL | SAMP | WG68699 | 15-SEP-09 | 1.078 g | 6.514 g | 6.042 g | JF | 16-SEP-09 | 91.3170 | 91. % | | |
| SC5142-4 | SL | SAMP | WG68699 | 15-SEP-09 | 1.12 g | 5.183 g | 4.875 g | JF | 16-SEP-09 | 92.4190 | 92. % | | |
| SC5142-5 | SL | SAMP | WG68699 | 15-SEP-09 | 1.088 g | 4.874 g | 4.152 g | JF | 16-SEP-09 | 80.9300 | 81. % | | |
| SC5255-1 | SL | SAMP | WG68699 | 15-SEP-09 | .999 g | 5.589 g | 5.243 g | JF | 16-SEP-09 | 92.4620 | 92. % | | |
| SC5255-2 | SL | SAMP | WG68699 | 15-SEP-09 | 1.008 g | 5.97 g | 4.41 g | JF | 16-SEP-09 | 68.5610 | 68. % | | |
| SC5256-1 | SL | SAMP | WG68699 | 15-SEP-09 | 1,010 ~~1.1~~ g | 6.809 g | 6.278 g | JF | 16-SEP-09 | 90.8432 ~~90.6990~~ | 91. % | | |
| SC5385-1 | SL | SAMP | WG68699 | 15-SEP-09 | .992 g | 4.805 g | 4.645 g | JF | 16-SEP-09 | 95.8040 | 96. % | | |
| SC5385-2 | SL | SAMP | WG68699 | 15-SEP-09 | .995 g | 5.106 g | 4.478 g | JF | 16-SEP-09 | 84.7240 | 85. % | | |
| WG68699-1 | SL | MBLANK | WG68699 | 15-SEP-09 | .947 g | .947 g | .946 g | JF | 16-SEP-09 | -0.1000 | 1 % | | |
| WG68699-2 | SL | LCS | WG68699 | 15-SEP-09 | 1.006 g | 6.026 g | 5.51 g | JF | 16-SEP-09 | 89.7210 | 90. % | 100 | |
| WG68699-3 | SL | DUP | WG68699 | 15-SEP-09 | 1.009 g | 4.844 g | 4.693 g | JF | 16-SEP-09 | 96.0620 | 96. % | | 0 |

Comments:

| | |
|---|---|
| SC5141-3 | MS/MSD |
| WG68699-1 | SC5385-1 |
| WG68699-2 | SC5385-1 |
| WG68699-3 | SC5385-1 |

Entered by: _____ Date: 9-16-09 Accepted by: _____ Date: 09/17/09

Katahdin Analytical Services 5000032

# KATAHDIN ANALYTICAL SERVICES, INC.

WG65689 R109145

| | | | |
|---|---|---|---|
| TOTAL SOLIDS: ASTM D2216 | | PQL: 0.10% | BALANCE ID: SANTORIUS 300S0012 |
| TOTAL VOLATILE SOLIDS: SM2540 G | E160.4 | PQL: 0.10% | ASTM CLASS 1 WEIGHTS |
| ANALYST IN: | ANALYST OUT: | | |
| DATE IN: 9-15-09 | DATE OUT: 9-16-09 | | |
| TIME IN: 1220 | TIME OUT: 800 | | |
| TEMP IN: 105 | TEMP OUT: 105 | | |
| Oven ID: 107 N00042 FISHER | Muffle Oven ID: | | |
| CHECKED BY: | DATE: 09/16/09 | | |

| TRUE WT (g) | INITIAL WT (g) | FINAL WT (g) |
|---|---|---|
| 2.0000 | 2.000 | 2.000 |
| 5.0000 | 5.002 | 5.000 |
| 10.0000 | 10.002 | 10.002 |
| 100.0000 | | |

| | SAMPLE ID | DISH ID | DISH WT (g) | DISH WET WT (g) | DISH DRY WT (g) | DISH/ASH WT (g) | TIME |
|---|---|---|---|---|---|---|---|
| WG65689-1 | Blank | 1 | 0.947 | 0.947 | 0.946 | | 830 |
| -2 | LCS | 2 | 1.006 ~~0.992~~ 9/15/09 | 6.026 | 5.510 | | 831 |
| | SC5385-1F | 3 | 0.992 | 4.805 | 4.645 | | 832 |
| -3 | Dup -1F | 4 | 1.009 | 4.844 | 4.693 | | 833 |
| | -2F | 5 | 0.995 | 5.106 | 4.478 | | 834 |
| | SC5255-1A | 6 | 0.999 | 5.589 | 5.243 | | 835 |
| | -2A | 7 | 1.008 | 5.970 | 5.410 | | 836 |
| | SC5256-1A | 8 | 1.010 | 6.809 | 6.278 | | 837 |
| | SC5141-3A | 9 | 1.017 | 6.765 | 6.035 | | 838 |
| | SC5294-1B | 10 | 0.981 | 2.725 | 2.680 | | 839 |
| | SC5294-6B 9/15/09 | 11 | 0.996 | 2.342 | 2.293 | | 840 |
| | Dup -6C | 12 | 0.999 | 2.303 | 2.255 | | 841 |
| | -2A | 13 | 0.992 | 2.945 | 2.905 | | 842 |
| | -3A | 14 | 1.014 | 2.524 | 2.480 | | 843 |
| | -4A | 15 | 0.988 | 2.712 | 2.656 | | 844 |
| | -5A | 16 | 1.005 | 2.794 | 2.713 | | 845 |
| | -7A | 17 | 0.990 | 2.897 | 2.855 | | 846 |
| | -8A | 18 | 0.985 | 3.223 | 3.146 | | 847 |
| | -9A | 19 | 0.993 | 2.549 | 2.478 | | 848 |
| | SC5442-1A | 20 | 0.986 | 8.146 | 7.936 | | 849 |
| | -2A | 21 | 1.093 | 5.467 | 4.736 | | 850 |
| | -3A | 22 | 1.078 | 6.514 | 6.042 | | 851 |
| | -4A | 23 | 1.120 | 5.183 | 4.875 | | 852 |
| | -5A | 24 | 1.088 | 4.624 | 4.152 | | 853 |

OV DRY

Katahdin Analytical Services 5000033

TOTAL SOLIDS BATCH REPORT
Sep 21 2009, 10:25 am
Batch: WG68904

| Sample | Matrix | Type | Batch | Prep Date | Tare | Initial | Final | by | Date | Raw TS | Rep TS | Recovery | RPD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SC5326-1 | SL | SAMP | WG68904 | 18-SEP-09 | 1.1 g | 5.668 g | 5.409 g | JF | 21-SEP-09 | 94.3300 | 94. % | | |
| SC5326-2 | SL | SAMP | WG68904 | 18-SEP-09 | 1.129 g | 7.24 g | 6.442 g | JF | 21-SEP-09 | 86.9420 | 87. % | | |
| SC5326-3 | SL | SAMP | WG68904 | 18-SEP-09 | 1.099 g | 5.392 g | 5.013 g | JF | 21-SEP-09 | 91.1720 | 91. % | | |
| SC5326-4 | SL | SAMP | WG68904 | 18-SEP-09 | 1.098 g | 6.764 g | 6.377 g | JF | 21-SEP-09 | 93.1700 | 93. % | | |
| SC5415-1 | SL | SAMP | WG68904 | 18-SEP-09 | 1.063 g | 5.088 g | 4.811 g | JF | 21-SEP-09 | 93.1180 | 93. % | | |
| SC5415-2 | SL | SAMP | WG68904 | 18-SEP-09 | 1.089 g | 5.527 g | 5.245 g | JF | 21-SEP-09 | 93.6460 | 94. % | | |
| SC5415-3 | SL | SAMP | WG68904 | 18-SEP-09 | 1.095 g | 6.15 g | 5.722 g | JF | 21-SEP-09 | 91.5330 | 92. % | | |
| SC5415-4 | SL | SAMP | WG68904 | 18-SEP-09 | 1.097 g | 6.122 g | 5.983 g | JF | 21-SEP-09 | 97.2340 | 97. % | | |
| SC5415-5 | SL | SAMP | WG68904 | 18-SEP-09 | 1.088 g | 7.068 g | 6.656 g | JF | 21-SEP-09 | 93.1100 | 93. % | | |
| SC5415-6 | SL | SAMP | WG68904 | 18-SEP-09 | 1.094 g | 7.262 g | 6.913 g | JF | 21-SEP-09 | 94.3420 | 94. % | | |
| SC5415-7 | SL | SAMP | WG68904 | 18-SEP-09 | 1.112 g | 5.386 g | 5.045 g | JF | 21-SEP-09 | 92.0220 | 92. % | | |
| SC5415-8 | SL | SAMP | WG68904 | 18-SEP-09 | 1.113 g | 7.283 g | 6.971 g | JF | 21-SEP-09 | 94.9430 | 95. % | | |
| SC5415-9 | SL | SAMP | WG68904 | 18-SEP-09 | 1.11 g | 6.34 g | 6.009 g | JF | 21-SEP-09 | 93.6710 | 94. % | | |
| SC5550-1 | SL | SAMP | WG68904 | 18-SEP-09 | 1.095 g | 5.31 g | 5.247 g | JF | 21-SEP-09 | 98.5050 | 98. % | | |
| WG68904-1 | SL | MBLANK | WG68904 | 18-SEP-09 | 1 g | 1 g | 1 g | JF | 21-SEP-09 | 0.0000 | 1 % | | |
| WG68904-2 | SL | LCS | WG68904 | 18-SEP-09 | .999 g | 6.011 g | 5.496 g | JF | 21-SEP-09 | 89.7250 | 90. % | 100 | |
| WG68904-4 | SL | LCSD | WG68904 | 18-SEP-09 | 1.008 g | 6.025 g | 5.51 g | JF | 21-SEP-09 | 89.7350 | 90. % | 100 | 0 |
| WG68904-5 | SL | DUP | WG68904 | 18-SEP-09 | 1.119 g | 7.083 g | 6.69 g | JF | 21-SEP-09 | 93.4100 | 93. % | | 0 |

Comments:

| | |
|---|---|
| SC5415-7 | MS/MSD |
| WG68904-1 | SC5415-5 |
| WG68904-2 | SC5415-5 |
| WG68904-4 | SC5415-5 |
| WG68904-5 | SC5415-5 |

Entered by: _____ Date: 9-21-09 Accepted by: _____ Date: 09/22/09

Katahdin Analytical Services 5000034

# KATAHDIN ANALYTICAL SERVICES, INC.

WG 68904 R109559

| | | | |
|---|---|---|---|
| TOTAL SOLIDS: ASTM D2216 | | PQL: 0.10% | BALANCE ID: SARTORIUS 3005002 |
| TOTAL VOLATILE SOLIDS: SM2540 G | E160.4 | PQL: 0.10% | ASTM CLASS 1 WEIGHTS |
| ANALYST IN: | ANALYST OUT: | | |
| DATE IN: 9-18-09 | DATE OUT: 9-21-09 | | |
| TIME IN: 1550 | TIME OUT: 1100 | | |
| TEMP IN: 105 | TEMP OUT: 105 | | |
| Oven ID: 107 N004 FISH61 | Muffle Oven ID: | | |
| CHECKED BY: | DATE: 09/11/09 | | |

| TRUE WT (g) | INITIAL WT (g) | FINAL WT (g) |
|---|---|---|
| 2.0000 | 2.000 | 2.000 |
| 5.0000 | 5.001 | 4.999 |
| 10.0000 | 10.002 | 10.000 |
| 100.0000 | | |

| SAMPLE ID | DISH ID | DISH WT (g) | DISH WET WT (g) | DISH DRY WT (g) | DISH/ASH WT (g) | TIME |
|---|---|---|---|---|---|---|
| WG68904-1 Blank | 45 | 1.000 | 1.000 | 1.000 | | 1000 |
| -2 [illegible] | 46 | 0.999 | 6.011 | 5.496 | | 1001 |
| -3 4 Lab | 47 | 1.008 | 6.025 | 5.510 | | 1002 |
| SC5528-11E (20) | 48 | 0.945 | 5.712 | 4.956 | | 1003 |
| Dup -11E (20) | 49 | 0.988 | 5.710 | 4.991 | | 1004 |
| SC5550-1B | 50 | 1.095 | 6.310 | 5.247 | | 1005 |
| SC5326-1A | 51 | 1.100 | 5.668 | 5.407 | | 1006 |
| -2A | 52 | 1.129 | 7.240 | 6.442 | | 1007 |
| -3A | 53 | 1.099 | 5.392 | 5.013 | | 1008 |
| -4A | 54 | 1.098 | 6.764 | 6.377 | | 1009 |
| SC5415-1A | 55 | 1.063 | 5.088 | 4.841 | | 1010 |
| -2A | 56 | 1.089 | 5.527 | 5.245 | | 1011 |
| -3A | 57 | 1.095 | 6.150 | 5.722 | | 1012 |
| -4A | 58 | 1.097 | 6.122 | 5.883 | | 1013 |
| -5A | 59 | 1.088 | 7.068 | 6.656 | | 1014 |
| -5 Dup -5A | 60 | 1.119 | 7.083 | 6.690 | | 1015 |
| -6A | 61 | 1.094 | 7.262 | 6.913 | | 1016 |
| -7A | 62 | 1.112 | 5.386 | 6.045 | | 1017 |
| -8A | 63 | 1.113 | 7.283 | 6.971 | | 1018 |
| -9A | 64 | 1.110 | 6.340 | 6.009 | | 1019 |

QAWL555

TOTAL SOLIDS BATCH REPORT
Sep 24 2009, 01:49 pm
Batch: WG69073

| Sample | Matrix | Type | Batch | Prep Date | Tare | Initial | Final | by | Date | Raw TS | Rep TS | Recovery | RPD |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SC5605-1 | SL | SAMP | WG69073 | 23-SEP-09 | 1.095 g | 4.173 g | 3.349 g | JF | 24-SEP-09 | 73.2290 | 73. % | | |
| SC5605-2 | SL | SAMP | WG69073 | 23-SEP-09 | 1.064 g | 5.538 g | 5.026 g | JF | 24-SEP-09 | 88.5560 | 88. % | | |
| SC5605-3 | SL | SAMP | WG69073 | 23-SEP-09 | 1.092 g | 5.754 g | 1.991 g | JF | 24-SEP-09 | 19.2840 | 19. % | | |
| SC5605-4 | SL | SAMP | WG69073 | 23-SEP-09 | 1.118 g | 7.985 g | 7.414 g | JF | 24-SEP-09 | 91.6850 | 92. % | | |
| SC5605-5 | SL | SAMP | WG69073 | 23-SEP-09 | 1.119 g | 5.943 g | 5.533 g | JF | 24-SEP-09 | 91.5010 | 92. % | | |
| SC5606-1 | SL | SAMP | WG69073 | 23-SEP-09 | 1.089 g | 7.405 g | 2.464 g | JF | 24-SEP-09 | 21.7700 | 22. % | | |
| SC5606-10 | SL | SAMP | WG69073 | 23-SEP-09 | 1.102 g | 5.33 g | 4.531 g | JF | 24-SEP-09 | 81.1020 | 81. % | | |
| SC5606-11 | SL | SAMP | WG69073 | 23-SEP-09 | 1.079 g | 6.723 g | 5.948 g | JF | 24-SEP-09 | 86.2690 | 86. % | | |
| SC5606-12 | SL | SAMP | WG69073 | 23-SEP-09 | 1.12 g | 5.993 g | 5.106 g | JF | 24-SEP-09 | 81.7980 | 82. % | | |
| SC5606-13 | SL | SAMP | WG69073 | 23-SEP-09 | 1.1 g | 7.976 g | 5.188 g | JF | 24-SEP-09 | 59.4530 | 59. % | | |
| SC5606-2 | SL | SAMP | WG69073 | 23-SEP-09 | 1.094 g | 6.63 g | 5.378 g | JF | 24-SEP-09 | 77.3840 | 77. % | | |
| SC5606-3 | SL | SAMP | WG69073 | 23-SEP-09 | 1.072 g | 7.251 g | 6.706 g | JF | 24-SEP-09 | 91.1800 | 91. % | | |
| SC5606-4 | SL | SAMP | WG69073 | 23-SEP-09 | 1.093 g | 4.389 g | 3.759 g | JF | 24-SEP-09 | 80.8860 | 81. % | | |
| SC5606-5 | SL | SAMP | WG69073 | 23-SEP-09 | 1.133 g | 8.283 g | 7.102 g | JF | 24-SEP-09 | 83.4820 | 83. % | | |
| SC5606-6 | SL | SAMP | WG69073 | 23-SEP-09 | 1.107 g | 5.28 g | 4.664 g | JF | 24-SEP-09 | 85.2380 | 85. % | | |
| SC5606-7 | SL | SAMP | WG69073 | 23-SEP-09 | 1.097 g | 4.73 g | 4.096 g | JF | 24-SEP-09 | 82.5490 | 82. % | | |
| SC5606-8 | SL | SAMP | WG69073 | 23-SEP-09 | 1.075 g | 4.593 g | 4.111 g | JF | 24-SEP-09 | 86.2990 | 86. % | | |
| SC5606-9 | SL | SAMP | WG69073 | 23-SEP-09 | 1.102 g | 4.275 g | 3.681 g | JF | 24-SEP-09 | 81.2800 | 81. % | | |
| SC5636-1 | SL | SAMP | WG69073 | 23-SEP-09 | 1.094 g | 4.386 g | 3.8 g | JF | 24-SEP-09 | 82.1990 | 82. % | | |
| SC5636-2 | SL | SAMP | WG69073 | 23-SEP-09 | 1.078 g | 4.977 g | 4.568 g | JF | 24-SEP-09 | 89.5100 | 90. % | | |
| WG69073-1 | SL | MBLANK | WG69073 | 23-SEP-09 | 1.074 g | 1.074 g | 1.076 g | JF | 24-SEP-09 | 0.2000 | 1 % | | |
| WG69073-2 | SL | LCS | WG69073 | 23-SEP-09 | 1.11 g | 6.129 g | 5.608 g | JF | 24-SEP-09 | 89.6190 | 90. % | 100 | |
| WG69073-3 | SL | DUP | WG69073 | 23-SEP-09 | 1.088 g | 4.392 g | 3.836 g | JF | 24-SEP-09 | 83.1720 | 83. % | | 1 |
| WG69073-4 | SL | DUP | WG69073 | 23-SEP-09 | 1.097 g | 4.347 g | 3.759 g | JF | 24-SEP-09 | 81.9080 | 82. % | | 1 |

Comments:

| | |
|---|---|
| WG69073-1 | SC5636-1 |
| WG69073-2 | SC5636-1 |
| WG69073-3 | SC5636-1 |
| WG69073-4 | SC5606-4 |

Entered by: _____ Date: 9-24-09 Accepted by: _____ Date: 09/25/09

# KATAHDIN ANALYTICAL SERVICES, INC.

WGL9073 R109871

| | | | |
|---|---|---|---|
| TOTAL SOLIDS: ASTM D2216 | | PQL: 0.10% | BALANCE ID: SAC TOCLS 300 50012 |
| TOTAL VOLATILE SOLIDS: SM2540 G | E160.4 | PQL: 0.10% | ASTM CLASS 1 WEIGHTS |
| ANALYST IN: [signature] | ANALYST OUT: [signature] | | |
| DATE IN: 9-23-09 | DATE OUT: 9-24-09 | | |
| TIME IN: 1700 | TIME OUT: 800 | | |
| TEMP IN: 105 | TEMP OUT: 105 | | |
| Oven ID: 107N0042 FISHER | Muffle Oven ID: | | |
| CHECKED BY: [signature] | DATE: 09/27/09 | | |

| TRUE WT (g) | INITIAL WT (g) | FINAL WT (g) |
|---|---|---|
| 2.0000 | 2.002 | 2.000 |
| 5.0000 | 5.002 | 5.000 |
| 10.0000 | 10.002 | 10.000 |
| 100.0000 | | |

| SAMPLE ID | DISH ID | DISH WT (g) | DISH WET WT (g) | DISH DRY WT (g) | DISH/ASH WT (g) | TIME |
|---|---|---|---|---|---|---|
| WGL9073 -1 Blank | 1 | 1.074 | 1.074 | 1.076 | | 900 |
| -2 LCS | 2 | 1.110 | 6.129 | 5.608 | | 901 |
| SC5636-1D | 3 | 1.094 | 4.386 | 3.800 | | 902 |
| -3 Dup -1D | 4 | 1.088 | 4.392 | 3.836 | | 903 |
| -2C | 5 | 1.078 | 4.977 | 4.568 | | 904 |
| SC5605-1A | 6 | 1.095 | 4.173 | 3.349 | | 905 |
| -2A | 7 | 1.064 | 5.538 | 5.026 | | 906 |
| -3A | 8 | 1.092 | 5.754 | 1.991 | | 907 |
| -4A | 9 | 1.118 | 7.955 | 7.414 | | 908 |
| -5A | 10 | 1.119 | 5.943 | 5.533 | | 909 |
| SC5606-1A | 11 | 1.089 | 7.405 | 2.464 | | 910 |
| -2A | 12 | 1.094 | 6.630 | 5.378 | | 911 |
| -3A | 13 | 1.072 | 7.251 | 6.706 | | 912 |
| -4A | 14 | 1.093 | 4.389 | 3.759 | | 913 |
| -4 Dup -4A | 15 | 1.097 | 4.347 | 3.759 | | 914 |
| -5A | 16 | 1.133 | 8.283 | 7.102 | | 915 |
| -6A | 17 | 1.107 | 5.280 | 4.664 | | 916 |
| -7A | 18 | 1.097 | 4.730 | 4.096 | | 917 |
| -8A | 19 | 1.075 | 4.593 | 4.111 | | 918 |
| -9A | 20 | 1.072 | 4.275 | 3.681 | | 919 |
| -10A | 21 | 1.102 ~~1.102~~ 9/23/09 | 5.330 | 4.531 | | 920 |
| -11A | 22 | 1.079 | 6.723 | 5.948 | | 921 |
| -12A | 23 | 1.120 | 5.993 | 5.106 | | 922 |
| -13A | 24 | 1.100 | 7.976 | 5.188 | | 923 |

OAWL555



Katahdin Analytical Services 5000037