From: Bercik, Lisa M. [lisa.bercik@aptim.com]
Sent: Monday, February 17, 2020 4:29 PM
To: Liscio, Matthew P CIV USN NAVSEA DET RASO VA (USA) [matthew.liscio@navy.mil]
CC: Mccray, Sean-Ryan CTR (USA) [sean-ryan.mccray.ctr@navy.mil]; Schul, Raymond [raymond.schul@aptim.com]; Greene, Rick [Rick.Greene@aptim.com]; Mangel, Amy [amy.mangel@aptim.com]
Subject: [Non-DoD Source] RE: Parcel F Data Summary/Status Review - Email 3b of 3
Attachments: AB Scan Data Log_SU4_Master File_012320.xlsx

Follow Up Flag: Follow up
Flag Status: Flagged

The last alpha/beta scan file from the Finger Piers

Lisa Bercik, PE, QSD, QSP
Project Manager

APTIM | Project Management

O 619 446 4508
M 619 213 3389
E lisa.bercik@aptim.com

From: Liscio, Matthew P CIV USN NAVSEA DET RASO VA (USA) <matthew.liscio@navy.mil>
Sent: Thursday, February 13, 2020 10:53 AM
To: Bercik, Lisa M. <lisa.bercik@aptim.com>
Cc: Mccray, Sean-Ryan CTR (USA) <sean-ryan.mccray.ctr@navy.mil>
Subject: RE: Parcel F Data Summary/Status Review

Hey Lisa, do you by chance have the survey data in a spreadsheet?

From: Bercik, Lisa M. <lisa.bercik@aptim.com>
Sent: Thursday, February 6, 2020 6:16 PM
To: Mccray, Sean-Ryan CTR (USA) <sean-ryan.mccray.ctr@navy.mil>; Liscio, Matthew P CIV USN NAVSEA DET RASO VA (USA) <matthew.liscio@navy.mil>; Mangel, Amy <amy.mangel@aptim.com>; Schul, Raymond <raymond.schul@aptim.com>; Greene, Rick <Rick.Greene@aptim.com>; Bright, Greg <GBright@cabreraservices.com> (GBright@cabreraservices.com) <GBright@cabreraservices.com>; Hay, Scott <SHay@cabreraservices.com>
Subject: [Non-DoD Source] RE: Parcel F Data Summary/Status Review

The agenda and data are attached for tomorrow's call.

Thank you,
Lisa

Lisa Bercik, PE, QSD, QSP
Project Manager

APTIM | Project Management

O 619 446 4508
M 619 213 3389
E lisa.bercik@aptim.com

-----Original Appointment-----
From: Bercik, Lisa M.
Sent: Wednesday, February 5, 2020 9:17 AM
To: Bercik, Lisa M.; Mccray, Sean-Ryan CTR (USA); matthew.liscio@navy.mil; Mangel, Amy; Schul, Raymond; Greene, Rick; Greg Bright; Hay, Scott
Subject: Parcel F Data Summary/Status Review
When: Friday, February 7, 2020 8:00 AM-9:30 AM (UTC-08:00) Pacific Time (US & Canada).
Where: Toll number: (b) (4) [redacted] # (Dial-in Number)

Call to review current status of Parcel F data and results. May not need the entire 90 minutes.

APTIM will provide brief agenda before the call.

.....

(b) (4) [redacted]

Join by phone

Toll number: (b) (4) [redacted] (Dial-in Number) English (United States)

Find a local number

Conference ID: (b) (4) [redacted]
Forgot your dial-in PIN? | Help

.....

INSTRUMENT EFFICIENCY

Meter ID	Instrument	Active Area (cm^2)	Total Efficiency	
			Alpha	Beta
M1	2929 SN155577/ 43-10-1 PR157789	100	0.331	0.382
M2	2360 SN278586/ 43-37 PR178371	584	0.067	0.190
M3	2360 SN215271/ 43-37 PR216985	584	0.074	0.192
M4	2360 SN184920/ 43-37 PR216983	584	0.075	0.198
M5	2360 SN220263/ 43-37 PR216985	584	0.077	0.206
M6	2360 SN278604/ 43-37 PR190617	584	0.067	0.196
M7	2360 SN245779/ 43-37 PR190618	584	0.066	0.207
M8	2360 SN275739/ 43-37 PR302114	584	0.076	0.195
M9	2360 SN184909/ 43-93 PR199841	100	0.111	0.151
M10	2360 SN276975/ 43-68 PR190487	125		

MATERIAL REFERENCE BACKGROUND (M2 thru M10)

Meter/ Material ID	Meter	Material	Count Time (Sec)	Median Reference Count	
				Alpha	Beta
M2Concrete	M2	Concrete	120	30	1511.5
M2Metal	M2	Metal	120	9	884
M2Material 3	M2	Material 3	120	#NUM!	#NUM!
M2Material 4	M2	Material 4	120	#NUM!	#NUM!
M2Material 5	M2	Material 5	120	#NUM!	#NUM!
M2Material 6	M2	Material 6	120	#NUM!	#NUM!
M2Material 7	M2	Material 7	120	#NUM!	#NUM!
M2Material 8	M2	Material 8	120	#NUM!	#NUM!
M2Material 9	M2	Material 9	120	#NUM!	#NUM!
M2Material 10	M2	Material 10	120	#NUM!	#NUM!
M3Concrete	M3	Concrete	120	47	1747
M3Metal	M3	Metal	120	10	833
M3Concrete2	M3	Concrete2	120	43.5	1288.5
M3Concrete3	M3	Concrete3	120	34	1590
M3Material 5	M3	Material 5	120	#NUM!	#NUM!
M3Material 6	M3	Material 6	120	#NUM!	#NUM!
M3Material 7	M3	Material 7	120	#NUM!	#NUM!
M3Material 8	M3	Material 8	120	#NUM!	#NUM!
M3Material 9	M3	Material 9	120	#NUM!	#NUM!
M3Material 10	M3	Material 10	120	#NUM!	#NUM!
M4Concrete	M4	Concrete	120	#NUM!	#NUM!
M4Metal	M4	Metal	120	10	1000.5
M4Material 3	M4	Material 3	120	#NUM!	#NUM!
M4Material 4	M4	Material 4	120	#NUM!	#NUM!
M4Material 5	M4	Material 5	120	#NUM!	#NUM!
M4Material 6	M4	Material 6	120	#NUM!	#NUM!
M4Material 7	M4	Material 7	120	#NUM!	#NUM!
M4Material 8	M4	Material 8	120	#NUM!	#NUM!

M4Material 9	M4	Material 9	120	#NUM!	#NUM!
M4Material 10	M4	Material 10	120	#NUM!	#NUM!
M5Concrete	M5	Concrete	120	63.5	2183
M5Metal	M5	Metal	120	24.5	1442.5
M5Concrete2	M5	Concrete2	120	46.5	2208
M5Concrete 3	M5	Concrete 3	120	84	2538.5
M5Material 5	M5	Material 5	120	#NUM!	#NUM!
M5Material 6	M5	Material 6	120	#NUM!	#NUM!
M5Material 7	M5	Material 7	120	#NUM!	#NUM!
M5Material 8	M5	Material 8	120	#NUM!	#NUM!
M5Material 9	M5	Material 9	120	#NUM!	#NUM!
M5Material 10	M5	Material 10	120	#NUM!	#NUM!
M6Concrete	M6	Concrete	120	38.5	1954.5
M6Metal	M6	Metal	120	7	1188.5
M6Concrete2	M6	Concrete2	120	31.5	1612
M6Material 4	M6	Material 4	120	#NUM!	#NUM!
M6Material 5	M6	Material 5	120	#NUM!	#NUM!
M6Material 6	M6	Material 6	120	#NUM!	#NUM!
M6Material 7	M6	Material 7	120	#NUM!	#NUM!
M6Material 8	M6	Material 8	120	#NUM!	#NUM!
M6Material 9	M6	Material 9	120	#NUM!	#NUM!
M6Material 10	M6	Material 10	120	#NUM!	#NUM!
M7Concrete	M7	Concrete	120	40.5	1991
M7Metal	M7	Metal	120	8	1208.5
M7Concrete2	M7	Concrete2	120	17	1531
M7Concrete3	M7	Concrete3	120	30	1567.5
M7Material 5	M7	Material 5	120	#NUM!	#NUM!
M7Material 6	M7	Material 6	120	#NUM!	#NUM!
M7Material 7	M7	Material 7	120	#NUM!	#NUM!
M7Material 8	M7	Material 8	120	#NUM!	#NUM!
M7Material 9	M7	Material 9	120	#NUM!	#NUM!
M7Material 10	M7	Material 10	120	#NUM!	#NUM!
M8Concrete	M8	Concrete	120	68	2104
M8Brick	M8	Brick	120	#NUM!	#NUM!
M8Metal	M8	Metal	120	20.5	1385.5
M8Concrete3	M8	Concrete3	120	72	2259
M8Material 5	M8	Material 5	60	#NUM!	#NUM!
M8Material 6	M8	Material 6	60	#NUM!	#NUM!
M8Material 7	M8	Material 7	60	#NUM!	#NUM!
M8Material 8	M8	Material 8	60	#NUM!	#NUM!
M8Material 9	M8	Material 9	60	#NUM!	#NUM!
M8Material 10	M8	Material 10	60	#NUM!	#NUM!
M9Concrete	M9	Concrete	60	#NUM!	#NUM!
M9Brick	M9	Brick	60	#NUM!	#NUM!
M9Metal	M9	Metal	60	#NUM!	#NUM!
M9Material 4	M9	Material 4	60	#NUM!	#NUM!
M9Material 5	M9	Material 5	60	#NUM!	#NUM!

M9Material 6	M9	Material 6	60	#NUM!	#NUM!
M9Material 7	M9	Material 7	60	#NUM!	#NUM!
M9Material 8	M9	Material 8	60	#NUM!	#NUM!
M9Material 9	M9	Material 9	60	#NUM!	#NUM!
M9Material 10	M9	Material 10	60	#NUM!	#NUM!
M10Concrete	M10	Concrete	60	#NUM!	#NUM!
M10Brick	M10	Brick	60	#NUM!	#NUM!
M10Metal	M10	Metal	60	#NUM!	#NUM!
M10Material 4	M10	Material 4	60	#NUM!	#NUM!
M10Material 5	M10	Material 5	60	#NUM!	#NUM!
M10Material 6	M10	Material 6	60	#NUM!	#NUM!
M10Material 7	M10	Material 7	60	#NUM!	#NUM!
M10Material 8	M10	Material 8	60	#NUM!	#NUM!
M10Material 9	M10	Material 9	60	#NUM!	#NUM!
M10Material 10	M10	Material 10	60	#NUM!	#NUM!

Instructions

* Enter Instrument info to table on left. Keep format consistant with example.
* Note: Use M1 for smear counter, if applicable
* Note: Use M2 through M10 for direct surface instruments (i.e 43-93, 43-37, etc.)
* If updates are made to 'Reference Area Background' excel file (i.e. new instrument is added, changes to instrument info, active area, efficiency, etc.), copy and paste **values** from 'Reference Area Background' excel file to table on left (paste over existing values). NOTE THAT EXISTING DATA WILL BE UPDATED TO REFLECT CHANGES IN INSTRUMENT EFFICIENCY AND/OR ACTIVE AREA. IF YOU WISH TO KEEP EXISTING DATA VALUES, THEN CHANGES TO AN INSTRUMENTS ACTIVE AREA OR EFFICIENCY NEEDS TO BE ENTERED AS A NEW INSTRUMENT.

Mean Reference Count		# of BKG
Alpha	Beta	Measurements
30.8	1521.55	20
9.75	873.65	20
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
46.25	1742.55	20
10.5	833	20
43.55	1299.65	20
34.85	1592.9	20
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
10.2	997.4	20
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0

Instructions

* **Copy and paste values from 'Reference Area Background' exc**
* If updates are made to 'Reference Area Background' excel file added, or changes to existing material background), copy and pa Area Background' excel file to table on left (paste over existing v DATA WILL BE UPDATED TO REFLECT CHANGES IN MATERIAL RE VALUES. IF YOU WISH TO KEEP EXISTING DATA VALUES, THEN CH REFERENCE BACKGROUND NEEDS TO BE ENTERED AS A NEW MA 2, etc.).

#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
62.4	2174.9	20
26	1443.7	20
50.45	2207.35	20
84.75	2548.85	20
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
40.6	1951.85	20
7	1191.9	20
30.2	1568	20
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
42.35	1990.4	20
8.1	1210.6	20
17.85	1539.6	20
33	1564.6	20
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
68.9	2122.1	20
#DIV/0!	#DIV/0!	0
21.15	1388.65	20
72.8947368	2258.52632	19
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0

#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0
#DIV/0!	#DIV/0!	0

cel file to table on left
(i.e. new material background is
aste **values** from 'Reference
values). NOTE THAT EXISTING
FERENCE BACKGROUND
HANGES TO A MATERIAL
ATERIAL (i.e. Concrete 2, or Brick

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	52	6	584	0.074	0.192	-7.2	-313.3
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	65	6	584	0.074	0.192	108.5	-197.3
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	5	62	6	584	0.074	0.192	62.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	9	88	6	584	0.074	0.192	154.7	7.8
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	8	98	6	584	0.074	0.192	131.6	97.0
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	7	99	6	584	0.074	0.192	108.5	105.9
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	7	96	6	584	0.074	0.192	108.5	79.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	8	72	6	584	0.074	0.192	131.6	-134.9
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	8	87	6	584	0.074	0.192	131.6	-1.1
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	8	101	6	584	0.074	0.192	131.6	123.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	7	97	6	584	0.074	0.192	108.5	88.0
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	6	98	6	584	0.074	0.192	85.3	97.0
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	77	6	584	0.074	0.192	108.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	0	108	6	584	0.074	0.192	-53.5	186.1
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	8	72	6	584	0.074	0.192	131.6	-134.9
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	10	102	6	584	0.074	0.192	177.9	132.6
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	7	86	6	584	0.074	0.192	108.5	-10.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	7	107	6	584	0.074	0.192	108.5	177.2
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	5	114	6	584	0.074	0.192	62.2	239.7
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	7	95	6	584	0.074	0.192	108.5	70.2
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	8	115	6	584	0.074	0.192	131.6	248.6
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	9	94	6	584	0.074	0.192	154.7	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	111	6	584	0.074	0.192	39.0	212.9
SU 4	Scan	M3	Floor	Concrete	7	91	6	584	0.074	0.192	108.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	7	91	6	584	0.074	0.192	108.5	34.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	0	109	6	584	0.074	0.192	-53.5	195.1
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	8	107	6	584	0.074	0.192	131.6	177.2
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	5	109	6	584	0.074	0.192	62.2	195.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	8	116	6	584	0.074	0.192	131.6	257.5
SU 4	Scan	M3	Floor	Concrete	3	113	6	584	0.074	0.192	15.9	230.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	7	110	6	584	0.074	0.192	108.5	204.0
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	8	101	6	584	0.074	0.192	131.6	123.7
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	7	105	6	584	0.074	0.192	108.5	159.4
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	111	6	584	0.074	0.192	39.0	212.9
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	7	105	6	584	0.074	0.192	108.5	159.4
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	7	99	6	584	0.074	0.192	108.5	105.9
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	5	111	6	584	0.074	0.192	62.2	212.9
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	8	93	6	584	0.074	0.192	131.6	52.4
SU 4	Scan	M3	Floor	Concrete	7	99	6	584	0.074	0.192	108.5	105.9
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	5	109	6	584	0.074	0.192	62.2	195.1
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	9	105	6	584	0.074	0.192	154.7	159.4
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	5	126	6	584	0.074	0.192	62.2	346.7
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	6	107	6	584	0.074	0.192	85.3	177.2
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	4	123	6	584	0.074	0.192	39.0	319.9
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	7	91	6	584	0.074	0.192	108.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	7	101	6	584	0.074	0.192	108.5	123.7
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	1	113	6	584	0.074	0.192	-30.4	230.7
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	5	111	6	584	0.074	0.192	62.2	212.9
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	113	6	584	0.074	0.192	-30.4	230.7
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	6	127	6	584	0.074	0.192	85.3	355.6
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	5	127	6	584	0.074	0.192	62.2	355.6
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	2	116	6	584	0.074	0.192	-7.2	257.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	8	107	6	584	0.074	0.192	131.6	177.2
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	120	6	584	0.074	0.192	39.0	293.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	117	6	584	0.074	0.192	-7.2	266.4
SU 4	Scan	M3	Floor	Concrete	5	117	6	584	0.074	0.192	62.2	266.4
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	5	109	6	584	0.074	0.192	62.2	195.1
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	5	119	6	584	0.074	0.192	62.2	284.3
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	116	6	584	0.074	0.192	-7.2	257.5
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	8	88	6	584	0.074	0.192	131.6	7.8
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	6	105	6	584	0.074	0.192	85.3	159.4
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	7	103	6	584	0.074	0.192	108.5	141.6
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	4	118	6	584	0.074	0.192	39.0	275.3
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	0	112	6	584	0.074	0.192	-53.5	221.8
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	0	106	6	584	0.074	0.192	-53.5	168.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	5	119	6	584	0.074	0.192	62.2	284.3
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	0	105	6	584	0.074	0.192	-53.5	159.4
SU 4	Scan	M3	Floor	Concrete	3	114	6	584	0.074	0.192	15.9	239.7
SU 4	Scan	M3	Floor	Concrete	6	105	6	584	0.074	0.192	85.3	159.4
SU 4	Scan	M3	Floor	Concrete	8	123	6	584	0.074	0.192	131.6	319.9
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	116	6	584	0.074	0.192	39.0	257.5
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	5	119	6	584	0.074	0.192	62.2	284.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	111	6	584	0.074	0.192	62.2	212.9
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	8	115	6	584	0.074	0.192	131.6	248.6
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	7	97	6	584	0.074	0.192	108.5	88.0
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	8	151	6	584	0.077	0.206	108.5	351.2
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	3	147	6	584	0.077	0.206	-2.7	318.0
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	10	139	6	584	0.077	0.206	153.0	251.5
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	10	129	6	584	0.077	0.206	153.0	168.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	12	145	6	584	0.077	0.206	197.5	301.4
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	10	122	6	584	0.077	0.206	153.0	110.2
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	8	100	6	584	0.077	0.206	108.5	-72.7
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	11	123	6	584	0.077	0.206	175.2	118.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	4	95	6	584	0.077	0.206	19.6	-114.3
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	9	101	6	584	0.077	0.206	130.8	-64.4
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	10	121	6	584	0.077	0.206	153.0	101.9
SU 4	Scan	M5	Floor	Concrete	3	148	6	584	0.077	0.206	-2.7	326.3
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	149	6	584	0.077	0.206	-2.7	334.6
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	4	150	6	584	0.077	0.206	19.6	342.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	11	133	6	584	0.077	0.206	175.2	201.6
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	7	147	6	584	0.077	0.206	86.3	318.0
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	8	138	6	584	0.077	0.206	108.5	243.2
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	5	152	6	584	0.077	0.206	41.8	359.5
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	11	124	6	584	0.077	0.206	175.2	126.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	8	150	6	584	0.077	0.206	108.5	342.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	140	6	584	0.077	0.206	-69.4	259.8
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	1	99	6	584	0.077	0.206	-47.1	-81.0
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	1	151	6	584	0.077	0.206	-47.1	351.2
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	10	143	6	584	0.077	0.206	153.0	284.7
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	146	6	584	0.077	0.206	19.6	309.7
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	0	135	6	584	0.077	0.206	-69.4	218.2
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	8	140	6	584	0.077	0.206	108.5	259.8
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	3	153	6	584	0.077	0.206	-2.7	367.9
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	9	140	6	584	0.077	0.206	130.8	259.8
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	9	135	6	584	0.077	0.206	130.8	218.2
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	10	135	6	584	0.077	0.206	153.0	218.2
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	6	150	6	584	0.077	0.206	64.0	342.9
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	147	6	584	0.077	0.206	-2.7	318.0
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	8	93	6	584	0.077	0.206	108.5	-130.9
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	146	6	584	0.077	0.206	-24.9	309.7
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	0	134	6	584	0.077	0.206	-69.4	209.9
SU 4	Scan	M5	Floor	Concrete	4	95	6	584	0.077	0.206	19.6	-114.3
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	1	150	6	584	0.077	0.206	-47.1	342.9
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	7	100	6	584	0.077	0.206	86.3	-72.7
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	7	147	6	584	0.077	0.206	86.3	318.0
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	9	132	6	584	0.077	0.206	130.8	193.3
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	6	101	6	584	0.077	0.206	64.0	-64.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	1	142	6	584	0.077	0.206	-47.1	276.4
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	0	135	6	584	0.077	0.206	-69.4	218.2
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	4	159	6	584	0.077	0.206	19.6	417.7
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	8	158	6	584	0.077	0.206	108.5	409.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	10	110	6	584	0.077	0.206	153.0	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	11	126	6	584	0.077	0.206	175.2	143.4
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	3	152	6	584	0.077	0.206	-2.7	359.5
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	10	118	6	584	0.077	0.206	153.0	76.9
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	10	112	6	584	0.077	0.206	153.0	27.1
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	8	111	6	584	0.077	0.206	108.5	18.7
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	8	106	6	584	0.077	0.206	108.5	-22.8
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	10	136	6	584	0.077	0.206	153.0	226.6
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	8	91	6	584	0.077	0.206	108.5	-147.5
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	10	126	6	584	0.077	0.206	153.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	9	98	6	584	0.077	0.206	130.8	-89.3
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	10	131	6	584	0.077	0.206	153.0	185.0
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	8	149	6	584	0.077	0.206	108.5	334.6
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	8	102	6	584	0.077	0.206	108.5	-56.1
SU 4	Scan	M5	Floor	Concrete	10	138	6	584	0.077	0.206	153.0	243.2
SU 4	Scan	M5	Floor	Concrete	4	152	6	584	0.077	0.206	19.6	359.5
SU 4	Scan	M5	Floor	Concrete	12	129	6	584	0.077	0.206	197.5	168.4
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	11	98	6	584	0.077	0.206	175.2	-89.3
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	12	110	6	584	0.077	0.206	197.5	10.4
SU 4	Scan	M5	Floor	Concrete	9	130	6	584	0.077	0.206	130.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	6	140	6	584	0.077	0.206	64.0	259.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	149	6	584	0.077	0.206	64.0	334.6
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	8	111	6	584	0.077	0.206	108.5	18.7
SU 4	Scan	M5	Floor	Concrete	9	98	6	584	0.077	0.206	130.8	-89.3
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	6	147	6	584	0.077	0.206	64.0	318.0
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	7	98	6	584	0.077	0.206	86.3	-89.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	97	6	584	0.077	0.206	41.8	-97.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	9	119	6	584	0.077	0.206	130.8	85.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	11	116	6	584	0.077	0.206	175.2	60.3
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	6	102	6	584	0.077	0.206	64.0	-56.1
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	10	119	6	584	0.077	0.206	153.0	85.2
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	158	6	584	0.077	0.206	-2.7	409.4
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	15	121	6	584	0.077	0.206	264.2	101.9
SU 4	Scan	M5	Floor	Concrete	12	109	6	584	0.077	0.206	197.5	2.1
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	147	6	584	0.077	0.206	86.3	318.0
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	11	132	6	584	0.077	0.206	175.2	193.3
SU 4	Scan	M5	Floor	Concrete	9	119	6	584	0.077	0.206	130.8	85.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	8	97	6	584	0.077	0.206	108.5	-97.6
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	7	167	6	584	0.077	0.206	86.3	484.2
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	152	6	584	0.077	0.206	-2.7	359.5
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	11	113	6	584	0.077	0.206	175.2	35.4
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	3	147	6	584	0.077	0.206	-2.7	318.0
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	11	110	6	584	0.077	0.206	175.2	10.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	9	119	6	584	0.077	0.206	130.8	85.2
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	9	145	6	584	0.077	0.206	130.8	301.4
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	9	146	6	584	0.077	0.206	130.8	309.7
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	1	147	6	584	0.077	0.206	-47.1	318.0
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	132	6	584	0.067	0.196	-0.8	300.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	130	6	584	0.067	0.196	-51.9	283.1
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	0	124	6	584	0.067	0.196	-51.9	230.7
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	7	102	6	584	0.067	0.196	127.0	38.5
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	132	6	584	0.067	0.196	-26.3	300.6
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	6	99	6	584	0.067	0.196	101.5	12.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	132	6	584	0.067	0.196	24.8	300.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	6	131	6	584	0.067	0.196	101.5	291.9
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	130	6	584	0.067	0.196	50.3	283.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	6	123	6	584	0.067	0.196	101.5	222.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	132	6	584	0.067	0.196	24.8	300.6
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	7	111	6	584	0.067	0.196	127.0	117.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	7	90	6	584	0.067	0.196	127.0	-66.3
SU 4	Scan	M6	Floor	Concrete	9	93	6	584	0.067	0.196	178.1	-40.1
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	7	115	6	584	0.067	0.196	127.0	152.1
SU 4	Scan	M6	Floor	Concrete	1	129	6	584	0.067	0.196	-26.3	274.4
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	125	6	584	0.067	0.196	-51.9	239.4
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	134	6	584	0.067	0.196	-51.9	318.1
SU 4	Scan	M6	Floor	Concrete	4	129	6	584	0.067	0.196	50.3	274.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	6	95	6	584	0.067	0.196	101.5	-22.6
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	6	98	6	584	0.067	0.196	101.5	3.6
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	84	6	584	0.067	0.196	-51.9	-118.7
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	8	104	6	584	0.067	0.196	152.6	56.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	137	6	584	0.067	0.196	50.3	344.3
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	97	6	584	0.067	0.196	127.0	-5.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	6	126	6	584	0.067	0.196	101.5	248.2
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	8	104	6	584	0.067	0.196	152.6	56.0
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	130	6	584	0.067	0.196	-26.3	283.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	131	6	584	0.067	0.196	-26.3	291.9
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	7	132	6	584	0.067	0.196	127.0	300.6
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	135	6	584	0.067	0.196	24.8	326.8
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	7	92	6	584	0.067	0.196	127.0	-48.9
SU 4	Scan	M6	Floor	Concrete	7	117	6	584	0.067	0.196	127.0	169.6
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	129	6	584	0.067	0.196	24.8	274.4
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	6	103	6	584	0.067	0.196	101.5	47.2
SU 4	Scan	M6	Floor	Concrete	4	133	6	584	0.067	0.196	50.3	309.3
SU 4	Scan	M6	Floor	Concrete	4	82	6	584	0.067	0.196	50.3	-136.2
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	128	6	584	0.067	0.196	-26.3	265.7
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	115	6	584	0.067	0.196	127.0	152.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	142	6	584	0.067	0.196	-26.3	388.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	134	6	584	0.067	0.196	24.8	318.1
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	6	121	6	584	0.067	0.196	101.5	204.5
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	6	138	6	584	0.067	0.196	101.5	353.0
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	6	118	6	584	0.067	0.196	101.5	178.3
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	81	6	584	0.067	0.196	-0.8	-145.0
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	10	118	6	584	0.067	0.196	203.7	178.3
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	6	123	6	584	0.067	0.196	101.5	222.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	0	129	6	584	0.067	0.196	-51.9	274.4
SU 4	Scan	M6	Floor	Concrete	6	124	6	584	0.067	0.196	101.5	230.7
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	4	135	6	584	0.067	0.196	50.3	326.8
SU 4	Scan	M6	Floor	Concrete	8	132	6	584	0.067	0.196	152.6	300.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	139	6	584	0.067	0.196	-26.3	361.8
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	9	114	6	584	0.067	0.196	178.1	143.3
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	132	6	584	0.067	0.196	24.8	300.6
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	7	130	6	584	0.067	0.196	127.0	283.1
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	6	136	6	584	0.067	0.196	101.5	335.5
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	153	6	584	0.067	0.196	-26.3	484.1
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	1	129	6	584	0.067	0.196	-26.3	274.4
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	6	124	6	584	0.067	0.196	101.5	230.7
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	7	116	6	584	0.067	0.196	127.0	160.8
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	6	133	6	584	0.067	0.196	101.5	309.3
SU 4	Scan	M6	Floor	Concrete	1	135	6	584	0.067	0.196	-26.3	326.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	132	6	584	0.067	0.196	-26.3	300.6
SU 4	Scan	M6	Floor	Concrete	1	131	6	584	0.067	0.196	-26.3	291.9
SU 4	Scan	M6	Floor	Concrete	3	136	6	584	0.067	0.196	24.8	335.5
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3
SU 4	Scan	M6	Floor	Concrete	3	130	6	584	0.067	0.196	24.8	283.1
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	136	6	584	0.067	0.196	-51.9	335.5
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	0	127	6	584	0.067	0.196	-51.9	256.9
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	6	123	6	584	0.067	0.196	101.5	222.0
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	127	6	584	0.066	0.207	-3.0	227.3
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	5	112	6	584	0.066	0.207	74.8	103.2
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	132	6	584	0.066	0.207	-29.0	268.7
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	8	107	6	584	0.066	0.207	152.6	61.9
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	5	121	6	584	0.066	0.207	74.8	177.7
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	4	126	6	584	0.066	0.207	48.8	219.0
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	7	117	6	584	0.066	0.207	126.7	144.6
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	5	98	6	584	0.066	0.207	74.8	-12.6
SU 4	Scan	M7	Floor	Concrete	6	129	6	584	0.066	0.207	100.7	243.9
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	3	127	6	584	0.066	0.207	22.9	227.3
SU 4	Scan	M7	Floor	Concrete	6	123	6	584	0.066	0.207	100.7	194.2
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	4	122	6	584	0.066	0.207	48.8	186.0
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	0	52	6	584	0.074	0.192	-53.5	-313.3
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	56	6	584	0.074	0.192	-7.2	-277.6
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	54	6	584	0.074	0.192	-53.5	-295.4
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	3	54	6	584	0.074	0.192	15.9	-295.4
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	52	6	584	0.074	0.192	-30.4	-313.3
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	7	102	6	584	0.074	0.192	108.5	132.6
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	118	6	584	0.074	0.192	15.9	275.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	0	103	6	584	0.074	0.192	-53.5	141.6
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	0	105	6	584	0.074	0.192	-53.5	159.4
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	0	104	6	584	0.074	0.192	-53.5	150.5
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	0	122	6	584	0.074	0.192	-53.5	311.0
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	111	6	584	0.074	0.192	-30.4	212.9
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	0	106	6	584	0.074	0.192	-53.5	168.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	0	104	6	584	0.074	0.192	-53.5	150.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	0	112	6	584	0.074	0.192	-53.5	221.8
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	0	114	6	584	0.074	0.192	-53.5	239.7
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	7	110	6	584	0.074	0.192	108.5	204.0
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	5	112	6	584	0.074	0.192	62.2	221.8
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	0	105	6	584	0.074	0.192	-53.5	159.4
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	7	92	6	584	0.074	0.192	108.5	43.5
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	2	119	6	584	0.074	0.192	-7.2	284.3
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	8	77	6	584	0.074	0.192	131.6	-90.3
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	6	108	6	584	0.074	0.192	85.3	186.1
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	9	66	6	584	0.074	0.192	154.7	-188.4
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	8	102	6	584	0.074	0.192	131.6	132.6
SU 4	Scan	M3	Floor	Concrete	6	112	6	584	0.074	0.192	85.3	221.8
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	8	93	6	584	0.074	0.192	131.6	52.4
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	7	71	6	584	0.074	0.192	108.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	114	6	584	0.074	0.192	62.2	239.7
SU 4	Scan	M3	Floor	Concrete	8	94	6	584	0.074	0.192	131.6	61.3
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	8	90	6	584	0.074	0.192	131.6	25.6
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	5	110	6	584	0.074	0.192	62.2	204.0
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	115	6	584	0.074	0.192	15.9	248.6
SU 4	Scan	M3	Floor	Concrete	0	106	6	584	0.074	0.192	-53.5	168.3
SU 4	Scan	M3	Floor	Concrete	8	97	6	584	0.074	0.192	131.6	88.0
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	6	107	6	584	0.074	0.192	85.3	177.2
SU 4	Scan	M3	Floor	Concrete	8	109	6	584	0.074	0.192	131.6	195.1
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	6	110	6	584	0.074	0.192	85.3	204.0
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	6	95	6	584	0.074	0.192	85.3	70.2
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	116	6	584	0.074	0.192	62.2	257.5
SU 4	Scan	M3	Floor	Concrete	8	94	6	584	0.074	0.192	131.6	61.3
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	7	77	6	584	0.074	0.192	108.5	-90.3
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	6	110	6	584	0.074	0.192	85.3	204.0
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	6	99	6	584	0.074	0.192	85.3	105.9
SU 4	Scan	M3	Floor	Concrete	4	117	6	584	0.074	0.192	39.0	266.4
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	1	118	6	584	0.074	0.192	-30.4	275.3
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	0	105	6	584	0.074	0.192	-53.5	159.4
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	9	102	6	584	0.074	0.192	154.7	132.6
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	7	105	6	584	0.074	0.192	108.5	159.4
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	10	91	6	584	0.074	0.192	177.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	5	116	6	584	0.074	0.192	62.2	257.5
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	4	115	6	584	0.074	0.192	39.0	248.6
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	2	116	6	584	0.074	0.192	-7.2	257.5
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	10	97	6	584	0.074	0.192	177.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	8	100	6	584	0.074	0.192	131.6	114.8
SU 4	Scan	M3	Floor	Concrete	4	123	6	584	0.074	0.192	39.0	319.9
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	113	6	584	0.074	0.192	85.3	230.7
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	6	99	6	584	0.074	0.192	85.3	105.9
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	8	98	6	584	0.074	0.192	131.6	97.0
SU 4	Scan	M3	Floor	Concrete	5	109	6	584	0.074	0.192	62.2	195.1
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	8	106	6	584	0.074	0.192	131.6	168.3
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	8	112	6	584	0.074	0.192	131.6	221.8
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	8	94	6	584	0.074	0.192	131.6	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	0	147	6	584	0.077	0.206	-69.4	318.0
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	0	134	6	584	0.077	0.206	-69.4	209.9
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	129	6	584	0.077	0.206	-69.4	168.4
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	0	101	6	584	0.077	0.206	-69.4	-64.4
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	2	98	6	584	0.077	0.206	-24.9	-89.3
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	88	6	584	0.077	0.206	-24.9	-172.4
SU 4	Scan	M5	Floor	Concrete	5	93	6	584	0.077	0.206	41.8	-130.9
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	2	94	6	584	0.077	0.206	-24.9	-122.6
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	1	144	6	584	0.077	0.206	-47.1	293.0
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	1	135	6	584	0.077	0.206	-47.1	218.2
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	97	6	584	0.077	0.206	19.6	-97.6
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	0	141	6	584	0.077	0.206	-69.4	268.1
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	2	95	6	584	0.077	0.206	-24.9	-114.3
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	0	100	6	584	0.077	0.206	-69.4	-72.7
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	0	109	6	584	0.077	0.206	-69.4	2.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5
SU 4	Scan	M5	Floor	Concrete	1	144	6	584	0.077	0.206	-47.1	293.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	0	134	6	584	0.077	0.206	-69.4	209.9
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	82	6	584	0.077	0.206	-2.7	-222.3
SU 4	Scan	M5	Floor	Concrete	4	87	6	584	0.077	0.206	19.6	-180.8
SU 4	Scan	M5	Floor	Concrete	10	119	6	584	0.077	0.206	153.0	85.2
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	2	94	6	584	0.077	0.206	-24.9	-122.6
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	1	99	6	584	0.077	0.206	-47.1	-81.0
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	0	149	6	584	0.077	0.206	-69.4	334.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5
SU 4	Scan	M5	Floor	Concrete	2	89	6	584	0.077	0.206	-24.9	-164.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	1	98	6	584	0.077	0.206	-47.1	-89.3
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	1	140	6	584	0.077	0.206	-47.1	259.8
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	6	102	6	584	0.077	0.206	64.0	-56.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	0	106	6	584	0.077	0.206	-69.4	-22.8
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	0	130	6	584	0.077	0.206	-69.4	176.7
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	0	138	6	584	0.077	0.206	-69.4	243.2
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	1	98	6	584	0.077	0.206	-47.1	-89.3
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	144	6	584	0.077	0.206	-2.7	293.0
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	95	6	584	0.077	0.206	-47.1	-114.3
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	7	97	6	584	0.077	0.206	86.3	-97.6
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	6	102	6	584	0.077	0.206	64.0	-56.1
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	95	6	584	0.077	0.206	-47.1	-114.3
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	4	146	6	584	0.077	0.206	19.6	309.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	0	138	6	584	0.077	0.206	-69.4	243.2
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	5	97	6	584	0.077	0.206	41.8	-97.6
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	0	139	6	584	0.077	0.206	-69.4	251.5
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	98	6	584	0.077	0.206	19.6	-89.3
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	5	93	6	584	0.077	0.206	41.8	-130.9
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	1	97	6	584	0.077	0.206	-47.1	-97.6
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	97	6	584	0.077	0.206	-47.1	-97.6
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	0	105	6	584	0.077	0.206	-69.4	-31.1
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	0	129	6	584	0.077	0.206	-69.4	168.4
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	0	141	6	584	0.077	0.206	-69.4	268.1
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	95	6	584	0.077	0.206	-47.1	-114.3
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	0	103	6	584	0.077	0.206	-69.4	-47.8
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	0	128	6	584	0.077	0.206	-69.4	160.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	99	6	584	0.077	0.206	-47.1	-81.0
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	0	106	6	584	0.077	0.206	-69.4	-22.8
SU 4	Scan	M5	Floor	Concrete	0	131	6	584	0.077	0.206	-69.4	185.0
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	3	144	6	584	0.077	0.206	-2.7	293.0
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	10	100	6	584	0.077	0.206	153.0	-72.7
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	3	151	6	584	0.077	0.206	-2.7	351.2
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	8	146	6	584	0.077	0.206	108.5	309.7
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	1	141	6	584	0.077	0.206	-47.1	268.1
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	8	103	6	584	0.077	0.206	108.5	-47.8
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	2	149	6	584	0.077	0.206	-24.9	334.6
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	16	145	6	584	0.077	0.206	286.4	301.4
SU 4	Scan	M5	Floor	Concrete	9	130	6	584	0.077	0.206	130.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	0	133	6	584	0.077	0.206	-69.4	201.6
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	5	149	6	584	0.077	0.206	41.8	334.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	0	145	6	584	0.077	0.206	-69.4	301.4
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	10	153	6	584	0.077	0.206	153.0	367.9
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	9	140	6	584	0.077	0.206	130.8	259.8
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	10	128	6	584	0.077	0.206	153.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	144	6	584	0.077	0.206	-2.7	293.0
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	2	150	6	584	0.077	0.206	-24.9	342.9
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	10	115	6	584	0.077	0.206	153.0	52.0
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	2	141	6	584	0.077	0.206	-24.9	268.1
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	11	127	6	584	0.077	0.206	175.2	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	9	134	6	584	0.077	0.206	130.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	7	99	6	584	0.077	0.206	86.3	-81.0
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	75	6	584	0.067	0.196	-51.9	-197.4
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	79	6	584	0.067	0.196	-51.9	-162.4
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	125	6	584	0.067	0.196	-51.9	239.4
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	74	6	584	0.067	0.196	-51.9	-206.1
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	5	85	6	584	0.067	0.196	75.9	-110.0
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	6	86	6	584	0.067	0.196	101.5	-101.3
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	81	6	584	0.067	0.196	-51.9	-145.0
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	71	6	584	0.067	0.196	-26.3	-232.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	0	80	6	584	0.067	0.196	-51.9	-153.7
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	0	122	6	584	0.067	0.196	-51.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	0	83	6	584	0.067	0.196	-51.9	-127.5
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	140	6	584	0.067	0.196	-0.8	370.5
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	127	6	584	0.067	0.196	-26.3	256.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	133	6	584	0.067	0.196	-0.8	309.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	118	6	584	0.067	0.196	-51.9	178.3
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	84	6	584	0.067	0.196	-51.9	-118.7
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	118	6	584	0.067	0.196	-51.9	178.3
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	118	6	584	0.067	0.196	-51.9	178.3
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	0	122	6	584	0.067	0.196	-51.9	213.2
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	128	6	584	0.067	0.196	-51.9	265.7
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	131	6	584	0.067	0.196	24.8	291.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	143	6	584	0.067	0.196	-0.8	396.7
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	128	6	584	0.067	0.196	-26.3	265.7
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	0	126	6	584	0.067	0.196	-51.9	248.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	84	6	584	0.067	0.196	-51.9	-118.7
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	0	124	6	584	0.067	0.196	-51.9	230.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	6	141	6	584	0.067	0.196	101.5	379.2
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	131	6	584	0.067	0.196	50.3	291.9
SU 4	Scan	M6	Floor	Concrete	5	126	6	584	0.067	0.196	75.9	248.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	7	98	6	584	0.067	0.196	127.0	3.6
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	99	6	584	0.067	0.196	101.5	12.3
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	7	105	6	584	0.067	0.196	127.0	64.7
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	132	6	584	0.067	0.196	50.3	300.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	9	110	6	584	0.067	0.196	178.1	108.4
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	8	114	6	584	0.067	0.196	152.6	143.3
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	139	6	584	0.067	0.196	24.8	361.8
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	9	130	6	584	0.067	0.196	178.1	283.1
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	8	109	6	584	0.067	0.196	152.6	99.7
SU 4	Scan	M6	Floor	Concrete	6	120	6	584	0.067	0.196	101.5	195.8
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	136	6	584	0.067	0.196	24.8	335.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	6	98	6	584	0.067	0.196	101.5	3.6
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	5	128	6	584	0.067	0.196	75.9	265.7
SU 4	Scan	M6	Floor	Concrete	4	130	6	584	0.067	0.196	50.3	283.1
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	5	127	6	584	0.067	0.196	75.9	256.9
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	6	124	6	584	0.067	0.196	101.5	230.7
SU 4	Scan	M6	Floor	Concrete	4	144	6	584	0.067	0.196	50.3	405.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	1	134	6	584	0.067	0.196	-26.3	318.1
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	4	140	6	584	0.067	0.196	50.3	370.5
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	128	6	584	0.067	0.196	50.3	265.7
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	6	131	6	584	0.067	0.196	101.5	291.9
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	128	6	584	0.067	0.196	50.3	265.7
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	135	6	584	0.067	0.196	24.8	326.8
SU 4	Scan	M6	Floor	Concrete	7	105	6	584	0.067	0.196	127.0	64.7
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	133	6	584	0.067	0.196	50.3	309.3
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	9	117	6	584	0.067	0.196	178.1	169.6
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	7	129	6	584	0.067	0.196	127.0	274.4
SU 4	Scan	M6	Floor	Concrete	0	129	6	584	0.067	0.196	-51.9	274.4
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	4	143	6	584	0.067	0.196	50.3	396.7
SU 4	Scan	M6	Floor	Concrete	7	124	6	584	0.067	0.196	127.0	230.7
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	140	6	584	0.067	0.196	75.9	370.5
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	4	133	6	584	0.067	0.196	50.3	309.3
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	134	6	584	0.067	0.196	24.8	318.1
SU 4	Scan	M6	Floor	Concrete	7	109	6	584	0.067	0.196	127.0	99.7
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	8	94	6	584	0.067	0.196	152.6	-31.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	128	6	584	0.067	0.196	-26.3	265.7
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	10	126	6	584	0.067	0.196	203.7	248.2
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	6	124	6	584	0.067	0.196	101.5	230.7
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	6	124	6	584	0.067	0.196	101.5	230.7
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	140	6	584	0.067	0.196	50.3	370.5
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	141	6	584	0.067	0.196	-0.8	379.2
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	6	125	6	584	0.067	0.196	101.5	239.4
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	7	114	6	584	0.067	0.196	127.0	143.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	4	136	6	584	0.067	0.196	50.3	335.5
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	7	98	6	584	0.067	0.196	127.0	3.6
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	9	102	6	584	0.067	0.196	178.1	38.5
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	5	94	6	584	0.067	0.196	75.9	-31.4
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	8	131	6	584	0.067	0.196	152.6	291.9
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	0	126	6	584	0.066	0.207	-54.9	219.0
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	5	105	6	584	0.066	0.207	74.8	45.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	124	6	584	0.066	0.207	-3.0	202.5
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	3	90	6	584	0.066	0.207	22.9	-78.8
SU 4	Scan	M7	Floor	Concrete	3	91	6	584	0.066	0.207	22.9	-70.5
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	93	6	584	0.066	0.207	-3.0	-53.9
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	3	83	6	584	0.066	0.207	22.9	-136.7
SU 4	Scan	M7	Floor	Concrete	4	89	6	584	0.066	0.207	48.8	-87.0
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	0	94	6	584	0.066	0.207	-54.9	-45.7
SU 4	Scan	M7	Floor	Concrete	0	115	6	584	0.066	0.207	-54.9	128.1
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	0	93	6	584	0.066	0.207	-54.9	-53.9
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	4	110	6	584	0.066	0.207	48.8	86.7
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	5	99	6	584	0.066	0.207	74.8	-4.3
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	0	115	6	584	0.066	0.207	-54.9	128.1
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	85	6	584	0.066	0.207	-29.0	-120.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	4	95	6	584	0.066	0.207	48.8	-37.4
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	3	87	6	584	0.066	0.207	22.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	5	107	6	584	0.066	0.207	74.8	61.9
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	5	87	6	584	0.066	0.207	74.8	-103.6
SU 4	Scan	M7	Floor	Concrete	1	81	6	584	0.066	0.207	-29.0	-153.2
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	5	103	6	584	0.066	0.207	74.8	28.8
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	1	82	6	584	0.066	0.207	-29.0	-144.9
SU 4	Scan	M7	Floor	Concrete	2	87	6	584	0.066	0.207	-3.0	-103.6
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	1	88	6	584	0.066	0.207	-29.0	-95.3
SU 4	Scan	M7	Floor	Concrete	0	89	6	584	0.066	0.207	-54.9	-87.0
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	98	6	584	0.066	0.207	48.8	-12.6
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	0	122	6	584	0.066	0.207	-54.9	186.0
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	0	93	6	584	0.066	0.207	-54.9	-53.9
SU 4	Scan	M7	Floor	Concrete	5	102	6	584	0.066	0.207	74.8	20.5
SU 4	Scan	M7	Floor	Concrete	0	87	6	584	0.066	0.207	-54.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	124	6	584	0.066	0.207	-3.0	202.5
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	90	6	584	0.066	0.207	48.8	-78.8
SU 4	Scan	M7	Floor	Concrete	0	96	6	584	0.066	0.207	-54.9	-29.1
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	6	101	6	584	0.066	0.207	100.7	12.2
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	1	79	6	584	0.066	0.207	-29.0	-169.7
SU 4	Scan	M7	Floor	Concrete	3	90	6	584	0.066	0.207	22.9	-78.8
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	5	88	6	584	0.066	0.207	74.8	-95.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	79	6	584	0.066	0.207	-54.9	-169.7
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	86	6	584	0.066	0.207	-3.0	-111.8
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	1	91	6	584	0.066	0.207	-29.0	-70.5
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	86	6	584	0.066	0.207	-3.0	-111.8
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	84	6	584	0.066	0.207	-29.0	-128.4
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	91	6	584	0.066	0.207	-29.0	-70.5
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	89	6	584	0.066	0.207	-3.0	-87.0
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	1	84	6	584	0.066	0.207	-29.0	-128.4
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	91	6	584	0.066	0.207	22.9	-70.5
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	2	85	6	584	0.066	0.207	-3.0	-120.1
SU 4	Scan	M7	Floor	Concrete	4	92	6	584	0.066	0.207	48.8	-62.2
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	89	6	584	0.066	0.207	-54.9	-87.0
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	131	6	584	0.066	0.207	-3.0	260.4
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	6	92	6	584	0.066	0.207	100.7	-62.2
SU 4	Scan	M7	Floor	Concrete	3	91	6	584	0.066	0.207	22.9	-70.5
SU 4	Scan	M7	Floor	Concrete	0	84	6	584	0.066	0.207	-54.9	-128.4
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	0	90	6	584	0.066	0.207	-54.9	-78.8
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	5	99	6	584	0.066	0.207	74.8	-4.3
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	6	95	6	584	0.066	0.207	100.7	-37.4
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	83	6	584	0.066	0.207	-29.0	-136.7
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	0	89	6	584	0.066	0.207	-54.9	-87.0
SU 4	Scan	M7	Floor	Concrete	4	86	6	584	0.066	0.207	48.8	-111.8
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	75	6	584	0.066	0.207	22.9	-202.8
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	84	6	584	0.066	0.207	-3.0	-128.4
SU 4	Scan	M7	Floor	Concrete	0	93	6	584	0.066	0.207	-54.9	-53.9
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	84	6	584	0.066	0.207	-29.0	-128.4
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	1	82	6	584	0.066	0.207	-29.0	-144.9
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	5	92	6	584	0.066	0.207	74.8	-62.2
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	128	6	584	0.066	0.207	22.9	235.6
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	6	90	6	584	0.066	0.207	100.7	-78.8
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	0	120	6	584	0.066	0.207	-54.9	169.4
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	4	95	6	584	0.066	0.207	48.8	-37.4
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	80	6	584	0.066	0.207	-3.0	-161.5
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	1	77	6	584	0.066	0.207	-29.0	-186.3
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	123	6	584	0.066	0.207	-54.9	194.2
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	0	88	6	584	0.066	0.207	-54.9	-95.3
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	2	82	6	584	0.066	0.207	-3.0	-144.9
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	0	87	6	584	0.066	0.207	-54.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	4	85	6	584	0.066	0.207	48.8	-120.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	93	6	584	0.066	0.207	-3.0	-53.9
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	87	6	584	0.066	0.207	-3.0	-103.6
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	81	6	584	0.066	0.207	-3.0	-153.2
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	84	6	584	0.066	0.207	-3.0	-128.4
SU 4	Scan	M7	Floor	Concrete	3	77	6	584	0.066	0.207	22.9	-186.3
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	4	82	6	584	0.066	0.207	48.8	-144.9
SU 4	Scan	M7	Floor	Concrete	6	85	6	584	0.066	0.207	100.7	-120.1
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	82	6	584	0.066	0.207	-3.0	-144.9
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	96	6	584	0.066	0.207	-54.9	-29.1
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	5	112	6	584	0.066	0.207	74.8	103.2
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	0	85	6	584	0.066	0.207	-54.9	-120.1
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	98	6	584	0.066	0.207	48.8	-12.6
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	83	6	584	0.066	0.207	-29.0	-136.7
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	1	85	6	584	0.066	0.207	-29.0	-120.1
SU 4	Scan	M7	Floor	Concrete	0	127	6	584	0.066	0.207	-54.9	227.3
SU 4	Scan	M7	Floor	Concrete	0	92	6	584	0.066	0.207	-54.9	-62.2
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	86	6	584	0.066	0.207	-3.0	-111.8
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	0	128	6	584	0.066	0.207	-54.9	235.6
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	0	88	6	584	0.066	0.207	-54.9	-95.3
SU 4	Scan	M7	Floor	Concrete	0	99	6	584	0.066	0.207	-54.9	-4.3
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	123	6	584	0.066	0.207	-29.0	194.2
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	85	6	584	0.066	0.207	-3.0	-120.1
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	1	122	6	584	0.066	0.207	-29.0	186.0
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	131	6	584	0.066	0.207	-29.0	260.4
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	5	95	6	584	0.066	0.207	74.8	-37.4
SU 4	Scan	M7	Floor	Concrete	5	117	6	584	0.066	0.207	74.8	144.6
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	5	94	6	584	0.066	0.207	74.8	-45.7
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	4	129	6	584	0.066	0.207	48.8	243.9
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	5	100	6	584	0.066	0.207	74.8	4.0
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	0	127	6	584	0.066	0.207	-54.9	227.3
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	5	93	6	584	0.066	0.207	74.8	-53.9
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	84	6	584	0.066	0.207	-3.0	-128.4
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	127	6	584	0.066	0.207	-29.0	227.3
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	128	6	584	0.066	0.207	22.9	235.6
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	0	122	6	584	0.066	0.207	-54.9	186.0
SU 4	Scan	M7	Floor	Concrete	5	120	6	584	0.066	0.207	74.8	169.4
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	1	132	6	584	0.066	0.207	-29.0	268.7
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	4	130	6	584	0.066	0.207	48.8	252.1
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	5	90	6	584	0.066	0.207	74.8	-78.8
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	0	115	6	584	0.066	0.207	-54.9	128.1
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	0	85	6	584	0.066	0.207	-54.9	-120.1
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	0	120	6	584	0.066	0.207	-54.9	169.4
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	1	129	6	584	0.066	0.207	-29.0	243.9
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	4	126	6	584	0.066	0.207	48.8	219.0
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	5	96	6	584	0.066	0.207	74.8	-29.1
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	83	6	584	0.066	0.207	-54.9	-136.7
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	91	6	584	0.066	0.207	48.8	-70.5
SU 4	Scan	M7	Floor	Concrete	1	128	6	584	0.066	0.207	-29.0	235.6
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	136	6	584	0.066	0.207	-3.0	301.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	128	6	584	0.066	0.207	-3.0	235.6
SU 4	Scan	M7	Floor	Concrete	0	131	6	584	0.066	0.207	-54.9	260.4
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	0	98	6	584	0.066	0.207	-54.9	-12.6
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	127	6	584	0.066	0.207	-3.0	227.3
SU 4	Scan	M7	Floor	Concrete	3	131	6	584	0.066	0.207	22.9	260.4
SU 4	Scan	M7	Floor	Concrete	1	135	6	584	0.066	0.207	-29.0	293.5
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	7	109	6	584	0.066	0.207	126.7	78.4
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	0	96	6	584	0.066	0.207	-54.9	-29.1
SU 4	Scan	M7	Floor	Concrete	2	88	6	584	0.066	0.207	-3.0	-95.3
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	0	121	6	584	0.066	0.207	-54.9	177.7
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	128	6	584	0.066	0.207	-29.0	235.6
SU 4	Scan	M7	Floor	Concrete	6	121	6	584	0.066	0.207	100.7	177.7
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	3	134	6	584	0.066	0.207	22.9	285.2
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	5	128	6	584	0.066	0.207	74.8	235.6
SU 4	Scan	M7	Floor	Concrete	4	122	6	584	0.066	0.207	48.8	186.0
SU 4	Scan	M7	Floor	Concrete	6	85	6	584	0.066	0.207	100.7	-120.1
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	128	6	584	0.066	0.207	-3.0	235.6
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	0	96	6	584	0.066	0.207	-54.9	-29.1
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	0	133	6	584	0.066	0.207	-54.9	277.0
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	5	105	6	584	0.066	0.207	74.8	45.3
SU 4	Scan	M7	Floor	Concrete	0	116	6	584	0.066	0.207	-54.9	136.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	117	6	584	0.066	0.207	-54.9	144.6
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	124	6	584	0.066	0.207	-3.0	202.5
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	4	135	6	584	0.066	0.207	48.8	293.5
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	4	133	6	584	0.066	0.207	48.8	277.0
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	6	129	6	584	0.066	0.207	100.7	243.9
SU 4	Scan	M7	Floor	Concrete	0	122	6	584	0.066	0.207	-54.9	186.0
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	6	128	6	584	0.066	0.207	100.7	235.6
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	5	110	6	584	0.066	0.207	74.8	86.7
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	8	127	6	584	0.066	0.207	152.6	227.3
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	1	130	6	584	0.066	0.207	-29.0	252.1
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	0	92	6	584	0.066	0.207	-54.9	-62.2
SU 4	Scan	M7	Floor	Concrete	6	113	6	584	0.066	0.207	100.7	111.5
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	135	6	584	0.066	0.207	22.9	293.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	0	122	6	584	0.066	0.207	-54.9	186.0
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	0	117	6	584	0.066	0.207	-54.9	144.6
SU 4	Scan	M7	Floor	Concrete	2	77	6	584	0.066	0.207	-3.0	-186.3
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	131	6	584	0.066	0.207	22.9	260.4
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	5	100	6	584	0.066	0.207	74.8	4.0
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	1	147	6	584	0.066	0.207	-29.0	392.8
SU 4	Scan	M7	Floor	Concrete	3	85	6	584	0.066	0.207	22.9	-120.1
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	110	6	584	0.066	0.207	48.8	86.7
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	86	6	584	0.066	0.207	-3.0	-111.8
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	0	122	6	584	0.066	0.207	-54.9	186.0
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	1	126	6	584	0.066	0.207	-29.0	219.0
SU 4	Scan	M7	Floor	Concrete	0	126	6	584	0.066	0.207	-54.9	219.0
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	6	102	6	584	0.066	0.207	100.7	20.5
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	5	112	6	584	0.066	0.207	74.8	103.2
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	0	123	6	584	0.066	0.207	-54.9	194.2
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	81	6	584	0.066	0.207	22.9	-153.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	131	6	584	0.066	0.207	48.8	260.4
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	5	107	6	584	0.066	0.207	74.8	61.9
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	119	6	584	0.066	0.207	-54.9	161.1
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	126	6	584	0.066	0.207	-3.0	219.0
SU 4	Scan	M7	Floor	Concrete	5	121	6	584	0.066	0.207	74.8	177.7
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	7	111	6	584	0.066	0.207	126.7	95.0
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	2	89	6	584	0.066	0.207	-3.0	-87.0
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	0	90	6	584	0.066	0.207	-54.9	-78.8
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	5	119	6	584	0.066	0.207	74.8	161.1
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	0	116	6	584	0.066	0.207	-54.9	136.3
SU 4	Scan	M7	Floor	Concrete	5	107	6	584	0.066	0.207	74.8	61.9
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	2	134	6	584	0.066	0.207	-3.0	285.2
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	130	6	584	0.066	0.207	22.9	252.1
SU 4	Scan	M7	Floor	Concrete	4	128	6	584	0.066	0.207	48.8	235.6
SU 4	Scan	M7	Floor	Concrete	1	91	6	584	0.066	0.207	-29.0	-70.5
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	4	92	6	584	0.066	0.207	48.8	-62.2
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	0	126	6	584	0.066	0.207	-54.9	219.0
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	0	86	6	584	0.066	0.207	-54.9	-111.8
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	8	110	6	584	0.066	0.207	152.6	86.7
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	0	122	6	584	0.066	0.207	-54.9	186.0
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	91	6	584	0.066	0.207	22.9	-70.5
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	0	98	6	584	0.066	0.207	-54.9	-12.6
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	6	103	6	584	0.066	0.207	100.7	28.8
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	130	6	584	0.066	0.207	-29.0	252.1
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	0	124	6	584	0.066	0.207	-54.9	202.5
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	4	126	6	584	0.066	0.207	48.8	219.0
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	0	120	6	584	0.066	0.207	-54.9	169.4
SU 4	Scan	M7	Floor	Concrete	5	110	6	584	0.066	0.207	74.8	86.7
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	110	6	584	0.066	0.207	48.8	86.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	8	110	6	584	0.066	0.207	152.6	86.7
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	4	136	6	584	0.066	0.207	48.8	301.8
SU 4	Scan	M7	Floor	Concrete	4	123	6	584	0.066	0.207	48.8	194.2
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	1	123	6	584	0.066	0.207	-29.0	194.2
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	5	118	6	584	0.066	0.207	74.8	152.9
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	5	105	6	584	0.066	0.207	74.8	45.3
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	5	122	6	584	0.066	0.207	74.8	186.0
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	5	110	6	584	0.066	0.207	74.8	86.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	4	128	6	584	0.066	0.207	48.8	235.6
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	5	118	6	584	0.066	0.207	74.8	152.9
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	8	124	6	584	0.066	0.207	152.6	202.5
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	7	138	6	584	0.066	0.207	126.7	318.3
SU 4	Scan	M7	Floor	Concrete	6	109	6	584	0.066	0.207	100.7	78.4
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	5	128	6	584	0.066	0.207	74.8	235.6
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	4	122	6	584	0.066	0.207	48.8	186.0
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	4	110	6	584	0.066	0.207	48.8	86.7
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	123	6	584	0.066	0.207	48.8	194.2
SU 4	Scan	M7	Floor	Concrete	7	112	6	584	0.066	0.207	126.7	103.2
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	4	123	6	584	0.066	0.207	48.8	194.2
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	7	124	6	584	0.066	0.207	126.7	202.5
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	4	98	6	584	0.066	0.207	48.8	-12.6
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	122	6	584	0.066	0.207	48.8	186.0
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	8	98	6	584	0.066	0.207	152.6	-12.6
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	5	125	6	584	0.066	0.207	74.8	210.8
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	5	121	6	584	0.066	0.207	74.8	177.7
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	4	90	6	584	0.066	0.207	48.8	-78.8
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	0	126	6	584	0.066	0.207	-54.9	219.0
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	126	6	584	0.066	0.207	-3.0	219.0
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	8	104	6	584	0.066	0.207	152.6	37.1
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	6	119	6	584	0.066	0.207	100.7	161.1
SU 4	Scan	M7	Floor	Concrete	2	87	6	584	0.066	0.207	-3.0	-103.6
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	7	101	6	584	0.066	0.207	126.7	12.2
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	10	101	6	584	0.066	0.207	204.5	12.2
SU 4	Scan	M7	Floor	Concrete	2	126	6	584	0.066	0.207	-3.0	219.0
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	5	112	6	584	0.066	0.207	74.8	103.2
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	1	133	6	584	0.066	0.207	-29.0	277.0
SU 4	Scan	M7	Floor	Concrete	5	123	6	584	0.066	0.207	74.8	194.2
SU 4	Scan	M7	Floor	Concrete	3	126	6	584	0.066	0.207	22.9	219.0
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	2	128	6	584	0.066	0.207	-3.0	235.6
SU 4	Scan	M7	Floor	Concrete	5	108	6	584	0.066	0.207	74.8	70.1
SU 4	Scan	M7	Floor	Concrete	2	130	6	584	0.066	0.207	-3.0	252.1
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	0	121	6	584	0.066	0.207	-54.9	177.7
SU 4	Scan	M7	Floor	Concrete	2	76	6	584	0.066	0.207	-3.0	-194.6
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	4	123	6	584	0.066	0.207	48.8	194.2
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	6	114	6	584	0.066	0.207	100.7	119.8
SU 4	Scan	M7	Floor	Concrete	6	115	6	584	0.066	0.207	100.7	128.1
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	83	6	584	0.066	0.207	-3.0	-136.7
SU 4	Scan	M7	Floor	Concrete	1	133	6	584	0.066	0.207	-29.0	277.0
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	6	97	6	584	0.066	0.207	100.7	-20.8
SU 4	Scan	M7	Floor	Concrete	4	87	6	584	0.066	0.207	48.8	-103.6
SU 4	Scan	M7	Floor	Concrete	6	117	6	584	0.066	0.207	100.7	144.6
SU 4	Scan	M7	Floor	Concrete	7	113	6	584	0.066	0.207	126.7	111.5
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	4	92	6	584	0.066	0.207	48.8	-62.2
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	4	139	6	584	0.066	0.207	48.8	326.6
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	7	118	6	584	0.066	0.207	126.7	152.9
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	2	93	6	584	0.066	0.207	-3.0	-53.9
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	5	105	6	584	0.066	0.207	74.8	45.3
SU 4	Scan	M7	Floor	Concrete	5	115	6	584	0.066	0.207	74.8	128.1
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	7	125	6	584	0.066	0.207	126.7	210.8
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	7	100	6	584	0.066	0.207	126.7	4.0
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	0	127	6	584	0.066	0.207	-54.9	227.3
SU 4	Scan	M7	Floor	Concrete	5	117	6	584	0.066	0.207	74.8	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	133	6	584	0.066	0.207	74.8	277.0
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	5	94	6	584	0.066	0.207	74.8	-45.7
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	5	91	6	584	0.066	0.207	74.8	-70.5
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	4	95	6	584	0.066	0.207	48.8	-37.4
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	3	146	6	584	0.066	0.207	22.9	384.5
SU 4	Scan	M7	Floor	Concrete	5	108	6	584	0.066	0.207	74.8	70.1
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	6	124	6	584	0.066	0.207	100.7	202.5
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	134	6	584	0.066	0.207	74.8	285.2
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	128	6	584	0.066	0.207	-29.0	235.6
SU 4	Scan	M7	Floor	Concrete	5	124	6	584	0.066	0.207	74.8	202.5
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	5	117	6	584	0.066	0.207	74.8	144.6
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	129	6	584	0.066	0.207	-29.0	243.9
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	8	120	6	584	0.066	0.207	152.6	169.4
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	5	99	6	584	0.066	0.207	74.8	-4.3
SU 4	Scan	M7	Floor	Concrete	3	126	6	584	0.066	0.207	22.9	219.0
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	132	6	584	0.066	0.207	-3.0	268.7
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	8	119	6	584	0.066	0.207	152.6	161.1
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	6	141	6	584	0.066	0.207	100.7	343.1
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	6	106	6	584	0.066	0.207	100.7	53.6
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	6	109	6	584	0.066	0.207	100.7	78.4
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	8	130	6	584	0.066	0.207	152.6	252.1
SU 4	Scan	M7	Floor	Concrete	6	137	6	584	0.066	0.207	100.7	310.0
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	126	6	584	0.066	0.207	22.9	219.0
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	0	124	6	584	0.066	0.207	-54.9	202.5
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	4	132	6	584	0.066	0.207	48.8	268.7
SU 4	Scan	M7	Floor	Concrete	2	130	6	584	0.066	0.207	-3.0	252.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	4	119	6	584	0.066	0.207	48.8	161.1
SU 4	Scan	M7	Floor	Concrete	4	124	6	584	0.066	0.207	48.8	202.5
SU 4	Scan	M7	Floor	Concrete	2	134	6	584	0.066	0.207	-3.0	285.2
SU 4	Scan	M7	Floor	Concrete	6	124	6	584	0.066	0.207	100.7	202.5
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	6	116	6	584	0.066	0.207	100.7	136.3
SU 4	Scan	M7	Floor	Concrete	5	122	6	584	0.066	0.207	74.8	186.0
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	126	6	584	0.066	0.207	-3.0	219.0
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	4	128	6	584	0.066	0.207	48.8	235.6
SU 4	Scan	M7	Floor	Concrete	3	124	6	584	0.066	0.207	22.9	202.5
SU 4	Scan	M7	Floor	Concrete	3	130	6	584	0.066	0.207	22.9	252.1
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	133	6	584	0.066	0.207	22.9	277.0
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	5	119	6	584	0.066	0.207	74.8	161.1
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	6	109	6	584	0.066	0.207	100.7	78.4
SU 4	Scan	M7	Floor	Concrete	6	104	6	584	0.066	0.207	100.7	37.1
SU 4	Scan	M7	Floor	Concrete	2	131	6	584	0.066	0.207	-3.0	260.4
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	122	6	584	0.066	0.207	-29.0	186.0
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	11	106	6	584	0.066	0.207	230.5	53.6
SU 4	Scan	M7	Floor	Concrete	6	132	6	584	0.066	0.207	100.7	268.7
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	3	128	6	584	0.066	0.207	22.9	235.6
SU 4	Scan	M7	Floor	Concrete	3	128	6	584	0.066	0.207	22.9	235.6
SU 4	Scan	M7	Floor	Concrete	5	121	6	584	0.066	0.207	74.8	177.7
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	5	125	6	584	0.066	0.207	74.8	210.8
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	8	107	6	584	0.066	0.207	152.6	61.9
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	9	137	6	584	0.066	0.207	178.6	310.0
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	5	119	6	584	0.066	0.207	74.8	161.1
SU 4	Scan	M7	Floor	Concrete	8	128	6	584	0.066	0.207	152.6	235.6
SU 4	Scan	M7	Floor	Concrete	6	120	6	584	0.066	0.207	100.7	169.4
SU 4	Scan	M7	Floor	Concrete	2	129	6	584	0.066	0.207	-3.0	243.9
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	3	124	6	584	0.066	0.207	22.9	202.5
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	4	119	6	584	0.066	0.207	48.8	161.1
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	2	131	6	584	0.066	0.207	-3.0	260.4
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	5	123	6	584	0.066	0.207	74.8	194.2
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	5	115	6	584	0.066	0.207	74.8	128.1
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	6	125	6	584	0.066	0.207	100.7	210.8
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	8	116	6	584	0.066	0.207	152.6	136.3
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	5	122	6	584	0.066	0.207	74.8	186.0
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	87	6	584	0.066	0.207	-3.0	-103.6
SU 4	Scan	M7	Floor	Concrete	2	83	6	584	0.066	0.207	-3.0	-136.7
SU 4	Scan	M7	Floor	Concrete	4	130	6	584	0.066	0.207	48.8	252.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	5	121	6	584	0.066	0.207	74.8	177.7
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	6	109	6	584	0.066	0.207	100.7	78.4
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	8	96	6	584	0.066	0.207	152.6	-29.1
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	3	129	6	584	0.066	0.207	22.9	243.9
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	60	6	584	0.074	0.192	39.0	-241.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	114	6	584	0.074	0.192	15.9	239.7
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	8	65	6	584	0.074	0.192	131.6	-197.3
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	0	103	6	584	0.074	0.192	-53.5	141.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	7	68	6	584	0.074	0.192	108.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	0	104	6	584	0.074	0.192	-53.5	150.5
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	0	119	6	584	0.074	0.192	-53.5	284.3
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	6	105	6	584	0.074	0.192	85.3	159.4
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	7	95	6	584	0.074	0.192	108.5	70.2
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	118	6	584	0.074	0.192	-53.5	275.3
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1
SU 4	Scan	M3	Floor	Concrete	9	114	6	584	0.074	0.192	154.7	239.7
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	1	111	6	584	0.074	0.192	-30.4	212.9
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	9	101	6	584	0.074	0.192	154.7	123.7
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	2	134	6	584	0.074	0.192	-7.2	418.0
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	7	107	6	584	0.074	0.192	108.5	177.2
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	2	119	6	584	0.074	0.192	-7.2	284.3
SU 4	Scan	M3	Floor	Concrete	3	121	6	584	0.074	0.192	15.9	302.1
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	7	94	6	584	0.074	0.192	108.5	61.3
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	6	106	6	584	0.074	0.192	85.3	168.3
SU 4	Scan	M3	Floor	Concrete	1	113	6	584	0.074	0.192	-30.4	230.7
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	7	99	6	584	0.074	0.192	108.5	105.9
SU 4	Scan	M3	Floor	Concrete	8	91	6	584	0.074	0.192	131.6	34.5
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	0	112	6	584	0.074	0.192	-53.5	221.8
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	8	77	6	584	0.074	0.192	131.6	-90.3
SU 4	Scan	M3	Floor	Concrete	0	103	6	584	0.074	0.192	-53.5	141.6
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	0	119	6	584	0.074	0.192	-53.5	284.3
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	3	114	6	584	0.074	0.192	15.9	239.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	121	6	584	0.074	0.192	-7.2	302.1
SU 4	Scan	M3	Floor	Concrete	5	115	6	584	0.074	0.192	62.2	248.6
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	6	114	6	584	0.074	0.192	85.3	239.7
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	119	6	584	0.074	0.192	39.0	284.3
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	8	80	6	584	0.074	0.192	131.6	-63.6
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	8	96	6	584	0.074	0.192	131.6	79.1
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	1	104	6	584	0.074	0.192	-30.4	150.5
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	1	120	6	584	0.074	0.192	-30.4	293.2
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	111	6	584	0.074	0.192	-30.4	212.9
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	6	117	6	584	0.074	0.192	85.3	266.4
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	0	109	6	584	0.074	0.192	-53.5	195.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1
SU 4	Scan	M3	Floor	Concrete	1	121	6	584	0.074	0.192	-30.4	302.1
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	106	6	584	0.074	0.192	-53.5	168.3
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	4	116	6	584	0.074	0.192	39.0	257.5
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	1	118	6	584	0.074	0.192	-30.4	275.3
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	6	112	6	584	0.074	0.192	85.3	221.8
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	4	111	6	584	0.074	0.192	39.0	212.9
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	122	6	584	0.074	0.192	-7.2	311.0
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	6	121	6	584	0.074	0.192	85.3	302.1
SU 4	Scan	M3	Floor	Concrete	4	120	6	584	0.074	0.192	39.0	293.2
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	3	125	6	584	0.074	0.192	15.9	337.8
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	7	114	6	584	0.074	0.192	108.5	239.7
SU 4	Scan	M3	Floor	Concrete	5	116	6	584	0.074	0.192	62.2	257.5
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	7	114	6	584	0.074	0.192	108.5	239.7
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	5	114	6	584	0.074	0.192	62.2	239.7
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	4	115	6	584	0.074	0.192	39.0	248.6
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	4	127	6	584	0.074	0.192	39.0	355.6
SU 4	Scan	M3	Floor	Concrete	5	117	6	584	0.074	0.192	62.2	266.4
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	8	104	6	584	0.074	0.192	131.6	150.5
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	117	6	584	0.074	0.192	39.0	266.4
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	5	121	6	584	0.074	0.192	62.2	302.1
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	118	6	584	0.074	0.192	39.0	275.3
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	5	116	6	584	0.074	0.192	62.2	257.5
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	1	116	6	584	0.074	0.192	-30.4	257.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	5	110	6	584	0.074	0.192	62.2	204.0
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	4	116	6	584	0.074	0.192	39.0	257.5
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	2	122	6	584	0.074	0.192	-7.2	311.0
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	6	120	6	584	0.074	0.192	85.3	293.2
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	113	6	584	0.074	0.192	-30.4	230.7
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	5	118	6	584	0.074	0.192	62.2	275.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	106	6	584	0.074	0.192	85.3	168.3
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	120	6	584	0.074	0.192	-30.4	293.2
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	6	99	6	584	0.074	0.192	85.3	105.9
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	0	106	6	584	0.074	0.192	-53.5	168.3
SU 4	Scan	M3	Floor	Concrete	5	111	6	584	0.074	0.192	62.2	212.9
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	124	6	584	0.074	0.192	15.9	328.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	7	95	6	584	0.074	0.192	108.5	70.2
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	8	91	6	584	0.074	0.192	131.6	34.5
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	9	108	6	584	0.074	0.192	154.7	186.1
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	122	6	584	0.074	0.192	-30.4	311.0
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	0	112	6	584	0.074	0.192	-53.5	221.8
SU 4	Scan	M3	Floor	Concrete	7	91	6	584	0.074	0.192	108.5	34.5
SU 4	Scan	M3	Floor	Concrete	8	93	6	584	0.074	0.192	131.6	52.4
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	127	6	584	0.074	0.192	15.9	355.6
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	4	111	6	584	0.074	0.192	39.0	212.9
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	9	115	6	584	0.074	0.192	154.7	248.6
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	3	131	6	584	0.074	0.192	15.9	391.3
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	118	6	584	0.074	0.192	39.0	275.3
SU 4	Scan	M3	Floor	Concrete	8	95	6	584	0.074	0.192	131.6	70.2
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	4	121	6	584	0.074	0.192	39.0	302.1
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	4	115	6	584	0.074	0.192	39.0	248.6
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	5	115	6	584	0.074	0.192	62.2	248.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	2	117	6	584	0.074	0.192	-7.2	266.4
SU 4	Scan	M3	Floor	Concrete	6	99	6	584	0.074	0.192	85.3	105.9
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	9	120	6	584	0.074	0.192	154.7	293.2
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	1	114	6	584	0.074	0.192	-30.4	239.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	7	98	6	584	0.074	0.192	108.5	97.0
SU 4	Scan	M3	Floor	Concrete	3	115	6	584	0.074	0.192	15.9	248.6
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	0	112	6	584	0.074	0.192	-53.5	221.8
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	113	6	584	0.074	0.192	15.9	230.7
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	7	101	6	584	0.074	0.192	108.5	123.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	6	99	6	584	0.074	0.192	85.3	105.9
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	3	129	6	584	0.074	0.192	15.9	373.4
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	8	113	6	584	0.074	0.192	131.6	230.7
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	7	126	6	584	0.074	0.192	108.5	346.7
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	4	115	6	584	0.074	0.192	39.0	248.6
SU 4	Scan	M3	Floor	Concrete	5	112	6	584	0.074	0.192	62.2	221.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	6	108	6	584	0.074	0.192	85.3	186.1
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	9	102	6	584	0.074	0.192	154.7	132.6
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	2	98	6	584	0.077	0.206	-24.9	-89.3
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	93	6	584	0.077	0.206	-24.9	-130.9
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	96	6	584	0.077	0.206	-47.1	-105.9
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	0	109	6	584	0.077	0.206	-69.4	2.1
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	0	137	6	584	0.077	0.206	-69.4	234.9
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	1	147	6	584	0.077	0.206	-47.1	318.0
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	0	134	6	584	0.077	0.206	-69.4	209.9
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	0	105	6	584	0.077	0.206	-69.4	-31.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	0	138	6	584	0.077	0.206	-69.4	243.2
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	8	100	6	584	0.077	0.206	108.5	-72.7
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	101	6	584	0.077	0.206	-69.4	-64.4
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	3	93	6	584	0.077	0.206	-2.7	-130.9
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	98	6	584	0.077	0.206	-24.9	-89.3
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7
SU 4	Scan	M5	Floor	Concrete	3	96	6	584	0.077	0.206	-2.7	-105.9
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	8	107	6	584	0.077	0.206	108.5	-14.5
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	9	96	6	584	0.077	0.206	130.8	-105.9
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	12	127	6	584	0.077	0.206	197.5	151.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	93	6	584	0.077	0.206	-2.7	-130.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	144	6	584	0.077	0.206	-47.1	293.0
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	6	146	6	584	0.077	0.206	64.0	309.7
SU 4	Scan	M5	Floor	Concrete	0	137	6	584	0.077	0.206	-69.4	234.9
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	3	156	6	584	0.077	0.206	-2.7	392.8
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	5	148	6	584	0.077	0.206	41.8	326.3
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	5	98	6	584	0.077	0.206	41.8	-89.3
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	1	92	6	584	0.077	0.206	-47.1	-139.2
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	149	6	584	0.077	0.206	-24.9	334.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	4	92	6	584	0.077	0.206	19.6	-139.2
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	8	111	6	584	0.077	0.206	108.5	18.7
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	146	6	584	0.077	0.206	64.0	309.7
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	96	6	584	0.077	0.206	19.6	-105.9
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	4	87	6	584	0.077	0.206	19.6	-180.8
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	5	153	6	584	0.077	0.206	41.8	367.9
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	12	138	6	584	0.077	0.206	197.5	243.2
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	96	6	584	0.077	0.206	64.0	-105.9
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	10	103	6	584	0.077	0.206	153.0	-47.8
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	9	107	6	584	0.077	0.206	130.8	-14.5
SU 4	Scan	M5	Floor	Concrete	10	127	6	584	0.077	0.206	153.0	151.7
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	10	125	6	584	0.077	0.206	153.0	135.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	6	92	6	584	0.077	0.206	64.0	-139.2
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	8	142	6	584	0.077	0.206	108.5	276.4
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	10	92	6	584	0.077	0.206	153.0	-139.2
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	11	117	6	584	0.077	0.206	175.2	68.6
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	12	117	6	584	0.077	0.206	197.5	68.6
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	12	107	6	584	0.077	0.206	197.5	-14.5
SU 4	Scan	M5	Floor	Concrete	6	98	6	584	0.077	0.206	64.0	-89.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	11	130	6	584	0.077	0.206	175.2	176.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	3	150	6	584	0.077	0.206	-2.7	342.9
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	14	125	6	584	0.077	0.206	241.9	135.1
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	10	115	6	584	0.077	0.206	153.0	52.0
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	8	109	6	584	0.077	0.206	108.5	2.1
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	12	130	6	584	0.077	0.206	197.5	176.7
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	9	119	6	584	0.077	0.206	130.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	5	90	6	584	0.077	0.206	41.8	-155.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	8	98	6	584	0.077	0.206	108.5	-89.3
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	97	6	584	0.077	0.206	41.8	-97.6
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	9	98	6	584	0.077	0.206	130.8	-89.3
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	14	107	6	584	0.077	0.206	241.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	9	136	6	584	0.077	0.206	130.8	226.6
SU 4	Scan	M5	Floor	Concrete	11	120	6	584	0.077	0.206	175.2	93.6
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	10	118	6	584	0.077	0.206	153.0	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	8	114	6	584	0.077	0.206	108.5	43.7
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	1	149	6	584	0.077	0.206	-47.1	334.6
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	10	123	6	584	0.077	0.206	153.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	9	138	6	584	0.077	0.206	130.8	243.2
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	12	124	6	584	0.077	0.206	197.5	126.8
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	16	120	6	584	0.077	0.206	286.4	93.6
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	6	155	6	584	0.077	0.206	64.0	384.5
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	9	108	6	584	0.077	0.206	130.8	-6.2
SU 4	Scan	M5	Floor	Concrete	9	132	6	584	0.077	0.206	130.8	193.3
SU 4	Scan	M5	Floor	Concrete	9	136	6	584	0.077	0.206	130.8	226.6
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	8	111	6	584	0.077	0.206	108.5	18.7
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	10	124	6	584	0.077	0.206	153.0	126.8
SU 4	Scan	M5	Floor	Concrete	13	118	6	584	0.077	0.206	219.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	3	96	6	584	0.077	0.206	-2.7	-105.9
SU 4	Scan	M5	Floor	Concrete	12	134	6	584	0.077	0.206	197.5	209.9
SU 4	Scan	M5	Floor	Concrete	10	106	6	584	0.077	0.206	153.0	-22.8
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	11	110	6	584	0.077	0.206	175.2	10.4
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	8	101	6	584	0.077	0.206	108.5	-64.4
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	10	126	6	584	0.077	0.206	153.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	11	128	6	584	0.077	0.206	175.2	160.1
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	11	122	6	584	0.077	0.206	175.2	110.2
SU 4	Scan	M5	Floor	Concrete	10	137	6	584	0.077	0.206	153.0	234.9
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	13	117	6	584	0.077	0.206	219.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	10	105	6	584	0.077	0.206	153.0	-31.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	11	123	6	584	0.077	0.206	175.2	118.5
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	10	134	6	584	0.077	0.206	153.0	209.9
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	10	138	6	584	0.077	0.206	153.0	243.2
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	7	150	6	584	0.077	0.206	86.3	342.9
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	11	133	6	584	0.077	0.206	175.2	201.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	13	134	6	584	0.077	0.206	219.7	209.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	11	126	6	584	0.077	0.206	175.2	143.4
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	10	136	6	584	0.077	0.206	153.0	226.6
SU 4	Scan	M5	Floor	Concrete	5	156	6	584	0.077	0.206	41.8	392.8
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	10	123	6	584	0.077	0.206	153.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	6	94	6	584	0.077	0.206	64.0	-122.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	10	127	6	584	0.077	0.206	153.0	151.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	10	131	6	584	0.077	0.206	153.0	185.0
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	15	125	6	584	0.077	0.206	264.2	135.1
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	9	111	6	584	0.077	0.206	130.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	10	121	6	584	0.077	0.206	153.0	101.9
SU 4	Scan	M5	Floor	Concrete	10	104	6	584	0.077	0.206	153.0	-39.4
SU 4	Scan	M5	Floor	Concrete	10	102	6	584	0.077	0.206	153.0	-56.1
SU 4	Scan	M5	Floor	Concrete	10	110	6	584	0.077	0.206	153.0	10.4
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	12	103	6	584	0.077	0.206	197.5	-47.8
SU 4	Scan	M5	Floor	Concrete	15	102	6	584	0.077	0.206	264.2	-56.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	9	135	6	584	0.077	0.206	130.8	218.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	11	129	6	584	0.077	0.206	175.2	168.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	9	105	6	584	0.077	0.206	130.8	-31.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	9	101	6	584	0.077	0.206	130.8	-64.4
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	10	99	6	584	0.077	0.206	153.0	-81.0
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	8	103	6	584	0.077	0.206	108.5	-47.8
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	100	6	584	0.077	0.206	64.0	-72.7
SU 4	Scan	M5	Floor	Concrete	13	116	6	584	0.077	0.206	219.7	60.3
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	8	101	6	584	0.077	0.206	108.5	-64.4
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	6	97	6	584	0.077	0.206	64.0	-97.6
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	9	105	6	584	0.077	0.206	130.8	-31.1
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	11	136	6	584	0.077	0.206	175.2	226.6
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7
SU 4	Scan	M5	Floor	Concrete	7	94	6	584	0.077	0.206	86.3	-122.6
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	6	95	6	584	0.077	0.206	64.0	-114.3
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	9	135	6	584	0.077	0.206	130.8	218.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	11	118	6	584	0.077	0.206	175.2	76.9
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	5	147	6	584	0.077	0.206	41.8	318.0
SU 4	Scan	M5	Floor	Concrete	10	107	6	584	0.077	0.206	153.0	-14.5
SU 4	Scan	M5	Floor	Concrete	11	104	6	584	0.077	0.206	175.2	-39.4
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	9	125	6	584	0.077	0.206	130.8	135.1
SU 4	Scan	M5	Floor	Concrete	9	102	6	584	0.077	0.206	130.8	-56.1
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	12	136	6	584	0.077	0.206	197.5	226.6
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	10	127	6	584	0.077	0.206	153.0	151.7
SU 4	Scan	M5	Floor	Concrete	11	101	6	584	0.077	0.206	175.2	-64.4
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	15	121	6	584	0.077	0.206	264.2	101.9
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	10	117	6	584	0.077	0.206	153.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	11	134	6	584	0.077	0.206	175.2	209.9
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	11	124	6	584	0.077	0.206	175.2	126.8
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	7	97	6	584	0.077	0.206	86.3	-97.6
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	10	121	6	584	0.077	0.206	153.0	101.9
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	9	162	6	584	0.077	0.206	130.8	442.7
SU 4	Scan	M5	Floor	Concrete	14	120	6	584	0.077	0.206	241.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	7	140	6	584	0.077	0.206	86.3	259.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	1	141	6	584	0.077	0.206	-47.1	268.1
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	10	116	6	584	0.077	0.206	153.0	60.3
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	10	133	6	584	0.077	0.206	153.0	201.6
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	75	6	584	0.067	0.196	50.3	-197.4
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	122	6	584	0.067	0.196	-51.9	213.2
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	79	6	584	0.067	0.196	24.8	-162.4
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	84	6	584	0.067	0.196	-51.9	-118.7
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	5	87	6	584	0.067	0.196	75.9	-92.5
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	7	115	6	584	0.067	0.196	127.0	152.1
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	5	86	6	584	0.067	0.196	75.9	-101.3
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	5	94	6	584	0.067	0.196	75.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	6	95	6	584	0.067	0.196	101.5	-22.6
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	7	110	6	584	0.067	0.196	127.0	108.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	123	6	584	0.067	0.196	-51.9	222.0
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	0	132	6	584	0.067	0.196	-51.9	300.6
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	130	6	584	0.067	0.196	-51.9	283.1
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	6	122	6	584	0.067	0.196	101.5	213.2
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	133	6	584	0.067	0.196	50.3	309.3
SU 4	Scan	M6	Floor	Concrete	0	131	6	584	0.067	0.196	-51.9	291.9
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	84	6	584	0.067	0.196	-51.9	-118.7
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	4	135	6	584	0.067	0.196	50.3	326.8
SU 4	Scan	M6	Floor	Concrete	7	110	6	584	0.067	0.196	127.0	108.4
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	8	132	6	584	0.067	0.196	152.6	300.6
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	6	99	6	584	0.067	0.196	101.5	12.3
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	143	6	584	0.067	0.196	-0.8	396.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	1	131	6	584	0.067	0.196	-26.3	291.9
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	135	6	584	0.067	0.196	24.8	326.8
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	6	121	6	584	0.067	0.196	101.5	204.5
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	128	6	584	0.067	0.196	101.5	265.7
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	133	6	584	0.067	0.196	-0.8	309.3
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	8	126	6	584	0.067	0.196	152.6	248.2
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	133	6	584	0.067	0.196	-0.8	309.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	5	131	6	584	0.067	0.196	75.9	291.9
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	134	6	584	0.067	0.196	50.3	318.1
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	123	6	584	0.067	0.196	-51.9	222.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	134	6	584	0.067	0.196	24.8	318.1
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	134	6	584	0.067	0.196	50.3	318.1
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	140	6	584	0.067	0.196	-26.3	370.5
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	5	131	6	584	0.067	0.196	75.9	291.9
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	0	124	6	584	0.067	0.196	-51.9	230.7
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	7	116	6	584	0.067	0.196	127.0	160.8
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	6	120	6	584	0.067	0.196	101.5	195.8
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	6	126	6	584	0.067	0.196	101.5	248.2
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	0	124	6	584	0.067	0.196	-51.9	230.7
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	1	127	6	584	0.067	0.196	-26.3	256.9
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	9	102	6	584	0.067	0.196	178.1	38.5
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	138	6	584	0.067	0.196	50.3	353.0
SU 4	Scan	M6	Floor	Concrete	3	150	6	584	0.067	0.196	24.8	457.9
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	136	6	584	0.067	0.196	-0.8	335.5
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	134	6	584	0.067	0.196	-26.3	318.1
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	0	122	6	584	0.067	0.196	-51.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	123	6	584	0.067	0.196	-51.9	222.0
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	6	127	6	584	0.067	0.196	101.5	256.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	0	139	6	584	0.067	0.196	-51.9	361.8
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	135	6	584	0.067	0.196	-0.8	326.8
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	11	119	6	584	0.067	0.196	229.2	187.0
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	6	133	6	584	0.067	0.196	101.5	309.3
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	6	115	6	584	0.067	0.196	101.5	152.1
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	7	121	6	584	0.067	0.196	127.0	204.5
SU 4	Scan	M6	Floor	Concrete	3	136	6	584	0.067	0.196	24.8	335.5
SU 4	Scan	M6	Floor	Concrete	2	146	6	584	0.067	0.196	-0.8	422.9
SU 4	Scan	M6	Floor	Concrete	6	134	6	584	0.067	0.196	101.5	318.1
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	7	109	6	584	0.067	0.196	127.0	99.7
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	124	6	584	0.067	0.196	-51.9	230.7
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	130	6	584	0.067	0.196	24.8	283.1
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	128	6	584	0.067	0.196	75.9	265.7
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	128	6	584	0.067	0.196	50.3	265.7
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	6	99	6	584	0.067	0.196	101.5	12.3
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	134	6	584	0.067	0.196	75.9	318.1
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	137	6	584	0.067	0.196	24.8	344.3
SU 4	Scan	M6	Floor	Concrete	7	99	6	584	0.067	0.196	127.0	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	7	129	6	584	0.067	0.196	127.0	274.4
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	7	109	6	584	0.067	0.196	127.0	99.7
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	7	110	6	584	0.067	0.196	127.0	108.4
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	7	127	6	584	0.067	0.196	127.0	256.9
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	88	6	584	0.067	0.196	75.9	-83.8
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	6	126	6	584	0.067	0.196	101.5	248.2
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	3	130	6	584	0.067	0.196	24.8	283.1
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	8	119	6	584	0.067	0.196	152.6	187.0
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	5	126	6	584	0.067	0.196	75.9	248.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	132	6	584	0.067	0.196	24.8	300.6
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	9	112	6	584	0.067	0.196	178.1	125.9
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	52	6	584	0.074	0.192	-7.2	-313.3
SU 4	Scan	M3	Floor	Concrete	3	53	6	584	0.074	0.192	15.9	-304.4
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	53	6	584	0.074	0.192	15.9	-304.4
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	9	86	6	584	0.074	0.192	154.7	-10.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	7	94	6	584	0.074	0.192	108.5	61.3
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	0	106	6	584	0.074	0.192	-53.5	168.3
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	0	108	6	584	0.074	0.192	-53.5	186.1
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	7	94	6	584	0.074	0.192	108.5	61.3
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	7	74	6	584	0.074	0.192	108.5	-117.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	104	6	584	0.074	0.192	85.3	150.5
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	6	111	6	584	0.074	0.192	85.3	212.9
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	8	92	6	584	0.074	0.192	131.6	43.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	116	6	584	0.074	0.192	-30.4	257.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	7	98	6	584	0.074	0.192	108.5	97.0
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	8	107	6	584	0.074	0.192	131.6	177.2
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	116	6	584	0.074	0.192	39.0	257.5
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	6	99	6	584	0.074	0.192	85.3	105.9
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	7	98	6	584	0.074	0.192	108.5	97.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	7	112	6	584	0.074	0.192	108.5	221.8
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	107	6	584	0.074	0.192	15.9	177.2
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	7	105	6	584	0.074	0.192	108.5	159.4
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	8	108	6	584	0.074	0.192	131.6	186.1
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	5	109	6	584	0.074	0.192	62.2	195.1
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	9	94	6	584	0.074	0.192	154.7	61.3
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	6	107	6	584	0.074	0.192	85.3	177.2
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	120	6	584	0.074	0.192	15.9	293.2
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	7	110	6	584	0.074	0.192	108.5	204.0
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	0	104	6	584	0.074	0.192	-53.5	150.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	115	6	584	0.074	0.192	39.0	248.6
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	121	6	584	0.074	0.192	15.9	302.1
SU 4	Scan	M3	Floor	Concrete	1	113	6	584	0.074	0.192	-30.4	230.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	9	77	6	584	0.074	0.192	154.7	-90.3
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	6	98	6	584	0.074	0.192	85.3	97.0
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	0	116	6	584	0.074	0.192	-53.5	257.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	0	100	6	584	0.074	0.192	-53.5	114.8
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	124	6	584	0.074	0.192	15.9	328.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	1	113	6	584	0.074	0.192	-30.4	230.7
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	0	98	6	584	0.074	0.192	-53.5	97.0
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	109	6	584	0.074	0.192	15.9	195.1
SU 4	Scan	M3	Floor	Concrete	0	103	6	584	0.074	0.192	-53.5	141.6
SU 4	Scan	M3	Floor	Concrete	4	117	6	584	0.074	0.192	39.0	266.4
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	1	145	6	584	0.077	0.206	-47.1	301.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	1	140	6	584	0.077	0.206	-47.1	259.8
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	0	106	6	584	0.077	0.206	-69.4	-22.8
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	2	94	6	584	0.077	0.206	-24.9	-122.6
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	2	142	6	584	0.077	0.206	-24.9	276.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	1	146	6	584	0.077	0.206	-47.1	309.7
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	6	98	6	584	0.077	0.206	64.0	-89.3
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	5	95	6	584	0.077	0.206	41.8	-114.3
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	5	87	6	584	0.077	0.206	41.8	-180.8
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	151	6	584	0.077	0.206	-47.1	351.2
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	151	6	584	0.077	0.206	41.8	351.2
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	148	6	584	0.077	0.206	19.6	326.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	2	95	6	584	0.077	0.206	-24.9	-114.3
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	0	129	6	584	0.077	0.206	-69.4	168.4
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	3	93	6	584	0.077	0.206	-2.7	-130.9
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	0	146	6	584	0.077	0.206	-69.4	309.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	93	6	584	0.077	0.206	-24.9	-130.9
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	0	106	6	584	0.077	0.206	-69.4	-22.8
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	8	107	6	584	0.077	0.206	108.5	-14.5
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	92	6	584	0.077	0.206	41.8	-139.2
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	7	97	6	584	0.077	0.206	86.3	-97.6
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	0	140	6	584	0.077	0.206	-69.4	259.8
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	0	101	6	584	0.077	0.206	-69.4	-64.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	1	93	6	584	0.077	0.206	-47.1	-130.9
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	4	91	6	584	0.077	0.206	19.6	-147.5
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	92	6	584	0.077	0.206	19.6	-139.2
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	1	93	6	584	0.077	0.206	-47.1	-130.9
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	8	111	6	584	0.077	0.206	108.5	18.7
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	11	122	6	584	0.077	0.206	175.2	110.2
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	7	95	6	584	0.077	0.206	86.3	-114.3
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	1	145	6	584	0.077	0.206	-47.1	301.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	92	6	584	0.077	0.206	41.8	-139.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	10	119	6	584	0.077	0.206	153.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	94	6	584	0.077	0.206	-24.9	-122.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	5	91	6	584	0.077	0.206	41.8	-147.5
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	98	6	584	0.077	0.206	-24.9	-89.3
SU 4	Scan	M5	Floor	Concrete	0	109	6	584	0.077	0.206	-69.4	2.1
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	6	97	6	584	0.077	0.206	64.0	-97.6
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	8	97	6	584	0.077	0.206	108.5	-97.6
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	1	98	6	584	0.077	0.206	-47.1	-89.3
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	0	103	6	584	0.077	0.206	-69.4	-47.8
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	4	152	6	584	0.077	0.206	19.6	359.5
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	6	140	6	584	0.077	0.206	64.0	259.8
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	6	100	6	584	0.077	0.206	64.0	-72.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	141	6	584	0.077	0.206	-24.9	268.1
SU 4	Scan	M5	Floor	Concrete	2	95	6	584	0.077	0.206	-24.9	-114.3
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	7	147	6	584	0.077	0.206	86.3	318.0
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	6	101	6	584	0.077	0.206	64.0	-64.4
SU 4	Scan	M5	Floor	Concrete	6	87	6	584	0.077	0.206	64.0	-180.8
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	146	6	584	0.077	0.206	19.6	309.7
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	6	99	6	584	0.077	0.206	64.0	-81.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	10	137	6	584	0.077	0.206	153.0	234.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	7	100	6	584	0.077	0.206	86.3	-72.7
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	1	135	6	584	0.077	0.206	-47.1	218.2
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	12	122	6	584	0.077	0.206	197.5	110.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	1	92	6	584	0.077	0.206	-47.1	-139.2
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	6	101	6	584	0.077	0.206	64.0	-64.4
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	102	6	584	0.077	0.206	108.5	-56.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	10	122	6	584	0.077	0.206	153.0	110.2
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	2	98	6	584	0.077	0.206	-24.9	-89.3
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	8	109	6	584	0.077	0.206	108.5	2.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	6	96	6	584	0.077	0.206	64.0	-105.9
SU 4	Scan	M5	Floor	Concrete	3	149	6	584	0.077	0.206	-2.7	334.6
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	10	119	6	584	0.077	0.206	153.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	0	99	6	584	0.077	0.206	-69.4	-81.0
SU 4	Scan	M5	Floor	Concrete	3	98	6	584	0.077	0.206	-2.7	-89.3
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	0	96	6	584	0.077	0.206	-69.4	-105.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	96	6	584	0.077	0.206	19.6	-105.9
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	91	6	584	0.077	0.206	19.6	-147.5
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	4	92	6	584	0.077	0.206	19.6	-139.2
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	4	146	6	584	0.077	0.206	19.6	309.7
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	10	126	6	584	0.077	0.206	153.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	7	99	6	584	0.077	0.206	86.3	-81.0
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	98	6	584	0.077	0.206	19.6	-89.3
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	95	6	584	0.077	0.206	19.6	-114.3
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	95	6	584	0.077	0.206	-47.1	-114.3
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	9	130	6	584	0.077	0.206	130.8	176.7
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	8	101	6	584	0.077	0.206	108.5	-64.4
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	1	151	6	584	0.077	0.206	-47.1	351.2
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	99	6	584	0.077	0.206	-69.4	-81.0
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	98	6	584	0.077	0.206	19.6	-89.3
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	4	86	6	584	0.077	0.206	19.6	-189.1
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	9	111	6	584	0.077	0.206	130.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	93	6	584	0.077	0.206	-24.9	-130.9
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	90	6	584	0.077	0.206	19.6	-155.8
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	7	96	6	584	0.077	0.206	86.3	-105.9
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	148	6	584	0.077	0.206	-2.7	326.3
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	10	109	6	584	0.077	0.206	153.0	2.1
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	8	137	6	584	0.077	0.206	108.5	234.9
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	11	118	6	584	0.077	0.206	175.2	76.9
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	3	144	6	584	0.077	0.206	-2.7	293.0
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	8	114	6	584	0.077	0.206	108.5	43.7
SU 4	Scan	M5	Floor	Concrete	8	105	6	584	0.077	0.206	108.5	-31.1
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	144	6	584	0.067	0.196	24.8	405.4
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	133	6	584	0.067	0.196	-0.8	309.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	134	6	584	0.067	0.196	-26.3	318.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	139	6	584	0.067	0.196	-0.8	361.8
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	122	6	584	0.067	0.196	-51.9	213.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	7	97	6	584	0.067	0.196	127.0	-5.2
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	145	6	584	0.067	0.196	24.8	414.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	0	122	6	584	0.067	0.196	-51.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	132	6	584	0.067	0.196	24.8	300.6
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	124	6	584	0.067	0.196	-51.9	230.7
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	0	83	6	584	0.067	0.196	-51.9	-127.5
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	0	119	6	584	0.067	0.196	-51.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	137	6	584	0.067	0.196	24.8	344.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	6	107	6	584	0.066	0.207	100.7	61.9
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	4	98	6	584	0.066	0.207	48.8	-12.6
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	80	6	584	0.066	0.207	-29.0	-161.5
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	0	83	6	584	0.066	0.207	-54.9	-136.7
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	6	107	6	584	0.066	0.207	100.7	61.9
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	5	95	6	584	0.066	0.207	74.8	-37.4
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	0	115	6	584	0.066	0.207	-54.9	128.1
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	86	6	584	0.066	0.207	-29.0	-111.8
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	78	6	584	0.066	0.207	-3.0	-178.0
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	4	88	6	584	0.066	0.207	48.8	-95.3
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	86	6	584	0.066	0.207	-29.0	-111.8
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	4	122	6	584	0.066	0.207	48.8	186.0
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	0	90	6	584	0.066	0.207	-54.9	-78.8
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	1	134	6	584	0.066	0.207	-29.0	285.2
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	138	6	584	0.066	0.207	-29.0	318.3
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	1	123	6	584	0.066	0.207	-29.0	194.2
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	124	6	584	0.066	0.207	-29.0	202.5
SU 4	Scan	M7	Floor	Concrete	4	132	6	584	0.066	0.207	48.8	268.7
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	127	6	584	0.066	0.207	22.9	227.3
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	5	131	6	584	0.066	0.207	74.8	260.4
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	4	88	6	584	0.066	0.207	48.8	-95.3
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	4	132	6	584	0.066	0.207	48.8	268.7
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	4	98	6	584	0.066	0.207	48.8	-12.6
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	6	110	6	584	0.066	0.207	100.7	86.7
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	4	96	6	584	0.066	0.207	48.8	-29.1
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	79	6	584	0.066	0.207	-3.0	-169.7
SU 4	Scan	M7	Floor	Concrete	0	96	6	584	0.066	0.207	-54.9	-29.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	85	6	584	0.066	0.207	-29.0	-120.1
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	0	127	6	584	0.066	0.207	-54.9	227.3
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	0	90	6	584	0.066	0.207	-54.9	-78.8
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	0	98	6	584	0.066	0.207	-54.9	-12.6
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	2	88	6	584	0.066	0.207	-3.0	-95.3
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	74	6	584	0.066	0.207	-3.0	-211.1
SU 4	Scan	M7	Floor	Concrete	0	98	6	584	0.066	0.207	-54.9	-12.6
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	83	6	584	0.066	0.207	-3.0	-136.7
SU 4	Scan	M7	Floor	Concrete	0	87	6	584	0.066	0.207	-54.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	0	93	6	584	0.066	0.207	-54.9	-53.9
SU 4	Scan	M7	Floor	Concrete	1	86	6	584	0.066	0.207	-29.0	-111.8
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	4	91	6	584	0.066	0.207	48.8	-70.5
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	77	6	584	0.066	0.207	-3.0	-186.3
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	83	6	584	0.066	0.207	-29.0	-136.7
SU 4	Scan	M7	Floor	Concrete	1	119	6	584	0.066	0.207	-29.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	8	91	6	584	0.066	0.207	152.6	-70.5
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	4	91	6	584	0.066	0.207	48.8	-70.5
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	6	101	6	584	0.066	0.207	100.7	12.2
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	81	6	584	0.066	0.207	22.9	-153.2
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	0	84	6	584	0.066	0.207	-54.9	-128.4
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	2	89	6	584	0.066	0.207	-3.0	-87.0
SU 4	Scan	M7	Floor	Concrete	1	85	6	584	0.066	0.207	-29.0	-120.1
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	0	121	6	584	0.066	0.207	-54.9	177.7
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	4	91	6	584	0.066	0.207	48.8	-70.5
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	4	90	6	584	0.066	0.207	48.8	-78.8
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	126	6	584	0.066	0.207	-3.0	219.0
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	1	76	6	584	0.066	0.207	-29.0	-194.6
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	5	100	6	584	0.066	0.207	74.8	4.0
SU 4	Scan	M7	Floor	Concrete	0	93	6	584	0.066	0.207	-54.9	-53.9
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	91	6	584	0.066	0.207	-29.0	-70.5
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	4	124	6	584	0.066	0.207	48.8	202.5
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	4	90	6	584	0.066	0.207	48.8	-78.8
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	0	89	6	584	0.066	0.207	-54.9	-87.0
SU 4	Scan	M7	Floor	Concrete	1	80	6	584	0.066	0.207	-29.0	-161.5
SU 4	Scan	M7	Floor	Concrete	6	129	6	584	0.066	0.207	100.7	243.9
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	5	100	6	584	0.066	0.207	74.8	4.0
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	2	85	6	584	0.066	0.207	-3.0	-120.1
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	5	100	6	584	0.066	0.207	74.8	4.0
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	0	92	6	584	0.066	0.207	-54.9	-62.2
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	127	6	584	0.066	0.207	-29.0	227.3
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	4	88	6	584	0.066	0.207	48.8	-95.3
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	7	109	6	584	0.066	0.207	126.7	78.4
SU 4	Scan	M7	Floor	Concrete	4	89	6	584	0.066	0.207	48.8	-87.0
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	8	111	6	584	0.066	0.207	152.6	95.0
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	2	93	6	584	0.066	0.207	-3.0	-53.9
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	6	94	6	584	0.066	0.207	100.7	-45.7
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	5	108	6	584	0.066	0.207	74.8	70.1
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	88	6	584	0.066	0.207	-29.0	-95.3
SU 4	Scan	M7	Floor	Concrete	2	124	6	584	0.066	0.207	-3.0	202.5
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	5	99	6	584	0.066	0.207	74.8	-4.3
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	118	6	584	0.066	0.207	-54.9	152.9
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	132	6	584	0.066	0.207	-29.0	268.7
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	94	6	584	0.066	0.207	-54.9	-45.7
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	6	100	6	584	0.066	0.207	100.7	4.0
SU 4	Scan	M7	Floor	Concrete	2	87	6	584	0.066	0.207	-3.0	-103.6
SU 4	Scan	M7	Floor	Concrete	0	116	6	584	0.066	0.207	-54.9	136.3
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	5	96	6	584	0.066	0.207	74.8	-29.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	0	115	6	584	0.066	0.207	-54.9	128.1
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	6	99	6	584	0.066	0.207	100.7	-4.3
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	3	84	6	584	0.066	0.207	22.9	-128.4
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	85	6	584	0.066	0.207	-29.0	-120.1
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	3	85	6	584	0.066	0.207	22.9	-120.1
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	4	82	6	584	0.066	0.207	48.8	-144.9
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	5	94	6	584	0.066	0.207	74.8	-45.7
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	1	79	6	584	0.066	0.207	-29.0	-169.7
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	0	85	6	584	0.066	0.207	-54.9	-120.1
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	87	6	584	0.066	0.207	-3.0	-103.6
SU 4	Scan	M7	Floor	Concrete	0	93	6	584	0.066	0.207	-54.9	-53.9
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	124	6	584	0.066	0.207	-29.0	202.5
SU 4	Scan	M7	Floor	Concrete	5	110	6	584	0.066	0.207	74.8	86.7
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	0	119	6	584	0.066	0.207	-54.9	161.1
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	89	6	584	0.066	0.207	-3.0	-87.0
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	1	116	6	584	0.066	0.207	-29.0	136.3
SU 4	Scan	M7	Floor	Concrete	6	102	6	584	0.066	0.207	100.7	20.5
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	0	88	6	584	0.066	0.207	-54.9	-95.3
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	119	6	584	0.066	0.207	-54.9	161.1
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	0	90	6	584	0.066	0.207	-54.9	-78.8
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	76	6	584	0.066	0.207	-29.0	-194.6
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	4	124	6	584	0.066	0.207	48.8	202.5
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	5	112	6	584	0.066	0.207	74.8	103.2
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	124	6	584	0.066	0.207	-3.0	202.5
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	3	87	6	584	0.066	0.207	22.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	5	98	6	584	0.066	0.207	74.8	-12.6
SU 4	Scan	M7	Floor	Concrete	1	124	6	584	0.066	0.207	-29.0	202.5
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	7	126	6	584	0.066	0.207	126.7	219.0
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	91	6	584	0.066	0.207	74.8	-70.5
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	119	6	584	0.066	0.207	-3.0	161.1
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	93	6	584	0.066	0.207	-3.0	-53.9
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	7	117	6	584	0.066	0.207	126.7	144.6
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	0	109	6	584	0.066	0.207	-54.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	7	113	6	584	0.066	0.207	126.7	111.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	87	6	584	0.066	0.207	22.9	-103.6
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	6	99	6	584	0.066	0.207	100.7	-4.3
SU 4	Scan	M7	Floor	Concrete	5	132	6	584	0.066	0.207	74.8	268.7
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	6	122	6	584	0.066	0.207	100.7	186.0
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	0	110	6	584	0.066	0.207	-54.9	86.7
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	134	6	584	0.066	0.207	-3.0	285.2
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	7	121	6	584	0.066	0.207	126.7	177.7
SU 4	Scan	M7	Floor	Concrete	2	135	6	584	0.066	0.207	-3.0	293.5
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	5	98	6	584	0.066	0.207	74.8	-12.6
SU 4	Scan	M7	Floor	Concrete	4	128	6	584	0.066	0.207	48.8	235.6
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	3	86	6	584	0.066	0.207	22.9	-111.8
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	3	94	6	584	0.066	0.207	22.9	-45.7
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	6	96	6	584	0.066	0.207	100.7	-29.1
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	1	86	6	584	0.066	0.207	-29.0	-111.8
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	0	127	6	584	0.066	0.207	-54.9	227.3
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	5	109	6	584	0.066	0.207	74.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	4	80	6	584	0.066	0.207	48.8	-161.5
SU 4	Scan	M7	Floor	Concrete	3	77	6	584	0.066	0.207	22.9	-186.3
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	91	6	584	0.066	0.207	-29.0	-70.5
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	1	126	6	584	0.066	0.207	-29.0	219.0
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	5	87	6	584	0.066	0.207	74.8	-103.6
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	5	126	6	584	0.066	0.207	74.8	219.0
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	3	86	6	584	0.066	0.207	22.9	-111.8
SU 4	Scan	M7	Floor	Concrete	1	125	6	584	0.066	0.207	-29.0	210.8
SU 4	Scan	M7	Floor	Concrete	0	115	6	584	0.066	0.207	-54.9	128.1
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	2	132	6	584	0.066	0.207	-3.0	268.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	3	119	6	584	0.066	0.207	22.9	161.1
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	2	103	6	584	0.066	0.207	-3.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	128	6	584	0.066	0.207	-3.0	235.6
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	4	129	6	584	0.066	0.207	48.8	243.9
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	0	88	6	584	0.066	0.207	-54.9	-95.3
SU 4	Scan	M7	Floor	Concrete	1	122	6	584	0.066	0.207	-29.0	186.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	122	6	584	0.066	0.207	-3.0	186.0
SU 4	Scan	M7	Floor	Concrete	5	95	6	584	0.066	0.207	74.8	-37.4
SU 4	Scan	M7	Floor	Concrete	5	114	6	584	0.066	0.207	74.8	119.8
SU 4	Scan	M7	Floor	Concrete	3	90	6	584	0.066	0.207	22.9	-78.8
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	1	124	6	584	0.066	0.207	-29.0	202.5
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	4	89	6	584	0.066	0.207	48.8	-87.0
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	0	87	6	584	0.066	0.207	-54.9	-103.6
SU 4	Scan	M7	Floor	Concrete	1	93	6	584	0.066	0.207	-29.0	-53.9
SU 4	Scan	M7	Floor	Concrete	4	90	6	584	0.066	0.207	48.8	-78.8
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	2	126	6	584	0.066	0.207	-3.0	219.0
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	5	92	6	584	0.066	0.207	74.8	-62.2
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	0	91	6	584	0.066	0.207	-54.9	-70.5
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	75	6	584	0.066	0.207	-29.0	-202.8
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	92	6	584	0.066	0.207	-54.9	-62.2
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	1	127	6	584	0.066	0.207	-29.0	227.3
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	114	6	584	0.066	0.207	-29.0	119.8
SU 4	Scan	M7	Floor	Concrete	0	100	6	584	0.066	0.207	-54.9	4.0
SU 4	Scan	M7	Floor	Concrete	1	125	6	584	0.066	0.207	-29.0	210.8
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	4	127	6	584	0.066	0.207	48.8	227.3
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	6	93	6	584	0.066	0.207	100.7	-53.9
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	2	129	6	584	0.066	0.207	-3.0	243.9
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	0	116	6	584	0.066	0.207	-54.9	136.3
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	127	6	584	0.066	0.207	-29.0	227.3
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	6	112	6	584	0.066	0.207	100.7	103.2
SU 4	Scan	M7	Floor	Concrete	2	118	6	584	0.066	0.207	-3.0	152.9
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	4	95	6	584	0.066	0.207	48.8	-37.4
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	0	112	6	584	0.066	0.207	-54.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	2	120	6	584	0.066	0.207	-3.0	169.4
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	107	6	584	0.066	0.207	-54.9	61.9
SU 4	Scan	M7	Floor	Concrete	0	126	6	584	0.066	0.207	-54.9	219.0
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	0	121	6	584	0.066	0.207	-54.9	177.7
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	0	128	6	584	0.066	0.207	-54.9	235.6
SU 4	Scan	M7	Floor	Concrete	4	135	6	584	0.066	0.207	48.8	293.5
SU 4	Scan	M7	Floor	Concrete	1	88	6	584	0.066	0.207	-29.0	-95.3
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	3	123	6	584	0.066	0.207	22.9	194.2
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	0	120	6	584	0.066	0.207	-54.9	169.4
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	99	6	584	0.066	0.207	-29.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	4	119	6	584	0.066	0.207	48.8	161.1
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	0	94	6	584	0.066	0.207	-54.9	-45.7
SU 4	Scan	M7	Floor	Concrete	5	85	6	584	0.066	0.207	74.8	-120.1
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0
SU 4	Scan	M7	Floor	Concrete	3	91	6	584	0.066	0.207	22.9	-70.5
SU 4	Scan	M7	Floor	Concrete	3	82	6	584	0.066	0.207	22.9	-144.9
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	1	88	6	584	0.066	0.207	-29.0	-95.3
SU 4	Scan	M7	Floor	Concrete	4	125	6	584	0.066	0.207	48.8	210.8
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	108	6	584	0.066	0.207	-54.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	94	6	584	0.066	0.207	-29.0	-45.7
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	0	111	6	584	0.066	0.207	-54.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	0	95	6	584	0.066	0.207	-54.9	-37.4
SU 4	Scan	M7	Floor	Concrete	5	115	6	584	0.066	0.207	74.8	128.1
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	105	6	584	0.066	0.207	-29.0	45.3
SU 4	Scan	M7	Floor	Concrete	1	100	6	584	0.066	0.207	-29.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	0	106	6	584	0.066	0.207	-54.9	53.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	0	80	6	584	0.066	0.207	-54.9	-161.5
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	117	6	584	0.066	0.207	-3.0	144.6
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	1	129	6	584	0.066	0.207	-29.0	243.9
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	2	88	6	584	0.066	0.207	-3.0	-95.3
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	3	77	6	584	0.066	0.207	22.9	-186.3
SU 4	Scan	M7	Floor	Concrete	1	97	6	584	0.066	0.207	-29.0	-20.8
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	5	127	6	584	0.066	0.207	74.8	227.3
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	1	107	6	584	0.066	0.207	-29.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M3	Floor	Concrete	6	98	6	584	0.074	0.192	85.3	97.0
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	2	122	6	584	0.074	0.192	-7.2	311.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	96	6	584	0.074	0.192	108.5	79.1
SU 4	Scan	M3	Floor	Concrete	6	115	6	584	0.074	0.192	85.3	248.6
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	6	105	6	584	0.074	0.192	85.3	159.4
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	4	120	6	584	0.074	0.192	39.0	293.2
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	1	121	6	584	0.074	0.192	-30.4	302.1
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	5	115	6	584	0.074	0.192	62.2	248.6
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	1	118	6	584	0.074	0.192	-30.4	275.3
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	8	101	6	584	0.074	0.192	131.6	123.7
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	135	6	584	0.074	0.192	-7.2	426.9
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	4	129	6	584	0.074	0.192	39.0	373.4
SU 4	Scan	M3	Floor	Concrete	0	112	6	584	0.074	0.192	-53.5	221.8
SU 4	Scan	M3	Floor	Concrete	0	95	6	584	0.074	0.192	-53.5	70.2
SU 4	Scan	M3	Floor	Concrete	7	103	6	584	0.074	0.192	108.5	141.6
SU 4	Scan	M3	Floor	Concrete	3	114	6	584	0.074	0.192	15.9	239.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	127	6	584	0.074	0.192	39.0	355.6
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	2	118	6	584	0.074	0.192	-7.2	275.3
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	4	127	6	584	0.074	0.192	39.0	355.6
SU 4	Scan	M3	Floor	Concrete	3	120	6	584	0.074	0.192	15.9	293.2
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	1	131	6	584	0.074	0.192	-30.4	391.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	1	122	6	584	0.074	0.192	-30.4	311.0
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	2	109	6	584	0.074	0.192	-7.2	195.1
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	1	119	6	584	0.074	0.192	-30.4	284.3
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	5	115	6	584	0.074	0.192	62.2	248.6
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	4	116	6	584	0.074	0.192	39.0	257.5
SU 4	Scan	M3	Floor	Concrete	9	121	6	584	0.074	0.192	154.7	302.1
SU 4	Scan	M3	Floor	Concrete	5	115	6	584	0.074	0.192	62.2	248.6
SU 4	Scan	M3	Floor	Concrete	2	116	6	584	0.074	0.192	-7.2	257.5
SU 4	Scan	M3	Floor	Concrete	5	113	6	584	0.074	0.192	62.2	230.7
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	7	112	6	584	0.074	0.192	108.5	221.8
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	123	6	584	0.074	0.192	39.0	319.9
SU 4	Scan	M3	Floor	Concrete	2	118	6	584	0.074	0.192	-7.2	275.3
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	1	126	6	584	0.074	0.192	-30.4	346.7
SU 4	Scan	M3	Floor	Concrete	1	131	6	584	0.074	0.192	-30.4	391.3
SU 4	Scan	M3	Floor	Concrete	6	108	6	584	0.074	0.192	85.3	186.1
SU 4	Scan	M3	Floor	Concrete	8	108	6	584	0.074	0.192	131.6	186.1
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	7	118	6	584	0.074	0.192	108.5	275.3
SU 4	Scan	M3	Floor	Concrete	1	112	6	584	0.074	0.192	-30.4	221.8
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	0	110	6	584	0.074	0.192	-53.5	204.0
SU 4	Scan	M3	Floor	Concrete	3	118	6	584	0.074	0.192	15.9	275.3
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	4	104	6	584	0.074	0.192	39.0	150.5
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	6	113	6	584	0.074	0.192	85.3	230.7
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	116	6	584	0.074	0.192	-7.2	257.5
SU 4	Scan	M3	Floor	Concrete	6	122	6	584	0.074	0.192	85.3	311.0
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	0	120	6	584	0.074	0.192	-53.5	293.2
SU 4	Scan	M3	Floor	Concrete	4	128	6	584	0.074	0.192	39.0	364.5
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	2	126	6	584	0.074	0.192	-7.2	346.7
SU 4	Scan	M3	Floor	Concrete	4	120	6	584	0.074	0.192	39.0	293.2
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	106	6	584	0.074	0.192	-7.2	168.3
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	6	114	6	584	0.074	0.192	85.3	239.7
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	4	123	6	584	0.074	0.192	39.0	319.9
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	4	117	6	584	0.074	0.192	39.0	266.4
SU 4	Scan	M3	Floor	Concrete	1	116	6	584	0.074	0.192	-30.4	257.5
SU 4	Scan	M3	Floor	Concrete	5	120	6	584	0.074	0.192	62.2	293.2
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	125	6	584	0.074	0.192	62.2	337.8
SU 4	Scan	M3	Floor	Concrete	4	127	6	584	0.074	0.192	39.0	355.6
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	6	113	6	584	0.074	0.192	85.3	230.7
SU 4	Scan	M3	Floor	Concrete	2	120	6	584	0.074	0.192	-7.2	293.2
SU 4	Scan	M3	Floor	Concrete	1	121	6	584	0.074	0.192	-30.4	302.1
SU 4	Scan	M3	Floor	Concrete	7	113	6	584	0.074	0.192	108.5	230.7
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	4	119	6	584	0.074	0.192	39.0	284.3
SU 4	Scan	M3	Floor	Concrete	3	115	6	584	0.074	0.192	15.9	248.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	5	115	6	584	0.074	0.192	62.2	248.6
SU 4	Scan	M3	Floor	Concrete	2	117	6	584	0.074	0.192	-7.2	266.4
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	134	6	584	0.074	0.192	15.9	418.0
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	7	118	6	584	0.074	0.192	108.5	275.3
SU 4	Scan	M3	Floor	Concrete	1	101	6	584	0.074	0.192	-30.4	123.7
SU 4	Scan	M3	Floor	Concrete	6	107	6	584	0.074	0.192	85.3	177.2
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	3	122	6	584	0.074	0.192	15.9	311.0
SU 4	Scan	M3	Floor	Concrete	4	115	6	584	0.074	0.192	39.0	248.6
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	4	129	6	584	0.074	0.192	39.0	373.4
SU 4	Scan	M3	Floor	Concrete	2	130	6	584	0.074	0.192	-7.2	382.4
SU 4	Scan	M3	Floor	Concrete	4	116	6	584	0.074	0.192	39.0	257.5
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	6	122	6	584	0.074	0.192	85.3	311.0
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	124	6	584	0.074	0.192	-7.2	328.8
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	4	132	6	584	0.074	0.192	39.0	400.2
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	6	95	6	584	0.074	0.192	85.3	70.2
SU 4	Scan	M3	Floor	Concrete	4	130	6	584	0.074	0.192	39.0	382.4
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1
SU 4	Scan	M3	Floor	Concrete	3	126	6	584	0.074	0.192	15.9	346.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	4	127	6	584	0.074	0.192	39.0	355.6
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	3	120	6	584	0.074	0.192	15.9	293.2
SU 4	Scan	M3	Floor	Concrete	6	108	6	584	0.074	0.192	85.3	186.1
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	6	111	6	584	0.074	0.192	85.3	212.9
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	0	97	6	584	0.074	0.192	-53.5	88.0
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	4	110	6	584	0.074	0.192	39.0	204.0
SU 4	Scan	M3	Floor	Concrete	9	110	6	584	0.074	0.192	154.7	204.0
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	3	118	6	584	0.074	0.192	15.9	275.3
SU 4	Scan	M3	Floor	Concrete	1	116	6	584	0.074	0.192	-30.4	257.5
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	3	108	6	584	0.074	0.192	15.9	186.1
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	3	113	6	584	0.074	0.192	15.9	230.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	1	121	6	584	0.074	0.192	-30.4	302.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	108	6	584	0.074	0.192	-7.2	186.1
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1
SU 4	Scan	M3	Floor	Concrete	3	116	6	584	0.074	0.192	15.9	257.5
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	0	108	6	584	0.074	0.192	-53.5	186.1
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	0	108	6	584	0.074	0.192	-53.5	186.1
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	2	118	6	584	0.074	0.192	-7.2	275.3
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	4	108	6	584	0.074	0.192	39.0	186.1
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	111	6	584	0.074	0.192	-30.4	212.9
SU 4	Scan	M3	Floor	Concrete	4	111	6	584	0.074	0.192	39.0	212.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	134	6	584	0.074	0.192	-7.2	418.0
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	117	6	584	0.074	0.192	39.0	266.4
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5
SU 4	Scan	M3	Floor	Concrete	1	114	6	584	0.074	0.192	-30.4	239.7
SU 4	Scan	M3	Floor	Concrete	7	110	6	584	0.074	0.192	108.5	204.0
SU 4	Scan	M3	Floor	Concrete	6	129	6	584	0.074	0.192	85.3	373.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	125	6	584	0.074	0.192	15.9	337.8
SU 4	Scan	M3	Floor	Concrete	2	112	6	584	0.074	0.192	-7.2	221.8
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	3	121	6	584	0.074	0.192	15.9	302.1
SU 4	Scan	M3	Floor	Concrete	3	114	6	584	0.074	0.192	15.9	239.7
SU 4	Scan	M3	Floor	Concrete	1	122	6	584	0.074	0.192	-30.4	311.0
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	2	127	6	584	0.074	0.192	-7.2	355.6
SU 4	Scan	M3	Floor	Concrete	2	131	6	584	0.074	0.192	-7.2	391.3
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	129	6	584	0.074	0.192	-7.2	373.4
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	114	6	584	0.074	0.192	15.9	239.7
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	5	107	6	584	0.074	0.192	62.2	177.2
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	127	6	584	0.074	0.192	62.2	355.6
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	4	114	6	584	0.074	0.192	39.0	239.7
SU 4	Scan	M3	Floor	Concrete	2	118	6	584	0.074	0.192	-7.2	275.3
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	5	110	6	584	0.074	0.192	62.2	204.0
SU 4	Scan	M3	Floor	Concrete	1	114	6	584	0.074	0.192	-30.4	239.7
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	8	112	6	584	0.074	0.192	131.6	221.8
SU 4	Scan	M3	Floor	Concrete	0	103	6	584	0.074	0.192	-53.5	141.6
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	11	107	6	584	0.074	0.192	201.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	131	6	584	0.074	0.192	-7.2	391.3
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	6	122	6	584	0.074	0.192	85.3	311.0
SU 4	Scan	M3	Floor	Concrete	4	122	6	584	0.074	0.192	39.0	311.0
SU 4	Scan	M3	Floor	Concrete	5	110	6	584	0.074	0.192	62.2	204.0
SU 4	Scan	M3	Floor	Concrete	5	102	6	584	0.074	0.192	62.2	132.6
SU 4	Scan	M3	Floor	Concrete	3	115	6	584	0.074	0.192	15.9	248.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	4	109	6	584	0.074	0.192	39.0	195.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	125	6	584	0.074	0.192	-7.2	337.8
SU 4	Scan	M3	Floor	Concrete	3	132	6	584	0.074	0.192	15.9	400.2
SU 4	Scan	M3	Floor	Concrete	4	136	6	584	0.074	0.192	39.0	435.9
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	3	118	6	584	0.074	0.192	15.9	275.3
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	8	102	6	584	0.074	0.192	131.6	132.6
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	0	111	6	584	0.074	0.192	-53.5	212.9
SU 4	Scan	M3	Floor	Concrete	3	125	6	584	0.074	0.192	15.9	337.8
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	111	6	584	0.074	0.192	-7.2	212.9
SU 4	Scan	M3	Floor	Concrete	3	115	6	584	0.074	0.192	15.9	248.6
SU 4	Scan	M3	Floor	Concrete	4	113	6	584	0.074	0.192	39.0	230.7
SU 4	Scan	M3	Floor	Concrete	1	124	6	584	0.074	0.192	-30.4	328.8
SU 4	Scan	M3	Floor	Concrete	6	108	6	584	0.074	0.192	85.3	186.1
SU 4	Scan	M3	Floor	Concrete	10	102	6	584	0.074	0.192	177.9	132.6
SU 4	Scan	M3	Floor	Concrete	7	92	6	584	0.074	0.192	108.5	43.5
SU 4	Scan	M3	Floor	Concrete	5	112	6	584	0.074	0.192	62.2	221.8
SU 4	Scan	M3	Floor	Concrete	2	114	6	584	0.074	0.192	-7.2	239.7
SU 4	Scan	M3	Floor	Concrete	0	107	6	584	0.074	0.192	-53.5	177.2
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	120	6	584	0.074	0.192	-7.2	293.2
SU 4	Scan	M3	Floor	Concrete	2	115	6	584	0.074	0.192	-7.2	248.6
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	6	123	6	584	0.074	0.192	85.3	319.9
SU 4	Scan	M3	Floor	Concrete	4	130	6	584	0.074	0.192	39.0	382.4
SU 4	Scan	M3	Floor	Concrete	3	112	6	584	0.074	0.192	15.9	221.8
SU 4	Scan	M3	Floor	Concrete	5	118	6	584	0.074	0.192	62.2	275.3
SU 4	Scan	M3	Floor	Concrete	3	117	6	584	0.074	0.192	15.9	266.4
SU 4	Scan	M5	Floor	Concrete	11	137	6	584	0.077	0.206	175.2	234.9
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	8	107	6	584	0.077	0.206	108.5	-14.5
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	9	142	6	584	0.077	0.206	130.8	276.4
SU 4	Scan	M5	Floor	Concrete	10	126	6	584	0.077	0.206	153.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	13	126	6	584	0.077	0.206	219.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	10	108	6	584	0.077	0.206	153.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	18	109	6	584	0.077	0.206	330.9	2.1
SU 4	Scan	M5	Floor	Concrete	12	107	6	584	0.077	0.206	197.5	-14.5
SU 4	Scan	M5	Floor	Concrete	10	112	6	584	0.077	0.206	153.0	27.1
SU 4	Scan	M5	Floor	Concrete	6	144	6	584	0.077	0.206	64.0	293.0
SU 4	Scan	M5	Floor	Concrete	15	129	6	584	0.077	0.206	264.2	168.4
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	17	122	6	584	0.077	0.206	308.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	11	100	6	584	0.077	0.206	175.2	-72.7
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	6	100	6	584	0.077	0.206	64.0	-72.7
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	102	6	584	0.077	0.206	86.3	-56.1
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	7	99	6	584	0.077	0.206	86.3	-81.0
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	8	95	6	584	0.077	0.206	108.5	-114.3
SU 4	Scan	M5	Floor	Concrete	12	131	6	584	0.077	0.206	197.5	185.0
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	149	6	584	0.077	0.206	41.8	334.6
SU 4	Scan	M5	Floor	Concrete	9	87	6	584	0.077	0.206	130.8	-180.8
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	12	133	6	584	0.077	0.206	197.5	201.6
SU 4	Scan	M5	Floor	Concrete	8	145	6	584	0.077	0.206	108.5	301.4
SU 4	Scan	M5	Floor	Concrete	10	131	6	584	0.077	0.206	153.0	185.0
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	4	93	6	584	0.077	0.206	19.6	-130.9
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	15	101	6	584	0.077	0.206	264.2	-64.4
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	15	101	6	584	0.077	0.206	264.2	-64.4
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	10	141	6	584	0.077	0.206	153.0	268.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	11	105	6	584	0.077	0.206	175.2	-31.1
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	140	6	584	0.077	0.206	64.0	259.8
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	10	124	6	584	0.077	0.206	153.0	126.8
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	10	126	6	584	0.077	0.206	153.0	143.4
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	11	114	6	584	0.077	0.206	175.2	43.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	12	124	6	584	0.077	0.206	197.5	126.8
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	10	118	6	584	0.077	0.206	153.0	76.9
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0
SU 4	Scan	M5	Floor	Concrete	12	134	6	584	0.077	0.206	197.5	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	10	117	6	584	0.077	0.206	153.0	68.6
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	6	99	6	584	0.077	0.206	64.0	-81.0
SU 4	Scan	M5	Floor	Concrete	11	111	6	584	0.077	0.206	175.2	18.7
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	9	102	6	584	0.077	0.206	130.8	-56.1
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	10	118	6	584	0.077	0.206	153.0	76.9
SU 4	Scan	M5	Floor	Concrete	12	116	6	584	0.077	0.206	197.5	60.3
SU 4	Scan	M5	Floor	Concrete	8	145	6	584	0.077	0.206	108.5	301.4
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	16	129	6	584	0.077	0.206	286.4	168.4
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	12	122	6	584	0.077	0.206	197.5	110.2
SU 4	Scan	M5	Floor	Concrete	10	103	6	584	0.077	0.206	153.0	-47.8
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	15	126	6	584	0.077	0.206	264.2	143.4
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	11	122	6	584	0.077	0.206	175.2	110.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	14	111	6	584	0.077	0.206	241.9	18.7
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	4	97	6	584	0.077	0.206	19.6	-97.6
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	10	109	6	584	0.077	0.206	153.0	2.1
SU 4	Scan	M5	Floor	Concrete	11	113	6	584	0.077	0.206	175.2	35.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	11	124	6	584	0.077	0.206	175.2	126.8
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	8	106	6	584	0.077	0.206	108.5	-22.8
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	10	108	6	584	0.077	0.206	153.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	152	6	584	0.077	0.206	64.0	359.5
SU 4	Scan	M5	Floor	Concrete	14	120	6	584	0.077	0.206	241.9	93.6
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	13	141	6	584	0.077	0.206	219.7	268.1
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	9	106	6	584	0.077	0.206	130.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	8	107	6	584	0.077	0.206	108.5	-14.5
SU 4	Scan	M5	Floor	Concrete	10	118	6	584	0.077	0.206	153.0	76.9
SU 4	Scan	M5	Floor	Concrete	11	119	6	584	0.077	0.206	175.2	85.2
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	99	6	584	0.077	0.206	64.0	-81.0
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	16	124	6	584	0.077	0.206	286.4	126.8
SU 4	Scan	M5	Floor	Concrete	9	108	6	584	0.077	0.206	130.8	-6.2
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	14	120	6	584	0.077	0.206	241.9	93.6
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	13	122	6	584	0.077	0.206	219.7	110.2
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	11	118	6	584	0.077	0.206	175.2	76.9
SU 4	Scan	M5	Floor	Concrete	5	95	6	584	0.077	0.206	41.8	-114.3
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	10	101	6	584	0.077	0.206	153.0	-64.4
SU 4	Scan	M5	Floor	Concrete	11	120	6	584	0.077	0.206	175.2	93.6
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	10	117	6	584	0.077	0.206	153.0	68.6
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	13	107	6	584	0.077	0.206	219.7	-14.5
SU 4	Scan	M5	Floor	Concrete	13	91	6	584	0.077	0.206	219.7	-147.5
SU 4	Scan	M5	Floor	Concrete	13	107	6	584	0.077	0.206	219.7	-14.5
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	9	108	6	584	0.077	0.206	130.8	-6.2
SU 4	Scan	M5	Floor	Concrete	5	93	6	584	0.077	0.206	41.8	-130.9
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	14	114	6	584	0.077	0.206	241.9	43.7
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	10	91	6	584	0.077	0.206	153.0	-147.5
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	6	97	6	584	0.077	0.206	64.0	-97.6
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	10	119	6	584	0.077	0.206	153.0	85.2
SU 4	Scan	M5	Floor	Concrete	9	140	6	584	0.077	0.206	130.8	259.8
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	13	103	6	584	0.077	0.206	219.7	-47.8
SU 4	Scan	M5	Floor	Concrete	10	104	6	584	0.077	0.206	153.0	-39.4
SU 4	Scan	M5	Floor	Concrete	10	115	6	584	0.077	0.206	153.0	52.0
SU 4	Scan	M5	Floor	Concrete	10	104	6	584	0.077	0.206	153.0	-39.4
SU 4	Scan	M5	Floor	Concrete	14	112	6	584	0.077	0.206	241.9	27.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	10	96	6	584	0.077	0.206	153.0	-105.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	10	94	6	584	0.077	0.206	153.0	-122.6
SU 4	Scan	M5	Floor	Concrete	10	132	6	584	0.077	0.206	153.0	193.3
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	15	136	6	584	0.077	0.206	264.2	226.6
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	8	109	6	584	0.077	0.206	108.5	2.1
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	10	143	6	584	0.077	0.206	153.0	284.7
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	11	116	6	584	0.077	0.206	175.2	60.3
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	12	113	6	584	0.077	0.206	197.5	35.4
SU 4	Scan	M5	Floor	Concrete	12	126	6	584	0.077	0.206	197.5	143.4
SU 4	Scan	M5	Floor	Concrete	11	134	6	584	0.077	0.206	175.2	209.9
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	7	96	6	584	0.077	0.206	86.3	-105.9
SU 4	Scan	M5	Floor	Concrete	10	103	6	584	0.077	0.206	153.0	-47.8
SU 4	Scan	M5	Floor	Concrete	7	101	6	584	0.077	0.206	86.3	-64.4
SU 4	Scan	M5	Floor	Concrete	8	111	6	584	0.077	0.206	108.5	18.7
SU 4	Scan	M5	Floor	Concrete	12	123	6	584	0.077	0.206	197.5	118.5
SU 4	Scan	M5	Floor	Concrete	10	94	6	584	0.077	0.206	153.0	-122.6
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	6	100	6	584	0.077	0.206	64.0	-72.7
SU 4	Scan	M5	Floor	Concrete	14	134	6	584	0.077	0.206	241.9	209.9
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	10	124	6	584	0.077	0.206	153.0	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	10	140	6	584	0.077	0.206	153.0	259.8
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	11	130	6	584	0.077	0.206	175.2	176.7
SU 4	Scan	M5	Floor	Concrete	11	140	6	584	0.077	0.206	175.2	259.8
SU 4	Scan	M5	Floor	Concrete	11	121	6	584	0.077	0.206	175.2	101.9
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	12	106	6	584	0.077	0.206	197.5	-22.8
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	7	96	6	584	0.077	0.206	86.3	-105.9
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	9	112	6	584	0.077	0.206	130.8	27.1
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	13	119	6	584	0.077	0.206	219.7	85.2
SU 4	Scan	M5	Floor	Concrete	10	122	6	584	0.077	0.206	153.0	110.2
SU 4	Scan	M5	Floor	Concrete	11	115	6	584	0.077	0.206	175.2	52.0
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	18	123	6	584	0.077	0.206	330.9	118.5
SU 4	Scan	M5	Floor	Concrete	14	115	6	584	0.077	0.206	241.9	52.0
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	12	112	6	584	0.077	0.206	197.5	27.1
SU 4	Scan	M5	Floor	Concrete	12	103	6	584	0.077	0.206	197.5	-47.8
SU 4	Scan	M5	Floor	Concrete	13	123	6	584	0.077	0.206	219.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	8	101	6	584	0.077	0.206	108.5	-64.4
SU 4	Scan	M5	Floor	Concrete	12	121	6	584	0.077	0.206	197.5	101.9
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	17	137	6	584	0.077	0.206	308.7	234.9
SU 4	Scan	M5	Floor	Concrete	13	149	6	584	0.077	0.206	219.7	334.6
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	11	101	6	584	0.077	0.206	175.2	-64.4
SU 4	Scan	M5	Floor	Concrete	12	142	6	584	0.077	0.206	197.5	276.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	12	126	6	584	0.077	0.206	197.5	143.4
SU 4	Scan	M5	Floor	Concrete	13	114	6	584	0.077	0.206	219.7	43.7
SU 4	Scan	M5	Floor	Concrete	11	126	6	584	0.077	0.206	175.2	143.4
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	119	6	584	0.077	0.206	130.8	85.2
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	8	138	6	584	0.077	0.206	108.5	243.2
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	7	102	6	584	0.077	0.206	86.3	-56.1
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	9	112	6	584	0.077	0.206	130.8	27.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	10	114	6	584	0.077	0.206	153.0	43.7
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	11	126	6	584	0.077	0.206	175.2	143.4
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	8	91	6	584	0.074	0.192	131.6	34.5
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	113	6	584	0.074	0.192	15.9	230.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	9	94	6	584	0.074	0.192	154.7	61.3
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	9	98	6	584	0.074	0.192	154.7	97.0
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	10	88	6	584	0.074	0.192	177.9	7.8
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	6	103	6	584	0.074	0.192	85.3	141.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	9	89	6	584	0.074	0.192	154.7	16.7
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	9	86	6	584	0.074	0.192	154.7	-10.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5
SU 4	Scan	M3	Floor	Concrete	11	95	6	584	0.074	0.192	201.0	70.2
SU 4	Scan	M3	Floor	Concrete	7	72	6	584	0.074	0.192	108.5	-134.9
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	9	90	6	584	0.074	0.192	154.7	25.6
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	102	6	584	0.074	0.192	-30.4	132.6
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	8	65	6	584	0.074	0.192	131.6	-197.3
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	7	97	6	584	0.074	0.192	108.5	88.0
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	7	74	6	584	0.074	0.192	108.5	-117.1
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	13	99	6	584	0.074	0.192	247.3	105.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	7	102	6	584	0.074	0.192	108.5	132.6
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	6	104	6	584	0.074	0.192	85.3	150.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	10	74	6	584	0.074	0.192	177.9	-117.1
SU 4	Scan	M3	Floor	Concrete	9	81	6	584	0.074	0.192	154.7	-54.6
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	8	90	6	584	0.074	0.192	131.6	25.6
SU 4	Scan	M3	Floor	Concrete	5	99	6	584	0.074	0.192	62.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	8	104	6	584	0.074	0.192	131.6	150.5
SU 4	Scan	M3	Floor	Concrete	9	80	6	584	0.074	0.192	154.7	-63.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	10	91	6	584	0.074	0.192	177.9	34.5
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	8	82	6	584	0.074	0.192	131.6	-45.7
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	8	78	6	584	0.074	0.192	131.6	-81.4
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	8	83	6	584	0.074	0.192	131.6	-36.8
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	7	83	6	584	0.074	0.192	108.5	-36.8
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	9	80	6	584	0.074	0.192	154.7	-63.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	8	95	6	584	0.074	0.192	131.6	70.2
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	7	83	6	584	0.074	0.192	108.5	-36.8
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	9	89	6	584	0.074	0.192	154.7	16.7
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	1	107	6	584	0.074	0.192	-30.4	177.2
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	11	90	6	584	0.074	0.192	201.0	25.6
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	6	102	6	584	0.074	0.192	85.3	132.6
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	7	65	6	584	0.074	0.192	108.5	-197.3
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	9	89	6	584	0.074	0.192	154.7	16.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	2	113	6	584	0.074	0.192	-7.2	230.7
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	7	61	6	584	0.074	0.192	108.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	8	91	6	584	0.074	0.192	131.6	34.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	7	86	6	584	0.074	0.192	108.5	-10.1
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	64	6	584	0.074	0.192	62.2	-206.3
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	8	88	6	584	0.074	0.192	131.6	7.8
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	7	62	6	584	0.074	0.192	108.5	-224.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	9	88	6	584	0.074	0.192	154.7	7.8
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	107	6	584	0.074	0.192	39.0	177.2
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	6	68	6	584	0.074	0.192	85.3	-170.6
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	6	65	6	584	0.074	0.192	85.3	-197.3
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	4	55	6	584	0.074	0.192	39.0	-286.5
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	9	79	6	584	0.074	0.192	154.7	-72.5
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M5	Floor	Concrete	6	144	6	584	0.077	0.206	64.0	293.0
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	11	132	6	584	0.077	0.206	175.2	193.3
SU 4	Scan	M5	Floor	Concrete	12	128	6	584	0.077	0.206	197.5	160.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	9	144	6	584	0.077	0.206	130.8	293.0
SU 4	Scan	M5	Floor	Concrete	6	142	6	584	0.077	0.206	64.0	276.4
SU 4	Scan	M5	Floor	Concrete	8	159	6	584	0.077	0.206	108.5	417.7
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	11	150	6	584	0.077	0.206	175.2	342.9
SU 4	Scan	M5	Floor	Concrete	8	138	6	584	0.077	0.206	108.5	243.2
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	9	146	6	584	0.077	0.206	130.8	309.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	7	156	6	584	0.077	0.206	86.3	392.8
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	7	140	6	584	0.077	0.206	86.3	259.8
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	9	143	6	584	0.077	0.206	130.8	284.7
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	11	126	6	584	0.077	0.206	175.2	143.4
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	9	138	6	584	0.077	0.206	130.8	243.2
SU 4	Scan	M5	Floor	Concrete	6	140	6	584	0.077	0.206	64.0	259.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	9	145	6	584	0.077	0.206	130.8	301.4
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	9	141	6	584	0.077	0.206	130.8	268.1
SU 4	Scan	M5	Floor	Concrete	7	147	6	584	0.077	0.206	86.3	318.0
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	8	114	6	584	0.077	0.206	108.5	43.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	8	135	6	584	0.077	0.206	108.5	218.2
SU 4	Scan	M5	Floor	Concrete	12	118	6	584	0.077	0.206	197.5	76.9
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	9	150	6	584	0.077	0.206	130.8	342.9
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	9	149	6	584	0.077	0.206	130.8	334.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	8	114	6	584	0.077	0.206	108.5	43.7
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	10	136	6	584	0.077	0.206	153.0	226.6
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	9	140	6	584	0.077	0.206	130.8	259.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	160	6	584	0.077	0.206	-24.9	426.0
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	12	135	6	584	0.077	0.206	197.5	218.2
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	11	125	6	584	0.077	0.206	175.2	135.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	8	105	6	584	0.077	0.206	108.5	-31.1
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	11	148	6	584	0.077	0.206	175.2	326.3
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	152	6	584	0.077	0.206	41.8	359.5
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	9	141	6	584	0.077	0.206	130.8	268.1
SU 4	Scan	M5	Floor	Concrete	9	143	6	584	0.077	0.206	130.8	284.7
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	6	147	6	584	0.077	0.206	64.0	318.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	0	140	6	584	0.077	0.206	-69.4	259.8
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	9	115	6	584	0.077	0.206	130.8	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	3	147	6	584	0.077	0.206	-2.7	318.0
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	9	119	6	584	0.077	0.206	130.8	85.2
SU 4	Scan	M5	Floor	Concrete	8	154	6	584	0.077	0.206	108.5	376.2
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	7	158	6	584	0.077	0.206	86.3	409.4
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	153	6	584	0.077	0.206	-2.7	367.9
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	6	102	6	584	0.077	0.206	64.0	-56.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	7	150	6	584	0.077	0.206	86.3	342.9
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	10	133	6	584	0.077	0.206	153.0	201.6
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	1	144	6	584	0.077	0.206	-47.1	293.0
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	149	6	584	0.077	0.206	-2.7	334.6
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	151	6	584	0.077	0.206	41.8	351.2
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	0	105	6	584	0.077	0.206	-69.4	-31.1
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	5	92	6	584	0.077	0.206	41.8	-139.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	8	102	6	584	0.077	0.206	108.5	-56.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	0	103	6	584	0.077	0.206	-69.4	-47.8
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	0	99	6	584	0.077	0.206	-69.4	-81.0
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	158	6	584	0.077	0.206	-24.9	409.4
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	3	83	6	584	0.077	0.206	-2.7	-214.0
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	9	148	6	584	0.077	0.206	130.8	326.3
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	7	104	6	584	0.067	0.196	127.0	56.0
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	5	131	6	584	0.067	0.196	75.9	291.9
SU 4	Scan	M6	Floor	Concrete	7	119	6	584	0.067	0.196	127.0	187.0
SU 4	Scan	M6	Floor	Concrete	10	103	6	584	0.067	0.196	203.7	47.2
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	8	136	6	584	0.067	0.196	152.6	335.5
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	5	130	6	584	0.067	0.196	75.9	283.1
SU 4	Scan	M6	Floor	Concrete	7	114	6	584	0.067	0.196	127.0	143.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	8	104	6	584	0.067	0.196	152.6	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	6	122	6	584	0.067	0.196	101.5	213.2
SU 4	Scan	M6	Floor	Concrete	2	139	6	584	0.067	0.196	-0.8	361.8
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	6	115	6	584	0.067	0.196	101.5	152.1
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	8	110	6	584	0.067	0.196	152.6	108.4
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	11	109	6	584	0.067	0.196	229.2	99.7
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	7	114	6	584	0.067	0.196	127.0	143.3
SU 4	Scan	M6	Floor	Concrete	9	107	6	584	0.067	0.196	178.1	82.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8
SU 4	Scan	M6	Floor	Concrete	7	112	6	584	0.067	0.196	127.0	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	7	130	6	584	0.067	0.196	127.0	283.1
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	6	92	6	584	0.067	0.196	101.5	-48.9
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	5	87	6	584	0.067	0.196	75.9	-92.5
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	7	113	6	584	0.067	0.196	127.0	134.6
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	7	109	6	584	0.067	0.196	127.0	99.7
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	5	126	6	584	0.067	0.196	75.9	248.2
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	8	98	6	584	0.067	0.196	152.6	3.6
SU 4	Scan	M6	Floor	Concrete	4	129	6	584	0.067	0.196	50.3	274.4
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	7	110	6	584	0.067	0.196	127.0	108.4
SU 4	Scan	M6	Floor	Concrete	5	126	6	584	0.067	0.196	75.9	248.2
SU 4	Scan	M6	Floor	Concrete	8	93	6	584	0.067	0.196	152.6	-40.1
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	79	6	584	0.067	0.196	-0.8	-162.4
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	101	6	584	0.067	0.196	127.0	29.8
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	7	102	6	584	0.067	0.196	127.0	38.5
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	1	135	6	584	0.067	0.196	-26.3	326.8
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	6	93	6	584	0.067	0.196	101.5	-40.1
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	7	115	6	584	0.067	0.196	127.0	152.1
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	6	98	6	584	0.067	0.196	101.5	3.6
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	7	110	6	584	0.067	0.196	127.0	108.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	7	112	6	584	0.067	0.196	127.0	125.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	8	110	6	584	0.067	0.196	152.6	108.4
SU 4	Scan	M6	Floor	Concrete	6	123	6	584	0.067	0.196	101.5	222.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	88	6	584	0.067	0.196	75.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	8	105	6	584	0.067	0.196	152.6	64.7
SU 4	Scan	M6	Floor	Concrete	7	128	6	584	0.067	0.196	127.0	265.7
SU 4	Scan	M6	Floor	Concrete	7	96	6	584	0.067	0.196	127.0	-13.9
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	7	95	6	584	0.067	0.196	127.0	-22.6
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	82	6	584	0.067	0.196	50.3	-136.2
SU 4	Scan	M6	Floor	Concrete	10	116	6	584	0.067	0.196	203.7	160.8
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	7	96	6	584	0.067	0.196	127.0	-13.9
SU 4	Scan	M6	Floor	Concrete	8	97	6	584	0.067	0.196	152.6	-5.2
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	8	104	6	584	0.067	0.196	152.6	56.0
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	6	94	6	584	0.067	0.196	101.5	-31.4
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	8	91	6	584	0.067	0.196	152.6	-57.6
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	7	98	6	584	0.067	0.196	127.0	3.6
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	6	77	6	584	0.067	0.196	101.5	-179.9
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	6	115	6	584	0.067	0.196	101.5	152.1
SU 4	Scan	M6	Floor	Concrete	4	79	6	584	0.067	0.196	50.3	-162.4
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	7	113	6	584	0.067	0.196	127.0	134.6
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	121	6	584	0.067	0.196	127.0	204.5
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	131	6	584	0.067	0.196	-0.8	291.9
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	6	85	6	584	0.067	0.196	101.5	-110.0
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	8	98	6	584	0.067	0.196	152.6	3.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	6	94	6	584	0.067	0.196	101.5	-31.4
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	128	6	584	0.067	0.196	-26.3	265.7
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	130	6	584	0.067	0.196	75.9	283.1
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	8	88	6	584	0.067	0.196	152.6	-83.8
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	6	92	6	584	0.067	0.196	101.5	-48.9
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	75	6	584	0.067	0.196	-26.3	-197.4
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	7	79	6	584	0.067	0.196	127.0	-162.4
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	118	6	584	0.067	0.196	-51.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	137	6	584	0.067	0.196	24.8	344.3
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	6	123	6	584	0.067	0.196	101.5	222.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	8	117	6	584	0.067	0.196	152.6	169.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	136	6	584	0.067	0.196	24.8	335.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	6	99	6	584	0.067	0.196	101.5	12.3
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	3	131	6	584	0.067	0.196	24.8	291.9
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M7	Floor	Concrete	6	111	6	584	0.066	0.207	100.7	95.0
SU 4	Scan	M7	Floor	Concrete	2	112	6	584	0.066	0.207	-3.0	103.2
SU 4	Scan	M7	Floor	Concrete	7	108	6	584	0.066	0.207	126.7	70.1
SU 4	Scan	M7	Floor	Concrete	10	115	6	584	0.066	0.207	204.5	128.1
SU 4	Scan	M7	Floor	Concrete	4	119	6	584	0.066	0.207	48.8	161.1
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	10	135	6	584	0.066	0.207	204.5	293.5
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	5	115	6	584	0.066	0.207	74.8	128.1
SU 4	Scan	M7	Floor	Concrete	5	103	6	584	0.066	0.207	74.8	28.8
SU 4	Scan	M7	Floor	Concrete	9	128	6	584	0.066	0.207	178.6	235.6
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	5	103	6	584	0.066	0.207	74.8	28.8
SU 4	Scan	M7	Floor	Concrete	4	116	6	584	0.066	0.207	48.8	136.3
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	6	126	6	584	0.066	0.207	100.7	219.0
SU 4	Scan	M7	Floor	Concrete	4	139	6	584	0.066	0.207	48.8	326.6
SU 4	Scan	M7	Floor	Concrete	9	111	6	584	0.066	0.207	178.6	95.0
SU 4	Scan	M7	Floor	Concrete	5	124	6	584	0.066	0.207	74.8	202.5
SU 4	Scan	M7	Floor	Concrete	3	115	6	584	0.066	0.207	22.9	128.1
SU 4	Scan	M7	Floor	Concrete	4	119	6	584	0.066	0.207	48.8	161.1
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	1	112	6	584	0.066	0.207	-29.0	103.2
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	7	100	6	584	0.066	0.207	126.7	4.0
SU 4	Scan	M7	Floor	Concrete	4	124	6	584	0.066	0.207	48.8	202.5
SU 4	Scan	M7	Floor	Concrete	6	113	6	584	0.066	0.207	100.7	111.5
SU 4	Scan	M7	Floor	Concrete	5	119	6	584	0.066	0.207	74.8	161.1
SU 4	Scan	M7	Floor	Concrete	0	105	6	584	0.066	0.207	-54.9	45.3
SU 4	Scan	M7	Floor	Concrete	6	128	6	584	0.066	0.207	100.7	235.6
SU 4	Scan	M7	Floor	Concrete	7	122	6	584	0.066	0.207	126.7	186.0
SU 4	Scan	M7	Floor	Concrete	7	131	6	584	0.066	0.207	126.7	260.4
SU 4	Scan	M7	Floor	Concrete	4	120	6	584	0.066	0.207	48.8	169.4
SU 4	Scan	M7	Floor	Concrete	4	98	6	584	0.066	0.207	48.8	-12.6
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	9	125	6	584	0.066	0.207	178.6	210.8
SU 4	Scan	M7	Floor	Concrete	7	117	6	584	0.066	0.207	126.7	144.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	106	6	584	0.066	0.207	-29.0	53.6
SU 4	Scan	M7	Floor	Concrete	3	109	6	584	0.066	0.207	22.9	78.4
SU 4	Scan	M7	Floor	Concrete	7	111	6	584	0.066	0.207	126.7	95.0
SU 4	Scan	M7	Floor	Concrete	8	129	6	584	0.066	0.207	152.6	243.9
SU 4	Scan	M7	Floor	Concrete	1	127	6	584	0.066	0.207	-29.0	227.3
SU 4	Scan	M7	Floor	Concrete	4	110	6	584	0.066	0.207	48.8	86.7
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	6	78	6	584	0.066	0.207	100.7	-178.0
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	1	127	6	584	0.066	0.207	-29.0	227.3
SU 4	Scan	M7	Floor	Concrete	7	135	6	584	0.066	0.207	126.7	293.5
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	9	115	6	584	0.066	0.207	178.6	128.1
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	7	102	6	584	0.066	0.207	126.7	20.5
SU 4	Scan	M7	Floor	Concrete	6	135	6	584	0.066	0.207	100.7	293.5
SU 4	Scan	M7	Floor	Concrete	5	112	6	584	0.066	0.207	74.8	103.2
SU 4	Scan	M7	Floor	Concrete	3	120	6	584	0.066	0.207	22.9	169.4
SU 4	Scan	M7	Floor	Concrete	9	121	6	584	0.066	0.207	178.6	177.7
SU 4	Scan	M7	Floor	Concrete	7	92	6	584	0.066	0.207	126.7	-62.2
SU 4	Scan	M7	Floor	Concrete	5	118	6	584	0.066	0.207	74.8	152.9
SU 4	Scan	M7	Floor	Concrete	6	111	6	584	0.066	0.207	100.7	95.0
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	7	102	6	584	0.066	0.207	126.7	20.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	5	107	6	584	0.066	0.207	74.8	61.9
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	2	129	6	584	0.066	0.207	-3.0	243.9
SU 4	Scan	M7	Floor	Concrete	6	119	6	584	0.066	0.207	100.7	161.1
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	7	102	6	584	0.066	0.207	126.7	20.5
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	5	126	6	584	0.066	0.207	74.8	219.0
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	2	116	6	584	0.066	0.207	-3.0	136.3
SU 4	Scan	M7	Floor	Concrete	2	121	6	584	0.066	0.207	-3.0	177.7
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	4	115	6	584	0.066	0.207	48.8	128.1
SU 4	Scan	M7	Floor	Concrete	7	111	6	584	0.066	0.207	126.7	95.0
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	7	103	6	584	0.066	0.207	126.7	28.8
SU 4	Scan	M7	Floor	Concrete	6	115	6	584	0.066	0.207	100.7	128.1
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	8	106	6	584	0.066	0.207	152.6	53.6
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	89	6	584	0.066	0.207	22.9	-87.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	8	105	6	584	0.066	0.207	152.6	45.3
SU 4	Scan	M7	Floor	Concrete	5	104	6	584	0.066	0.207	74.8	37.1
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	5	98	6	584	0.066	0.207	74.8	-12.6
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	3	99	6	584	0.066	0.207	22.9	-4.3
SU 4	Scan	M7	Floor	Concrete	6	106	6	584	0.066	0.207	100.7	53.6
SU 4	Scan	M7	Floor	Concrete	5	92	6	584	0.066	0.207	74.8	-62.2
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	5	108	6	584	0.066	0.207	74.8	70.1
SU 4	Scan	M7	Floor	Concrete	5	105	6	584	0.066	0.207	74.8	45.3
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	3	93	6	584	0.066	0.207	22.9	-53.9
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	6	105	6	584	0.066	0.207	100.7	45.3
SU 4	Scan	M7	Floor	Concrete	4	117	6	584	0.066	0.207	48.8	144.6
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	5	115	6	584	0.066	0.207	74.8	128.1
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	6	103	6	584	0.066	0.207	100.7	28.8
SU 4	Scan	M7	Floor	Concrete	2	124	6	584	0.066	0.207	-3.0	202.5
SU 4	Scan	M7	Floor	Concrete	8	103	6	584	0.066	0.207	152.6	28.8
SU 4	Scan	M7	Floor	Concrete	4	123	6	584	0.066	0.207	48.8	194.2
SU 4	Scan	M7	Floor	Concrete	9	124	6	584	0.066	0.207	178.6	202.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	6	87	6	584	0.066	0.207	100.7	-103.6
SU 4	Scan	M7	Floor	Concrete	4	97	6	584	0.066	0.207	48.8	-20.8
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	0	103	6	584	0.066	0.207	-54.9	28.8
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	6	110	6	584	0.066	0.207	100.7	86.7
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	9	126	6	584	0.066	0.207	178.6	219.0
SU 4	Scan	M7	Floor	Concrete	6	131	6	584	0.066	0.207	100.7	260.4
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	1	117	6	584	0.066	0.207	-29.0	144.6
SU 4	Scan	M7	Floor	Concrete	2	91	6	584	0.066	0.207	-3.0	-70.5
SU 4	Scan	M7	Floor	Concrete	5	124	6	584	0.066	0.207	74.8	202.5
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	5	107	6	584	0.066	0.207	74.8	61.9
SU 4	Scan	M7	Floor	Concrete	6	115	6	584	0.066	0.207	100.7	128.1
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	4	131	6	584	0.066	0.207	48.8	260.4
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	4	95	6	584	0.066	0.207	48.8	-37.4
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	7	99	6	584	0.066	0.207	126.7	-4.3
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	9	90	6	584	0.066	0.207	178.6	-78.8
SU 4	Scan	M7	Floor	Concrete	8	114	6	584	0.066	0.207	152.6	119.8
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	6	92	6	584	0.066	0.207	100.7	-62.2
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	1	87	6	584	0.066	0.207	-29.0	-103.6
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	5	122	6	584	0.066	0.207	74.8	186.0
SU 4	Scan	M7	Floor	Concrete	3	87	6	584	0.066	0.207	22.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	7	117	6	584	0.066	0.207	126.7	144.6
SU 4	Scan	M7	Floor	Concrete	2	88	6	584	0.066	0.207	-3.0	-95.3
SU 4	Scan	M7	Floor	Concrete	3	122	6	584	0.066	0.207	22.9	186.0
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	2	114	6	584	0.066	0.207	-3.0	119.8
SU 4	Scan	M7	Floor	Concrete	7	101	6	584	0.066	0.207	126.7	12.2
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	4	106	6	584	0.066	0.207	48.8	53.6
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	5	119	6	584	0.066	0.207	74.8	161.1
SU 4	Scan	M7	Floor	Concrete	4	121	6	584	0.066	0.207	48.8	177.7
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	7	107	6	584	0.066	0.207	126.7	61.9
SU 4	Scan	M7	Floor	Concrete	7	98	6	584	0.066	0.207	126.7	-12.6
SU 4	Scan	M7	Floor	Concrete	6	109	6	584	0.066	0.207	100.7	78.4
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	8	112	6	584	0.066	0.207	152.6	103.2
SU 4	Scan	M7	Floor	Concrete	5	115	6	584	0.066	0.207	74.8	128.1
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	7	110	6	584	0.066	0.207	126.7	86.7
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	5	102	6	584	0.066	0.207	74.8	20.5
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	4	108	6	584	0.066	0.207	48.8	70.1
SU 4	Scan	M7	Floor	Concrete	5	94	6	584	0.066	0.207	74.8	-45.7
SU 4	Scan	M7	Floor	Concrete	7	109	6	584	0.066	0.207	126.7	78.4
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	82	6	584	0.066	0.207	74.8	-144.9
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	2	101	6	584	0.066	0.207	-3.0	12.2
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	129	6	584	0.066	0.207	-3.0	243.9
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	5	119	6	584	0.066	0.207	74.8	161.1
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	4	105	6	584	0.066	0.207	48.8	45.3
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	6	117	6	584	0.066	0.207	100.7	144.6
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	9	121	6	584	0.066	0.207	178.6	177.7
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	4	93	6	584	0.066	0.207	48.8	-53.9
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	6	91	6	584	0.066	0.207	100.7	-70.5
SU 4	Scan	M7	Floor	Concrete	0	90	6	584	0.066	0.207	-54.9	-78.8
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	108	6	584	0.066	0.207	22.9	70.1
SU 4	Scan	M7	Floor	Concrete	2	128	6	584	0.066	0.207	-3.0	235.6
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	1	124	6	584	0.066	0.207	-29.0	202.5
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	3	87	6	584	0.066	0.207	22.9	-103.6
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	6	110	6	584	0.066	0.207	100.7	86.7
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	3	127	6	584	0.066	0.207	22.9	227.3
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	6	127	6	584	0.066	0.207	100.7	227.3
SU 4	Scan	M7	Floor	Concrete	1	110	6	584	0.066	0.207	-29.0	86.7
SU 4	Scan	M7	Floor	Concrete	5	102	6	584	0.066	0.207	74.8	20.5
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	5	107	6	584	0.066	0.207	74.8	61.9
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	1	113	6	584	0.066	0.207	-29.0	111.5
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	90	6	584	0.066	0.207	-3.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	123	6	584	0.066	0.207	-3.0	194.2
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	4	124	6	584	0.066	0.207	48.8	202.5
SU 4	Scan	M7	Floor	Concrete	0	104	6	584	0.066	0.207	-54.9	37.1
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	4	97	6	584	0.066	0.207	48.8	-20.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	113	6	584	0.066	0.207	74.8	111.5
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	113	6	584	0.066	0.207	-3.0	111.5
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	9	115	6	584	0.066	0.207	178.6	128.1
SU 4	Scan	M7	Floor	Concrete	8	98	6	584	0.066	0.207	152.6	-12.6
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	4	91	6	584	0.066	0.207	48.8	-70.5
SU 4	Scan	M7	Floor	Concrete	5	101	6	584	0.066	0.207	74.8	12.2
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	2	110	6	584	0.066	0.207	-3.0	86.7
SU 4	Scan	M7	Floor	Concrete	3	103	6	584	0.066	0.207	22.9	28.8
SU 4	Scan	M7	Floor	Concrete	4	97	6	584	0.066	0.207	48.8	-20.8
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	3	125	6	584	0.066	0.207	22.9	210.8
SU 4	Scan	M7	Floor	Concrete	4	96	6	584	0.066	0.207	48.8	-29.1
SU 4	Scan	M7	Floor	Concrete	3	126	6	584	0.066	0.207	22.9	219.0
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	4	126	6	584	0.066	0.207	48.8	219.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	5	126	6	584	0.066	0.207	74.8	219.0
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	4	95	6	584	0.066	0.207	48.8	-37.4
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	4	97	6	584	0.066	0.207	48.8	-20.8
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	4	86	6	584	0.066	0.207	48.8	-111.8
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	4	113	6	584	0.066	0.207	48.8	111.5
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	4	89	6	584	0.066	0.207	48.8	-87.0
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	4	114	6	584	0.066	0.207	48.8	119.8
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	7	106	6	584	0.066	0.207	126.7	53.6
SU 4	Scan	M7	Floor	Concrete	4	111	6	584	0.066	0.207	48.8	95.0
SU 4	Scan	M7	Floor	Concrete	4	89	6	584	0.066	0.207	48.8	-87.0
SU 4	Scan	M7	Floor	Concrete	4	112	6	584	0.066	0.207	48.8	103.2
SU 4	Scan	M7	Floor	Concrete	5	97	6	584	0.066	0.207	74.8	-20.8
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	6	122	6	584	0.066	0.207	100.7	186.0
SU 4	Scan	M7	Floor	Concrete	4	109	6	584	0.066	0.207	48.8	78.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	100	6	584	0.066	0.207	-3.0	4.0
SU 4	Scan	M7	Floor	Concrete	2	88	6	584	0.066	0.207	-3.0	-95.3
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	6	105	6	584	0.066	0.207	100.7	45.3
SU 4	Scan	M7	Floor	Concrete	4	107	6	584	0.066	0.207	48.8	61.9
SU 4	Scan	M7	Floor	Concrete	3	86	6	584	0.066	0.207	22.9	-111.8
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	4	102	6	584	0.066	0.207	48.8	20.5
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	5	96	6	584	0.066	0.207	74.8	-29.1
SU 4	Scan	M7	Floor	Concrete	5	111	6	584	0.066	0.207	74.8	95.0
SU 4	Scan	M7	Floor	Concrete	1	85	6	584	0.066	0.207	-29.0	-120.1
SU 4	Scan	M7	Floor	Concrete	3	126	6	584	0.066	0.207	22.9	219.0
SU 4	Scan	M7	Floor	Concrete	5	86	6	584	0.066	0.207	74.8	-111.8
SU 4	Scan	M7	Floor	Concrete	5	100	6	584	0.066	0.207	74.8	4.0
SU 4	Scan	M7	Floor	Concrete	3	101	6	584	0.066	0.207	22.9	12.2
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	8	108	6	584	0.066	0.207	152.6	70.1
SU 4	Scan	M7	Floor	Concrete	6	105	6	584	0.066	0.207	100.7	45.3
SU 4	Scan	M7	Floor	Concrete	6	97	6	584	0.066	0.207	100.7	-20.8
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	97	6	584	0.066	0.207	22.9	-20.8
SU 4	Scan	M7	Floor	Concrete	4	91	6	584	0.066	0.207	48.8	-70.5
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	1	118	6	584	0.066	0.207	-29.0	152.9
SU 4	Scan	M7	Floor	Concrete	2	99	6	584	0.066	0.207	-3.0	-4.3
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	3	106	6	584	0.066	0.207	22.9	53.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	6	92	6	584	0.066	0.207	100.7	-62.2
SU 4	Scan	M7	Floor	Concrete	5	120	6	584	0.066	0.207	74.8	169.4
SU 4	Scan	M7	Floor	Concrete	1	88	6	584	0.066	0.207	-29.0	-95.3
SU 4	Scan	M7	Floor	Concrete	6	109	6	584	0.066	0.207	100.7	78.4
SU 4	Scan	M7	Floor	Concrete	8	96	6	584	0.066	0.207	152.6	-29.1
SU 4	Scan	M7	Floor	Concrete	2	105	6	584	0.066	0.207	-3.0	45.3
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	7	114	6	584	0.066	0.207	126.7	119.8
SU 4	Scan	M7	Floor	Concrete	1	91	6	584	0.066	0.207	-29.0	-70.5
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	5	126	6	584	0.066	0.207	74.8	219.0
SU 4	Scan	M7	Floor	Concrete	5	110	6	584	0.066	0.207	74.8	86.7
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	2	125	6	584	0.066	0.207	-3.0	210.8
SU 4	Scan	M7	Floor	Concrete	3	112	6	584	0.066	0.207	22.9	103.2
SU 4	Scan	M7	Floor	Concrete	3	102	6	584	0.066	0.207	22.9	20.5
SU 4	Scan	M7	Floor	Concrete	2	129	6	584	0.066	0.207	-3.0	243.9
SU 4	Scan	M7	Floor	Concrete	5	108	6	584	0.066	0.207	74.8	70.1
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	5	98	6	584	0.066	0.207	74.8	-12.6
SU 4	Scan	M7	Floor	Concrete	0	102	6	584	0.066	0.207	-54.9	20.5
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	3	118	6	584	0.066	0.207	22.9	152.9
SU 4	Scan	M7	Floor	Concrete	3	126	6	584	0.066	0.207	22.9	219.0
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	5	87	6	584	0.066	0.207	74.8	-103.6
SU 4	Scan	M7	Floor	Concrete	5	87	6	584	0.066	0.207	74.8	-103.6
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	2	108	6	584	0.066	0.207	-3.0	70.1
SU 4	Scan	M7	Floor	Concrete	1	108	6	584	0.066	0.207	-29.0	70.1
SU 4	Scan	M7	Floor	Concrete	6	98	6	584	0.066	0.207	100.7	-12.6
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	3	105	6	584	0.066	0.207	22.9	45.3
SU 4	Scan	M7	Floor	Concrete	3	117	6	584	0.066	0.207	22.9	144.6
SU 4	Scan	M7	Floor	Concrete	5	106	6	584	0.066	0.207	74.8	53.6
SU 4	Scan	M7	Floor	Concrete	5	102	6	584	0.066	0.207	74.8	20.5
SU 4	Scan	M7	Floor	Concrete	2	115	6	584	0.066	0.207	-3.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	3	107	6	584	0.066	0.207	22.9	61.9
SU 4	Scan	M7	Floor	Concrete	4	92	6	584	0.066	0.207	48.8	-62.2
SU 4	Scan	M7	Floor	Concrete	3	110	6	584	0.066	0.207	22.9	86.7
SU 4	Scan	M7	Floor	Concrete	3	113	6	584	0.066	0.207	22.9	111.5
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	3	104	6	584	0.066	0.207	22.9	37.1
SU 4	Scan	M7	Floor	Concrete	4	94	6	584	0.066	0.207	48.8	-45.7
SU 4	Scan	M7	Floor	Concrete	3	114	6	584	0.066	0.207	22.9	119.8
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	4	99	6	584	0.066	0.207	48.8	-4.3
SU 4	Scan	M7	Floor	Concrete	1	120	6	584	0.066	0.207	-29.0	169.4
SU 4	Scan	M7	Floor	Concrete	1	121	6	584	0.066	0.207	-29.0	177.7
SU 4	Scan	M7	Floor	Concrete	1	109	6	584	0.066	0.207	-29.0	78.4
SU 4	Scan	M7	Floor	Concrete	3	111	6	584	0.066	0.207	22.9	95.0
SU 4	Scan	M7	Floor	Concrete	6	104	6	584	0.066	0.207	100.7	37.1
SU 4	Scan	M7	Floor	Concrete	2	104	6	584	0.066	0.207	-3.0	37.1
SU 4	Scan	M7	Floor	Concrete	4	101	6	584	0.066	0.207	48.8	12.2
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	96	6	584	0.066	0.207	-29.0	-29.1
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	5	99	6	584	0.066	0.207	74.8	-4.3
SU 4	Scan	M7	Floor	Concrete	3	92	6	584	0.066	0.207	22.9	-62.2
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	3	131	6	584	0.066	0.207	22.9	260.4
SU 4	Scan	M7	Floor	Concrete	3	96	6	584	0.066	0.207	22.9	-29.1
SU 4	Scan	M7	Floor	Concrete	0	114	6	584	0.066	0.207	-54.9	119.8
SU 4	Scan	M7	Floor	Concrete	3	95	6	584	0.066	0.207	22.9	-37.4
SU 4	Scan	M7	Floor	Concrete	1	101	6	584	0.066	0.207	-29.0	12.2
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	1	102	6	584	0.066	0.207	-29.0	20.5
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	106	6	584	0.066	0.207	-3.0	53.6
SU 4	Scan	M7	Floor	Concrete	0	97	6	584	0.066	0.207	-54.9	-20.8
SU 4	Scan	M7	Floor	Concrete	0	87	6	584	0.066	0.207	-54.9	-103.6
SU 4	Scan	M7	Floor	Concrete	8	95	6	584	0.066	0.207	152.6	-37.4
SU 4	Scan	M7	Floor	Concrete	2	97	6	584	0.066	0.207	-3.0	-20.8
SU 4	Scan	M7	Floor	Concrete	1	92	6	584	0.066	0.207	-29.0	-62.2
SU 4	Scan	M7	Floor	Concrete	2	93	6	584	0.066	0.207	-3.0	-53.9
SU 4	Scan	M7	Floor	Concrete	8	119	6	584	0.066	0.207	152.6	161.1
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	1	103	6	584	0.066	0.207	-29.0	28.8
SU 4	Scan	M7	Floor	Concrete	3	116	6	584	0.066	0.207	22.9	136.3
SU 4	Scan	M7	Floor	Concrete	7	113	6	584	0.066	0.207	126.7	111.5
SU 4	Scan	M7	Floor	Concrete	2	96	6	584	0.066	0.207	-3.0	-29.1
SU 4	Scan	M7	Floor	Concrete	3	80	6	584	0.066	0.207	22.9	-161.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	3	88	6	584	0.066	0.207	22.9	-95.3
SU 4	Scan	M7	Floor	Concrete	2	83	6	584	0.066	0.207	-3.0	-136.7
SU 4	Scan	M7	Floor	Concrete	2	111	6	584	0.066	0.207	-3.0	95.0
SU 4	Scan	M7	Floor	Concrete	1	104	6	584	0.066	0.207	-29.0	37.1
SU 4	Scan	M7	Floor	Concrete	1	111	6	584	0.066	0.207	-29.0	95.0
SU 4	Scan	M7	Floor	Concrete	3	121	6	584	0.066	0.207	22.9	177.7
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	2	102	6	584	0.066	0.207	-3.0	20.5
SU 4	Scan	M7	Floor	Concrete	5	116	6	584	0.066	0.207	74.8	136.3
SU 4	Scan	M7	Floor	Concrete	3	100	6	584	0.066	0.207	22.9	4.0
SU 4	Scan	M7	Floor	Concrete	2	109	6	584	0.066	0.207	-3.0	78.4
SU 4	Scan	M7	Floor	Concrete	1	90	6	584	0.066	0.207	-29.0	-78.8
SU 4	Scan	M7	Floor	Concrete	6	108	6	584	0.066	0.207	100.7	70.1
SU 4	Scan	M7	Floor	Concrete	3	98	6	584	0.066	0.207	22.9	-12.6
SU 4	Scan	M7	Floor	Concrete	2	95	6	584	0.066	0.207	-3.0	-37.4
SU 4	Scan	M7	Floor	Concrete	4	104	6	584	0.066	0.207	48.8	37.1
SU 4	Scan	M7	Floor	Concrete	2	94	6	584	0.066	0.207	-3.0	-45.7
SU 4	Scan	M7	Floor	Concrete	0	94	6	584	0.066	0.207	-54.9	-45.7
SU 4	Scan	M7	Floor	Concrete	4	103	6	584	0.066	0.207	48.8	28.8
SU 4	Scan	M7	Floor	Concrete	5	96	6	584	0.066	0.207	74.8	-29.1
SU 4	Scan	M7	Floor	Concrete	0	101	6	584	0.066	0.207	-54.9	12.2
SU 4	Scan	M7	Floor	Concrete	3	91	6	584	0.066	0.207	22.9	-70.5
SU 4	Scan	M7	Floor	Concrete	4	118	6	584	0.066	0.207	48.8	152.9
SU 4	Scan	M7	Floor	Concrete	0	89	6	584	0.066	0.207	-54.9	-87.0
SU 4	Scan	M7	Floor	Concrete	6	106	6	584	0.066	0.207	100.7	53.6
SU 4	Scan	M7	Floor	Concrete	1	98	6	584	0.066	0.207	-29.0	-12.6
SU 4	Scan	M7	Floor	Concrete	1	89	6	584	0.066	0.207	-29.0	-87.0
SU 4	Scan	M7	Floor	Concrete	5	118	6	584	0.066	0.207	74.8	152.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M7	Floor	Concrete	0	113	6	584	0.066	0.207	-54.9	111.5
SU 4	Scan	M7	Floor	Concrete	2	98	6	584	0.066	0.207	-3.0	-12.6
SU 4	Scan	M7	Floor	Concrete	2	92	6	584	0.066	0.207	-3.0	-62.2
SU 4	Scan	M7	Floor	Concrete	4	100	6	584	0.066	0.207	48.8	4.0
SU 4	Scan	M7	Floor	Concrete	1	95	6	584	0.066	0.207	-29.0	-37.4
SU 4	Scan	M7	Floor	Concrete	1	115	6	584	0.066	0.207	-29.0	128.1
SU 4	Scan	M7	Floor	Concrete	3	87	6	584	0.066	0.207	22.9	-103.6
SU 4	Scan	M7	Floor	Concrete	2	107	6	584	0.066	0.207	-3.0	61.9
SU 4	Scan	M7	Floor	Concrete	4	96	6	584	0.066	0.207	48.8	-29.1
SU 4	Scan	M7	Floor	Concrete	6	110	6	584	0.066	0.207	100.7	86.7
SU 4	Scan	M3	Floor	Concrete	7	76	6	584	0.074	0.192	108.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	6	57	6	584	0.074	0.192	85.3	-268.7
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	8	95	6	584	0.074	0.192	131.6	70.2
SU 4	Scan	M3	Floor	Concrete	4	58	6	584	0.074	0.192	39.0	-259.8
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	6	68	6	584	0.074	0.192	85.3	-170.6
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	8	83	6	584	0.074	0.192	131.6	-36.8
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	6	61	6	584	0.074	0.192	85.3	-233.0
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	105	6	584	0.074	0.192	-7.2	159.4
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	0	53	6	584	0.074	0.192	-53.5	-304.4
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	110	6	584	0.074	0.192	-7.2	204.0
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	62	6	584	0.074	0.192	62.2	-224.1
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	7	96	6	584	0.074	0.192	108.5	79.1
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	101	6	584	0.074	0.192	39.0	123.7
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	8	78	6	584	0.074	0.192	131.6	-81.4
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	0	96	6	584	0.074	0.192	-53.5	79.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	4	55	6	584	0.074	0.192	39.0	-286.5
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	0	101	6	584	0.074	0.192	-53.5	123.7
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	6	108	6	584	0.074	0.192	85.3	186.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	6	97	6	584	0.074	0.192	85.3	88.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	8	91	6	584	0.074	0.192	131.6	34.5
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	3	104	6	584	0.074	0.192	15.9	150.5
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	97	6	584	0.074	0.192	-30.4	88.0
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	5	104	6	584	0.074	0.192	62.2	150.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	8	76	6	584	0.074	0.192	131.6	-99.2
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	5	110	6	584	0.074	0.192	62.2	204.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	3	111	6	584	0.074	0.192	15.9	212.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	9	76	6	584	0.074	0.192	154.7	-99.2
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	9	87	6	584	0.074	0.192	154.7	-1.1
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	7	92	6	584	0.074	0.192	108.5	43.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	8	78	6	584	0.074	0.192	131.6	-81.4
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	5	64	6	584	0.074	0.192	62.2	-206.3
SU 4	Scan	M3	Floor	Concrete	8	84	6	584	0.074	0.192	131.6	-27.9
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	8	89	6	584	0.074	0.192	131.6	16.7
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	7	96	6	584	0.074	0.192	108.5	79.1
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	112	6	584	0.074	0.192	39.0	221.8
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	10	94	6	584	0.074	0.192	177.9	61.3
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	7	71	6	584	0.074	0.192	108.5	-143.8
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	5	91	6	584	0.077	0.206	41.8	-147.5
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	7	96	6	584	0.077	0.206	86.3	-105.9
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	3	96	6	584	0.077	0.206	-2.7	-105.9
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	4	97	6	584	0.077	0.206	19.6	-97.6
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	96	6	584	0.077	0.206	41.8	-105.9
SU 4	Scan	M5	Floor	Concrete	4	96	6	584	0.077	0.206	19.6	-105.9
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	96	6	584	0.077	0.206	-24.9	-105.9
SU 4	Scan	M5	Floor	Concrete	6	96	6	584	0.077	0.206	64.0	-105.9
SU 4	Scan	M5	Floor	Concrete	12	99	6	584	0.077	0.206	197.5	-81.0
SU 4	Scan	M5	Floor	Concrete	0	95	6	584	0.077	0.206	-69.4	-114.3
SU 4	Scan	M5	Floor	Concrete	2	98	6	584	0.077	0.206	-24.9	-89.3
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	1	91	6	584	0.077	0.206	-47.1	-147.5
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	1	86	6	584	0.077	0.206	-47.1	-189.1
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	4	88	6	584	0.077	0.206	19.6	-172.4
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	3	88	6	584	0.077	0.206	-2.7	-172.4
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0
SU 4	Scan	M5	Floor	Concrete	1	97	6	584	0.077	0.206	-47.1	-97.6
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	4	93	6	584	0.077	0.206	19.6	-130.9
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	5	96	6	584	0.077	0.206	41.8	-105.9
SU 4	Scan	M5	Floor	Concrete	0	95	6	584	0.077	0.206	-69.4	-114.3
SU 4	Scan	M5	Floor	Concrete	0	95	6	584	0.077	0.206	-69.4	-114.3
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	4	79	6	584	0.077	0.206	19.6	-247.2
SU 4	Scan	M5	Floor	Concrete	1	98	6	584	0.077	0.206	-47.1	-89.3
SU 4	Scan	M5	Floor	Concrete	4	91	6	584	0.077	0.206	19.6	-147.5
SU 4	Scan	M5	Floor	Concrete	2	90	6	584	0.077	0.206	-24.9	-155.8
SU 4	Scan	M5	Floor	Concrete	1	91	6	584	0.077	0.206	-47.1	-147.5
SU 4	Scan	M5	Floor	Concrete	1	77	6	584	0.077	0.206	-47.1	-263.9
SU 4	Scan	M5	Floor	Concrete	4	92	6	584	0.077	0.206	19.6	-139.2
SU 4	Scan	M5	Floor	Concrete	3	80	6	584	0.077	0.206	-2.7	-238.9
SU 4	Scan	M5	Floor	Concrete	3	83	6	584	0.077	0.206	-2.7	-214.0
SU 4	Scan	M5	Floor	Concrete	1	90	6	584	0.077	0.206	-47.1	-155.8
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	2	96	6	584	0.077	0.206	-24.9	-105.9
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	2	72	6	584	0.077	0.206	-24.9	-305.4
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	7	91	6	584	0.077	0.206	86.3	-147.5
SU 4	Scan	M5	Floor	Concrete	1	96	6	584	0.077	0.206	-47.1	-105.9
SU 4	Scan	M5	Floor	Concrete	4	90	6	584	0.077	0.206	19.6	-155.8
SU 4	Scan	M5	Floor	Concrete	2	81	6	584	0.077	0.206	-24.9	-230.6
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	77	6	584	0.077	0.206	-24.9	-263.9
SU 4	Scan	M5	Floor	Concrete	3	81	6	584	0.077	0.206	-2.7	-230.6
SU 4	Scan	M5	Floor	Concrete	2	80	6	584	0.077	0.206	-24.9	-238.9
SU 4	Scan	M5	Floor	Concrete	1	86	6	584	0.077	0.206	-47.1	-189.1
SU 4	Scan	M5	Floor	Concrete	2	85	6	584	0.077	0.206	-24.9	-197.4
SU 4	Scan	M5	Floor	Concrete	2	83	6	584	0.077	0.206	-24.9	-214.0
SU 4	Scan	M5	Floor	Concrete	3	80	6	584	0.077	0.206	-2.7	-238.9
SU 4	Scan	M5	Floor	Concrete	2	89	6	584	0.077	0.206	-24.9	-164.1
SU 4	Scan	M5	Floor	Concrete	2	80	6	584	0.077	0.206	-24.9	-238.9
SU 4	Scan	M5	Floor	Concrete	2	84	6	584	0.077	0.206	-24.9	-205.7
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	0	88	6	584	0.077	0.206	-69.4	-172.4
SU 4	Scan	M5	Floor	Concrete	3	84	6	584	0.077	0.206	-2.7	-205.7
SU 4	Scan	M5	Floor	Concrete	5	82	6	584	0.077	0.206	41.8	-222.3
SU 4	Scan	M5	Floor	Concrete	1	90	6	584	0.077	0.206	-47.1	-155.8
SU 4	Scan	M5	Floor	Concrete	2	94	6	584	0.077	0.206	-24.9	-122.6
SU 4	Scan	M5	Floor	Concrete	1	70	6	584	0.077	0.206	-47.1	-322.1
SU 4	Scan	M5	Floor	Concrete	2	81	6	584	0.077	0.206	-24.9	-230.6
SU 4	Scan	M5	Floor	Concrete	5	88	6	584	0.077	0.206	41.8	-172.4
SU 4	Scan	M5	Floor	Concrete	5	77	6	584	0.077	0.206	41.8	-263.9
SU 4	Scan	M5	Floor	Concrete	6	60	6	584	0.077	0.206	64.0	-405.2
SU 4	Scan	M5	Floor	Concrete	1	81	6	584	0.077	0.206	-47.1	-230.6
SU 4	Scan	M5	Floor	Concrete	3	79	6	584	0.077	0.206	-2.7	-247.2
SU 4	Scan	M5	Floor	Concrete	4	94	6	584	0.077	0.206	19.6	-122.6
SU 4	Scan	M5	Floor	Concrete	0	65	6	584	0.077	0.206	-69.4	-363.6
SU 4	Scan	M5	Floor	Concrete	1	77	6	584	0.077	0.206	-47.1	-263.9
SU 4	Scan	M5	Floor	Concrete	2	64	6	584	0.077	0.206	-24.9	-371.9
SU 4	Scan	M5	Floor	Concrete	5	92	6	584	0.077	0.206	41.8	-139.2
SU 4	Scan	M5	Floor	Concrete	1	79	6	584	0.077	0.206	-47.1	-247.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	64	6	584	0.077	0.206	-47.1	-371.9
SU 4	Scan	M5	Floor	Concrete	5	83	6	584	0.077	0.206	41.8	-214.0
SU 4	Scan	M5	Floor	Concrete	3	82	6	584	0.077	0.206	-2.7	-222.3
SU 4	Scan	M5	Floor	Concrete	3	80	6	584	0.077	0.206	-2.7	-238.9
SU 4	Scan	M5	Floor	Concrete	3	73	6	584	0.077	0.206	-2.7	-297.1
SU 4	Scan	M5	Floor	Concrete	2	85	6	584	0.077	0.206	-24.9	-197.4
SU 4	Scan	M5	Floor	Concrete	0	80	6	584	0.077	0.206	-69.4	-238.9
SU 4	Scan	M5	Floor	Concrete	2	88	6	584	0.077	0.206	-24.9	-172.4
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	1	87	6	584	0.077	0.206	-47.1	-180.8
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	2	86	6	584	0.077	0.206	-24.9	-189.1
SU 4	Scan	M5	Floor	Concrete	2	80	6	584	0.077	0.206	-24.9	-238.9
SU 4	Scan	M5	Floor	Concrete	2	77	6	584	0.077	0.206	-24.9	-263.9
SU 4	Scan	M5	Floor	Concrete	1	71	6	584	0.077	0.206	-47.1	-313.7
SU 4	Scan	M5	Floor	Concrete	2	67	6	584	0.077	0.206	-24.9	-347.0
SU 4	Scan	M5	Floor	Concrete	2	73	6	584	0.077	0.206	-24.9	-297.1
SU 4	Scan	M5	Floor	Concrete	2	90	6	584	0.077	0.206	-24.9	-155.8
SU 4	Scan	M5	Floor	Concrete	2	79	6	584	0.077	0.206	-24.9	-247.2
SU 4	Scan	M5	Floor	Concrete	0	88	6	584	0.077	0.206	-69.4	-172.4
SU 4	Scan	M5	Floor	Concrete	2	76	6	584	0.077	0.206	-24.9	-272.2
SU 4	Scan	M5	Floor	Concrete	3	72	6	584	0.077	0.206	-2.7	-305.4
SU 4	Scan	M5	Floor	Concrete	2	85	6	584	0.077	0.206	-24.9	-197.4
SU 4	Scan	M5	Floor	Concrete	5	79	6	584	0.077	0.206	41.8	-247.2
SU 4	Scan	M5	Floor	Concrete	0	70	6	584	0.077	0.206	-69.4	-322.1
SU 4	Scan	M5	Floor	Concrete	0	79	6	584	0.077	0.206	-69.4	-247.2
SU 4	Scan	M5	Floor	Concrete	1	69	6	584	0.077	0.206	-47.1	-330.4
SU 4	Scan	M5	Floor	Concrete	3	72	6	584	0.077	0.206	-2.7	-305.4
SU 4	Scan	M5	Floor	Concrete	1	78	6	584	0.077	0.206	-47.1	-255.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	84	6	584	0.077	0.206	-24.9	-205.7
SU 4	Scan	M5	Floor	Concrete	1	95	6	584	0.077	0.206	-47.1	-114.3
SU 4	Scan	M5	Floor	Concrete	2	82	6	584	0.077	0.206	-24.9	-222.3
SU 4	Scan	M5	Floor	Concrete	3	84	6	584	0.077	0.206	-2.7	-205.7
SU 4	Scan	M5	Floor	Concrete	2	74	6	584	0.077	0.206	-24.9	-288.8
SU 4	Scan	M5	Floor	Concrete	1	63	6	584	0.077	0.206	-47.1	-380.2
SU 4	Scan	M5	Floor	Concrete	5	88	6	584	0.077	0.206	41.8	-172.4
SU 4	Scan	M5	Floor	Concrete	1	82	6	584	0.077	0.206	-47.1	-222.3
SU 4	Scan	M5	Floor	Concrete	2	89	6	584	0.077	0.206	-24.9	-164.1
SU 4	Scan	M5	Floor	Concrete	4	64	6	584	0.077	0.206	19.6	-371.9
SU 4	Scan	M5	Floor	Concrete	1	77	6	584	0.077	0.206	-47.1	-263.9
SU 4	Scan	M5	Floor	Concrete	2	86	6	584	0.077	0.206	-24.9	-189.1
SU 4	Scan	M5	Floor	Concrete	3	87	6	584	0.077	0.206	-2.7	-180.8
SU 4	Scan	M5	Floor	Concrete	4	87	6	584	0.077	0.206	19.6	-180.8
SU 4	Scan	M5	Floor	Concrete	3	76	6	584	0.077	0.206	-2.7	-272.2
SU 4	Scan	M5	Floor	Concrete	5	82	6	584	0.077	0.206	41.8	-222.3
SU 4	Scan	M5	Floor	Concrete	3	87	6	584	0.077	0.206	-2.7	-180.8
SU 4	Scan	M5	Floor	Concrete	7	82	6	584	0.077	0.206	86.3	-222.3
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	2	77	6	584	0.077	0.206	-24.9	-263.9
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	3	86	6	584	0.077	0.206	-2.7	-189.1
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	97	6	584	0.077	0.206	19.6	-97.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	94	6	584	0.077	0.206	19.6	-122.6
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	0	158	6	584	0.077	0.206	-69.4	409.4
SU 4	Scan	M5	Floor	Concrete	9	102	6	584	0.077	0.206	130.8	-56.1
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	96	6	584	0.077	0.206	-2.7	-105.9
SU 4	Scan	M5	Floor	Concrete	2	148	6	584	0.077	0.206	-24.9	326.3
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	0	131	6	584	0.077	0.206	-69.4	185.0
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	1	147	6	584	0.077	0.206	-47.1	318.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	144	6	584	0.077	0.206	86.3	293.0
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	93	6	584	0.077	0.206	-2.7	-130.9
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	92	6	584	0.077	0.206	41.8	-139.2
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	4	96	6	584	0.077	0.206	19.6	-105.9
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	1	97	6	584	0.077	0.206	-47.1	-97.6
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	0	128	6	584	0.077	0.206	-69.4	160.1
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	148	6	584	0.077	0.206	19.6	326.3
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	3	148	6	584	0.077	0.206	-2.7	326.3
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	105	6	584	0.077	0.206	130.8	-31.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	4	94	6	584	0.077	0.206	19.6	-122.6
SU 4	Scan	M5	Floor	Concrete	1	135	6	584	0.077	0.206	-47.1	218.2
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	2	150	6	584	0.077	0.206	-24.9	342.9
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	4	94	6	584	0.077	0.206	19.6	-122.6
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	9	125	6	584	0.077	0.206	130.8	135.1
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	1	148	6	584	0.077	0.206	-47.1	326.3
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	2	99	6	584	0.077	0.206	-24.9	-81.0
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	4	95	6	584	0.077	0.206	19.6	-114.3
SU 4	Scan	M5	Floor	Concrete	0	105	6	584	0.077	0.206	-69.4	-31.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	147	6	584	0.077	0.206	-24.9	318.0
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	11	118	6	584	0.077	0.206	175.2	76.9
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	1	96	6	584	0.077	0.206	-47.1	-105.9
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	96	6	584	0.077	0.206	-2.7	-105.9
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	99	6	584	0.077	0.206	64.0	-81.0
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	10	118	6	584	0.077	0.206	153.0	76.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	11	127	6	584	0.077	0.206	175.2	151.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	9	107	6	584	0.077	0.206	130.8	-14.5
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	8	144	6	584	0.077	0.206	108.5	293.0
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	8	106	6	584	0.077	0.206	108.5	-22.8
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	97	6	584	0.077	0.206	41.8	-97.6
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	2	141	6	584	0.077	0.206	-24.9	268.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	92	6	584	0.077	0.206	19.6	-139.2
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	3	148	6	584	0.077	0.206	-2.7	326.3
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	11	128	6	584	0.077	0.206	175.2	160.1
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	10	126	6	584	0.077	0.206	153.0	143.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	152	6	584	0.077	0.206	-2.7	359.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	7	92	6	584	0.067	0.196	127.0	-48.9
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	114	6	584	0.067	0.196	-51.9	143.3
SU 4	Scan	M6	Floor	Concrete	6	90	6	584	0.067	0.196	101.5	-66.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	6	83	6	584	0.067	0.196	101.5	-127.5
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	4	83	6	584	0.067	0.196	50.3	-127.5
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	81	6	584	0.067	0.196	-0.8	-145.0
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	88	6	584	0.067	0.196	75.9	-83.8
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	7	93	6	584	0.067	0.196	127.0	-40.1
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	0	123	6	584	0.067	0.196	-51.9	222.0
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	6	118	6	584	0.067	0.196	101.5	178.3
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	81	6	584	0.067	0.196	-0.8	-145.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	85	6	584	0.067	0.196	75.9	-110.0
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	7	108	6	584	0.067	0.196	127.0	90.9
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	7	90	6	584	0.067	0.196	127.0	-66.3
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	128	6	584	0.067	0.196	-26.3	265.7
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	82	6	584	0.067	0.196	50.3	-136.2
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	6	103	6	584	0.067	0.196	101.5	47.2
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	5	92	6	584	0.067	0.196	75.9	-48.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	5	132	6	584	0.067	0.196	75.9	300.6
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	6	120	6	584	0.067	0.196	101.5	195.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	6	87	6	584	0.067	0.196	101.5	-92.5
SU 4	Scan	M6	Floor	Concrete	8	97	6	584	0.067	0.196	152.6	-5.2
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	84	6	584	0.067	0.196	-51.9	-118.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	7	95	6	584	0.067	0.196	127.0	-22.6
SU 4	Scan	M6	Floor	Concrete	7	119	6	584	0.067	0.196	127.0	187.0
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	7	112	6	584	0.067	0.196	127.0	125.9
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	7	111	6	584	0.067	0.196	127.0	117.1
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	8	100	6	584	0.067	0.196	152.6	21.0
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	7	101	6	584	0.067	0.196	127.0	29.8
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	73	6	584	0.074	0.192	108.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	5	60	6	584	0.074	0.192	62.2	-241.9
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	0	56	6	584	0.074	0.192	-53.5	-277.6
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	5	63	6	584	0.074	0.192	62.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	5	51	6	584	0.074	0.192	62.2	-322.2
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	6	49	6	584	0.074	0.192	85.3	-340.0
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	8	84	6	584	0.074	0.192	131.6	-27.9
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	8	71	6	584	0.074	0.192	131.6	-143.8
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	8	62	6	584	0.074	0.192	131.6	-224.1
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	6	64	6	584	0.074	0.192	85.3	-206.3
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	6	71	6	584	0.074	0.192	85.3	-143.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	6	65	6	584	0.074	0.192	85.3	-197.3
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	5	58	6	584	0.074	0.192	62.2	-259.8
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	56	6	584	0.074	0.192	15.9	-277.6
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	0	93	6	584	0.074	0.192	-53.5	52.4
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	5	62	6	584	0.074	0.192	62.2	-224.1
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	8	61	6	584	0.074	0.192	131.6	-233.0
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	6	95	6	584	0.074	0.192	85.3	70.2
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	7	74	6	584	0.074	0.192	108.5	-117.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	74	6	584	0.074	0.192	108.5	-117.1
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	5	64	6	584	0.074	0.192	62.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	9	85	6	584	0.074	0.192	154.7	-19.0
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	8	69	6	584	0.074	0.192	131.6	-161.7
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	7	86	6	584	0.074	0.192	108.5	-10.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	1	109	6	584	0.074	0.192	-30.4	195.1
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	10	81	6	584	0.074	0.192	177.9	-54.6
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	8	93	6	584	0.074	0.192	131.6	52.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	7	76	6	584	0.074	0.192	108.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	6	109	6	584	0.074	0.192	85.3	195.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	6	62	6	584	0.074	0.192	85.3	-224.1
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	0	84	6	584	0.074	0.192	-53.5	-27.9
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	7	97	6	584	0.074	0.192	108.5	88.0
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	104	6	584	0.074	0.192	-7.2	150.5
SU 4	Scan	M3	Floor	Concrete	8	105	6	584	0.074	0.192	131.6	159.4
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	8	91	6	584	0.074	0.192	131.6	34.5
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	9	76	6	584	0.074	0.192	154.7	-99.2
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	0	87	6	584	0.074	0.192	-53.5	-1.1
SU 4	Scan	M3	Floor	Concrete	5	108	6	584	0.074	0.192	62.2	186.1
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	8	76	6	584	0.074	0.192	131.6	-99.2
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	98	6	584	0.074	0.192	-30.4	97.0
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	1	103	6	584	0.074	0.192	-30.4	141.6
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	6	64	6	584	0.074	0.192	85.3	-206.3
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	6	95	6	584	0.074	0.192	85.3	70.2
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	7	98	6	584	0.074	0.192	108.5	97.0
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	7	83	6	584	0.074	0.192	108.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	5	103	6	584	0.074	0.192	62.2	141.6
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	8	106	6	584	0.074	0.192	131.6	168.3
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	8	69	6	584	0.074	0.192	131.6	-161.7
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	5	106	6	584	0.074	0.192	62.2	168.3
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	7	92	6	584	0.074	0.192	108.5	43.5
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	8	106	6	584	0.074	0.192	131.6	168.3
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	7	99	6	584	0.074	0.192	108.5	105.9
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	6	69	6	584	0.074	0.192	85.3	-161.7
SU 4	Scan	M3	Floor	Concrete	8	73	6	584	0.074	0.192	131.6	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	9	86	6	584	0.074	0.192	154.7	-10.1
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	6	64	6	584	0.074	0.192	85.3	-206.3
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	6	57	6	584	0.074	0.192	85.3	-268.7
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	7	87	6	584	0.074	0.192	108.5	-1.1
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	7	71	6	584	0.074	0.192	108.5	-143.8
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	6	66	6	584	0.074	0.192	85.3	-188.4
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	8	83	6	584	0.074	0.192	131.6	-36.8
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	7	98	6	584	0.074	0.192	108.5	97.0
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	6	66	6	584	0.074	0.192	85.3	-188.4
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	8	83	6	584	0.074	0.192	131.6	-36.8
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	8	72	6	584	0.074	0.192	131.6	-134.9
SU 4	Scan	M3	Floor	Concrete	8	75	6	584	0.074	0.192	131.6	-108.2
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	8	88	6	584	0.074	0.192	131.6	7.8
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	3	95	6	584	0.074	0.192	15.9	70.2
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	4	60	6	584	0.074	0.192	39.0	-241.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	9	87	6	584	0.074	0.192	154.7	-1.1
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	7	86	6	584	0.074	0.192	108.5	-10.1
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	8	77	6	584	0.074	0.192	131.6	-90.3
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4
SU 4	Scan	M3	Floor	Concrete	9	90	6	584	0.074	0.192	154.7	25.6
SU 4	Scan	M3	Floor	Concrete	8	83	6	584	0.074	0.192	131.6	-36.8
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	7	93	6	584	0.074	0.192	108.5	52.4
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	7	100	6	584	0.074	0.192	108.5	114.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	6	77	6	584	0.074	0.192	85.3	-90.3
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	9	95	6	584	0.074	0.192	154.7	70.2
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	9	80	6	584	0.074	0.192	154.7	-63.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	8	95	6	584	0.074	0.192	131.6	70.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	9	91	6	584	0.074	0.192	154.7	34.5
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	101	6	584	0.074	0.192	62.2	123.7
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	10	71	6	584	0.074	0.192	177.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	7	77	6	584	0.074	0.192	108.5	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	8	73	6	584	0.074	0.192	131.6	-126.0
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	7	91	6	584	0.074	0.192	108.5	34.5
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	5	98	6	584	0.074	0.192	62.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	9	73	6	584	0.074	0.192	154.7	-126.0
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	6	96	6	584	0.074	0.192	85.3	79.1
SU 4	Scan	M3	Floor	Concrete	3	94	6	584	0.074	0.192	15.9	61.3
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	7	92	6	584	0.074	0.192	108.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	8	84	6	584	0.074	0.192	131.6	-27.9
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	9	80	6	584	0.074	0.192	154.7	-63.6
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	9	74	6	584	0.074	0.192	154.7	-117.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	6	63	6	584	0.074	0.192	85.3	-215.2
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	6	59	6	584	0.074	0.192	85.3	-250.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	7	64	6	584	0.074	0.192	108.5	-206.3
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	100	6	584	0.074	0.192	-30.4	114.8
SU 4	Scan	M3	Floor	Concrete	8	90	6	584	0.074	0.192	131.6	25.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	7	79	6	584	0.074	0.192	108.5	-72.5
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	7	58	6	584	0.074	0.192	108.5	-259.8
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	7	73	6	584	0.074	0.192	108.5	-126.0
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	111	6	584	0.074	0.192	39.0	212.9
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	7	90	6	584	0.074	0.192	108.5	25.6
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	7	68	6	584	0.074	0.192	108.5	-170.6
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	108	6	584	0.074	0.192	-30.4	186.1
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	2	102	6	584	0.074	0.192	-7.2	132.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	8	86	6	584	0.074	0.192	131.6	-10.1
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	0	131	6	584	0.077	0.206	-69.4	185.0
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	5	153	6	584	0.077	0.206	41.8	367.9
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	12	112	6	584	0.077	0.206	197.5	27.1
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	149	6	584	0.077	0.206	-47.1	334.6
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	0	130	6	584	0.077	0.206	-69.4	176.7
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	10	146	6	584	0.077	0.206	153.0	309.7
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	140	6	584	0.077	0.206	108.5	259.8
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	0	128	6	584	0.077	0.206	-69.4	160.1
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	9	125	6	584	0.077	0.206	130.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	1	146	6	584	0.077	0.206	-47.1	309.7
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	3	147	6	584	0.077	0.206	-2.7	318.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	102	6	584	0.077	0.206	64.0	-56.1
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	4	94	6	584	0.077	0.206	19.6	-122.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	6	101	6	584	0.077	0.206	64.0	-64.4
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	5	148	6	584	0.077	0.206	41.8	326.3
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	2	151	6	584	0.077	0.206	-24.9	351.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	9	149	6	584	0.077	0.206	130.8	334.6
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	10	144	6	584	0.077	0.206	153.0	293.0
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	9	110	6	584	0.077	0.206	130.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	6	162	6	584	0.077	0.206	64.0	442.7
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	4	148	6	584	0.077	0.206	19.6	326.3
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	7	154	6	584	0.077	0.206	86.3	376.2
SU 4	Scan	M5	Floor	Concrete	7	145	6	584	0.077	0.206	86.3	301.4
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	10	129	6	584	0.077	0.206	153.0	168.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	149	6	584	0.077	0.206	41.8	334.6
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	6	146	6	584	0.077	0.206	64.0	309.7
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	7	152	6	584	0.077	0.206	86.3	359.5
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	7	150	6	584	0.077	0.206	86.3	342.9
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	98	6	584	0.077	0.206	19.6	-89.3
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	1	139	6	584	0.077	0.206	-47.1	251.5
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	2	142	6	584	0.077	0.206	-24.9	276.4
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	3	148	6	584	0.077	0.206	-2.7	326.3
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	5	154	6	584	0.077	0.206	41.8	376.2
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	141	6	584	0.077	0.206	-24.9	268.1
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	100	6	584	0.077	0.206	86.3	-72.7
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	106	6	584	0.077	0.206	108.5	-22.8
SU 4	Scan	M5	Floor	Concrete	8	140	6	584	0.077	0.206	108.5	259.8
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	141	6	584	0.077	0.206	-47.1	268.1
SU 4	Scan	M5	Floor	Concrete	5	147	6	584	0.077	0.206	41.8	318.0
SU 4	Scan	M5	Floor	Concrete	4	147	6	584	0.077	0.206	19.6	318.0
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	7	140	6	584	0.077	0.206	86.3	259.8
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	13	127	6	584	0.077	0.206	219.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	10	116	6	584	0.077	0.206	153.0	60.3
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	6	146	6	584	0.077	0.206	64.0	309.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	10	156	6	584	0.077	0.206	153.0	392.8
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	8	138	6	584	0.077	0.206	108.5	243.2
SU 4	Scan	M5	Floor	Concrete	9	141	6	584	0.077	0.206	130.8	268.1
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	8	114	6	584	0.077	0.206	108.5	43.7
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	10	111	6	584	0.077	0.206	153.0	18.7
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	11	127	6	584	0.077	0.206	175.2	151.7
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	144	6	584	0.077	0.206	-2.7	293.0
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	9	138	6	584	0.077	0.206	130.8	243.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	9	111	6	584	0.077	0.206	130.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	146	6	584	0.077	0.206	-24.9	309.7
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	9	142	6	584	0.077	0.206	130.8	276.4
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	5	96	6	584	0.077	0.206	41.8	-105.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	11	132	6	584	0.077	0.206	175.2	193.3
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	6	147	6	584	0.077	0.206	64.0	318.0
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	8	148	6	584	0.077	0.206	108.5	326.3
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	8	146	6	584	0.077	0.206	108.5	309.7
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	6	142	6	584	0.077	0.206	64.0	276.4
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	9	151	6	584	0.077	0.206	130.8	351.2
SU 4	Scan	M5	Floor	Concrete	9	155	6	584	0.077	0.206	130.8	384.5
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	2	150	6	584	0.077	0.206	-24.9	342.9
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	6	144	6	584	0.077	0.206	64.0	293.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	9	132	6	584	0.077	0.206	130.8	193.3
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	7	140	6	584	0.077	0.206	86.3	259.8
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	0	150	6	584	0.077	0.206	-69.4	342.9
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	147	6	584	0.077	0.206	41.8	318.0
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	9	132	6	584	0.077	0.206	130.8	193.3
SU 4	Scan	M5	Floor	Concrete	8	140	6	584	0.077	0.206	108.5	259.8
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	10	101	6	584	0.077	0.206	153.0	-64.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	7	96	6	584	0.077	0.206	86.3	-105.9
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	0	139	6	584	0.077	0.206	-69.4	251.5
SU 4	Scan	M5	Floor	Concrete	10	110	6	584	0.077	0.206	153.0	10.4
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	2	141	6	584	0.077	0.206	-24.9	268.1
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	9	130	6	584	0.077	0.206	130.8	176.7
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	3	143	6	584	0.077	0.206	-2.7	284.7
SU 4	Scan	M5	Floor	Concrete	8	106	6	584	0.077	0.206	108.5	-22.8
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	10	132	6	584	0.077	0.206	153.0	193.3
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	148	6	584	0.077	0.206	19.6	326.3
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	7	144	6	584	0.077	0.206	86.3	293.0
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	10	143	6	584	0.077	0.206	153.0	284.7
SU 4	Scan	M5	Floor	Concrete	7	100	6	584	0.077	0.206	86.3	-72.7
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	96	6	584	0.077	0.206	108.5	-105.9
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	9	108	6	584	0.077	0.206	130.8	-6.2
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	10	138	6	584	0.077	0.206	153.0	243.2
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	11	121	6	584	0.077	0.206	175.2	101.9
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	8	142	6	584	0.077	0.206	108.5	276.4
SU 4	Scan	M5	Floor	Concrete	10	106	6	584	0.077	0.206	153.0	-22.8
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	13	122	6	584	0.077	0.206	219.7	110.2
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	11	130	6	584	0.077	0.206	175.2	176.7
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	8	148	6	584	0.077	0.206	108.5	326.3
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	9	148	6	584	0.077	0.206	130.8	326.3
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	3	148	6	584	0.077	0.206	-2.7	326.3
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	12	144	6	584	0.077	0.206	197.5	293.0
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	10	134	6	584	0.077	0.206	153.0	209.9
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	12	134	6	584	0.077	0.206	197.5	209.9
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	8	142	6	584	0.077	0.206	108.5	276.4
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	11	127	6	584	0.077	0.206	175.2	151.7
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	10	129	6	584	0.077	0.206	153.0	168.4
SU 4	Scan	M5	Floor	Concrete	10	145	6	584	0.077	0.206	153.0	301.4
SU 4	Scan	M5	Floor	Concrete	11	163	6	584	0.077	0.206	175.2	451.0
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	11	129	6	584	0.077	0.206	175.2	168.4
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	6	150	6	584	0.077	0.206	64.0	342.9
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	9	140	6	584	0.077	0.206	130.8	259.8
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	11	132	6	584	0.077	0.206	175.2	193.3
SU 4	Scan	M5	Floor	Concrete	4	146	6	584	0.077	0.206	19.6	309.7
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	10	132	6	584	0.077	0.206	153.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6
SU 4	Scan	M5	Floor	Concrete	5	148	6	584	0.077	0.206	41.8	326.3
SU 4	Scan	M5	Floor	Concrete	9	136	6	584	0.077	0.206	130.8	226.6
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	0	146	6	584	0.077	0.206	-69.4	309.7
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	8	118	6	584	0.077	0.206	108.5	76.9
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	12	134	6	584	0.077	0.206	197.5	209.9
SU 4	Scan	M5	Floor	Concrete	14	127	6	584	0.077	0.206	241.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	147	6	584	0.077	0.206	41.8	318.0
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	8	107	6	584	0.077	0.206	108.5	-14.5
SU 4	Scan	M5	Floor	Concrete	8	135	6	584	0.077	0.206	108.5	218.2
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	10	119	6	584	0.077	0.206	153.0	85.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	154	6	584	0.077	0.206	19.6	376.2
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	10	135	6	584	0.077	0.206	153.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	156	6	584	0.077	0.206	-2.7	392.8
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	5	152	6	584	0.077	0.206	41.8	359.5
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	11	132	6	584	0.077	0.206	175.2	193.3
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	100	6	584	0.077	0.206	86.3	-72.7
SU 4	Scan	M5	Floor	Concrete	11	123	6	584	0.077	0.206	175.2	118.5
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	10	125	6	584	0.077	0.206	153.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	8	135	6	584	0.077	0.206	108.5	218.2
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	10	125	6	584	0.077	0.206	153.0	135.1
SU 4	Scan	M5	Floor	Concrete	10	133	6	584	0.077	0.206	153.0	201.6
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	11	131	6	584	0.077	0.206	175.2	185.0
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	10	124	6	584	0.077	0.206	153.0	126.8
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	8	142	6	584	0.077	0.206	108.5	276.4
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	9	130	6	584	0.077	0.206	130.8	176.7
SU 4	Scan	M5	Floor	Concrete	10	133	6	584	0.077	0.206	153.0	201.6
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	159	6	584	0.077	0.206	-24.9	417.7
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	11	118	6	584	0.077	0.206	175.2	76.9
SU 4	Scan	M5	Floor	Concrete	3	150	6	584	0.077	0.206	-2.7	342.9
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	12	142	6	584	0.077	0.206	197.5	276.4
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	9	152	6	584	0.077	0.206	130.8	359.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	8	127	6	584	0.077	0.206	108.5	151.7
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	9	132	6	584	0.077	0.206	130.8	193.3
SU 4	Scan	M5	Floor	Concrete	12	133	6	584	0.077	0.206	197.5	201.6
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	10	139	6	584	0.077	0.206	153.0	251.5
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	10	146	6	584	0.077	0.206	153.0	309.7
SU 4	Scan	M5	Floor	Concrete	6	143	6	584	0.077	0.206	64.0	284.7
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	151	6	584	0.077	0.206	108.5	351.2
SU 4	Scan	M5	Floor	Concrete	10	136	6	584	0.077	0.206	153.0	226.6
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	9	125	6	584	0.077	0.206	130.8	135.1
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	8	143	6	584	0.077	0.206	108.5	284.7
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	10	121	6	584	0.077	0.206	153.0	101.9
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	8	157	6	584	0.077	0.206	108.5	401.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	11	117	6	584	0.077	0.206	175.2	68.6
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	4	147	6	584	0.077	0.206	19.6	318.0
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	13	146	6	584	0.077	0.206	219.7	309.7
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	94	6	584	0.067	0.196	75.9	-31.4
SU 4	Scan	M6	Floor	Concrete	6	84	6	584	0.067	0.196	101.5	-118.7
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	70	6	584	0.067	0.196	-26.3	-241.1
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	9	108	6	584	0.067	0.196	178.1	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	8	104	6	584	0.067	0.196	152.6	56.0
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	77	6	584	0.067	0.196	-51.9	-179.9
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	6	90	6	584	0.067	0.196	101.5	-66.3
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	7	90	6	584	0.067	0.196	127.0	-66.3
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	75	6	584	0.067	0.196	24.8	-197.4
SU 4	Scan	M6	Floor	Concrete	3	76	6	584	0.067	0.196	24.8	-188.6
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	5	86	6	584	0.067	0.196	75.9	-101.3
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	3	70	6	584	0.067	0.196	24.8	-241.1
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	8	103	6	584	0.067	0.196	152.6	47.2
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	76	6	584	0.067	0.196	101.5	-188.6
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M6	Floor	Concrete	6	86	6	584	0.067	0.196	101.5	-101.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	8	92	6	584	0.067	0.196	152.6	-48.9
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	79	6	584	0.067	0.196	-0.8	-162.4
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	6	103	6	584	0.067	0.196	101.5	47.2
SU 4	Scan	M6	Floor	Concrete	3	76	6	584	0.067	0.196	24.8	-188.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	5	88	6	584	0.067	0.196	75.9	-83.8
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	4	82	6	584	0.067	0.196	50.3	-136.2
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	7	84	6	584	0.067	0.196	127.0	-118.7
SU 4	Scan	M6	Floor	Concrete	6	83	6	584	0.067	0.196	101.5	-127.5
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	5	92	6	584	0.067	0.196	75.9	-48.9
SU 4	Scan	M6	Floor	Concrete	5	86	6	584	0.067	0.196	75.9	-101.3
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	6	95	6	584	0.067	0.196	101.5	-22.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	7	82	6	584	0.067	0.196	127.0	-136.2
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	4	82	6	584	0.067	0.196	50.3	-136.2
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	75	6	584	0.067	0.196	24.8	-197.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	0	83	6	584	0.067	0.196	-51.9	-127.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	79	6	584	0.067	0.196	50.3	-162.4
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	6	90	6	584	0.067	0.196	101.5	-66.3
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	7	102	6	584	0.067	0.196	127.0	38.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	123	6	584	0.067	0.196	-51.9	222.0
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	4	90	6	584	0.067	0.196	50.3	-66.3
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	7	92	6	584	0.067	0.196	127.0	-48.9
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	6	95	6	584	0.067	0.196	101.5	-22.6
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	8	110	6	584	0.067	0.196	152.6	108.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	7	121	6	584	0.067	0.196	127.0	204.5
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	4	129	6	584	0.067	0.196	50.3	274.4
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	6	103	6	584	0.067	0.196	101.5	47.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	79	6	584	0.067	0.196	24.8	-162.4
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	6	113	6	584	0.067	0.196	101.5	134.6
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	90	6	584	0.067	0.196	101.5	-66.3
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	5	87	6	584	0.067	0.196	75.9	-92.5
SU 4	Scan	M6	Floor	Concrete	7	91	6	584	0.067	0.196	127.0	-57.6
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	130	6	584	0.067	0.196	-26.3	283.1
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	6	86	6	584	0.067	0.196	101.5	-101.3
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	9	120	6	584	0.067	0.196	178.1	195.8
SU 4	Scan	M6	Floor	Concrete	8	111	6	584	0.067	0.196	152.6	117.1
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	127	6	584	0.067	0.196	-26.3	256.9
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	7	105	6	584	0.067	0.196	127.0	64.7
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	5	132	6	584	0.067	0.196	75.9	300.6
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	7	101	6	584	0.067	0.196	127.0	29.8
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	101	6	584	0.067	0.196	50.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	5	94	6	584	0.067	0.196	75.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	7	105	6	584	0.067	0.196	127.0	64.7
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	65	6	584	0.067	0.196	50.3	-284.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	6	83	6	584	0.067	0.196	101.5	-127.5
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	8	96	6	584	0.067	0.196	152.6	-13.9
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	0	74	6	584	0.067	0.196	-51.9	-206.1
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	4	76	6	584	0.067	0.196	50.3	-188.6
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	66	6	584	0.067	0.196	-0.8	-276.0
SU 4	Scan	M6	Floor	Concrete	0	77	6	584	0.067	0.196	-51.9	-179.9
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	74	6	584	0.067	0.196	-51.9	-206.1
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	68	6	584	0.067	0.196	24.8	-258.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8
SU 4	Scan	M6	Floor	Concrete	5	72	6	584	0.067	0.196	75.9	-223.6
SU 4	Scan	M6	Floor	Concrete	4	77	6	584	0.067	0.196	50.3	-179.9
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	4	73	6	584	0.067	0.196	50.3	-214.8
SU 4	Scan	M6	Floor	Concrete	3	66	6	584	0.067	0.196	24.8	-276.0
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	0	83	6	584	0.067	0.196	-51.9	-127.5
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	6	69	6	584	0.067	0.196	101.5	-249.8
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	0	67	6	584	0.067	0.196	-51.9	-267.3
SU 4	Scan	M6	Floor	Concrete	4	75	6	584	0.067	0.196	50.3	-197.4
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	4	57	6	584	0.067	0.196	50.3	-354.6
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	7	100	6	584	0.067	0.196	127.0	21.0
SU 4	Scan	M6	Floor	Concrete	0	68	6	584	0.067	0.196	-51.9	-258.5
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	4	77	6	584	0.067	0.196	50.3	-179.9
SU 4	Scan	M6	Floor	Concrete	3	73	6	584	0.067	0.196	24.8	-214.8
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	3	71	6	584	0.067	0.196	24.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	3	72	6	584	0.067	0.196	24.8	-223.6
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	5	68	6	584	0.067	0.196	75.9	-258.5
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	1	58	6	584	0.067	0.196	-26.3	-345.9
SU 4	Scan	M6	Floor	Concrete	1	62	6	584	0.067	0.196	-26.3	-310.9
SU 4	Scan	M6	Floor	Concrete	3	67	6	584	0.067	0.196	24.8	-267.3
SU 4	Scan	M6	Floor	Concrete	5	69	6	584	0.067	0.196	75.9	-249.8
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	6	71	6	584	0.067	0.196	101.5	-232.3
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	3	79	6	584	0.067	0.196	24.8	-162.4
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8
SU 4	Scan	M6	Floor	Concrete	3	69	6	584	0.067	0.196	24.8	-249.8
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	0	70	6	584	0.067	0.196	-51.9	-241.1
SU 4	Scan	M6	Floor	Concrete	4	68	6	584	0.067	0.196	50.3	-258.5
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8
SU 4	Scan	M6	Floor	Concrete	2	81	6	584	0.067	0.196	-0.8	-145.0
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	8	73	6	584	0.067	0.196	152.6	-214.8
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	6	54	6	584	0.067	0.196	101.5	-380.8
SU 4	Scan	M6	Floor	Concrete	3	81	6	584	0.067	0.196	24.8	-145.0
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	3	71	6	584	0.067	0.196	24.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	79	6	584	0.067	0.196	-0.8	-162.4
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	0	75	6	584	0.067	0.196	-51.9	-197.4
SU 4	Scan	M6	Floor	Concrete	3	70	6	584	0.067	0.196	24.8	-241.1
SU 4	Scan	M6	Floor	Concrete	1	75	6	584	0.067	0.196	-26.3	-197.4
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	1	70	6	584	0.067	0.196	-26.3	-241.1
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	5	72	6	584	0.067	0.196	75.9	-223.6
SU 4	Scan	M6	Floor	Concrete	1	71	6	584	0.067	0.196	-26.3	-232.3
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	4	75	6	584	0.067	0.196	50.3	-197.4
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	3	67	6	584	0.067	0.196	24.8	-267.3
SU 4	Scan	M6	Floor	Concrete	2	66	6	584	0.067	0.196	-0.8	-276.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8
SU 4	Scan	M6	Floor	Concrete	4	58	6	584	0.067	0.196	50.3	-345.9
SU 4	Scan	M6	Floor	Concrete	3	68	6	584	0.067	0.196	24.8	-258.5
SU 4	Scan	M6	Floor	Concrete	1	58	6	584	0.067	0.196	-26.3	-345.9
SU 4	Scan	M6	Floor	Concrete	0	83	6	584	0.067	0.196	-51.9	-127.5
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	3	65	6	584	0.067	0.196	24.8	-284.7
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	3	71	6	584	0.067	0.196	24.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	4	66	6	584	0.067	0.196	50.3	-276.0
SU 4	Scan	M6	Floor	Concrete	0	62	6	584	0.067	0.196	-51.9	-310.9
SU 4	Scan	M6	Floor	Concrete	0	77	6	584	0.067	0.196	-51.9	-179.9
SU 4	Scan	M6	Floor	Concrete	4	59	6	584	0.067	0.196	50.3	-337.2
SU 4	Scan	M6	Floor	Concrete	2	60	6	584	0.067	0.196	-0.8	-328.4
SU 4	Scan	M6	Floor	Concrete	0	60	6	584	0.067	0.196	-51.9	-328.4
SU 4	Scan	M6	Floor	Concrete	0	60	6	584	0.067	0.196	-51.9	-328.4
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	2	54	6	584	0.067	0.196	-0.8	-380.8
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	0	59	6	584	0.067	0.196	-51.9	-337.2
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	3	67	6	584	0.067	0.196	24.8	-267.3
SU 4	Scan	M6	Floor	Concrete	5	76	6	584	0.067	0.196	75.9	-188.6
SU 4	Scan	M6	Floor	Concrete	4	69	6	584	0.067	0.196	50.3	-249.8
SU 4	Scan	M6	Floor	Concrete	0	70	6	584	0.067	0.196	-51.9	-241.1
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	2	62	6	584	0.067	0.196	-0.8	-310.9
SU 4	Scan	M6	Floor	Concrete	3	53	6	584	0.067	0.196	24.8	-389.6
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	75	6	584	0.067	0.196	24.8	-197.4
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	3	70	6	584	0.067	0.196	24.8	-241.1
SU 4	Scan	M6	Floor	Concrete	3	68	6	584	0.067	0.196	24.8	-258.5
SU 4	Scan	M6	Floor	Concrete	0	67	6	584	0.067	0.196	-51.9	-267.3
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	2	67	6	584	0.067	0.196	-0.8	-267.3
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	71	6	584	0.067	0.196	50.3	-232.3
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	1	71	6	584	0.067	0.196	-26.3	-232.3
SU 4	Scan	M6	Floor	Concrete	1	70	6	584	0.067	0.196	-26.3	-241.1
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	4	70	6	584	0.067	0.196	50.3	-241.1
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	3	58	6	584	0.067	0.196	24.8	-345.9
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	75	6	584	0.067	0.196	24.8	-197.4
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	0	74	6	584	0.067	0.196	-51.9	-206.1
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	2	77	6	584	0.067	0.196	-0.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	3	76	6	584	0.067	0.196	24.8	-188.6
SU 4	Scan	M6	Floor	Concrete	2	67	6	584	0.067	0.196	-0.8	-267.3
SU 4	Scan	M6	Floor	Concrete	2	67	6	584	0.067	0.196	-0.8	-267.3
SU 4	Scan	M6	Floor	Concrete	1	55	6	584	0.067	0.196	-26.3	-372.1
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	0	64	6	584	0.067	0.196	-51.9	-293.5
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	3	69	6	584	0.067	0.196	24.8	-249.8
SU 4	Scan	M6	Floor	Concrete	4	63	6	584	0.067	0.196	50.3	-302.2
SU 4	Scan	M6	Floor	Concrete	3	60	6	584	0.067	0.196	24.8	-328.4
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	0	65	6	584	0.067	0.196	-51.9	-284.7
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	2	79	6	584	0.067	0.196	-0.8	-162.4
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	4	75	6	584	0.067	0.196	50.3	-197.4
SU 4	Scan	M6	Floor	Concrete	3	76	6	584	0.067	0.196	24.8	-188.6
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3
SU 4	Scan	M6	Floor	Concrete	3	68	6	584	0.067	0.196	24.8	-258.5
SU 4	Scan	M6	Floor	Concrete	5	69	6	584	0.067	0.196	75.9	-249.8
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	4	75	6	584	0.067	0.196	50.3	-197.4
SU 4	Scan	M6	Floor	Concrete	0	74	6	584	0.067	0.196	-51.9	-206.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	3	65	6	584	0.067	0.196	24.8	-284.7
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	4	74	6	584	0.067	0.196	50.3	-206.1
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	81	6	584	0.067	0.196	-0.8	-145.0
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	2	73	6	584	0.067	0.196	-0.8	-214.8
SU 4	Scan	M6	Floor	Concrete	2	58	6	584	0.067	0.196	-0.8	-345.9
SU 4	Scan	M6	Floor	Concrete	3	58	6	584	0.067	0.196	24.8	-345.9
SU 4	Scan	M6	Floor	Concrete	8	72	6	584	0.067	0.196	152.6	-223.6
SU 4	Scan	M6	Floor	Concrete	4	52	6	584	0.067	0.196	50.3	-398.3
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	1	76	6	584	0.067	0.196	-26.3	-188.6
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	3	55	6	584	0.067	0.196	24.8	-372.1
SU 4	Scan	M6	Floor	Concrete	3	67	6	584	0.067	0.196	24.8	-267.3
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	1	71	6	584	0.067	0.196	-26.3	-232.3
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3
SU 4	Scan	M6	Floor	Concrete	3	68	6	584	0.067	0.196	24.8	-258.5
SU 4	Scan	M6	Floor	Concrete	4	66	6	584	0.067	0.196	50.3	-276.0
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	3	64	6	584	0.067	0.196	24.8	-293.5
SU 4	Scan	M6	Floor	Concrete	0	65	6	584	0.067	0.196	-51.9	-284.7
SU 4	Scan	M6	Floor	Concrete	7	74	6	584	0.067	0.196	127.0	-206.1
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	3	65	6	584	0.067	0.196	24.8	-284.7
SU 4	Scan	M6	Floor	Concrete	4	58	6	584	0.067	0.196	50.3	-345.9
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	2	62	6	584	0.067	0.196	-0.8	-310.9
SU 4	Scan	M6	Floor	Concrete	3	59	6	584	0.067	0.196	24.8	-337.2
SU 4	Scan	M6	Floor	Concrete	2	60	6	584	0.067	0.196	-0.8	-328.4
SU 4	Scan	M6	Floor	Concrete	0	69	6	584	0.067	0.196	-51.9	-249.8
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	5	71	6	584	0.067	0.196	75.9	-232.3
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	55	6	584	0.067	0.196	-26.3	-372.1
SU 4	Scan	M6	Floor	Concrete	3	69	6	584	0.067	0.196	24.8	-249.8
SU 4	Scan	M6	Floor	Concrete	2	45	6	584	0.067	0.196	-0.8	-459.5
SU 4	Scan	M6	Floor	Concrete	3	59	6	584	0.067	0.196	24.8	-337.2
SU 4	Scan	M6	Floor	Concrete	5	52	6	584	0.067	0.196	75.9	-398.3
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	5	54	6	584	0.067	0.196	75.9	-380.8
SU 4	Scan	M6	Floor	Concrete	4	51	6	584	0.067	0.196	50.3	-407.0
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	2	67	6	584	0.067	0.196	-0.8	-267.3
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2
SU 4	Scan	M6	Floor	Concrete	3	66	6	584	0.067	0.196	24.8	-276.0
SU 4	Scan	M6	Floor	Concrete	4	46	6	584	0.067	0.196	50.3	-450.7
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	1	55	6	584	0.067	0.196	-26.3	-372.1
SU 4	Scan	M6	Floor	Concrete	2	40	6	584	0.067	0.196	-0.8	-503.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	3	69	6	584	0.067	0.196	24.8	-249.8
SU 4	Scan	M6	Floor	Concrete	3	67	6	584	0.067	0.196	24.8	-267.3
SU 4	Scan	M6	Floor	Concrete	0	63	6	584	0.067	0.196	-51.9	-302.2
SU 4	Scan	M6	Floor	Concrete	2	54	6	584	0.067	0.196	-0.8	-380.8
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	5	62	6	584	0.067	0.196	75.9	-310.9
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	3	59	6	584	0.067	0.196	24.8	-337.2
SU 4	Scan	M6	Floor	Concrete	5	56	6	584	0.067	0.196	75.9	-363.4
SU 4	Scan	M6	Floor	Concrete	6	60	6	584	0.067	0.196	101.5	-328.4
SU 4	Scan	M6	Floor	Concrete	4	64	6	584	0.067	0.196	50.3	-293.5
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	4	48	6	584	0.067	0.196	50.3	-433.3
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	3	55	6	584	0.067	0.196	24.8	-372.1
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2
SU 4	Scan	M6	Floor	Concrete	3	59	6	584	0.067	0.196	24.8	-337.2
SU 4	Scan	M6	Floor	Concrete	5	58	6	584	0.067	0.196	75.9	-345.9
SU 4	Scan	M6	Floor	Concrete	2	54	6	584	0.067	0.196	-0.8	-380.8
SU 4	Scan	M6	Floor	Concrete	4	70	6	584	0.067	0.196	50.3	-241.1
SU 4	Scan	M6	Floor	Concrete	3	49	6	584	0.067	0.196	24.8	-424.5
SU 4	Scan	M6	Floor	Concrete	4	42	6	584	0.067	0.196	50.3	-485.7
SU 4	Scan	M6	Floor	Concrete	3	66	6	584	0.067	0.196	24.8	-276.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	4	65	6	584	0.067	0.196	50.3	-284.7
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	4	59	6	584	0.067	0.196	50.3	-337.2
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	3	67	6	584	0.067	0.196	24.8	-267.3
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	5	46	6	584	0.067	0.196	75.9	-450.7
SU 4	Scan	M6	Floor	Concrete	5	74	6	584	0.067	0.196	75.9	-206.1
SU 4	Scan	M6	Floor	Concrete	3	52	6	584	0.067	0.196	24.8	-398.3
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	5	36	6	584	0.067	0.196	75.9	-538.1
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	3	53	6	584	0.067	0.196	24.8	-389.6
SU 4	Scan	M6	Floor	Concrete	3	64	6	584	0.067	0.196	24.8	-293.5
SU 4	Scan	M6	Floor	Concrete	2	66	6	584	0.067	0.196	-0.8	-276.0
SU 4	Scan	M6	Floor	Concrete	0	57	6	584	0.067	0.196	-51.9	-354.6
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	3	48	6	584	0.067	0.196	24.8	-433.3
SU 4	Scan	M6	Floor	Concrete	5	51	6	584	0.067	0.196	75.9	-407.0
SU 4	Scan	M6	Floor	Concrete	2	58	6	584	0.067	0.196	-0.8	-345.9
SU 4	Scan	M6	Floor	Concrete	3	55	6	584	0.067	0.196	24.8	-372.1
SU 4	Scan	M6	Floor	Concrete	7	57	6	584	0.067	0.196	127.0	-354.6
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	2	49	6	584	0.067	0.196	-0.8	-424.5
SU 4	Scan	M6	Floor	Concrete	4	42	6	584	0.067	0.196	50.3	-485.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	1	70	6	584	0.067	0.196	-26.3	-241.1
SU 4	Scan	M6	Floor	Concrete	0	54	6	584	0.067	0.196	-51.9	-380.8
SU 4	Scan	M6	Floor	Concrete	3	45	6	584	0.067	0.196	24.8	-459.5
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	1	61	6	584	0.067	0.196	-26.3	-319.7
SU 4	Scan	M6	Floor	Concrete	4	60	6	584	0.067	0.196	50.3	-328.4
SU 4	Scan	M6	Floor	Concrete	2	55	6	584	0.067	0.196	-0.8	-372.1
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2
SU 4	Scan	M6	Floor	Concrete	1	58	6	584	0.067	0.196	-26.3	-345.9
SU 4	Scan	M6	Floor	Concrete	1	75	6	584	0.067	0.196	-26.3	-197.4
SU 4	Scan	M6	Floor	Concrete	4	56	6	584	0.067	0.196	50.3	-363.4
SU 4	Scan	M6	Floor	Concrete	2	41	6	584	0.067	0.196	-0.8	-494.4
SU 4	Scan	M6	Floor	Concrete	3	41	6	584	0.067	0.196	24.8	-494.4
SU 4	Scan	M6	Floor	Concrete	0	39	6	584	0.067	0.196	-51.9	-511.9
SU 4	Scan	M6	Floor	Concrete	1	47	6	584	0.067	0.196	-26.3	-442.0
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	45	6	584	0.067	0.196	-0.8	-459.5
SU 4	Scan	M6	Floor	Concrete	3	49	6	584	0.067	0.196	24.8	-424.5
SU 4	Scan	M6	Floor	Concrete	3	47	6	584	0.067	0.196	24.8	-442.0
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	3	60	6	584	0.067	0.196	24.8	-328.4
SU 4	Scan	M6	Floor	Concrete	6	66	6	584	0.067	0.196	101.5	-276.0
SU 4	Scan	M6	Floor	Concrete	5	43	6	584	0.067	0.196	75.9	-476.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	0	68	6	584	0.067	0.196	-51.9	-258.5
SU 4	Scan	M6	Floor	Concrete	2	58	6	584	0.067	0.196	-0.8	-345.9
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	5	46	6	584	0.067	0.196	75.9	-450.7
SU 4	Scan	M6	Floor	Concrete	4	58	6	584	0.067	0.196	50.3	-345.9
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	3	52	6	584	0.067	0.196	24.8	-398.3
SU 4	Scan	M6	Floor	Concrete	4	54	6	584	0.067	0.196	50.3	-380.8
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	4	53	6	584	0.067	0.196	50.3	-389.6
SU 4	Scan	M6	Floor	Concrete	4	57	6	584	0.067	0.196	50.3	-354.6
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	0	45	6	584	0.067	0.196	-51.9	-459.5
SU 4	Scan	M6	Floor	Concrete	3	42	6	584	0.067	0.196	24.8	-485.7
SU 4	Scan	M6	Floor	Concrete	2	49	6	584	0.067	0.196	-0.8	-424.5
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	0	42	6	584	0.067	0.196	-51.9	-485.7
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	4	57	6	584	0.067	0.196	50.3	-354.6
SU 4	Scan	M6	Floor	Concrete	5	62	6	584	0.067	0.196	75.9	-310.9
SU 4	Scan	M6	Floor	Concrete	3	41	6	584	0.067	0.196	24.8	-494.4
SU 4	Scan	M6	Floor	Concrete	2	32	6	584	0.067	0.196	-0.8	-573.0
SU 4	Scan	M6	Floor	Concrete	5	49	6	584	0.067	0.196	75.9	-424.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	4	59	6	584	0.067	0.196	50.3	-337.2
SU 4	Scan	M6	Floor	Concrete	3	71	6	584	0.067	0.196	24.8	-232.3
SU 4	Scan	M6	Floor	Concrete	4	51	6	584	0.067	0.196	50.3	-407.0
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3
SU 4	Scan	M6	Floor	Concrete	3	60	6	584	0.067	0.196	24.8	-328.4
SU 4	Scan	M6	Floor	Concrete	2	58	6	584	0.067	0.196	-0.8	-345.9
SU 4	Scan	M6	Floor	Concrete	7	68	6	584	0.067	0.196	127.0	-258.5
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	5	62	6	584	0.067	0.196	75.9	-310.9
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	3	65	6	584	0.067	0.196	24.8	-284.7
SU 4	Scan	M6	Floor	Concrete	6	63	6	584	0.067	0.196	101.5	-302.2
SU 4	Scan	M6	Floor	Concrete	0	58	6	584	0.067	0.196	-51.9	-345.9
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	3	47	6	584	0.067	0.196	24.8	-442.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2
SU 4	Scan	M6	Floor	Concrete	5	50	6	584	0.067	0.196	75.9	-415.8
SU 4	Scan	M6	Floor	Concrete	5	46	6	584	0.067	0.196	75.9	-450.7
SU 4	Scan	M6	Floor	Concrete	2	49	6	584	0.067	0.196	-0.8	-424.5
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	4	57	6	584	0.067	0.196	50.3	-354.6
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	3	60	6	584	0.067	0.196	24.8	-328.4
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	64	6	584	0.067	0.196	24.8	-293.5
SU 4	Scan	M6	Floor	Concrete	4	75	6	584	0.067	0.196	50.3	-197.4
SU 4	Scan	M6	Floor	Concrete	4	72	6	584	0.067	0.196	50.3	-223.6
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	6	62	6	584	0.067	0.196	101.5	-310.9
SU 4	Scan	M6	Floor	Concrete	5	44	6	584	0.067	0.196	75.9	-468.2
SU 4	Scan	M6	Floor	Concrete	0	65	6	584	0.067	0.196	-51.9	-284.7
SU 4	Scan	M6	Floor	Concrete	3	51	6	584	0.067	0.196	24.8	-407.0
SU 4	Scan	M6	Floor	Concrete	2	49	6	584	0.067	0.196	-0.8	-424.5
SU 4	Scan	M6	Floor	Concrete	2	62	6	584	0.067	0.196	-0.8	-310.9
SU 4	Scan	M6	Floor	Concrete	5	68	6	584	0.067	0.196	75.9	-258.5
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	5	46	6	584	0.067	0.196	75.9	-450.7
SU 4	Scan	M6	Floor	Concrete	7	59	6	584	0.067	0.196	127.0	-337.2
SU 4	Scan	M6	Floor	Concrete	5	64	6	584	0.067	0.196	75.9	-293.5
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	65	6	584	0.067	0.196	75.9	-284.7
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	4	61	6	584	0.067	0.196	50.3	-319.7
SU 4	Scan	M6	Floor	Concrete	3	55	6	584	0.067	0.196	24.8	-372.1
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	3	49	6	584	0.067	0.196	24.8	-424.5
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	4	68	6	584	0.067	0.196	50.3	-258.5
SU 4	Scan	M6	Floor	Concrete	8	70	6	584	0.067	0.196	152.6	-241.1
SU 4	Scan	M6	Floor	Concrete	5	61	6	584	0.067	0.196	75.9	-319.7
SU 4	Scan	M6	Floor	Concrete	7	60	6	584	0.067	0.196	127.0	-328.4
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6
SU 4	Scan	M6	Floor	Concrete	4	47	6	584	0.067	0.196	50.3	-442.0
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	3	71	6	584	0.067	0.196	24.8	-232.3
SU 4	Scan	M6	Floor	Concrete	7	56	6	584	0.067	0.196	127.0	-363.4
SU 4	Scan	M6	Floor	Concrete	3	55	6	584	0.067	0.196	24.8	-372.1
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	4	64	6	584	0.067	0.196	50.3	-293.5
SU 4	Scan	M6	Floor	Concrete	3	72	6	584	0.067	0.196	24.8	-223.6
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	2	62	6	584	0.067	0.196	-0.8	-310.9
SU 4	Scan	M6	Floor	Concrete	4	65	6	584	0.067	0.196	50.3	-284.7
SU 4	Scan	M6	Floor	Concrete	3	66	6	584	0.067	0.196	24.8	-276.0
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	7	71	6	584	0.067	0.196	127.0	-232.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	65	6	584	0.067	0.196	-51.9	-284.7
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	4	57	6	584	0.067	0.196	50.3	-354.6
SU 4	Scan	M6	Floor	Concrete	5	69	6	584	0.067	0.196	75.9	-249.8
SU 4	Scan	M6	Floor	Concrete	1	76	6	584	0.067	0.196	-26.3	-188.6
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	1	76	6	584	0.067	0.196	-26.3	-188.6
SU 4	Scan	M6	Floor	Concrete	4	70	6	584	0.067	0.196	50.3	-241.1
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	4	67	6	584	0.067	0.196	50.3	-267.3
SU 4	Scan	M6	Floor	Concrete	6	72	6	584	0.067	0.196	101.5	-223.6
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	5	69	6	584	0.067	0.196	75.9	-249.8
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	4	77	6	584	0.067	0.196	50.3	-179.9
SU 4	Scan	M6	Floor	Concrete	3	66	6	584	0.067	0.196	24.8	-276.0
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	6	97	6	584	0.067	0.196	101.5	-5.2
SU 4	Scan	M6	Floor	Concrete	7	94	6	584	0.067	0.196	127.0	-31.4
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	6	104	6	584	0.067	0.196	101.5	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	6	113	6	584	0.067	0.196	101.5	134.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	10	85	6	584	0.067	0.196	203.7	-110.0
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	6	93	6	584	0.067	0.196	101.5	-40.1
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	6	113	6	584	0.067	0.196	101.5	134.6
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	50	6	584	0.074	0.192	15.9	-331.1
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	4	50	6	584	0.074	0.192	39.0	-331.1
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	0	56	6	584	0.074	0.192	-53.5	-277.6
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	0	52	6	584	0.074	0.192	-53.5	-313.3
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	2	50	6	584	0.074	0.192	-7.2	-331.1
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	47	6	584	0.074	0.192	15.9	-357.9
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	0	51	6	584	0.074	0.192	-53.5	-322.2
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	49	6	584	0.074	0.192	-30.4	-340.0
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	54	6	584	0.074	0.192	-53.5	-295.4
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	4	60	6	584	0.074	0.192	39.0	-241.9
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	6	69	6	584	0.074	0.192	85.3	-161.7
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	6	64	6	584	0.074	0.192	85.3	-206.3
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	5	57	6	584	0.074	0.192	62.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	7	73	6	584	0.074	0.192	108.5	-126.0
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	89	6	584	0.074	0.192	-30.4	16.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	2	50	6	584	0.074	0.192	-7.2	-331.1
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	6	60	6	584	0.074	0.192	85.3	-241.9
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	5	63	6	584	0.074	0.192	62.2	-215.2
SU 4	Scan	M3	Floor	Concrete	7	77	6	584	0.074	0.192	108.5	-90.3
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	7	72	6	584	0.074	0.192	108.5	-134.9
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	8	75	6	584	0.074	0.192	131.6	-108.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	9	77	6	584	0.074	0.192	154.7	-90.3
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	7	89	6	584	0.074	0.192	108.5	16.7
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	9	69	6	584	0.074	0.192	154.7	-161.7
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	8	74	6	584	0.074	0.192	131.6	-117.1
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	89	6	584	0.074	0.192	-53.5	16.7
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	5	63	6	584	0.074	0.192	62.2	-215.2
SU 4	Scan	M3	Floor	Concrete	0	86	6	584	0.074	0.192	-53.5	-10.1
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	5	94	6	584	0.074	0.192	62.2	61.3
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	6	89	6	584	0.074	0.192	85.3	16.7
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	8	77	6	584	0.074	0.192	131.6	-90.3
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	7	94	6	584	0.074	0.192	108.5	61.3
SU 4	Scan	M3	Floor	Concrete	7	64	6	584	0.074	0.192	108.5	-206.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	4	94	6	584	0.074	0.192	39.0	61.3
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	3	106	6	584	0.074	0.192	15.9	168.3
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	7	83	6	584	0.074	0.192	108.5	-36.8
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	7	77	6	584	0.074	0.192	108.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	9	83	6	584	0.074	0.192	154.7	-36.8
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	7	84	6	584	0.074	0.192	108.5	-27.9
SU 4	Scan	M3	Floor	Concrete	1	96	6	584	0.074	0.192	-30.4	79.1
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	64	6	584	0.074	0.192	62.2	-206.3
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	7	79	6	584	0.074	0.192	108.5	-72.5
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	8	85	6	584	0.074	0.192	131.6	-19.0
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	7	86	6	584	0.074	0.192	108.5	-10.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	1	51	6	584	0.074	0.192	-30.4	-322.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	7	83	6	584	0.074	0.192	108.5	-36.8
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	4	59	6	584	0.074	0.192	39.0	-250.9
SU 4	Scan	M3	Floor	Concrete	0	76	6	584	0.074	0.192	-53.5	-99.2
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	6	66	6	584	0.074	0.192	85.3	-188.4
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	7	60	6	584	0.074	0.192	108.5	-241.9
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	7	86	6	584	0.074	0.192	108.5	-10.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	2	89	6	584	0.074	0.192	-7.2	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	8	99	6	584	0.074	0.192	131.6	105.9
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	2	101	6	584	0.074	0.192	-7.2	123.7
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	3	103	6	584	0.074	0.192	15.9	141.6
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	93	6	584	0.074	0.192	15.9	52.4
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	5	96	6	584	0.074	0.192	62.2	79.1
SU 4	Scan	M3	Floor	Concrete	3	102	6	584	0.074	0.192	15.9	132.6
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	1	110	6	584	0.074	0.192	-30.4	204.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	5	95	6	584	0.074	0.192	62.2	70.2
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	87	6	584	0.074	0.192	15.9	-1.1
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	106	6	584	0.074	0.192	39.0	168.3
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	8	90	6	584	0.074	0.192	131.6	25.6
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	0	91	6	584	0.074	0.192	-53.5	34.5
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	3	101	6	584	0.074	0.192	15.9	123.7
SU 4	Scan	M3	Floor	Concrete	7	98	6	584	0.074	0.192	108.5	97.0
SU 4	Scan	M3	Floor	Concrete	6	92	6	584	0.074	0.192	85.3	43.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	0	102	6	584	0.074	0.192	-53.5	132.6
SU 4	Scan	M3	Floor	Concrete	0	99	6	584	0.074	0.192	-53.5	105.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	1	106	6	584	0.074	0.192	-30.4	168.3
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	5	92	6	584	0.074	0.192	62.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	88	6	584	0.074	0.192	-53.5	7.8
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	4	92	6	584	0.074	0.192	39.0	43.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	93	6	584	0.074	0.192	39.0	52.4
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	8	99	6	584	0.074	0.192	131.6	105.9
SU 4	Scan	M3	Floor	Concrete	2	90	6	584	0.074	0.192	-7.2	25.6
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	100	6	584	0.074	0.192	-7.2	114.8
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	5	105	6	584	0.074	0.192	62.2	159.4
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	93	6	584	0.074	0.192	-7.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	1	95	6	584	0.074	0.192	-30.4	70.2
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	5	60	6	584	0.074	0.192	62.2	-241.9
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	97	6	584	0.074	0.192	-7.2	88.0
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	1	105	6	584	0.074	0.192	-30.4	159.4
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	90	6	584	0.074	0.192	-30.4	25.6
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	110	6	584	0.074	0.192	15.9	204.0
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	3	105	6	584	0.074	0.192	15.9	159.4
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	4	97	6	584	0.074	0.192	39.0	88.0
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	7	83	6	584	0.074	0.192	108.5	-36.8
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	1	94	6	584	0.074	0.192	-30.4	61.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	4	102	6	584	0.074	0.192	39.0	132.6
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	1	86	6	584	0.074	0.192	-30.4	-10.1
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	4	80	6	584	0.074	0.192	39.0	-63.6
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	2	99	6	584	0.074	0.192	-7.2	105.9
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	9	62	6	584	0.074	0.192	154.7	-224.1
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	6	86	6	584	0.074	0.192	85.3	-10.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	8	72	6	584	0.074	0.192	131.6	-134.9
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	1	93	6	584	0.074	0.192	-30.4	52.4
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	3	90	6	584	0.074	0.192	15.9	25.6
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	100	6	584	0.074	0.192	85.3	114.8
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	52	6	584	0.074	0.192	-30.4	-313.3
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	12	72	6	584	0.074	0.192	224.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	5	64	6	584	0.074	0.192	62.2	-206.3
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	5	71	6	584	0.074	0.192	62.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	8	94	6	584	0.074	0.192	131.6	61.3
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	99	6	584	0.074	0.192	15.9	105.9
SU 4	Scan	M3	Floor	Concrete	4	96	6	584	0.074	0.192	39.0	79.1
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	81	6	584	0.074	0.192	85.3	-54.6
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	8	87	6	584	0.074	0.192	131.6	-1.1
SU 4	Scan	M3	Floor	Concrete	13	81	6	584	0.074	0.192	247.3	-54.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	0	94	6	584	0.074	0.192	-53.5	61.3
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	1	85	6	584	0.074	0.192	-30.4	-19.0
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	6	62	6	584	0.074	0.192	85.3	-224.1
SU 4	Scan	M3	Floor	Concrete	8	81	6	584	0.074	0.192	131.6	-54.6
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	2	103	6	584	0.074	0.192	-7.2	141.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	2	96	6	584	0.074	0.192	-7.2	79.1
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	90	6	584	0.074	0.192	62.2	25.6
SU 4	Scan	M3	Floor	Concrete	3	98	6	584	0.074	0.192	15.9	97.0
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	5	100	6	584	0.074	0.192	62.2	114.8
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	1	87	6	584	0.074	0.192	-30.4	-1.1
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	3	97	6	584	0.074	0.192	15.9	88.0
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	0	92	6	584	0.074	0.192	-53.5	43.5
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	7	91	6	584	0.074	0.192	108.5	34.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	9	74	6	584	0.074	0.192	154.7	-117.1
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	8	93	6	584	0.074	0.192	131.6	52.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	4	105	6	584	0.074	0.192	39.0	159.4
SU 4	Scan	M3	Floor	Concrete	2	87	6	584	0.074	0.192	-7.2	-1.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	5	93	6	584	0.074	0.192	62.2	52.4
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	6	105	6	584	0.074	0.192	85.3	159.4
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	8	92	6	584	0.074	0.192	131.6	43.5
SU 4	Scan	M3	Floor	Concrete	0	90	6	584	0.074	0.192	-53.5	25.6
SU 4	Scan	M3	Floor	Concrete	4	99	6	584	0.074	0.192	39.0	105.9
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	7	95	6	584	0.074	0.192	108.5	70.2
SU 4	Scan	M3	Floor	Concrete	8	89	6	584	0.074	0.192	131.6	16.7
SU 4	Scan	M3	Floor	Concrete	1	92	6	584	0.074	0.192	-30.4	43.5
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	97	6	584	0.074	0.192	62.2	88.0
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	6	66	6	584	0.074	0.192	85.3	-188.4
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	5	88	6	584	0.074	0.192	62.2	7.8
SU 4	Scan	M3	Floor	Concrete	8	88	6	584	0.074	0.192	131.6	7.8
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	7	82	6	584	0.074	0.192	108.5	-45.7
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	6	87	6	584	0.074	0.192	85.3	-1.1
SU 4	Scan	M3	Floor	Concrete	2	95	6	584	0.074	0.192	-7.2	70.2
SU 4	Scan	M3	Floor	Concrete	6	90	6	584	0.074	0.192	85.3	25.6
SU 4	Scan	M3	Floor	Concrete	5	109	6	584	0.074	0.192	62.2	195.1
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	6	93	6	584	0.074	0.192	85.3	52.4
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	6	91	6	584	0.074	0.192	85.3	34.5
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	10	92	6	584	0.074	0.192	177.9	43.5
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	8	84	6	584	0.074	0.192	131.6	-27.9
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	8	80	6	584	0.074	0.192	131.6	-63.6
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	5	91	6	584	0.074	0.192	62.2	34.5
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	5	62	6	584	0.074	0.192	62.2	-224.1
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	4	100	6	584	0.074	0.192	39.0	114.8
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	3	100	6	584	0.074	0.192	15.9	114.8
SU 4	Scan	M3	Floor	Concrete	6	76	6	584	0.074	0.192	85.3	-99.2
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	94	6	584	0.074	0.192	85.3	61.3
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	7	74	6	584	0.074	0.192	108.5	-117.1
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	94	6	584	0.074	0.192	-7.2	61.3
SU 4	Scan	M3	Floor	Concrete	2	107	6	584	0.074	0.192	-7.2	177.2
SU 4	Scan	M3	Floor	Concrete	3	89	6	584	0.074	0.192	15.9	16.7
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	6	80	6	584	0.074	0.192	85.3	-63.6
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	98	6	584	0.074	0.192	-7.2	97.0
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	134	6	584	0.077	0.206	-69.4	209.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	0	102	6	584	0.077	0.206	-69.4	-56.1
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	0	99	6	584	0.077	0.206	-69.4	-81.0
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	3	98	6	584	0.077	0.206	-2.7	-89.3
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	88	6	584	0.077	0.206	-47.1	-172.4
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	0	137	6	584	0.077	0.206	-69.4	234.9
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	0	141	6	584	0.077	0.206	-69.4	268.1
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	0	141	6	584	0.077	0.206	-69.4	268.1
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	98	6	584	0.077	0.206	-2.7	-89.3
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	0	120	6	584	0.077	0.206	-69.4	93.6
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	3	100	6	584	0.077	0.206	-2.7	-72.7
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	1	142	6	584	0.077	0.206	-47.1	276.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	1	138	6	584	0.077	0.206	-47.1	243.2
SU 4	Scan	M5	Floor	Concrete	2	96	6	584	0.077	0.206	-24.9	-105.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	1	147	6	584	0.077	0.206	-47.1	318.0
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	0	141	6	584	0.077	0.206	-69.4	268.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	145	6	584	0.077	0.206	-47.1	301.4
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	1	146	6	584	0.077	0.206	-47.1	309.7
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	3	157	6	584	0.077	0.206	-2.7	401.1
SU 4	Scan	M5	Floor	Concrete	3	145	6	584	0.077	0.206	-2.7	301.4
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	1	134	6	584	0.077	0.206	-47.1	209.9
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	6	151	6	584	0.077	0.206	64.0	351.2
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	4	98	6	584	0.077	0.206	19.6	-89.3
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	142	6	584	0.077	0.206	64.0	276.4
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	0	104	6	584	0.077	0.206	-69.4	-39.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	148	6	584	0.077	0.206	-24.9	326.3
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	0	133	6	584	0.077	0.206	-69.4	201.6
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	0	105	6	584	0.077	0.206	-69.4	-31.1
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	2	95	6	584	0.077	0.206	-24.9	-114.3
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	7	102	6	584	0.077	0.206	86.3	-56.1
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	0	131	6	584	0.077	0.206	-69.4	185.0
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	8	93	6	584	0.077	0.206	108.5	-130.9
SU 4	Scan	M5	Floor	Concrete	5	99	6	584	0.077	0.206	41.8	-81.0
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	0	125	6	584	0.077	0.206	-69.4	135.1
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	0	139	6	584	0.077	0.206	-69.4	251.5
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	7	98	6	584	0.077	0.206	86.3	-89.3
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	152	6	584	0.077	0.206	64.0	359.5
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	0	129	6	584	0.077	0.206	-69.4	168.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	160	6	584	0.077	0.206	19.6	426.0
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	152	6	584	0.077	0.206	19.6	359.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	138	6	584	0.077	0.206	108.5	243.2
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	5	149	6	584	0.077	0.206	41.8	334.6
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	12	113	6	584	0.077	0.206	197.5	35.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	4	98	6	584	0.077	0.206	19.6	-89.3
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	8	135	6	584	0.077	0.206	108.5	218.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	10	129	6	584	0.077	0.206	153.0	168.4
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	10	145	6	584	0.077	0.206	153.0	301.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	12	115	6	584	0.077	0.206	197.5	52.0
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	6	152	6	584	0.077	0.206	64.0	359.5
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	157	6	584	0.077	0.206	19.6	401.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	4	147	6	584	0.077	0.206	19.6	318.0
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	11	127	6	584	0.077	0.206	175.2	151.7
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	158	6	584	0.077	0.206	-24.9	409.4
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	8	131	6	584	0.077	0.206	108.5	185.0
SU 4	Scan	M5	Floor	Concrete	4	153	6	584	0.077	0.206	19.6	367.9
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	6	147	6	584	0.077	0.206	64.0	318.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	8	104	6	584	0.077	0.206	108.5	-39.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	10	127	6	584	0.077	0.206	153.0	151.7
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	9	149	6	584	0.077	0.206	130.8	334.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	146	6	584	0.077	0.206	-2.7	309.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	8	144	6	584	0.077	0.206	108.5	293.0
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	148	6	584	0.077	0.206	41.8	326.3
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	9	132	6	584	0.077	0.206	130.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	144	6	584	0.077	0.206	41.8	293.0
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	150	6	584	0.077	0.206	19.6	342.9
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	151	6	584	0.077	0.206	-24.9	351.2
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	9	109	6	584	0.077	0.206	130.8	2.1
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	9	117	6	584	0.077	0.206	130.8	68.6
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	2	155	6	584	0.077	0.206	-24.9	384.5
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	10	115	6	584	0.077	0.206	153.0	52.0
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	7	137	6	584	0.077	0.206	86.3	234.9
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	11	135	6	584	0.077	0.206	175.2	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	108	6	584	0.077	0.206	108.5	-6.2
SU 4	Scan	M5	Floor	Concrete	10	137	6	584	0.077	0.206	153.0	234.9
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	8	109	6	584	0.077	0.206	108.5	2.1
SU 4	Scan	M5	Floor	Concrete	2	148	6	584	0.077	0.206	-24.9	326.3
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	6	150	6	584	0.077	0.206	64.0	342.9
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	153	6	584	0.077	0.206	-24.9	367.9
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	10	141	6	584	0.077	0.206	153.0	268.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	7	114	6	584	0.077	0.206	86.3	43.7
SU 4	Scan	M5	Floor	Concrete	10	124	6	584	0.077	0.206	153.0	126.8
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	13	141	6	584	0.077	0.206	219.7	268.1
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6
SU 4	Scan	M5	Floor	Concrete	9	105	6	584	0.077	0.206	130.8	-31.1
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	7	145	6	584	0.077	0.206	86.3	301.4
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	9	136	6	584	0.077	0.206	130.8	226.6
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	13	110	6	584	0.077	0.206	219.7	10.4
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	7	145	6	584	0.077	0.206	86.3	301.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	11	128	6	584	0.077	0.206	175.2	160.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	11	140	6	584	0.077	0.206	175.2	259.8
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	9	138	6	584	0.077	0.206	130.8	243.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	8	105	6	584	0.077	0.206	108.5	-31.1
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	5	143	6	584	0.077	0.206	41.8	284.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	4	154	6	584	0.077	0.206	19.6	376.2
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	5	106	6	584	0.077	0.206	41.8	-22.8
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	8	142	6	584	0.077	0.206	108.5	276.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	135	6	584	0.077	0.206	-47.1	218.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	152	6	584	0.077	0.206	-2.7	359.5
SU 4	Scan	M5	Floor	Concrete	2	152	6	584	0.077	0.206	-24.9	359.5
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	2	153	6	584	0.077	0.206	-24.9	367.9
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	3	145	6	584	0.077	0.206	-2.7	301.4
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	140	6	584	0.077	0.206	64.0	259.8
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	2	150	6	584	0.077	0.206	-24.9	342.9
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	7	140	6	584	0.077	0.206	86.3	259.8
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	9	116	6	584	0.077	0.206	130.8	60.3
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	7	116	6	584	0.077	0.206	86.3	60.3
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	147	6	584	0.077	0.206	41.8	318.0
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	8	124	6	584	0.077	0.206	108.5	126.8
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	8	113	6	584	0.077	0.206	108.5	35.4
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	11	122	6	584	0.077	0.206	175.2	110.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	11	136	6	584	0.077	0.206	175.2	226.6
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	7	144	6	584	0.077	0.206	86.3	293.0
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	8	143	6	584	0.077	0.206	108.5	284.7
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	9	134	6	584	0.077	0.206	130.8	209.9
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	9	110	6	584	0.077	0.206	130.8	10.4
SU 4	Scan	M5	Floor	Concrete	9	151	6	584	0.077	0.206	130.8	351.2
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	15	141	6	584	0.077	0.206	264.2	268.1
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	7	98	6	584	0.077	0.206	86.3	-89.3
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	10	107	6	584	0.077	0.206	153.0	-14.5
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	7	142	6	584	0.077	0.206	86.3	276.4
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	6	142	6	584	0.077	0.206	64.0	276.4
SU 4	Scan	M5	Floor	Concrete	12	148	6	584	0.077	0.206	197.5	326.3
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	6	105	6	584	0.077	0.206	64.0	-31.1
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	10	153	6	584	0.077	0.206	153.0	367.9
SU 4	Scan	M5	Floor	Concrete	11	138	6	584	0.077	0.206	175.2	243.2
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	10	141	6	584	0.077	0.206	153.0	268.1
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	10	147	6	584	0.077	0.206	153.0	318.0
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	9	153	6	584	0.077	0.206	130.8	367.9
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	8	137	6	584	0.077	0.206	108.5	234.9
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	10	114	6	584	0.077	0.206	153.0	43.7
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	8	133	6	584	0.077	0.206	108.5	201.6
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	10	117	6	584	0.077	0.206	153.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	9	147	6	584	0.077	0.206	130.8	318.0
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	153	6	584	0.077	0.206	41.8	367.9
SU 4	Scan	M5	Floor	Concrete	5	149	6	584	0.077	0.206	41.8	334.6
SU 4	Scan	M5	Floor	Concrete	6	137	6	584	0.077	0.206	64.0	234.9
SU 4	Scan	M5	Floor	Concrete	7	128	6	584	0.077	0.206	86.3	160.1
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	10	129	6	584	0.077	0.206	153.0	168.4
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	2	151	6	584	0.077	0.206	-24.9	351.2
SU 4	Scan	M5	Floor	Concrete	3	145	6	584	0.077	0.206	-2.7	301.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	5	153	6	584	0.077	0.206	41.8	367.9
SU 4	Scan	M5	Floor	Concrete	4	137	6	584	0.077	0.206	19.6	234.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	9	121	6	584	0.077	0.206	130.8	101.9
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	2	132	6	584	0.077	0.206	-24.9	193.3
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	11	135	6	584	0.077	0.206	175.2	218.2
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	9	140	6	584	0.077	0.206	130.8	259.8
SU 4	Scan	M5	Floor	Concrete	3	147	6	584	0.077	0.206	-2.7	318.0
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	11	143	6	584	0.077	0.206	175.2	284.7
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	5	152	6	584	0.077	0.206	41.8	359.5
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	12	143	6	584	0.077	0.206	197.5	284.7
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	9	142	6	584	0.077	0.206	130.8	276.4
SU 4	Scan	M5	Floor	Concrete	6	138	6	584	0.077	0.206	64.0	243.2
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	6	104	6	584	0.077	0.206	64.0	-39.4
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	122	6	584	0.067	0.196	-26.3	213.2
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	78	6	584	0.067	0.196	-51.9	-171.2
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	79	6	584	0.067	0.196	-51.9	-162.4
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	75	6	584	0.067	0.196	24.8	-197.4
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	95	6	584	0.067	0.196	-51.9	-22.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	125	6	584	0.067	0.196	-51.9	239.4
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	130	6	584	0.067	0.196	-26.3	283.1
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	0	129	6	584	0.067	0.196	-51.9	274.4
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	1	133	6	584	0.067	0.196	-26.3	309.3
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	5	85	6	584	0.067	0.196	75.9	-110.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	7	90	6	584	0.067	0.196	127.0	-66.3
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	6	130	6	584	0.067	0.196	101.5	283.1
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	8	101	6	584	0.067	0.196	152.6	29.8
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	112	6	584	0.067	0.196	-51.9	125.9
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	80	6	584	0.067	0.196	-51.9	-153.7
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	129	6	584	0.067	0.196	-26.3	274.4
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	74	6	584	0.067	0.196	-26.3	-206.1
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	5	137	6	584	0.067	0.196	75.9	344.3
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	7	102	6	584	0.067	0.196	127.0	38.5
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	7	98	6	584	0.067	0.196	127.0	3.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	6	93	6	584	0.067	0.196	101.5	-40.1
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	0	97	6	584	0.067	0.196	-51.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	6	88	6	584	0.067	0.196	101.5	-83.8
SU 4	Scan	M6	Floor	Concrete	6	115	6	584	0.067	0.196	101.5	152.1
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	7	96	6	584	0.067	0.196	127.0	-13.9
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	123	6	584	0.067	0.196	-26.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	103	6	584	0.067	0.196	101.5	47.2
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	1	124	6	584	0.067	0.196	-26.3	230.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	6	96	6	584	0.067	0.196	101.5	-13.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	7	117	6	584	0.067	0.196	127.0	169.6
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	6	118	6	584	0.067	0.196	101.5	178.3
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	6	120	6	584	0.067	0.196	101.5	195.8
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	7	112	6	584	0.067	0.196	127.0	125.9
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	6	132	6	584	0.067	0.196	101.5	300.6
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	128	6	584	0.067	0.196	50.3	265.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	124	6	584	0.067	0.196	101.5	230.7
SU 4	Scan	M6	Floor	Concrete	7	101	6	584	0.067	0.196	127.0	29.8
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	8	130	6	584	0.067	0.196	152.6	283.1
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	9	126	6	584	0.067	0.196	178.1	248.2
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	8	113	6	584	0.067	0.196	152.6	134.6
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	6	126	6	584	0.067	0.196	101.5	248.2
SU 4	Scan	M6	Floor	Concrete	6	113	6	584	0.067	0.196	101.5	134.6
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	2	132	6	584	0.067	0.196	-0.8	300.6
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	6	127	6	584	0.067	0.196	101.5	256.9
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	3	131	6	584	0.067	0.196	24.8	291.9
SU 4	Scan	M6	Floor	Concrete	4	129	6	584	0.067	0.196	50.3	274.4
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	127	6	584	0.067	0.196	75.9	256.9
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	6	129	6	584	0.067	0.196	101.5	274.4
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	5	134	6	584	0.067	0.196	75.9	318.1
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	7	108	6	584	0.067	0.196	127.0	90.9
SU 4	Scan	M6	Floor	Concrete	9	100	6	584	0.067	0.196	178.1	21.0
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	9	119	6	584	0.067	0.196	178.1	187.0
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	5	136	6	584	0.067	0.196	75.9	335.5
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	5	134	6	584	0.067	0.196	75.9	318.1
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	130	6	584	0.067	0.196	50.3	283.1
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	6	125	6	584	0.067	0.196	101.5	239.4
SU 4	Scan	M6	Floor	Concrete	5	129	6	584	0.067	0.196	75.9	274.4
SU 4	Scan	M6	Floor	Concrete	5	121	6	584	0.067	0.196	75.9	204.5
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	2	137	6	584	0.067	0.196	-0.8	344.3
SU 4	Scan	M6	Floor	Concrete	1	137	6	584	0.067	0.196	-26.3	344.3
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	7	108	6	584	0.067	0.196	127.0	90.9
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	6	118	6	584	0.067	0.196	101.5	178.3
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	123	6	584	0.067	0.196	75.9	222.0
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	6	93	6	584	0.067	0.196	101.5	-40.1
SU 4	Scan	M6	Floor	Concrete	6	113	6	584	0.067	0.196	101.5	134.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	7	132	6	584	0.067	0.196	127.0	300.6
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	127	6	584	0.067	0.196	-26.3	256.9
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	126	6	584	0.067	0.196	24.8	248.2
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	6	126	6	584	0.067	0.196	101.5	248.2
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	131	6	584	0.067	0.196	101.5	291.9
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	129	6	584	0.067	0.196	24.8	274.4
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	131	6	584	0.067	0.196	24.8	291.9
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	6	125	6	584	0.067	0.196	101.5	239.4
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	9	113	6	584	0.067	0.196	178.1	134.6
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	5	92	6	584	0.067	0.196	75.9	-48.9
SU 4	Scan	M6	Floor	Concrete	6	110	6	584	0.067	0.196	101.5	108.4
SU 4	Scan	M6	Floor	Concrete	1	126	6	584	0.067	0.196	-26.3	248.2
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	7	103	6	584	0.067	0.196	127.0	47.2
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	5	145	6	584	0.067	0.196	75.9	414.2
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	8	112	6	584	0.067	0.196	152.6	125.9
SU 4	Scan	M6	Floor	Concrete	0	131	6	584	0.067	0.196	-51.9	291.9
SU 4	Scan	M6	Floor	Concrete	2	130	6	584	0.067	0.196	-0.8	283.1
SU 4	Scan	M6	Floor	Concrete	7	102	6	584	0.067	0.196	127.0	38.5
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	8	107	6	584	0.067	0.196	152.6	82.2
SU 4	Scan	M6	Floor	Concrete	4	124	6	584	0.067	0.196	50.3	230.7
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	6	130	6	584	0.067	0.196	101.5	283.1
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	8	121	6	584	0.067	0.196	152.6	204.5
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	131	6	584	0.067	0.196	-0.8	291.9
SU 4	Scan	M6	Floor	Concrete	6	133	6	584	0.067	0.196	101.5	309.3
SU 4	Scan	M6	Floor	Concrete	6	118	6	584	0.067	0.196	101.5	178.3
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	2	136	6	584	0.067	0.196	-0.8	335.5
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	5	127	6	584	0.067	0.196	75.9	256.9
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	129	6	584	0.067	0.196	50.3	274.4
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	7	124	6	584	0.067	0.196	127.0	230.7
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	108	6	584	0.067	0.196	-51.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	127	6	584	0.067	0.196	-26.3	256.9
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	5	119	6	584	0.067	0.196	75.9	187.0
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	6	117	6	584	0.067	0.196	101.5	169.6
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	5	137	6	584	0.067	0.196	75.9	344.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	118	6	584	0.067	0.196	24.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	6	138	6	584	0.067	0.196	101.5	353.0
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	7	111	6	584	0.067	0.196	127.0	117.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	7	125	6	584	0.067	0.196	127.0	239.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	6	121	6	584	0.067	0.196	101.5	204.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	9	123	6	584	0.067	0.196	178.1	222.0
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	5	95	6	584	0.067	0.196	75.9	-22.6
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	124	6	584	0.067	0.196	24.8	230.7
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	133	6	584	0.067	0.196	-0.8	309.3
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	161	6	584	0.067	0.196	-26.3	554.0
SU 4	Scan	M6	Floor	Concrete	7	100	6	584	0.067	0.196	127.0	21.0
SU 4	Scan	M6	Floor	Concrete	8	114	6	584	0.067	0.196	152.6	143.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	135	6	584	0.067	0.196	-51.9	326.8
SU 4	Scan	M6	Floor	Concrete	1	131	6	584	0.067	0.196	-26.3	291.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	113	6	584	0.067	0.196	-51.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	140	6	584	0.067	0.196	-0.8	370.5
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	5	124	6	584	0.067	0.196	75.9	230.7
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	2	122	6	584	0.067	0.196	-0.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	138	6	584	0.067	0.196	-26.3	353.0
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	9	95	6	584	0.067	0.196	178.1	-22.6
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	1	128	6	584	0.067	0.196	-26.3	265.7
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	128	6	584	0.067	0.196	-0.8	265.7
SU 4	Scan	M6	Floor	Concrete	5	118	6	584	0.067	0.196	75.9	178.3
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	6	108	6	584	0.067	0.196	101.5	90.9
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	6	122	6	584	0.067	0.196	101.5	213.2
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	0	109	6	584	0.067	0.196	-51.9	99.7
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	7	84	6	584	0.067	0.196	127.0	-118.7
SU 4	Scan	M6	Floor	Concrete	1	120	6	584	0.067	0.196	-26.3	195.8
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	7	121	6	584	0.067	0.196	127.0	204.5
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	123	6	584	0.067	0.196	24.8	222.0
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	118	6	584	0.067	0.196	127.0	178.3
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	2	126	6	584	0.067	0.196	-0.8	248.2
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	126	6	584	0.067	0.196	75.9	248.2
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	11	107	6	584	0.067	0.196	229.2	82.2
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	120	6	584	0.067	0.196	24.8	195.8
SU 4	Scan	M6	Floor	Concrete	5	127	6	584	0.067	0.196	75.9	256.9
SU 4	Scan	M6	Floor	Concrete	1	127	6	584	0.067	0.196	-26.3	256.9
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	7	93	6	584	0.067	0.196	127.0	-40.1
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	7	98	6	584	0.067	0.196	127.0	3.6
SU 4	Scan	M6	Floor	Concrete	7	97	6	584	0.067	0.196	127.0	-5.2
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	6	139	6	584	0.067	0.196	101.5	361.8
SU 4	Scan	M6	Floor	Concrete	3	114	6	584	0.067	0.196	24.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	3	125	6	584	0.067	0.196	24.8	239.4
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6
SU 4	Scan	M6	Floor	Concrete	4	135	6	584	0.067	0.196	50.3	326.8
SU 4	Scan	M6	Floor	Concrete	4	130	6	584	0.067	0.196	50.3	283.1
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	122	6	584	0.067	0.196	50.3	213.2
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	6	137	6	584	0.067	0.196	101.5	344.3
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	8	119	6	584	0.067	0.196	152.6	187.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	6	140	6	584	0.067	0.196	101.5	370.5
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	8	128	6	584	0.067	0.196	152.6	265.7
SU 4	Scan	M6	Floor	Concrete	2	135	6	584	0.067	0.196	-0.8	326.8
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	6	115	6	584	0.067	0.196	101.5	152.1
SU 4	Scan	M6	Floor	Concrete	5	133	6	584	0.067	0.196	75.9	309.3
SU 4	Scan	M6	Floor	Concrete	4	165	6	584	0.067	0.196	50.3	588.9
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	4	147	6	584	0.067	0.196	50.3	431.6
SU 4	Scan	M6	Floor	Concrete	5	130	6	584	0.067	0.196	75.9	283.1
SU 4	Scan	M6	Floor	Concrete	1	125	6	584	0.067	0.196	-26.3	239.4
SU 4	Scan	M6	Floor	Concrete	3	139	6	584	0.067	0.196	24.8	361.8
SU 4	Scan	M6	Floor	Concrete	8	103	6	584	0.067	0.196	152.6	47.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	138	6	584	0.067	0.196	-0.8	353.0
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	133	6	584	0.067	0.196	24.8	309.3
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	135	6	584	0.067	0.196	-0.8	326.8
SU 4	Scan	M6	Floor	Concrete	8	110	6	584	0.067	0.196	152.6	108.4
SU 4	Scan	M6	Floor	Concrete	0	115	6	584	0.067	0.196	-51.9	152.1
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	120	6	584	0.067	0.196	127.0	195.8
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	3	130	6	584	0.067	0.196	24.8	283.1
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	118	6	584	0.067	0.196	-51.9	178.3
SU 4	Scan	M6	Floor	Concrete	3	134	6	584	0.067	0.196	24.8	318.1
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	117	6	584	0.067	0.196	50.3	169.6
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	6	135	6	584	0.067	0.196	101.5	326.8
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	10	117	6	584	0.067	0.196	203.7	169.6
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	6	114	6	584	0.067	0.196	101.5	143.3
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	5	122	6	584	0.067	0.196	75.9	213.2
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	5	128	6	584	0.067	0.196	75.9	265.7
SU 4	Scan	M6	Floor	Concrete	5	112	6	584	0.067	0.196	75.9	125.9
SU 4	Scan	M6	Floor	Concrete	4	148	6	584	0.067	0.196	50.3	440.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	113	6	584	0.067	0.196	127.0	134.6
SU 4	Scan	M6	Floor	Concrete	9	126	6	584	0.067	0.196	178.1	248.2
SU 4	Scan	M6	Floor	Concrete	4	114	6	584	0.067	0.196	50.3	143.3
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	133	6	584	0.067	0.196	50.3	309.3
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	2	124	6	584	0.067	0.196	-0.8	230.7
SU 4	Scan	M6	Floor	Concrete	6	122	6	584	0.067	0.196	101.5	213.2
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	6	129	6	584	0.067	0.196	101.5	274.4
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	133	6	584	0.067	0.196	50.3	309.3
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	8	121	6	584	0.067	0.196	152.6	204.5
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	6	113	6	584	0.067	0.196	101.5	134.6
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	128	6	584	0.067	0.196	50.3	265.7
SU 4	Scan	M6	Floor	Concrete	4	134	6	584	0.067	0.196	50.3	318.1
SU 4	Scan	M6	Floor	Concrete	8	129	6	584	0.067	0.196	152.6	274.4
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	5	125	6	584	0.067	0.196	75.9	239.4
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	10	120	6	584	0.067	0.196	203.7	195.8
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	7	104	6	584	0.067	0.196	127.0	56.0
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	6	118	6	584	0.067	0.196	101.5	178.3
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	5	120	6	584	0.067	0.196	75.9	195.8
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	8	110	6	584	0.067	0.196	152.6	108.4
SU 4	Scan	M6	Floor	Concrete	4	120	6	584	0.067	0.196	50.3	195.8
SU 4	Scan	M6	Floor	Concrete	8	99	6	584	0.067	0.196	152.6	12.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	7	115	6	584	0.067	0.196	127.0	152.1
SU 4	Scan	M6	Floor	Concrete	7	104	6	584	0.067	0.196	127.0	56.0
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	3	81	6	584	0.074	0.192	15.9	-54.6
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	83	6	584	0.074	0.192	-53.5	-36.8
SU 4	Scan	M3	Floor	Concrete	3	58	6	584	0.074	0.192	15.9	-259.8
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	4	59	6	584	0.074	0.192	39.0	-250.9
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	6	63	6	584	0.074	0.192	85.3	-215.2
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	9	75	6	584	0.074	0.192	154.7	-108.2
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	6	61	6	584	0.074	0.192	85.3	-233.0
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	39	6	584	0.074	0.192	15.9	-429.2
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	5	54	6	584	0.074	0.192	62.2	-295.4
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	52	6	584	0.074	0.192	15.9	-313.3
SU 4	Scan	M3	Floor	Concrete	0	39	6	584	0.074	0.192	-53.5	-429.2
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	54	6	584	0.074	0.192	-53.5	-295.4
SU 4	Scan	M3	Floor	Concrete	0	47	6	584	0.074	0.192	-53.5	-357.9
SU 4	Scan	M3	Floor	Concrete	3	56	6	584	0.074	0.192	15.9	-277.6
SU 4	Scan	M3	Floor	Concrete	0	51	6	584	0.074	0.192	-53.5	-322.2
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	4	59	6	584	0.074	0.192	39.0	-250.9
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	4	50	6	584	0.074	0.192	39.0	-331.1
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	1	51	6	584	0.074	0.192	-30.4	-322.2
SU 4	Scan	M3	Floor	Concrete	4	50	6	584	0.074	0.192	39.0	-331.1
SU 4	Scan	M3	Floor	Concrete	4	55	6	584	0.074	0.192	39.0	-286.5
SU 4	Scan	M3	Floor	Concrete	3	43	6	584	0.074	0.192	15.9	-393.5
SU 4	Scan	M3	Floor	Concrete	5	49	6	584	0.074	0.192	62.2	-340.0
SU 4	Scan	M3	Floor	Concrete	2	52	6	584	0.074	0.192	-7.2	-313.3
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	34	6	584	0.074	0.192	15.9	-473.8
SU 4	Scan	M3	Floor	Concrete	0	56	6	584	0.074	0.192	-53.5	-277.6
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	2	40	6	584	0.074	0.192	-7.2	-420.3
SU 4	Scan	M3	Floor	Concrete	4	51	6	584	0.074	0.192	39.0	-322.2
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	2	51	6	584	0.074	0.192	-7.2	-322.2
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	2	42	6	584	0.074	0.192	-7.2	-402.5
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	0	40	6	584	0.074	0.192	-53.5	-420.3
SU 4	Scan	M3	Floor	Concrete	2	43	6	584	0.074	0.192	-7.2	-393.5
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	2	51	6	584	0.074	0.192	-7.2	-322.2
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	0	44	6	584	0.074	0.192	-53.5	-384.6
SU 4	Scan	M3	Floor	Concrete	2	45	6	584	0.074	0.192	-7.2	-375.7
SU 4	Scan	M3	Floor	Concrete	0	47	6	584	0.074	0.192	-53.5	-357.9
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	3	52	6	584	0.074	0.192	15.9	-313.3
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	3	50	6	584	0.074	0.192	15.9	-331.1
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	4	49	6	584	0.074	0.192	39.0	-340.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	49	6	584	0.074	0.192	-53.5	-340.0
SU 4	Scan	M3	Floor	Concrete	5	53	6	584	0.074	0.192	62.2	-304.4
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	2	52	6	584	0.074	0.192	-7.2	-313.3
SU 4	Scan	M3	Floor	Concrete	3	58	6	584	0.074	0.192	15.9	-259.8
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	4	53	6	584	0.074	0.192	39.0	-304.4
SU 4	Scan	M3	Floor	Concrete	3	42	6	584	0.074	0.192	15.9	-402.5
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	3	47	6	584	0.074	0.192	15.9	-357.9
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	3	56	6	584	0.074	0.192	15.9	-277.6
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	6	55	6	584	0.074	0.192	85.3	-286.5
SU 4	Scan	M3	Floor	Concrete	5	55	6	584	0.074	0.192	62.2	-286.5
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	5	54	6	584	0.074	0.192	62.2	-295.4
SU 4	Scan	M3	Floor	Concrete	0	51	6	584	0.074	0.192	-53.5	-322.2
SU 4	Scan	M3	Floor	Concrete	5	55	6	584	0.074	0.192	62.2	-286.5
SU 4	Scan	M3	Floor	Concrete	0	53	6	584	0.074	0.192	-53.5	-304.4
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	4	49	6	584	0.074	0.192	39.0	-340.0
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	53	6	584	0.074	0.192	15.9	-304.4
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	5	62	6	584	0.074	0.192	62.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	6	52	6	584	0.074	0.192	85.3	-313.3
SU 4	Scan	M3	Floor	Concrete	1	50	6	584	0.074	0.192	-30.4	-331.1
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	4	58	6	584	0.074	0.192	39.0	-259.8
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	4	58	6	584	0.074	0.192	39.0	-259.8
SU 4	Scan	M3	Floor	Concrete	5	58	6	584	0.074	0.192	62.2	-259.8
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	4	50	6	584	0.074	0.192	39.0	-331.1
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	56	6	584	0.074	0.192	-7.2	-277.6
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	8	65	6	584	0.074	0.192	131.6	-197.3
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	5	63	6	584	0.074	0.192	62.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	5	47	6	584	0.074	0.192	62.2	-357.9
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	58	6	584	0.074	0.192	39.0	-259.8
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	91	6	584	0.074	0.192	-30.4	34.5
SU 4	Scan	M3	Floor	Concrete	0	79	6	584	0.074	0.192	-53.5	-72.5
SU 4	Scan	M3	Floor	Concrete	4	51	6	584	0.074	0.192	39.0	-322.2
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	5	57	6	584	0.074	0.192	62.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	2	50	6	584	0.074	0.192	-7.2	-331.1
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	8	63	6	584	0.074	0.192	131.6	-215.2
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	5	84	6	584	0.074	0.192	62.2	-27.9
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	53	6	584	0.074	0.192	15.9	-304.4
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	1	83	6	584	0.074	0.192	-30.4	-36.8
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	81	6	584	0.074	0.192	-30.4	-54.6
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	6	62	6	584	0.074	0.192	85.3	-224.1
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	56	6	584	0.074	0.192	-7.2	-277.6
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	7	73	6	584	0.074	0.192	108.5	-126.0
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	103	6	584	0.074	0.192	39.0	141.6
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	5	63	6	584	0.074	0.192	62.2	-215.2
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	5	55	6	584	0.074	0.192	62.2	-286.5
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	0	81	6	584	0.074	0.192	-53.5	-54.6
SU 4	Scan	M3	Floor	Concrete	5	60	6	584	0.074	0.192	62.2	-241.9
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	7	68	6	584	0.074	0.192	108.5	-170.6
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	0	52	6	584	0.074	0.192	-53.5	-313.3
SU 4	Scan	M3	Floor	Concrete	3	83	6	584	0.074	0.192	15.9	-36.8
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	3	91	6	584	0.074	0.192	15.9	34.5
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	7	62	6	584	0.074	0.192	108.5	-224.1
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	7	72	6	584	0.074	0.192	108.5	-134.9
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	8	67	6	584	0.074	0.192	131.6	-179.5
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	4	59	6	584	0.074	0.192	39.0	-250.9
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	7	71	6	584	0.074	0.192	108.5	-143.8
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	6	69	6	584	0.074	0.192	85.3	-161.7
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	6	71	6	584	0.074	0.192	85.3	-143.8
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	4	84	6	584	0.074	0.192	39.0	-27.9
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	8	72	6	584	0.074	0.192	131.6	-134.9
SU 4	Scan	M3	Floor	Concrete	3	96	6	584	0.074	0.192	15.9	79.1
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	9	68	6	584	0.074	0.192	154.7	-170.6
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	6	85	6	584	0.074	0.192	85.3	-19.0
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	7	54	6	584	0.074	0.192	108.5	-295.4
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	88	6	584	0.074	0.192	-7.2	7.8
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	4	89	6	584	0.074	0.192	39.0	16.7
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	9	74	6	584	0.074	0.192	154.7	-117.1
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	7	68	6	584	0.074	0.192	108.5	-170.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	91	6	584	0.074	0.192	39.0	34.5
SU 4	Scan	M3	Floor	Concrete	2	52	6	584	0.074	0.192	-7.2	-313.3
SU 4	Scan	M3	Floor	Concrete	8	74	6	584	0.074	0.192	131.6	-117.1
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	7	88	6	584	0.074	0.192	108.5	7.8
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	8	80	6	584	0.074	0.192	131.6	-63.6
SU 4	Scan	M3	Floor	Concrete	9	71	6	584	0.074	0.192	154.7	-143.8
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	6	79	6	584	0.074	0.192	85.3	-72.5
SU 4	Scan	M3	Floor	Concrete	6	78	6	584	0.074	0.192	85.3	-81.4
SU 4	Scan	M3	Floor	Concrete	4	86	6	584	0.074	0.192	39.0	-10.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	6	68	6	584	0.074	0.192	85.3	-170.6
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	7	66	6	584	0.074	0.192	108.5	-188.4
SU 4	Scan	M3	Floor	Concrete	9	62	6	584	0.074	0.192	154.7	-224.1
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	7	76	6	584	0.074	0.192	108.5	-99.2
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	11	97	6	584	0.074	0.192	201.0	88.0
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	7	71	6	584	0.074	0.192	108.5	-143.8
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	5	81	6	584	0.074	0.192	62.2	-54.6
SU 4	Scan	M3	Floor	Concrete	6	101	6	584	0.074	0.192	85.3	123.7
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	4	98	6	584	0.074	0.192	39.0	97.0
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	7	62	6	584	0.074	0.192	108.5	-224.1
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	10	76	6	584	0.074	0.192	177.9	-99.2
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	9	86	6	584	0.074	0.192	154.7	-10.1
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	6	84	6	584	0.074	0.192	85.3	-27.9
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	4	60	6	584	0.074	0.192	39.0	-241.9
SU 4	Scan	M3	Floor	Concrete	2	75	6	584	0.074	0.192	-7.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	82	6	584	0.074	0.192	15.9	-45.7
SU 4	Scan	M3	Floor	Concrete	7	73	6	584	0.074	0.192	108.5	-126.0
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	8	98	6	584	0.074	0.192	131.6	97.0
SU 4	Scan	M3	Floor	Concrete	7	75	6	584	0.074	0.192	108.5	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	5	78	6	584	0.074	0.192	62.2	-81.4
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	9	93	6	584	0.074	0.192	154.7	52.4
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	8	80	6	584	0.074	0.192	131.6	-63.6
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	7	52	6	584	0.074	0.192	108.5	-313.3
SU 4	Scan	M3	Floor	Concrete	4	88	6	584	0.074	0.192	39.0	7.8
SU 4	Scan	M3	Floor	Concrete	3	86	6	584	0.074	0.192	15.9	-10.1
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	9	68	6	584	0.074	0.192	154.7	-170.6
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	8	89	6	584	0.074	0.192	131.6	16.7
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	9	61	6	584	0.074	0.192	154.7	-233.0
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	4	77	6	584	0.074	0.192	39.0	-90.3
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	9	66	6	584	0.074	0.192	154.7	-188.4
SU 4	Scan	M3	Floor	Concrete	4	95	6	584	0.074	0.192	39.0	70.2
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	87	6	584	0.074	0.192	62.2	-1.1
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	9	73	6	584	0.074	0.192	154.7	-126.0
SU 4	Scan	M3	Floor	Concrete	6	74	6	584	0.074	0.192	85.3	-117.1
SU 4	Scan	M3	Floor	Concrete	5	82	6	584	0.074	0.192	62.2	-45.7
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	8	84	6	584	0.074	0.192	131.6	-27.9
SU 4	Scan	M3	Floor	Concrete	5	83	6	584	0.074	0.192	62.2	-36.8
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	7	65	6	584	0.074	0.192	108.5	-197.3
SU 4	Scan	M3	Floor	Concrete	5	76	6	584	0.074	0.192	62.2	-99.2
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	4	83	6	584	0.074	0.192	39.0	-36.8
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	6	71	6	584	0.074	0.192	85.3	-143.8
SU 4	Scan	M3	Floor	Concrete	2	84	6	584	0.074	0.192	-7.2	-27.9
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	7	65	6	584	0.074	0.192	108.5	-197.3
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	5	67	6	584	0.074	0.192	62.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	10	77	6	584	0.074	0.192	177.9	-90.3
SU 4	Scan	M3	Floor	Concrete	9	77	6	584	0.074	0.192	154.7	-90.3
SU 4	Scan	M3	Floor	Concrete	5	74	6	584	0.074	0.192	62.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	3	92	6	584	0.074	0.192	15.9	43.5
SU 4	Scan	M3	Floor	Concrete	5	89	6	584	0.074	0.192	62.2	16.7
SU 4	Scan	M3	Floor	Concrete	6	65	6	584	0.074	0.192	85.3	-197.3
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	5	70	6	584	0.074	0.192	62.2	-152.7
SU 4	Scan	M3	Floor	Concrete	7	69	6	584	0.074	0.192	108.5	-161.7
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	6	75	6	584	0.074	0.192	85.3	-108.2
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	7	76	6	584	0.074	0.192	108.5	-99.2
SU 4	Scan	M3	Floor	Concrete	8	79	6	584	0.074	0.192	131.6	-72.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	58	6	584	0.074	0.192	39.0	-259.8
SU 4	Scan	M3	Floor	Concrete	9	76	6	584	0.074	0.192	154.7	-99.2
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	6	57	6	584	0.074	0.192	85.3	-268.7
SU 4	Scan	M3	Floor	Concrete	6	88	6	584	0.074	0.192	85.3	7.8
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	7	67	6	584	0.074	0.192	108.5	-179.5
SU 4	Scan	M3	Floor	Concrete	10	63	6	584	0.074	0.192	177.9	-215.2
SU 4	Scan	M3	Floor	Concrete	4	81	6	584	0.074	0.192	39.0	-54.6
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	6	68	6	584	0.074	0.192	85.3	-170.6
SU 4	Scan	M3	Floor	Concrete	5	73	6	584	0.074	0.192	62.2	-126.0
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	3	80	6	584	0.074	0.192	15.9	-63.6
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	1	99	6	584	0.074	0.192	-30.4	105.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	6	71	6	584	0.074	0.192	85.3	-143.8
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	10	81	6	584	0.074	0.192	177.9	-54.6
SU 4	Scan	M3	Floor	Concrete	5	75	6	584	0.074	0.192	62.2	-108.2
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	3	84	6	584	0.074	0.192	15.9	-27.9
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	4	87	6	584	0.074	0.192	39.0	-1.1
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	8	73	6	584	0.074	0.192	131.6	-126.0
SU 4	Scan	M3	Floor	Concrete	6	83	6	584	0.074	0.192	85.3	-36.8
SU 4	Scan	M3	Floor	Concrete	7	71	6	584	0.074	0.192	108.5	-143.8
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	7	56	6	584	0.074	0.192	108.5	-277.6
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	5	80	6	584	0.074	0.192	62.2	-63.6
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	2	91	6	584	0.074	0.192	-7.2	34.5
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	9	71	6	584	0.074	0.192	154.7	-143.8
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	4	85	6	584	0.074	0.192	39.0	-19.0
SU 4	Scan	M3	Floor	Concrete	2	86	6	584	0.074	0.192	-7.2	-10.1
SU 4	Scan	M3	Floor	Concrete	8	73	6	584	0.074	0.192	131.6	-126.0
SU 4	Scan	M3	Floor	Concrete	7	85	6	584	0.074	0.192	108.5	-19.0
SU 4	Scan	M3	Floor	Concrete	9	77	6	584	0.074	0.192	154.7	-90.3
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	6	71	6	584	0.074	0.192	85.3	-143.8
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	6	71	6	584	0.074	0.192	85.3	-143.8
SU 4	Scan	M3	Floor	Concrete	6	73	6	584	0.074	0.192	85.3	-126.0
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	7	79	6	584	0.074	0.192	108.5	-72.5
SU 4	Scan	M3	Floor	Concrete	3	88	6	584	0.074	0.192	15.9	7.8
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	8	76	6	584	0.074	0.192	131.6	-99.2
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	7	78	6	584	0.074	0.192	108.5	-81.4
SU 4	Scan	M3	Floor	Concrete	3	85	6	584	0.074	0.192	15.9	-19.0
SU 4	Scan	M3	Floor	Concrete	6	82	6	584	0.074	0.192	85.3	-45.7
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	7	80	6	584	0.074	0.192	108.5	-63.6
SU 4	Scan	M3	Floor	Concrete	6	70	6	584	0.074	0.192	85.3	-152.7
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8
SU 4	Scan	M3	Floor	Concrete	8	66	6	584	0.074	0.192	131.6	-188.4
SU 4	Scan	M3	Floor	Concrete	4	79	6	584	0.074	0.192	39.0	-72.5
SU 4	Scan	M3	Floor	Concrete	2	82	6	584	0.074	0.192	-7.2	-45.7
SU 4	Scan	M3	Floor	Concrete	2	85	6	584	0.074	0.192	-7.2	-19.0
SU 4	Scan	M3	Floor	Concrete	9	75	6	584	0.074	0.192	154.7	-108.2
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M5	Floor	Concrete	1	90	6	584	0.077	0.206	-47.1	-155.8
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	1	99	6	584	0.077	0.206	-47.1	-81.0
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	127	6	584	0.077	0.206	86.3	151.7
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	95	6	584	0.077	0.206	-24.9	-114.3
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	5	92	6	584	0.077	0.206	41.8	-139.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	98	6	584	0.077	0.206	64.0	-89.3
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	9	143	6	584	0.077	0.206	130.8	284.7
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	8	125	6	584	0.077	0.206	108.5	135.1
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	3	92	6	584	0.077	0.206	-2.7	-139.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	7	145	6	584	0.077	0.206	86.3	301.4
SU 4	Scan	M5	Floor	Concrete	0	133	6	584	0.077	0.206	-69.4	201.6
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	133	6	584	0.077	0.206	41.8	201.6
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	149	6	584	0.077	0.206	-24.9	334.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	151	6	584	0.077	0.206	19.6	351.2
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	6	158	6	584	0.077	0.206	64.0	409.4
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	7	101	6	584	0.077	0.206	86.3	-64.4
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	4	141	6	584	0.077	0.206	19.6	268.1
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	5	141	6	584	0.077	0.206	41.8	268.1
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	4	109	6	584	0.077	0.206	19.6	2.1
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	158	6	584	0.077	0.206	-2.7	409.4
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	9	125	6	584	0.077	0.206	130.8	135.1
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	102	6	584	0.077	0.206	64.0	-56.1
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	2	160	6	584	0.077	0.206	-24.9	426.0
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	8	139	6	584	0.077	0.206	108.5	251.5
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	148	6	584	0.077	0.206	64.0	326.3
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	154	6	584	0.077	0.206	-2.7	376.2
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	9	141	6	584	0.077	0.206	130.8	268.1
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	153	6	584	0.077	0.206	19.6	367.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	11	119	6	584	0.077	0.206	175.2	85.2
SU 4	Scan	M5	Floor	Concrete	8	134	6	584	0.077	0.206	108.5	209.9
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	4	149	6	584	0.077	0.206	19.6	334.6
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	4	153	6	584	0.077	0.206	19.6	367.9
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	13	123	6	584	0.077	0.206	219.7	118.5
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	9	130	6	584	0.077	0.206	130.8	176.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	10	123	6	584	0.077	0.206	153.0	118.5
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	119	6	584	0.077	0.206	41.8	85.2
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	4	138	6	584	0.077	0.206	19.6	243.2
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	9	128	6	584	0.077	0.206	130.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	159	6	584	0.077	0.206	-2.7	417.7
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	6	101	6	584	0.077	0.206	64.0	-64.4
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	6	150	6	584	0.077	0.206	64.0	342.9
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	5	139	6	584	0.077	0.206	41.8	251.5
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	2	143	6	584	0.077	0.206	-24.9	284.7
SU 4	Scan	M5	Floor	Concrete	10	130	6	584	0.077	0.206	153.0	176.7
SU 4	Scan	M5	Floor	Concrete	11	119	6	584	0.077	0.206	175.2	85.2
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	3	145	6	584	0.077	0.206	-2.7	301.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	8	129	6	584	0.077	0.206	108.5	168.4
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	6	101	6	584	0.077	0.206	64.0	-64.4
SU 4	Scan	M5	Floor	Concrete	5	140	6	584	0.077	0.206	41.8	259.8
SU 4	Scan	M5	Floor	Concrete	2	139	6	584	0.077	0.206	-24.9	251.5
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	9	111	6	584	0.077	0.206	130.8	18.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	6	114	6	584	0.077	0.206	64.0	43.7
SU 4	Scan	M5	Floor	Concrete	7	135	6	584	0.077	0.206	86.3	218.2
SU 4	Scan	M5	Floor	Concrete	4	94	6	584	0.077	0.206	19.6	-122.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	10	107	6	584	0.077	0.206	153.0	-14.5
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	6	136	6	584	0.077	0.206	64.0	226.6
SU 4	Scan	M5	Floor	Concrete	7	117	6	584	0.077	0.206	86.3	68.6
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	7	132	6	584	0.077	0.206	86.3	193.3
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	8	142	6	584	0.077	0.206	108.5	276.4
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	9	139	6	584	0.077	0.206	130.8	251.5
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4
SU 4	Scan	M5	Floor	Concrete	7	131	6	584	0.077	0.206	86.3	185.0
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	0	137	6	584	0.077	0.206	-69.4	234.9
SU 4	Scan	M5	Floor	Concrete	9	147	6	584	0.077	0.206	130.8	318.0
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	7	140	6	584	0.077	0.206	86.3	259.8
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	5	150	6	584	0.077	0.206	41.8	342.9
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	12	116	6	584	0.077	0.206	197.5	60.3
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	10	130	6	584	0.077	0.206	153.0	176.7
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	7	148	6	584	0.077	0.206	86.3	326.3
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	7	126	6	584	0.077	0.206	86.3	143.4
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	9	137	6	584	0.077	0.206	130.8	234.9
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	10	124	6	584	0.077	0.206	153.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	7	123	6	584	0.077	0.206	86.3	118.5
SU 4	Scan	M5	Floor	Concrete	10	132	6	584	0.077	0.206	153.0	193.3
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	11	112	6	584	0.077	0.206	175.2	27.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	13	134	6	584	0.077	0.206	219.7	209.9
SU 4	Scan	M5	Floor	Concrete	8	94	6	584	0.077	0.206	108.5	-122.6
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	118	6	584	0.077	0.206	64.0	76.9
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	12	117	6	584	0.077	0.206	197.5	68.6
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	10	104	6	584	0.077	0.206	153.0	-39.4
SU 4	Scan	M5	Floor	Concrete	8	122	6	584	0.077	0.206	108.5	110.2
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	9	122	6	584	0.077	0.206	130.8	110.2
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	9	113	6	584	0.077	0.206	130.8	35.4
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	13	142	6	584	0.077	0.206	219.7	276.4
SU 4	Scan	M5	Floor	Concrete	4	133	6	584	0.077	0.206	19.6	201.6
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	6	121	6	584	0.077	0.206	64.0	101.9
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	9	106	6	584	0.077	0.206	130.8	-22.8
SU 4	Scan	M5	Floor	Concrete	9	123	6	584	0.077	0.206	130.8	118.5
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	11	138	6	584	0.077	0.206	175.2	243.2
SU 4	Scan	M5	Floor	Concrete	5	105	6	584	0.077	0.206	41.8	-31.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	13	120	6	584	0.077	0.206	219.7	93.6
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	9	143	6	584	0.077	0.206	130.8	284.7
SU 4	Scan	M5	Floor	Concrete	11	125	6	584	0.077	0.206	175.2	135.1
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	11	134	6	584	0.077	0.206	175.2	209.9
SU 4	Scan	M5	Floor	Concrete	5	132	6	584	0.077	0.206	41.8	193.3
SU 4	Scan	M5	Floor	Concrete	11	138	6	584	0.077	0.206	175.2	243.2
SU 4	Scan	M5	Floor	Concrete	7	118	6	584	0.077	0.206	86.3	76.9
SU 4	Scan	M5	Floor	Concrete	9	133	6	584	0.077	0.206	130.8	201.6
SU 4	Scan	M5	Floor	Concrete	6	108	6	584	0.077	0.206	64.0	-6.2
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	10	139	6	584	0.077	0.206	153.0	251.5
SU 4	Scan	M5	Floor	Concrete	9	142	6	584	0.077	0.206	130.8	276.4
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	11	117	6	584	0.077	0.206	175.2	68.6
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0
SU 4	Scan	M5	Floor	Concrete	9	124	6	584	0.077	0.206	130.8	126.8
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	13	141	6	584	0.077	0.206	219.7	268.1
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	8	117	6	584	0.077	0.206	108.5	68.6
SU 4	Scan	M5	Floor	Concrete	8	123	6	584	0.077	0.206	108.5	118.5
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	9	125	6	584	0.077	0.206	130.8	135.1
SU 4	Scan	M5	Floor	Concrete	6	103	6	584	0.077	0.206	64.0	-47.8
SU 4	Scan	M5	Floor	Concrete	11	117	6	584	0.077	0.206	175.2	68.6
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	5	148	6	584	0.077	0.206	41.8	326.3
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	9	111	6	584	0.077	0.206	130.8	18.7
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	10	127	6	584	0.077	0.206	153.0	151.7
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	8	132	6	584	0.077	0.206	108.5	193.3
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	7	119	6	584	0.077	0.206	86.3	85.2
SU 4	Scan	M5	Floor	Concrete	7	109	6	584	0.077	0.206	86.3	2.1
SU 4	Scan	M5	Floor	Concrete	11	154	6	584	0.077	0.206	175.2	376.2
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	9	153	6	584	0.077	0.206	130.8	367.9
SU 4	Scan	M5	Floor	Concrete	7	134	6	584	0.077	0.206	86.3	209.9
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	4	145	6	584	0.077	0.206	19.6	301.4
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	9	114	6	584	0.077	0.206	130.8	43.7
SU 4	Scan	M5	Floor	Concrete	10	137	6	584	0.077	0.206	153.0	234.9
SU 4	Scan	M5	Floor	Concrete	8	115	6	584	0.077	0.206	108.5	52.0
SU 4	Scan	M5	Floor	Concrete	6	135	6	584	0.077	0.206	64.0	218.2
SU 4	Scan	M5	Floor	Concrete	4	140	6	584	0.077	0.206	19.6	259.8
SU 4	Scan	M5	Floor	Concrete	10	148	6	584	0.077	0.206	153.0	326.3
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	7	143	6	584	0.077	0.206	86.3	284.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	10	132	6	584	0.077	0.206	153.0	193.3
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	9	129	6	584	0.077	0.206	130.8	168.4
SU 4	Scan	M5	Floor	Concrete	9	143	6	584	0.077	0.206	130.8	284.7
SU 4	Scan	M5	Floor	Concrete	12	128	6	584	0.077	0.206	197.5	160.1
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	6	107	6	584	0.077	0.206	64.0	-14.5
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	9	142	6	584	0.077	0.206	130.8	276.4
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	6	123	6	584	0.077	0.206	64.0	118.5
SU 4	Scan	M5	Floor	Concrete	3	150	6	584	0.077	0.206	-2.7	342.9
SU 4	Scan	M5	Floor	Concrete	9	126	6	584	0.077	0.206	130.8	143.4
SU 4	Scan	M5	Floor	Concrete	5	142	6	584	0.077	0.206	41.8	276.4
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	9	120	6	584	0.077	0.206	130.8	93.6
SU 4	Scan	M5	Floor	Concrete	10	128	6	584	0.077	0.206	153.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	7	139	6	584	0.077	0.206	86.3	251.5
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	7	138	6	584	0.077	0.206	86.3	243.2
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	12	128	6	584	0.077	0.206	197.5	160.1
SU 4	Scan	M5	Floor	Concrete	7	147	6	584	0.077	0.206	86.3	318.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	12	113	6	584	0.077	0.206	197.5	35.4
SU 4	Scan	M5	Floor	Concrete	10	121	6	584	0.077	0.206	153.0	101.9
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	9	131	6	584	0.077	0.206	130.8	185.0
SU 4	Scan	M5	Floor	Concrete	7	146	6	584	0.077	0.206	86.3	309.7
SU 4	Scan	M5	Floor	Concrete	11	128	6	584	0.077	0.206	175.2	160.1
SU 4	Scan	M5	Floor	Concrete	11	150	6	584	0.077	0.206	175.2	342.9
SU 4	Scan	M5	Floor	Concrete	10	141	6	584	0.077	0.206	153.0	268.1
SU 4	Scan	M5	Floor	Concrete	9	135	6	584	0.077	0.206	130.8	218.2
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	7	103	6	584	0.077	0.206	86.3	-47.8
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	12	131	6	584	0.077	0.206	197.5	185.0
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	9	146	6	584	0.077	0.206	130.8	309.7
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	3	154	6	584	0.077	0.206	-2.7	376.2
SU 4	Scan	M5	Floor	Concrete	8	135	6	584	0.077	0.206	108.5	218.2
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	7	111	6	584	0.077	0.206	86.3	18.7
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	5	136	6	584	0.077	0.206	41.8	226.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	10	150	6	584	0.077	0.206	153.0	342.9
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	9	145	6	584	0.077	0.206	130.8	301.4
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	142	6	584	0.077	0.206	-24.9	276.4
SU 4	Scan	M5	Floor	Concrete	8	121	6	584	0.077	0.206	108.5	101.9
SU 4	Scan	M5	Floor	Concrete	7	133	6	584	0.077	0.206	86.3	201.6
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	10	125	6	584	0.077	0.206	153.0	135.1
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	0	117	6	584	0.067	0.196	-51.9	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	7	127	6	584	0.067	0.196	127.0	256.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	7	96	6	584	0.067	0.196	127.0	-13.9
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	90	6	584	0.067	0.196	50.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	131	6	584	0.067	0.196	-26.3	291.9
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	0	139	6	584	0.067	0.196	-51.9	361.8
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	3	121	6	584	0.067	0.196	24.8	204.5
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	118	6	584	0.067	0.196	50.3	178.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	7	91	6	584	0.067	0.196	127.0	-57.6
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	123	6	584	0.067	0.196	-0.8	222.0
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	5	90	6	584	0.067	0.196	75.9	-66.3
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	5	72	6	584	0.067	0.196	75.9	-223.6
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	70	6	584	0.067	0.196	24.8	-241.1
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	127	6	584	0.067	0.196	-0.8	256.9
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	5	93	6	584	0.067	0.196	75.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	7	95	6	584	0.067	0.196	127.0	-22.6
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	123	6	584	0.067	0.196	50.3	222.0
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	76	6	584	0.067	0.196	50.3	-188.6
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	0	116	6	584	0.067	0.196	-51.9	160.8
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	79	6	584	0.067	0.196	-26.3	-162.4
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	0	73	6	584	0.067	0.196	-51.9	-214.8
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	81	6	584	0.067	0.196	-51.9	-145.0
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	72	6	584	0.067	0.196	50.3	-223.6
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	122	6	584	0.067	0.196	24.8	213.2
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	121	6	584	0.067	0.196	-26.3	204.5
SU 4	Scan	M6	Floor	Concrete	4	127	6	584	0.067	0.196	50.3	256.9
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	0	103	6	584	0.067	0.196	-51.9	47.2
SU 4	Scan	M6	Floor	Concrete	5	115	6	584	0.067	0.196	75.9	152.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	2	125	6	584	0.067	0.196	-0.8	239.4
SU 4	Scan	M6	Floor	Concrete	6	111	6	584	0.067	0.196	101.5	117.1
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	4	129	6	584	0.067	0.196	50.3	274.4
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	117	6	584	0.067	0.196	75.9	169.6
SU 4	Scan	M6	Floor	Concrete	5	104	6	584	0.067	0.196	75.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	116	6	584	0.067	0.196	50.3	160.8
SU 4	Scan	M6	Floor	Concrete	4	107	6	584	0.067	0.196	50.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	5	94	6	584	0.067	0.196	75.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	6	98	6	584	0.067	0.196	101.5	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	7	104	6	584	0.067	0.196	127.0	56.0
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	88	6	584	0.067	0.196	-0.8	-83.8
SU 4	Scan	M6	Floor	Concrete	0	91	6	584	0.067	0.196	-51.9	-57.6
SU 4	Scan	M6	Floor	Concrete	5	107	6	584	0.067	0.196	75.9	82.2
SU 4	Scan	M6	Floor	Concrete	3	81	6	584	0.067	0.196	24.8	-145.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	0	98	6	584	0.067	0.196	-51.9	3.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	110	6	584	0.067	0.196	-0.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	2	67	6	584	0.067	0.196	-0.8	-267.3
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	0	72	6	584	0.067	0.196	-51.9	-223.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	7	92	6	584	0.067	0.196	127.0	-48.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	67	6	584	0.067	0.196	-51.9	-267.3
SU 4	Scan	M6	Floor	Concrete	0	74	6	584	0.067	0.196	-51.9	-206.1
SU 4	Scan	M6	Floor	Concrete	3	81	6	584	0.067	0.196	24.8	-145.0
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	79	6	584	0.067	0.196	-0.8	-162.4
SU 4	Scan	M6	Floor	Concrete	0	81	6	584	0.067	0.196	-51.9	-145.0
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	3	73	6	584	0.067	0.196	24.8	-214.8
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	87	6	584	0.067	0.196	24.8	-92.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	6	107	6	584	0.067	0.196	101.5	82.2
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	1	82	6	584	0.067	0.196	-26.3	-136.2
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	0	81	6	584	0.067	0.196	-51.9	-145.0
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	78	6	584	0.067	0.196	50.3	-171.2
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	5	99	6	584	0.067	0.196	75.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	4	90	6	584	0.067	0.196	50.3	-66.3
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	0	76	6	584	0.067	0.196	-51.9	-188.6
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	1	74	6	584	0.067	0.196	-26.3	-206.1
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	3	128	6	584	0.067	0.196	24.8	265.7
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	6	112	6	584	0.067	0.196	101.5	125.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	88	6	584	0.067	0.196	-51.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	4	99	6	584	0.067	0.196	50.3	12.3
SU 4	Scan	M6	Floor	Concrete	0	89	6	584	0.067	0.196	-51.9	-75.1
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	3	105	6	584	0.067	0.196	24.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	101	6	584	0.067	0.196	-51.9	29.8
SU 4	Scan	M6	Floor	Concrete	5	92	6	584	0.067	0.196	75.9	-48.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	5	91	6	584	0.067	0.196	75.9	-57.6
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	4	90	6	584	0.067	0.196	50.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	3	83	6	584	0.067	0.196	24.8	-127.5
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	91	6	584	0.067	0.196	24.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	6	88	6	584	0.067	0.196	101.5	-83.8
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	3	78	6	584	0.067	0.196	24.8	-171.2
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	5	89	6	584	0.067	0.196	75.9	-75.1
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	6	80	6	584	0.067	0.196	101.5	-153.7
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	5	75	6	584	0.067	0.196	75.9	-197.4
SU 4	Scan	M6	Floor	Concrete	1	73	6	584	0.067	0.196	-26.3	-214.8
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	0	68	6	584	0.067	0.196	-51.9	-258.5
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	0	68	6	584	0.067	0.196	-51.9	-258.5
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	66	6	584	0.067	0.196	50.3	-276.0
SU 4	Scan	M6	Floor	Concrete	3	76	6	584	0.067	0.196	24.8	-188.6
SU 4	Scan	M6	Floor	Concrete	3	65	6	584	0.067	0.196	24.8	-284.7
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	5	65	6	584	0.067	0.196	75.9	-284.7
SU 4	Scan	M6	Floor	Concrete	5	64	6	584	0.067	0.196	75.9	-293.5
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	0	79	6	584	0.067	0.196	-51.9	-162.4
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	0	68	6	584	0.067	0.196	-51.9	-258.5
SU 4	Scan	M6	Floor	Concrete	3	59	6	584	0.067	0.196	24.8	-337.2
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	4	73	6	584	0.067	0.196	50.3	-214.8
SU 4	Scan	M6	Floor	Concrete	4	65	6	584	0.067	0.196	50.3	-284.7
SU 4	Scan	M6	Floor	Concrete	1	83	6	584	0.067	0.196	-26.3	-127.5
SU 4	Scan	M6	Floor	Concrete	5	74	6	584	0.067	0.196	75.9	-206.1
SU 4	Scan	M6	Floor	Concrete	1	74	6	584	0.067	0.196	-26.3	-206.1
SU 4	Scan	M6	Floor	Concrete	4	69	6	584	0.067	0.196	50.3	-249.8
SU 4	Scan	M6	Floor	Concrete	2	73	6	584	0.067	0.196	-0.8	-214.8
SU 4	Scan	M6	Floor	Concrete	0	86	6	584	0.067	0.196	-51.9	-101.3
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	3	73	6	584	0.067	0.196	24.8	-214.8
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8
SU 4	Scan	M6	Floor	Concrete	1	44	6	584	0.067	0.196	-26.3	-468.2
SU 4	Scan	M6	Floor	Concrete	2	69	6	584	0.067	0.196	-0.8	-249.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	6	82	6	584	0.067	0.196	101.5	-136.2
SU 4	Scan	M6	Floor	Concrete	4	63	6	584	0.067	0.196	50.3	-302.2
SU 4	Scan	M6	Floor	Concrete	6	70	6	584	0.067	0.196	101.5	-241.1
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	1	61	6	584	0.067	0.196	-26.3	-319.7
SU 4	Scan	M6	Floor	Concrete	3	70	6	584	0.067	0.196	24.8	-241.1
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	75	6	584	0.067	0.196	-26.3	-197.4
SU 4	Scan	M6	Floor	Concrete	1	69	6	584	0.067	0.196	-26.3	-249.8
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	4	70	6	584	0.067	0.196	50.3	-241.1
SU 4	Scan	M6	Floor	Concrete	3	60	6	584	0.067	0.196	24.8	-328.4
SU 4	Scan	M6	Floor	Concrete	1	61	6	584	0.067	0.196	-26.3	-319.7
SU 4	Scan	M6	Floor	Concrete	1	70	6	584	0.067	0.196	-26.3	-241.1
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	0	83	6	584	0.067	0.196	-51.9	-127.5
SU 4	Scan	M6	Floor	Concrete	4	57	6	584	0.067	0.196	50.3	-354.6
SU 4	Scan	M6	Floor	Concrete	2	67	6	584	0.067	0.196	-0.8	-267.3
SU 4	Scan	M6	Floor	Concrete	5	70	6	584	0.067	0.196	75.9	-241.1
SU 4	Scan	M6	Floor	Concrete	4	61	6	584	0.067	0.196	50.3	-319.7
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	1	75	6	584	0.067	0.196	-26.3	-197.4
SU 4	Scan	M6	Floor	Concrete	4	66	6	584	0.067	0.196	50.3	-276.0
SU 4	Scan	M6	Floor	Concrete	10	73	6	584	0.067	0.196	203.7	-214.8
SU 4	Scan	M6	Floor	Concrete	5	75	6	584	0.067	0.196	75.9	-197.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	5	67	6	584	0.067	0.196	75.9	-267.3
SU 4	Scan	M6	Floor	Concrete	3	72	6	584	0.067	0.196	24.8	-223.6
SU 4	Scan	M6	Floor	Concrete	2	76	6	584	0.067	0.196	-0.8	-188.6
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	6	78	6	584	0.067	0.196	101.5	-171.2
SU 4	Scan	M6	Floor	Concrete	1	74	6	584	0.067	0.196	-26.3	-206.1
SU 4	Scan	M6	Floor	Concrete	3	64	6	584	0.067	0.196	24.8	-293.5
SU 4	Scan	M6	Floor	Concrete	4	73	6	584	0.067	0.196	50.3	-214.8
SU 4	Scan	M6	Floor	Concrete	4	61	6	584	0.067	0.196	50.3	-319.7
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6
SU 4	Scan	M6	Floor	Concrete	7	60	6	584	0.067	0.196	127.0	-328.4
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	2	43	6	584	0.067	0.196	-0.8	-476.9
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	4	56	6	584	0.067	0.196	50.3	-363.4
SU 4	Scan	M6	Floor	Concrete	5	49	6	584	0.067	0.196	75.9	-424.5
SU 4	Scan	M6	Floor	Concrete	3	48	6	584	0.067	0.196	24.8	-433.3
SU 4	Scan	M6	Floor	Concrete	2	44	6	584	0.067	0.196	-0.8	-468.2
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	3	52	6	584	0.067	0.196	24.8	-398.3
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	61	6	584	0.067	0.196	-26.3	-319.7
SU 4	Scan	M6	Floor	Concrete	3	42	6	584	0.067	0.196	24.8	-485.7
SU 4	Scan	M6	Floor	Concrete	3	48	6	584	0.067	0.196	24.8	-433.3
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	3	44	6	584	0.067	0.196	24.8	-468.2
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	3	48	6	584	0.067	0.196	24.8	-433.3
SU 4	Scan	M6	Floor	Concrete	1	62	6	584	0.067	0.196	-26.3	-310.9
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	3	37	6	584	0.067	0.196	24.8	-529.4
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	2	46	6	584	0.067	0.196	-0.8	-450.7
SU 4	Scan	M6	Floor	Concrete	3	42	6	584	0.067	0.196	24.8	-485.7
SU 4	Scan	M6	Floor	Concrete	5	41	6	584	0.067	0.196	75.9	-494.4
SU 4	Scan	M6	Floor	Concrete	5	40	6	584	0.067	0.196	75.9	-503.1
SU 4	Scan	M6	Floor	Concrete	2	38	6	584	0.067	0.196	-0.8	-520.6
SU 4	Scan	M6	Floor	Concrete	2	40	6	584	0.067	0.196	-0.8	-503.1
SU 4	Scan	M6	Floor	Concrete	3	32	6	584	0.067	0.196	24.8	-573.0
SU 4	Scan	M6	Floor	Concrete	4	39	6	584	0.067	0.196	50.3	-511.9
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	3	37	6	584	0.067	0.196	24.8	-529.4
SU 4	Scan	M6	Floor	Concrete	3	46	6	584	0.067	0.196	24.8	-450.7
SU 4	Scan	M6	Floor	Concrete	2	41	6	584	0.067	0.196	-0.8	-494.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	41	6	584	0.067	0.196	50.3	-494.4
SU 4	Scan	M6	Floor	Concrete	3	34	6	584	0.067	0.196	24.8	-555.6
SU 4	Scan	M6	Floor	Concrete	0	44	6	584	0.067	0.196	-51.9	-468.2
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	1	14	6	584	0.067	0.196	-26.3	-730.3
SU 4	Scan	M6	Floor	Concrete	1	12	6	584	0.067	0.196	-26.3	-747.8
SU 4	Scan	M6	Floor	Concrete	0	17	6	584	0.067	0.196	-51.9	-704.1
SU 4	Scan	M6	Floor	Concrete	0	22	6	584	0.067	0.196	-51.9	-660.4
SU 4	Scan	M6	Floor	Concrete	1	17	6	584	0.067	0.196	-26.3	-704.1
SU 4	Scan	M6	Floor	Concrete	2	22	6	584	0.067	0.196	-0.8	-660.4
SU 4	Scan	M6	Floor	Concrete	3	17	6	584	0.067	0.196	24.8	-704.1
SU 4	Scan	M6	Floor	Concrete	3	22	6	584	0.067	0.196	24.8	-660.4
SU 4	Scan	M6	Floor	Concrete	2	25	6	584	0.067	0.196	-0.8	-634.2
SU 4	Scan	M6	Floor	Concrete	0	22	6	584	0.067	0.196	-51.9	-660.4
SU 4	Scan	M6	Floor	Concrete	2	27	6	584	0.067	0.196	-0.8	-616.7
SU 4	Scan	M6	Floor	Concrete	3	25	6	584	0.067	0.196	24.8	-634.2
SU 4	Scan	M6	Floor	Concrete	2	25	6	584	0.067	0.196	-0.8	-634.2
SU 4	Scan	M6	Floor	Concrete	2	23	6	584	0.067	0.196	-0.8	-651.7
SU 4	Scan	M6	Floor	Concrete	1	23	6	584	0.067	0.196	-26.3	-651.7
SU 4	Scan	M6	Floor	Concrete	2	36	6	584	0.067	0.196	-0.8	-538.1
SU 4	Scan	M6	Floor	Concrete	2	34	6	584	0.067	0.196	-0.8	-555.6
SU 4	Scan	M6	Floor	Concrete	3	37	6	584	0.067	0.196	24.8	-529.4
SU 4	Scan	M6	Floor	Concrete	2	26	6	584	0.067	0.196	-0.8	-625.5
SU 4	Scan	M6	Floor	Concrete	2	30	6	584	0.067	0.196	-0.8	-590.5
SU 4	Scan	M6	Floor	Concrete	2	28	6	584	0.067	0.196	-0.8	-608.0
SU 4	Scan	M6	Floor	Concrete	0	29	6	584	0.067	0.196	-51.9	-599.2
SU 4	Scan	M6	Floor	Concrete	2	25	6	584	0.067	0.196	-0.8	-634.2
SU 4	Scan	M6	Floor	Concrete	0	41	6	584	0.067	0.196	-51.9	-494.4
SU 4	Scan	M6	Floor	Concrete	2	40	6	584	0.067	0.196	-0.8	-503.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	47	6	584	0.067	0.196	-26.3	-442.0
SU 4	Scan	M6	Floor	Concrete	5	44	6	584	0.067	0.196	75.9	-468.2
SU 4	Scan	M6	Floor	Concrete	3	36	6	584	0.067	0.196	24.8	-538.1
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	1	47	6	584	0.067	0.196	-26.3	-442.0
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	2	39	6	584	0.067	0.196	-0.8	-511.9
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	4	50	6	584	0.067	0.196	50.3	-415.8
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	3	52	6	584	0.067	0.196	24.8	-398.3
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	3	53	6	584	0.067	0.196	24.8	-389.6
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	3	54	6	584	0.067	0.196	24.8	-380.8
SU 4	Scan	M6	Floor	Concrete	6	57	6	584	0.067	0.196	101.5	-354.6
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	2	68	6	584	0.067	0.196	-0.8	-258.5
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	3	68	6	584	0.067	0.196	24.8	-258.5
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	5	57	6	584	0.067	0.196	75.9	-354.6
SU 4	Scan	M6	Floor	Concrete	2	62	6	584	0.067	0.196	-0.8	-310.9
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	61	6	584	0.067	0.196	75.9	-319.7
SU 4	Scan	M6	Floor	Concrete	4	68	6	584	0.067	0.196	50.3	-258.5
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	5	56	6	584	0.067	0.196	75.9	-363.4
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	3	72	6	584	0.067	0.196	24.8	-223.6
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	4	69	6	584	0.067	0.196	50.3	-249.8
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	75	6	584	0.067	0.196	-0.8	-197.4
SU 4	Scan	M6	Floor	Concrete	5	79	6	584	0.067	0.196	75.9	-162.4
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	4	83	6	584	0.067	0.196	50.3	-127.5
SU 4	Scan	M6	Floor	Concrete	2	66	6	584	0.067	0.196	-0.8	-276.0
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	5	67	6	584	0.067	0.196	75.9	-267.3
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	70	6	584	0.067	0.196	-0.8	-241.1
SU 4	Scan	M6	Floor	Concrete	4	68	6	584	0.067	0.196	50.3	-258.5
SU 4	Scan	M6	Floor	Concrete	6	65	6	584	0.067	0.196	101.5	-284.7
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	4	70	6	584	0.067	0.196	50.3	-241.1
SU 4	Scan	M6	Floor	Concrete	4	82	6	584	0.067	0.196	50.3	-136.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	73	6	584	0.067	0.196	50.3	-214.8
SU 4	Scan	M6	Floor	Concrete	5	88	6	584	0.067	0.196	75.9	-83.8
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	7	82	6	584	0.067	0.196	127.0	-136.2
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	4	68	6	584	0.067	0.196	50.3	-258.5
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	3	81	6	584	0.067	0.196	24.8	-145.0
SU 4	Scan	M6	Floor	Concrete	2	78	6	584	0.067	0.196	-0.8	-171.2
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	6	75	6	584	0.067	0.196	101.5	-197.4
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	3	76	6	584	0.067	0.196	24.8	-188.6
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	0	58	6	584	0.067	0.196	-51.9	-345.9
SU 4	Scan	M6	Floor	Concrete	0	73	6	584	0.067	0.196	-51.9	-214.8
SU 4	Scan	M6	Floor	Concrete	6	77	6	584	0.067	0.196	101.5	-179.9
SU 4	Scan	M6	Floor	Concrete	4	59	6	584	0.067	0.196	50.3	-337.2
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	4	85	6	584	0.067	0.196	50.3	-110.0
SU 4	Scan	M6	Floor	Concrete	4	88	6	584	0.067	0.196	50.3	-83.8
SU 4	Scan	M6	Floor	Concrete	3	73	6	584	0.067	0.196	24.8	-214.8
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	1	62	6	584	0.067	0.196	-26.3	-310.9
SU 4	Scan	M6	Floor	Concrete	6	66	6	584	0.067	0.196	101.5	-276.0
SU 4	Scan	M6	Floor	Concrete	0	55	6	584	0.067	0.196	-51.9	-372.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	52	6	584	0.067	0.196	24.8	-398.3
SU 4	Scan	M6	Floor	Concrete	4	63	6	584	0.067	0.196	50.3	-302.2
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	0	52	6	584	0.074	0.192	-53.5	-313.3
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	3	42	6	584	0.074	0.192	15.9	-402.5
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	1	49	6	584	0.074	0.192	-30.4	-340.0
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	3	58	6	584	0.074	0.192	15.9	-259.8
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	1	51	6	584	0.074	0.192	-30.4	-322.2
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	3	50	6	584	0.074	0.192	15.9	-331.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	50	6	584	0.074	0.192	-7.2	-331.1
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	3	55	6	584	0.074	0.192	15.9	-286.5
SU 4	Scan	M3	Floor	Concrete	3	54	6	584	0.074	0.192	15.9	-295.4
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	2	51	6	584	0.074	0.192	-7.2	-322.2
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	7	60	6	584	0.074	0.192	108.5	-241.9
SU 4	Scan	M3	Floor	Concrete	1	47	6	584	0.074	0.192	-30.4	-357.9
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	2	50	6	584	0.074	0.192	-7.2	-331.1
SU 4	Scan	M3	Floor	Concrete	3	58	6	584	0.074	0.192	15.9	-259.8
SU 4	Scan	M3	Floor	Concrete	1	51	6	584	0.074	0.192	-30.4	-322.2
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	54	6	584	0.074	0.192	-53.5	-295.4
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	1	51	6	584	0.074	0.192	-30.4	-322.2
SU 4	Scan	M3	Floor	Concrete	2	51	6	584	0.074	0.192	-7.2	-322.2
SU 4	Scan	M3	Floor	Concrete	5	46	6	584	0.074	0.192	62.2	-366.8
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	76	6	584	0.074	0.192	-30.4	-99.2
SU 4	Scan	M3	Floor	Concrete	2	83	6	584	0.074	0.192	-7.2	-36.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	0	54	6	584	0.074	0.192	-53.5	-295.4
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	2	51	6	584	0.074	0.192	-7.2	-322.2
SU 4	Scan	M3	Floor	Concrete	2	37	6	584	0.074	0.192	-7.2	-447.1
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	0	49	6	584	0.074	0.192	-53.5	-340.0
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	2	43	6	584	0.074	0.192	-7.2	-393.5
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	3	74	6	584	0.074	0.192	15.9	-117.1
SU 4	Scan	M3	Floor	Concrete	3	49	6	584	0.074	0.192	15.9	-340.0
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	1	88	6	584	0.074	0.192	-30.4	7.8
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	2	53	6	584	0.074	0.192	-7.2	-304.4
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	2	76	6	584	0.074	0.192	-7.2	-99.2
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	0	53	6	584	0.074	0.192	-53.5	-304.4
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	1	45	6	584	0.074	0.192	-30.4	-375.7
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	3	58	6	584	0.074	0.192	15.9	-259.8
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	3	73	6	584	0.074	0.192	15.9	-126.0
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	0	56	6	584	0.074	0.192	-53.5	-277.6
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	2	56	6	584	0.074	0.192	-7.2	-277.6
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	4	54	6	584	0.074	0.192	39.0	-295.4
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	2	53	6	584	0.074	0.192	-7.2	-304.4
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	53	6	584	0.074	0.192	-7.2	-304.4
SU 4	Scan	M3	Floor	Concrete	3	54	6	584	0.074	0.192	15.9	-295.4
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	0	56	6	584	0.074	0.192	-53.5	-277.6
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	4	75	6	584	0.074	0.192	39.0	-108.2
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	1	46	6	584	0.074	0.192	-30.4	-366.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	49	6	584	0.074	0.192	-30.4	-340.0
SU 4	Scan	M3	Floor	Concrete	6	57	6	584	0.074	0.192	85.3	-268.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	2	47	6	584	0.074	0.192	-7.2	-357.9
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	0	55	6	584	0.074	0.192	-53.5	-286.5
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	3	66	6	584	0.074	0.192	15.9	-188.4
SU 4	Scan	M3	Floor	Concrete	0	85	6	584	0.074	0.192	-53.5	-19.0
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	1	56	6	584	0.074	0.192	-30.4	-277.6
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	6	58	6	584	0.074	0.192	85.3	-259.8
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	5	69	6	584	0.074	0.192	62.2	-161.7
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	1	57	6	584	0.074	0.192	-30.4	-268.7
SU 4	Scan	M3	Floor	Concrete	0	82	6	584	0.074	0.192	-53.5	-45.7
SU 4	Scan	M3	Floor	Concrete	0	65	6	584	0.074	0.192	-53.5	-197.3
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	4	61	6	584	0.074	0.192	39.0	-233.0
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	56	6	584	0.074	0.192	-7.2	-277.6
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	5	49	6	584	0.074	0.192	62.2	-340.0
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	4	51	6	584	0.074	0.192	39.0	-322.2
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9
SU 4	Scan	M3	Floor	Concrete	0	52	6	584	0.074	0.192	-53.5	-313.3
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	0	58	6	584	0.074	0.192	-53.5	-259.8
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	58	6	584	0.074	0.192	15.9	-259.8
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	0	46	6	584	0.074	0.192	-53.5	-366.8
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	1	64	6	584	0.074	0.192	-30.4	-206.3
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	3	56	6	584	0.074	0.192	15.9	-277.6
SU 4	Scan	M3	Floor	Concrete	3	61	6	584	0.074	0.192	15.9	-233.0
SU 4	Scan	M3	Floor	Concrete	1	80	6	584	0.074	0.192	-30.4	-63.6
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	46	6	584	0.074	0.192	-30.4	-366.8
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	70	6	584	0.074	0.192	15.9	-152.7
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	57	6	584	0.074	0.192	15.9	-268.7
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	92	6	584	0.074	0.192	-7.2	43.5
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	0	52	6	584	0.074	0.192	-53.5	-313.3
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	4	73	6	584	0.074	0.192	39.0	-126.0
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	0	80	6	584	0.074	0.192	-53.5	-63.6
SU 4	Scan	M3	Floor	Concrete	0	68	6	584	0.074	0.192	-53.5	-170.6
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	0	59	6	584	0.074	0.192	-53.5	-250.9
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	2	55	6	584	0.074	0.192	-7.2	-286.5
SU 4	Scan	M3	Floor	Concrete	1	51	6	584	0.074	0.192	-30.4	-322.2
SU 4	Scan	M3	Floor	Concrete	3	68	6	584	0.074	0.192	15.9	-170.6
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	3	65	6	584	0.074	0.192	15.9	-197.3
SU 4	Scan	M3	Floor	Concrete	0	63	6	584	0.074	0.192	-53.5	-215.2
SU 4	Scan	M3	Floor	Concrete	3	47	6	584	0.074	0.192	15.9	-357.9
SU 4	Scan	M3	Floor	Concrete	0	75	6	584	0.074	0.192	-53.5	-108.2
SU 4	Scan	M3	Floor	Concrete	4	65	6	584	0.074	0.192	39.0	-197.3
SU 4	Scan	M3	Floor	Concrete	2	69	6	584	0.074	0.192	-7.2	-161.7
SU 4	Scan	M3	Floor	Concrete	4	68	6	584	0.074	0.192	39.0	-170.6
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	0	73	6	584	0.074	0.192	-53.5	-126.0
SU 4	Scan	M3	Floor	Concrete	2	81	6	584	0.074	0.192	-7.2	-54.6
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	2	51	6	584	0.074	0.192	-7.2	-322.2
SU 4	Scan	M3	Floor	Concrete	3	56	6	584	0.074	0.192	15.9	-277.6
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	4	60	6	584	0.074	0.192	39.0	-241.9
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	72	6	584	0.074	0.192	-7.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	1	48	6	584	0.074	0.192	-30.4	-349.0
SU 4	Scan	M3	Floor	Concrete	6	72	6	584	0.074	0.192	85.3	-134.9
SU 4	Scan	M3	Floor	Concrete	3	79	6	584	0.074	0.192	15.9	-72.5
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	69	6	584	0.074	0.192	-30.4	-161.7
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	0	54	6	584	0.074	0.192	-53.5	-295.4
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	4	71	6	584	0.074	0.192	39.0	-143.8
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	3	67	6	584	0.074	0.192	15.9	-179.5
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	4	66	6	584	0.074	0.192	39.0	-188.4
SU 4	Scan	M3	Floor	Concrete	1	67	6	584	0.074	0.192	-30.4	-179.5
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	0	74	6	584	0.074	0.192	-53.5	-117.1
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	75	6	584	0.074	0.192	15.9	-108.2
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	3	69	6	584	0.074	0.192	15.9	-161.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	4	78	6	584	0.074	0.192	39.0	-81.4
SU 4	Scan	M3	Floor	Concrete	2	62	6	584	0.074	0.192	-7.2	-224.1
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	0	71	6	584	0.074	0.192	-53.5	-143.8
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	5	86	6	584	0.074	0.192	62.2	-10.1
SU 4	Scan	M3	Floor	Concrete	6	67	6	584	0.074	0.192	85.3	-179.5
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	0	72	6	584	0.074	0.192	-53.5	-134.9
SU 4	Scan	M3	Floor	Concrete	4	63	6	584	0.074	0.192	39.0	-215.2
SU 4	Scan	M3	Floor	Concrete	1	59	6	584	0.074	0.192	-30.4	-250.9
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	3	72	6	584	0.074	0.192	15.9	-134.9
SU 4	Scan	M3	Floor	Concrete	2	71	6	584	0.074	0.192	-7.2	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	4	55	6	584	0.074	0.192	39.0	-286.5
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	76	6	584	0.074	0.192	15.9	-99.2
SU 4	Scan	M3	Floor	Concrete	1	53	6	584	0.074	0.192	-30.4	-304.4
SU 4	Scan	M3	Floor	Concrete	4	64	6	584	0.074	0.192	39.0	-206.3
SU 4	Scan	M3	Floor	Concrete	5	77	6	584	0.074	0.192	62.2	-90.3
SU 4	Scan	M3	Floor	Concrete	4	57	6	584	0.074	0.192	39.0	-268.7
SU 4	Scan	M3	Floor	Concrete	0	51	6	584	0.074	0.192	-53.5	-322.2
SU 4	Scan	M3	Floor	Concrete	2	64	6	584	0.074	0.192	-7.2	-206.3
SU 4	Scan	M3	Floor	Concrete	2	63	6	584	0.074	0.192	-7.2	-215.2
SU 4	Scan	M3	Floor	Concrete	6	63	6	584	0.074	0.192	85.3	-215.2
SU 4	Scan	M3	Floor	Concrete	5	79	6	584	0.074	0.192	62.2	-72.5
SU 4	Scan	M3	Floor	Concrete	5	65	6	584	0.074	0.192	62.2	-197.3
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	2	60	6	584	0.074	0.192	-7.2	-241.9
SU 4	Scan	M3	Floor	Concrete	2	54	6	584	0.074	0.192	-7.2	-295.4
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	0	62	6	584	0.074	0.192	-53.5	-224.1
SU 4	Scan	M3	Floor	Concrete	0	60	6	584	0.074	0.192	-53.5	-241.9
SU 4	Scan	M3	Floor	Concrete	1	54	6	584	0.074	0.192	-30.4	-295.4
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	5	61	6	584	0.074	0.192	62.2	-233.0
SU 4	Scan	M3	Floor	Concrete	3	60	6	584	0.074	0.192	15.9	-241.9
SU 4	Scan	M3	Floor	Concrete	4	82	6	584	0.074	0.192	39.0	-45.7
SU 4	Scan	M3	Floor	Concrete	2	49	6	584	0.074	0.192	-7.2	-340.0
SU 4	Scan	M3	Floor	Concrete	4	70	6	584	0.074	0.192	39.0	-152.7
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	74	6	584	0.074	0.192	-30.4	-117.1
SU 4	Scan	M3	Floor	Concrete	2	61	6	584	0.074	0.192	-7.2	-233.0
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	4	59	6	584	0.074	0.192	39.0	-250.9
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	4	72	6	584	0.074	0.192	39.0	-134.9
SU 4	Scan	M3	Floor	Concrete	4	62	6	584	0.074	0.192	39.0	-224.1
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	5	59	6	584	0.074	0.192	62.2	-250.9
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	2	74	6	584	0.074	0.192	-7.2	-117.1
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	0	69	6	584	0.074	0.192	-53.5	-161.7
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	4	74	6	584	0.074	0.192	39.0	-117.1
SU 4	Scan	M3	Floor	Concrete	5	63	6	584	0.074	0.192	62.2	-215.2
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	1	79	6	584	0.074	0.192	-30.4	-72.5
SU 4	Scan	M3	Floor	Concrete	3	78	6	584	0.074	0.192	15.9	-81.4
SU 4	Scan	M3	Floor	Concrete	8	77	6	584	0.074	0.192	131.6	-90.3
SU 4	Scan	M3	Floor	Concrete	0	53	6	584	0.074	0.192	-53.5	-304.4
SU 4	Scan	M3	Floor	Concrete	0	66	6	584	0.074	0.192	-53.5	-188.4
SU 4	Scan	M3	Floor	Concrete	0	77	6	584	0.074	0.192	-53.5	-90.3
SU 4	Scan	M3	Floor	Concrete	4	56	6	584	0.074	0.192	39.0	-277.6
SU 4	Scan	M3	Floor	Concrete	4	69	6	584	0.074	0.192	39.0	-161.7
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	2	65	6	584	0.074	0.192	-7.2	-197.3
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	0	61	6	584	0.074	0.192	-53.5	-233.0
SU 4	Scan	M3	Floor	Concrete	3	53	6	584	0.074	0.192	15.9	-304.4
SU 4	Scan	M3	Floor	Concrete	0	57	6	584	0.074	0.192	-53.5	-268.7
SU 4	Scan	M3	Floor	Concrete	6	65	6	584	0.074	0.192	85.3	-197.3
SU 4	Scan	M3	Floor	Concrete	2	58	6	584	0.074	0.192	-7.2	-259.8
SU 4	Scan	M3	Floor	Concrete	5	54	6	584	0.074	0.192	62.2	-295.4
SU 4	Scan	M3	Floor	Concrete	2	53	6	584	0.074	0.192	-7.2	-304.4
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	2	77	6	584	0.074	0.192	-7.2	-90.3
SU 4	Scan	M3	Floor	Concrete	5	56	6	584	0.074	0.192	62.2	-277.6
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	1	42	6	584	0.074	0.192	-30.4	-402.5
SU 4	Scan	M3	Floor	Concrete	2	67	6	584	0.074	0.192	-7.2	-179.5
SU 4	Scan	M3	Floor	Concrete	2	79	6	584	0.074	0.192	-7.2	-72.5
SU 4	Scan	M3	Floor	Concrete	3	48	6	584	0.074	0.192	15.9	-349.0
SU 4	Scan	M3	Floor	Concrete	6	62	6	584	0.074	0.192	85.3	-224.1
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	3	54	6	584	0.074	0.192	15.9	-295.4
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	2	73	6	584	0.074	0.192	-7.2	-126.0
SU 4	Scan	M3	Floor	Concrete	3	51	6	584	0.074	0.192	15.9	-322.2
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	7	70	6	584	0.074	0.192	108.5	-152.7
SU 4	Scan	M3	Floor	Concrete	2	50	6	584	0.074	0.192	-7.2	-331.1
SU 4	Scan	M3	Floor	Concrete	1	82	6	584	0.074	0.192	-30.4	-45.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	72	6	584	0.074	0.192	62.2	-134.9
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	77	6	584	0.074	0.192	15.9	-90.3
SU 4	Scan	M3	Floor	Concrete	3	51	6	584	0.074	0.192	15.9	-322.2
SU 4	Scan	M3	Floor	Concrete	2	78	6	584	0.074	0.192	-7.2	-81.4
SU 4	Scan	M3	Floor	Concrete	2	80	6	584	0.074	0.192	-7.2	-63.6
SU 4	Scan	M3	Floor	Concrete	2	57	6	584	0.074	0.192	-7.2	-268.7
SU 4	Scan	M3	Floor	Concrete	1	70	6	584	0.074	0.192	-30.4	-152.7
SU 4	Scan	M3	Floor	Concrete	0	78	6	584	0.074	0.192	-53.5	-81.4
SU 4	Scan	M3	Floor	Concrete	1	75	6	584	0.074	0.192	-30.4	-108.2
SU 4	Scan	M3	Floor	Concrete	4	60	6	584	0.074	0.192	39.0	-241.9
SU 4	Scan	M3	Floor	Concrete	0	67	6	584	0.074	0.192	-53.5	-179.5
SU 4	Scan	M3	Floor	Concrete	1	61	6	584	0.074	0.192	-30.4	-233.0
SU 4	Scan	M3	Floor	Concrete	1	73	6	584	0.074	0.192	-30.4	-126.0
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	7	81	6	584	0.074	0.192	108.5	-54.6
SU 4	Scan	M3	Floor	Concrete	3	56	6	584	0.074	0.192	15.9	-277.6
SU 4	Scan	M3	Floor	Concrete	7	73	6	584	0.074	0.192	108.5	-126.0
SU 4	Scan	M3	Floor	Concrete	6	66	6	584	0.074	0.192	85.3	-188.4
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	1	63	6	584	0.074	0.192	-30.4	-215.2
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	1	66	6	584	0.074	0.192	-30.4	-188.4
SU 4	Scan	M3	Floor	Concrete	3	63	6	584	0.074	0.192	15.9	-215.2
SU 4	Scan	M3	Floor	Concrete	1	77	6	584	0.074	0.192	-30.4	-90.3
SU 4	Scan	M3	Floor	Concrete	4	90	6	584	0.074	0.192	39.0	25.6
SU 4	Scan	M3	Floor	Concrete	0	53	6	584	0.074	0.192	-53.5	-304.4
SU 4	Scan	M3	Floor	Concrete	0	70	6	584	0.074	0.192	-53.5	-152.7
SU 4	Scan	M3	Floor	Concrete	1	78	6	584	0.074	0.192	-30.4	-81.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	5	85	6	584	0.074	0.192	62.2	-19.0
SU 4	Scan	M3	Floor	Concrete	7	77	6	584	0.074	0.192	108.5	-90.3
SU 4	Scan	M3	Floor	Concrete	4	67	6	584	0.074	0.192	39.0	-179.5
SU 4	Scan	M3	Floor	Concrete	2	56	6	584	0.074	0.192	-7.2	-277.6
SU 4	Scan	M3	Floor	Concrete	1	72	6	584	0.074	0.192	-30.4	-134.9
SU 4	Scan	M3	Floor	Concrete	2	59	6	584	0.074	0.192	-7.2	-250.9
SU 4	Scan	M3	Floor	Concrete	1	68	6	584	0.074	0.192	-30.4	-170.6
SU 4	Scan	M3	Floor	Concrete	3	71	6	584	0.074	0.192	15.9	-143.8
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	1	71	6	584	0.074	0.192	-30.4	-143.8
SU 4	Scan	M3	Floor	Concrete	0	49	6	584	0.074	0.192	-53.5	-340.0
SU 4	Scan	M3	Floor	Concrete	1	60	6	584	0.074	0.192	-30.4	-241.9
SU 4	Scan	M3	Floor	Concrete	1	62	6	584	0.074	0.192	-30.4	-224.1
SU 4	Scan	M3	Floor	Concrete	4	76	6	584	0.074	0.192	39.0	-99.2
SU 4	Scan	M3	Floor	Concrete	3	59	6	584	0.074	0.192	15.9	-250.9
SU 4	Scan	M3	Floor	Concrete	0	64	6	584	0.074	0.192	-53.5	-206.3
SU 4	Scan	M3	Floor	Concrete	1	65	6	584	0.074	0.192	-30.4	-197.3
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	3	64	6	584	0.074	0.192	15.9	-206.3
SU 4	Scan	M3	Floor	Concrete	5	58	6	584	0.074	0.192	62.2	-259.8
SU 4	Scan	M3	Floor	Concrete	5	66	6	584	0.074	0.192	62.2	-188.4
SU 4	Scan	M3	Floor	Concrete	2	68	6	584	0.074	0.192	-7.2	-170.6
SU 4	Scan	M3	Floor	Concrete	2	66	6	584	0.074	0.192	-7.2	-188.4
SU 4	Scan	M3	Floor	Concrete	5	68	6	584	0.074	0.192	62.2	-170.6
SU 4	Scan	M3	Floor	Concrete	6	69	6	584	0.074	0.192	85.3	-161.7
SU 4	Scan	M3	Floor	Concrete	2	70	6	584	0.074	0.192	-7.2	-152.7
SU 4	Scan	M3	Floor	Concrete	1	84	6	584	0.074	0.192	-30.4	-27.9
SU 4	Scan	M3	Floor	Concrete	1	58	6	584	0.074	0.192	-30.4	-259.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M3	Floor	Concrete	1	55	6	584	0.074	0.192	-30.4	-286.5
SU 4	Scan	M3	Floor	Concrete	3	62	6	584	0.074	0.192	15.9	-224.1
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	0	124	6	584	0.077	0.206	-69.4	126.8
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	107	6	584	0.077	0.206	19.6	-14.5
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	3	90	6	584	0.077	0.206	-2.7	-155.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	0	110	6	584	0.077	0.206	-69.4	10.4
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	138	6	584	0.077	0.206	-24.9	243.2
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	2	93	6	584	0.077	0.206	-24.9	-130.9
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	0	109	6	584	0.077	0.206	-69.4	2.1
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	7	108	6	584	0.077	0.206	86.3	-6.2
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	1	140	6	584	0.077	0.206	-47.1	259.8
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	0	103	6	584	0.077	0.206	-69.4	-47.8
SU 4	Scan	M5	Floor	Concrete	1	131	6	584	0.077	0.206	-47.1	185.0
SU 4	Scan	M5	Floor	Concrete	2	140	6	584	0.077	0.206	-24.9	259.8
SU 4	Scan	M5	Floor	Concrete	4	146	6	584	0.077	0.206	19.6	309.7
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	3	94	6	584	0.077	0.206	-2.7	-122.6
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	0	115	6	584	0.077	0.206	-69.4	52.0
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	0	114	6	584	0.077	0.206	-69.4	43.7
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	1	136	6	584	0.077	0.206	-47.1	226.6
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	0	139	6	584	0.077	0.206	-69.4	251.5
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	0	127	6	584	0.077	0.206	-69.4	151.7
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	2	93	6	584	0.077	0.206	-24.9	-130.9
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	1	94	6	584	0.077	0.206	-47.1	-122.6
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	0	121	6	584	0.077	0.206	-69.4	101.9
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	1	103	6	584	0.077	0.206	-47.1	-47.8
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	0	122	6	584	0.077	0.206	-69.4	110.2
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	1	135	6	584	0.077	0.206	-47.1	218.2
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	148	6	584	0.077	0.206	41.8	326.3
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	1	110	6	584	0.077	0.206	-47.1	10.4
SU 4	Scan	M5	Floor	Concrete	1	121	6	584	0.077	0.206	-47.1	101.9
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	8	110	6	584	0.077	0.206	108.5	10.4
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	2	100	6	584	0.077	0.206	-24.9	-72.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	1	108	6	584	0.077	0.206	-47.1	-6.2
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	0	131	6	584	0.077	0.206	-69.4	185.0
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	4	129	6	584	0.077	0.206	19.6	168.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	3	90	6	584	0.077	0.206	-2.7	-155.8
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	1	118	6	584	0.077	0.206	-47.1	76.9
SU 4	Scan	M5	Floor	Concrete	4	97	6	584	0.077	0.206	19.6	-97.6
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	0	130	6	584	0.077	0.206	-69.4	176.7
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4
SU 4	Scan	M5	Floor	Concrete	1	119	6	584	0.077	0.206	-47.1	85.2
SU 4	Scan	M5	Floor	Concrete	2	101	6	584	0.077	0.206	-24.9	-64.4
SU 4	Scan	M5	Floor	Concrete	0	129	6	584	0.077	0.206	-69.4	168.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	2	131	6	584	0.077	0.206	-24.9	185.0
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	5	111	6	584	0.077	0.206	41.8	18.7
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7
SU 4	Scan	M5	Floor	Concrete	1	113	6	584	0.077	0.206	-47.1	35.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	0	131	6	584	0.077	0.206	-69.4	185.0
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	8	141	6	584	0.077	0.206	108.5	268.1
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	107	6	584	0.077	0.206	41.8	-14.5
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	0	103	6	584	0.077	0.206	-69.4	-47.8
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	2	112	6	584	0.077	0.206	-24.9	27.1
SU 4	Scan	M5	Floor	Concrete	6	99	6	584	0.077	0.206	64.0	-81.0
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	1	132	6	584	0.077	0.206	-47.1	193.3
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	2	110	6	584	0.077	0.206	-24.9	10.4
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	5	101	6	584	0.077	0.206	41.8	-64.4
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	2	135	6	584	0.077	0.206	-24.9	218.2
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	112	6	584	0.077	0.206	19.6	27.1
SU 4	Scan	M5	Floor	Concrete	4	95	6	584	0.077	0.206	19.6	-114.3
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	5	124	6	584	0.077	0.206	41.8	126.8
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	2	103	6	584	0.077	0.206	-24.9	-47.8
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	106	6	584	0.077	0.206	64.0	-22.8
SU 4	Scan	M5	Floor	Concrete	1	112	6	584	0.077	0.206	-47.1	27.1
SU 4	Scan	M5	Floor	Concrete	0	113	6	584	0.077	0.206	-69.4	35.4
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	2	96	6	584	0.077	0.206	-24.9	-105.9
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	6	134	6	584	0.077	0.206	64.0	209.9
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	5	100	6	584	0.077	0.206	41.8	-72.7
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	3	110	6	584	0.077	0.206	-2.7	10.4
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	4	144	6	584	0.077	0.206	19.6	293.0
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	3	109	6	584	0.077	0.206	-2.7	2.1
SU 4	Scan	M5	Floor	Concrete	7	125	6	584	0.077	0.206	86.3	135.1
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	0	111	6	584	0.077	0.206	-69.4	18.7
SU 4	Scan	M5	Floor	Concrete	4	99	6	584	0.077	0.206	19.6	-81.0
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	9	102	6	584	0.077	0.206	130.8	-56.1
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	4	106	6	584	0.077	0.206	19.6	-22.8
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	6	129	6	584	0.077	0.206	64.0	168.4
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	0	87	6	584	0.077	0.206	-69.4	-180.8
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	0	112	6	584	0.077	0.206	-69.4	27.1
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	6	97	6	584	0.077	0.206	64.0	-97.6
SU 4	Scan	M5	Floor	Concrete	2	116	6	584	0.077	0.206	-24.9	60.3
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	4	116	6	584	0.077	0.206	19.6	60.3
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	7	136	6	584	0.077	0.206	86.3	226.6
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	3	99	6	584	0.077	0.206	-2.7	-81.0
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	2	89	6	584	0.077	0.206	-24.9	-164.1
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	111	6	584	0.077	0.206	64.0	18.7
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	3	134	6	584	0.077	0.206	-2.7	209.9
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	3	135	6	584	0.077	0.206	-2.7	218.2
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	4	110	6	584	0.077	0.206	19.6	10.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	145	6	584	0.077	0.206	41.8	301.4
SU 4	Scan	M5	Floor	Concrete	6	124	6	584	0.077	0.206	64.0	126.8
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	5	95	6	584	0.077	0.206	41.8	-114.3
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	0	107	6	584	0.077	0.206	-69.4	-14.5
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	5	115	6	584	0.077	0.206	41.8	52.0
SU 4	Scan	M5	Floor	Concrete	1	117	6	584	0.077	0.206	-47.1	68.6
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	8	126	6	584	0.077	0.206	108.5	143.4
SU 4	Scan	M5	Floor	Concrete	3	105	6	584	0.077	0.206	-2.7	-31.1
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	1	125	6	584	0.077	0.206	-47.1	135.1
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	8	138	6	584	0.077	0.206	108.5	243.2
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	4	96	6	584	0.077	0.206	19.6	-105.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	141	6	584	0.077	0.206	64.0	268.1
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	2	129	6	584	0.077	0.206	-24.9	168.4
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	0	116	6	584	0.077	0.206	-69.4	60.3
SU 4	Scan	M5	Floor	Concrete	1	106	6	584	0.077	0.206	-47.1	-22.8
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	3	149	6	584	0.077	0.206	-2.7	334.6
SU 4	Scan	M5	Floor	Concrete	0	117	6	584	0.077	0.206	-69.4	68.6
SU 4	Scan	M5	Floor	Concrete	6	113	6	584	0.077	0.206	64.0	35.4
SU 4	Scan	M5	Floor	Concrete	2	120	6	584	0.077	0.206	-24.9	93.6
SU 4	Scan	M5	Floor	Concrete	4	103	6	584	0.077	0.206	19.6	-47.8
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	3	142	6	584	0.077	0.206	-2.7	276.4
SU 4	Scan	M5	Floor	Concrete	6	109	6	584	0.077	0.206	64.0	2.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	126	6	584	0.077	0.206	19.6	143.4
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	1	120	6	584	0.077	0.206	-47.1	93.6
SU 4	Scan	M5	Floor	Concrete	6	145	6	584	0.077	0.206	64.0	301.4
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	128	6	584	0.077	0.206	-24.9	160.1
SU 4	Scan	M5	Floor	Concrete	3	127	6	584	0.077	0.206	-2.7	151.7
SU 4	Scan	M5	Floor	Concrete	5	103	6	584	0.077	0.206	41.8	-47.8
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	1	101	6	584	0.077	0.206	-47.1	-64.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	106	6	584	0.077	0.206	-24.9	-22.8
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	6	112	6	584	0.077	0.206	64.0	27.1
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	1	102	6	584	0.077	0.206	-47.1	-56.1
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	4	131	6	584	0.077	0.206	19.6	185.0
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	3	138	6	584	0.077	0.206	-2.7	243.2
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	2	122	6	584	0.077	0.206	-24.9	110.2
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	4	135	6	584	0.077	0.206	19.6	218.2
SU 4	Scan	M5	Floor	Concrete	4	124	6	584	0.077	0.206	19.6	126.8
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	5	130	6	584	0.077	0.206	41.8	176.7
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	1	105	6	584	0.077	0.206	-47.1	-31.1
SU 4	Scan	M5	Floor	Concrete	0	109	6	584	0.077	0.206	-69.4	2.1
SU 4	Scan	M5	Floor	Concrete	1	133	6	584	0.077	0.206	-47.1	201.6
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	2	104	6	584	0.077	0.206	-24.9	-39.4
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	1	128	6	584	0.077	0.206	-47.1	160.1
SU 4	Scan	M5	Floor	Concrete	3	130	6	584	0.077	0.206	-2.7	176.7
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	2	127	6	584	0.077	0.206	-24.9	151.7
SU 4	Scan	M5	Floor	Concrete	0	119	6	584	0.077	0.206	-69.4	85.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	2	111	6	584	0.077	0.206	-24.9	18.7
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	0	135	6	584	0.077	0.206	-69.4	218.2
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	2	97	6	584	0.077	0.206	-24.9	-97.6
SU 4	Scan	M5	Floor	Concrete	1	111	6	584	0.077	0.206	-47.1	18.7
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	3	95	6	584	0.077	0.206	-2.7	-114.3
SU 4	Scan	M5	Floor	Concrete	3	122	6	584	0.077	0.206	-2.7	110.2
SU 4	Scan	M5	Floor	Concrete	3	101	6	584	0.077	0.206	-2.7	-64.4
SU 4	Scan	M5	Floor	Concrete	9	118	6	584	0.077	0.206	130.8	76.9
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	1	109	6	584	0.077	0.206	-47.1	2.1
SU 4	Scan	M5	Floor	Concrete	5	146	6	584	0.077	0.206	41.8	309.7
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	1	130	6	584	0.077	0.206	-47.1	176.7
SU 4	Scan	M5	Floor	Concrete	7	105	6	584	0.077	0.206	86.3	-31.1
SU 4	Scan	M5	Floor	Concrete	1	129	6	584	0.077	0.206	-47.1	168.4
SU 4	Scan	M5	Floor	Concrete	3	111	6	584	0.077	0.206	-2.7	18.7
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	6	130	6	584	0.077	0.206	64.0	176.7
SU 4	Scan	M5	Floor	Concrete	4	93	6	584	0.077	0.206	19.6	-130.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	5	108	6	584	0.077	0.206	41.8	-6.2
SU 4	Scan	M5	Floor	Concrete	3	113	6	584	0.077	0.206	-2.7	35.4
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	1	89	6	584	0.077	0.206	-47.1	-164.1
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	5	109	6	584	0.077	0.206	41.8	2.1
SU 4	Scan	M5	Floor	Concrete	2	117	6	584	0.077	0.206	-24.9	68.6
SU 4	Scan	M5	Floor	Concrete	0	126	6	584	0.077	0.206	-69.4	143.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	102	6	584	0.077	0.206	19.6	-56.1
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	6	122	6	584	0.077	0.206	64.0	110.2
SU 4	Scan	M5	Floor	Concrete	3	106	6	584	0.077	0.206	-2.7	-22.8
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	2	107	6	584	0.077	0.206	-24.9	-14.5
SU 4	Scan	M5	Floor	Concrete	1	127	6	584	0.077	0.206	-47.1	151.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	2	133	6	584	0.077	0.206	-24.9	201.6
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	1	99	6	584	0.077	0.206	-47.1	-81.0
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	141	6	584	0.077	0.206	-2.7	268.1
SU 4	Scan	M5	Floor	Concrete	2	109	6	584	0.077	0.206	-24.9	2.1
SU 4	Scan	M5	Floor	Concrete	1	114	6	584	0.077	0.206	-47.1	43.7
SU 4	Scan	M5	Floor	Concrete	0	123	6	584	0.077	0.206	-69.4	118.5
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	3	103	6	584	0.077	0.206	-2.7	-47.8
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	118	6	584	0.077	0.206	-24.9	76.9
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	5	121	6	584	0.077	0.206	41.8	101.9
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	0	132	6	584	0.077	0.206	-69.4	193.3
SU 4	Scan	M5	Floor	Concrete	2	126	6	584	0.077	0.206	-24.9	143.4
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	0	98	6	584	0.077	0.206	-69.4	-89.3
SU 4	Scan	M5	Floor	Concrete	5	131	6	584	0.077	0.206	41.8	185.0
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	116	6	584	0.077	0.206	-2.7	60.3
SU 4	Scan	M5	Floor	Concrete	6	149	6	584	0.077	0.206	64.0	334.6
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	0	151	6	584	0.077	0.206	-69.4	351.2
SU 4	Scan	M5	Floor	Concrete	2	125	6	584	0.077	0.206	-24.9	135.1
SU 4	Scan	M5	Floor	Concrete	1	122	6	584	0.077	0.206	-47.1	110.2
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	1	126	6	584	0.077	0.206	-47.1	143.4
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	6	127	6	584	0.077	0.206	64.0	151.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	0	118	6	584	0.077	0.206	-69.4	76.9
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	4	105	6	584	0.077	0.206	19.6	-31.1
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	4	80	6	584	0.067	0.196	50.3	-153.7
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	74	6	584	0.067	0.196	24.8	-206.1
SU 4	Scan	M6	Floor	Concrete	3	80	6	584	0.067	0.196	24.8	-153.7
SU 4	Scan	M6	Floor	Concrete	2	81	6	584	0.067	0.196	-0.8	-145.0
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	1	87	6	584	0.067	0.196	-26.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7
SU 4	Scan	M6	Floor	Concrete	4	81	6	584	0.067	0.196	50.3	-145.0
SU 4	Scan	M6	Floor	Concrete	2	82	6	584	0.067	0.196	-0.8	-136.2
SU 4	Scan	M6	Floor	Concrete	3	70	6	584	0.067	0.196	24.8	-241.1
SU 4	Scan	M6	Floor	Concrete	2	83	6	584	0.067	0.196	-0.8	-127.5
SU 4	Scan	M6	Floor	Concrete	1	84	6	584	0.067	0.196	-26.3	-118.7
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	58	6	584	0.067	0.196	-26.3	-345.9
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	75	6	584	0.067	0.196	-26.3	-197.4
SU 4	Scan	M6	Floor	Concrete	2	72	6	584	0.067	0.196	-0.8	-223.6
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	1	74	6	584	0.067	0.196	-26.3	-206.1
SU 4	Scan	M6	Floor	Concrete	0	65	6	584	0.067	0.196	-51.9	-284.7
SU 4	Scan	M6	Floor	Concrete	1	80	6	584	0.067	0.196	-26.3	-153.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	51	6	584	0.067	0.196	-51.9	-407.0
SU 4	Scan	M6	Floor	Concrete	1	71	6	584	0.067	0.196	-26.3	-232.3
SU 4	Scan	M6	Floor	Concrete	1	74	6	584	0.067	0.196	-26.3	-206.1
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	5	63	6	584	0.067	0.196	75.9	-302.2
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	0	58	6	584	0.067	0.196	-51.9	-345.9
SU 4	Scan	M6	Floor	Concrete	0	75	6	584	0.067	0.196	-51.9	-197.4
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	4	62	6	584	0.067	0.196	50.3	-310.9
SU 4	Scan	M6	Floor	Concrete	0	63	6	584	0.067	0.196	-51.9	-302.2
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	3	50	6	584	0.067	0.196	24.8	-415.8
SU 4	Scan	M6	Floor	Concrete	2	60	6	584	0.067	0.196	-0.8	-328.4
SU 4	Scan	M6	Floor	Concrete	1	81	6	584	0.067	0.196	-26.3	-145.0
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	0	52	6	584	0.067	0.196	-51.9	-398.3
SU 4	Scan	M6	Floor	Concrete	0	57	6	584	0.067	0.196	-51.9	-354.6
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	0	42	6	584	0.067	0.196	-51.9	-485.7
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	4	63	6	584	0.067	0.196	50.3	-302.2
SU 4	Scan	M6	Floor	Concrete	1	44	6	584	0.067	0.196	-26.3	-468.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	0	53	6	584	0.067	0.196	-51.9	-389.6
SU 4	Scan	M6	Floor	Concrete	4	61	6	584	0.067	0.196	50.3	-319.7
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	1	77	6	584	0.067	0.196	-26.3	-179.9
SU 4	Scan	M6	Floor	Concrete	0	55	6	584	0.067	0.196	-51.9	-372.1
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	3	54	6	584	0.067	0.196	24.8	-380.8
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	3	62	6	584	0.067	0.196	24.8	-310.9
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6
SU 4	Scan	M6	Floor	Concrete	3	56	6	584	0.067	0.196	24.8	-363.4
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	3	54	6	584	0.067	0.196	24.8	-380.8
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	2	54	6	584	0.067	0.196	-0.8	-380.8
SU 4	Scan	M6	Floor	Concrete	2	47	6	584	0.067	0.196	-0.8	-442.0
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	0	63	6	584	0.067	0.196	-51.9	-302.2
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	3	58	6	584	0.067	0.196	24.8	-345.9
SU 4	Scan	M6	Floor	Concrete	0	54	6	584	0.067	0.196	-51.9	-380.8
SU 4	Scan	M6	Floor	Concrete	3	46	6	584	0.067	0.196	24.8	-450.7
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	3	50	6	584	0.067	0.196	24.8	-415.8
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	2	42	6	584	0.067	0.196	-0.8	-485.7
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	0	44	6	584	0.067	0.196	-51.9	-468.2
SU 4	Scan	M6	Floor	Concrete	0	68	6	584	0.067	0.196	-51.9	-258.5
SU 4	Scan	M6	Floor	Concrete	3	53	6	584	0.067	0.196	24.8	-389.6
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	3	46	6	584	0.067	0.196	24.8	-450.7
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	0	45	6	584	0.067	0.196	-51.9	-459.5
SU 4	Scan	M6	Floor	Concrete	2	58	6	584	0.067	0.196	-0.8	-345.9
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	2	55	6	584	0.067	0.196	-0.8	-372.1
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	64	6	584	0.067	0.196	-51.9	-293.5
SU 4	Scan	M6	Floor	Concrete	0	42	6	584	0.067	0.196	-51.9	-485.7
SU 4	Scan	M6	Floor	Concrete	0	54	6	584	0.067	0.196	-51.9	-380.8
SU 4	Scan	M6	Floor	Concrete	1	28	6	584	0.067	0.196	-26.3	-608.0
SU 4	Scan	M6	Floor	Concrete	2	52	6	584	0.067	0.196	-0.8	-398.3
SU 4	Scan	M6	Floor	Concrete	2	38	6	584	0.067	0.196	-0.8	-520.6
SU 4	Scan	M6	Floor	Concrete	4	48	6	584	0.067	0.196	50.3	-433.3
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	0	46	6	584	0.067	0.196	-51.9	-450.7
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	2	49	6	584	0.067	0.196	-0.8	-424.5
SU 4	Scan	M6	Floor	Concrete	0	39	6	584	0.067	0.196	-51.9	-511.9
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	2	47	6	584	0.067	0.196	-0.8	-442.0
SU 4	Scan	M6	Floor	Concrete	1	33	6	584	0.067	0.196	-26.3	-564.3
SU 4	Scan	M6	Floor	Concrete	0	34	6	584	0.067	0.196	-51.9	-555.6
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	0	40	6	584	0.067	0.196	-51.9	-503.1
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	0	52	6	584	0.067	0.196	-51.9	-398.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	0	43	6	584	0.067	0.196	-51.9	-476.9
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	2	59	6	584	0.067	0.196	-0.8	-337.2
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	2	62	6	584	0.067	0.196	-0.8	-310.9
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	1	47	6	584	0.067	0.196	-26.3	-442.0
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	0	45	6	584	0.067	0.196	-51.9	-459.5
SU 4	Scan	M6	Floor	Concrete	1	44	6	584	0.067	0.196	-26.3	-468.2
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	0	60	6	584	0.067	0.196	-51.9	-328.4
SU 4	Scan	M6	Floor	Concrete	0	70	6	584	0.067	0.196	-51.9	-241.1
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	0	61	6	584	0.067	0.196	-51.9	-319.7
SU 4	Scan	M6	Floor	Concrete	1	72	6	584	0.067	0.196	-26.3	-223.6
SU 4	Scan	M6	Floor	Concrete	0	44	6	584	0.067	0.196	-51.9	-468.2
SU 4	Scan	M6	Floor	Concrete	4	56	6	584	0.067	0.196	50.3	-363.4
SU 4	Scan	M6	Floor	Concrete	0	42	6	584	0.067	0.196	-51.9	-485.7
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	0	58	6	584	0.067	0.196	-51.9	-345.9
SU 4	Scan	M6	Floor	Concrete	3	44	6	584	0.067	0.196	24.8	-468.2
SU 4	Scan	M6	Floor	Concrete	1	63	6	584	0.067	0.196	-26.3	-302.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	2	40	6	584	0.067	0.196	-0.8	-503.1
SU 4	Scan	M6	Floor	Concrete	0	58	6	584	0.067	0.196	-51.9	-345.9
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	1	36	6	584	0.067	0.196	-26.3	-538.1
SU 4	Scan	M6	Floor	Concrete	2	55	6	584	0.067	0.196	-0.8	-372.1
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	1	39	6	584	0.067	0.196	-26.3	-511.9
SU 4	Scan	M6	Floor	Concrete	4	50	6	584	0.067	0.196	50.3	-415.8
SU 4	Scan	M6	Floor	Concrete	0	60	6	584	0.067	0.196	-51.9	-328.4
SU 4	Scan	M6	Floor	Concrete	3	60	6	584	0.067	0.196	24.8	-328.4
SU 4	Scan	M6	Floor	Concrete	0	62	6	584	0.067	0.196	-51.9	-310.9
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	0	52	6	584	0.067	0.196	-51.9	-398.3
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3
SU 4	Scan	M6	Floor	Concrete	2	44	6	584	0.067	0.196	-0.8	-468.2
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	0	41	6	584	0.067	0.196	-51.9	-494.4
SU 4	Scan	M6	Floor	Concrete	0	60	6	584	0.067	0.196	-51.9	-328.4
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3
SU 4	Scan	M6	Floor	Concrete	0	46	6	584	0.067	0.196	-51.9	-450.7
SU 4	Scan	M6	Floor	Concrete	2	64	6	584	0.067	0.196	-0.8	-293.5
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	3	37	6	584	0.067	0.196	24.8	-529.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	0	46	6	584	0.067	0.196	-51.9	-450.7
SU 4	Scan	M6	Floor	Concrete	0	53	6	584	0.067	0.196	-51.9	-389.6
SU 4	Scan	M6	Floor	Concrete	3	55	6	584	0.067	0.196	24.8	-372.1
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	1	45	6	584	0.067	0.196	-26.3	-459.5
SU 4	Scan	M6	Floor	Concrete	2	43	6	584	0.067	0.196	-0.8	-476.9
SU 4	Scan	M6	Floor	Concrete	1	42	6	584	0.067	0.196	-26.3	-485.7
SU 4	Scan	M6	Floor	Concrete	0	58	6	584	0.067	0.196	-51.9	-345.9
SU 4	Scan	M6	Floor	Concrete	0	40	6	584	0.067	0.196	-51.9	-503.1
SU 4	Scan	M6	Floor	Concrete	2	44	6	584	0.067	0.196	-0.8	-468.2
SU 4	Scan	M6	Floor	Concrete	0	53	6	584	0.067	0.196	-51.9	-389.6
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	1	45	6	584	0.067	0.196	-26.3	-459.5
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	2	55	6	584	0.067	0.196	-0.8	-372.1
SU 4	Scan	M6	Floor	Concrete	3	57	6	584	0.067	0.196	24.8	-354.6
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	2	41	6	584	0.067	0.196	-0.8	-494.4
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	2	63	6	584	0.067	0.196	-0.8	-302.2
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	2	60	6	584	0.067	0.196	-0.8	-328.4
SU 4	Scan	M6	Floor	Concrete	4	47	6	584	0.067	0.196	50.3	-442.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	41	6	584	0.067	0.196	-51.9	-494.4
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	1	65	6	584	0.067	0.196	-26.3	-284.7
SU 4	Scan	M6	Floor	Concrete	0	54	6	584	0.067	0.196	-51.9	-380.8
SU 4	Scan	M6	Floor	Concrete	0	59	6	584	0.067	0.196	-51.9	-337.2
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	0	59	6	584	0.067	0.196	-51.9	-337.2
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	4	52	6	584	0.067	0.196	50.3	-398.3
SU 4	Scan	M6	Floor	Concrete	0	65	6	584	0.067	0.196	-51.9	-284.7
SU 4	Scan	M6	Floor	Concrete	1	67	6	584	0.067	0.196	-26.3	-267.3
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	1	60	6	584	0.067	0.196	-26.3	-328.4
SU 4	Scan	M6	Floor	Concrete	1	68	6	584	0.067	0.196	-26.3	-258.5
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	2	45	6	584	0.067	0.196	-0.8	-459.5
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	0	51	6	584	0.067	0.196	-51.9	-407.0
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	2	42	6	584	0.067	0.196	-0.8	-485.7
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	2	46	6	584	0.067	0.196	-0.8	-450.7
SU 4	Scan	M6	Floor	Concrete	0	46	6	584	0.067	0.196	-51.9	-450.7
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	0	64	6	584	0.067	0.196	-51.9	-293.5
SU 4	Scan	M6	Floor	Concrete	0	61	6	584	0.067	0.196	-51.9	-319.7
SU 4	Scan	M6	Floor	Concrete	1	55	6	584	0.067	0.196	-26.3	-372.1
SU 4	Scan	M6	Floor	Concrete	0	55	6	584	0.067	0.196	-51.9	-372.1
SU 4	Scan	M6	Floor	Concrete	1	41	6	584	0.067	0.196	-26.3	-494.4
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	0	53	6	584	0.067	0.196	-51.9	-389.6
SU 4	Scan	M6	Floor	Concrete	0	53	6	584	0.067	0.196	-51.9	-389.6
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	1	45	6	584	0.067	0.196	-26.3	-459.5
SU 4	Scan	M6	Floor	Concrete	2	42	6	584	0.067	0.196	-0.8	-485.7
SU 4	Scan	M6	Floor	Concrete	0	55	6	584	0.067	0.196	-51.9	-372.1
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	0	50	6	584	0.067	0.196	-51.9	-415.8
SU 4	Scan	M6	Floor	Concrete	0	43	6	584	0.067	0.196	-51.9	-476.9
SU 4	Scan	M6	Floor	Concrete	0	44	6	584	0.067	0.196	-51.9	-468.2
SU 4	Scan	M6	Floor	Concrete	0	43	6	584	0.067	0.196	-51.9	-476.9
SU 4	Scan	M6	Floor	Concrete	1	59	6	584	0.067	0.196	-26.3	-337.2
SU 4	Scan	M6	Floor	Concrete	3	58	6	584	0.067	0.196	24.8	-345.9
SU 4	Scan	M6	Floor	Concrete	0	39	6	584	0.067	0.196	-51.9	-511.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	44	6	584	0.067	0.196	-51.9	-468.2
SU 4	Scan	M6	Floor	Concrete	2	46	6	584	0.067	0.196	-0.8	-450.7
SU 4	Scan	M6	Floor	Concrete	3	59	6	584	0.067	0.196	24.8	-337.2
SU 4	Scan	M6	Floor	Concrete	1	53	6	584	0.067	0.196	-26.3	-389.6
SU 4	Scan	M6	Floor	Concrete	2	37	6	584	0.067	0.196	-0.8	-529.4
SU 4	Scan	M6	Floor	Concrete	1	58	6	584	0.067	0.196	-26.3	-345.9
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	3	41	6	584	0.067	0.196	24.8	-494.4
SU 4	Scan	M6	Floor	Concrete	3	53	6	584	0.067	0.196	24.8	-389.6
SU 4	Scan	M6	Floor	Concrete	3	61	6	584	0.067	0.196	24.8	-319.7
SU 4	Scan	M6	Floor	Concrete	1	44	6	584	0.067	0.196	-26.3	-468.2
SU 4	Scan	M6	Floor	Concrete	0	46	6	584	0.067	0.196	-51.9	-450.7
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	1	51	6	584	0.067	0.196	-26.3	-407.0
SU 4	Scan	M6	Floor	Concrete	2	65	6	584	0.067	0.196	-0.8	-284.7
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	0	60	6	584	0.067	0.196	-51.9	-328.4
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	1	62	6	584	0.067	0.196	-26.3	-310.9
SU 4	Scan	M6	Floor	Concrete	0	66	6	584	0.067	0.196	-51.9	-276.0
SU 4	Scan	M6	Floor	Concrete	2	53	6	584	0.067	0.196	-0.8	-389.6
SU 4	Scan	M6	Floor	Concrete	1	61	6	584	0.067	0.196	-26.3	-319.7
SU 4	Scan	M6	Floor	Concrete	2	71	6	584	0.067	0.196	-0.8	-232.3
SU 4	Scan	M6	Floor	Concrete	2	56	6	584	0.067	0.196	-0.8	-363.4
SU 4	Scan	M6	Floor	Concrete	1	62	6	584	0.067	0.196	-26.3	-310.9
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	1	58	6	584	0.067	0.196	-26.3	-345.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	0	45	6	584	0.067	0.196	-51.9	-459.5
SU 4	Scan	M6	Floor	Concrete	0	44	6	584	0.067	0.196	-51.9	-468.2
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4
SU 4	Scan	M6	Floor	Concrete	2	46	6	584	0.067	0.196	-0.8	-450.7
SU 4	Scan	M6	Floor	Concrete	0	45	6	584	0.067	0.196	-51.9	-459.5
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	4	42	6	584	0.067	0.196	50.3	-485.7
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	2	41	6	584	0.067	0.196	-0.8	-494.4
SU 4	Scan	M6	Floor	Concrete	2	47	6	584	0.067	0.196	-0.8	-442.0
SU 4	Scan	M6	Floor	Concrete	1	66	6	584	0.067	0.196	-26.3	-276.0
SU 4	Scan	M6	Floor	Concrete	3	63	6	584	0.067	0.196	24.8	-302.2
SU 4	Scan	M6	Floor	Concrete	3	48	6	584	0.067	0.196	24.8	-433.3
SU 4	Scan	M6	Floor	Concrete	4	55	6	584	0.067	0.196	50.3	-372.1
SU 4	Scan	M6	Floor	Concrete	0	70	6	584	0.067	0.196	-51.9	-241.1
SU 4	Scan	M6	Floor	Concrete	2	61	6	584	0.067	0.196	-0.8	-319.7
SU 4	Scan	M6	Floor	Concrete	0	64	6	584	0.067	0.196	-51.9	-293.5
SU 4	Scan	M6	Floor	Concrete	1	49	6	584	0.067	0.196	-26.3	-424.5
SU 4	Scan	M6	Floor	Concrete	1	64	6	584	0.067	0.196	-26.3	-293.5
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	1	40	6	584	0.067	0.196	-26.3	-503.1
SU 4	Scan	M6	Floor	Concrete	2	47	6	584	0.067	0.196	-0.8	-442.0
SU 4	Scan	M6	Floor	Concrete	1	50	6	584	0.067	0.196	-26.3	-415.8
SU 4	Scan	M6	Floor	Concrete	1	54	6	584	0.067	0.196	-26.3	-380.8
SU 4	Scan	M6	Floor	Concrete	0	56	6	584	0.067	0.196	-51.9	-363.4
SU 4	Scan	M6	Floor	Concrete	1	55	6	584	0.067	0.196	-26.3	-372.1
SU 4	Scan	M6	Floor	Concrete	1	44	6	584	0.067	0.196	-26.3	-468.2
SU 4	Scan	M6	Floor	Concrete	2	48	6	584	0.067	0.196	-0.8	-433.3

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	1	45	6	584	0.067	0.196	-26.3	-459.5
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	1	41	6	584	0.067	0.196	-26.3	-494.4
SU 4	Scan	M6	Floor	Concrete	2	51	6	584	0.067	0.196	-0.8	-407.0
SU 4	Scan	M6	Floor	Concrete	0	34	6	584	0.067	0.196	-51.9	-555.6
SU 4	Scan	M6	Floor	Concrete	2	47	6	584	0.067	0.196	-0.8	-442.0
SU 4	Scan	M6	Floor	Concrete	0	39	6	584	0.067	0.196	-51.9	-511.9
SU 4	Scan	M6	Floor	Concrete	4	46	6	584	0.067	0.196	50.3	-450.7
SU 4	Scan	M6	Floor	Concrete	0	36	6	584	0.067	0.196	-51.9	-538.1
SU 4	Scan	M6	Floor	Concrete	3	43	6	584	0.067	0.196	24.8	-476.9
SU 4	Scan	M6	Floor	Concrete	0	41	6	584	0.067	0.196	-51.9	-494.4
SU 4	Scan	M6	Floor	Concrete	1	35	6	584	0.067	0.196	-26.3	-546.8
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	0	43	6	584	0.067	0.196	-51.9	-476.9
SU 4	Scan	M6	Floor	Concrete	2	43	6	584	0.067	0.196	-0.8	-476.9
SU 4	Scan	M6	Floor	Concrete	1	42	6	584	0.067	0.196	-26.3	-485.7
SU 4	Scan	M6	Floor	Concrete	2	50	6	584	0.067	0.196	-0.8	-415.8
SU 4	Scan	M6	Floor	Concrete	1	34	6	584	0.067	0.196	-26.3	-555.6
SU 4	Scan	M6	Floor	Concrete	1	57	6	584	0.067	0.196	-26.3	-354.6
SU 4	Scan	M6	Floor	Concrete	0	38	6	584	0.067	0.196	-51.9	-520.6
SU 4	Scan	M6	Floor	Concrete	1	47	6	584	0.067	0.196	-26.3	-442.0
SU 4	Scan	M6	Floor	Concrete	2	39	6	584	0.067	0.196	-0.8	-511.9
SU 4	Scan	M6	Floor	Concrete	2	37	6	584	0.067	0.196	-0.8	-529.4
SU 4	Scan	M6	Floor	Concrete	1	48	6	584	0.067	0.196	-26.3	-433.3
SU 4	Scan	M6	Floor	Concrete	1	56	6	584	0.067	0.196	-26.3	-363.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	2	42	6	584	0.067	0.196	-0.8	-485.7
SU 4	Scan	M6	Floor	Concrete	0	42	6	584	0.067	0.196	-51.9	-485.7
SU 4	Scan	M6	Floor	Concrete	0	48	6	584	0.067	0.196	-51.9	-433.3
SU 4	Scan	M6	Floor	Concrete	2	44	6	584	0.067	0.196	-0.8	-468.2
SU 4	Scan	M6	Floor	Concrete	0	45	6	584	0.067	0.196	-51.9	-459.5
SU 4	Scan	M6	Floor	Concrete	1	45	6	584	0.067	0.196	-26.3	-459.5
SU 4	Scan	M6	Floor	Concrete	0	49	6	584	0.067	0.196	-51.9	-424.5
SU 4	Scan	M6	Floor	Concrete	3	37	6	584	0.067	0.196	24.8	-529.4
SU 4	Scan	M6	Floor	Concrete	1	39	6	584	0.067	0.196	-26.3	-511.9
SU 4	Scan	M6	Floor	Concrete	1	35	6	584	0.067	0.196	-26.3	-546.8
SU 4	Scan	M6	Floor	Concrete	2	57	6	584	0.067	0.196	-0.8	-354.6
SU 4	Scan	M6	Floor	Concrete	1	34	6	584	0.067	0.196	-26.3	-555.6
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	2	37	6	584	0.067	0.196	-0.8	-529.4
SU 4	Scan	M6	Floor	Concrete	0	38	6	584	0.067	0.196	-51.9	-520.6
SU 4	Scan	M6	Floor	Concrete	0	53	6	584	0.067	0.196	-51.9	-389.6
SU 4	Scan	M6	Floor	Concrete	0	47	6	584	0.067	0.196	-51.9	-442.0
SU 4	Scan	M6	Floor	Concrete	1	31	6	584	0.067	0.196	-26.3	-581.8
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	0	34	6	584	0.067	0.196	-51.9	-555.6
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	2	46	6	584	0.067	0.196	-0.8	-450.7
SU 4	Scan	M6	Floor	Concrete	1	47	6	584	0.067	0.196	-26.3	-442.0
SU 4	Scan	M6	Floor	Concrete	1	43	6	584	0.067	0.196	-26.3	-476.9
SU 4	Scan	M6	Floor	Concrete	1	32	6	584	0.067	0.196	-26.3	-573.0
SU 4	Scan	M6	Floor	Concrete	1	46	6	584	0.067	0.196	-26.3	-450.7
SU 4	Scan	M6	Floor	Concrete	0	27	6	584	0.067	0.196	-51.9	-616.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	34	6	584	0.067	0.196	-26.3	-555.6
SU 4	Scan	M6	Floor	Concrete	1	52	6	584	0.067	0.196	-26.3	-398.3
SU 4	Scan	M6	Floor	Concrete	0	37	6	584	0.067	0.196	-51.9	-529.4
SU 4	Scan	M6	Floor	Concrete	0	41	6	584	0.067	0.196	-51.9	-494.4
SU 4	Scan	M6	Floor	Concrete	2	35	6	584	0.067	0.196	-0.8	-546.8
SU 4	Scan	M6	Floor	Concrete	2	37	6	584	0.067	0.196	-0.8	-529.4
SU 4	Scan	M6	Floor	Concrete	0	33	6	584	0.067	0.196	-51.9	-564.3
SU 4	Scan	M6	Floor	Concrete	2	36	6	584	0.067	0.196	-0.8	-538.1
SU 4	Scan	M6	Floor	Concrete	2	31	6	584	0.067	0.196	-0.8	-581.8
SU 4	Scan	M6	Floor	Concrete	3	34	6	584	0.067	0.196	24.8	-555.6
SU 4	Scan	M6	Floor	Concrete	2	30	6	584	0.067	0.196	-0.8	-590.5
SU 4	Scan	M6	Floor	Concrete	1	38	6	584	0.067	0.196	-26.3	-520.6
SU 4	Scan	M6	Floor	Concrete	3	39	6	584	0.067	0.196	24.8	-511.9
SU 4	Scan	M6	Floor	Concrete	2	32	6	584	0.067	0.196	-0.8	-573.0
SU 4	Scan	M6	Floor	Concrete	2	35	6	584	0.067	0.196	-0.8	-546.8
SU 4	Scan	M6	Floor	Concrete	1	30	6	584	0.067	0.196	-26.3	-590.5
SU 4	Scan	M6	Floor	Concrete	1	31	6	584	0.067	0.196	-26.3	-581.8
SU 4	Scan	M6	Floor	Concrete	1	39	6	584	0.067	0.196	-26.3	-511.9
SU 4	Scan	M6	Floor	Concrete	0	22	6	584	0.067	0.196	-51.9	-660.4
SU 4	Scan	M6	Floor	Concrete	0	21	6	584	0.067	0.196	-51.9	-669.1
SU 4	Scan	M6	Floor	Concrete	1	22	6	584	0.067	0.196	-26.3	-660.4
SU 4	Scan	M6	Floor	Concrete	2	26	6	584	0.067	0.196	-0.8	-625.5
SU 4	Scan	M6	Floor	Concrete	1	31	6	584	0.067	0.196	-26.3	-581.8
SU 4	Scan	M6	Floor	Concrete	2	25	6	584	0.067	0.196	-0.8	-634.2
SU 4	Scan	M6	Floor	Concrete	0	17	6	584	0.067	0.196	-51.9	-704.1
SU 4	Scan	M6	Floor	Concrete	1	17	6	584	0.067	0.196	-26.3	-704.1
SU 4	Scan	M6	Floor	Concrete	2	23	6	584	0.067	0.196	-0.8	-651.7
SU 4	Scan	M6	Floor	Concrete	0	19	6	584	0.067	0.196	-51.9	-686.6
SU 4	Scan	M6	Floor	Concrete	0	28	6	584	0.067	0.196	-51.9	-608.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	22	6	584	0.067	0.196	-26.3	-660.4
SU 4	Scan	M6	Floor	Concrete	1	18	6	584	0.067	0.196	-26.3	-695.3
SU 4	Scan	M6	Floor	Concrete	0	23	6	584	0.067	0.196	-51.9	-651.7
SU 4	Scan	M6	Floor	Concrete	1	25	6	584	0.067	0.196	-26.3	-634.2
SU 4	Scan	M6	Floor	Concrete	0	27	6	584	0.067	0.196	-51.9	-616.7
SU 4	Scan	M6	Floor	Concrete	0	22	6	584	0.067	0.196	-51.9	-660.4
SU 4	Scan	M6	Floor	Concrete	0	16	6	584	0.067	0.196	-51.9	-712.8
SU 4	Scan	M6	Floor	Concrete	0	17	6	584	0.067	0.196	-51.9	-704.1
SU 4	Scan	M6	Floor	Concrete	0	9	6	584	0.067	0.196	-51.9	-774.0
SU 4	Scan	M6	Floor	Concrete	0	14	6	584	0.067	0.196	-51.9	-730.3
SU 4	Scan	M6	Floor	Concrete	1	18	6	584	0.067	0.196	-26.3	-695.3
SU 4	Scan	M6	Floor	Concrete	1	19	6	584	0.067	0.196	-26.3	-686.6
SU 4	Scan	M6	Floor	Concrete	1	27	6	584	0.067	0.196	-26.3	-616.7
SU 4	Scan	M6	Floor	Concrete	0	18	6	584	0.067	0.196	-51.9	-695.3
SU 4	Scan	M6	Floor	Concrete	0	16	6	584	0.067	0.196	-51.9	-712.8
SU 4	Scan	M6	Floor	Concrete	0	18	6	584	0.067	0.196	-51.9	-695.3
SU 4	Scan	M6	Floor	Concrete	0	23	6	584	0.067	0.196	-51.9	-651.7
SU 4	Scan	M6	Floor	Concrete	0	9	6	584	0.067	0.196	-51.9	-774.0
SU 4	Scan	M6	Floor	Concrete	0	13	6	584	0.067	0.196	-51.9	-739.0
SU 4	Scan	M6	Floor	Concrete	0	24	6	584	0.067	0.196	-51.9	-642.9
SU 4	Scan	M6	Floor	Concrete	1	20	6	584	0.067	0.196	-26.3	-677.9
SU 4	Scan	M6	Floor	Concrete	2	13	6	584	0.067	0.196	-0.8	-739.0
SU 4	Scan	M6	Floor	Concrete	0	19	6	584	0.067	0.196	-51.9	-686.6
SU 4	Scan	M6	Floor	Concrete	0	14	6	584	0.067	0.196	-51.9	-730.3
SU 4	Scan	M6	Floor	Concrete	0	17	6	584	0.067	0.196	-51.9	-704.1
SU 4	Scan	M6	Floor	Concrete	1	18	6	584	0.067	0.196	-26.3	-695.3
SU 4	Scan	M6	Floor	Concrete	1	21	6	584	0.067	0.196	-26.3	-669.1
SU 4	Scan	M6	Floor	Concrete	0	20	6	584	0.067	0.196	-51.9	-677.9
SU 4	Scan	M6	Floor	Concrete	2	17	6	584	0.067	0.196	-0.8	-704.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	10	6	584	0.067	0.196	-26.3	-765.2
SU 4	Scan	M6	Floor	Concrete	0	20	6	584	0.067	0.196	-51.9	-677.9
SU 4	Scan	M6	Floor	Concrete	4	17	6	584	0.067	0.196	50.3	-704.1
SU 4	Scan	M6	Floor	Concrete	0	22	6	584	0.067	0.196	-51.9	-660.4
SU 4	Scan	M6	Floor	Concrete	1	13	6	584	0.067	0.196	-26.3	-739.0
SU 4	Scan	M6	Floor	Concrete	1	19	6	584	0.067	0.196	-26.3	-686.6
SU 4	Scan	M6	Floor	Concrete	0	23	6	584	0.067	0.196	-51.9	-651.7
SU 4	Scan	M6	Floor	Concrete	1	15	6	584	0.067	0.196	-26.3	-721.6
SU 4	Scan	M6	Floor	Concrete	0	15	6	584	0.067	0.196	-51.9	-721.6
SU 4	Scan	M6	Floor	Concrete	0	19	6	584	0.067	0.196	-51.9	-686.6
SU 4	Scan	M6	Floor	Concrete	0	21	6	584	0.067	0.196	-51.9	-669.1
SU 4	Scan	M6	Floor	Concrete	1	10	6	584	0.067	0.196	-26.3	-765.2
SU 4	Scan	M6	Floor	Concrete	0	12	6	584	0.067	0.196	-51.9	-747.8
SU 4	Scan	M6	Floor	Concrete	0	5	6	584	0.067	0.196	-51.9	-808.9
SU 4	Scan	M6	Floor	Concrete	1	4	6	584	0.067	0.196	-26.3	-817.7
SU 4	Scan	M6	Floor	Concrete	1	115	6	584	0.067	0.196	-26.3	152.1
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	5	106	6	584	0.067	0.196	75.9	73.5
SU 4	Scan	M6	Floor	Concrete	4	102	6	584	0.067	0.196	50.3	38.5
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	3	102	6	584	0.067	0.196	24.8	38.5
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	5	110	6	584	0.067	0.196	75.9	108.4
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	6	96	6	584	0.067	0.196	101.5	-13.9
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	129	6	584	0.067	0.196	-26.3	274.4
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	6	101	6	584	0.067	0.196	101.5	29.8
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	129	6	584	0.067	0.196	-0.8	274.4
SU 4	Scan	M6	Floor	Concrete	3	88	6	584	0.067	0.196	24.8	-83.8
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	6	119	6	584	0.067	0.196	101.5	187.0
SU 4	Scan	M6	Floor	Concrete	0	120	6	584	0.067	0.196	-51.9	195.8
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	5	100	6	584	0.067	0.196	75.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	90	6	584	0.067	0.196	50.3	-66.3
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	10	94	6	584	0.067	0.196	203.7	-31.4
SU 4	Scan	M6	Floor	Concrete	4	94	6	584	0.067	0.196	50.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	3	92	6	584	0.067	0.196	24.8	-48.9
SU 4	Scan	M6	Floor	Concrete	5	94	6	584	0.067	0.196	75.9	-31.4
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	4	115	6	584	0.067	0.196	50.3	152.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	3	110	6	584	0.067	0.196	24.8	108.4
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	5	109	6	584	0.067	0.196	75.9	99.7
SU 4	Scan	M6	Floor	Concrete	1	78	6	584	0.067	0.196	-26.3	-171.2
SU 4	Scan	M6	Floor	Concrete	4	109	6	584	0.067	0.196	50.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	83	6	584	0.067	0.196	50.3	-127.5
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	3	84	6	584	0.067	0.196	24.8	-118.7
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	3	81	6	584	0.067	0.196	24.8	-145.0
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	7	100	6	584	0.067	0.196	127.0	21.0
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	6	96	6	584	0.067	0.196	101.5	-13.9
SU 4	Scan	M6	Floor	Concrete	0	85	6	584	0.067	0.196	-51.9	-110.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	2	99	6	584	0.067	0.196	-0.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	80	6	584	0.067	0.196	-51.9	-153.7
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	85	6	584	0.067	0.196	24.8	-110.0
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	4	95	6	584	0.067	0.196	50.3	-22.6
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	0	92	6	584	0.067	0.196	-51.9	-48.9
SU 4	Scan	M6	Floor	Concrete	0	90	6	584	0.067	0.196	-51.9	-66.3
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	1	104	6	584	0.067	0.196	-26.3	56.0
SU 4	Scan	M6	Floor	Concrete	1	91	6	584	0.067	0.196	-26.3	-57.6
SU 4	Scan	M6	Floor	Concrete	2	80	6	584	0.067	0.196	-0.8	-153.7
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	98	6	584	0.067	0.196	-0.8	3.6
SU 4	Scan	M6	Floor	Concrete	0	129	6	584	0.067	0.196	-51.9	274.4
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	94	6	584	0.067	0.196	-26.3	-31.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	90	6	584	0.067	0.196	24.8	-66.3
SU 4	Scan	M6	Floor	Concrete	4	86	6	584	0.067	0.196	50.3	-101.3
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	1	71	6	584	0.067	0.196	-26.3	-232.3
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	1	95	6	584	0.067	0.196	-26.3	-22.6
SU 4	Scan	M6	Floor	Concrete	1	88	6	584	0.067	0.196	-26.3	-83.8
SU 4	Scan	M6	Floor	Concrete	0	80	6	584	0.067	0.196	-51.9	-153.7
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	3	115	6	584	0.067	0.196	24.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	3	103	6	584	0.067	0.196	24.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	0	118	6	584	0.067	0.196	-51.9	178.3
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	1	89	6	584	0.067	0.196	-26.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	132	6	584	0.067	0.196	24.8	300.6
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	2	94	6	584	0.067	0.196	-0.8	-31.4
SU 4	Scan	M6	Floor	Concrete	2	135	6	584	0.067	0.196	-0.8	326.8
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	0	87	6	584	0.067	0.196	-51.9	-92.5
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	136	6	584	0.067	0.196	-0.8	335.5
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	0	96	6	584	0.067	0.196	-51.9	-13.9
SU 4	Scan	M6	Floor	Concrete	6	109	6	584	0.067	0.196	101.5	99.7
SU 4	Scan	M5	Floor	Concrete	3	131	6	584	0.077	0.206	-2.7	185.0
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	139	6	584	0.077	0.206	19.6	251.5
SU 4	Scan	M5	Floor	Concrete	7	129	6	584	0.077	0.206	86.3	168.4
SU 4	Scan	M5	Floor	Concrete	6	120	6	584	0.077	0.206	64.0	93.6
SU 4	Scan	M5	Floor	Concrete	4	100	6	584	0.077	0.206	19.6	-72.7
SU 4	Scan	M5	Floor	Concrete	2	105	6	584	0.077	0.206	-24.9	-31.1
SU 4	Scan	M5	Floor	Concrete	6	133	6	584	0.077	0.206	64.0	201.6
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	9	153	6	584	0.077	0.206	130.8	367.9
SU 4	Scan	M5	Floor	Concrete	3	114	6	584	0.077	0.206	-2.7	43.7
SU 4	Scan	M5	Floor	Concrete	5	128	6	584	0.077	0.206	41.8	160.1
SU 4	Scan	M5	Floor	Concrete	8	130	6	584	0.077	0.206	108.5	176.7
SU 4	Scan	M5	Floor	Concrete	4	151	6	584	0.077	0.206	19.6	351.2
SU 4	Scan	M5	Floor	Concrete	0	102	6	584	0.077	0.206	-69.4	-56.1
SU 4	Scan	M5	Floor	Concrete	5	129	6	584	0.077	0.206	41.8	168.4
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	112	6	584	0.077	0.206	41.8	27.1
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	5	120	6	584	0.077	0.206	41.8	93.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	3	140	6	584	0.077	0.206	-2.7	259.8
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	3	112	6	584	0.077	0.206	-2.7	27.1
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	3	117	6	584	0.077	0.206	-2.7	68.6
SU 4	Scan	M5	Floor	Concrete	1	143	6	584	0.077	0.206	-47.1	284.7
SU 4	Scan	M5	Floor	Concrete	4	120	6	584	0.077	0.206	19.6	93.6
SU 4	Scan	M5	Floor	Concrete	1	124	6	584	0.077	0.206	-47.1	126.8
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	6	139	6	584	0.077	0.206	64.0	251.5
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	6	132	6	584	0.077	0.206	64.0	193.3
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	5	102	6	584	0.077	0.206	41.8	-56.1
SU 4	Scan	M5	Floor	Concrete	4	132	6	584	0.077	0.206	19.6	193.3
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	104	6	584	0.077	0.206	19.6	-39.4
SU 4	Scan	M5	Floor	Concrete	2	108	6	584	0.077	0.206	-24.9	-6.2
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	120	6	584	0.077	0.206	-2.7	93.6
SU 4	Scan	M5	Floor	Concrete	3	137	6	584	0.077	0.206	-2.7	234.9
SU 4	Scan	M5	Floor	Concrete	5	110	6	584	0.077	0.206	41.8	10.4
SU 4	Scan	M5	Floor	Concrete	3	128	6	584	0.077	0.206	-2.7	160.1
SU 4	Scan	M5	Floor	Concrete	10	120	6	584	0.077	0.206	153.0	93.6
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	7	124	6	584	0.077	0.206	86.3	126.8
SU 4	Scan	M5	Floor	Concrete	1	104	6	584	0.077	0.206	-47.1	-39.4
SU 4	Scan	M5	Floor	Concrete	4	123	6	584	0.077	0.206	19.6	118.5

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	5	104	6	584	0.077	0.206	41.8	-39.4
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	5	118	6	584	0.077	0.206	41.8	76.9
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	5	137	6	584	0.077	0.206	41.8	234.9
SU 4	Scan	M5	Floor	Concrete	3	115	6	584	0.077	0.206	-2.7	52.0
SU 4	Scan	M5	Floor	Concrete	11	119	6	584	0.077	0.206	175.2	85.2
SU 4	Scan	M5	Floor	Concrete	3	107	6	584	0.077	0.206	-2.7	-14.5
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	5	114	6	584	0.077	0.206	41.8	43.7
SU 4	Scan	M5	Floor	Concrete	5	122	6	584	0.077	0.206	41.8	110.2
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	2	124	6	584	0.077	0.206	-24.9	126.8
SU 4	Scan	M5	Floor	Concrete	1	137	6	584	0.077	0.206	-47.1	234.9
SU 4	Scan	M5	Floor	Concrete	2	94	6	584	0.077	0.206	-24.9	-122.6
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	1	100	6	584	0.077	0.206	-47.1	-72.7
SU 4	Scan	M5	Floor	Concrete	4	121	6	584	0.077	0.206	19.6	101.9
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	4	108	6	584	0.077	0.206	19.6	-6.2
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	7	115	6	584	0.077	0.206	86.3	52.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	7	141	6	584	0.077	0.206	86.3	268.1
SU 4	Scan	M5	Floor	Concrete	2	102	6	584	0.077	0.206	-24.9	-56.1
SU 4	Scan	M5	Floor	Concrete	7	107	6	584	0.077	0.206	86.3	-14.5
SU 4	Scan	M5	Floor	Concrete	2	113	6	584	0.077	0.206	-24.9	35.4
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	6	110	6	584	0.077	0.206	64.0	10.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	9	101	6	584	0.077	0.206	130.8	-64.4
SU 4	Scan	M5	Floor	Concrete	3	97	6	584	0.077	0.206	-2.7	-97.6
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	4	101	6	584	0.077	0.206	19.6	-64.4
SU 4	Scan	M5	Floor	Concrete	6	128	6	584	0.077	0.206	64.0	160.1
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	2	137	6	584	0.077	0.206	-24.9	234.9
SU 4	Scan	M5	Floor	Concrete	4	113	6	584	0.077	0.206	19.6	35.4
SU 4	Scan	M5	Floor	Concrete	4	143	6	584	0.077	0.206	19.6	284.7
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	2	115	6	584	0.077	0.206	-24.9	52.0
SU 4	Scan	M5	Floor	Concrete	7	120	6	584	0.077	0.206	86.3	93.6
SU 4	Scan	M5	Floor	Concrete	4	142	6	584	0.077	0.206	19.6	276.4
SU 4	Scan	M5	Floor	Concrete	2	121	6	584	0.077	0.206	-24.9	101.9
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	4	127	6	584	0.077	0.206	19.6	151.7
SU 4	Scan	M5	Floor	Concrete	1	99	6	584	0.077	0.206	-47.1	-81.0
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	2	130	6	584	0.077	0.206	-24.9	176.7

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	136	6	584	0.077	0.206	-24.9	226.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	128	6	584	0.077	0.206	19.6	160.1
SU 4	Scan	M5	Floor	Concrete	3	126	6	584	0.077	0.206	-2.7	143.4
SU 4	Scan	M5	Floor	Concrete	7	130	6	584	0.077	0.206	86.3	176.7
SU 4	Scan	M5	Floor	Concrete	3	155	6	584	0.077	0.206	-2.7	384.5
SU 4	Scan	M5	Floor	Concrete	8	120	6	584	0.077	0.206	108.5	93.6
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M5	Floor	Concrete	3	136	6	584	0.077	0.206	-2.7	226.6
SU 4	Scan	M5	Floor	Concrete	5	135	6	584	0.077	0.206	41.8	218.2
SU 4	Scan	M5	Floor	Concrete	8	112	6	584	0.077	0.206	108.5	27.1
SU 4	Scan	M5	Floor	Concrete	3	125	6	584	0.077	0.206	-2.7	135.1
SU 4	Scan	M5	Floor	Concrete	1	123	6	584	0.077	0.206	-47.1	118.5
SU 4	Scan	M5	Floor	Concrete	4	134	6	584	0.077	0.206	19.6	209.9
SU 4	Scan	M5	Floor	Concrete	2	134	6	584	0.077	0.206	-24.9	209.9
SU 4	Scan	M5	Floor	Concrete	3	133	6	584	0.077	0.206	-2.7	201.6
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	2	119	6	584	0.077	0.206	-24.9	85.2
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	6	116	6	584	0.077	0.206	64.0	60.3
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	97	6	584	0.077	0.206	19.6	-97.6
SU 4	Scan	M5	Floor	Concrete	4	125	6	584	0.077	0.206	19.6	135.1
SU 4	Scan	M5	Floor	Concrete	4	130	6	584	0.077	0.206	19.6	176.7
SU 4	Scan	M5	Floor	Concrete	4	114	6	584	0.077	0.206	19.6	43.7
SU 4	Scan	M5	Floor	Concrete	8	128	6	584	0.077	0.206	108.5	160.1
SU 4	Scan	M5	Floor	Concrete	4	115	6	584	0.077	0.206	19.6	52.0
SU 4	Scan	M5	Floor	Concrete	4	96	6	584	0.077	0.206	19.6	-105.9
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	2	144	6	584	0.077	0.206	-24.9	293.0
SU 4	Scan	M5	Floor	Concrete	1	107	6	584	0.077	0.206	-47.1	-14.5
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	3	118	6	584	0.077	0.206	-2.7	76.9
SU 4	Scan	M5	Floor	Concrete	8	116	6	584	0.077	0.206	108.5	60.3
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	3	108	6	584	0.077	0.206	-2.7	-6.2
SU 4	Scan	M5	Floor	Concrete	5	123	6	584	0.077	0.206	41.8	118.5
SU 4	Scan	M5	Floor	Concrete	6	125	6	584	0.077	0.206	64.0	135.1
SU 4	Scan	M5	Floor	Concrete	2	96	6	584	0.077	0.206	-24.9	-105.9
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	8	106	6	584	0.077	0.206	108.5	-22.8
SU 4	Scan	M5	Floor	Concrete	3	102	6	584	0.077	0.206	-2.7	-56.1
SU 4	Scan	M5	Floor	Concrete	5	126	6	584	0.077	0.206	41.8	143.4
SU 4	Scan	M5	Floor	Concrete	5	116	6	584	0.077	0.206	41.8	60.3
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	3	121	6	584	0.077	0.206	-2.7	101.9
SU 4	Scan	M5	Floor	Concrete	5	117	6	584	0.077	0.206	41.8	68.6
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	3	123	6	584	0.077	0.206	-2.7	118.5
SU 4	Scan	M5	Floor	Concrete	3	139	6	584	0.077	0.206	-2.7	251.5
SU 4	Scan	M5	Floor	Concrete	5	127	6	584	0.077	0.206	41.8	151.7
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	4	117	6	584	0.077	0.206	19.6	68.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	7	121	6	584	0.077	0.206	86.3	101.9
SU 4	Scan	M5	Floor	Concrete	2	145	6	584	0.077	0.206	-24.9	301.4

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	2	95	6	584	0.077	0.206	-24.9	-114.3
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	3	132	6	584	0.077	0.206	-2.7	193.3
SU 4	Scan	M5	Floor	Concrete	3	124	6	584	0.077	0.206	-2.7	126.8
SU 4	Scan	M5	Floor	Concrete	4	136	6	584	0.077	0.206	19.6	226.6
SU 4	Scan	M5	Floor	Concrete	7	106	6	584	0.077	0.206	86.3	-22.8
SU 4	Scan	M5	Floor	Concrete	9	127	6	584	0.077	0.206	130.8	151.7
SU 4	Scan	M5	Floor	Concrete	1	116	6	584	0.077	0.206	-47.1	60.3
SU 4	Scan	M5	Floor	Concrete	6	119	6	584	0.077	0.206	64.0	85.2
SU 4	Scan	M5	Floor	Concrete	7	110	6	584	0.077	0.206	86.3	10.4
SU 4	Scan	M5	Floor	Concrete	8	119	6	584	0.077	0.206	108.5	85.2
SU 4	Scan	M5	Floor	Concrete	7	112	6	584	0.077	0.206	86.3	27.1
SU 4	Scan	M5	Floor	Concrete	6	131	6	584	0.077	0.206	64.0	185.0
SU 4	Scan	M5	Floor	Concrete	5	134	6	584	0.077	0.206	41.8	209.9
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	8	136	6	584	0.077	0.206	108.5	226.6
SU 4	Scan	M5	Floor	Concrete	5	113	6	584	0.077	0.206	41.8	35.4
SU 4	Scan	M5	Floor	Concrete	4	118	6	584	0.077	0.206	19.6	76.9
SU 4	Scan	M5	Floor	Concrete	4	119	6	584	0.077	0.206	19.6	85.2
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	1	115	6	584	0.077	0.206	-47.1	52.0
SU 4	Scan	M5	Floor	Concrete	6	115	6	584	0.077	0.206	64.0	52.0
SU 4	Scan	M5	Floor	Concrete	5	125	6	584	0.077	0.206	41.8	135.1
SU 4	Scan	M5	Floor	Concrete	2	114	6	584	0.077	0.206	-24.9	43.7
SU 4	Scan	M5	Floor	Concrete	5	138	6	584	0.077	0.206	41.8	243.2
SU 4	Scan	M5	Floor	Concrete	3	129	6	584	0.077	0.206	-2.7	168.4
SU 4	Scan	M5	Floor	Concrete	7	122	6	584	0.077	0.206	86.3	110.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M5	Floor	Concrete	6	117	6	584	0.077	0.206	64.0	68.6
SU 4	Scan	M5	Floor	Concrete	7	100	6	584	0.077	0.206	86.3	-72.7
SU 4	Scan	M5	Floor	Concrete	0	108	6	584	0.077	0.206	-69.4	-6.2
SU 4	Scan	M5	Floor	Concrete	4	111	6	584	0.077	0.206	19.6	18.7
SU 4	Scan	M5	Floor	Concrete	7	113	6	584	0.077	0.206	86.3	35.4
SU 4	Scan	M5	Floor	Concrete	4	122	6	584	0.077	0.206	19.6	110.2
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	7	104	6	584	0.077	0.206	86.3	-39.4
SU 4	Scan	M5	Floor	Concrete	3	104	6	584	0.077	0.206	-2.7	-39.4
SU 4	Scan	M5	Floor	Concrete	5	94	6	584	0.077	0.206	41.8	-122.6
SU 4	Scan	M5	Floor	Concrete	6	126	6	584	0.077	0.206	64.0	143.4
SU 4	Scan	M5	Floor	Concrete	3	119	6	584	0.077	0.206	-2.7	85.2
SU 4	Scan	M5	Floor	Concrete	2	123	6	584	0.077	0.206	-24.9	118.5
SU 4	Scan	M6	Floor	Concrete	1	92	6	584	0.067	0.196	-26.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	1	90	6	584	0.067	0.196	-26.3	-66.3
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	0	94	6	584	0.067	0.196	-51.9	-31.4
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	84	6	584	0.067	0.196	-0.8	-118.7
SU 4	Scan	M6	Floor	Concrete	0	121	6	584	0.067	0.196	-51.9	204.5
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	106	6	584	0.067	0.196	-26.3	73.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	0	107	6	584	0.067	0.196	-51.9	82.2
SU 4	Scan	M6	Floor	Concrete	0	111	6	584	0.067	0.196	-51.9	117.1
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	113	6	584	0.067	0.196	-26.3	134.6
SU 4	Scan	M6	Floor	Concrete	4	89	6	584	0.067	0.196	50.3	-75.1
SU 4	Scan	M6	Floor	Concrete	3	100	6	584	0.067	0.196	24.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	3	95	6	584	0.067	0.196	24.8	-22.6
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	4	126	6	584	0.067	0.196	50.3	248.2
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	3	94	6	584	0.067	0.196	24.8	-31.4
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	0	79	6	584	0.067	0.196	-51.9	-162.4
SU 4	Scan	M6	Floor	Concrete	2	114	6	584	0.067	0.196	-0.8	143.3
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	3	112	6	584	0.067	0.196	24.8	125.9
SU 4	Scan	M6	Floor	Concrete	3	109	6	584	0.067	0.196	24.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	5	111	6	584	0.067	0.196	75.9	117.1
SU 4	Scan	M6	Floor	Concrete	6	100	6	584	0.067	0.196	101.5	21.0
SU 4	Scan	M6	Floor	Concrete	3	97	6	584	0.067	0.196	24.8	-5.2
SU 4	Scan	M6	Floor	Concrete	2	90	6	584	0.067	0.196	-0.8	-66.3
SU 4	Scan	M6	Floor	Concrete	3	107	6	584	0.067	0.196	24.8	82.2
SU 4	Scan	M6	Floor	Concrete	6	116	6	584	0.067	0.196	101.5	160.8
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	0	82	6	584	0.067	0.196	-51.9	-136.2
SU 4	Scan	M6	Floor	Concrete	1	131	6	584	0.067	0.196	-26.3	291.9
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	4	110	6	584	0.067	0.196	50.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	4	108	6	584	0.067	0.196	50.3	90.9
SU 4	Scan	M6	Floor	Concrete	2	104	6	584	0.067	0.196	-0.8	56.0
SU 4	Scan	M6	Floor	Concrete	5	88	6	584	0.067	0.196	75.9	-83.8
SU 4	Scan	M6	Floor	Concrete	1	86	6	584	0.067	0.196	-26.3	-101.3
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	116	6	584	0.067	0.196	24.8	160.8

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	3	127	6	584	0.067	0.196	24.8	256.9
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	7	102	6	584	0.067	0.196	127.0	38.5
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	7	92	6	584	0.067	0.196	127.0	-48.9
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	3	117	6	584	0.067	0.196	24.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	112	6	584	0.067	0.196	-26.3	125.9
SU 4	Scan	M6	Floor	Concrete	5	116	6	584	0.067	0.196	75.9	160.8
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	1	118	6	584	0.067	0.196	-26.3	178.3
SU 4	Scan	M6	Floor	Concrete	2	97	6	584	0.067	0.196	-0.8	-5.2
SU 4	Scan	M6	Floor	Concrete	0	99	6	584	0.067	0.196	-51.9	12.3
SU 4	Scan	M6	Floor	Concrete	4	92	6	584	0.067	0.196	50.3	-48.9
SU 4	Scan	M6	Floor	Concrete	3	113	6	584	0.067	0.196	24.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	120	6	584	0.067	0.196	-0.8	195.8
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	5	105	6	584	0.067	0.196	75.9	64.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	85	6	584	0.067	0.196	-0.8	-110.0
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	119	6	584	0.067	0.196	-0.8	187.0
SU 4	Scan	M6	Floor	Concrete	1	96	6	584	0.067	0.196	-26.3	-13.9
SU 4	Scan	M6	Floor	Concrete	3	86	6	584	0.067	0.196	24.8	-101.3
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	5	98	6	584	0.067	0.196	75.9	3.6
SU 4	Scan	M6	Floor	Concrete	4	87	6	584	0.067	0.196	50.3	-92.5
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	2	92	6	584	0.067	0.196	-0.8	-48.9
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	93	6	584	0.067	0.196	-26.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	2	86	6	584	0.067	0.196	-0.8	-101.3
SU 4	Scan	M6	Floor	Concrete	5	102	6	584	0.067	0.196	75.9	38.5
SU 4	Scan	M6	Floor	Concrete	1	117	6	584	0.067	0.196	-26.3	169.6
SU 4	Scan	M6	Floor	Concrete	1	97	6	584	0.067	0.196	-26.3	-5.2
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	1	105	6	584	0.067	0.196	-26.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	118	6	584	0.067	0.196	-0.8	178.3
SU 4	Scan	M6	Floor	Concrete	5	101	6	584	0.067	0.196	75.9	29.8
SU 4	Scan	M6	Floor	Concrete	5	114	6	584	0.067	0.196	75.9	143.3
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	105	6	584	0.067	0.196	50.3	64.7
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	2	106	6	584	0.067	0.196	-0.8	73.5
SU 4	Scan	M6	Floor	Concrete	4	97	6	584	0.067	0.196	50.3	-5.2
SU 4	Scan	M6	Floor	Concrete	4	121	6	584	0.067	0.196	50.3	204.5
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	2	74	6	584	0.067	0.196	-0.8	-206.1
SU 4	Scan	M6	Floor	Concrete	4	128	6	584	0.067	0.196	50.3	265.7
SU 4	Scan	M6	Floor	Concrete	3	89	6	584	0.067	0.196	24.8	-75.1
SU 4	Scan	M6	Floor	Concrete	5	113	6	584	0.067	0.196	75.9	134.6
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	1	110	6	584	0.067	0.196	-26.3	108.4
SU 4	Scan	M6	Floor	Concrete	4	96	6	584	0.067	0.196	50.3	-13.9
SU 4	Scan	M6	Floor	Concrete	2	111	6	584	0.067	0.196	-0.8	117.1
SU 4	Scan	M6	Floor	Concrete	3	119	6	584	0.067	0.196	24.8	187.0
SU 4	Scan	M6	Floor	Concrete	2	95	6	584	0.067	0.196	-0.8	-22.6
SU 4	Scan	M6	Floor	Concrete	0	104	6	584	0.067	0.196	-51.9	56.0
SU 4	Scan	M6	Floor	Concrete	7	114	6	584	0.067	0.196	127.0	143.3
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	4	112	6	584	0.067	0.196	50.3	125.9
SU 4	Scan	M6	Floor	Concrete	2	91	6	584	0.067	0.196	-0.8	-57.6
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	3	142	6	584	0.067	0.196	24.8	388.0
SU 4	Scan	M6	Floor	Concrete	3	99	6	584	0.067	0.196	24.8	12.3
SU 4	Scan	M6	Floor	Concrete	4	125	6	584	0.067	0.196	50.3	239.4
SU 4	Scan	M6	Floor	Concrete	2	121	6	584	0.067	0.196	-0.8	204.5
SU 4	Scan	M6	Floor	Concrete	1	109	6	584	0.067	0.196	-26.3	99.7
SU 4	Scan	M6	Floor	Concrete	4	98	6	584	0.067	0.196	50.3	3.6
SU 4	Scan	M6	Floor	Concrete	5	96	6	584	0.067	0.196	75.9	-13.9
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	1	119	6	584	0.067	0.196	-26.3	187.0
SU 4	Scan	M6	Floor	Concrete	1	100	6	584	0.067	0.196	-26.3	21.0
SU 4	Scan	M6	Floor	Concrete	3	96	6	584	0.067	0.196	24.8	-13.9
SU 4	Scan	M6	Floor	Concrete	0	106	6	584	0.067	0.196	-51.9	73.5
SU 4	Scan	M6	Floor	Concrete	0	105	6	584	0.067	0.196	-51.9	64.7
SU 4	Scan	M6	Floor	Concrete	2	113	6	584	0.067	0.196	-0.8	134.6
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	2	112	6	584	0.067	0.196	-0.8	125.9
SU 4	Scan	M6	Floor	Concrete	4	84	6	584	0.067	0.196	50.3	-118.7
SU 4	Scan	M6	Floor	Concrete	1	99	6	584	0.067	0.196	-26.3	12.3
SU 4	Scan	M6	Floor	Concrete	5	97	6	584	0.067	0.196	75.9	-5.2
SU 4	Scan	M6	Floor	Concrete	1	108	6	584	0.067	0.196	-26.3	90.9
SU 4	Scan	M6	Floor	Concrete	6	137	6	584	0.067	0.196	101.5	344.3
SU 4	Scan	M6	Floor	Concrete	2	117	6	584	0.067	0.196	-0.8	169.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	5	108	6	584	0.067	0.196	75.9	90.9
SU 4	Scan	M6	Floor	Concrete	3	111	6	584	0.067	0.196	24.8	117.1

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	5	79	6	584	0.067	0.196	75.9	-162.4
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	3	108	6	584	0.067	0.196	24.8	90.9
SU 4	Scan	M6	Floor	Concrete	1	101	6	584	0.067	0.196	-26.3	29.8
SU 4	Scan	M6	Floor	Concrete	2	103	6	584	0.067	0.196	-0.8	47.2
SU 4	Scan	M6	Floor	Concrete	1	114	6	584	0.067	0.196	-26.3	143.3
SU 4	Scan	M6	Floor	Concrete	3	106	6	584	0.067	0.196	24.8	73.5
SU 4	Scan	M6	Floor	Concrete	6	93	6	584	0.067	0.196	101.5	-40.1
SU 4	Scan	M6	Floor	Concrete	2	105	6	584	0.067	0.196	-0.8	64.7
SU 4	Scan	M6	Floor	Concrete	4	119	6	584	0.067	0.196	50.3	187.0
SU 4	Scan	M6	Floor	Concrete	0	110	6	584	0.067	0.196	-51.9	108.4
SU 4	Scan	M6	Floor	Concrete	0	100	6	584	0.067	0.196	-51.9	21.0
SU 4	Scan	M6	Floor	Concrete	2	115	6	584	0.067	0.196	-0.8	152.1
SU 4	Scan	M6	Floor	Concrete	1	98	6	584	0.067	0.196	-26.3	3.6
SU 4	Scan	M6	Floor	Concrete	2	109	6	584	0.067	0.196	-0.8	99.7
SU 4	Scan	M6	Floor	Concrete	4	106	6	584	0.067	0.196	50.3	73.5
SU 4	Scan	M6	Floor	Concrete	5	103	6	584	0.067	0.196	75.9	47.2
SU 4	Scan	M6	Floor	Concrete	1	116	6	584	0.067	0.196	-26.3	160.8
SU 4	Scan	M6	Floor	Concrete	2	108	6	584	0.067	0.196	-0.8	90.9
SU 4	Scan	M6	Floor	Concrete	0	93	6	584	0.067	0.196	-51.9	-40.1
SU 4	Scan	M6	Floor	Concrete	2	100	6	584	0.067	0.196	-0.8	21.0
SU 4	Scan	M6	Floor	Concrete	1	103	6	584	0.067	0.196	-26.3	47.2
SU 4	Scan	M6	Floor	Concrete	3	82	6	584	0.067	0.196	24.8	-136.2
SU 4	Scan	M6	Floor	Concrete	2	116	6	584	0.067	0.196	-0.8	160.8
SU 4	Scan	M6	Floor	Concrete	0	102	6	584	0.067	0.196	-51.9	38.5
SU 4	Scan	M6	Floor	Concrete	4	93	6	584	0.067	0.196	50.3	-40.1
SU 4	Scan	M6	Floor	Concrete	1	102	6	584	0.067	0.196	-26.3	38.5
SU 4	Scan	M6	Floor	Concrete	1	107	6	584	0.067	0.196	-26.3	82.2
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9

HUNTERS POINT NAVAL STATION - PARCEL F

SURVEY UNIT 4 - SCAN MEASUREMENTS

SU	Meas. Type	Meter	Floor/ Wall/ Ceiling	Material/ Surface	Survey Alpha Counts	Survey Beta Counts	Survey Count Time (seconds)	Detector Active Area (cm^2)	Alpha Efficiency	Beta Efficiency	Alpha (dpm/ 100 cm^2)	Beta (dpm/ 100 cm^2)
SU 4	Scan	M6	Floor	Concrete	2	102	6	584	0.067	0.196	-0.8	38.5
SU 4	Scan	M6	Floor	Concrete	4	111	6	584	0.067	0.196	50.3	117.1
SU 4	Scan	M6	Floor	Concrete	6	106	6	584	0.067	0.196	101.5	73.5
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	107	6	584	0.067	0.196	-0.8	82.2
SU 4	Scan	M6	Floor	Concrete	4	100	6	584	0.067	0.196	50.3	21.0
SU 4	Scan	M6	Floor	Concrete	4	104	6	584	0.067	0.196	50.3	56.0
SU 4	Scan	M6	Floor	Concrete	4	91	6	584	0.067	0.196	50.3	-57.6
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0
SU 4	Scan	M6	Floor	Concrete	4	103	6	584	0.067	0.196	50.3	47.2
SU 4	Scan	M6	Floor	Concrete	1	85	6	584	0.067	0.196	-26.3	-110.0
SU 4	Scan	M6	Floor	Concrete	3	77	6	584	0.067	0.196	24.8	-179.9
SU 4	Scan	M6	Floor	Concrete	2	93	6	584	0.067	0.196	-0.8	-40.1
SU 4	Scan	M6	Floor	Concrete	4	79	6	584	0.067	0.196	50.3	-162.4
SU 4	Scan	M6	Floor	Concrete	3	98	6	584	0.067	0.196	24.8	3.6
SU 4	Scan	M6	Floor	Concrete	2	87	6	584	0.067	0.196	-0.8	-92.5
SU 4	Scan	M6	Floor	Concrete	1	111	6	584	0.067	0.196	-26.3	117.1
SU 4	Scan	M6	Floor	Concrete	4	113	6	584	0.067	0.196	50.3	134.6
SU 4	Scan	M6	Floor	Concrete	6	102	6	584	0.067	0.196	101.5	38.5
SU 4	Scan	M6	Floor	Concrete	3	101	6	584	0.067	0.196	24.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	101	6	584	0.067	0.196	-0.8	29.8
SU 4	Scan	M6	Floor	Concrete	2	89	6	584	0.067	0.196	-0.8	-75.1
SU 4	Scan	M6	Floor	Concrete	2	96	6	584	0.067	0.196	-0.8	-13.9
SU 4	Scan	M6	Floor	Concrete	3	93	6	584	0.067	0.196	24.8	-40.1
SU 4	Scan	M6	Floor	Concrete	3	104	6	584	0.067	0.196	24.8	56.0

Table X-X: Alpha Surface Activity Scan Measurement Summary Results

Survey Unit	Class	Quantity of Measurements	Minimum (dpm/100 cm^2)	Maximum (dpm/100 cm^2)	Mean (dpm/100 cm^2)	Median (dpm/100 cm^2)	Standard Deviation (dpm/100 cm^2)
SU 4		32302	-69.4	330.9	15.6	-0.8	49.2

Table X-X: Beta Surface Activity Scan Measurement Summary Results

Survey Unit	Class	Quantity of Measurements	Minimum (dpm/100 cm^2)	Maximum (dpm/100 cm^2)	Mean (dpm/100 cm^2)	Median (dpm/100 cm^2)	Standard Deviation (dpm/100 cm^2)
SU 4		32302	-817.7	588.9	30.0	43.7	146.7