From:	Stoick, Paul T CIV USN (USA)
To:	Henderson, Kim/SDO; Bercik, Lisa M.
Cc:	Hackett, John/DEN; Roddy, Elizabeth A CTR USN (USA); Banister, Stephen D CIV USN (USA)
Subject:	FW: Pages from Workplan
Date:	Tuesday, March 19, 2019 10:10:23
Attachments:	(b) (5) [redacted]

Kim/Lisa,

Kim, for the background, can you assist with the use of equipment for background study in Lily's questions.

Lisa, for the trench unit and building site survey units, is the equipment used for the scans specified in the addendum, and if not, can we answer that question at this point?

I think Lily's question is asking if we are using the same equipment for background scans as we are for the TU/SU surface scans.

V/r,
Paul

-----Original Message-----
From: LEE, LILY <LEE.LILY@EPA.GOV>
Sent: Tuesday, March 19, 2019 9:11 AM
To: Stoick, Paul T CIV USN (USA) <paul.stoick@navy.mil>
Subject: [Non-DoD Source] FW: Pages from Workplan

Dear Paul,

Thank you for talking yesterday. You show examples for both a Ludlum and a Bicron scanner. Do you have a sense yet of where/when you would use one vs. the other? Also, would you expect the work at the trenches and building site survey units to use the similar approach to compare apples to apples?

-----Original Message-----
From: LEE, LILY
Sent: Thursday, February 14, 2019 1:51 PM
To: paul.stoick@navy.mil
Subject: FW: Pages from Workplan

Dear Paul,

Thanks for talking this morning. These are the pages where the 11/2 version gave "examples." We'll need to see the version with the actual equipment that will be used.

Thanks!

- Lily