From:	Lantner, Murray
To:	Bakun, George:
Cc:	Coleman, Andrew (Andrew.Coleman@dep.nj.gov)
Subject:	RE: Bayway NJ0001511 August 2018 Contracted Lab Reports
Date:	Friday, January 17, 2020 11:40:00 AM
Attachments:	DSN002 BOD 8-4-18.pdf

Dear George
Happy New Year
The attached file is labelled BOD 8-4-18, but it actually contains metals and other data for Outfalls 003, 004, and 005 and not the BOD.
Can you provide me with the lab reports for August 4 and 5, 2018 for Outfall 002.
I couldn't locate that one.

Thanks so much
Murray

Murray Lantner, P.E., Environmental Engineer
Compliance Section
EPA Region 2, ECAD, Water Compliance Branch
290 Broadway, 21st Floor
New York, NY 10007
(212) 637-3976 (Office)
(212) 637-3953 (Fax)
Email: Lantner.Murray@epa.gov

From: Bakun, George: <George.Bakun@p66.com>
Sent: Tuesday, July 16, 2019 3:41 PM
To: Lantner, Murray <Lantner.Murray@epa.gov>
Cc: Coleman, Andrew (Andrew.Coleman@dep.nj.gov) <Andrew.Coleman@dep.nj.gov>
Subject: Bayway NJ0001511 August 2018 Contracted Lab Reports

Murray,
As requested, attached are the contracted lab reports used to complete the NJ0001511 August 2018 DMR except for the semiannual characterization data report which will be transmitted separately.
George