From: Lantner, Murray
To: Bakun, George:; Coleman, Andrew; Nolan, Meghan E
Subject: RE: Bayway Refinery NJ0001511 - EPA Inspection Report from June 2019 inspection
Date: Tuesday, February 25, 2020 10:40:00 AM

Thanks George, FYI, the due date is based on receipt of the hard copy. Which gives a few extra days.

Murray Lantner, P.E., Environmental Engineer
Compliance Section
EPA Region 2, ECAD, Water Compliance Branch
290 Broadway, 21st Floor
New York, NY 10007
(212) 637-3976 (Office)
(212) 637-3953 (Fax)
Email: Lantner.Murray@epa.gov

From: Bakun, George: <george.bakun@p66.com>
Sent: Tuesday, February 25, 2020 6:16 AM
To: Lantner, Murray <Lantner.Murray@epa.gov>; Coleman, Andrew <Andrew.Coleman@dep.nj.gov>; Nolan, Meghan E <meghan.e.nolan@p66.com>
Subject: RE: Bayway Refinery NJ0001511 - EPA Inspection Report from June 2019 inspection

Murray,
The report was received late yesterday afternoon. As requested, a response will be submitted within 45 days of 2/24 receipt, which is April 9.
George

From: Lantner, Murray <Lantner.Murray@epa.gov>
Sent: Monday, February 24, 2020 4:34 PM
To: Bakun, George: <George.Bakun@p66.com>; Coleman, Andrew <Andrew.Coleman@dep.nj.gov>; Nolan, Meghan E <Meghan.E.Nolan@p66.com>
Subject: [EXTERNAL]RE: Bayway Refinery NJ0001511 - EPA Inspection Report from June 2019 inspection

Hello
I just sent the EPA inspection report just now via One Drive because it's a large file. Let me know if you did not receive it.
Please let me know if you have any questions.
Note that it did not take into account responses to the NJDEP reports that you sent recently.
Thanks

Murray Lantner, P.E., Environmental Engineer
Compliance Section
EPA Region 2, ECAD, Water Compliance Branch
290 Broadway, 21st Floor
New York, NY 10007
(212) 637-3976 (Office)
(212) 637-3953 (Fax)
Email: Lantner.Murray@epa.gov