C.1




CLARIANT COVENTRY
10,876 lbs
TL8
Color concentrate (0.3 - 156 ppm PCB)
C.1
Tubing for truck air brakes
(0.344 ppm PCB)
17 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Crop, game, and livestock
Crop, fish, and game


CLARIANT COVENTRY
18,875 lbs
TL6
Color concentrate (0.3 - 188 ppm PCB)
C.1
Tubing for truck air brakes (0.344 ppm PCB) 17 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Air
Soil
Groundwater
Surface water
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,976 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
C.1
Tubing for truck air brakes (0.344 ppm PCB) 17 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants

C.3




CLARIANT COVENTRY
10,878 lbs
TI.8
Color concentrate (0.3 - 166 ppm PCB)
C.3
Tubing for truck air brakes (1.96 ppm PCB) 98 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
16,875 lbs
TL6
Color concentrate (0.3 - 156 ppm PCB)
C.3
Tubing for truck air brakes (1.96 ppm PCB) 85 ppm in resin/batch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
T1.6
Color concentrate (0.3 - 156 ppm PCB)
C.3
Tubing for truck air brakes (1.96 ppm PCB)
98 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants

C.2




CLARIANT COVENTRY
10,576 lbs
T1.6
Color concentrate (0.3 - 15B ppm PCB)
C.2
Fuel, oil, and refrigerant tubing (0.12 ppm PCB)
8 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Crop, game, and livestock
Crop, fish, and game


CLARIANT COVENTRY
16,875 lbs
TL6
Color concentrate (0.3 - 199 ppm PCB)
C.2
Fuel, oil, and refrigerant tubing (0.12 ppm PCB)
0 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
T1.6
Color concentrate (0.3 - 156 ppm PCB)
C.2
Fuel, oil, and refrigerant tubing (0.12 ppm PCB)
8 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants

D.1




CLARIANT COVENTRY
10,875 lbs
T1.6
Color concentrate (0.3 - 156 ppm PCB)
332 lbs
D.1
Snow flap (4.1 ppm PCB)
41 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLAIMANT COVENTRY
19,875 lbs
TL8
Color concentrate (0.3 - 188 ppm PCB)
D.1
Snow flap (4.1 ppm PCB)
41 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,976 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
D.1
Snow flap (4.1 ppm PCB)
41 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants

D.2




CLARIANT COVENTRY
10,875 lbs
T1.6
Color concentrate (0.3 - 156 ppm PCB)
D.2
Snow flap (4.1 ppm PCB) 41 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Bell
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Air
Bell
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
TL6
Color concentrate (0.3 - 150 ppm PCB)
0.2
Snow flap (4.1 ppm PCB) 41 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,975 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
D.2
Snow flap (4.1 ppm PCB) 41 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants

5.2


CLARIANT COVENTRY
16,875 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
J.2
Research and development purposes only, no commercial products
Testing activities
End product disposal
Inhalation
Ingestion, absorption
Landfill
Incinerator

A.7




CLARIANT COVENTRY
10,876 lbs
TI.6
Color concentrate (0.3 ppm PCB)
A.7
Fiber/carpet for care (0.9 ppm PCB)
32 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
TL8
Color concentrate (0.3 - 169 ppm PCB)
A,7
Fabric/carpet for cars (0.9 ppm PCB)
32 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Air
Soil
Groundwater
Surface water
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,876 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
A.7
Fabric/carpet for cars (0.9 ppm PCB)
32 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Carpet/fabric fibers
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Inhalation, ingestion
Workers
Adults
Children
Infants

TII.GTS


CLARIANT COVENTRY
10,875 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
0 lbs
TII.GTS
Car trunk liners (PCB concentration not provided)

E.1




CLARIANT COVENTRY
10,875 lbs
T1.6
Color concentrate (D 3 - 156 ppm PCB)
E.1
Car electrical connectors (D 66 ppm PCB) 66 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
T1d
Color concentrate (0.3 - 156 ppm PCB)
E.1
Car electrical connectors (0.88 ppm PCB) (56 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,876 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
E.1
Car electrical connectors (0.66 ppm PCB)
66 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants

Fig. 3


CLARIANT COVENTRY
10,876 lbs
T1.6
Color concentrate (0.3 - 166 ppm PCB)
E.2
Car wiring spacer (0.67 ppm PCB)
67 ppm in masterbatch
Production Activities
Air
Exposed product
Wastewater treatment
Solid waste storage
Inhalation
Skin contact, ingestion
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
TL6
Color concentrate (0.3 - 155 ppm PCB)
E.2
Car wiring spacer (0.67 ppm PCB)
67 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
16,875 lbs
TL6
Color concentrate (0.3 - 156 ppm PCB)
E.2
Car wiring spacer (0.87 ppm PCB)
67 ppm in masterbatch
Production Activities
Product storage
Spills
Stormwater runoff
Air
Soil
Groundwater
Surface water
Inhalation
Crop, game, and livestock
Skin contact, ingestion
Crop, fish, and game


CLARIANT COVENTRY
10,875 lbs
TI.6
Color concentrate (0.3 - 156 ppm PCB)
E.2
Car wiring spacer (0.67 ppm PCB)
67 ppm in masterbatch
Production Activities
End product use
End product disposal
Air
Surface dust
Landfill
Incinerator
Inhalation
Skin contact, ingestion
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants
Workers
Adults
Children
Infants