						Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
						CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
						DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1606157	Former Fueling Facility	Unit 1	8116994	C-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.053		0.13		0.15		0.21		0.23		0.9		0.28		0.33		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1606157	Former Fueling Facility	Unit 1	8116995	C-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	0.061		0.23		0.5		0.48		**0.41**		**1.5**		0.7		0.48		< 0.11		< 0.54		< 0.54		0.21		< 0.11		< 0.22		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8116996	C-1-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.057		< 0.057		0.07		0.15		0.091		0.67		0.18		0.2		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8116998	C-1-a(3.0-3.5)	(0.0-3.5)	11/2/2015	0.12		0.3		0.74		**1.5**		**1**		**3.2**		0.93		1		< 0.12		< 0.60		< 0.60		0.25		< 0.12		< 0.24		< 0.12		< 0.12	
1606157	Former Fueling Facility	Unit 1	8116999	D-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	0.11		0.32		0.67		0.75		**0.46**	J	**3.1**		0.76	J	0.9	J	< 0.11		< 0.57		< 0.57		0.22		< 0.11		< 0.23	R	< 0.11	UJ	< 0.11	
1606157	Former Fueling Facility	Unit 1	8117003	DUP-1		11/2/2015	0.13		0.39		0.85		**0.99**		**0.5**		**3.3**		0.85		1.1		< 0.11		< 0.56		< 0.56		0.22		< 0.11		< 0.23		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117004	D-1-a(6.0-6.5)	(0.0-6.5)	11/2/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		0.095		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117006	D-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	0.19		0.59		1.2		**1.1**		**0.8**		**2.6**		1.3		0.84		< 0.11		< 0.56		< 0.56		0.32		< 0.11		< 0.22		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117007	D-1-b(5.5-6.0)	(0.5-6.0)	11/2/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117011	D-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	0.34		< 0.058		1.6		**1**		**3**		**3.6**		1.2		1.4		< 0.11		< 0.57		< 0.57		0.54		< 0.11		< 0.23		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117012	D-2-b(3.5-4.0)	(0.5-4.0)	11/2/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		0.087		0.07		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117013	D-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	0.18		0.57		1.1		**1.3**		**2.1**		**3.6**		0.97		1.5		< 0.12		< 0.59		< 0.59		0.36		< 0.12		< 0.24		< 0.12		< 0.12	
1606157	Former Fueling Facility	Unit 1	8117014	C-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.081		< 0.081		< 0.081		< 0.081		0.095		0.2		0.087		< 0.081		< 0.16		< 0.79		< 0.79		< 0.16		< 0.16		< 0.32		< 0.16		< 0.16	
1606157	Former Fueling Facility	Unit 1	8117015	D-2-a(2.0-2.5)	(0.0-2.5)	11/2/2015	0.078		0.2		0.33		0.45		**0.31**		1.1		0.4		0.3		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1606157	Former Fueling Facility	Unit 1	8117016	C-2-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.079		< 0.079		< 0.079		0.094		0.12		0.28		0.15		0.088		< 0.16		< 0.78		< 0.78		< 0.16		< 0.16		< 0.31		< 0.16		< 0.16	
1606157	Former Fueling Facility	Unit 1	8117017	C-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	0.24		1.2		2.9		**1.7**		**1.1**		**3.2**		2.3		1.1		< 0.11		< 0.56		< 0.56		0.99		< 0.11		< 0.22		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117018	C-2-a(1.0-1.5)	(0.0-1.5)	11/2/2015	0.28		1.1		2.4		**1.6**		**1.1**		**3.4**		2.1		1.2		< 0.11		< 0.54		< 0.54		0.64		< 0.11		< 0.22		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119300	D-2-c(2.0-2.5)	(0.0-2.5)	11/3/2015	< 0.057		< 0.057		0.074		0.18		0.1		0.43		0.14		0.12		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119301	D-2-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 1.1		< 1.1		3		**1.4**		< 1.1		**3.4**		1.4		1.2		< 2.1		< 10		< 10		< 2.1		< 2.1		< 4.2		< 2.1		< 2.1	
1606575	Former Fueling Facility	Unit 1	8119302	D-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.54		< 0.54		0.67		0.68		**0.54**		**1.5**		0.6		0.55		< 1.1		< 5.3		< 5.3		< 1.1		< 1.1		< 2.1		< 1.1		< 1.1	
1606575	Former Fueling Facility	Unit 1	8119303	D-2-e(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.080		< 0.080		0.12		0.28		**0.3**		0.76		0.29		0.21		< 0.16		< 0.78		< 0.78		< 0.16		< 0.16		< 0.31		< 0.16		< 0.16	
1606575	Former Fueling Facility	Unit 1	8119306	D-3-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.075		< 0.075		0.098		0.24		**0.36**		0.87		0.23		0.29		< 0.15		< 0.73		< 0.73		< 0.15		< 0.15		< 0.29		< 0.15		< 0.15	
1606575	Former Fueling Facility	Unit 1	8119309	DUP-2		11/3/2015	< 0.083		0.33		0.47		**1.1**		**1.3**		**3.7**		1.1		**1.7**		< 0.16		< 0.81		< 0.81		0.21		< 0.16		< 0.33		< 0.16		< 0.16	
1606575	Former Fueling Facility	Unit 1	8119310	D-3-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 1.1		< 1.1		1.7		**1.2**		< 1.1		**2.6**		1.1		< 1.1		< 2.2		< 11		< 11		< 2.2		< 2.2		< 4.3		< 2.2		< 2.2	
1606575	Former Fueling Facility	Unit 1	8119313	D-3-b(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.098		< 0.098		0.37		0.1		0.11		0.18		0.16		0.13		< 0.19		< 0.96		< 0.96		< 0.19		< 0.19		< 0.39		< 0.19		< 0.19	
1606575	Former Fueling Facility	Unit 1	8119314	A-1-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.056		0.11		0.17		0.31		**0.36**		0.66		0.44		0.46		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119315	A-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.056		0.095		0.17		**0.9**		**1.2**		**1.7**		1.3		0.85		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119318	B-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	0.092		0.14		0.44		**0.91**		**0.87**		**1.3**		0.75		0.8		< 0.12		< 0.60		< 0.60		0.2		< 0.12		< 0.24		< 0.12		< 0.12	
1606575	Former Fueling Facility	Unit 1	8119319	B-1-b(5.0-5.5)	(0.0-5.5)	11/3/2015	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		0.081		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1606575	Former Fueling Facility	Unit 1	8119320	B-1-c(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.057		0.09		0.099		0.2		**0.25**		0.57		0.27		0.2		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119321	B-1-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.058		0.14		0.13		0.35		**0.47**		1		0.51		0.39		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119324	B-1-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.35		< 0.35		< 0.35		< 0.35		< 0.35		< 0.35		< 0.35		< 0.35		< 0.68		< 3.4		< 3.4		< 0.68		< 0.68		< 1.4		< 0.68		< 0.68	
1606575	Former Fueling Facility	Unit 1	8119325	B-1-d(2.0-2.5)	(0.0-2.5)	11/3/2015	< 0.056		< 0.056		< 0.056		0.12		**0.29**		0.52		0.24		0.16		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119328	C-3-a(1.5-2)	(0.5-2)	11/3/2015	< 0.067		< 0.067		< 0.067		< 0.067		< 0.067		< 0.067		< 0.067		< 0.067		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1606575	Former Fueling Facility	Unit 1	8119329	C-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.39		< 0.39		< 0.39		**1.7**		**2.6**		**4.7**		1.3		**2.5**		< 0.76		< 3.8		< 3.8		< 0.76		< 0.76		< 1.5		< 0.76		< 0.76	
1606575	Former Fueling Facility	Unit 1	8119330	D-4-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.11		< 0.11		0.13		0.33		**0.31**		0.91		0.46		0.5		< 0.21		< 1.0		< 1.0		< 0.21		< 0.21		< 0.42		< 0.21		< 0.21	
1607061	Former Fueling Facility	Unit 1	8122106	F-3-c(0.0-0.5)	(0.0-0.5)	11/4/2015	0.1		0.13		0.16		0.29		0.16		0.74		0.26		0.2		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607061	Former Fueling Facility	Unit 1	8122107	F-3-c(5.5-6.0)	(5.5-6.0)	11/4/2015	2.5		< 0.056		1.4		0.06		< 0.056		0.072		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122108	F-3-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.057		0.18		0.24		0.26		0.19		0.9		0.25		0.3		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122109	F-3-b(1.5-2.0)	(0.5-2.0)	11/4/2015	0.064		0.14		0.21		0.33		0.22		0.78		0.26		0.35		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122110	F-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	0.16		0.39		0.98		0.78		**1.1**		**2.4**		1.8		1.3		< 0.11		< 0.55		< 0.55		0.26		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122111	F-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	13		5.7		6.4		< 0.63		< 0.63		0.69		< 0.63		< 0.63		< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 2.5		< 1.2		< 1.2	
1607061	Former Fueling Facility	Unit 1	8122112	F-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	0.12		2		3.5		**7.2**		**5.4**		**9.6**		5.2		**8.2**		< 0.11		< 0.55		< 0.55		0.74		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122113	F-3-a(3.5-4.0)	(0.5-4.0)	11/4/2015	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	

						Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1606157	Former Fueling Facility	Unit 1	8116994	C-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.49		0.098		0.23		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1606157	Former Fueling Facility	Unit 1	8116995	C-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.85		0.16		0.33		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1606157	Former Fueling Facility	Unit 1	8116996	C-1-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.49		0.072		0.23		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1606157	Former Fueling Facility	Unit 1	8116998	C-1-a(3.0-3.5)	(0.0-3.5)	11/2/2015	< 0.12		< 0.12		< 0.12		< 0.12		2.7		**0.36**		1.3		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1606157	Former Fueling Facility	Unit 1	8116999	D-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.3		**0.31**	J	0.98		< 0.11		< 0.11		< 0.11		< 1.1	R	< 0.11		< 0.57		< 0.11	UJ	< 0.57		< 1.7	UJ
1606157	Former Fueling Facility	Unit 1	8117003	DUP-1		11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.4		**0.43**		1.1		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1606157	Former Fueling Facility	Unit 1	8117004	D-1-a(6.0-6.5)	(0.0-6.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.087		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1606157	Former Fueling Facility	Unit 1	8117006	D-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.7		**0.33**		1.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1606157	Former Fueling Facility	Unit 1	8117007	D-1-b(5.5-6.0)	(0.5-6.0)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1606157	Former Fueling Facility	Unit 1	8117011	D-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.8		**0.42**		2.5		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1606157	Former Fueling Facility	Unit 1	8117012	D-2-b(3.5-4.0)	(0.5-4.0)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.068		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1606157	Former Fueling Facility	Unit 1	8117013	D-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.12		< 0.12		< 0.12		< 0.12		2.9		**0.39**		1.5		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1606157	Former Fueling Facility	Unit 1	8117014	C-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.16		< 0.16		< 0.16		< 0.16		0.14		< 0.081		< 0.16		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.79		< 0.16		< 0.79		< 2.4	
1606157	Former Fueling Facility	Unit 1	8117015	D-2-a(2.0-2.5)	(0.0-2.5)	11/2/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.1		**0.17**		0.48		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1606157	Former Fueling Facility	Unit 1	8117016	C-2-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.15		< 0.16		< 0.16		< 0.16		0.21		< 0.079		< 0.16		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.78		< 0.16		< 0.78		< 2.3	
1606157	Former Fueling Facility	Unit 1	8117017	C-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.3		**0.43**		1.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1606157	Former Fueling Facility	Unit 1	8117018	C-2-a(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.2		**0.45**		1.5		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1606575	Former Fueling Facility	Unit 1	8119300	D-2-c(2.0-2.5)	(0.0-2.5)	11/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.56		0.07		0.37		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1606575	Former Fueling Facility	Unit 1	8119301	D-2-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 2.1		< 2.1		< 2.1		< 2.1		4.4		< 1.1		4		< 2.1		< 2.1		< 2.1		< 21		< 2.1		< 10		< 2.1		< 10		< 31	
1606575	Former Fueling Facility	Unit 1	8119302	D-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 1.1		< 1.1		< 1.1		< 1.1		1.6		< 0.54		2.5		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.3		< 1.1		< 5.3		< 16	
1606575	Former Fueling Facility	Unit 1	8119303	D-2-e(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.16		< 0.16		< 0.16		< 0.16		0.53		< 0.080		0.21		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.78		< 0.16		< 0.78		< 2.3	
1606575	Former Fueling Facility	Unit 1	8119306	D-3-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.14		< 0.15		< 0.15		< 0.15		0.4		< 0.075		< 0.15		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.73		< 0.15		< 0.73		< 2.2	
1606575	Former Fueling Facility	Unit 1	8119309	DUP-2		11/3/2015	< 0.16		< 0.16		< 0.16		< 0.16		1.9		**0.35**		0.2		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.81		< 0.16		< 0.81		< 2.4	
1606575	Former Fueling Facility	Unit 1	8119310	D-3-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 2.1		< 2.2		< 2.2		< 2.2		3		< 1.1		3		< 2.2		< 2.2		< 2.2		< 22		< 2.2		< 11		< 2.2		< 11		< 32	
1606575	Former Fueling Facility	Unit 1	8119313	D-3-b(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.19		< 0.19		< 0.19		< 0.19		0.13		< 0.098		0.25		< 0.19		< 0.19		< 0.19		< 1.9		< 0.19		< 0.96		< 0.19		< 0.96		< 2.9	
1606575	Former Fueling Facility	Unit 1	8119314	A-1-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.53		0.15		0.15		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1606575	Former Fueling Facility	Unit 1	8119315	A-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.1		**0.34**		0.16		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1606575	Former Fueling Facility	Unit 1	8119318	B-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.2		**0.24**		0.23		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1606575	Former Fueling Facility	Unit 1	8119319	B-1-b(5.0-5.5)	(0.0-5.5)	11/3/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.093		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1606575	Former Fueling Facility	Unit 1	8119320	B-1-c(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.37		0.081		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1606575	Former Fueling Facility	Unit 1	8119321	B-1-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.55		0.14		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1606575	Former Fueling Facility	Unit 1	8119324	B-1-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.67		< 0.68		< 0.68		< 0.68		< 0.35		< 0.35		< 0.68		< 0.68		< 0.68		< 0.68		< 6.8		< 0.68		< 3.4		< 0.68		< 3.4		< 10	
1606575	Former Fueling Facility	Unit 1	8119325	B-1-d(2.0-2.5)	(0.0-2.5)	11/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.19		0.076		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1606575	Former Fueling Facility	Unit 1	8119328	C-3-a(1.5-2)	(0.5-2)	11/3/2015	< 0.13		< 0.13		< 0.13		< 0.13		< 0.067		< 0.067		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1606575	Former Fueling Facility	Unit 1	8119329	C-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.75		< 0.76		< 0.76		< 0.76		2.6		**0.4**		< 0.76		< 0.76		< 0.76		< 0.76		< 7.6		< 0.76		< 3.8		< 0.76		< 3.8		< 11	
1606575	Former Fueling Facility	Unit 1	8119330	D-4-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.21		< 0.21		< 0.21		< 0.21		0.87		0.16		0.47		< 0.21		< 0.21		< 0.21		< 2.1		< 0.21		< 1.0		< 0.21		< 1.0		< 3.1	
1607061	Former Fueling Facility	Unit 1	8122106	F-3-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.94		0.12		0.68		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.8	
1607061	Former Fueling Facility	Unit 1	8122107	F-3-c(5.5-6.0)	(0.5-6.0)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.11		< 0.056		2.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1607061	Former Fueling Facility	Unit 1	8122108	F-3-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.73		0.12		0.28		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122109	F-3-b(1.5-2.0)	(0.5-2.0)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.68		0.083		0.34		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122110	F-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.6		**0.44**		0.74		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122111	F-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	< 1.2		< 1.2		< 1.2		< 1.2		1.3		< 0.63		**12**		< 1.2		< 1.2		1.6		< 12		< 1.2		< 6.2		< 1.2		< 6.2		< 19	
1607061	Former Fueling Facility	Unit 1	8122112	F-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		8.8		**1.9**		0.73		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1607061	Former Fueling Facility	Unit 1	8122113	F-3-a(3.5-4.0)	(0.5-4.0)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.074		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	

						Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
						CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1606157	Former Fueling Facility	Unit 1	8116994	C-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.1		< 0.51		< 0.10		< 0.53		0.44		< 0.053		< 0.053		< 0.10		< 1.5		< 0.51		0.34		< 0.10		0.73		< 0.10		< 0.10		0.62	B
1606157	Former Fueling Facility	Unit 1	8116995	C-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.3		< 0.54		< 0.11		< 0.55		1.1		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.65		< 0.11		0.56		< 0.11		< 0.11		0.42	B
1606157	Former Fueling Facility	Unit 1	8116996	C-1-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 3.3		< 0.55		< 0.11		< 0.57		0.29		< 0.057		< 0.057		< 0.11		< 1.7		< 0.55		0.19		< 0.11		0.57		< 0.11		< 0.11		0.33	B
1606157	Former Fueling Facility	Unit 1	8116998	C-1-a(3.0-3.5)	(0.0-3.5)	11/2/2015	< 3.6		< 0.60		< 0.12		< 0.61		4.1		0.11		< 0.061		< 0.12		< 1.8		< 0.60		0.93		< 0.12		2.3		< 0.12		< 0.12		1.9	B
1606157	Former Fueling Facility	Unit 1	8116999	D-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.4	UJ	< 0.57	UJ	< 0.11		< 0.58		1.6		0.10	J	< 0.058		< 0.11		< 1.7	UJ	< 0.57		0.9	J	< 0.11		1.9		< 0.11		< 0.11		1.5	B
1606157	Former Fueling Facility	Unit 1	8117003	DUP-1		11/2/2015	< 3.4		< 0.56		< 0.11		< 0.58		1.7		0.11		< 0.058		< 0.11		< 1.7		< 0.56		1		< 0.11		2.1		< 0.11		< 0.11		1.7	B
1606157	Former Fueling Facility	Unit 1	8117004	D-1-a(6.0-6.5)	(0.0-6.5)	11/2/2015	< 3.2		< 0.54		< 0.11		< 0.55		0.059		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1606157	Former Fueling Facility	Unit 1	8117006	D-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.3		< 0.56		< 0.11		< 0.57		2.4		0.15		< 0.057		< 0.11		< 1.7		< 0.56		1.3		< 0.11		2		< 0.11		< 0.11		1.7	B
1606157	Former Fueling Facility	Unit 1	8117007	D-1-b(5.5-6.0)	(0.5-6.0)	11/2/2015	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1606157	Former Fueling Facility	Unit 1	8117011	D-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.4		< 0.57		< 0.11		< 0.58		2.4		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		1.5		< 0.11		12		< 0.11		< 0.11		5.1	B
1606157	Former Fueling Facility	Unit 1	8117012	D-2-b(3.5-4.0)	(0.5-4.0)	11/2/2015	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		0.33		< 0.11		< 0.11		0.10	B
1606157	Former Fueling Facility	Unit 1	8117013	D-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.6		< 0.59		< 0.12		< 0.60		2.5		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		1.2		< 0.12		2.3		< 0.12		< 0.12		1.9	B
1606157	Former Fueling Facility	Unit 1	8117014	C-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 4.8		< 0.79		< 0.16		< 0.81		0.15		< 0.081		< 0.081		< 0.16		< 2.4		< 0.79		0.097		< 0.16		0.11		< 0.16		< 0.16		0.15	B
1606157	Former Fueling Facility	Unit 1	8117015	D-2-a(2.0-2.5)	(0.0-2.5)	11/2/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.58		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.38		< 0.12		1.2		< 0.12		< 0.12		0.89	B
1606157	Former Fueling Facility	Unit 1	8117016	C-2-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 4.7		< 0.78		< 0.16		< 0.79		0.23		< 0.079		< 0.079		< 0.16		< 2.3		< 0.78		0.12		< 0.16		0.16		< 0.16		< 0.16		0.16	B
1606157	Former Fueling Facility	Unit 1	8117017	C-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 3.4		< 0.56		< 0.11		< 0.57		3.6		0.21		< 0.057		< 0.11		< 1.7		< 0.56		1.9		< 0.11		1.8		< 0.11		< 0.11		1.8	B
1606157	Former Fueling Facility	Unit 1	8117018	C-2-a(1.0-1.5)	(0.0-1.5)	11/2/2015	< 3.3		< 0.54		< 0.11		< 0.56		3.7		0.26		< 0.056		< 0.11		< 1.6		< 0.54		1.9		< 0.11		2.5		< 0.11		< 0.11		2.0	B
1606575	Former Fueling Facility	Unit 1	8119300	D-2-c(2.0-2.5)	(0.0-2.5)	11/3/2015	< 3.3		< 0.56		< 0.11		< 0.57		0.3		0.074		< 0.057		< 0.11		< 1.7		< 0.56		0.11		< 0.11		0.93		< 0.11		< 0.11		0.64	
1606575	Former Fueling Facility	Unit 1	8119301	D-2-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 6.2		< 10		< 2.1		< 11		4.6		< 1.1		< 1.1		< 2.1		< 31		< 10		2.2		< 2.1		16		< 2.1		< 2.1		7.6	
1606575	Former Fueling Facility	Unit 1	8119302	D-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 32		< 5.3		< 1.1		< 5.4		1.3		0.82		< 0.54		< 1.1		< 16		< 5.3		< 0.54		< 1.1		27		< 1.1		< 1.1		11	
1606575	Former Fueling Facility	Unit 1	8119303	D-2-e(0.0-0.5)	(0.0-0.5)	11/3/2015	< 4.7		< 0.78		< 0.16		< 0.80		0.44		< 0.080		< 0.080		< 0.16		< 2.3		< 0.78		0.24		< 0.16		0.43		< 0.16		< 0.16		0.42	
1606575	Former Fueling Facility	Unit 1	8119306	D-3-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 4.4		< 0.73		< 0.15		< 0.75		0.23		< 0.075		< 0.075		< 0.15		< 2.2		< 0.73		0.27		< 0.15		0.089		< 0.15		< 0.15		< 0.075	
1606575	Former Fueling Facility	Unit 1	8119309	DUP-2		11/3/2015	< 4.9		< 0.81		< 0.16		< 0.83		0.92		< 0.083		< 0.083		< 0.16		< 2.4		< 0.81		1.2		< 0.16		0.44		< 0.16		< 0.16		0.51	
1606575	Former Fueling Facility	Unit 1	8119310	D-3-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 65		< 11		< 2.2		< 11		2.5		< 1.1		< 1.1		< 2.2		< 32		< 11		1.2		< 2.2		15		< 2.2		< 2.2		7	
1606575	Former Fueling Facility	Unit 1	8119313	D-3-b(0.0-0.5)	(0.0-0.5)	11/3/2015	< 5.8		< 0.96		< 0.19		< 0.98		0.17		0.12		< 0.098		< 0.19		< 2.9		< 0.96		0.18		< 0.19		1		< 0.19		< 0.19		0.46	
1606575	Former Fueling Facility	Unit 1	8119314	A-1-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 3.3		< 0.54		< 0.11		< 0.56		0.46		< 0.056		< 0.056		< 0.11		< 1.6		< 0.54		0.33		< 0.11		0.4		< 0.11		< 0.11		0.3	
1606575	Former Fueling Facility	Unit 1	8119315	A-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 3.3		< 0.55		< 0.11		< 0.56		1		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		1.1		< 0.11		0.4		< 0.11		< 0.11		0.32	
1606575	Former Fueling Facility	Unit 1	8119318	B-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 3.6		< 0.60		< 0.12		< 0.61		2.1		0.092		< 0.061		< 0.12		< 1.8		< 0.60		0.59		< 0.12		0.5		< 0.12		< 0.12		0.43	
1606575	Former Fueling Facility	Unit 1	8119319	B-1-b(5.0-5.5)	(0.0-5.5)	11/3/2015	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		0.11		< 0.10		< 0.10		0.054	
1606575	Former Fueling Facility	Unit 1	8119320	B-1-c(1.0-1.5)	(0.0-1.5)	11/3/2015	< 3.3		< 0.55		< 0.11		< 0.57		0.33		< 0.057		< 0.057		< 0.11		< 1.7		< 0.55		0.23		< 0.11		0.14		< 0.11		< 0.11		0.12	
1606575	Former Fueling Facility	Unit 1	8119321	B-1-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.51		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.47		< 0.11		0.19		< 0.11		< 0.11		0.16	
1606575	Former Fueling Facility	Unit 1	8119324	B-1-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 20		< 3.4		< 0.68		< 3.5		< 0.35		< 0.35		< 0.68		< 10		< 3.4		< 0.35		< 0.35		< 0.68		< 0.35		< 0.68		< 0.68		< 0.35	
1606575	Former Fueling Facility	Unit 1	8119325	B-1-d(2.0-2.5)	(0.0-2.5)	11/3/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.17		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		0.22		< 0.11		0.13		< 0.11		< 0.11		0.091	
1606575	Former Fueling Facility	Unit 1	8119328	C-3-a(1.5-2)	(0.5-2)	11/3/2015	< 3.9		< 0.66		< 0.13		< 0.67		< 0.067		< 0.067		< 0.067		< 0.13		< 2.0		< 0.66		< 0.067		< 0.13		< 0.067		< 0.13		< 0.13		< 0.067	
1606575	Former Fueling Facility	Unit 1	8119329	C-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 23		< 3.8		< 0.76		< 3.9		1.2		< 0.39		< 0.39		< 0.76		< 11		< 3.8		1.3		< 0.76		0.53		< 0.76		< 0.76		0.5	
1606575	Former Fueling Facility	Unit 1	8119330	D-4-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 6.2		< 1.0		< 0.21		< 1.1		0.92		< 0.11		< 0.11		< 0.21		< 3.1		< 1.0		0.4		< 0.21		0.95		< 0.21		< 0.21		1.3	
1607061	Former Fueling Facility	Unit 1	8122106	F-3-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.5		< 0.58		< 0.12		< 0.60		0.42		0.11		< 0.060		< 0.12		< 1.8		< 0.58		0.24		< 0.12		2		< 0.12		< 0.12		1.2	
1607061	Former Fueling Facility	Unit 1	8122107	F-3-c(5.5-6.0)	(5.5-6.0)	11/4/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.39		5.5		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		40		< 0.11		< 0.11		6.9	
1607061	Former Fueling Facility	Unit 1	8122108	F-3-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.5		0.062		< 0.057		< 0.11		< 1.7		< 0.56		0.26		< 0.11		1.1		< 0.11		< 0.11		0.57	
1607061	Former Fueling Facility	Unit 1	8122109	F-3-b(1.5-2.0)	(0.5-2.0)	11/4/2015	< 3.3		< 0.56		< 0.11		< 0.57		0.57		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.27		< 0.11		1.8		< 0.11		< 0.11		0.9	
1607061	Former Fueling Facility	Unit 1	8122110	F-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.3		< 0.55		< 0.11		< 0.57		0.87		0.2		< 0.057		< 0.11		< 1.7		< 0.55		1.7		< 0.11		7.4		< 0.11		< 0.11		1.8	
1607061	Former Fueling Facility	Unit 1	8122111	F-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	< 37		< 6.2		< 1.2		< 6.3		2.9		23		< 0.63		< 1.2		< 19		< 6.2		< 0.63		< 1.2		68		< 1.2		< 1.2		13	
1607061	Former Fueling Facility	Unit 1	8122112	F-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.3		< 0.55		< 0.11		< 0.56		13		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		5		< 0.11		2.5		< 0.11		< 0.11		1.7	
1607061	Former Fueling Facility	Unit 1	8122113	F-3-a(3.5-4.0)	(0.5-4.0)	11/4/2015	< 3.4		< 0.56		< 0.11		< 0.57		< 0.057		0.29		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	

						Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
						CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
						DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1606157	Former Fueling Facility	Unit 1	8116994	C-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.53		0.47		< 0.10		0.38		< 0.10		< 0.10		< 0.10	
1606157	Former Fueling Facility	Unit 1	8116995	C-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.78		< 0.11		1		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8116996	C-1-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.57		0.75		< 0.11		0.23		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8116998	C-1-a(3.0-3.5)	(0.0-3.5)	11/2/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		5.6		< 0.12		2.6		< 0.12		< 0.12		< 0.12	
1606157	Former Fueling Facility	Unit 1	8116999	D-1-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.57	UJ	< 0.57	UJ	< 0.11		< 0.11		< 1.7	UJ	< 0.11		< 0.11		< 0.57		< 0.58		2.8		< 0.11		1.3		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117003	DUP-1		11/2/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		3		< 0.11		1.5		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117004	D-1-a(6.0-6.5)	(0.0-6.5)	11/2/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.07		< 0.11		0.056		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117006	D-1-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		2.7		< 0.11		2		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117007	D-1-b(5.5-6.0)	(0.5-6.0)	11/2/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117011	D-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		6		< 0.11		2		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117012	D-2-b(3.5-4.0)	(0.5-4.0)	11/2/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.12		< 0.11		0.06		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117013	D-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		3.9		< 0.12		2.1		< 0.12		< 0.12		< 0.12	
1606157	Former Fueling Facility	Unit 1	8117014	C-2-b(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.16		< 0.79		< 0.79		< 0.16		< 0.16		< 2.4		< 0.16		< 0.16		< 0.79		< 0.81		0.19		< 0.16		0.11		< 0.16		< 0.16		< 0.16	
1606157	Former Fueling Facility	Unit 1	8117015	D-2-a(2.0-2.5)	(0.0-2.5)	11/2/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		1.7		< 0.12		0.58		< 0.12		< 0.12		< 0.12	
1606157	Former Fueling Facility	Unit 1	8117016	C-2-b(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.16		< 0.78		< 0.78		< 0.16		< 0.16		< 2.3		< 0.16		< 0.16		< 0.78		< 0.79		0.25		< 0.16		0.19		< 0.16		< 0.16		< 0.16	
1606157	Former Fueling Facility	Unit 1	8117017	C-2-a(0.0-0.5)	(0.0-0.5)	11/2/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		3.2		< 0.11		3.2		< 0.11		< 0.11		< 0.11	
1606157	Former Fueling Facility	Unit 1	8117018	C-2-a(1.0-1.5)	(0.0-1.5)	11/2/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.56		3.4		0.11		3.1		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119300	D-2-c(2.0-2.5)	(0.0-2.5)	11/3/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		1.1		< 0.11		0.26		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119301	D-2-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 2.1		< 10		< 10		< 2.1		< 2.1		< 31		< 2.1		< 2.1		< 10		< 11		9.6		< 2.1		2.8		< 2.1		< 2.1		< 2.1	
1606575	Former Fueling Facility	Unit 1	8119302	D-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 1.1		< 5.3		< 5.3		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.3		< 5.4		4.6		< 1.1		1.5		< 1.1		< 1.1		< 1.1	
1606575	Former Fueling Facility	Unit 1	8119303	D-2-e(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.16		< 0.78		< 0.78		< 0.16		< 0.16		< 2.3		< 0.16		< 0.16		< 0.78		< 0.80		0.62		< 0.16		0.41		< 0.16		< 0.16		< 0.16	
1606575	Former Fueling Facility	Unit 1	8119306	D-3-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.15		< 0.73		< 0.73		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.73		< 0.75		0.13		< 0.15		0.28		< 0.15		< 0.15		< 0.15	
1606575	Former Fueling Facility	Unit 1	8119309	DUP-2		11/3/2015	< 0.16		< 0.81		< 0.81		< 0.16		< 0.16		< 2.4		< 0.16		< 0.16		< 0.81		< 0.83		0.6		< 0.16		1.3		< 0.16		< 0.16		< 0.16	
1606575	Former Fueling Facility	Unit 1	8119310	D-3-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 2.2		< 11		< 11		< 2.2		< 2.2		< 32		< 2.2		< 2.2		< 11		< 11		8		< 2.2		2.6		< 2.2		< 2.2		< 2.2	
1606575	Former Fueling Facility	Unit 1	8119313	D-3-b(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.19		< 0.96		< 0.96		< 0.19		< 0.19		< 2.9		< 0.19		< 0.19		< 0.96		< 0.98		0.7		< 0.19		0.19		< 0.19		< 0.19		< 0.19	
1606575	Former Fueling Facility	Unit 1	8119314	A-1-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.56		0.5		< 0.11		0.4		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119315	A-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.61		< 0.11		0.97		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119318	B-1-a(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		1.7		< 0.12		1.7		< 0.12		< 0.12		< 0.12	
1606575	Former Fueling Facility	Unit 1	8119319	B-1-b(5.0-5.5)	(0.0-5.5)	11/3/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.15		< 0.10		0.054		< 0.10		< 0.10		< 0.10	
1606575	Former Fueling Facility	Unit 1	8119320	B-1-c(1.0-1.5)	(0.0-1.5)	11/3/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.57		0.2		< 0.11		0.32		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119321	B-1-c(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.28		< 0.11		0.51		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119324	B-1-d(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.68		< 3.4		< 3.4		< 0.68		< 0.68		< 10		< 0.68		< 0.68		< 3.4		< 3.5		< 0.35		< 0.68		< 0.35		< 0.68		< 0.68		< 0.68	
1606575	Former Fueling Facility	Unit 1	8119325	B-1-d(2.0-2.5)	(0.0-2.5)	11/3/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.12		< 0.11		0.16		< 0.11		< 0.11		< 0.11	
1606575	Former Fueling Facility	Unit 1	8119328	C-3-a(1.5-2)	(0.5-2)	11/3/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		< 0.067		< 0.13		< 0.067		< 0.13		< 0.13		< 0.13	
1606575	Former Fueling Facility	Unit 1	8119329	C-3-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.76		< 3.8		< 3.8		< 0.76		< 0.76		< 11		< 0.76		< 0.76		< 3.8		< 3.9		0.6		< 0.76		3.1		< 0.76		< 0.76		< 0.76	
1606575	Former Fueling Facility	Unit 1	8119330	D-4-a(0.0-0.5)	(0.0-0.5)	11/3/2015	< 0.21		< 1.0		< 1.0		< 0.21		< 0.21		< 3.1		< 0.21		< 0.21		< 1.0		< 1.1		1.4		< 0.21		0.56		< 0.21		< 0.21		< 0.21	
1607061	Former Fueling Facility	Unit 1	8122106	F-3-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.58		< 0.60		2.1		< 0.12		0.41		< 0.12		< 0.12		< 0.12	
1607061	Former Fueling Facility	Unit 1	8122107	F-3-c(5.5-6.0)	(5.5-6.0)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		12		< 0.11		0.74		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122108	F-3-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.86		< 0.11		0.48		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122109	F-3-b(1.5-2.0)	(0.5-2.0)	11/4/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.85		< 0.11		0.52		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122110	F-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.57		1.7		< 0.11		1		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122111	F-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 19		< 1.2		< 1.2		< 6.2		< 6.3		66		< 1.2		4		< 1.2		< 1.2		< 1.2	
1607061	Former Fueling Facility	Unit 1	8122112	F-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		2.4		< 0.11		12		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122113	F-3-a(3.5-4.0)	(0.5-4.0)	11/4/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.47		< 0.11		0.26		< 0.11		< 0.11		< 0.11	

					Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607061	Former Fueling Facility	Unit 1	8122116	E-2-a(0.0-0.5)	(0.0-0.5)	11/4/2015	0.34		0.94		3		1.8		0.96		4.9		1.7		2.2		< 0.11		< 0.56		< 0.56		1.9		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122117	E-2-a(2.5-3)	(0.5-3)	11/4/2015	< 0.066		< 0.066		0.091		0.13		0.066		0.31		0.13		0.1		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1607061	Former Fueling Facility	Unit 1	8122118	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.058		0.47		0.75		0.64		0.74		1.8		0.85		1.4		< 0.11		< 0.57		< 0.57		0.31		< 0.11		< 0.23		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122121	E-3-e(1.5-2)	(0.5-2)	11/4/2015	28		< 0.40		8.6		0.8		0.4		0.94		0.42		< 0.40		< 0.79		< 3.9		< 3.9		< 0.79		< 0.79		< 1.6		< 0.79		< 0.79	
1607061	Former Fueling Facility	Unit 1	8122122	E-3-e(0.0-0.5)	(0.0-0.5)	11/4/2015	0.084		0.77		1.4		1.8		1.9		3.8		1.8		2.4		< 0.13		< 0.64		< 0.64		0.53		< 0.13		< 0.26		< 0.13		< 0.13	
1607061	Former Fueling Facility	Unit 1	8122123	F-4-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.27		< 0.27		0.34		0.59		0.29		1.2		0.49		0.33		< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 1.1		< 0.53		< 0.53	
1607061	Former Fueling Facility	Unit 1	8122124	F-4-e(3.0-3.5)	(0.0-3.5)	11/4/2015	9.3		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 1.1		< 0.56		< 0.56	
1607061	Former Fueling Facility	Unit 1	8122125	E-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.056		0.36		0.87		0.69		0.47		1.9		0.72		1.1		< 0.11		< 0.55		< 0.55		0.29		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122126	E-3-a(2.5-3.0)	(0.5-3.0)	11/4/2015	< 0.071		< 0.071		< 0.071		0.17		< 0.071		0.23		0.11		< 0.071		< 0.14		< 0.70		< 0.70		< 0.14		< 0.14		< 0.28		< 0.14		< 0.14	
1607061	Former Fueling Facility	Unit 1	8122127	E-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	0.091		0.79		1.4		1.4		1.2		2.9		1.3		1.6		< 0.12		< 0.58		< 0.58		0.53		< 0.12		< 0.23		< 0.12		< 0.12	
1607061	Former Fueling Facility	Unit 1	8122128	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.058		0.33		0.96		0.87		0.42		2.3		0.61		1.3		< 0.11		< 0.57		< 0.57		0.26		< 0.11		< 0.23		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122129	E-2-b(3.0-3.5)	(0.0-3.5)	11/4/2015	0.079		< 0.059		0.08		0.29		0.11		0.53		0.2		0.15		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607061	Former Fueling Facility	Unit 1	8122130	E-2-c(3.5-4.0)	(0.5-4.0)	11/4/2015	1.7		< 0.056		1.1		0.1		< 0.056		0.22		0.065		0.058		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122131	E-3-c(1.5-2.0)	(0.5-2.0)	11/4/2015	4.8		1.6		3.6		0.32		< 0.31		0.48		< 0.31		< 0.31		< 0.61		< 3.1		< 3.1		< 0.66		< 0.61		< 1.2		< 0.61		< 0.61	
1607061	Former Fueling Facility	Unit 1	8122132	E-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	0.43		< 0.34		< 0.34		< 0.34		< 0.34		0.36		< 0.34		< 0.34		< 0.66		< 3.3		< 3.3		< 0.66		< 0.66		< 1.3		< 0.66		< 0.66	
1607061	Former Fueling Facility	Unit 1	8122133	F-4-d(2.5-3.0)	(0.5-3.0)	11/4/2015	< 0.056		0.13		0.18		0.45		0.3		0.66		0.26		0.3		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122134	F-4-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.056		0.34		0.52		0.68		0.67		1.3		0.63		0.88		< 0.11		< 0.55		< 0.55		0.15		< 0.11		< 0.22		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122135	E-2-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.31		1		1.8		2.1		1.9		6.4		2.3		2.6		< 0.60		< 3.0		< 3.0		0.75		< 0.60		< 1.2		< 0.60		< 0.60	
1607505	Former Fueling Facility	Unit 1	8124255	E-3-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.30		< 0.30		1.2		0.7		0.48		3.1		1.4		1.3		< 0.59		< 2.9		< 2.9		< 0.59		< 0.59		< 1.2		< 0.59		< 0.59	
1607505	Former Fueling Facility	Unit 1	8124258	E-3-b(2.5-3.0)	(0.5-3.0)	11/5/2015	13		5		6.6		< 0.71		< 0.71		0.77		< 0.71		< 0.71		< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 2.8		< 1.4		< 1.4	
1607505	Former Fueling Facility	Unit 1	8124259	DUP-4		11/5/2015	< 0.60		< 0.60		1.5		1.4		0.71		4.7		1.7		2		< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 2.3		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124262	F-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.29		< 0.29		0.44		< 0.29		< 0.29		0.48		< 0.29		0.38		< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1607505	Former Fueling Facility	Unit 1	8124263	F-4-c(2.5-3.0)	(0.5-3.0)	11/5/2015	24		< 0.72		12		2		1.1		1.8		0.85		1.4		< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 2.8		< 1.4		< 1.4	
1607505	Former Fueling Facility	Unit 1	8124264	F-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	0.076		0.082		0.15		0.2		0.11		0.28		0.18		0.2		< 0.13		< 0.67		< 0.67		0.15		< 0.13		< 0.27		< 0.13		< 0.13	
1607505	Former Fueling Facility	Unit 1	8124265	E-4-c(2.0-2.5)	(0.0-2.5)	11/5/2015	14		< 0.60		10		1.1		0.68		1.1		< 0.60		0.82		< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124266	E-4-e(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.062		0.22		0.25		0.49		0.43		1.1		0.51		0.57		< 0.12		< 0.61		< 0.61		0.13		< 0.12		< 0.24		< 0.12		< 0.12	
1607505	Former Fueling Facility	Unit 1	8124267	E-4-e(2.0-2.5)	(0.0-2.5)	11/5/2015	< 0.71		< 0.71		< 0.71		< 0.71		< 0.71		0.89		< 0.71		< 0.71		< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 2.8		< 1.4		< 1.4	
1607505	Former Fueling Facility	Unit 1	8124268	E-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	0.064		0.16		0.21		0.48		0.33		0.85		0.4		0.44		< 0.11		< 0.57		< 0.57		0.16		< 0.11		< 0.23		< 0.11		< 0.11	
1607505	Former Fueling Facility	Unit 1	8124269	E-4-d(1.5-2.0)	(0.5-2.0)	11/5/2015	< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 2.5		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124270	E-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.56		< 0.56		< 0.56		< 0.56		< 0.56		0.63		< 0.56		< 0.56		< 1.1		< 5.5		< 5.5		< 1.1		< 1.1		< 2.2		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124271	E-4-b(1.0-1.5)	(0.0-1.5)	11/5/2015	< 0.55		< 0.55		< 0.55		< 0.55		< 0.55		0.85		0.58		< 0.55		< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 2.2		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124274	G-3-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.62		< 0.62		< 0.62		< 0.62		< 0.62		1.4		< 0.62		< 0.62		< 1.2		< 6.1		< 6.1		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124275	F-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.28		0.3		0.68		< 0.28		< 0.28		0.56		0.47		< 0.28		< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 1.1		< 0.54		< 0.54	
1607505	Former Fueling Facility	Unit 1	8124276	F-4-a(2.0-2.5)	(0.0-2.5)	11/5/2015	7.4		< 0.61		3.6		1.1		< 0.61		0.74		< 0.61		< 0.61		< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124279	E-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.58		< 0.58		< 0.58		0.66		< 0.58		2.3		1.1		1.2		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124280	E-4-a(2.5-3.0)	(0.5-3.0)	11/5/2015	< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124282	E-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124284	G-3-a(4.5-5.0)	(0.5-5.0)	11/5/2015	3.3		< 0.58		1.4		0.86		0.67		0.92		< 0.58		1.1		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124286	G-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.28		1.6		2.1		2.2		2.4		5.5		3.2		3.4		< 0.55		< 2.7		< 2.7		0.65		< 0.55		< 1.1		< 0.55		< 0.55	
1607505	Former Fueling Facility	Unit 1	8124287	G-4-d(3.5-4.0)	(0.5-4.0)	11/5/2015	< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607505	Former Fueling Facility	Unit 1	8124288	G-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.29		1.1		2.2		0.69		0.48		2.5		1.2		1.3		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1607505	Former Fueling Facility	Unit 1	8124289	G-4-c(4.0-4.5)	(0.0-4.5)	11/5/2015	2.3		< 0.057		0.8		0.096		< 0.057		0.14		0.079		0.094		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125860	G-4-b(0-0.5)	(0-0.5)	11/6/2015	0.073		0.27		0.64		0.74		0.36		2.6		0.93		1.1		< 0.11		< 0.56		< 0.56		0.19		< 0.11		< 0.22		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125861	G-4-b(3.0-3.5)	(0.0-3.5)	11/6/2015	2.4		1.1		2.1		0.13		0.071		0.12		0.087		0.078		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607774	Former Fueling Facility	Unit 1	8125862	G-4-a(0-0.5)	(0-0.5)	11/6/2015	0.1		0.54		0.8		1.1		0.9		2.4		1.2		1.4		< 0.12		< 0.58		< 0.58		0.26		< 0.12		< 0.23		< 0.12		< 0.12	
1607774	Former Fueling Facility	Unit 1	8125863	G-4-a(3.0-3.5)	(0.0-3.5)	11/6/2015	3.3		1.1		1.7		0.098		< 0.055		0.14		0.08		0.078		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125864	G-4-e(0-0.5)	(0-0.5)	11/6/2015	< 0.27		< 0.27		0.45		< 0.27		0.31		0.54		0.52		< 0.27		< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 1.1		< 0.53		< 0.53	
1607774	Former Fueling Facility	Unit 1	8125865	G-4-e(2.0-2.5)	(0.0-2.5)	11/6/2015	21	J	< 0.33		13	J	4.7	J	3.2	J	3.3		1.9	J	3.5	J	< 0.64		< 3.2		< 3.2		2.9		< 0.64		< 1.3		< 0.64		< 0.64	
1607774	Former Fueling Facility	Unit 1	8125870	G-5-d(3.0-3.5)	(0.0-3.5)	11/6/2015	5.6		2.8		2.8		0.52		< 0.35		0.51		0.41		< 0.35		< 0.68		< 3.4		< 3.4		1.4		< 0.68		< 1.4		< 0.68		< 0.68	
1607774	Former Fueling Facility	Unit 1	8125871	G-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.56		< 0.56		< 0.56		< 0.56		< 0.56		< 0.56		< 0.56		< 0.56		< 1.1		< 5.5		< 5.5		< 1.1		< 1.1		< 2.2		< 1.1		< 1.1	

						Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607061	Former Fueling Facility	Unit 1	8122116	E-2-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		4.1		0.59		1.7		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122117	E-2-a(2.5-3)	(0.5-3)	11/4/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.4		< 0.066		0.22		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1607061	Former Fueling Facility	Unit 1	8122118	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.3		0.3		1.1		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122121	E-3-e(1.5-2)	(0.5-2)	11/4/2015	< 0.78		< 0.79		< 0.79		< 0.79		1.6		< 0.40		5.3		< 0.79		< 0.79		< 0.79		< 7.9		< 0.79		< 3.9		< 0.79		< 3.9		< 12	
1607061	Former Fueling Facility	Unit 1	8122122	E-3-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.13		< 0.13		< 0.13		< 0.13		3.1		0.59		0.83		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1607061	Former Fueling Facility	Unit 1	8122123	F-4-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.53		< 0.53		< 0.53		< 0.53		1.5		< 0.27		1.7		< 0.53		< 0.53		< 0.53		< 5.3		< 0.53		< 2.7		< 0.53		< 2.7		< 8.0	
1607061	Former Fueling Facility	Unit 1	8122124	F-4-e(3.0-3.5)	(0.0-3.5)	11/4/2015	< 0.55		< 0.56		< 0.56		< 0.56		0.33		< 0.28		4.9		< 0.56		< 0.56		< 0.56		< 5.6		< 0.56		< 2.8		< 0.56		< 2.8		< 8.3	
1607061	Former Fueling Facility	Unit 1	8122125	E-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.7		0.34		0.91		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122126	E-3-g(2.5-3.0)	(0.5-3.0)	11/4/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.41		< 0.071		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.70		< 0.14		< 0.70		< 2.1	
1607061	Former Fueling Facility	Unit 1	8122127	E-3-g(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.12		< 0.12		< 0.12		2.3		0.39		1.4		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122128	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.3		0.48		1.6		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122129	E-2-b(3.0-3.5)	(0.0-3.5)	11/4/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.92		0.11		0.42		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122130	E-2-c(3.5-4.0)	(0.5-4.0)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.24		< 0.056		0.57		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1607061	Former Fueling Facility	Unit 1	8122131	E-3-c(1.5-2.0)	(0.5-2.0)	11/4/2015	< 0.61		< 0.61		< 0.61		< 0.61		0.53		< 0.31		4.1		< 0.61		< 0.61		< 0.61		< 6.1		< 0.61		< 3.1		< 0.61		< 3.1		< 9.2	
1607061	Former Fueling Facility	Unit 1	8122132	E-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	< 0.65		< 0.66		< 0.66		< 0.66		0.79		< 0.34		1.3		< 0.66		< 0.66		< 0.66		< 6.6		< 0.66		< 3.3		< 0.66		< 3.3		< 9.9	
1607061	Former Fueling Facility	Unit 1	8122133	F-4-d(2.5-3.0)	(0.5-3.0)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.52		0.075		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1607061	Former Fueling Facility	Unit 1	8122134	F-4-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.1		0.17		0.55		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1607061	Former Fueling Facility	Unit 1	8122135	E-2-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.60		< 0.60		< 0.60		< 0.60		4		0.7		1.8		< 0.60		< 0.60		< 0.60		< 6.0		< 0.60		< 3.0		< 0.60		< 3.0		< 9.1	
1607505	Former Fueling Facility	Unit 1	8124255	E-3-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.58		< 0.59		< 0.59		< 0.59		1.8		0.68		1.4		< 0.59		< 0.59		< 0.59		< 5.9		< 0.59		< 2.9		< 0.59		< 2.9		< 8.8	
1607505	Former Fueling Facility	Unit 1	8124258	E-3-b(2.5-3.0)	(0.5-3.0)	11/5/2015	< 1.4		< 1.4		< 1.4		< 1.4		1.3		< 0.71		6.5		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 7.0		< 1.4		< 7.0		< 21	
1607505	Former Fueling Facility	Unit 1	8124259	DUP-4		11/5/2015	< 1.2		< 1.2		< 1.2		< 1.2		3.1		0.84		2.4		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 5.9		< 1.2		< 5.9		< 18	
1607505	Former Fueling Facility	Unit 1	8124262	F-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.56		< 0.57		< 0.57		< 0.57		0.46		< 0.29		1.2		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.8		< 0.57		< 2.8		< 8.5	
1607505	Former Fueling Facility	Unit 1	8124263	F-4-c(2.5-3.0)	(0.5-3.0)	11/5/2015	< 1.4		< 1.4		< 1.4		< 1.4		3.3		< 0.72		17		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 7.0		< 1.4		< 7.0		< 21	
1607505	Former Fueling Facility	Unit 1	8124264	F-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.39		< 0.068		0.68		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.67		< 0.13		< 0.67		< 2.0	
1607505	Former Fueling Facility	Unit 1	8124265	E-4-c(2.0-2.5)	(0.0-2.5)	11/5/2015	< 1.2		< 1.2		< 1.2		< 1.2		1.9		< 0.60		11		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 5.9		< 1.2		< 5.9		< 18	
1607505	Former Fueling Facility	Unit 1	8124266	E-4-e(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.12		< 0.12		< 0.12		< 0.12		1		0.15		0.76		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1607505	Former Fueling Facility	Unit 1	8124267	E-4-e(2.0-2.5)	(0.0-2.5)	11/5/2015	< 1.4		< 1.4		< 1.4		< 1.4		< 0.71		< 0.71		< 1.4		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 7.0		< 1.4		< 7.0		< 21	
1607505	Former Fueling Facility	Unit 1	8124268	E-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.2		0.15		1.1		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1607505	Former Fueling Facility	Unit 1	8124269	E-4-d(1.5-2.0)	(0.5-2.0)	11/5/2015	< 1.2		< 1.2		< 1.2		< 1.2		0.88		< 0.63		1.7		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.2		< 1.2		< 6.2		< 19	
1607505	Former Fueling Facility	Unit 1	8124270	E-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.1		< 1.1		< 1.1		< 1.1		1		< 0.56		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.5		< 1.1		< 5.5		< 16	
1607505	Former Fueling Facility	Unit 1	8124271	E-4-b(1.0-1.5)	(0.0-1.5)	11/5/2015	< 1.1		< 1.1		< 1.1		< 1.1		0.63		< 0.55		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.4		< 1.1		< 5.4		< 16	
1607505	Former Fueling Facility	Unit 1	8124274	G-3-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.2		< 1.2		< 1.2		< 1.2		1.1		< 0.62		< 1.2		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.1		< 1.2		< 6.1		< 18	
1607505	Former Fueling Facility	Unit 1	8124275	F-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.54		< 0.54		< 0.54		< 0.54		0.36		< 0.28		1.4		< 0.54		< 0.54		< 0.54		< 5.4		< 0.54		< 2.7		< 0.54		< 2.7		< 8.1	
1607505	Former Fueling Facility	Unit 1	8124276	F-4-a(2.0-2.5)	(0.0-2.5)	11/5/2015	< 1.2		< 1.2		< 1.2		< 1.2		1.4		< 0.61		< 1.2		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.0		< 1.2		< 6.0		< 18	
1607505	Former Fueling Facility	Unit 1	8124279	E-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.1		< 1.1		< 1.1		< 1.1		2		< 0.58		1.3		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1607505	Former Fueling Facility	Unit 1	8124280	E-4-a(2.5-3.0)	(0.5-3.0)	11/5/2015	< 1.1		< 1.1		< 1.1		< 1.1		< 0.58		< 0.58		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1607505	Former Fueling Facility	Unit 1	8124282	E-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.1		< 1.1		< 1.1		< 1.1		0.74		< 0.58		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1607505	Former Fueling Facility	Unit 1	8124284	G-3-a(4.5-5.0)	(0.5-5.0)	11/5/2015	< 1.1		< 1.1		< 1.1		< 1.1		1.2		< 0.58		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1607505	Former Fueling Facility	Unit 1	8124286	G-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.54		< 0.55		< 0.55		< 0.55		4.3		1		1.1		< 0.55		< 0.55		< 0.55		< 5.5		< 0.55		< 2.7		< 0.55		< 2.7		< 8.2	
1607505	Former Fueling Facility	Unit 1	8124287	G-4-d(3.5-4.0)	(0.5-4.0)	11/5/2015	< 0.11		< 0.12		< 0.12		< 0.12		< 0.059		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607505	Former Fueling Facility	Unit 1	8124288	G-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.57		< 0.58		< 0.58		< 0.58		1.4		0.67		0.88		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.7	
1607505	Former Fueling Facility	Unit 1	8124289	G-4-c(4.0-4.5)	(0.0-4.5)	11/5/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.19		< 0.057		1.6		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1607774	Former Fueling Facility	Unit 1	8125860	G-4-b(0-0.5)	(0-0.5)	11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		2		0.34		1.3		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1607774	Former Fueling Facility	Unit 1	8125861	G-4-b(3.0-3.5)	(0.0-3.5)	11/6/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.25		< 0.059		1.8		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607774	Former Fueling Facility	Unit 1	8125862	G-4-a(0-0.5)	(0-0.5)	11/6/2015	< 0.11		< 0.12		< 0.12		< 0.12		1.9		0.39		1.3		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607774	Former Fueling Facility	Unit 1	8125863	G-4-a(3.0-3.5)	(0.0-3.5)	11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.15		< 0.055		1.9		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1607774	Former Fueling Facility	Unit 1	8125864	G-4-e(0-0.5)	(0-0.5)	11/6/2015	< 0.53		< 0.53		< 0.53		< 0.53		0.33		< 0.27		1.2		< 0.53		< 0.53		< 0.53		< 5.3		< 0.53		< 2.7		< 0.53		< 2.7		< 8.0	
1607774	Former Fueling Facility	Unit 1	8125865	G-4-e(2.0-2.5)	(0.0-2.5)	11/6/2015	< 0.64		< 0.64		< 0.64		< 0.64		5.5	J	0.55		19	J	< 0.64		< 0.64		< 0.64	UJ	< 6.4	R	< 0.64		< 3.2	UJ	< 0.64		< 3.2	UJ	< 9.6	R
1607774	Former Fueling Facility	Unit 1	8125870	G-5-d(3.0-3.5)	(0.0-3.5)	11/6/2015	< 0.67		< 0.68		< 0.68		< 0.68		1.1		< 0.35		4.6		< 0.68		< 0.68		< 0.68		< 6.8		< 0.68		< 3.4		< 0.68		< 3.4		< 10	
1607774	Former Fueling Facility	Unit 1	8125871	G-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 1.1		< 1.1		< 1.1		< 1.1		< 0.56		< 0.56		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.5		< 1.1		< 5.5		< 17	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2,4-Dinitrophenol	Flags	2,4-Dinitrotoluene	Flags	2,6-Dinitrotoluene	Flags	bis(2-Ethylhexyl)phthalate	Flags	Fluoranthene	Flags	Fluorene	Flags	Hexachlorobenzene	Flags	Hexachlorobutadiene	Flags	Hexachlorocyclopentadiene	Flags	Hexachloroethane	Flags	Indeno(1,2,3-cd)pyrene	Flags	Isophorone	Flags	2-Methylnaphthalene	Flags	2-Methylphenol	Flags	4-Methylphenol	Flags	Naphthalene	Flags
						CAS Number	51-28-5		121-14-2		606-20-2		117-81-7		206-44-0		86-73-7		118-74-1		87-68-3		77-47-4		67-72-1		193-39-5		78-59-1		91-57-6		95-48-7		106-44-5		91-20-3	
						DNREC SLs	**13**		**1.7**		**0.36**		**39**		**240**		**240**		**0.21**		**1.2**		**0.18**		**1.8**		**1.3**		**570**		**24**		**320**		**630**		**3.8**	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607061	Former Fueling Facility	Unit 1	8122116	E-2-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.4		< 0.56		< 0.11		< 0.57		6.1		0.14		< 0.057		< 0.11		< 1.7		< 0.56		**1.7**		< 0.11		2.5		0.13		0.37		2.8	
1607061	Former Fueling Facility	Unit 1	8122117	E-2-a(2.5-3)	(0.5-3)	11/4/2015	< 3.9		< 0.64		< 0.13		< 0.66		0.26		0.07		< 0.066		< 0.13		< 1.9		< 0.64		0.11		< 0.13		0.58		< 0.13		< 0.13		0.31	
1607061	Former Fueling Facility	Unit 1	8122118	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.4		< 0.57		< 0.11		< 0.58		1		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.81		< 0.11		4.3		< 0.11		< 0.11		2.9	
1607061	Former Fueling Facility	Unit 1	8122121	E-3-e(1.5-2)	(0.5-2)	11/4/2015	< 24		< 3.9		< 0.79		< 4.0		3.4		**44**		< 0.40		< 0.79		< 12		< 3.9		< 0.40		< 0.79		**36**		< 0.79		< 0.79		**23**	
1607061	Former Fueling Facility	Unit 1	8122122	E-3-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.8		< 0.64		< 0.13		< 0.65		2.2		0.084		< 0.065		< 0.13		< 1.9		< 0.64		**1.7**		< 0.13		3.1		< 0.13		< 0.13		1.9	
1607061	Former Fueling Facility	Unit 1	8122123	F-4-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 16		< 2.7		< 0.53		< 2.7		0.96		< 0.27		< 0.27		< 0.53		< 8.0		< 2.7		0.44		< 0.53		5.9		< 0.53		< 0.53		**3.9**	
1607061	Former Fueling Facility	Unit 1	8122124	F-4-e(3.0-3.5)	(0.0-3.5)	11/4/2015	< 17		< 2.8		< 0.56		< 2.8		1.5		13		< 0.28		< 0.56		< 8.3		< 2.8		< 0.28		< 0.56		**130**		< 0.56		< 0.56		< 0.28	
1607061	Former Fueling Facility	Unit 1	8122125	E-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.3		< 0.55		< 0.11		< 0.56		1.6		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.85		< 0.11		3.1		< 0.11		< 0.11		1.6	
1607061	Former Fueling Facility	Unit 1	8122126	E-3-a(2.5-3.0)	(0.5-3.0)	11/4/2015	< 4.2		< 0.70		< 0.14		< 0.71		0.13		< 0.071		< 0.071		< 0.14		< 2.1		< 0.70		< 0.071		< 0.14		0.25		< 0.14		< 0.14		0.14	
1607061	Former Fueling Facility	Unit 1	8122127	E-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.5		< 0.58		< 0.12		< 0.59		2.7		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		**1.3**		< 0.12		4.5		< 0.12		< 0.12		3.6	
1607061	Former Fueling Facility	Unit 1	8122128	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.4		< 0.57		< 0.11		< 0.58		1.7		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.79		< 0.11		5		< 0.11		< 0.11		3.5	
1607061	Former Fueling Facility	Unit 1	8122129	E-2-b(3.0-3.5)	(0.0-3.5)	11/4/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.33		0.075		< 0.059		< 0.12		< 1.7		< 0.58		0.14		< 0.12		1.1		< 0.12		< 0.12		0.62	
1607061	Former Fueling Facility	Unit 1	8122130	E-2-c(3.5-4.0)	(0.5-4.0)	11/4/2015	< 3.3		< 0.55		< 0.11		1.3		0.63		3		< 0.056		< 0.11		< 1.7		< 0.55		0.063		< 0.11		1.5		< 0.11		< 0.11		< 0.056	
1607061	Former Fueling Facility	Unit 1	8122131	E-3-c(1.5-2.0)	(0.5-2.0)	11/4/2015	< 18		< 3.1		< 0.61		< 3.1		1.4		10		< 0.31		< 0.61		< 9.2		< 3.1		< 0.31		< 0.61		15		< 0.61		< 0.61		**7.3**	
1607061	Former Fueling Facility	Unit 1	8122132	E-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	< 20		< 3.3		< 0.66		< 3.4		< 0.34		1.2		< 0.34		< 0.66		< 9.9		< 3.3		< 0.34		< 0.66		18		< 0.66		< 0.66		**7.3**	
1607061	Former Fueling Facility	Unit 1	8122133	F-4-d(2.5-3.0)	(0.5-3.0)	11/4/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.47		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		0.23		< 0.11		0.15		< 0.11		< 0.11		0.088	
1607061	Former Fueling Facility	Unit 1	8122134	F-4-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.98		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		0.71		< 0.11		2		< 0.11		< 0.11		1.1	
1607061	Former Fueling Facility	Unit 1	8122135	E-2-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 18		< 3.0		< 0.60		< 3.1		3.9		< 0.31		< 0.60		< 0.61		< 9.1		< 3.0		**2.3**		< 0.60		5.5		< 0.60		< 0.60		**4.7**	
1607505	Former Fueling Facility	Unit 1	8124255	E-3-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 18		< 2.9		< 0.59		< 3.0		1.7		< 0.30		< 0.30		< 0.59		< 8.8		< 2.9		**1.5**		< 0.59		5.6		< 0.59		< 0.59		2.8	
1607505	Former Fueling Facility	Unit 1	8124258	E-3-b(2.5-3.0)	(0.5-3.0)	11/5/2015	< 42		< 7.0		< 1.4		< 7.1		4.8		21		< 0.71		< 1.4		< 21		< 7.0		< 0.71		< 1.4		**140**		< 1.4		< 1.4		**9.1**	
1607505	Former Fueling Facility	Unit 1	8124259	DUP-4		11/5/2015	< 35		< 5.9		< 1.2		< 6.0		3.2		< 0.60		< 0.60		< 1.2		< 18		< 5.9		**2**		< 1.2		8.4		< 1.2		< 1.2		**4.3**	
1607505	Former Fueling Facility	Unit 1	8124262	F-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 17		< 2.8		< 0.57		< 2.9		0.5		0.3		< 0.29		< 0.57		< 8.5		< 2.8		0.33		< 0.57		11		< 0.57		< 0.57		**4.6**	
1607505	Former Fueling Facility	Unit 1	8124263	F-4-c(2.5-3.0)	(0.5-3.0)	11/5/2015	< 42		< 7.0		< 1.4		< 7.2		9.8		39		< 0.72		< 1.4		< 21		< 7.0		< 0.72		< 1.4		**200**		< 1.4		< 1.4		**19**	
1607505	Former Fueling Facility	Unit 1	8124264	F-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 4.0		< 0.67		< 0.13		< 0.68		0.44		< 0.068		< 0.068		< 0.13		< 2.0		< 0.67		0.14		< 0.13		3.7		< 0.13		< 0.13		3.3	
1607505	Former Fueling Facility	Unit 1	8124265	E-4-c(0.0-2.5)	(0.0-2.5)	11/5/2015	< 36		< 5.9		< 1.2		< 6.0		5.7		26		< 0.60		< 1.2		< 18		< 5.9		< 0.60		< 1.2		**40**		< 1.2		< 1.2		**20**	
1607505	Former Fueling Facility	Unit 1	8124266	E-4-e(0.0-0.5)	(0.0-0.5)	11/5/2015	< 3.6		< 0.61		< 0.12		< 0.62		0.98		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		0.42		< 0.12		2.5		< 0.12		< 0.12		2.1	
1607505	Former Fueling Facility	Unit 1	8124267	E-4-e(2.0-2.5)	(0.0-2.5)	11/5/2015	< 42		< 7.0		< 1.4		< 7.1		< 0.71		< 0.71		< 0.71		< 1.4		< 21		< 7.0		< 0.71		< 1.4		< 0.71		< 1.4		< 1.4		< 0.71	
1607505	Former Fueling Facility	Unit 1	8124268	E-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.88		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.36		< 0.11		3.5		< 0.11		< 0.11		2.4	
1607505	Former Fueling Facility	Unit 1	8124269	E-4-d(1.5-2.0)	(0.5-2.0)	11/5/2015	< 37		< 6.2		< 1.2		< 6.3		0.66		< 0.63		< 0.63		< 1.2		< 19		< 6.2		< 0.63		< 1.2		7.5		< 1.2		< 1.2		**5.6**	
1607505	Former Fueling Facility	Unit 1	8124270	E-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 33		< 5.5		< 1.1		< 5.6		0.69		< 0.56		< 0.56		< 1.1		< 16		< 5.5		< 0.56		< 1.1		3		< 1.1		< 1.1		2	
1607505	Former Fueling Facility	Unit 1	8124271	E-4-b(1.0-1.5)	(0.0-1.5)	11/5/2015	< 32		< 5.4		< 1.1		< 5.5		< 0.55		< 0.55		< 0.55		< 1.1		< 16		< 5.4		0.62		< 1.1		< 0.55		< 1.1		< 1.1		< 0.55	
1607505	Former Fueling Facility	Unit 1	8124274	G-3-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 37		< 6.1		< 1.2		< 6.2		1.1		< 0.62		< 0.62		< 1.2		< 18		< 6.1		< 0.62		< 1.2		1		< 1.2		< 1.2		1.4	
1607505	Former Fueling Facility	Unit 1	8124275	F-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 16		< 2.7		< 0.54		< 2.8		0.49		< 0.28		< 0.28		< 0.54		< 8.1		< 2.7		0.34		< 0.54		13		< 0.54		0.6		**7.1**	
1607505	Former Fueling Facility	Unit 1	8124276	F-4-a(2.0-2.5)	(0.0-2.5)	11/5/2015	< 36		< 6.0		< 1.2		< 6.1		6.9		7.3		< 0.61		< 1.2		< 18		< 6.0		< 0.61		< 1.2		**64**		< 1.2		< 1.2		**24**	
1607505	Former Fueling Facility	Unit 1	8124279	E-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 34		< 5.7		< 1.1		< 5.8		1.8		< 0.58		< 0.58		< 1.1		< 17		< 5.7		1.1		< 1.1		3.9		< 1.1		< 1.1		2.5	
1607505	Former Fueling Facility	Unit 1	8124280	E-4-a(2.5-3.0)	(0.5-3.0)	11/5/2015	< 34		< 5.7		< 1.1		< 5.8		< 0.58		< 0.58		< 0.58		< 1.1		< 17		< 5.7		< 0.58		< 1.1		6.4		< 1.1		< 1.1		1.7	
1607505	Former Fueling Facility	Unit 1	8124282	E-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 34		< 5.7		< 1.1		< 5.8		< 0.58		< 0.58		< 0.58		< 1.1		< 17		< 5.7		< 0.58		< 1.1		7.5		< 1.1		< 1.1		3.1	
1607505	Former Fueling Facility	Unit 1	8124284	G-3-a(4.5-5.0)	(0.5-5.0)	11/5/2015	< 34		< 5.7		< 1.1		< 5.8		1.8		4.8		< 0.58		< 1.1		< 17		< 5.7		< 0.58		< 1.1		13		< 1.1		< 1.1		1.8	
1607505	Former Fueling Facility	Unit 1	8124286	G-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 16		< 2.7		< 0.55		< 2.8		4.9		< 0.28		< 0.28		< 0.55		< 8.2		< 2.7		**3**		< 0.55		3		< 0.55		< 0.55		2.5	
1607505	Former Fueling Facility	Unit 1	8124287	G-4-d(3.5-4.0)	(0.5-4.0)	11/5/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.12		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.059	
1607505	Former Fueling Facility	Unit 1	8124288	G-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 17		< 2.9		< 0.58		< 2.9		0.71		< 0.29		< 0.29		< 0.58		< 8.7		< 2.9		1.2		< 0.58		6.1		< 0.58		< 0.58		3.4	
1607505	Former Fueling Facility	Unit 1	8124289	G-4-c(4.0-4.5)	(0.0-4.5)	11/5/2015	< 3.3		< 0.55		< 0.11		< 0.57		0.57		3.7		< 0.057		< 0.11		< 1.7		< 0.55		< 0.057		< 0.11		0.63		< 0.11		< 0.11		< 0.057	
1607774	Former Fueling Facility	Unit 1	8125860	G-4-b(0-0.5)	(0-0.5)	11/6/2015	< 3.4		< 0.56		< 0.11		< 0.57		1.7		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.99		< 0.11		3.1		< 0.11		< 0.11		2.1	
1607774	Former Fueling Facility	Unit 1	8125861	G-4-b(3.0-3.5)	(0.0-3.5)	11/6/2015	< 3.5		< 0.58		< 0.12		< 0.59		1.1		4.9		< 0.059		< 0.12		< 1.7		< 0.58		0.084		< 0.12		1.1		< 0.12		< 0.12		1.2	
1607774	Former Fueling Facility	Unit 1	8125862	G-4-a(0-0.5)	(0-0.5)	11/6/2015	< 3.5		< 0.58		< 0.12		< 0.59		1.8		0.13		< 0.059		< 0.12		< 1.7		< 0.58		1.2		< 0.12		5		< 0.12		0.12		2.8	
1607774	Former Fueling Facility	Unit 1	8125863	G-4-a(3.0-3.5)	(0.0-3.5)	11/6/2015	< 3.2		< 0.54		< 0.11		< 0.55		0.78		5.4		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		3		< 0.11		< 0.11		1.9	
1607774	Former Fueling Facility	Unit 1	8125864	G-4-e(0-0.5)	(0-0.5)	11/6/2015	< 16		< 2.7		< 0.53		< 2.7		0.32		0.62		< 0.27		< 0.53		< 8.0		< 2.7		0.3		< 0.53		14		< 0.53		0.63		**5.2**	
1607774	Former Fueling Facility	Unit 1	8125865	G-4-e(2.0-2.5)	(0.0-2.5)	11/6/2015	< 19	**R**	< 3.2		< 0.64	**UJ**	< 3.3		21		40	**J**	< 0.33		< 0.64		< 9.6	**R**	< 3.2		**1.8**		< 0.64		**300**		< 0.64		3.5		**55**	
1607774	Former Fueling Facility	Unit 1	8125870	G-5-d(3.0-3.5)	(0.0-3.5)	11/6/2015	< 20		< 3.4		< 0.68		< 3.5		2.1		8.7		< 0.35		< 0.68		< 10		< 3.4		< 0.35		< 0.68		**26**		< 0.68		< 0.68		**11**	
1607774	Former Fueling Facility	Unit 1	8125871	G-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 33		< 5.5		< 1.1		< 5.6		< 0.56		< 0.56		< 0.56		< 1.1		< 17		< 5.5		< 0.56		< 1.1		5.7		< 1.1		< 1.1		2.9	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607061	Former Fueling Facility	Unit 1	8122116	E-2-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		4.9		< 0.11		4.1		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122117	E-2-a(2.5-3)	(0.5-3)	11/4/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.66		0.72		< 0.13		0.24		< 0.13		< 0.13		< 0.13	
1607061	Former Fueling Facility	Unit 1	8122118	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		2.5		< 0.11		0.92		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122121	E-3-e(1.5-2)	(0.5-2)	11/4/2015	< 0.79		< 3.9		< 3.9		< 0.79		< 0.79		< 12		< 0.79		< 0.79		< 3.9		< 4.0		69		< 0.79		7.7		< 0.79		< 0.79		< 0.79	
1607061	Former Fueling Facility	Unit 1	8122122	E-3-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		2.3		< 0.13		3.3		< 0.13		< 0.13		< 0.13	
1607061	Former Fueling Facility	Unit 1	8122123	F-4-e(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 8.0		< 0.53		< 0.53		< 2.7		< 2.7		4.2		< 0.53		0.94		< 0.53		< 0.53		< 0.53	
1607061	Former Fueling Facility	Unit 1	8122124	F-4-e(3.0-3.5)	(0.0-3.5)	11/4/2015	< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 8.3		< 0.56		< 0.56		< 2.8		< 2.8		28		< 0.56		2.3		< 0.56		< 0.56		< 0.56	
1607061	Former Fueling Facility	Unit 1	8122125	E-3-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		2.5		< 0.11		1.3		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122126	E-3-a(2.5-3.0)	(0.5-3.0)	11/4/2015	< 0.14		< 0.70		< 0.70		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.70		< 0.71		0.52		< 0.14		0.17		< 0.14		< 0.14		< 0.14	
1607061	Former Fueling Facility	Unit 1	8122127	E-3-a(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		3		< 0.12		2.3		< 0.12		< 0.12		< 0.12	
1607061	Former Fueling Facility	Unit 1	8122128	E-2-c(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		3.9		< 0.11		1.2		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122129	E-2-b(3.0-3.5)	(0.0-3.5)	11/4/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		1.6		< 0.12		0.39		< 0.12		< 0.12		< 0.12	
1607061	Former Fueling Facility	Unit 1	8122130	E-2-c(3.5-4.0)	(0.5-4.0)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		6.3		< 0.11		1		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122131	E-3-c(1.5-2.0)	(0.5-2.0)	11/4/2015	< 0.61		< 3.1		< 3.1		< 0.61		< 0.61		< 9.2		< 0.61		< 0.61		< 3.1		< 3.1		22		< 0.61		2.8		< 0.61		< 0.61		< 0.61	
1607061	Former Fueling Facility	Unit 1	8122132	E-3-d(2.0-2.5)	(0.0-2.5)	11/4/2015	< 0.66		< 3.3		< 3.3		< 0.66		< 0.66		< 9.9		< 0.66		< 0.66		< 3.3		< 3.4		2.2		< 0.66		1.8		< 0.66		< 0.66		< 0.66	
1607061	Former Fueling Facility	Unit 1	8122133	F-4-d(2.5-3.0)	(0.5-3.0)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.13		< 0.11		0.79		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122134	F-4-d(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		1.3		< 0.11		0.96		< 0.11		< 0.11		< 0.11	
1607061	Former Fueling Facility	Unit 1	8122135	E-2-b(0.0-0.5)	(0.0-0.5)	11/4/2015	< 0.60		< 3.0		< 3.0		< 0.60		< 0.60		< 9.1		< 0.60		< 0.60		< 3.0		< 3.1		3.9		< 0.60		3.5		< 0.60		< 0.60		< 0.60	
1607505	Former Fueling Facility	Unit 1	8124255	E-3-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.59		< 2.9		< 2.9		< 0.59		< 0.59		< 8.8		< 0.59		< 0.59		< 2.9		< 3.0		4		< 0.59		1.3		< 0.59		< 0.59		< 0.59	
1607505	Former Fueling Facility	Unit 1	8124258	E-3-b(2.5-3.0)	(0.5-3.0)	11/5/2015	< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 7.0		< 7.1		56		< 1.4		5.5		< 1.4		< 1.4		< 1.4	
1607505	Former Fueling Facility	Unit 1	8124259	DUP-4		11/5/2015	< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 5.9		< 6.0		6.3		< 1.2		2.1		< 1.2		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124262	F-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 8.5		< 0.57		< 0.57		< 2.8		< 2.9		2.1		< 0.57		0.6		< 0.57		< 0.57		< 0.57	
1607505	Former Fueling Facility	Unit 1	8124263	F-4-c(2.5-3.0)	(0.5-3.0)	11/5/2015	< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 7.0		< 7.2		120		< 1.4		11		< 1.4		< 1.4		< 1.4	
1607505	Former Fueling Facility	Unit 1	8124264	F-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.67		< 0.68		1.2		< 0.13		0.53		< 0.13		< 0.13		< 0.13	
1607505	Former Fueling Facility	Unit 1	8124265	E-4-c(2.0-2.5)	(0.0-2.5)	11/5/2015	< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 5.9		< 6.0		78		< 1.2		8.2		< 1.2		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124266	E-4-e(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		1.9		< 0.12		0.84		< 0.12		< 0.12		< 0.12	
1607505	Former Fueling Facility	Unit 1	8124267	E-4-e(2.0-2.5)	(0.0-2.5)	11/5/2015	< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 7.0		< 7.1		< 0.71		< 1.4		1.9		< 1.4		< 1.4		< 1.4	
1607505	Former Fueling Facility	Unit 1	8124268	E-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		3.1		< 0.11		0.66		< 0.11		< 0.11		< 0.11	
1607505	Former Fueling Facility	Unit 1	8124269	E-4-d(1.5-2.0)	(0.5-2.0)	11/5/2015	< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 19		< 1.2		< 1.2		< 6.2		< 6.3		3.5		< 1.2		1.1		< 1.2		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124270	E-4-b(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.1		< 5.5		< 5.5		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.5		< 5.6		2.4		< 1.1		0.66		< 1.1		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124271	E-4-b(1.0-1.5)	(0.0-1.5)	11/5/2015	< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.4		< 5.5		< 0.55		< 1.1		< 0.55		< 1.1		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124274	G-3-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.2		< 6.1		< 6.1		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.1		< 6.2		1.6		< 1.2		0.8		< 1.2		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124275	F-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 8.1		< 0.54		< 0.54		< 2.7		< 2.8		2.3		< 0.54		0.82		< 0.54		< 0.54		< 0.54	
1607505	Former Fueling Facility	Unit 1	8124276	F-4-a(2.0-2.5)	(0.0-2.5)	11/5/2015	< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.0		< 6.1		16		< 1.2		7.9		< 1.2		< 1.2		< 1.2	
1607505	Former Fueling Facility	Unit 1	8124279	E-4-a(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		3.5		< 1.1		1.1		< 1.1		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124280	E-4-a(2.5-3.0)	(0.5-3.0)	11/5/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		1.5		< 1.1		0.59		< 1.1		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124282	E-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		2.6		< 1.1		< 0.58		< 1.1		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124284	G-3-a(4.5-5.0)	(0.5-5.0)	11/5/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		8.4		< 1.1		2.9		< 1.1		< 1.1		< 1.1	
1607505	Former Fueling Facility	Unit 1	8124286	G-4-d(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 8.2		< 0.55		< 0.55		< 2.7		< 2.8		2.4		< 0.55		3.9		< 0.55		< 0.55		< 0.55	
1607505	Former Fueling Facility	Unit 1	8124287	G-4-d(3.5-4.0)	(0.5-4.0)	11/5/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.1		< 0.12		0.24		< 0.12		< 0.12		< 0.12	
1607505	Former Fueling Facility	Unit 1	8124288	G-4-c(0.0-0.5)	(0.0-0.5)	11/5/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.7		< 0.58		< 0.58		< 2.9		< 2.9		2.3		< 0.58		0.66		< 0.58		< 0.58		< 0.58	
1607505	Former Fueling Facility	Unit 1	8124289	G-4-c(4.0-4.5)	(0.0-4.5)	11/5/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.57		10		< 0.11		1.1		< 0.11		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125860	G-4-b(0-0.5)	(0-0.5)	11/6/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		3.5		< 0.11		1.2		< 0.11		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125861	G-4-b(3.0-3.5)	(0.0-3.5)	11/6/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		10		< 0.12		1.5		< 0.12		< 0.12		< 0.12	
1607774	Former Fueling Facility	Unit 1	8125862	G-4-a(0-0.5)	(0-0.5)	11/6/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		3.1		< 0.12		1.5		< 0.12		< 0.12		< 0.12	
1607774	Former Fueling Facility	Unit 1	8125863	G-4-a(3.0-3.5)	(0.0-3.5)	11/6/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		18		< 0.11		1.2		< 0.11		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125864	G-4-e(0-0.5)	(0-0.5)	11/6/2015	< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 8.0		< 0.53		< 0.53		< 2.7		< 2.7		1.9		< 0.53		0.63		< 0.53		< 0.53		< 0.53	
1607774	Former Fueling Facility	Unit 1	8125865	G-4-e(2.0-2.5)	(0.0-2.5)	11/6/2015	< 0.64		< 3.2	UJ	< 3.2		< 0.64		< 0.64	UJ	< 9.6	UJ	< 0.64		< 0.64	UJ	< 3.2		< 3.3		110		< 0.64		17	J	< 0.64		< 0.64		< 0.64	
1607774	Former Fueling Facility	Unit 1	8125870	G-5-d(3.0-3.5)	(0.0-3.5)	11/6/2015	< 0.68		< 3.4		< 3.4		< 0.68		< 0.68		< 10		< 0.68		< 0.68		< 3.4		< 3.5		29		< 0.68		3.7		< 0.68		< 0.68		< 0.68	
1607774	Former Fueling Facility	Unit 1	8125871	G-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 1.1		< 5.5		< 5.5		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.5		< 5.6		1.5		< 1.1		< 0.56		< 1.1		< 1.1		< 1.1	

					Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607774	Former Fueling Facility	Unit 1	8125872	G-5-c(3.5-4.0)	(0.5-4.0)	11/6/2015	0.88		< 0.059		0.52		0.19		0.099		0.16		0.083		0.16		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607774	Former Fueling Facility	Unit 1	8125873	G-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.053		< 0.053		0.16		0.14		0.13		0.27		0.18		0.15		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1607774	Former Fueling Facility	Unit 1	8125874	G-5-e(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.056		< 0.056		1.3		0.075		< 0.056		0.06		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		0.28		< 0.11		< 0.22		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125875	G-6-d(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.055		0.1		0.14		0.21		0.19		0.39		0.3		0.19		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125876	G-6-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.45		< 0.45		1.4		0.74		**0.69**		**1.4**		1.1		0.52		< 0.88		< 4.4		< 4.4		< 0.88		< 0.88		< 1.8		< 0.88		< 0.88	
1607774	Former Fueling Facility	Unit 1	8125877	G-6-d(3.5-4.0)	(0.5-4.0)	11/6/2015	18		< 0.65		4.7		< 0.65		< 0.65		< 0.65		< 0.65		< 0.65		< 1.3		< 6.4		< 6.4		< 1.3		< 1.3		< 2.5		< 1.3		< 1.3	
1607774	Former Fueling Facility	Unit 1	8125879	G-6-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.058		0.36		0.55		0.42		**0.41**		0.89		0.74		0.59		< 0.11		< 0.57		< 0.57		0.19		< 0.11		< 0.23		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125881	DUP-5		11/6/2015	23		7		16		**5.4**		**3**		**2.9**		1.6		**3.1**		< 1.4		< 6.9		< 6.9		3.9		< 1.4		< 2.8		< 1.4		< 1.4	
1607775	Former Fueling Facility	Unit 1	8125882	G-5-d(0-0.5)	(0-0.5)	11/6/2015	< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 1.0		< 5.2		< 5.2		< 1.0		< 1.0		< 2.1		< 1.0		< 1.0	
1607775	Former Fueling Facility	Unit 1	8125883	F-5-a(0-0.5)	(0-0.5)	11/6/2015	< 0.30		< 0.30		< 0.30		0.38		**0.34**		0.58		0.49		0.49		< 0.59		< 3.0		< 3.0		< 0.59		< 0.59		< 1.2		< 0.59		< 0.59	
1607775	Former Fueling Facility	Unit 1	8125884	F-5-c(2.5-3.0)	(0.5-3.0)	11/6/2015	0.35		< 0.061		0.073		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125885	F-5-b(3.5-4.0)	(0.5-4.0)	11/6/2015	3.3		< 0.059		1.7		0.39		0.19		0.25		0.14		0.27		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125886	F-5-e(2.0-2.5)	(0.0-2.5)	11/6/2015	5.2		4.4		1.4		< 0.80		< 0.80		< 0.80		< 0.80		< 0.80		< 1.6		< 7.9		< 7.9		< 1.6		< 1.6		< 3.1		< 1.6		< 1.6	
1607775	Former Fueling Facility	Unit 1	8125887	F-5-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 5.9		< 5.9		< 5.9		< 5.9		< 5.9		< 5.9		< 5.9		< 5.9		< 11		< 57		< 57		< 11		< 11		< 23		< 11		< 11	
1607775	Former Fueling Facility	Unit 1	8125888	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.060		< 0.060		0.11		0.28		0.14		0.37		0.2		0.26		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125889	DUP-6		11/6/2015	1.4		0.67		0.66		0.095		< 0.057		0.084		0.078		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125890	F-5-c(2.5-3.0)	(0.5-3.0)	11/6/2015	4		2.6		3.7		0.57		< 0.35		0.74		< 0.35		< 0.35		< 0.69		< 3.4		< 3.4		< 0.69		< 0.69		< 1.4		< 0.69		< 0.69	
1607775	Former Fueling Facility	Unit 1	8125891	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.055		< 0.055		< 0.055		0.14		0.096		0.16		0.078		0.1		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125892	F-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.054		< 0.054		< 0.054		0.11		0.075		0.15		0.078		0.087		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125899	F-5-d(2.0-2.5)	(0.0-2.5)	11/6/2015	1.9		< 0.059		1.3		0.15		< 0.059		0.12		0.11		0.072		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125902	G-6-b(2.0-2.5)	(0.0-2.5)	11/6/2015	7.7		3.1		1.8		0.4		< 0.28		0.42		< 0.28		< 0.28		< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 1.1		< 0.55		< 0.55	
1608199	East Side East Ditch Area	Unit 3	8127845	E-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1608199	East Side East Ditch Area	Unit 3	8127846	E-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.062		< 0.062		0.088		0.6		**0.82**		**1.2**		0.93		0.9		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127847	D-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.063		0.21		0.37		0.82		**0.75**		**2.2**		0.85		1.3		< 0.12		< 0.62		< 0.62		0.19		< 0.12		< 0.25		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127848	D-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		0.1		< 0.061		< 0.061		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127849	D-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.063		< 0.063		0.17		**1.2**		**1.5**		**2.4**		2.1		**1.7**		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127850	D-5-a(2.0-2.5)	(0.0-2.5)	11/9/2015	< 0.059		< 0.059		0.11		0.33		**0.34**		0.63		0.28		0.38		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127851	E-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.070		0.13		0.15		0.52		**0.71**		**1.2**		0.77		0.72		< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 0.27		< 0.14		< 0.14	
1608199	East Side East Ditch Area	Unit 3	8127852	E-5-d(3.5-4.0)	(0.5-4.0)	11/9/2015	< 0.060		< 0.060		< 0.060		0.12		0.078		0.17		0.08		0.098		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127853	E-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	0.17		0.21		0.57		**1.6**		**1.5**		**2.3**		1.4		1.5		< 0.13		< 0.67		< 0.67		0.24		< 0.13		< 0.27		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127856	E-5-b(6.0-6.5)	(0.0-6.5)	11/9/2015	0.085		< 0.060		0.16		0.14		0.089		0.13		0.082		0.1		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127857	DUP-8		11/9/2015	0.087		0.092		0.26		**0.88**		**1.1**		**1.6**		1.1		1.1		< 0.15		< 0.74		< 0.74		< 0.15		< 0.15		< 0.29		< 0.15		< 0.15	
1608199	East Side East Ditch Area	Unit 3	8127858	D-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.060		0.08		0.21		0.43		**0.49**		0.88		0.55		0.6		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127859	D-5-b(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.061		< 0.061		< 0.061		0.28		**0.29**		0.7		0.4		0.35		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127861	D-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.063		< 0.063		0.12		0.15		0.082		0.24		0.1		0.096		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127862	D-5-d(1.0-1.5)	(0.0-1.5)	11/9/2015	0.13		0.096		0.32		0.4		**0.29**		0.89		0.32		< 0.072		< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 0.28		< 0.14		< 0.14	
1608199	East Side East Ditch Area	Unit 3	8127863	C-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 6.9		< 6.9		< 6.9		< 6.9		< 6.9		**7**		9.1		< 6.9		< 14		< 68		< 68		< 14		< 14		< 27		< 14		< 14	
1608199	East Side East Ditch Area	Unit 3	8127864	C-5-a(2.5-3.0)	(0.5-3.0)	11/9/2015	0.21		0.083		0.51		0.72		**0.53**		0.76		0.47		0.65		< 0.13		< 0.65		< 0.65		0.24		< 0.13		< 0.26		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127865	C-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		0.084		0.073		< 0.065		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127866	C-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	0.18		0.13		0.32		0.38		**0.24**		0.36		0.22		0.24		< 0.13		< 0.64		< 0.64		0.16		< 0.13		< 0.26		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127867	C-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.062		< 0.062		< 0.062		0.2		**0.26**		0.33		0.24		0.24		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127868	C-6-a(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 0.27		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127869	D-6-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.079		< 0.079		0.12		0.46		**0.52**		0.86		0.64		0.65		< 0.15		< 0.77		< 0.77		< 0.15		< 0.15		< 0.31		< 0.15		< 0.15	
1608199	East Side East Ditch Area	Unit 3	8127870	D-6-e(1.5-2.0)	(0.5-2.0)	11/9/2015	0.2		< 0.058		0.26		**5**		**12**		**14**		12		**8.2**		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1608200	East Side East Ditch Area	Unit 3	8127871	D-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.059		0.075		0.14		**2.1**		**4.1**		**4.6**		10		3.4		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1608200	East Side East Ditch Area	Unit 3	8127872	D-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	0.12		< 0.066		0.21		0.29		0.067		0.28		0.098		0.19		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1608200	East Side East Ditch Area	Unit 3	8127873	C-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.067		< 0.067		< 0.067		0.07		0.089		0.17		0.093		< 0.067		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1608200	East Side East Ditch Area	Unit 3	8127874	C-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.069		< 0.069		< 0.069		< 0.069		< 0.069		0.071		< 0.069		< 0.069		< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 0.27		< 0.14		< 0.14	
1608200	East Side East Ditch Area	Unit 3	8127875	C-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.067		0.07		0.12		**1**		**1.5**		**1.6**		1.7		**1.6**		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1608200	East Side East Ditch Area	Unit 3	8127876	C-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	0.088		0.085		0.31		0.19		0.11		0.23		0.062		0.098		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		0.21	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607774	Former Fueling Facility	Unit 1	8125872	G-5-c(3.5-4.0)	(0.5-4.0)	11/6/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.36		< 0.059		0.71		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607774	Former Fueling Facility	Unit 1	8125873	G-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.36		< 0.053		0.39		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1607774	Former Fueling Facility	Unit 1	8125874	G-5-e(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.14		< 0.056		2.6		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1607774	Former Fueling Facility	Unit 1	8125875	G-6-d(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.38		0.1		0.23		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1607774	Former Fueling Facility	Unit 1	8125876	G-6-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.87		< 0.88		< 0.88		< 0.88		1.8		< 0.45		2.1		< 0.88		< 0.88		< 0.88		< 8.8		< 0.88		< 4.4		< 0.88		< 4.4		< 13	
1607774	Former Fueling Facility	Unit 1	8125877	G-6-d(3.5-4.0)	(0.5-4.0)	11/6/2015	< 1.3		< 1.3		< 1.3		< 1.3		1		< 0.65		**15**		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.4		< 1.3		< 6.4		< 19	
1607774	Former Fueling Facility	Unit 1	8125879	G-6-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.9		**0.19**		0.73		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1607775	Former Fueling Facility	Unit 1	8125881	DUP-5		11/6/2015	< 1.4		< 1.4		< 1.4		< 1.4		6.2		< 0.71		**22**		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 6.9		< 1.4		< 6.9		< 21	
1607775	Former Fueling Facility	Unit 1	8125882	G-5-d(0-0.5)	(0-0.5)	11/6/2015	< 1.0		< 1.0		< 1.0		< 1.0		1		< 0.53		< 1.0		< 1.0		< 1.0		< 1.0		< 10		< 1.0		< 5.2		< 1.0		< 5.2		< 15	
1607775	Former Fueling Facility	Unit 1	8125883	F-5-a(0-0.5)	(0-0.5)	11/6/2015	< 0.59		< 0.59		< 0.59		< 0.59		0.76		< 0.30		0.8		< 0.59		< 0.59		< 0.59		< 5.9		< 0.59		< 3.0		< 0.59		< 3.0		< 8.9	
1607775	Former Fueling Facility	Unit 1	8125884	F-5-a(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.11		< 0.12		< 0.12		< 0.12		< 0.061		< 0.061		0.29		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1607775	Former Fueling Facility	Unit 1	8125885	F-5-b(3.5-4.0)	(0.5-4.0)	11/6/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.51		0.061		3.1		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607775	Former Fueling Facility	Unit 1	8125886	F-5-e(2.0-2.5)	(0.0-2.5)	11/6/2015	< 1.6		< 1.6		< 1.6		< 1.6		1.3		< 0.80		2.5		< 1.6		< 1.6		< 1.6		< 16		< 1.6		< 7.9		< 1.6		< 7.9		< 24	
1607775	Former Fueling Facility	Unit 1	8125887	F-5-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 11		< 11		< 11		< 11		< 5.9		< 5.9		< 11		< 11		< 11		< 11		< 110		< 11		< 57		< 11		< 57		< 170	
1607775	Former Fueling Facility	Unit 1	8125888	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.76		0.096		0.98		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1607775	Former Fueling Facility	Unit 1	8125889	DUP-6		11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.17		< 0.057		1.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1607775	Former Fueling Facility	Unit 1	8125890	F-5-c(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.68		< 0.69		< 0.69		< 0.69		1		< 0.35		2.6		< 0.69		< 0.69		< 0.69		< 6.9		< 0.69		< 3.4		< 0.69		< 3.4		< 10	
1607775	Former Fueling Facility	Unit 1	8125891	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.21		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1607775	Former Fueling Facility	Unit 1	8125892	F-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.10		< 0.11		< 0.11		< 0.11		0.3		< 0.054		0.62		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1607775	Former Fueling Facility	Unit 1	8125899	F-5-d(2.0-2.5)	(0.0-2.5)	11/6/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.25		0.059		1.7		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1607775	Former Fueling Facility	Unit 1	8125902	G-6-b(2.0-2.5)	(0.0-2.5)	11/6/2015	< 0.54		< 0.55		< 0.55		< 0.55		0.62		< 0.28		5.4		< 0.55		< 0.55		< 0.55		< 5.5		< 0.55		< 2.7		< 0.55		< 2.7		< 8.2	
1608199	East Side East Ditch Area	Unit 3	8127845	E-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1608199	East Side East Ditch Area	Unit 3	8127846	E-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.99		**0.27**		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127847	D-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.9		**0.33**		0.47		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1608199	East Side East Ditch Area	Unit 3	8127848	D-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.067		< 0.061		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127849	D-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.9		**0.65**		0.2		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1608199	East Side East Ditch Area	Unit 3	8127850	D-5-a(2.0-2.5)	(0.0-2.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.58		0.1		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1608199	East Side East Ditch Area	Unit 3	8127851	E-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.87		**0.24**		0.28		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.0	
1608199	East Side East Ditch Area	Unit 3	8127852	E-5-d(3.5-4.0)	(0.5-4.0)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.2		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127853	E-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		2		**0.52**		0.29		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.67		< 0.13		< 0.67		< 2.0	
1608199	East Side East Ditch Area	Unit 3	8127856	E-5-b(6.0-6.5)	(0.0-6.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.16		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127857	DUP-8		11/9/2015	< 0.15		< 0.15		< 0.15		< 0.15		1.3		**0.37**		0.28		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.74		< 0.15		< 0.74		< 2.2	
1608199	East Side East Ditch Area	Unit 3	8127858	D-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.76		**0.18**		0.48		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127859	D-5-b(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.44		0.16		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127861	D-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.31		< 0.063		0.22		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127862	D-5-d(1.0-1.5)	(0.0-1.5)	11/9/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.89		0.11		0.59		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.71		< 0.14		< 0.71		< 2.1	
1608199	East Side East Ditch Area	Unit 3	8127863	C-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 13		< 14		< 14		< 14		< 6.9		< 6.9		< 14		< 14		< 14		< 14		< 140		< 14		< 68		< 14		< 68		< 200	
1608199	East Side East Ditch Area	Unit 3	8127864	C-5-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		1		0.16		0.39		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 1.9	
1608199	East Side East Ditch Area	Unit 3	8127865	C-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		< 0.065		< 0.065		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1608199	East Side East Ditch Area	Unit 3	8127866	C-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.57		0.09		0.37		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1608199	East Side East Ditch Area	Unit 3	8127867	C-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.27		0.086		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1608199	East Side East Ditch Area	Unit 3	8127868	C-6-a(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		< 0.068		< 0.068		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.67		< 0.13		< 0.67		< 2.0	
1608199	East Side East Ditch Area	Unit 3	8127869	D-6-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.15		< 0.15		< 0.15		< 0.15		0.69		**0.28**		0.19		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.77		< 0.15		< 0.77		< 2.3	
1608199	East Side East Ditch Area	Unit 3	8127870	D-6-e(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		7.2		**4.8**		0.15		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1608200	East Side East Ditch Area	Unit 3	8127871	D-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.12		< 0.12		< 0.12		3.3		**2.4**		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1608200	East Side East Ditch Area	Unit 3	8127872	D-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.56		< 0.066		0.21		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1608200	East Side East Ditch Area	Unit 3	8127873	C-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.11		< 0.067		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1608200	East Side East Ditch Area	Unit 3	8127874	C-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.13		< 0.14		< 0.14		< 0.14		< 0.069		< 0.069		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.0	
1608200	East Side East Ditch Area	Unit 3	8127875	C-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.13		< 0.13		< 0.13		1.4		**0.49**		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1608200	East Side East Ditch Area	Unit 3	8127876	C-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.32		< 0.059		0.38		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	

					Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
					CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
					DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607774	Former Fueling Facility	Unit 1	8125872	G-5-c(3.5-4.0)	(0.5-4.0)	11/6/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.8		1.4		< 0.059		< 0.12		< 1.7		< 0.58		0.081		< 0.12		1.8		< 0.12		< 0.12		0.97	
1607774	Former Fueling Facility	Unit 1	8125873	G-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 3.1		< 0.52		< 0.10		< 0.53		0.26		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		0.15		< 0.10		1.8		< 0.10		< 0.10		0.83	
1607774	Former Fueling Facility	Unit 1	8125874	G-5-e(2.5-3.0)	(0.5-3.0)	11/6/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.45		5.4		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		4.5		0.18		< 0.11		2.3	
1607774	Former Fueling Facility	Unit 1	8125875	G-6-d(0.0-0.5)	(0.0-0.5)	11/6/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.37		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.22		< 0.11		1.2		< 0.11		< 0.11		0.6	
1607774	Former Fueling Facility	Unit 1	8125876	G-6-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 26		< 4.4		< 0.88		< 4.5		1.3		< 0.45		< 0.45		< 0.88		< 13		< 4.4		0.93		< 0.88		12		< 0.88		< 0.88		**4.8**	
1607774	Former Fueling Facility	Unit 1	8125877	G-6-d(3.5-4.0)	(0.5-4.0)	11/6/2015	< 38		< 6.4		< 1.3		< 6.5		2.6		37		< 0.65		< 1.3		< 19		< 6.4		< 0.65		< 1.3		**71**		< 1.3		< 1.3		**18**	
1607774	Former Fueling Facility	Unit 1	8125879	G-6-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.8		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.53		< 0.11		2.2		< 0.11		< 0.11		1.9	
1607775	Former Fueling Facility	Unit 1	8125881	DUP-5		11/6/2015	< 42		< 6.9		< 1.4		< 7.1		25		46		< 0.71		< 1.4		< 21		< 6.9		**1.3**		< 1.4		**310**		< 1.4		3.7		**56**	
1607775	Former Fueling Facility	Unit 1	8125882	G-5-d(0-0.5)	(0-0.5)	11/6/2015	< 31		< 5.2		< 1.0		< 5.3		0.57		< 0.53		< 0.53		< 1.0		< 15		< 5.2		< 0.53		< 1.0		4		< 1.0		< 1.0		2.2	
1607775	Former Fueling Facility	Unit 1	8125883	F-5-a(0-0.5)	(0-0.5)	11/6/2015	< 18		< 3.0		< 0.59		< 3.0		0.66		< 0.30		< 0.30		< 0.59		< 8.9		< 3.0		0.36		< 0.59		3.8		< 0.59		< 0.59		2.3	
1607775	Former Fueling Facility	Unit 1	8125884	F-5-a(2.5-3.0)	(0.5-3.0)	11/6/2015	< 3.6		< 0.60		< 0.12		< 0.61		< 0.061		0.58		< 0.061		< 0.12		< 1.8		< 0.60		< 0.061		< 0.12		0.15		< 0.12		< 0.12		0.22	
1607775	Former Fueling Facility	Unit 1	8125885	F-5-b(3.5-4.0)	(0.5-4.0)	11/6/2015	< 3.5		< 0.58		< 0.12		< 0.59		2.3		5.5		< 0.059		< 0.12		< 1.7		< 0.58		0.11		< 0.12		3.7		< 0.12		< 0.12		2.8	
1607775	Former Fueling Facility	Unit 1	8125886	F-5-e(2.0-2.5)	(0.0-2.5)	11/6/2015	< 47		< 7.9		< 1.6		< 8.0		1.2		7.6		< 0.80		< 1.6		< 24		< 7.9		< 0.80		< 1.6		8.8		< 1.6		< 1.6		**4.9**	
1607775	Former Fueling Facility	Unit 1	8125887	F-5-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 340		< 57		< 11		< 59		< 5.9		< 5.9		< 5.9		< 11		< 170		< 57		< 5.9		< 11		< 5.9		< 11		< 11		< 5.9	
1607775	Former Fueling Facility	Unit 1	8125888	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.55		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.15		< 0.12		3.4		< 0.12		< 0.12		2.2	
1607775	Former Fueling Facility	Unit 1	8125889	DUP-6		11/6/2015	< 3.3		< 0.56		< 0.11		< 0.57		0.64		2.1		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		4		< 0.11		< 0.11		< 0.057	
1607775	Former Fueling Facility	Unit 1	8125890	F-5-c(2.5-3.0)	(0.5-3.0)	11/6/2015	< 21		< 3.4		< 0.69		< 3.5		2.5		5.3		< 0.35		< 0.69		< 10		< 3.4		0.4		< 0.69		**28**		< 0.69		< 0.69		**11**	
1607775	Former Fueling Facility	Unit 1	8125891	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.22		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.064		< 0.11		0.083		< 0.11		< 0.11		0.075	
1607775	Former Fueling Facility	Unit 1	8125892	F-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.19		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		2		< 0.11		< 0.11		1.3	
1607775	Former Fueling Facility	Unit 1	8125899	F-5-d(2.0-2.5)	(0.0-2.5)	11/6/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.81		3.4		< 0.059		< 0.12		< 1.7		< 0.58		0.059		< 0.12		5.1		< 0.12		< 0.12		2.2	
1607775	Former Fueling Facility	Unit 1	8125902	G-6-b(2.0-2.5)	(0.0-2.5)	11/6/2015	< 16		< 2.7		< 0.55		< 2.8		1.3		14		< 0.28		< 0.55		< 8.2		< 2.7		< 0.28		< 0.55		5.8		< 0.55		< 0.55		**4.4**	
1608199	East Side East Ditch Area	Unit 3	8127845	E-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1608199	East Side East Ditch Area	Unit 3	8127846	E-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 3.6		< 0.60		< 0.12		< 0.62		0.82		< 0.062		< 0.062		< 0.12		< 1.8		< 0.60		0.74		< 0.12		0.19		< 0.12		< 0.12		0.22	
1608199	East Side East Ditch Area	Unit 3	8127847	D-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.7		< 0.62		< 0.12		< 0.63		2.1		0.069		< 0.063		< 0.12		< 1.9		< 0.62		0.88		< 0.12		0.79		< 0.12		< 0.12		0.81	
1608199	East Side East Ditch Area	Unit 3	8127848	D-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.099		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		< 0.061		< 0.12		0.081		< 0.12		< 0.12		< 0.061	
1608199	East Side East Ditch Area	Unit 3	8127849	D-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.7		< 0.62		< 0.12		< 0.63		1.9		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		**1.7**		< 0.12		0.52		< 0.12		< 0.12		0.39	
1608199	East Side East Ditch Area	Unit 3	8127850	D-5-a(2.0-2.5)	(0.0-2.5)	11/9/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.88		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.24		< 0.12		0.31		< 0.12		< 0.12		0.24	
1608199	East Side East Ditch Area	Unit 3	8127851	E-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 4.1		< 0.68		< 0.14		< 0.70		0.86		< 0.070		< 0.070		< 0.14		< 2.0		< 0.68		0.62		< 0.14		0.61		< 0.14		< 0.14		0.54	
1608199	East Side East Ditch Area	Unit 3	8127852	E-5-d(3.5-4.0)	(0.5-4.0)	11/9/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.34		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		0.24		< 0.12		< 0.12		0.22	
1608199	East Side East Ditch Area	Unit 3	8127853	E-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 4.0		< 0.67		< 0.13		3.9		2.7		0.14		< 0.068		< 0.13		< 2.0		< 0.67		**1.3**		< 0.13		0.53		< 0.13		< 0.13		0.53	
1608199	East Side East Ditch Area	Unit 3	8127856	E-5-b(6.0-6.5)	(0.0-6.5)	11/9/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.51		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		0.23		< 0.12		< 0.12		0.097	
1608199	East Side East Ditch Area	Unit 3	8127857	DUP-8		11/9/2015	< 4.4		< 0.74		< 0.15		< 0.75		1.4		< 0.075		< 0.075		< 0.15		< 2.2		< 0.74		0.96		< 0.15		0.74		< 0.15		< 0.15		0.64	
1608199	East Side East Ditch Area	Unit 3	8127858	D-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.77		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.51		< 0.12		1.4		< 0.12		< 0.12		1.2	
1608199	East Side East Ditch Area	Unit 3	8127859	D-5-b(3.0-3.5)	(0.0-3.5)	11/9/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.47		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		0.31		< 0.12		0.12		< 0.12		< 0.12		0.16	
1608199	East Side East Ditch Area	Unit 3	8127861	D-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.7		< 0.61		< 0.12		< 0.63		0.39		< 0.063		< 0.063		< 0.12		< 1.8		< 0.61		0.066		< 0.12		0.55		< 0.12		< 0.12		0.48	
1608199	East Side East Ditch Area	Unit 3	8127862	D-5-d(1.0-1.5)	(0.0-1.5)	11/9/2015	< 4.2		< 0.71		< 0.14		< 0.72		1		0.13		< 0.072		< 0.14		< 2.1		< 0.71		0.26		< 0.14		1.3		< 0.14		< 0.14		1.4	
1608199	East Side East Ditch Area	Unit 3	8127863	C-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 410		< 68		< 14		< 69		< 6.9		< 6.9		< 6.9		< 14		< 200		< 68		< 6.9		< 14		< 6.9		< 14		< 14		< 6.9	
1608199	East Side East Ditch Area	Unit 3	8127864	C-5-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 3.9		< 0.65		< 0.13		< 0.66		1.9		0.2		< 0.066		< 0.13		< 1.9		< 0.65		0.41		< 0.13		0.85		< 0.13		< 0.13		0.85	
1608199	East Side East Ditch Area	Unit 3	8127865	C-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.8		< 0.63		< 0.13		< 0.65		< 0.065		< 0.065		< 0.065		< 0.13		< 1.9		< 0.63		< 0.065		< 0.13		0.2		< 0.13		< 0.13		0.088	
1608199	East Side East Ditch Area	Unit 3	8127866	C-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	< 3.8		< 0.64		< 0.13		< 0.65		1.1		0.24		< 0.065		< 0.13		< 1.9		< 0.64		0.17		< 0.13		1.2		< 0.13		0.15		1.1	
1608199	East Side East Ditch Area	Unit 3	8127867	C-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.6		< 0.61		< 0.12		< 0.62		0.39		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		0.23		< 0.12		0.073		< 0.12		< 0.12		0.087	
1608199	East Side East Ditch Area	Unit 3	8127868	C-6-a(3.0-3.5)	(0.0-3.5)	11/9/2015	< 4.0		< 0.67		< 0.13		< 0.68		< 0.068		< 0.068		< 0.068		< 0.13		< 2.0		< 0.67		< 0.068		< 0.13		0.11		< 0.13		< 0.13		0.083	
1608199	East Side East Ditch Area	Unit 3	8127869	D-6-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 4.6		< 0.77		< 0.15		< 0.79		0.71		< 0.079		< 0.079		< 0.15		< 2.3		< 0.77		0.53		< 0.15		0.57		< 0.15		< 0.15		0.42	
1608199	East Side East Ditch Area	Unit 3	8127870	D-6-e(1.5-2.0)	(0.5-2.0)	11/9/2015	< 3.4		< 0.57		< 0.11		< 0.58		1.5		0.084		< 0.058		< 0.11		< 1.7		< 0.57		**11**		< 0.11		1.1		< 0.11		< 0.11		0.34	
1608200	East Side East Ditch Area	Unit 3	8127871	D-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.5		< 0.58		< 0.12		< 0.59		1.5		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		**6.7**		< 0.12		0.21		< 0.12		< 0.12		0.18	
1608200	East Side East Ditch Area	Unit 3	8127872	D-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	< 3.9		< 0.64		< 0.13		< 0.66		1.5		0.17		**1.4**		< 0.13		< 1.9		< 0.64		0.087		< 0.13		0.64		< 0.13		0.19		0.46	
1608200	East Side East Ditch Area	Unit 3	8127873	C-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.9		< 0.66		< 0.13		< 0.67		0.11		< 0.067		< 0.067		< 0.13		< 2.0		< 0.66		0.11		< 0.13		0.07		< 0.13		< 0.13		0.084	
1608200	East Side East Ditch Area	Unit 3	8127874	C-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 4.1		< 0.68		< 0.14		< 0.69		< 0.069		< 0.069		< 0.069		< 0.14		< 2.0		< 0.68		< 0.069		< 0.14		< 0.069		< 0.14		< 0.14		< 0.069	
1608200	East Side East Ditch Area	Unit 3	8127875	C-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.9		< 0.66		< 0.13		< 0.67		1.1		< 0.067		< 0.067		< 0.13		< 2.0		< 0.66		**1.5**		< 0.13		0.17		< 0.13		< 0.13		0.14	
1608200	East Side East Ditch Area	Unit 3	8127876	C-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.8		0.12		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		0.72		< 0.12		< 0.12		0.75	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1607774	Former Fueling Facility	Unit 1	8125872	G-5-c(3.5-4.0)	(0.5-4.0)	11/6/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		2.9		< 0.12		1		< 0.12		< 0.12		< 0.12	
1607774	Former Fueling Facility	Unit 1	8125873	G-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.98		< 0.10		0.32		< 0.10		< 0.10		< 0.10	
1607774	Former Fueling Facility	Unit 1	8125874	G-5-e(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		12		< 0.11		1.1		< 0.11		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125875	G-6-d(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.57		< 0.11		0.36		< 0.11		< 0.11		< 0.11	
1607774	Former Fueling Facility	Unit 1	8125876	G-6-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.88		< 4.4		< 4.4		< 0.88		< 0.88		< 13		< 0.88		< 0.88		< 4.4		< 4.5		5		< 0.88		1.6		< 0.88		< 0.88		< 0.88	
1607774	Former Fueling Facility	Unit 1	8125877	G-6-d(3.5-4.0)	(0.5-4.0)	11/6/2015	< 1.3		< 6.4		< 6.4		< 1.3		< 1.3		< 19		< 1.3		< 1.3		< 6.4		< 6.5		67		< 1.3		6.6		< 1.3		< 1.3		< 1.3	
1607774	Former Fueling Facility	Unit 1	8125879	G-6-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		1.8		< 0.11		0.8		< 0.11		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125881	DUP-5		11/6/2015	< 1.4		< 6.9		< 6.9		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 6.9		< 7.1		110		< 1.4		20		< 1.4		< 1.4		< 1.4	
1607775	Former Fueling Facility	Unit 1	8125882	G-5-d(0-0.5)	(0-0.5)	11/6/2015	< 1.0		< 5.2		< 5.2		< 1.0		< 1.0		< 15		< 1.0		< 1.0		< 5.2		< 5.3		1.7		< 1.0		0.71		< 1.0		< 1.0		< 1.0	
1607775	Former Fueling Facility	Unit 1	8125883	F-5-a(0-0.5)	(0-0.5)	11/6/2015	< 0.59		< 3.0		< 3.0		< 0.59		< 0.59		< 8.9		< 0.59		< 0.59		< 3.0		< 3.0		2.1		< 0.59		0.6		< 0.59		< 0.59		< 0.59	
1607775	Former Fueling Facility	Unit 1	8125884	F-5-a(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		1.3		< 0.12		0.16		< 0.12		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125885	F-5-b(3.5-4.0)	(0.5-4.0)	11/6/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		12		< 0.12		1.9		< 0.12		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125886	F-5-e(2.0-2.5)	(0.0-2.5)	11/6/2015	< 1.6		< 7.9		< 7.9		< 1.6		< 1.6		< 24		< 1.6		< 1.6		< 7.9		< 8.0		12		< 1.6		4.7		< 1.6		< 1.6		< 1.6	
1607775	Former Fueling Facility	Unit 1	8125887	F-5-b(0.0-0.5)	(0.0-0.5)	11/6/2015	< 11		< 57		< 57		< 11		< 11		< 170		< 11		< 11		< 57		< 59		< 5.9		< 11		< 5.9		< 11		< 11		< 11	
1607775	Former Fueling Facility	Unit 1	8125888	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		2.3		< 0.12		0.46		< 0.12		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125889	DUP-6		11/6/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		6.4		< 0.11		0.91		< 0.11		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125890	F-5-c(2.5-3.0)	(0.5-3.0)	11/6/2015	< 0.69		< 3.4		< 3.4		< 0.69		< 0.69		< 10		< 0.69		< 0.69		< 3.4		< 3.5		16		< 0.69		4.7		< 0.69		< 0.69		< 0.69	
1607775	Former Fueling Facility	Unit 1	8125891	F-5-c(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.26		< 0.11		0.17		< 0.11		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125892	F-5-e(0.0-0.5)	(0.0-0.5)	11/6/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		1.3		< 0.11		0.2		< 0.11		< 0.11		< 0.11	
1607775	Former Fueling Facility	Unit 1	8125899	F-5-d(2.0-2.5)	(0.0-2.5)	11/6/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		8.1		< 0.12		1.3		< 0.12		< 0.12		< 0.12	
1607775	Former Fueling Facility	Unit 1	8125902	G-6-b(2.0-2.5)	(0.0-2.5)	11/6/2015	< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 8.2		< 0.55		< 0.55		< 2.7		< 2.8		27		< 0.55		2.7		< 0.55		< 0.55		< 0.55	
1608199	East Side East Ditch Area	Unit 3	8127845	E-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1608199	East Side East Ditch Area	Unit 3	8127846	E-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.62		0.55		< 0.12		0.7		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127847	D-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		1.8		< 0.12		1.3		0.32		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127848	D-4-b(1.5-2.0)	(1.5-2.0)	11/9/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.12		< 0.12		0.087		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127849	D-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.88		< 0.12		1.5		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127850	D-5-a(2.0-2.5)	(0.0-2.5)	11/9/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.35		< 0.12		0.75		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127851	E-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.0		< 0.14		< 0.14		< 0.68		< 0.70		0.75		< 0.14		0.73		0.77		< 0.14		< 0.14	
1608199	East Side East Ditch Area	Unit 3	8127852	E-5-d(3.5-4.0)	(0.5-4.0)	11/9/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.23		< 0.12		0.26		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127853	E-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.67		< 0.68		1.8		< 0.13		2.4		< 0.13		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127856	E-5-b(6.0-6.5)	(0.0-6.5)	11/9/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.93		< 0.12		0.38		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127857	DUP-8		11/9/2015	< 0.15		< 0.74		< 0.74		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.74		< 0.75		1.1		< 0.15		1.1		< 0.15		< 0.15		< 0.15	
1608199	East Side East Ditch Area	Unit 3	8127858	D-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1		< 0.12		0.56		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127859	D-5-b(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.26		< 0.12		0.35		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127861	D-5-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		0.73		< 0.12		0.28		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127862	D-5-d(1.0-1.5)	(0.0-1.5)	11/9/2015	< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.71		< 0.72		1.8		< 0.14		0.67		< 0.14		< 0.14		< 0.14	
1608199	East Side East Ditch Area	Unit 3	8127863	C-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 14		< 68		< 68		< 14		< 14		< 200		< 14		< 14		< 68		< 69		< 6.9		< 14		< 6.9		< 14		< 14		< 14	
1608199	East Side East Ditch Area	Unit 3	8127864	C-5-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.65		< 0.66		2.2		< 0.13		1.5		< 0.13		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127865	C-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.076		< 0.13		< 0.065		< 0.13		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127866	C-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		1.1		< 0.13		0.85		< 0.13		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127867	C-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		0.21		< 0.12		0.29		< 0.12		< 0.12		< 0.12	
1608199	East Side East Ditch Area	Unit 3	8127868	C-6-a(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.67		< 0.68		0.098		< 0.13		< 0.068		< 0.13		< 0.13		< 0.13	
1608199	East Side East Ditch Area	Unit 3	8127869	D-6-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.15		< 0.77		< 0.77		< 0.15		< 0.15		< 2.3		< 0.15		< 0.15		< 0.77		< 0.79		0.67		< 0.15		0.56		< 0.15		< 0.15		< 0.15	
1608199	East Side East Ditch Area	Unit 3	8127870	D-6-e(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		1		< 0.11		2.2		< 0.11		< 0.11		< 0.11	
1608200	East Side East Ditch Area	Unit 3	8127871	D-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.44		< 0.12		1.7		< 0.12		< 0.12		< 0.12	
1608200	East Side East Ditch Area	Unit 3	8127872	D-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.66		0.94		< 0.13		1		< 0.13		< 0.13		< 0.13	
1608200	East Side East Ditch Area	Unit 3	8127873	C-5-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		0.094		< 0.13		0.11		< 0.13		< 0.13		< 0.13	
1608200	East Side East Ditch Area	Unit 3	8127874	C-5-c(3.0-3.5)	(0.0-3.5)	11/9/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.0		< 0.14		< 0.14		< 0.68		< 0.69		< 0.069		< 0.14		< 0.069		< 0.14		< 0.14		< 0.14	
1608200	East Side East Ditch Area	Unit 3	8127875	C-4-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		0.38		< 0.13		1		< 0.13		< 0.13		< 0.13	
1608200	East Side East Ditch Area	Unit 3	8127876	C-4-b(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.95		< 0.12		0.66		< 0.12		< 0.12		< 0.12	

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608200	East Side East Ditch Area	Unit 3	8127877	D-4-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.058		< 0.058		0.077		1.3		2.3		2.4		4.4		2.8		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1608200	East Side East Ditch Area	Unit 3	8127878	D-4-d(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.060		< 0.060		0.11		0.23		0.19		0.47		0.24		0.24		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1608200	Former Fueling Facility	Unit 1	8127879	G-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 0.51		< 1.0		< 5.0		< 5.0		< 1.0		< 1.0		< 2.0		< 1.0		< 1.0	
1608200	Former Fueling Facility	Unit 1	8127880	G-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	13		< 0.66		8.4		0.67		< 0.66		0.78		0.72		0.76		< 1.3		< 6.5		< 6.5		< 1.3		< 1.3		< 2.6		< 1.3		< 1.3	
1608200	Former Fueling Facility	Unit 1	8127881	G-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.55		< 0.55		< 0.55		0.78		0.85		1.2		0.98		0.86		< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 2.2		< 1.1		< 1.1	
1608200	Former Fueling Facility	Unit 1	8127882	G-6-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 0.69		< 0.69		1		0.97		< 0.69		1.3		1.5		0.71		< 1.3		< 6.7		< 6.7		< 1.3		< 1.3		< 2.7		< 1.3		< 1.3	
1608200	Former Fueling Facility	Unit 1	8127883	G-6-c(0.0-0.5)	(0.0-0.5)	11/9/2015	0.1		0.26		0.45		0.37		0.36		0.8		0.53		0.35		< 0.11		< 0.57		< 0.57		0.2		< 0.11		< 0.23		< 0.11		< 0.11	
1608200	Former Fueling Facility	Unit 1	8127886	G-6-c(1.0-1.5)	(0.0-1.5)	11/9/2015	< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 12		< 60		< 60		< 12		< 12		< 24		< 12		< 12	
1608200	Former Fueling Facility	Unit 1	8127887	DUP-9		11/9/2015	< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 12		< 60		< 60		< 12		< 12		< 24		< 12		< 12	
1608200	Former Fueling Facility	Unit 1	8127890	H-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.58		< 0.58		0.83		< 0.58		< 0.58		< 0.58		< 0.58		< 0.58		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1608200	Former Fueling Facility	Unit 1	8127891	H-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	11		3.9		4.7		< 0.67		< 0.67		1		< 0.67		< 0.67		< 1.3		< 6.6		< 6.6		< 1.3		< 1.3		< 2.6		< 1.3		< 1.3	
1608200	Former Fueling Facility	Unit 1	8127893	G-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.61		< 0.61		< 0.61		< 0.61		< 0.61		< 0.61		< 0.61		< 0.61		< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	
1608200	Former Fueling Facility	Unit 1	8127896	G-5-a(4.5-5.0)	(0.5-5.0)	11/9/2015	1.6		0.71		0.87		0.074		< 0.056		0.12		0.11		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1608676	East Side East Ditch Area	Unit 3	8130539	E-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	0.72		0.14		1.4		2		2		2		1.3		1.7		< 0.16		< 0.79		< 0.79		0.44		< 0.16		< 0.32		< 0.16		< 0.16	
1608676	East Side East Ditch Area	Unit 3	8130540	E-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	0.097		< 0.057		0.15		0.18		0.11		0.28		0.097		0.12		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1608676	East Side East Ditch Area	Unit 3	8130541	D-6-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.069		< 0.069		0.18		0.57		0.77		1.3		0.81		0.67		< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 0.27		< 0.14		< 0.14	
1608676	East Side East Ditch Area	Unit 3	8130542	D-6-a(1.0-1.5)	(0.0-1.5)	11/10/2015	< 0.062		< 0.062		0.081		0.8		1.3		2.3		1.8		1.4		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608676	East Side East Ditch Area	Unit 3	8130543	D-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.11		< 0.11		0.14		0.66		0.89		1.2		0.69		1		< 0.22		< 1.1		< 1.1		< 0.22		< 0.22		< 0.45		< 0.22		< 0.22	
1608676	East Side East Ditch Area	Unit 3	8130544	D-6-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		0.074		< 0.064		< 0.064		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130545	D-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.068		< 0.068		0.1		0.22		0.27		0.53		0.33		0.41		< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 0.27		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130546	D-6-d(3.5-4.0)	(0.5-4.0)	11/10/2015	0.51		0.17		0.49		1.2		1.6		2.5		1.6		1.6		< 0.13		< 0.63		< 0.63		0.25		< 0.13		< 0.25		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130547	D-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.065		< 0.065		0.091		0.48		0.71		1.2		0.86		1		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130548	D-5-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.079		< 0.079		< 0.079		< 0.079		< 0.079		< 0.079		< 0.079		< 0.079		< 0.15		< 0.77		< 0.77		< 0.15		< 0.15		< 0.31		< 0.15		< 0.15	
1608676	East Side East Ditch Area	Unit 3	8130551	D-4-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		0.11		< 0.060		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608676	East Side East Ditch Area	Unit 3	8130552	D-4-e(4.0-4.5)	(0.0-4.5)	11/10/2015	< 0.11		< 0.11		0.14		< 0.11		< 0.11		< 0.11		< 0.11		< 0.11		< 0.22		< 1.0		< 1.0		< 0.21		< 0.21		< 0.41		< 0.21		< 0.21	
1608676	East Side East Ditch Area	Unit 3	8130553	B-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.063		0.072		0.098		0.22		0.26		0.58		0.23		0.22		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1608676	East Side East Ditch Area	Unit 3	8130554	B-4-c(1.5-2.0)	(0.5-2.0)	11/10/2015	0.55		1.2		2.1		4.2		4		8.1		3.4		6.6		< 0.66		< 3.3		< 3.3		0.8		< 0.66		< 1.3		< 0.66		< 0.66	
1608676	East Side East Ditch Area	Unit 3	8130555	B-4-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.058		< 0.058		< 0.058		0.16		0.2		0.35		0.25		0.22		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1608676	East Side East Ditch Area	Unit 3	8130556	B-4-b(1.0-1.5)	(0.0-1.5)	11/10/2015	< 0.061		< 0.061		0.1		0.51		0.37		0.91		0.28		0.7		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130560	D-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	0.068		< 0.064		0.15		0.58		0.51		1.2		0.51		0.53		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130561	D-4-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 0.061		0.07		0.17		0.46		0.38		0.82		0.35		0.36		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130564	D-7-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.065		< 0.065		< 0.065		0.2		0.21		0.54		0.24		0.2		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1608677	East Side East Ditch Area	Unit 3	8130565	D-7-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.065		< 0.065		0.089		0.53		0.64		1.6		0.63		0.47		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1608677	East Side East Ditch Area	Unit 3	8130566	C-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.061		< 0.061		< 0.061		0.28		0.37		0.78		0.41		0.31		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130569	DUP-12		11/10/2015	< 0.064		< 0.064		< 0.064		0.23		0.28		0.66		0.29		0.26		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130570	C-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	0.68		0.57		2.5		3		2.1		5.6		1.6		2.2		< 0.12		< 0.61		< 0.61		0.56		< 0.12		< 0.24		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130571	C-6-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.062		< 0.062		< 0.062		< 0.062		0.083		0.17		0.089		0.076		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130572	C-6-b(1.5-2.0)	(0.5-2.0)	11/10/2015	0.58		0.92		2.3		3.6		2.4		6.4		2.1		2.5		< 0.13		< 0.65		< 0.65		0.62		< 0.13		< 0.26		< 0.13		0.18	
1608677	East Side East Ditch Area	Unit 3	8130573	C-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 2.5		< 13		< 13		< 2.5		< 2.5		< 5.0		< 2.5		< 2.5	
1608677	East Side East Ditch Area	Unit 3	8130574	C-5-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.58		< 0.58		1.8		6.8		6.3		9.8		4.3		3.7		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1608677	East Side East Ditch Area	Unit 3	8130575	B-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 0.53		< 1.0		< 5.2		< 5.2		< 1.0		< 1.0		< 2.1		< 1.0		< 1.0	
1608677	East Side East Ditch Area	Unit 3	8130576	B-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130578	E-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.070		< 0.070		< 0.070		< 0.070		< 0.070		0.12		< 0.070		< 0.070		< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 0.27		< 0.14		< 0.14	
1608677	East Side East Ditch Area	Unit 3	8130579	E-6-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 0.059		< 0.059		< 0.059		0.25		0.32		0.9		0.47		0.31		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1608678	Former Fueling Facility	Unit 1	8130581	H-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.33		< 0.33		2.2		1.4		1.7		3.8		2		2.2		< 0.65		< 3.2		< 3.2		0.77		< 0.65	UJ	< 1.3		< 0.65		< 0.65	
1608678	Former Fueling Facility	Unit 1	8130584	H-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	11		3.9		6.4		1.1		0.78		1.4		< 0.63		1		< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 2.5		< 1.2		< 1.2	
1608678	Former Fueling Facility	Unit 1	8130585	DUP-10		11/10/2015	< 0.66		2.8		3.1		1.6		2		4.1		2.8		2		< 1.3		< 6.5		< 6.5		< 1.3		< 1.3		< 2.6		< 1.3		< 1.3	
1608678	Former Fueling Facility	Unit 1	8130586	H-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	19		6		8.7		0.91		0.43		0.98		0.39		0.42		< 0.59		< 3.0		< 3.0		< 0.59		< 0.59		< 1.2		< 0.59		< 0.59	
1608678	Former Fueling Facility	Unit 1	8130587	H-5-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 0.33		< 0.33		0.6		0.37		< 0.33		0.39		0.42		0.53		< 0.65		< 3.3		< 3.3		< 0.65		< 0.65		< 1.3		< 0.65		< 0.65	
1608678	Former Fueling Facility	Unit 1	8130588	H-5-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.32		< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 1.3		< 0.63		< 0.63	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608200	East Side East Ditch Area	Unit 3	8127877	D-4-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.1		**1.5**		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1608200	East Side East Ditch Area	Unit 3	8127878	D-4-d(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.41		0.069		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.8	
1608200	Former Fueling Facility	Unit 1	8127879	G-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.99		< 1.0		< 1.0		< 1.0		0.52		< 0.51		< 1.0		< 1.0		< 1.0		< 1.0		< 10		< 1.0		< 5.0		< 1.0		< 5.0		< 15	
1608200	Former Fueling Facility	Unit 1	8127880	G-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	< 1.3		< 1.3		< 1.3		< 1.3		1.9		< 0.66		**12**		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.5		< 1.3		< 6.5		< 19	
1608200	Former Fueling Facility	Unit 1	8127881	G-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.1		< 1.1		< 1.1		< 1.1		1.2		< 0.55		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.4		< 1.1		< 5.4		< 16	
1608200	Former Fueling Facility	Unit 1	8127882	G-6-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 1.3		< 1.3		< 1.3		< 1.3		2.4		**0.99**		< 1.3		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.7		< 1.3		< 6.7		< 20	
1608200	Former Fueling Facility	Unit 1	8127883	G-6-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.71		**0.17**		0.6		< 0.11		< 0.11		0.12		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1608200	Former Fueling Facility	Unit 1	8127886	G-6-c(1.0-1.5)	(0.0-1.5)	11/9/2015	< 12		< 12		< 12		< 12		< 6.2		< 6.2		< 12		< 12		< 12		< 12		< 120		< 12		< 60		< 12		< 60		< 180	
1608200	Former Fueling Facility	Unit 1	8127887	DUP-9		11/9/2015	< 12		< 12		< 12		< 12		< 6.2		< 6.2		< 12		< 12		< 12		< 12		< 120		< 12		< 60		< 12		< 60		< 180	
1608200	Former Fueling Facility	Unit 1	8127890	H-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.1		< 1.1		< 1.1		< 1.1		0.73		< 0.58		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1608200	Former Fueling Facility	Unit 1	8127891	H-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	< 1.3		< 1.3		< 1.3		< 1.3		1.4		< 0.67		**10**		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.6		< 1.3		< 6.6		< 20	
1608200	Former Fueling Facility	Unit 1	8127893	G-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.2		< 1.2		< 1.2		< 1.2		0.98		< 0.61		< 1.2		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.0		< 1.2		< 6.0		< 18	
1608200	Former Fueling Facility	Unit 1	8127896	G-5-a(4.5-5.0)	(0.5-5.0)	11/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.36		< 0.056		1.1		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1608676	East Side East Ditch Area	Unit 3	8130539	E-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.16		< 0.16		< 0.16		< 0.16		2.2		**0.53**		0.5		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.79		< 0.16		< 0.79		< 2.4	
1608676	East Side East Ditch Area	Unit 3	8130540	E-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.29		< 0.057		0.16		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1608676	East Side East Ditch Area	Unit 3	8130541	D-6-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.14		< 0.14		< 0.14		0.83		**0.22**		0.23		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.0	
1608676	East Side East Ditch Area	Unit 3	8130542	D-6-a(1.0-1.5)	(0.0-1.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.2		**0.64**		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1608676	East Side East Ditch Area	Unit 3	8130543	D-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.22		< 0.22		< 0.22		< 0.22		1.1		**0.23**		< 0.22		< 0.22		< 0.22		< 0.22		< 2.2		< 0.22		< 1.1		< 0.22		< 1.1		< 3.3	
1608676	East Side East Ditch Area	Unit 3	8130544	D-6-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.12		< 0.13		< 0.13		< 0.13		0.071		< 0.064		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1608676	East Side East Ditch Area	Unit 3	8130545	D-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.38		0.08		0.21		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.67		< 0.13		< 0.67		< 2.0	
1608676	East Side East Ditch Area	Unit 3	8130546	D-6-d(3.5-4.0)	(0.5-4.0)	11/10/2015	< 0.12		< 0.13		< 0.13		< 0.13		1.7		**0.68**		1		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1608676	East Side East Ditch Area	Unit 3	8130547	D-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.73		**0.24**		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1608676	East Side East Ditch Area	Unit 3	8130548	D-5-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.15		< 0.15		< 0.15		< 0.15		< 0.079		< 0.079		< 0.15		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.77		< 0.15		< 0.77		< 2.3	
1608676	East Side East Ditch Area	Unit 3	8130551	D-4-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.060		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1608676	East Side East Ditch Area	Unit 3	8130552	D-4-e(4.0-4.5)	(4.0-4.5)	11/10/2015	< 0.20		< 0.21		< 0.21		< 0.21		< 0.11		< 0.11		< 0.21		< 0.21		< 0.21		< 0.21		< 2.1		< 0.21		< 1.0		< 0.21		< 1.0		< 3.1	
1608676	East Side East Ditch Area	Unit 3	8130553	B-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.33		< 0.063		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1608676	East Side East Ditch Area	Unit 3	8130554	B-4-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.65		< 0.66		< 0.66		< 0.66		6.2		**1.3**		2.4		< 0.66		< 0.66		< 0.66		< 6.6		< 0.66		< 3.3		< 0.66		< 3.3		< 9.8	
1608676	East Side East Ditch Area	Unit 3	8130555	B-4-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.2		0.076		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1608676	East Side East Ditch Area	Unit 3	8130556	B-4-b(1.0-1.5)	(0.0-1.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.8		0.093		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1608677	East Side East Ditch Area	Unit 3	8130560	D-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.79		0.14		0.32		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1608677	East Side East Ditch Area	Unit 3	8130561	D-4-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.64		0.087		0.27		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1608677	East Side East Ditch Area	Unit 3	8130564	D-7-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.32		< 0.065		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1608677	East Side East Ditch Area	Unit 3	8130565	D-7-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.85		**0.18**		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1608677	East Side East Ditch Area	Unit 3	8130566	C-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.36		0.098		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12	**UJ**	< 0.59		< 0.12		< 0.59		< 1.8	**UJ**
1608677	East Side East Ditch Area	Unit 3	8130569	DUP-12		11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.32		0.077		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1608677	East Side East Ditch Area	Unit 3	8130570	C-6-e(3.0-3.5)	(0.0-3.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		4.2		**0.49**		1.9		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1608677	East Side East Ditch Area	Unit 3	8130571	C-6-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.096		< 0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1608677	East Side East Ditch Area	Unit 3	8130572	C-6-b(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.13		< 0.13		< 0.13		< 0.13		4.9		**0.67**		2.1		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 1.9	
1608677	East Side East Ditch Area	Unit 3	8130573	C-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 2.5		< 2.5		< 2.5		< 2.5		< 1.3		< 1.3		< 2.5		< 2.5		< 2.5		< 2.5		< 25		< 2.5		< 13		< 2.5		< 13		< 38	
1608677	East Side East Ditch Area	Unit 3	8130574	C-5-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 1.1		< 1.1		< 1.1		< 1.1		8.1		**1.1**		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1608677	East Side East Ditch Area	Unit 3	8130575	B-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 1.0		< 1.0		< 1.0		< 1.0		< 0.53		< 0.53		< 1.0		< 1.0		< 1.0		< 1.0		< 10		< 1.0		< 5.2		< 1.0		< 5.2		< 15	
1608677	East Side East Ditch Area	Unit 3	8130576	B-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.062		< 0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1608677	East Side East Ditch Area	Unit 3	8130578	E-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.077		< 0.070		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.1	
1608677	East Side East Ditch Area	Unit 3	8130579	E-6-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.44		0.11		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1608678	Former Fueling Facility	Unit 1	8130581	H-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.64		< 0.65		< 0.65		< 0.65		2.7		**0.74**		0.93		< 0.65		< 0.65		< 0.65		< 6.5		< 0.65		< 3.2		< 0.65		< 3.2		< 9.7	
1608678	Former Fueling Facility	Unit 1	8130584	H-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 1.2		< 1.2		< 1.2		< 1.2		2.3		< 0.63		**7.6**		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.2		< 1.2		< 6.2		< 19	
1608678	Former Fueling Facility	Unit 1	8130585	DUP-10		11/10/2015	< 1.3		< 1.3		< 1.3		< 1.3		3.1		**0.86**		< 1.3		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.5		< 1.3		< 6.5		< 19	
1608678	Former Fueling Facility	Unit 1	8130586	H-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.59		< 0.59		< 0.59		< 0.59		1.8		< 0.30		**14**		< 0.59		< 0.59		< 0.59		< 5.9		< 0.59		< 3.0		< 0.59		< 3.0		< 8.9	
1608678	Former Fueling Facility	Unit 1	8130587	H-5-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 0.65		< 0.65		< 0.65		< 0.65		0.86		< 0.33		1.7		< 0.65		< 0.65		< 0.65		< 6.5		< 0.65		< 3.3		< 0.65		< 3.3		< 9.8	
1608678	Former Fueling Facility	Unit 1	8130588	H-5-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.63		< 0.63		< 0.63		< 0.63		0.54		< 0.32		1.3		< 0.63		< 0.63		< 0.63		< 6.3		< 0.63		< 3.2		< 0.63		< 3.2		< 9.5	

					Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
					CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
					DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608200	East Side East Ditch Area	Unit 3	8127877	D-4-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.89		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		3.4		< 0.11		0.27		< 0.11		< 0.11		0.15	
1608200	East Side East Ditch Area	Unit 3	8127878	D-4-d(1.5-2.0)	(0.5-2.0)	11/9/2015	< 3.5		< 0.58		< 0.12		< 0.60		0.41		< 0.060		< 0.060		< 0.12		< 1.8		< 0.58		0.17		< 0.12		0.2		< 0.12		< 0.12		0.26	
1608200	Former Fueling Facility	Unit 1	8127879	G-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 30		< 5.0		< 1.0		< 5.1		< 0.51		< 0.51		< 0.51		< 1.0		< 15		< 5.0		< 0.51		< 1.0		13		< 1.0		< 1.0		5.8	
1608200	Former Fueling Facility	Unit 1	8127880	G-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	< 39		< 6.5		< 1.3		< 6.6		3.3		28		< 0.66		< 1.3		< 19		< 6.5		< 0.66		< 1.3		250		< 1.3		2.5		23	
1608200	Former Fueling Facility	Unit 1	8127881	G-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 32		< 5.4		< 1.1		51		1.3		< 0.55		< 0.55		< 1.1		< 16		< 5.4		1		< 1.1		2.3		< 1.1		< 1.1		1.5	
1608200	Former Fueling Facility	Unit 1	8127882	G-6-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 40		< 6.7		< 1.3		< 6.9		1.3		< 0.69		< 0.69		< 1.3		< 20		< 6.7		1		< 1.3		4.8		< 1.3		< 1.3		2.3	
1608200	Former Fueling Facility	Unit 1	8127883	G-6-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.74		0.14		< 0.058		< 0.11		< 1.7		< 0.57		0.43		< 0.11		4		< 0.11		< 0.11		1.6	
1608200	Former Fueling Facility	Unit 1	8127886	G-6-c(1.0-1.5)	(0.0-1.5)	11/9/2015	< 360		< 60		< 12		< 62		< 6.2		< 6.2		< 6.2		< 12		< 180		< 60		< 6.2		< 12		< 6.2		< 12		< 12		< 6.2	
1608200	Former Fueling Facility	Unit 1	8127887	DUP-9		11/9/2015	< 360		< 60		< 12		< 62		< 6.2		< 6.2		< 6.2		< 12		< 180		< 60		< 6.2		< 12		< 6.2		< 12		< 12		< 6.2	
1608200	Former Fueling Facility	Unit 1	8127890	H-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 34		< 5.7		< 1.1		< 5.8		< 0.58		< 0.58		< 0.58		< 1.1		< 17		< 5.7		< 0.58		< 1.1		6		< 1.1		< 1.1		2.5	
1608200	Former Fueling Facility	Unit 1	8127891	H-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	< 39		< 6.6		< 1.3		< 6.7		4		19		< 0.67		< 1.3		< 20		< 6.6		< 0.67		< 1.3		240		< 1.3		< 1.3		35	
1608200	Former Fueling Facility	Unit 1	8127893	G-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 36		< 6.0		< 1.2		< 6.1		0.74		< 0.61		< 0.61		< 1.2		< 18		< 6.0		< 0.61		< 1.2		2.8		< 1.2		< 1.2		2	
1608200	Former Fueling Facility	Unit 1	8127896	G-5-a(4.5-5.0)	(0.5-5.0)	11/9/2015	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		2.5		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		30		< 0.11		< 0.11		1.3	
1608676	East Side East Ditch Area	Unit 3	8130539	E-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 4.7		< 0.79		< 0.16		< 0.80		5.1		0.7		< 0.080		< 0.16		< 2.4		< 0.79		1.1		< 0.16		0.59		< 0.16		< 0.16		0.51	
1608676	East Side East Ditch Area	Unit 3	8130540	E-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.62		0.1		< 0.057		< 0.11		< 1.7		< 0.56		0.064		< 0.11		1		< 0.11		< 0.11		0.61	
1608676	East Side East Ditch Area	Unit 3	8130541	D-4-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 4.1		< 0.68		< 0.14		< 0.69		0.94		< 0.069		< 0.069		< 0.14		< 2.0		< 0.68		0.67		< 0.14		0.59		< 0.14		< 0.14		2.3	
1608676	East Side East Ditch Area	Unit 3	8130542	D-6-a(1.0-1.5)	(0.0-1.5)	11/10/2015	< 3.6		< 0.61		< 0.12		< 0.62		0.89		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		1.4		< 0.12		0.21		< 0.12		< 0.12		0.22	
1608676	East Side East Ditch Area	Unit 3	8130543	D-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 6.7		< 1.1		< 0.22		< 1.1		0.97		< 0.11		< 0.11		< 0.22		< 3.3		< 1.1		0.63		< 0.22		0.3		< 0.22		< 0.22		0.25	
1608676	East Side East Ditch Area	Unit 3	8130544	D-6-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 3.8		< 0.63		< 0.13		< 0.64		0.084		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		< 0.064		< 0.13		0.15		< 0.13		< 0.13		0.088	
1608676	East Side East Ditch Area	Unit 3	8130545	D-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 4.0		< 0.67		< 0.13		< 0.68		0.46		< 0.068		< 0.068		< 0.13		< 2.0		< 0.67		0.29		< 0.13		0.69		< 0.13		< 0.13		0.49	
1608676	East Side East Ditch Area	Unit 3	8130546	D-6-d(3.5-4.0)	(0.5-4.0)	11/10/2015	< 3.8		< 0.63		< 0.13		< 0.64		2.5		0.15		< 0.064		< 0.13		< 1.9		< 0.63		1.5		< 0.13		1.2		< 0.13		< 0.13		1.4	
1608676	East Side East Ditch Area	Unit 3	8130547	D-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.8		< 0.64		< 0.13		< 0.65		0.55		< 0.065		< 0.065		< 0.13		< 1.9		< 0.64		0.7		< 0.13		< 0.065		< 0.13		< 0.13		< 0.065	
1608676	East Side East Ditch Area	Unit 3	8130548	D-5-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 4.6		< 0.77		< 0.15		< 0.79		< 0.079		< 0.079		< 0.079		< 0.15		< 2.3		< 0.77		< 0.079		< 0.15		0.25		< 0.15		< 0.15		0.37	
1608676	East Side East Ditch Area	Unit 3	8130551	D-4-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.6		< 0.59		< 0.12		< 0.60		0.062		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.060	
1608676	East Side East Ditch Area	Unit 3	8130552	D-4-e(4.0-4.5)	(0.0-4.5)	11/10/2015	< 6.2		< 1.0		< 0.21		< 1.1		0.13		< 0.21		< 0.21		< 0.21		< 3.1		< 1.0		< 0.11		< 0.21		0.12		< 0.21		< 0.21		0.19	
1608676	East Side East Ditch Area	Unit 3	8130553	B-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.44		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		0.23		< 0.12		0.085		< 0.12		< 0.12		0.068	
1608676	East Side East Ditch Area	Unit 3	8130554	B-4-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 20		< 3.3		< 0.66		< 3.3		8.1		0.53		< 0.33		< 0.66		< 9.8		< 3.3		3.5		< 0.66		4.1		< 0.66		< 0.66		3.6	
1608676	East Side East Ditch Area	Unit 3	8130555	B-4-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.29		< 0.058		0.14		< 0.11		< 1.7		< 0.57		0.22		< 0.11		0.12		< 0.11		< 0.11		0.086	
1608676	East Side East Ditch Area	Unit 3	8130556	B-4-b(1.0-1.5)	(0.0-1.5)	11/10/2015	< 3.6		< 0.60		< 0.12		< 0.61		1		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		0.25		< 0.12		0.18		< 0.12		< 0.12		0.19	
1608677	East Side East Ditch Area	Unit 3	8130560	D-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.7		< 0.62		< 0.12		< 0.64		1.2		< 0.064		< 0.064		< 0.12		< 1.9		< 0.62		0.43		< 0.12		0.23		< 0.12		< 0.12		0.21	
1608677	East Side East Ditch Area	Unit 3	8130561	D-4-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 3.6		< 0.59		< 0.12		< 0.61		1		0.062		< 0.061		< 0.12		< 1.8		< 0.59		0.28		< 0.12		0.71		< 0.12		< 0.12		0.57	
1608677	East Side East Ditch Area	Unit 3	8130564	D-7-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.8		< 0.63		< 0.13		< 0.65		0.31		< 0.065		< 0.065		< 0.13		< 1.9		< 0.63		0.21		< 0.13		0.31		< 0.13		< 0.13		0.23	
1608677	East Side East Ditch Area	Unit 3	8130565	D-7-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 3.8		< 0.63		< 0.13		< 0.65		0.62		< 0.065		< 0.065		< 0.13		< 1.9		< 0.63		0.54		< 0.13		0.6		< 0.13		< 0.13		0.34	
1608677	East Side East Ditch Area	Unit 3	8130566	C-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.6	UJ	< 0.59		< 0.12		< 0.61		0.35		< 0.061		< 0.061		< 0.12		< 1.8	UJ	< 0.59		0.31		< 0.12		0.14		< 0.12		< 0.12		0.097	
1608677	East Side East Ditch Area	Unit 3	8130569	DUP-12		11/10/2015	< 3.7		< 0.62		< 0.12		< 0.64		0.28		< 0.064		< 0.064		< 0.12		< 1.9		< 0.62		0.25		< 0.12		0.14		< 0.12		< 0.12		0.097	
1608677	East Side East Ditch Area	Unit 3	8130570	C-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	< 3.6		< 0.61		< 0.12		< 0.62		6		1.1		< 0.062		< 0.12		< 1.8		< 0.61		1.4		< 0.12		2.2		< 0.12		< 0.12		2.5	
1608677	East Side East Ditch Area	Unit 3	8130571	C-6-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 3.6		< 0.61		< 0.12		< 0.62		0.07		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		0.073		< 0.12		< 0.062		< 0.12		< 0.12		< 0.062	
1608677	East Side East Ditch Area	Unit 3	8130572	C-6-b(1.5-2.0)	(0.5-2.0)	11/10/2015	< 3.9		< 0.65		< 0.13		< 0.66		6.7		0.77		< 0.066		< 0.13		< 1.9		< 0.65		1.8		< 0.13		3.2		< 0.13		< 0.13		3.3	
1608677	East Side East Ditch Area	Unit 3	8130573	C-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 76		< 13		< 2.5		< 13		< 1.3		< 1.3		< 1.3		< 2.5		< 38		< 13		< 1.3		< 2.5		< 1.3		< 2.5		< 2.5		< 1.3	
1608677	East Side East Ditch Area	Unit 3	8130574	C-5-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 34		< 5.7		< 1.1		< 5.8		16		0.79		< 0.58		< 1.1		< 17		< 5.7		3.7		< 1.1		< 0.58		< 1.1		< 1.1		< 0.58	
1608677	East Side East Ditch Area	Unit 3	8130575	B-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 31		< 5.2		< 1.0		< 5.3		< 0.53		< 0.53		< 0.53		< 1.0		< 15		< 5.2		< 0.53		< 1.0		< 0.53		< 1.0		< 1.0		< 0.53	
1608677	East Side East Ditch Area	Unit 3	8130576	B-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 3.7		< 0.61		< 0.12		< 0.62		< 0.062		< 0.062		0.66		< 0.12		< 1.8		< 0.61		< 0.062		< 0.12		0.13		< 0.12		< 0.12		0.27	
1608677	East Side East Ditch Area	Unit 3	8130578	E-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 4.1		< 0.68		< 0.14		< 0.70		< 0.070		< 0.070		< 0.070		< 0.14		< 2.1		< 0.68		< 0.070		< 0.14		< 0.070		< 0.14		< 0.14		< 0.070	
1608677	East Side East Ditch Area	Unit 3	8130579	E-6-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.31		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.38		< 0.12		0.089		< 0.12		< 0.12		0.092	
1608678	Former Fueling Facility	Unit 1	8130581	H-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 19	UJ	< 3.2	UJ	< 0.65	UJ	< 3.3		2.8		< 0.33		< 0.33		< 0.65		< 9.7		< 3.2		1.8		< 0.65		3.3		< 0.65		1		1.9	
1608678	Former Fueling Facility	Unit 1	8130584	H-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 37		< 6.2		< 1.2		< 6.3		5.6		20		< 0.63		< 1.2		< 19		< 6.2		< 0.63		< 1.2		130		< 1.2		1.8		17	
1608678	Former Fueling Facility	Unit 1	8130585	DUP-10		11/10/2015	< 39		< 6.5		< 1.3		< 6.6		3		0.69		< 0.66		< 1.3		< 19		< 6.5		2.7		< 1.3		4.7		< 1.3		1.7		2.2	
1608678	Former Fueling Facility	Unit 1	8130586	H-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 18		< 3.0		< 0.59		< 3.0		6.2		34		< 0.30		< 0.59		< 8.9		< 3.0		< 0.30		< 0.59		380		< 0.59		< 0.59		32	
1608678	Former Fueling Facility	Unit 1	8130587	H-5-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 20		< 3.3		< 0.65		< 3.3		0.74		< 0.33		< 0.33		< 0.65		< 9.8		< 3.3		0.39		< 0.65		12		< 0.65		< 0.65		4.3	
1608678	Former Fueling Facility	Unit 1	8130588	H-5-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 19		< 3.2		< 0.63		< 3.2		0.34		< 0.32		< 0.32		< 0.63		< 9.5		< 3.2		< 0.32		< 0.63		5.7		< 0.63		< 0.63		3.6	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608200	East Side East Ditch Area	Unit 3	8127877	D-4-d(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.31		< 0.11		0.91		< 0.11		< 0.11		< 0.11	
1608200	East Side East Ditch Area	Unit 3	8127878	D-4-d(1.5-2.0)	(0.5-2.0)	11/9/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.58		< 0.60		0.35		< 0.12		0.3		< 0.12		< 0.12		< 0.12	
1608200	Former Fueling Facility	Unit 1	8127879	G-5-b(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.0		< 5.0		< 5.0		< 1.0		< 1.0		< 15		< 1.0		< 1.0		< 5.0		< 5.1		2		< 1.0		0.68		< 1.0		< 1.0		< 1.0	
1608200	Former Fueling Facility	Unit 1	8127880	G-5-b(2.5-3.0)	(0.5-3.0)	11/9/2015	< 1.3		< 6.5		< 6.5		< 1.3		< 1.3		< 19		< 1.3		< 1.3		< 6.5		< 6.6		80		< 1.3		6.5		< 1.3		< 1.3		< 1.3	
1608200	Former Fueling Facility	Unit 1	8127881	G-6-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.4		< 5.5		2		< 1.1		1.2		< 1.1		< 1.1		< 1.1	
1608200	Former Fueling Facility	Unit 1	8127882	G-6-a(2.5-3.0)	(0.5-3.0)	11/9/2015	< 1.3		< 6.7		< 6.7		< 1.3		< 1.3		< 20		< 1.3		< 1.3		< 6.7		< 6.9		3.7		< 1.3		2.2		< 1.3		< 1.3		< 1.3	
1608200	Former Fueling Facility	Unit 1	8127883	G-6-c(0.0-0.5)	(0.0-0.5)	11/9/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		1.5		< 0.11		0.68		0.18		< 0.11		< 0.11	
1608200	Former Fueling Facility	Unit 1	8127886	G-6-c(1.0-1.5)	(0.0-1.5)	11/9/2015	< 12		< 60		< 60		< 12		< 12		< 180		< 12		< 12		< 60		< 62		< 6.2		< 12		< 6.2		< 12		< 12		< 12	
1608200	Former Fueling Facility	Unit 1	8127887	DUP-9		11/9/2015	< 12		< 60		< 60		< 12		< 12		< 180		< 12		< 12		< 60		< 62		< 6.2		< 12		< 6.2		< 12		< 12		< 12	
1608200	Former Fueling Facility	Unit 1	8127890	H-5-e(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		1.6		< 1.1		0.98		< 1.1		< 1.1		< 1.1	
1608200	Former Fueling Facility	Unit 1	8127891	H-5-e(2.5-3.0)	(0.5-3.0)	11/9/2015	< 1.3		< 6.6		< 6.6		< 1.3		< 1.3		< 20		< 1.3		< 1.3		< 6.6		< 6.7		45		< 1.3		5.7		< 1.3		< 1.3		< 1.3	
1608200	Former Fueling Facility	Unit 1	8127893	G-5-a(0.0-0.5)	(0.0-0.5)	11/9/2015	< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.0		< 6.1		3		< 1.2		0.72		< 1.2		< 1.2		< 1.2	
1608200	Former Fueling Facility	Unit 1	8127896	G-5-a(4.5-5.0)	(0.5-5.0)	11/9/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		6.9		< 0.11		0.61		< 0.11		< 0.11		< 0.11	
1608676	East Side East Ditch Area	Unit 3	8130539	E-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.16		< 0.79		< 0.79		< 0.16		< 0.16		< 2.4		< 0.16		< 0.16		< 0.79		< 0.80		5.5		< 0.16		4.6		< 0.16		< 0.16		< 0.16	
1608676	East Side East Ditch Area	Unit 3	8130540	E-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.63		< 0.11		0.52		< 0.11		< 0.11		< 0.11	
1608676	East Side East Ditch Area	Unit 3	8130541	D-6-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.0		< 0.14		< 0.14		< 0.68		< 0.69		0.82		< 0.14		0.8		< 0.14		< 0.14		< 0.14	
1608676	East Side East Ditch Area	Unit 3	8130542	D-6-a(1.0-1.5)	(0.0-1.5)	11/10/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		0.38		< 0.12		0.82		< 0.12		< 0.12		< 0.12	
1608676	East Side East Ditch Area	Unit 3	8130543	D-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.22		< 1.1		< 1.1		< 0.22		< 0.22		< 3.3		< 0.22		< 0.22		< 1.1		< 1.1		0.57		< 0.22		0.84		< 0.22		< 0.22		< 0.22	
1608676	East Side East Ditch Area	Unit 3	8130544	D-6-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.11		< 0.13		0.079		< 0.13		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130545	D-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.67		< 0.68		0.37		< 0.13		0.41		< 0.13		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130546	D-6-d(3.5-4.0)	(0.5-4.0)	11/10/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		1.8		< 0.13		2.5		< 0.13		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130547	D-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		0.29		< 0.13		0.51		< 0.13		< 0.13		< 0.13	
1608676	East Side East Ditch Area	Unit 3	8130548	D-5-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.15		< 0.77		< 0.77		< 0.15		< 0.15		< 2.3		< 0.15		< 0.15		< 0.77		< 0.79		0.08		< 0.15		< 0.079		< 0.15		< 0.15		< 0.15	
1608676	East Side East Ditch Area	Unit 3	8130551	D-4-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.12	
1608676	East Side East Ditch Area	Unit 3	8130552	D-4-e(4.0-4.5)	(0.0-4.5)	11/10/2015	< 0.21		< 1.0		< 1.0		< 0.21		< 0.21		< 3.1		< 0.21		< 0.21		< 1.0		< 1.1		0.5		< 0.21		< 0.11		< 0.21		< 0.21		< 0.21	
1608676	East Side East Ditch Area	Unit 3	8130553	B-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.17		< 0.12		0.4		< 0.12		< 0.12		< 0.12	
1608676	East Side East Ditch Area	Unit 3	8130554	B-4-c(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.66		< 3.3		< 3.3		< 0.66		< 0.66		< 9.8		< 0.66		< 0.66		< 3.3		< 3.3		6.9		< 0.66		5.8		< 0.66		< 0.66		< 0.66	
1608676	East Side East Ditch Area	Unit 3	8130555	B-4-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.22		< 0.11		0.24		< 0.11		< 0.11		< 0.11	
1608676	East Side East Ditch Area	Unit 3	8130556	B-4-b(1.0-1.5)	(0.0-1.5)	11/10/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.44		< 0.12		0.85		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130560	D-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.64		0.33		< 0.12		1.1		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130561	D-4-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61		0.58		< 0.12		1.1		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130564	D-7-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.28		< 0.13		0.29		< 0.13		< 0.13		< 0.13	
1608677	East Side East Ditch Area	Unit 3	8130565	D-7-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.5		< 0.13		0.73		< 0.13		< 0.13		< 0.13	
1608677	East Side East Ditch Area	Unit 3	8130566	C-6-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61	UJ	0.21		< 0.12		0.3		< 0.12		< 0.12	UJ	< 0.12	UJ
1608677	East Side East Ditch Area	Unit 3	8130569	DUP-12		11/10/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.64		0.2		< 0.12		0.26		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130570	C-5-e(3.0-3.5)	(0.0-3.5)	11/10/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		4.4		< 0.12		5.2		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130571	C-6-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		0.075		< 0.12		0.073		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130572	C-6-b(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.65		< 0.66		5.7		< 0.13		5.7		< 0.13		< 0.13		< 0.13	
1608677	East Side East Ditch Area	Unit 3	8130573	C-5-e(0.0-0.5)	(0.0-0.5)	11/10/2015	< 2.5		< 13		< 13		< 2.5		< 2.5		< 38		< 2.5		< 2.5		< 13		< 13		< 1.3		< 2.5		< 1.3		< 2.5		< 2.5		< 2.5	
1608677	East Side East Ditch Area	Unit 3	8130574	C-5-e(1.5-2.0)	(0.5-2.0)	11/10/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		7.3		< 1.1		13		< 1.1		< 1.1		< 1.1	
1608677	East Side East Ditch Area	Unit 3	8130575	B-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 1.0		< 5.2		< 5.2		< 1.0		< 1.0		< 15		< 1.0		< 1.0		< 5.2		< 5.3		< 0.53		< 1.0		< 0.53		< 1.0		< 1.0		< 1.0	
1608677	East Side East Ditch Area	Unit 3	8130576	B-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		0.1		< 0.12		< 0.062		< 0.12		< 0.12		< 0.12	
1608677	East Side East Ditch Area	Unit 3	8130578	E-6-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.68		< 0.70		0.083		< 0.14		< 0.070		< 0.14		< 0.14		< 0.14	
1608677	East Side East Ditch Area	Unit 3	8130579	E-6-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.16		< 0.12		0.26		< 0.12		< 0.12		< 0.12	
1608678	Former Fueling Facility	Unit 1	8130581	H-5-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.65	UJ	< 3.2		< 3.2	UJ	< 0.65		< 0.65	UJ	< 9.7	UJ	< 0.65		< 0.65		< 3.2		< 3.3		2.8		< 0.65		3		< 0.65		< 0.65		< 0.65	
1608678	Former Fueling Facility	Unit 1	8130584	H-5-a(1.5-2.0)	(0.5-2.0)	11/10/2015	< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 19		< 1.2		< 1.2		< 6.2		< 6.3		52		< 1.2		6.6		< 1.2		< 1.2		< 1.2	
1608678	Former Fueling Facility	Unit 1	8130585	DUP-10		11/10/2015	< 1.3		< 6.5		< 6.5		< 1.3		< 1.3		< 19		< 1.3		< 1.3		< 6.5		< 6.6		3.9		< 1.3		3.8		< 1.3		< 1.3		< 1.3	
1608678	Former Fueling Facility	Unit 1	8130586	H-5-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.59		< 3.0		< 3.0		< 0.59		< 0.59		< 8.9		< 0.59		< 0.59		< 3.0		< 3.0		93		< 0.59		7.2		< 0.59		< 0.59		< 0.59	
1608678	Former Fueling Facility	Unit 1	8130587	H-5-c(2.0-2.5)	(0.0-2.5)	11/10/2015	< 0.65		< 3.3		< 3.3		< 0.65		< 0.65		< 9.8		< 0.65		< 0.65		< 3.3		< 3.3		3.8		< 0.65		0.87		< 0.65		< 0.65		< 0.65	
1608678	Former Fueling Facility	Unit 1	8130588	H-5-b(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 9.5		< 0.63		< 0.63		< 3.2		< 3.2		2.5		< 0.63		0.32		< 0.63		< 0.63		< 0.63	

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608678	Former Fueling Facility	Unit 1	8130589	H-5-b(1.5-2.0)	(0.5-2.0)	11/10/2015	10		4.7		4.9		0.94		< 0.65		1.1		0.98		1.2		< 1.3		< 6.3		< 6.3		< 1.3		< 1.3		< 2.5		< 1.3		< 1.3	
1608678	Former Fueling Facility	Unit 1	8130590	H-5-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.58		< 0.58		1		0.66		< 0.58		1.3		1		0.73		< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 2.3		< 1.1		< 1.1	
1608678	Former Fueling Facility	Unit 1	8130591	H-5-d(2.5-3.0)	(5.5-3.0)	11/10/2015	1		0.41		0.48		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1608678	Former Fueling Facility	Unit 1	8130594	H-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.28		1.1		1.2		1.5		1.8		3.5		2		2.1		< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 1.1		< 0.55		< 0.55	
1608678	Former Fueling Facility	Unit 1	8130595	H-4-c(4.0-4.5)	(0.0-4.5)	11/10/2015	4.6		1.8		2.5		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1608678	Former Fueling Facility	Unit 1	8130596	H-4-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.29		1.3		2		2.4		2.3		5		2.4		3.2		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1608678	Former Fueling Facility	Unit 1	8130597	H-4-a(4.5-5.0)	(0.5-5.0)	11/10/2015	0.16		0.61		1.1		1.4		1.2		1.8		1		1.4		< 0.12		< 0.61		< 0.61		0.16		< 0.12		< 0.24		< 0.12		< 0.12	
1609078	Former Fueling Facility	Unit 1	8132945	H-4-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1609078	Former Fueling Facility	Unit 1	8132946	H-4-b(1.0-1.5)	(0.0-1.5)	11/11/2015	< 0.066		0.07		0.14		0.27		0.18		0.41		0.21		0.13		< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1609078	Former Fueling Facility	Unit 1	8132949	H-6-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.30		< 0.30		0.36		0.45		0.89		1.1		0.36		0.35		< 0.59		< 3.0		< 3.0		< 0.59		< 0.59		< 1.2		< 0.59		< 0.59	
1609078	Former Fueling Facility	Unit 1	8132950	H-6-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		0.11		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132951	H-6-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.056		0.11		0.19		0.35		0.24		0.87		0.29		0.22		< 0.11		< 0.55		< 0.55		0.13		< 0.11		< 0.22		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132952	H-6-c(4.0-4.5)	(0.0-4.5)	11/11/2015	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132953	H-6-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.054		0.13		0.17		0.27		0.21		0.7		0.3		0.24		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132954	H-6-b(4.5-4.8)	(5.5-4.8)	11/11/2015	1.1		< 0.058		0.75		0.1		0.11		0.25		0.095		0.076		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132956	H-7-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.30		< 0.30		< 0.30		0.45		0.35		1.2		0.54		0.4		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1609078	Former Fueling Facility	Unit 1	8132957	H-7-a(1.5-2.0)	(5.5-2.0)	11/11/2015	< 0.056		0.079		0.14		0.4		0.23		0.76		0.3		0.23		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132958	H-7-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.058		0.059		0.094		0.27		0.2		0.47		0.24		0.13		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132959	H-7-b(2.5-3.0)	(5.5-3.0)	11/11/2015	< 0.058		< 0.058		< 0.058		< 0.058		< 0.058		0.08		0.062		< 0.058		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132960	H-7-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.055		< 0.055		< 0.055		0.1		0.11		0.2		0.12		0.076		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132961	H-7-d(3.5-4.0)	(5.5-4.0)	11/11/2015	6.5		2.4		4.4		3.9		2.8		4.3		1.4		2		< 0.61		< 3.0		< 3.0		< 0.61		< 0.61		< 1.2		< 0.61		< 0.61	
1609078	East Side East Ditch Area	Unit 3	8132962	E-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	0.068	J	0.2	J	0.27	J	0.59	J	0.65	J	1.2	J	0.64	J	0.35	J	< 0.12	UJ	< 0.59	UJ	< 0.59	UJ	< 0.12	UJ	< 0.12	UJ	< 0.24		< 0.12	UJ	< 0.12	UJ
1609078	East Side East Ditch Area	Unit 3	8132966	DUP-11		11/11/2015	< 0.32		< 0.32		< 0.32		0.57		0.63		1		0.52		0.42		< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 1.3		< 0.63		< 0.63	
1609078	East Side East Ditch Area	Unit 3	8132967	F-9-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.71		< 0.71		< 0.71		1.3		1.8		2.9		1.6		1.1		< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 2.8		< 1.4		< 1.4	
1609078	East Side East Ditch Area	Unit 3	8132968	F-9-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.2		< 1.2		< 1.2		1.3		1.8		3		1.9		1.5		< 2.4		< 12		< 12		< 2.4		< 2.4		< 4.7		< 2.4		< 2.4	
1609078	East Side East Ditch Area	Unit 3	8132969	F-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.5		< 1.5		< 1.5		< 1.5		1.6		2.5		1.8		1.5		< 2.8		< 14		< 14		< 2.8		< 2.8		< 5.7		< 2.8		< 2.8	
1609078	East Side East Ditch Area	Unit 3	8132970	F-9-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.0		< 1.0		< 1.0		< 1.0		1.6		2.4		1.4		1.2		< 2.0		< 9.9		< 9.9		< 2.0		< 2.0		< 4.0		< 2.0		< 2.0	
1609078	East Side East Ditch Area	Unit 3	8132971	F-9-e(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.0		1.5		3.1		9.9		9		14		6.4		8.5		< 2.0		< 9.8		< 9.8		< 2.0		< 2.0		< 3.9		< 2.0		< 2.0	
1609078	East Side East Ditch Area	Unit 3	8132973	F-8-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.38		< 0.38		0.38		1.4		1.8		2.7		2.1		2		< 0.74		< 3.7		< 3.7		< 0.74		< 0.74		< 1.5		< 0.74		< 0.74	
1609078	East Side East Ditch Area	Unit 3	8132974	F-8-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.41		1.7		2.1		7.2	J	6.7	J	8.3		4.8	J	7.9	J	< 0.80		< 4.0		< 4.0		0.95	J+	< 0.80		< 1.6		< 0.80		< 0.80	
1609078	East Side East Ditch Area	Unit 3	8132975	F-8-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.0076		0.34		0.41		1.2		1.4		2.1		1.2		1.6		< 0.15		< 0.75		< 0.75		0.23	J+	< 0.15		< 0.30		< 0.15		< 0.15	
1609437	Former Fueling Facility	Unit 1	8134896	H-7-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.27		< 0.27		< 0.27		0.4		0.42		0.64		0.43		0.48		< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 1.1		< 0.54		< 0.54	
1609437	Former Fueling Facility	Unit 1	8134897	H-7-c(5.0-5.5)	(0.0-5.5)	11/12/2015	< 0.071		< 0.071		0.1		0.15		0.1		0.22		0.17		0.073		< 0.14		< 0.69		< 0.69		< 0.14		< 0.14		< 0.28		< 0.14		< 0.14	
1609437	Former Fueling Facility	Unit 1	8134898	H-7-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 5.2		< 5.2		< 5.2		< 5.2		< 5.2		< 5.2		< 5.2		< 5.2		< 10		< 51		< 51		< 10		< 10		< 20		< 10		< 10	
1609437	Former Fueling Facility	Unit 1	8134901	DUP-13		11/12/2015	< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 9.7		< 49		< 49		< 9.7		< 9.7		< 19		< 9.7		< 9.7	
1609437	Former Fueling Facility	Unit 1	8134902	H-7-e(1.5-2.0)	(5.5-2.0)	11/12/2015	< 0.061		0.063		< 0.061		0.12		0.099		0.17		0.19		0.12		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1609437	Former Fueling Facility	Unit 1	8134903	I-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.29		< 0.29		0.4		0.41		0.31		1.2		0.68		0.6		< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1609437	Former Fueling Facility	Unit 1	8134906	I-6-e(2.0-2.5)	(0.0-2.5)	11/12/2015	< 0.057		< 0.057		0.67		0.31		0.15		0.34		0.13		0.27		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1609437	Former Fueling Facility	Unit 1	8134907	I-6-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.63		< 0.63		< 0.63		< 0.63		< 0.63		1.1		< 0.63		0.7		< 1.2		< 6.1		< 6.1		< 1.2		< 1.2		< 2.5		< 1.2		< 1.2	
1609437	Former Fueling Facility	Unit 1	8134908	I-6-c(1.5-2.0)	(5.5-2.0)	11/12/2015	< 0.060		< 0.060		< 0.060		0.14		0.15		0.24		0.15		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1609437	Former Fueling Facility	Unit 1	8134909	I-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.060		0.12		0.2		0.25		0.28		0.76		0.33		0.44		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1609437	Former Fueling Facility	Unit 1	8134910	I-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.073		< 0.073		< 0.073		0.14		0.12		0.15		0.12		< 0.073		< 0.14		< 0.72		< 0.72		< 0.14		< 0.14		< 0.29		< 0.14		< 0.14	
1609437	Former Fueling Facility	Unit 1	8134911	I-6-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.30		< 0.30		< 0.30		0.41		0.61		0.87		0.59		0.87		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1609437	Former Fueling Facility	Unit 1	8134912	I-6-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.063		< 0.063		0.11		0.29		0.25		0.35		0.27		0.21		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1609437	Former Roundhouse Area	Unit 1	8134913	I-6-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 4.6		< 4.6		< 4.6		< 4.6		5.2		7.6		4.7		< 4.6		< 9.0		< 45		< 45		< 9.0		< 9.0		< 18		< 9.0		< 9.0	
1609437	Former Roundhouse Area	Unit 1	8134914	I-6-a(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.28		< 0.28		< 0.28		0.6		0.93		1		0.9		0.94		< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 1.1		< 0.55		< 0.55	
1609438	Former Fueling Facility	Unit 1	8134917	H-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.28		< 0.28		< 0.28		0.32		< 0.28		0.84		0.33		< 0.28		< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 1.1		< 0.54		< 0.54	
1609438	Former Fueling Facility	Unit 1	8134918	H-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.60		< 0.60		0.62		1.3		0.69		2.6		0.92		0.86		< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	
1609438	Former Fueling Facility	Unit 1	8134919	H-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.060		< 0.060		0.18		0.48		0.28	J	0.87		0.32	J	0.24		< 0.12		< 0.58		< 0.58		0.15		< 0.12		< 0.23		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134920	H-6-e(4.0-4.5)	(0.0-4.5)	11/12/2015	1.6		< 0.70		1.8		< 0.70		< 0.70		< 0.70		< 0.70		< 0.70		< 1.4		< 6.9		< 6.9		< 1.4		< 1.4		< 2.8		< 1.4		< 1.4	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608678	Former Fueling Facility	Unit 1	8130589	H-5-b(1.5-2.0)	(0.5-2.0)	11/10/2015	< 1.3		< 1.3		< 1.3		< 1.3		2		< 0.65		8		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.3		< 1.3		< 6.3		< 19	
1608678	Former Fueling Facility	Unit 1	8130590	H-5-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 1.1		< 1.1		< 1.1		< 1.1		1.3		< 0.58		1.3		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.7		< 1.1		< 5.7		< 17	
1608678	Former Fueling Facility	Unit 1	8130591	H-5-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.082		< 0.056		0.65		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1608678	Former Fueling Facility	Unit 1	8130594	H-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.54		< 0.55		< 0.55		< 0.55		2.4		0.56		0.62		< 0.55		< 0.55		< 0.55		< 5.5		< 0.55		< 2.7		< 0.55		< 2.7		< 8.2	
1608678	Former Fueling Facility	Unit 1	8130595	H-4-c(4.0-4.5)	(0.0-4.5)	11/10/2015	< 0.56		< 0.57		< 0.57		< 0.57		0.34		< 0.29		2.9		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.8		< 0.57		< 2.8		< 8.5	
1608678	Former Fueling Facility	Unit 1	8130596	H-4-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.57		< 0.58		< 0.58		< 0.58		4		0.39		< 0.58		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.6	
1608678	Former Fueling Facility	Unit 1	8130597	H-4-a(4.5-5.0)	(0.5-5.0)	11/10/2015	< 0.12		< 0.12		< 0.12		< 0.12		2.1		0.37		0.36		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1609078	Former Fueling Facility	Unit 1	8132945	H-4-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.13		< 0.13		< 0.13		< 0.13		< 0.065		< 0.065		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1609078	Former Fueling Facility	Unit 1	8132946	H-4-b(1.0-1.5)	(0.0-1.5)	11/11/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.78		0.12		0.69		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 2.0	
1609078	Former Fueling Facility	Unit 1	8132949	H-6-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.59		< 0.59		< 0.59		< 0.59		1.4		< 0.30		0.9		< 0.59		< 0.59		< 0.59		< 5.9		< 0.59		< 3.0		< 0.59		< 3.0		< 8.9	
1609078	Former Fueling Facility	Unit 1	8132950	H-6-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.17		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1609078	Former Fueling Facility	Unit 1	8132951	H-6-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.86		0.14		0.82		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1609078	Former Fueling Facility	Unit 1	8132952	H-6-c(4.0-4.5)	(0.0-4.5)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1609078	Former Fueling Facility	Unit 1	8132953	H-6-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.57		0.12		0.48		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1609078	Former Fueling Facility	Unit 1	8132954	H-6-b(4.5-4.8)	(0.5-4.8)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.22		< 0.058		0.45		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1609078	Former Fueling Facility	Unit 1	8132956	H-7-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.58		< 0.58		< 0.58		< 0.58		1.4		< 0.30		1.4		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.8	
1609078	Former Fueling Facility	Unit 1	8132957	H-7-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.88		0.14		0.62		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1609078	Former Fueling Facility	Unit 1	8132958	H-7-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.69		0.099		0.39		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1609078	Former Fueling Facility	Unit 1	8132959	H-7-b(2.5-3.0)	(0.5-3.0)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.13		< 0.058		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1609078	Former Fueling Facility	Unit 1	8132960	H-7-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.22		0.06		0.14		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1609078	Former Fueling Facility	Unit 1	8132961	H-7-d(3.5-4.0)	(0.5-4.0)	11/11/2015	< 0.60		< 0.61		< 0.61		< 0.61		3.9		0.6		3.5		< 0.61		< 0.61		< 0.61		< 6.1		< 0.61		< 3.0		< 0.61		< 3.0		< 9.1	
1609078	East Side East Ditch Area	Unit 3	8132962	E-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.12	UJ	< 0.12	UJ	< 0.12	UJ	< 0.12	UJ	0.78	J	0.19	J	0.25	J	< 0.12	UJ	< 0.12	UJ	< 0.12	UJ	< 1.2	UJ	< 0.12	UJ	< 0.59	UJ	< 0.12	UJ	< 0.59	UJ	< 1.8	R
1609078	East Side East Ditch Area	Unit 3	8132966	DUP-11		11/11/2015	< 0.63		< 0.63		< 0.63		< 0.63		0.72		< 0.32		< 0.63		< 0.63		< 0.63		< 0.63		< 6.3		< 0.63		< 3.2		< 0.63		< 3.2		< 9.5	
1609078	East Side East Ditch Area	Unit 3	8132967	F-9-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.4		< 1.4		< 1.4		< 1.4		1.8		< 0.71		< 1.4		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 7.0		< 1.4		< 7.0		< 21	
1609078	East Side East Ditch Area	Unit 3	8132968	F-9-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.3		< 2.4		< 2.4		< 2.4		2.1		< 1.2		< 2.4		< 2.4		< 2.4		< 2.4		< 24		< 2.4		< 12		< 2.4		< 12		< 35	
1609078	East Side East Ditch Area	Unit 3	8132969	F-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.8		< 2.8		< 2.8		< 2.8		1.9		< 1.5		< 2.8		< 2.8		< 2.8		< 2.8		< 28		< 2.8		< 14		< 2.8		< 14		< 43	
1609078	East Side East Ditch Area	Unit 3	8132970	F-9-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.0		< 2.0		< 2.0		< 2.0		1.6		< 1.0		< 2.0		< 2.0		< 2.0		< 2.0		< 20		< 2.0		< 9.9		< 2.0		< 9.9		< 30	
1609078	East Side East Ditch Area	Unit 3	8132971	F-9-e(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.9		< 2.0		< 2.0		< 2.0		15		2.6		< 2.0		< 2.0		< 2.0		< 2.0		< 20		< 2.0		< 9.8		< 2.0		< 9.8		< 29	
1609078	East Side East Ditch Area	Unit 3	8132973	F-8-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.74		< 0.74		< 0.74		< 0.74		2.5		0.75		< 0.74		< 0.74		< 0.74		< 0.74		< 7.4		< 0.74		< 3.7		< 0.74		< 3.7		< 11	
1609078	East Side East Ditch Area	Unit 3	8132974	F-8-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.79		< 0.80		< 0.80		< 0.80		10	J	1.8		< 0.80		< 0.80		< 0.80		< 0.80		< 8.0	R	< 0.80		< 4.0		< 0.80		< 4.0		< 12	
1609078	East Side East Ditch Area	Unit 3	8132975	F-8-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.15		< 0.15		< 0.15		< 0.15		1.7		0.35		0.16		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.75		< 0.15		< 0.75		< 2.2	
1609437	Former Fueling Facility	Unit 1	8134896	H-7-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.53		< 0.54		< 0.54		< 0.54		0.87		< 0.27		< 0.54		< 0.54		< 0.54		< 0.54		< 5.4		< 0.54		< 2.7		< 0.54		< 2.7		< 8.1	
1609437	Former Fueling Facility	Unit 1	8134897	H-7-c(5.0-5.5)	(0.0-5.5)	11/12/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.42		< 0.071		0.48		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.69		< 0.14		< 0.69		< 2.1	
1609437	Former Fueling Facility	Unit 1	8134898	H-7-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 10		< 10		< 10		< 10		< 5.2		< 5.2		< 10		< 10		< 10		< 10		< 100		< 10		< 51		< 10	R	< 51		< 150	R
1609437	Former Fueling Facility	Unit 1	8134901	DUP-13		11/12/2015	< 9.6		< 9.7		< 9.7		< 9.7		< 5.0		< 5.0		< 9.7		< 9.7		< 9.7		< 9.7		< 97		< 9.7		< 49		< 9.7		< 49		< 150	
1609437	Former Fueling Facility	Unit 1	8134902	H-7-e(1.5-2.0)	(0.5-2.0)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.25		< 0.061		0.24		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1609437	Former Fueling Facility	Unit 1	8134903	I-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.57		< 0.57		< 0.57		< 0.57		0.95		< 0.29		1.1		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.9		< 0.57		< 2.9		< 8.6	
1609437	Former Fueling Facility	Unit 1	8134906	I-6-e(2.0-2.5)	(0.0-2.5)	11/12/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.57		0.073		0.79		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1609437	Former Fueling Facility	Unit 1	8134907	I-6-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 1.2		< 1.2		< 1.2		< 1.2		0.88		< 0.63		< 1.2		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.1		< 1.2		< 6.1		< 18	
1609437	Former Fueling Facility	Unit 1	8134908	I-6-c(1.5-2.0)	(0.5-2.0)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.3		0.075		0.14		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1609437	Former Fueling Facility	Unit 1	8134909	I-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.59		0.13		0.27		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.8	
1609437	Former Fueling Facility	Unit 1	8134910	I-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.32		0.1		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.72		< 0.14		< 0.72		< 2.2	
1609437	Former Fueling Facility	Unit 1	8134911	I-6-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.58		< 0.58		< 0.58		< 0.58		0.72		< 0.30		< 0.58		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.8	
1609437	Former Fueling Facility	Unit 1	8134912	I-6-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.61		0.078		0.33		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1609437	Former Roundhouse Area	Unit 1	8134913	I-6-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 8.9		< 9.0		< 9.0		< 9.0		< 4.6		< 4.6		< 9.0		< 9.0		< 9.0		< 9.0		< 90		< 9.0		< 45		< 9.0		< 45		< 130	
1609437	Former Roundhouse Area	Unit 1	8134914	I-6-a(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.54		< 0.55		< 0.55		< 0.55		0.91		0.36		< 0.55		< 0.55		< 0.55		< 0.55		< 5.5		< 0.55		< 2.7		< 0.55		< 2.7		< 8.2	
1609438	Former Fueling Facility	Unit 1	8134917	H-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.54		< 0.54		< 0.54		< 0.54		0.75		< 0.28		0.71		< 0.54		< 0.54		< 0.54		< 5.4		< 0.54		< 2.7		< 0.54		< 2.7		< 8.2	
1609438	Former Fueling Facility	Unit 1	8134918	H-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 1.2		< 1.2		< 1.2		< 1.2		2.5		< 0.60		2.5		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 5.9		< 1.2		< 5.9		< 18	
1609438	Former Fueling Facility	Unit 1	8134919	H-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.1		0.13		1.2		< 0.12		< 0.12		< 0.12		< 1.2	R	< 0.12		< 0.58		< 0.12	UJ	< 0.58		< 1.8	UJ
1609438	Former Fueling Facility	Unit 1	8134920	H-6-e(4.0-4.5)	(0.0-4.5)	11/12/2015	< 1.4		< 1.4		< 1.4		< 1.4		1.5		< 0.70		3.4		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 6.9		< 1.4		< 6.9		< 21	

						Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
						CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608678	Former Fueling Facility	Unit 1	8130589	H-5-b(1.5-2.0)	(0.5-2.0)	11/10/2015	< 38		< 6.3		< 1.3		< 6.5		4.7		18		< 0.65		< 1.3		< 19		< 6.3		0.65		< 1.3		130		< 1.3		< 1.3		19	
1608678	Former Fueling Facility	Unit 1	8130590	H-5-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 34		< 5.7		< 1.1		< 5.8		1.6		< 0.58		< 0.58		< 1.1		< 17		< 5.7		0.86		< 1.1		5.1		< 1.1		< 1.1		2.7	
1608678	Former Fueling Facility	Unit 1	8130591	H-5-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.32		1.5		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		1.4		< 0.11		< 0.11		0.87	
1608678	Former Fueling Facility	Unit 1	8130594	H-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 16		< 2.7		< 0.55		< 2.8		1.8		< 0.28		< 0.28		< 0.55		< 8.2		< 2.7		1.7		< 0.55		1.6		< 0.55		< 0.55		1	
1608678	Former Fueling Facility	Unit 1	8130595	H-4-c(4.0-4.5)	(0.0-4.5)	11/10/2015	< 17		< 2.8		< 0.57		< 2.9		1.2		10		< 0.29		< 0.57		< 8.5		< 2.8		< 0.29		< 0.57		13		< 0.57		< 0.57		1.8	
1608678	Former Fueling Facility	Unit 1	8130596	H-4-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 17		< 2.9		< 0.58		< 2.9		3.5		< 0.29		< 0.29		< 0.58		< 8.6		< 2.9		2.4		< 0.58		0.73		< 0.58		< 0.58		0.62	
1608678	Former Fueling Facility	Unit 1	8130597	H-4-a(4.5-5.0)	(0.5-5.0)	11/10/2015	< 3.6		< 0.61		< 0.12		< 0.62		3.4		0.26		< 0.062		< 0.12		< 1.8		< 0.61		0.93		< 0.12		0.7		< 0.12		< 0.12		0.91	
1609078	Former Fueling Facility	Unit 1	8132945	H-4-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 3.8		< 0.64		< 0.13		< 0.65		< 0.065		< 0.065		< 0.065		< 0.13		< 1.9		< 0.64		< 0.065		< 0.13		< 0.065		< 0.13		< 0.13		< 0.065	
1609078	Former Fueling Facility	Unit 1	8132946	H-4-b(1.0-1.5)	(0.0-1.5)	11/11/2015	< 3.9		< 0.65		< 0.13		< 0.66		0.39		< 0.066		< 0.066		< 0.13		< 2.0		< 0.65		0.12		< 0.13		2.6		< 0.13		< 0.13		1.1	
1609078	Former Fueling Facility	Unit 1	8132949	H-6-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 18		< 3.0		< 0.59		< 3.0		0.91		< 0.30		< 0.30		< 0.59		< 8.9		< 3.0		0.35		< 0.59		2.5		< 0.59		< 0.59		1.6	
1609078	Former Fueling Facility	Unit 1	8132950	H-6-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.059		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		0.11		< 0.11		< 0.11		0.071	
1609078	Former Fueling Facility	Unit 1	8132951	H-6-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.58		0.067		< 0.056		< 0.11		< 1.6		< 0.55		0.25		< 0.11		2.7		< 0.11		< 0.11		1.6	
1609078	Former Fueling Facility	Unit 1	8132952	H-6-c(4.0-4.5)	(0.0-4.5)	11/11/2015	< 3.3		< 0.54		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.6		< 0.54		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1609078	Former Fueling Facility	Unit 1	8132953	H-6-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.34		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.3		< 0.11		1.6		< 0.11		< 0.11		0.88	
1609078	Former Fueling Facility	Unit 1	8132954	H-6-b(4.5-4.8)	(0.5-4.8)	11/11/2015	< 3.4		< 0.56		< 0.11		< 0.58		0.52		1.2		< 0.058		< 0.11		< 1.7		< 0.56		0.1		< 0.11		< 0.058		< 0.11		< 0.11		< 0.058	
1609078	Former Fueling Facility	Unit 1	8132956	H-7-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 18		< 2.9		< 0.58		< 3.0		1		< 0.30		< 0.30		< 0.58		< 8.8		< 2.9		0.5		< 0.58		4.6		< 0.58		< 0.58		3	
1609078	Former Fueling Facility	Unit 1	8132957	H-7-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.68		0.069		< 0.056		< 0.11		< 1.7		< 0.55		0.26		< 0.11		1.9		< 0.11		< 0.11		1.2	
1609078	Former Fueling Facility	Unit 1	8132958	H-7-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 3.4		< 0.56		< 0.11		< 0.58		0.39		< 0.058		< 0.058		< 0.11		< 1.7		< 0.56		0.17		< 0.11		1.1		< 0.11		< 0.11		0.66	
1609078	Former Fueling Facility	Unit 1	8132959	H-7-b(2.5-3.0)	(0.5-3.0)	11/11/2015	< 3.4		< 0.57		< 0.11		< 0.58		< 0.058		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		< 0.058		< 0.11		0.37		< 0.11		< 0.11		0.2	
1609078	Former Fueling Facility	Unit 1	8132960	H-7-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.16		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.098		< 0.11		0.56		< 0.11		< 0.11		0.28	
1609078	Former Fueling Facility	Unit 1	8132961	H-7-d(3.5-4.0)	(0.5-4.0)	11/11/2015	< 18		< 3.0		< 0.61		< 3.1		8.1		7.9		< 0.31		< 0.61		< 9.1		< 3.0		1.3		< 0.61		2.1		< 0.61		< 0.61		< 0.31	
1609078	East Side East Ditch Area	Unit 3	8132962	E-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 3.5	R	< 0.59	UJ	< 0.12	UJ	< 0.60	UJ	0.86	J	0.075	J	< 0.060	UJ	< 0.12	UJ	< 1.8	R	< 0.59	UJ	0.54	J	< 0.12	UJ	0.79	J	< 0.12	UJ	< 0.12	UJ	0.55	J
1609078	East Side East Ditch Area	Unit 3	8132966	DUP-11		11/11/2015	< 19		< 3.2		< 0.63		< 3.2		0.78		< 0.32		< 0.32		< 0.63		< 9.5		< 3.2		0.49		< 0.63		0.85		< 0.63		< 0.63		0.51	
1609078	East Side East Ditch Area	Unit 3	8132967	F-9-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 42		< 7.0		< 1.4		< 7.1		2.2		< 0.71		< 0.71		< 1.4		< 21		< 7.0		1.5		< 1.4		< 0.71		< 1.4		< 1.4		< 0.71	
1609078	East Side East Ditch Area	Unit 3	8132968	F-9-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 71		< 12		< 2.4		< 12		2.4		< 1.2		< 1.2		< 2.4		< 35		< 12		1.8		< 2.4		< 1.2		< 2.4		< 2.4		< 1.2	
1609078	East Side East Ditch Area	Unit 3	8132969	F-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 85		< 14		< 2.8		< 15		2.2		< 1.5		< 1.5		< 2.8		< 43		< 14		< 1.5		< 2.8		< 1.5		< 2.8		< 2.8		< 1.5	
1609078	East Side East Ditch Area	Unit 3	8132970	F-9-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 59		< 9.9		< 2.0		< 10		1.6		< 1.0		< 1.0		< 2.0		< 30		< 9.9		1.2		< 2.0		< 1.0		< 2.0		< 2.0		< 1.0	
1609078	East Side East Ditch Area	Unit 3	8132971	F-9-e(0.0-0.5)	(0.0-0.5)	11/11/2015	< 59		< 9.8		< 2.0		< 10		15	J+	< 1.0		< 1.0		< 2.0		< 29		< 9.8		5.6		< 2.0		< 1.0		< 2.0		< 2.0		< 1.0	
1609078	East Side East Ditch Area	Unit 3	8132973	F-8-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 22		< 3.7		< 0.74		< 3.8		3.5	J+	< 0.38		< 0.38		< 0.74		< 11		< 3.7		1.7		< 0.74		< 0.38		< 0.74		< 0.74		< 0.38	
1609078	East Side East Ditch Area	Unit 3	8132974	F-8-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 24		< 4.0		< 0.80		< 4.1		14	J+	< 0.41		< 0.41		< 0.80		< 12	UJ	< 4.0		4.7	J	< 0.80		< 0.41		< 0.80		< 0.80		0.46	
1609078	East Side East Ditch Area	Unit 3	8132975	F-8-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 4.5		< 0.75		< 0.15		< 0.76		2.1	J+	< 0.076		< 0.076		< 0.15		< 2.2		< 0.75		1.1		< 0.15		0.45		< 0.15		< 0.15		0.36	
1609437	Former Fueling Facility	Unit 1	8134896	H-7-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 16		< 2.7		< 0.54		< 2.7		0.63		< 0.27		< 0.27		< 0.54		< 8.1		< 2.7		0.45		< 0.54		1.2		< 0.54		< 0.54		0.71	
1609437	Former Fueling Facility	Unit 1	8134897	H-7-c(5.0-5.5)	(0.0-5.5)	11/12/2015	< 4.2		< 0.69		< 0.14		< 0.71		0.19		< 0.071		< 0.071		< 0.14		< 2.1		< 0.69		0.11		< 0.14		3.6		0.16		0.29		1.1	
1609437	Former Fueling Facility	Unit 1	8134898	H-7-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 300	R	< 51		< 10		< 52		< 5.2		< 5.2		< 5.2		< 10		< 150		< 51		< 5.2		< 10		< 5.2		< 10		< 10		< 5.2	
1609437	Former Fueling Facility	Unit 1	8134901	DUP-13		11/12/2015	< 290		< 49		< 9.7		< 50		< 5.0		< 5.0		< 5.0		< 9.7		< 150		< 49		< 5.0		< 9.7		< 5.0		< 9.7		< 9.7		< 5.0	
1609437	Former Fueling Facility	Unit 1	8134902	H-7-e(1.5-2.0)	(0.5-2.0)	11/12/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.12		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		0.14		< 0.12		0.77		< 0.12		< 0.12		0.43	
1609437	Former Fueling Facility	Unit 1	8134903	I-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 17		< 2.9		< 0.57		< 2.9		0.8		< 0.29		< 0.29		< 0.57		< 8.6		< 2.9		0.66		< 0.57		5.8		< 0.57		< 0.57		2.5	
1609437	Former Fueling Facility	Unit 1	8134906	I-6-e(2.0-2.5)	(0.0-2.5)	11/12/2015	< 3.3		< 0.56		< 0.11		< 0.57		1.4		1.6		< 0.057		< 0.11		< 1.7		< 0.56		0.1		< 0.11		6.1		< 0.11		< 0.11		3.3	
1609437	Former Fueling Facility	Unit 1	8134907	I-6-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 37		< 6.1		< 1.2		< 6.3		0.93		< 0.63		< 0.63		< 1.2		< 18		< 6.1		< 0.63		< 1.2		2.1		< 1.2		< 1.2		1.1	
1609437	Former Fueling Facility	Unit 1	8134908	I-6-c(1.5-2.0)	(0.5-2.0)	11/12/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.19		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.085		< 0.12		0.46		< 0.12		< 0.12		0.25	
1609437	Former Fueling Facility	Unit 1	8134909	I-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 3.5		< 0.58		< 0.12		< 0.60		0.49		< 0.060		< 0.060		< 0.12		< 1.8		< 0.58		0.28		< 0.12		1		< 0.12		< 0.12		0.56	
1609437	Former Fueling Facility	Unit 1	8134910	I-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 4.3		< 0.72		< 0.14		< 0.73		0.098		< 0.073		< 0.073		< 0.14		< 2.2		< 0.72		< 0.073		< 0.14		0.21		< 0.14		< 0.14		0.2	
1609437	Former Fueling Facility	Unit 1	8134911	I-6-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 18		< 2.9		< 0.58		< 3.0		0.79		< 0.30		< 0.30		< 0.58		< 8.8		< 2.9		0.55		< 0.58		1.2		< 0.58		< 0.58		0.71	
1609437	Former Fueling Facility	Unit 1	8134912	I-6-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 3.7		< 0.61		< 0.12		< 0.63		0.39		0.099		< 0.063		< 0.12		< 1.8		< 0.61		0.2		< 0.12		1.1		< 0.12		< 0.12		0.53	
1609437	Former Roundhouse Area	Unit 1	8134913	I-6-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 270		< 45		< 9.0		< 46		< 4.6		< 4.6		< 4.6		< 9.0		< 130		< 45		< 4.6		< 9.0		< 4.6		< 9.0		< 9.0		< 4.6	
1609437	Former Roundhouse Area	Unit 1	8134914	I-6-a(1.0-1.5)	(0.0-1.5)	11/12/2015	< 16		< 2.7		< 0.55		< 2.8		0.89		< 0.28		< 0.28		< 0.55		< 8.2		< 2.7		0.73		< 0.55		0.81		< 0.55		< 0.55		0.47	
1609438	Former Fueling Facility	Unit 1	8134917	H-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 16		< 2.7		< 0.54		< 2.8		0.47		< 0.28		< 0.28		< 0.54		< 8.2		< 2.7		< 0.28		< 0.54		2.4		< 0.54		< 0.54		1.5	
1609438	Former Fueling Facility	Unit 1	8134918	H-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 35		< 5.9		< 1.2		< 6.0		2.4		< 0.60		< 0.60		< 1.2		< 18		< 5.9		0.89		< 1.2		6.7		< 1.2		< 1.2		5.6	
1609438	Former Fueling Facility	Unit 1	8134919	H-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 3.5	UJ	< 0.58		< 0.12		< 0.60		0.73		0.14		< 0.060		< 0.12		< 1.8	UJ	< 0.58		0.26	J	< 0.12		3.5	J	< 0.12		< 0.12		2.3	
1609438	Former Fueling Facility	Unit 1	8134920	H-6-e(4.0-4.5)	(0.0-4.5)	11/12/2015	< 41		< 6.9		< 1.4		< 7.0		1.1		4.9		< 0.70		< 1.4		< 21		< 6.9		< 0.70		< 1.4		31		< 1.4		< 1.4		16	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1608678	Former Fueling Facility	Unit 1	8130589	H-5-b(1.5-2.0)	(0.5-2.0)	11/10/2015	< 1.3		< 6.3		< 6.3		< 1.3		< 1.3		< 19		< 1.3		< 1.3		< 6.3		< 6.5		44		< 1.3		4.7		< 1.3		< 1.3		< 1.3	
1608678	Former Fueling Facility	Unit 1	8130590	H-5-d(0.0-0.5)	(0.0-0.5)	11/10/2015	< 1.1		< 5.7		< 5.7		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.7		< 5.8		2.8		< 1.1		2.1		< 1.1		< 1.1		< 1.1	
1608678	Former Fueling Facility	Unit 1	8130591	H-5-d(2.5-3.0)	(0.5-3.0)	11/10/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		3.9		< 0.11		0.35		< 0.11		< 0.11		< 0.11	
1608678	Former Fueling Facility	Unit 1	8130594	H-4-c(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 8.2		< 0.55		< 0.55		< 2.7		< 2.8		1.4		< 0.55		1.8		< 0.55		< 0.55		< 0.55	
1608678	Former Fueling Facility	Unit 1	8130595	H-4-c(4.0-4.5)	(0.0-4.5)	11/10/2015	< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 8.5		< 0.57		< 0.57		< 2.8		< 2.9		20		< 0.57		1.8		< 0.57		< 0.57		< 0.57	
1608678	Former Fueling Facility	Unit 1	8130596	H-4-a(0.0-0.5)	(0.0-0.5)	11/10/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.6		< 0.58		< 0.58		< 2.9		< 2.9		1.2		< 0.58		3.6		< 0.58		< 0.58		< 0.58	
1608678	Former Fueling Facility	Unit 1	8130597	H-4-a(4.5-5.0)	(0.5-5.0)	11/10/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		2.4		< 0.12		3.2		< 0.12		< 0.12		< 0.12	
1609078	Former Fueling Facility	Unit 1	8132945	H-4-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		< 0.065		< 0.13		< 0.065		< 0.13		< 0.13		< 0.13	
1609078	Former Fueling Facility	Unit 1	8132946	H-4-b(1.0-1.5)	(0.0-1.5)	11/11/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.65		< 0.66		2.1		< 0.13		0.3		< 0.13		< 0.13		< 0.13	
1609078	Former Fueling Facility	Unit 1	8132949	H-6-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.59		< 3.0		< 3.0		< 0.59		< 0.59		< 8.9		< 0.59		< 0.59		< 3.0		< 3.0		2.3		< 0.59		0.69		< 0.59		< 0.59		< 0.59	
1609078	Former Fueling Facility	Unit 1	8132950	H-6-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.19		< 0.11		0.057		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132951	H-6-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		2.1		< 0.11		0.53		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132952	H-6-c(4.0-4.5)	(0.0-4.5)	11/11/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132953	H-6-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		1.1		< 0.11		0.35		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132954	H-6-b(4.5-4.8)	(0.5-4.8)	11/11/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		0.33		< 0.11		0.94		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132956	H-7-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.8		< 0.58		< 0.58		< 2.9		< 3.0		3.7		< 0.58		0.85		< 0.58		< 0.58		< 0.58	
1609078	Former Fueling Facility	Unit 1	8132957	H-7-a(1.5-2.0)	(0.5-2.0)	11/11/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		1.9		< 0.11		0.58		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132958	H-7-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		1.2		< 0.11		0.36		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132959	H-7-b(2.5-3.0)	(0.5-3.0)	11/11/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.3		< 0.11		0.07		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132960	H-7-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.36		< 0.11		0.18		< 0.11		< 0.11		< 0.11	
1609078	Former Fueling Facility	Unit 1	8132961	H-7-d(3.5-4.0)	(0.5-4.0)	11/11/2015	< 0.61		< 3.0		< 3.0		< 0.61		< 0.61		< 9.1		< 0.61		< 0.61		< 3.0		< 3.1		14		< 0.61		9.6		< 0.61		< 0.61		< 0.61	
1609078	East Side East Ditch Area	Unit 3	8132962	E-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.12	UJ	< 0.59	UJ	< 0.59	UJ	< 0.12	UJ	< 0.12	UJ	< 1.8	UJ	< 0.12	UJ	< 0.12	UJ	< 0.59	UJ	< 0.60	UJ	0.84	J	< 0.12	UJ	0.83	J	0.2	J	< 0.12	UJ	< 0.12	UJ
1609078	East Side East Ditch Area	Unit 3	8132966	DUP-11		11/11/2015	< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 9.5		< 0.63		< 0.63		< 3.2		< 3.2		0.87		< 0.63		0.81		< 0.63		< 0.63		< 0.63	
1609078	East Side East Ditch Area	Unit 3	8132967	F-9-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 1.4		< 7.0		< 7.0		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 7.0		< 7.1		0.99		< 1.4		2.2		< 1.4		< 1.4		< 1.4	
1609078	East Side East Ditch Area	Unit 3	8132968	F-9-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.4		< 12		< 12		< 2.4		< 2.4		< 35		< 2.4		< 2.4		< 12		< 12		1.2		< 2.4		2.5		< 2.4		< 2.4		< 2.4	
1609078	East Side East Ditch Area	Unit 3	8132969	F-9-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.8		< 14		< 14		< 2.8		< 2.8		< 43		< 2.8		< 2.8		< 14		< 15		< 1.5		< 2.8		2.5		< 2.8		< 2.8		< 2.8	
1609078	East Side East Ditch Area	Unit 3	8132970	F-9-b(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.0		< 9.9		< 9.9		< 2.0		< 2.0		< 30		< 2.0		< 2.0		< 9.9		< 10		< 1.0		< 2.0		1.7		< 2.0		< 2.0		< 2.0	
1609078	East Side East Ditch Area	Unit 3	8132971	F-9-e(0.0-0.5)	(0.0-0.5)	11/11/2015	< 2.0		< 9.8		< 9.8		< 2.0		< 2.0		< 29		< 2.0		< 2.0		< 9.8		< 10		1.6		< 2.0		14		< 2.0		< 2.0		< 2.0	
1609078	East Side East Ditch Area	Unit 3	8132973	F-8-d(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.74		< 3.7		< 3.7		< 0.74		< 0.74		< 11		< 0.74		< 0.74		< 3.7		< 3.8		1.4		< 0.74		2.8		< 0.74		< 0.74		< 0.74	
1609078	East Side East Ditch Area	Unit 3	8132974	F-8-c(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.80		< 4.0		< 4.0		< 0.80		< 0.80		< 12		< 0.80		< 0.80		< 4.0		< 4.1		2.4		< 0.80		12	J	< 0.80		< 0.80		< 0.80	
1609078	East Side East Ditch Area	Unit 3	8132975	F-8-a(0.0-0.5)	(0.0-0.5)	11/11/2015	< 0.15		< 0.75		< 0.75		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.75		< 0.76		0.74		< 0.15		2		< 0.15		< 0.15		< 0.15	
1609437	Former Fueling Facility	Unit 1	8134896	H-7-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 8.1		< 0.54		< 0.54		< 2.7		< 2.7		1.1		< 0.54		0.6		< 0.54		< 0.54		< 0.54	
1609437	Former Fueling Facility	Unit 1	8134897	H-7-c(5.0-5.5)	(0.0-5.5)	11/12/2015	< 0.14		< 0.69		< 0.69		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.69		< 0.71		1.2		< 0.14		0.27		< 0.14		< 0.14		< 0.14	
1609437	Former Fueling Facility	Unit 1	8134898	H-7-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 10		< 51		< 51		< 10		< 10		< 150	R	< 10		< 10		< 51		< 52		< 5.2		< 10		< 5.2		< 10		< 10		< 10	
1609437	Former Fueling Facility	Unit 1	8134901	DUP-13		11/12/2015	< 9.7		< 49		< 49		< 9.7		< 9.7		< 150		< 9.7		< 9.7		< 49		< 50		< 5.0		< 9.7		< 5.0		< 9.7		< 9.7		< 9.7	
1609437	Former Fueling Facility	Unit 1	8134902	H-7-e(1.5-2.0)	(0.5-2.0)	11/12/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.65		< 0.12		0.17		< 0.12		< 0.12		< 0.12	
1609437	Former Fueling Facility	Unit 1	8134903	I-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 8.6		< 0.57		< 0.57		< 2.9		< 2.9		2.2		< 0.57		0.96		< 0.57		< 0.57		< 0.57	
1609437	Former Fueling Facility	Unit 1	8134906	I-6-e(2.0-2.5)	(0.0-2.5)	11/12/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		1.7		< 0.11		1.5		< 0.11		< 0.11		< 0.11	
1609437	Former Fueling Facility	Unit 1	8134907	I-6-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 1.2		< 6.1		< 6.1		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.1		< 6.3		1.4		< 1.2		0.9		< 1.2		< 1.2		< 1.2	
1609437	Former Fueling Facility	Unit 1	8134908	I-6-c(1.5-2.0)	(0.5-2.0)	11/12/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.52		< 0.12		0.22		< 0.12		< 0.12		< 0.12	
1609437	Former Fueling Facility	Unit 1	8134909	I-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.58		< 0.60		0.72		< 0.12		0.49		< 0.12		< 0.12		< 0.12	
1609437	Former Fueling Facility	Unit 1	8134910	I-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.14		< 0.72		< 0.72		< 0.14		< 0.14		< 2.2		< 0.14		< 0.14		< 0.72		< 0.73		0.52		< 0.14		0.17		< 0.14		< 0.14		< 0.14	
1609437	Former Fueling Facility	Unit 1	8134911	I-6-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.8		< 0.58		< 0.58		< 2.9		< 3.0		0.85		< 0.58		0.75		< 0.58		< 0.58		< 0.58	
1609437	Former Fueling Facility	Unit 1	8134912	I-6-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		1.2		< 0.12		0.44		< 0.12		< 0.12		< 0.12	
1609437	Former Roundhouse Area	Unit 1	8134913	I-6-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 9.0		< 45		< 45		< 9.0		< 9.0		< 130		< 9.0		< 9.0		< 45		< 46		< 4.6		< 9.0		< 4.6		< 9.0		< 9.0		< 9.0	
1609437	Former Roundhouse Area	Unit 1	8134914	I-6-a(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.55		< 2.7		< 2.7		< 0.55		< 0.55		< 8.2		< 0.55		< 0.55		< 2.7		< 2.8		0.9		< 0.55		0.82		< 0.55		< 0.55		< 0.55	
1609438	Former Fueling Facility	Unit 1	8134917	H-6-d(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 8.2		< 0.54		< 0.54		< 2.7		< 2.8		1.7		< 0.54		0.5		< 0.54		< 0.54		< 0.54	
1609438	Former Fueling Facility	Unit 1	8134918	H-6-d(1.0-1.5)	(0.0-1.5)	11/12/2015	< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 5.9		< 6.0		6.7		< 1.2		1.9		< 1.2		< 1.2		< 1.2	
1609438	Former Fueling Facility	Unit 1	8134919	H-6-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.58	UJ	< 0.58	UJ	< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.58		< 0.60		3.3	J	< 0.12		0.77		< 0.12		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134920	H-6-e(4.0-4.5)	(0.0-4.5)	11/12/2015	< 1.4		< 6.9		< 6.9		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 6.9		< 7.0		7.3		< 1.4		2.8		< 1.4		< 1.4		< 1.4	

						Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
						CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
						DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1609438	Former Fueling Facility	Unit 1	8134923	I-4-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.64		3.2		3.5		6.7		6.7		17		5		6.5		< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 2.5		< 1.2		< 1.2	
1609438	Former Fueling Facility	Unit 1	8134924	I-4-b(2.0-2.5)	(0.0-2.5)	11/12/2015	< 8.9		33		32		100		78		180		60		69		< 17		< 87		< 87		< 17		< 17		< 35		< 17		< 17	
1609438	Former Fueling Facility	Unit 1	8134925	I-4-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 5.6		< 5.6		< 5.6		< 5.6		< 5.6		9.9		< 5.6		< 5.6		< 11		< 55		< 55		< 11		< 11		< 22		< 11		< 11	
1609438	Former Fueling Facility	Unit 1	8134928	DUP-14		11/12/2015	< 5.9		< 5.9		< 5.9		< 5.9		< 5.9		10		< 5.9		< 5.9		< 12		< 58		< 58		< 12		< 12		< 23		< 12		< 12	
1609438	Former Fueling Facility	Unit 1	8134929	I-4-a(2.5-3.0)	(0.5-3.0)	11/12/2015	2.6		1.2		4		4.2		3.2		7.2		2.4		3.2		< 0.12		< 0.62		< 0.62		0.95		< 0.12		< 0.25		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134933	I-5-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.063		0.3		0.54		0.56		0.52		1.7		0.72		0.53		< 0.12		< 0.62		< 0.62		0.33		< 0.12		< 0.25		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134934	I-5-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.062		0.14		0.21		0.25		0.13		0.45		0.17		0.16		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134935	I-5-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.65		1.1		1.8		1.5		1.2		4.4		1.5		1.5		< 1.3		< 6.3		< 6.3		< 1.3		< 1.3		< 2.5		< 1.3		< 1.3	
1609438	Former Fueling Facility	Unit 1	8134936	I-5-e(1.0-1.5)	(0.0-1.5)	11/12/2015	3.2		1.6		1.9		0.57		< 0.32		0.77		< 0.32		< 0.32		< 0.64		< 3.2		< 3.2		< 0.64		< 0.64		< 1.3		< 0.64		< 0.64	
1609438	Former Fueling Facility	Unit 1	8134937	I-5-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.38		1		1.5		1.9		1.8		4.8		1.9		1.7		< 0.74		< 3.7		< 3.7		< 0.74		< 0.74		< 1.5		< 0.74		< 0.74	
1609438	Former Fueling Facility	Unit 1	8134938	I-5-c(0.5-1.0)	(0.5-1.0)	11/12/2015	0.12		0.63		1		1.7		1.5		3.5		1.3		1.3		< 0.14		< 0.71		< 0.71		0.27		< 0.14		< 0.28		< 0.14		< 0.14	
1609438	Former Fueling Facility	Unit 1	8134939	I-5-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134940	I-5-a(2.5-3.0)	(0.5-3.0)	11/12/2015	0.067		0.8		1.1		1.6		1.7		4.3		1.5		1.5		< 0.11		< 0.56		< 0.56		0.31		< 0.11		< 0.22		< 0.11		< 0.11	
1609684	Former Fueling Facility	Unit 1	8136409	I-5-d(1.0-1.5)	(0.0-1.5)	11/13/2015	0.51		0.9		2.1		3.3		2.3		6.7		1.8		2.6		< 0.63		< 3.2		< 3.2		0.64		< 0.63		< 1.3		< 0.63		< 0.63	
1609684	Former Fueling Facility	Unit 1	8136410	I-5-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1609684	Former Roundhouse Area	Unit 2	8136415	I-7-d(3.0-3.5)	(0.0-3.5)	11/13/2015	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1609684	Former Roundhouse Area	Unit 2	8136416	I-7-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.061		0.26		0.51		0.96		0.94		3.4	J-	1.5	J-	1.1		< 0.12		< 0.60		< 0.60		0.28		< 0.12		< 0.24	UJ	< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136419	I-7-a(2.5-3.0)	(0.5-3.0)	11/13/2015	< 0.057		0.099		0.22		0.38		0.4		0.74		0.27		0.26		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1609684	Former Roundhouse Area	Unit 2	8136420	DUP-15		11/13/2015	< 0.061		0.21		0.43		0.85		0.88		2.6		1	J	0.78		< 0.12		< 0.59		< 0.59		0.22		< 0.12		< 0.24		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136421	I-7-b(2.5-3.0)	(0.5-3.0)	11/13/2015	< 0.063		0.19		0.21		0.28		0.24		0.59		0.37		0.26		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136422	I-7-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.060		0.47		0.65		1.1		1		2.8		1.1		0.83		< 0.12		< 0.59		< 0.59		0.23		< 0.12		< 0.23		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136423	I-7-c(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.30		0.92		1.1		1.6		2		4.5		1.8		1.5		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1609684	Former Roundhouse Area	Unit 2	8136424	I-7-c(4.0-4.5)	(0.0-4.5)	11/13/2015	< 0.063		< 0.063		0.1		0.28		0.19		0.37		0.28		0.17		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136425	I-7-b(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.62		1.3		1.7		1.6		1.9		4.8		2.5		1.8		< 1.2		< 6.1		< 6.1		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	
1609684	Former Roundhouse Area	Unit 2	8136426	I-8-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.060		0.26		0.33		0.48		0.56		1.2		0.61		0.51		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136427	I-8-a(4.0-4.5)	(0.0-4.5)	11/13/2015	< 0.056		0.14		0.27		0.35		0.38		0.7		0.41		0.28		0.13		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610100	East Side East Ditch Area	Unit 3	8138435	B-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138436	B-4-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.060		< 0.060		< 0.060		0.2		0.19		0.27		0.19		0.25		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138437	C-4-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.065		< 0.065		0.065		0.54		0.84		1.2		0.99		1.1		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138438	C-4-e(1.5-2.0)	(0.5-2.0)	11/16/2015	0.079		< 0.066		0.092		0.081		< 0.066		0.09		< 0.066		< 0.066		< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 0.26		< 0.13		0.22	
1610100	East Side East Ditch Area	Unit 3	8138439	C-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.0074		0.074		0.17		0.44		0.49		0.97		0.47		0.55		< 0.073		< 0.73		< 0.73		< 0.15		< 0.15		< 0.29		< 0.15		< 0.15	
1610100	East Side East Ditch Area	Unit 3	8138440	C-4-c(2.0-2.5)	(0.0-2.5)	11/16/2015	0.21		< 0.087		< 0.087		< 0.087		< 0.087		< 0.087		< 0.087		< 0.087		< 0.17		< 0.85		< 0.85		< 0.17		< 0.17		< 0.34		< 0.17		< 0.17	
1610100	East Side East Ditch Area	Unit 3	8138441	C-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.065		< 0.065		0.1		0.71		0.7		1.6		0.73		0.93		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138442	C-3-e(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138443	B-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.060		< 0.060		0.1		0.18		0.17		0.42		0.16		0.19		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138444	B-3-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.057		< 0.057		0.057		0.94		1.3		2.8		1.6		1.7		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610100	East Side East Ditch Area	Unit 3	8138445	C-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.058		< 0.058		< 0.058		0.058		< 0.058		0.14		0.077		0.063		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610100	East Side East Ditch Area	Unit 3	8138448	DUP-18		11/16/2015	0.47		< 0.060		1		3.8		4.6		5.7		2.6		3.2		< 0.12		< 0.59		< 0.59		0.9		< 0.12		< 0.24		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138449	C-4-a(2.5-3.0)	(0.5-3.0)	11/16/2015	0.14		0.31		0.66		1.7		1.4		3.1		1.3		1.9		< 0.14		< 0.70		< 0.70		0.25		< 0.14		< 0.28		< 0.14		< 0.14	
1610100	East Side East Ditch Area	Unit 3	8138450	C-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.068		0.27		0.29		0.52		0.62		1.4		0.66		0.76		< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 0.27		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138451	C-3-b(3.5-4.0)	(0.5-4.0)	11/16/2015	< 0.059		< 0.059		0.12		0.32		0.3		0.65		0.23		0.38		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138452	C-3-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.059		< 0.059		< 0.059		0.19		0.28		0.39		0.29		0.35		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138488	C-3-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.056		< 0.056		0.1		0.78		0.99		1.9		1.2		1.2		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138489	B-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.061		< 0.061		< 0.061		0.14		0.17		0.35		0.22		0.24		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138490	B-3-c(4.0-4.5)	(0.0-4.5)	11/16/2015	< 0.060		< 0.060		0.074		0.27		0.35		0.63		0.41		0.46		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138491	B-2-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.060		0.093		0.11		0.31		0.44		0.92		0.51		0.42		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138492	B-2-d(1.0-1.5)	(0.0-1.5)	11/16/2015	0.1		< 0.059		0.15		0.74		1.3		1.8		1.2		1.1		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138493	B-2-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.065		< 0.065		< 0.065		0.2		0.28		0.48		0.24		0.22		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138494	B-2-e(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138495	B-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.059		< 0.059		< 0.059		0.13		0.19		0.24		0.19		0.19		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	

						2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
					Analyte																																
					CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
					DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1609438	Former Fueling Facility	Unit 1	8134923	I-4-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 1.2		< 1.2		< 1.2		< 1.2		9.4		1.6		< 1.2		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.2		< 1.2		< 6.2		< 19	
1609438	Former Fueling Facility	Unit 1	8134924	I-4-b(2.0-2.5)	(0.0-2.5)	11/12/2015	< 17		< 17		< 17		< 17		120		19		< 17		< 17		< 17		< 17		< 170		< 17		< 87		< 17		< 87		< 260	
1609438	Former Fueling Facility	Unit 1	8134925	I-4-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 11		< 11		< 11		< 11		< 5.6		< 5.6		< 11		< 11		< 11		< 11		< 110		< 11		< 55		< 11		< 55		< 160	R
1609438	Former Fueling Facility	Unit 1	8134928	DUP-14		11/12/2015	< 12		< 12		< 12		< 12		6.7		< 5.9		< 12		< 12		< 12		< 12		< 120		< 12		< 58		< 12		< 58		< 170	
1609438	Former Fueling Facility	Unit 1	8134929	I-4-a(2.5-3.0)	(0.5-3.0)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		5.5		0.76		2.6		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1609438	Former Fueling Facility	Unit 1	8134933	I-5-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		1		0.21		0.52		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1609438	Former Fueling Facility	Unit 1	8134934	I-5-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.53		0.063		0.56		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1609438	Former Fueling Facility	Unit 1	8134935	I-5-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 1.3		< 1.3		< 1.3		< 1.3		3.1		< 0.65		1.8		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.3		< 1.3		< 6.3		< 19	
1609438	Former Fueling Facility	Unit 1	8134936	I-5-e(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.63		< 0.64		< 0.64		< 0.64		1.2		< 0.32		3.1		< 0.64		< 0.64		< 0.64		< 6.4		< 0.64		< 3.2		< 0.64		< 3.2		< 9.5	
1609438	Former Fueling Facility	Unit 1	8134937	I-5-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.73		< 0.74		< 0.74		< 0.74		3		0.5		0.93		< 0.74		< 0.74		< 0.74		< 7.4		< 0.74		< 3.7		< 0.74		< 3.7		< 11	
1609438	Former Fueling Facility	Unit 1	8134938	I-5-c(0.5-1.0)	(0.5-1.0)	11/12/2015	< 0.14		< 0.14		< 0.14		< 0.14		2.5		0.43		0.67		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.71		< 0.14		< 0.71		< 2.1	
1609438	Former Fueling Facility	Unit 1	8134939	I-5-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.061		< 0.061		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1609438	Former Fueling Facility	Unit 1	8134940	I-5-a(2.5-3.0)	(0.5-3.0)	11/12/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.3		0.49		0.42		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1609684	Former Fueling Facility	Unit 1	8136409	I-5-d(1.0-1.5)	(0.0-1.5)	11/13/2015	< 0.62		< 0.63		< 0.63		< 0.63		5		0.6		1.7		< 0.63		< 0.63		< 0.63		< 6.3		< 0.63		< 3.2		< 0.63		< 3.2		< 9.5	
1609684	Former Fueling Facility	Unit 1	8136410	I-5-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.13		< 0.13		< 0.13		< 0.064		< 0.064		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1609684	Former Roundhouse Area	Unit 2	8136415	I-7-d(3.0-3.5)	(0.0-3.5)	11/13/2015	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1609684	Former Roundhouse Area	Unit 2	8136416	I-7-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.7	J-	0.56	J	0.79		< 0.12		< 0.12		< 0.12		< 1.2	UJ	< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1609684	Former Roundhouse Area	Unit 2	8136419	I-7-a(2.5-3.0)	(0.5-3.0)	11/13/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.53		0.1		0.22		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1609684	Former Roundhouse Area	Unit 2	8136420	DUP-15		11/13/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.5		0.38	J	0.59		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1609684	Former Roundhouse Area	Unit 2	8136421	I-7-b(2.5-3.0)	(0.5-3.0)	11/13/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.71		0.14		0.54		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1609684	Former Roundhouse Area	Unit 2	8136422	I-7-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.8		0.38		0.89		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1609684	Former Roundhouse Area	Unit 2	8136423	I-7-c(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.58		< 0.58		< 0.58		< 0.58		2.8		0.68		0.82		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.7	
1609684	Former Roundhouse Area	Unit 2	8136424	I-7-c(4.0-4.5)	(0.0-4.5)	11/13/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.57		0.1		0.28		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.8	
1609684	Former Roundhouse Area	Unit 2	8136425	I-7-b(0.0-0.5)	(0.0-0.5)	11/13/2015	< 1.2		< 1.2		< 1.2		< 1.2		2.8		1.3		1.5		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.1		< 1.2		< 6.1		< 18	
1609684	Former Roundhouse Area	Unit 2	8136426	I-8-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.63		0.18		0.17		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1609684	Former Roundhouse Area	Unit 2	8136427	I-8-a(4.0-4.5)	(0.0-4.5)	11/13/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.54		0.09		0.22		< 0.11		< 0.11		0.14		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1610100	East Side East Ditch Area	Unit 3	8138435	B-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.091		< 0.063		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.8	
1610100	East Side East Ditch Area	Unit 3	8138436	B-4-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.38		0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610100	East Side East Ditch Area	Unit 3	8138437	C-4-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.83		0.32		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610100	East Side East Ditch Area	Unit 3	8138438	C-4-e(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.17		< 0.066		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 2.0	
1610100	East Side East Ditch Area	Unit 3	8138439	C-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.14		< 0.15		< 0.15		< 0.15		0.79		0.13		0.46		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.73		< 0.15		< 0.73		< 2.2	
1610100	East Side East Ditch Area	Unit 3	8138440	C-4-c(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.17		< 0.17		< 0.17		< 0.17		0.11		< 0.087		< 0.17		< 0.17		< 0.17		< 0.17		< 1.7		< 0.17		< 0.85		< 0.17		< 0.85		< 2.6	
1610100	East Side East Ditch Area	Unit 3	8138441	C-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		1.1		0.16		0.22		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610100	East Side East Ditch Area	Unit 3	8138442	C-3-e(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.069		< 0.060		0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610100	East Side East Ditch Area	Unit 3	8138443	B-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.31		0.062		0.27		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610100	East Side East Ditch Area	Unit 3	8138444	B-3-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.5		0.54		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1610100	East Side East Ditch Area	Unit 3	8138445	C-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.095		< 0.058		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1610100	East Side East Ditch Area	Unit 3	8138448	DUP-18		11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		5.1		1.1		0.38		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610100	East Side East Ditch Area	Unit 3	8138449	C-4-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.14		< 0.14		< 0.14		< 0.14		2.6		0.48		0.73		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.70		< 0.14		< 0.70		< 2.1	
1610100	East Side East Ditch Area	Unit 3	8138450	C-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.83		0.26		0.22		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.67		< 0.13		< 0.67		< 2.0	
1610100	East Side East Ditch Area	Unit 3	8138451	C-3-b(3.5-4.0)	(0.5-4.0)	11/16/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.5		0.069		0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610100	East Side East Ditch Area	Unit 3	8138452	C-3-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.3		0.1		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138488	C-3-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.2		0.36		0.12		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138489	B-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.23		0.086		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610110	East Side East Ditch Area	Unit 3	8138490	B-3-c(4.0-4.5)	(0.0-4.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.42		0.094		0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138491	B-2-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.53		0.16		0.18		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610110	East Side East Ditch Area	Unit 3	8138492	B-2-d(1.0-1.5)	(0.0-1.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.98		0.42		0.14		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138493	B-2-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.3		< 0.065		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610110	East Side East Ditch Area	Unit 3	8138494	B-2-e(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.11		< 0.12		< 0.12		< 0.12		< 0.059		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138495	B-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.19		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	

							2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
					Analyte																																	
					CAS Number	51-28-5		121-14-2		606-20-2		117-81-7		206-44-0		86-73-7		118-74-1		87-68-3		77-47-4		67-72-1		193-39-5		78-59-1		91-57-6		95-48-7		106-44-5		91-20-3	
					DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1609438	Former Fueling Facility	Unit 1	8134923	I-4-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 37		< 6.2		< 1.2		< 6.4		9		< 0.64		< 0.64		< 1.2		< 19		< 6.2		5.1		< 1.2		1.3		< 1.2		< 1.2		1.1	
1609438	Former Fueling Facility	Unit 1	8134924	I-4-b(2.0-2.5)	(0.0-2.5)	11/12/2015	< 520		< 87		< 17		< 89		140		< 8.9		< 8.9		< 17		< 260		< 87		60		< 17		< 8.9		< 17		< 17		< 8.9	
1609438	Former Fueling Facility	Unit 1	8134925	I-4-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 330	R	< 55		< 11		< 56		< 5.6		< 5.6		< 5.6		< 11		< 160	R	< 55		< 5.6		< 11		< 5.6		< 11		< 11		< 5.6	
1609438	Former Fueling Facility	Unit 1	8134928	DUP-14		11/12/2015	< 350		< 58		< 12		< 59		8.1		< 5.9		< 5.9		< 12		< 170		< 58		< 5.9		< 12		< 5.9		< 12		< 12		< 5.9	
1609438	Former Fueling Facility	Unit 1	8134929	I-4-a(2.5-3.0)	(0.5-3.0)	11/12/2015	< 3.7		< 0.62		< 0.12		< 0.63		10		1.8		< 0.063		< 0.12		< 1.9		< 0.62		2.4		< 0.12		1.4		< 0.12		< 0.12		0.97	
1609438	Former Fueling Facility	Unit 1	8134933	I-5-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.87		0.084		< 0.063		< 0.12		< 1.9		< 0.62		0.66		< 0.12		2.4		< 0.12		< 0.12		1.2	
1609438	Former Fueling Facility	Unit 1	8134934	I-5-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 3.7		< 0.61		< 0.12		< 0.62		0.53		0.26		< 0.062		< 0.12		< 1.8		< 0.61		0.13		< 0.12		2.1		< 0.12		< 0.12		1.1	
1609438	Former Fueling Facility	Unit 1	8134935	I-5-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 38		< 6.3		< 1.3		< 6.5		3.4		0.72		< 0.65		< 1.3		< 19		< 6.3		1.4		< 1.3		8.8		< 1.3		< 1.3		4.8	
1609438	Former Fueling Facility	Unit 1	8134936	I-5-e(1.0-1.5)	(0.0-1.5)	11/12/2015	< 19		< 3.2		< 0.64		< 3.2		1.6		6.4		< 0.32		< 0.64		< 9.5		< 3.2		< 0.32		< 0.64		24		< 0.64		< 0.64		9.4	
1609438	Former Fueling Facility	Unit 1	8134937	I-5-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 22		< 3.7		< 0.74		< 3.8		3.3		< 0.38		< 0.38		< 0.74		< 11		< 3.7		1.8		< 0.74		2.6		< 0.74		< 0.74		1.6	
1609438	Former Fueling Facility	Unit 1	8134938	I-5-c(0.5-1.0)	(0.5-1.0)	11/12/2015	< 4.3		< 0.71		< 0.14		< 0.72		2.3		0.21		< 0.072		< 0.14		< 2.1		< 0.71		1.3		< 0.14		2		< 0.14		< 0.14		2	
1609438	Former Fueling Facility	Unit 1	8134939	I-5-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 3.6		< 0.60		< 0.12		< 0.61		< 0.061		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		< 0.061		< 0.12		< 0.061		< 0.12		< 0.12		< 0.061	
1609438	Former Fueling Facility	Unit 1	8134940	I-5-a(2.5-3.0)	(0.5-3.0)	11/12/2015	< 3.4		< 0.56		< 0.11		< 0.57		2.9		0.089		< 0.057		< 0.11		< 1.7		< 0.56		1.5		< 0.11		0.75		< 0.11		< 0.11		0.6	
1609684	Former Fueling Facility	Unit 1	8136409	I-5-d(1.0-1.5)	(0.0-1.5)	11/13/2015	< 19		< 3.2		< 0.63		< 3.2		8.1		1.2		< 0.32		< 0.63		< 9.5		< 3.2		1.8		< 0.63		3.3		< 0.63		< 0.63		2.5	
1609684	Former Fueling Facility	Unit 1	8136410	I-5-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 3.8		< 0.63		< 0.13		< 0.64		< 0.064		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		< 0.064		< 0.13		< 0.064		< 0.13		< 0.13		< 0.064	
1609684	Former Roundhouse Area	Unit 2	8136415	I-7-d(3.0-3.5)	(0.0-3.5)	11/13/2015	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1609684	Former Roundhouse Area	Unit 2	8136416	I-7-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 3.6		< 0.60		< 0.12		< 0.61		1.3		0.098		< 0.061		< 0.12		< 1.8	UJ	< 0.60		1.3	J-	< 0.12		2.3	J-	< 0.12		< 0.12		1.8	J-
1609684	Former Roundhouse Area	Unit 2	8136419	I-7-a(2.5-3.0)	(2.5-3.0)	11/13/2015	< 3.3		< 0.56		< 0.11		< 0.57		0.59		0.081		< 0.057		< 0.11		< 1.7		< 0.56		0.34		< 0.11		0.64		< 0.11		< 0.11		0.34	
1609684	Former Roundhouse Area	Unit 2	8136420	DUP-15		11/13/2015	< 3.6		< 0.59		< 0.12		< 0.61		1.3		0.081		< 0.061		< 0.12		< 1.8		< 0.59		0.9	J	< 0.12		1.8		< 0.12		< 0.12		1.3	
1609684	Former Roundhouse Area	Unit 2	8136421	I-7-b(2.5-3.0)	(0.5-3.0)	11/13/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.36		0.083		< 0.063		< 0.12		< 1.9		< 0.62		0.3		< 0.12		5.2		< 0.12		< 0.12		1.8	
1609684	Former Roundhouse Area	Unit 2	8136422	I-7-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 3.5		< 0.59		< 0.12		< 0.60		1.5		0.097		< 0.060		< 0.12		< 1.8		< 0.59		0.98		< 0.12		2.6		< 0.12		< 0.12		1.6	
1609684	Former Roundhouse Area	Unit 2	8136423	I-7-c(0.0-0.5)	(0.0-0.5)	11/13/2015	< 17		< 2.9		< 0.58		< 3.0		3		< 0.30		< 0.30		< 0.58		< 8.7		< 2.9		1.7		< 0.58		2.9		< 0.58		< 0.58		2.1	
1609684	Former Roundhouse Area	Unit 2	8136424	I-7-c(4.0-4.5)	(0.0-4.5)	11/13/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.39		< 0.063		< 0.063		< 0.12		< 1.8		< 0.62		0.22		< 0.12		0.81		< 0.12		< 0.12		0.44	
1609684	Former Roundhouse Area	Unit 2	8136425	I-7-b(0.0-0.5)	(0.0-0.5)	11/13/2015	< 37		< 6.1		< 1.2		< 6.2		2.4		< 0.62		< 0.62		< 1.2		< 18		< 6.1		2		< 1.2		8.4		< 1.2		< 1.2		5.4	
1609684	Former Roundhouse Area	Unit 2	8136426	I-8-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.62		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.57		< 0.12		0.69		< 0.12		< 0.12		0.4	
1609684	Former Roundhouse Area	Unit 2	8136427	I-8-a(4.0-4.5)	(0.0-4.5)	11/13/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.98		0.11		< 0.056		< 0.11		< 1.6		< 0.55		0.36		< 0.11		1.3		< 0.11		< 0.11		0.46	
1610100	East Side East Ditch Area	Unit 3	8138435	B-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.19		< 0.063		130		< 0.12		< 1.8		< 0.62		< 0.063		< 0.12		0.11		< 0.12		< 0.12		0.12	
1610100	East Side East Ditch Area	Unit 3	8138436	B-4-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.22		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.13		< 0.12		0.061		< 0.12		< 0.12		< 0.060	
1610100	East Side East Ditch Area	Unit 3	8138437	C-4-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.8		< 0.63		< 0.13		< 0.65		0.47		< 0.065		< 0.065		< 0.13		< 1.9		< 0.63		0.81		< 0.13		0.46		< 0.13		< 0.13		0.25	
1610100	East Side East Ditch Area	Unit 3	8138438	C-4-e(1.5-2.0)	(0.5-2.0)	11/16/2015	< 3.9		< 0.65		< 0.13		< 0.66		0.37		0.074		< 0.066		< 0.13		< 2.0		< 0.65		< 0.066		< 0.13		0.47		< 0.13		< 0.13		0.36	
1610100	East Side East Ditch Area	Unit 3	8138439	C-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 4.4		< 0.73		< 0.15		< 0.74		0.89		< 0.074		< 0.074		< 0.15		< 2.2		< 0.73		0.35		< 0.15		1.9		< 0.15		< 0.15		1.3	
1610100	East Side East Ditch Area	Unit 3	8138440	C-4-c(2.0-2.5)	(0.0-2.5)	11/16/2015	< 5.1		< 0.85		< 0.17		< 0.87		0.49		0.12		< 0.087		< 0.17		< 2.6		< 0.85		< 0.087		< 0.17		0.45		< 0.17		< 0.17		0.61	
1610100	East Side East Ditch Area	Unit 3	8138441	C-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.8		< 0.64		< 0.13		< 0.65		1.1		< 0.065		< 0.065		< 0.13		< 1.9		< 0.64		0.58		< 0.13		0.64		< 0.13		< 0.13		0.58	
1610100	East Side East Ditch Area	Unit 3	8138442	C-3-e(2.0-2.5)	(0.0-2.5)	11/16/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.2		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		0.52		< 0.12		< 0.12		0.45	
1610100	East Side East Ditch Area	Unit 3	8138443	B-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.44		< 0.060		0.064		< 0.12		< 1.8		< 0.59		0.13		< 0.12		0.41		< 0.12		< 0.12		0.35	
1610100	East Side East Ditch Area	Unit 3	8138444	B-3-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 3.3		< 0.55		< 0.11		< 0.57		1.2		< 0.057		< 0.057		< 0.11		< 1.7		< 0.55		1.4		< 0.11		0.084		< 0.11		< 0.11		0.084	
1610100	East Side East Ditch Area	Unit 3	8138445	C-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.4		< 0.56		< 0.11		< 0.58		0.12		< 0.058		< 0.058		< 0.11		< 1.7		< 0.56		< 0.058		< 0.11		0.098		< 0.11		< 0.11		0.084	
1610100	East Side East Ditch Area	Unit 3	8138448	DUP-18		11/16/2015	< 3.6		< 0.59		< 0.12		< 0.60		9.2		0.5		< 0.060		< 0.12		< 1.8		< 0.59		2.3		< 0.12		0.35		< 0.12		< 0.12		0.53	
1610100	East Side East Ditch Area	Unit 3	8138449	C-4-a(2.5-3.0)	(0.5-3.0)	11/16/2015	< 4.2		< 0.70		< 0.14		< 0.71		2.7		0.15		< 0.071		< 0.14		< 2.1		< 0.70		1.1		< 0.14		1.2		< 0.14		< 0.14		1.2	
1610100	East Side East Ditch Area	Unit 3	8138450	C-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 4.0		< 0.67		< 0.13		< 0.68		0.73		< 0.068		< 0.068		< 0.13		< 2.0		< 0.67		0.59		< 0.13		0.31		< 0.13		< 0.13		0.34	
1610100	East Side East Ditch Area	Unit 3	8138451	C-3-b(3.5-4.0)	(0.5-4.0)	11/16/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.6		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.17		< 0.12		0.26		< 0.12		< 0.12		0.25	
1610100	East Side East Ditch Area	Unit 3	8138452	C-3-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.34		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.19		< 0.12		0.28		< 0.12		< 0.12		0.2	
1610110	East Side East Ditch Area	Unit 3	8138488	C-3-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 3.3		< 0.55		< 0.11		< 0.56		1.1		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.97		< 0.11		0.31		< 0.11		< 0.11		0.23	
1610110	East Side East Ditch Area	Unit 3	8138489	B-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.6		< 0.59		< 0.12		< 0.61		0.23		< 0.061		0.097		< 0.12		< 1.8		< 0.59		0.17		< 0.12		0.16		< 0.12		< 0.12		0.11	
1610110	East Side East Ditch Area	Unit 3	8138490	B-3-c(4.0-4.5)	(0.0-4.5)	11/16/2015	< 3.5		< 0.58		< 0.12		< 0.60		0.44		< 0.060		0.082		< 0.12		< 1.7		< 0.58		0.35		< 0.12		0.62		< 0.12		< 0.12		0.28	
1610110	East Side East Ditch Area	Unit 3	8138491	B-2-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.6		< 0.59		< 0.12		< 0.60		0.47		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.48		< 0.12		0.41		< 0.12		< 0.12		0.29	
1610110	East Side East Ditch Area	Unit 3	8138492	B-2-d(1.0-1.5)	(0.0-1.5)	11/16/2015	< 3.4		< 0.57		< 0.11		< 0.59		0.88		0.13		< 0.059		< 0.11		< 1.7		< 0.57		0.96		< 0.11		0.41		< 0.11		< 0.11		0.45	
1610110	East Side East Ditch Area	Unit 3	8138493	B-2-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.8		< 0.63		< 0.13		< 0.65		0.59		< 0.065		0.44		< 0.13		< 1.9		< 0.63		0.23		< 0.13		0.13		< 0.13		< 0.13		0.12	
1610110	East Side East Ditch Area	Unit 3	8138494	B-2-e(1.5-2.0)	(0.5-2.0)	11/16/2015	< 3.5		< 0.58		< 0.12		< 0.59		< 0.059		< 0.059		1.8		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.059	
1610110	East Side East Ditch Area	Unit 3	8138495	B-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.23		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.17		< 0.12		0.14		< 0.12		< 0.12		0.094	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1609438	Former Fueling Facility	Unit 1	8134923	I-4-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 1.2		< 6.2		< 6.2		< 1.2		< 1.2		< 19		< 1.2		< 1.2		< 6.2		< 6.4		2.2		< 1.2		9.4		< 1.2		< 1.2		< 1.2	
1609438	Former Fueling Facility	Unit 1	8134924	I-4-b(2.0-2.5)	(0.0-2.5)	11/12/2015	< 17		< 87		< 87		< 17		< 17		< 260		< 17		< 17		< 87		< 89		14		< 17		130		< 17		< 17		< 17	
1609438	Former Fueling Facility	Unit 1	8134925	I-4-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 11		< 55		< 55		< 11		< 11		< 160	R	< 11		< 11		< 55		< 56		< 5.6		< 11		5.6		< 11		< 11		< 11	
1609438	Former Fueling Facility	Unit 1	8134928	DUP-14		11/12/2015	< 12		< 58		< 58		< 12		< 12		< 170		< 12		< 12		< 58		< 59		< 5.9		< 12		7.5		< 12		< 12		< 12	
1609438	Former Fueling Facility	Unit 1	8134929	I-4-a(2.5-3.0)	(5.5-3.0)	11/12/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		12		< 0.12		9.3		< 0.12		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134933	I-5-b(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		1.2		< 0.12		0.94		< 0.12		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134934	I-5-b(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		1.2		< 0.12		0.6		0.12		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134935	I-5-e(0.0-0.5)	(0.0-0.5)	11/12/2015	< 1.3		< 6.3		< 6.3		< 1.3		< 1.3		< 19		< 1.3		< 1.3		< 6.3		< 6.5		3.9		< 1.3		3.6		< 1.3		< 1.3		< 1.3	
1609438	Former Fueling Facility	Unit 1	8134936	I-5-e(1.0-1.5)	(0.0-1.5)	11/12/2015	< 0.64		< 3.2		< 3.2		< 0.64		< 0.64		< 9.5		< 0.64		< 0.64		< 3.2		< 3.2		12		< 0.64		1.8		< 0.64		< 0.64		< 0.64	
1609438	Former Fueling Facility	Unit 1	8134937	I-5-c(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.74		< 3.7		< 3.7		< 0.74		< 0.74		< 11		< 0.74		< 0.74		< 3.7		< 3.8		2.4		< 0.74		2.8		< 0.74		< 0.74		< 0.74	
1609438	Former Fueling Facility	Unit 1	8134938	I-5-c(0.5-1.0)	(0.5-1.0)	11/12/2015	< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.71		< 0.72		1.9		< 0.14		2.4		< 0.14		< 0.14		< 0.14	
1609438	Former Fueling Facility	Unit 1	8134939	I-5-a(0.0-0.5)	(0.0-0.5)	11/12/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		< 0.061		< 0.12		< 0.061		< 0.12		< 0.12		< 0.12	
1609438	Former Fueling Facility	Unit 1	8134940	I-5-a(2.5-3.0)	(0.5-3.0)	11/12/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		1.6		< 0.11		2.6		< 0.11		< 0.11		< 0.11	
1609684	Former Fueling Facility	Unit 1	8136409	I-5-d(1.0-1.5)	(0.0-1.5)	11/13/2015	< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 9.5		< 0.63		< 0.63		< 3.2		< 3.2		8.1		< 0.63		5.7		< 0.63		< 0.63		< 0.63	
1609684	Former Fueling Facility	Unit 1	8136410	I-5-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		< 0.064		< 0.13		< 0.064		< 0.13		< 0.13		< 0.13	
1609684	Former Roundhouse Area	Unit 2	8136415	I-7-d(3.0-3.5)	(0.0-3.5)	11/13/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1609684	Former Roundhouse Area	Unit 2	8136416	I-7-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		2.2	J-	< 0.12		1.2		< 0.12		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136419	I-7-a(2.5-3.0)	(5.5-3.0)	11/13/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.54		< 0.11		0.73		0.32		< 0.11		< 0.11	
1609684	Former Roundhouse Area	Unit 2	8136420	DUP-15		11/13/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61		1.8		< 0.12		1.2		< 0.12		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136421	I-7-b(2.5-3.0)	(0.5-3.0)	11/13/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		1.3		< 0.12		0.51		< 0.12		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136422	I-7-d(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		2.4		< 0.12		1.5		< 0.12		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136423	I-7-c(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.7		< 0.58		< 0.58		< 2.9		< 3.0		2.1		< 0.58		3.1		< 0.58		< 0.58		< 0.58	
1609684	Former Roundhouse Area	Unit 2	8136424	I-7-c(4.0-4.5)	(0.0-4.5)	11/13/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.62		< 0.63		0.97		< 0.12		0.38		< 0.12		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136425	I-7-b(0.0-0.5)	(0.0-0.5)	11/13/2015	< 1.2		< 6.1		< 6.1		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.1		< 6.2		3.1		< 1.2		2.5		< 1.2		< 1.2		< 1.2	
1609684	Former Roundhouse Area	Unit 2	8136426	I-8-a(0.0-0.5)	(0.0-0.5)	11/13/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.59		< 0.12		0.69		0.58		< 0.12		< 0.12	
1609684	Former Roundhouse Area	Unit 2	8136427	I-8-a(4.0-4.5)	(0.0-4.5)	11/13/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		0.18		< 0.55		< 0.56		0.46		< 0.11		1.4		0.11		< 0.11		< 0.11	
1610100	East Side East Ditch Area	Unit 3	8138435	B-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.62		< 0.63		0.16		< 0.12		0.14		< 0.12		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138436	B-4-a(2.5-3.0)	(5.5-3.0)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.18		< 0.12		0.21		< 0.12		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138437	C-4-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.43		< 0.13		0.51		< 0.13		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138438	C-4-e(1.5-2.0)	(5.5-2.0)	11/16/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.65		< 0.66		0.34		< 0.13		0.39		< 0.13		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138439	C-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.15		< 0.73		< 0.73		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.73		< 0.74		1.1		< 0.15		0.79		< 0.15		< 0.15		< 0.15	
1610100	East Side East Ditch Area	Unit 3	8138440	C-4-c(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.17		< 0.85		< 0.85		< 0.17		< 0.17		< 2.6		< 0.17		< 0.17		< 0.85		< 0.87		0.4		< 0.17		0.33		< 0.17		< 0.17		< 0.17	
1610100	East Side East Ditch Area	Unit 3	8138441	C-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		0.65		< 0.13		0.88		< 0.13		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138442	C-3-e(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.3		< 0.12		0.14		< 0.12		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138443	B-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.49		< 0.12		0.28		< 0.12		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138444	B-3-a(2.5-3.0)	(5.5-3.0)	11/16/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.57		0.39		< 0.11		0.87		< 0.11		< 0.11		< 0.11	
1610100	East Side East Ditch Area	Unit 3	8138445	C-4-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		0.12		< 0.11		0.083		< 0.11		< 0.11		< 0.11	
1610100	East Side East Ditch Area	Unit 3	8138448	DUP-18		11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		6.7		< 0.12		8.1		< 0.12		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138449	C-4-a(2.5-3.0)	(5.5-3.0)	11/16/2015	< 0.14		< 0.70		< 0.70		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.70		< 0.71		2		< 0.14		3.2		< 0.14		< 0.14		< 0.14	
1610100	East Side East Ditch Area	Unit 3	8138450	C-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.67		< 0.67		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.67		< 0.68		0.49		< 0.13		0.62		< 0.13		< 0.13		< 0.13	
1610100	East Side East Ditch Area	Unit 3	8138451	C-3-b(3.5-4.0)	(5.5-4.0)	11/16/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.42		< 0.12		0.52		< 0.12		< 0.12		< 0.12	
1610100	East Side East Ditch Area	Unit 3	8138452	C-3-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.25		< 0.12		0.31		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138488	C-3-d(1.5-2.0)	(5.5-2.0)	11/16/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.49		< 0.11		0.87		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138489	B-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61		0.19		< 0.12		0.19		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138490	B-3-c(4.0-4.5)	(0.0-4.5)	11/16/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.60		0.38		< 0.12		0.42		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138491	B-2-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.51		< 0.12		0.45		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138492	B-2-d(1.0-1.5)	(0.0-1.5)	11/16/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.59		0.7		< 0.11		0.94		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138493	B-2-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.35		< 0.13		0.46		< 0.13		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138494	B-2-e(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138495	B-3-e(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.17		< 0.12		0.22		< 0.12		< 0.12		< 0.12	

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610110	East Side East Ditch Area	Unit 3	8138496	B-3-e(1.0-1.5)	(0.0-1.5)	11/16/2015	< 0.067		< 0.067		< 0.067		0.37		**0.44**		1		0.38		0.55		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138497	C-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.056		< 0.056		< 0.056		0.37		**0.62**		1		0.92		0.83		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138498	C-3-c(4.5-5.0)	(0.5-5.0)	11/16/2015	< 0.061		< 0.061		0.077		0.35		**0.38**		0.84		0.46		0.37		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138499	A-2-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.056		< 0.056		< 0.056		0.16		0.22		0.38		0.27		0.26		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138500	A-2-b(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.065		< 0.065		< 0.065		0.19		0.2		0.4		0.2		0.28		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138501	A-2-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.063		< 0.063		0.1		0.87		**1.3**		**2.4**		1.6		1.3		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138502	A-2-c(2.0-2.5)	(0.0-2.5)	11/16/2015	0.064		< 0.057		0.059		**1.4**		**3**		**3.8**		2.9		2.9		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138503	A-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	0.076		0.074		0.29		0.85		**0.98**		**1.3**		0.85		1.1		< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138504	A-3-a(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.061		< 0.061		< 0.061		0.13		0.16		0.36		0.22		0.23		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138505	A-2-a(0.0-0.5)	(0.0-0.5)	11/16/2015	0.16		0.59		0.99		**1.1**		**0.83**		**3.3**		0.8		1.3		< 0.11		< 0.56		< 0.56		0.44		< 0.11		< 0.22		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138506	A-2-a(3.0-3.5)	(0.0-3.5)	11/16/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		0.084		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138507	A-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.063		< 0.063		0.12		0.44		**0.53**		0.49		0.38		0.48		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1610111	East Side East Ditch Area	Unit 3	8138509	A-3-b(2.5-3.0)	(0.5-3.0)	11/16/2015	0.074		0.15		0.33		**0.85**		**0.95**		**1.7**		1.2		1.2		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610111	East Side East Ditch Area	Unit 3	8138514	B-4-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.066		< 0.066		< 0.066		0.11		0.16		0.23		0.14		0.17		< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610111	East Side East Ditch Area	Unit 3	8138515	B-4-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.064		< 0.064		0.071		0.77		**1.1**		**2**		1.3		1.3		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610111	Former Roundhouse Area	Unit 2	8138519	I-8-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.29		< 0.29		0.4		0.39		**0.33**		0.92		0.43		0.53		< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1610111	Former Roundhouse Area	Unit 2	8138520	I-8-c(2.5-3.0)	(0.5-3.0)	11/16/2015	2.7		0.87		1.9		0.47		< 0.39		0.59		0.97		0.66		< 0.76		< 3.8		< 3.8		< 0.76		< 0.76		< 1.5		< 0.76		< 0.76	
1610111	Former Roundhouse Area	Unit 2	8138521	I-8-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.060		0.14		0.17		0.45		**0.35**		0.83		0.49		0.59		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610111	Former Roundhouse Area	Unit 2	8138522	I-8-d(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.057		< 0.057		0.095		0.23		0.19		0.38		0.23		0.2		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610111	Former Fueling Facility	Unit 1	8138523	I-8-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.29		< 0.29		< 0.29		0.37		**0.37**		0.86		0.51		0.6		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1610111	Former Fueling Facility	Unit 1	8138526	J-4-b(0.0-0.5)	(0.0-0.5)	11/16/2015	0.098		1.5		1.7		**2**		**2.4**		**5**		2.6		3.3		< 0.12		< 0.58		< 0.58		0.53		< 0.12		< 0.23		< 0.12		< 0.12	
1610111	Former Fueling Facility	Unit 1	8138529	J-4-b(2.5-3.0)	(0.5-3.0)	11/16/2015	8.8		6		24		**19**		**14**		**21**		11		17		< 0.61		< 3.0		< 3.0		2.8		< 0.61		< 1.2		< 0.61		< 0.61	
1610111	Former Fueling Facility	Unit 1	8138530	DUP-16		11/16/2015	< 0.29		3.4		3.7		**5**		**6**		**9.8**		5.8		**8.6**		< 0.58		< 2.9		< 2.9		0.98		< 0.58		< 1.2		< 0.58		< 0.58	
1610111	Former Fueling Facility	Unit 1	8138531	J-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.32		0.4		0.54		**0.9**		**1.2**		**1.4**		0.93		1.2		< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 1.3		< 0.63		< 0.63	
1610111	Former Fueling Facility	Unit 1	8138532	J-4-c(0.5-1.0)	(0.5-1.0)	11/16/2015	< 0.067		0.22		0.24		0.6		**0.78**		1		0.68		0.62		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140738	E-8-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.054		< 0.054		< 0.054		0.18		0.23		0.32		0.2		0.24		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1610517	East Side East Ditch Area	Unit 3	8140739	E-8-e(2.0-2.5)	(0.0-2.5)	11/17/2015	0.27		0.16		0.29		0.33		**0.35**		0.53		0.47		0.32		< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 0.28		< 0.14		< 0.14	
1610517	East Side East Ditch Area	Unit 3	8140740	E-8-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.060		0.079		0.13		0.29		**0.31**		0.48		0.38		0.31		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140741	E-8-c(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.061		< 0.061		0.066		0.14		0.12		0.21		0.18		0.19		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140742	E-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	0.074		< 0.062		0.21		0.45		**0.41**		0.51		0.38		0.4		< 0.12		< 0.61		< 0.61		0.13		< 0.12		< 0.24		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140743	E-8-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.059		< 0.059		< 0.059		0.24		**0.51**		0.61		0.53		0.44		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610517	East Side East Ditch Area	Unit 3	8140744	D-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.064		< 0.064		0.15		0.27		**0.3**	J	0.39		0.28		0.31		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140748	D-8-a(0.5-1.0)	(0.5-1.0)	11/17/2015	0.27		0.14		0.47		0.53		**0.52**		0.79		0.47		0.45		< 0.12		< 0.60		< 0.60		0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140749	DUP-17		11/17/2015	< 0.065		0.1		0.17		0.37		**0.4**		0.79		0.49		0.6		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140750	D-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	0.21		0.73		1.3		**1.7**		**1.6**		**4**		1.6		**2.4**		< 0.13		< 0.66		< 0.66		0.44		< 0.13		< 0.26		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140751	D-7-c(1.0-1.5)	(0.0-1.5)	11/17/2015	0.11		0.19		0.43		0.64		**0.54**		1		0.51		0.5		< 0.13		< 0.65		< 0.65		0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140752	E-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.074		< 0.074		< 0.074		< 0.074		< 0.074		< 0.074		< 0.074		< 0.074		< 0.15		< 0.73		< 0.73		< 0.15		< 0.15		< 0.29		< 0.15		< 0.15	
1610517	East Side East Ditch Area	Unit 3	8140753	E-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	0.062		0.083		0.2		0.41		**0.5**		0.79		0.54		0.62		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140754	E-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	0.24		0.38		1.1		**1.4**		**1.1**		**2.5**		1.1		1.3		< 0.12		< 0.61		< 0.61		0.27		< 0.12		< 0.25		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140755	E-8-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.061		0.19		0.33		0.64		**0.81**		**2.7**		0.94		1.4		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140756	E-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.058		0.06		0.11		0.44		**0.52**		1.1		0.71		0.7		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610517	East Side East Ditch Area	Unit 3	8140757	E-7-a(3.0-3.5)	(0.0-3.5)	11/17/2015	0.12		0.4		0.77		**1.3**		**1.1**		**3.1**		1.3		**1.6**		< 0.14		< 0.71		< 0.71		0.27		< 0.14		< 0.28		< 0.14		< 0.14	
1610517	East Side East Ditch Area	Unit 3	8140758	F-6-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.059		< 0.059		< 0.059		0.15		0.15		0.41		0.23		0.18		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610520	East Side East Ditch Area	Unit 3	8140771	F-6-c(3.5-4.0)	(0.5-4.0)	11/17/2015	0.069		0.41		0.71		**1**		**0.75**		**2.2**		0.73		0.72		< 0.13		< 0.65		< 0.65		0.2		< 0.13		< 0.26		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140772	E-6-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.059		< 0.059		0.1		0.21		0.18		0.38		0.17		0.2		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610520	East Side East Ditch Area	Unit 3	8140773	E-6-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 0.056		< 0.056		0.11		**2.5**		**2.8**		**6.1**		3.9		**2.1**		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610520	East Side East Ditch Area	Unit 3	8140774	E-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.064		< 0.064		< 0.064		0.8		**0.75**		**1.9**		1.1		0.76		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140775	E-6-b(1.5-2.0)	(0.5-2.0)	11/17/2015	0.13		0.28		0.5		0.4		0.18		0.67		0.14		0.23		< 0.14		< 0.72		< 0.72		0.17		< 0.14		< 0.29		< 0.14		< 0.14	
1610520	East Side East Ditch Area	Unit 3	8140776	F-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.058		< 0.058		< 0.058		0.22		**0.3**		0.55		0.31		0.19		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610520	East Side East Ditch Area	Unit 3	8140777	F-6-b(4.5-5.0)	(0.5-5.0)	11/17/2015	< 0.063		< 0.063		0.079		**1.4**		**1.7**	J	**4**		2.3		**1.7**		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.25	**UJ**	< 0.12		< 0.12	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610110	East Side East Ditch Area	Unit 3	8138496	B-3-e(1.0-1.5)	(0.0-1.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.6		0.17		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1610110	East Side East Ditch Area	Unit 3	8138497	C-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.57		0.22		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138498	C-3-c(4.5-5.0)	(0.5-5.0)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.53		0.14		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610110	East Side East Ditch Area	Unit 3	8138499	A-2-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.26		0.1		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138500	A-2-b(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.29		0.067		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610110	East Side East Ditch Area	Unit 3	8138501	A-2-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.3		0.45		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1610110	East Side East Ditch Area	Unit 3	8138502	A-2-c(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.9		1.2		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138503	A-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		1.1		0.22		0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 1.9	
1610110	East Side East Ditch Area	Unit 3	8138504	A-3-a(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.24		0.065		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1610110	East Side East Ditch Area	Unit 3	8138505	A-2-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.6		0.47		1.8		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1610110	East Side East Ditch Area	Unit 3	8138506	A-2-a(3.0-3.5)	(0.0-3.5)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.13		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1610110	East Side East Ditch Area	Unit 3	8138507	A-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.53		0.099		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1610111	East Side East Ditch Area	Unit 3	8138509	A-3-b(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		1.3		0.44		0.31		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610111	East Side East Ditch Area	Unit 3	8138514	B-4-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.16		< 0.066		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 2.0	
1610111	East Side East Ditch Area	Unit 3	8138515	B-4-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.12		< 0.13		< 0.13		< 0.13		1		0.5		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610111	Former Roundhouse Area	Unit 2	8138519	I-8-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.56		< 0.57		< 0.57		< 0.57		0.89		< 0.29		< 0.57		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.8		< 0.57		< 2.8		< 8.5	
1610111	Former Roundhouse Area	Unit 2	8138520	I-8-c(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.75		< 0.76		< 0.76		< 0.76		0.72		< 0.39		2.4		< 0.76		< 0.76		< 0.76		< 7.6		< 0.76		< 3.8		< 0.76		< 3.8		< 11	
1610111	Former Roundhouse Area	Unit 2	8138521	I-8-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.92		0.14		0.35		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610111	Former Roundhouse Area	Unit 2	8138522	I-8-d(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.37		0.079		0.33		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1610111	Former Fueling Facility	Unit 1	8138523	I-8-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.57		< 0.58		< 0.58		< 0.58		0.76		< 0.29		< 0.58		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.7	
1610111	Former Fueling Facility	Unit 1	8138526	J-4-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		2.8		1.2		0.49		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610111	Former Fueling Facility	Unit 1	8138529	J-4-b(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.60		< 0.61		< 0.61		< 0.61		25		4.1		8.1		< 0.61		< 0.61		< 0.61		< 6.1		< 0.61		< 3.0		< 0.61		< 3.0		< 9.1	
1610111	Former Fueling Facility	Unit 1	8138530	DUP-16		11/16/2015	< 0.57		< 0.58		< 0.58		< 0.58		7.2		2.9		< 0.58		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.6	
1610111	Former Fueling Facility	Unit 1	8138531	J-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.63		< 0.63		< 0.63		< 0.63		1.2		< 0.32		< 0.63		< 0.63		< 0.63		< 0.63		< 6.3		< 0.63		< 3.2		< 0.63		< 3.2		< 9.5	
1610111	Former Fueling Facility	Unit 1	8138532	J-4-c(0.5-1.0)	(0.5-1.0)	11/16/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.69		0.17		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1610517	East Side East Ditch Area	Unit 3	8140738	E-8-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.10		< 0.11		< 0.11		< 0.11		0.22		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1610517	East Side East Ditch Area	Unit 3	8140739	E-8-e(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.68		0.084		0.43		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.71		< 0.14		< 0.71		< 2.1	
1610517	East Side East Ditch Area	Unit 3	8140740	E-8-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.46		0.12		0.16		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140741	E-8-c(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.27		< 0.061		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140742	E-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.68		0.12		0.13		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140743	E-8-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.41		0.19		0.19		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610517	East Side East Ditch Area	Unit 3	8140744	D-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.13		< 0.13		< 0.13		0.4		0.081		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3	R	< 0.13		< 0.63		< 0.13	UJ	< 0.63		< 1.9	UJ
1610517	East Side East Ditch Area	Unit 3	8140748	D-8-a(0.5-1.0)	(0.5-1.0)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.75		0.12		0.34		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140749	DUP-17		11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.72		0.19		0.43		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610517	East Side East Ditch Area	Unit 3	8140750	D-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		3		0.74		1.3		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1610517	East Side East Ditch Area	Unit 3	8140751	D-7-c(1.0-1.5)	(0.0-1.5)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.91		0.19		0.4		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 1.9	
1610517	East Side East Ditch Area	Unit 3	8140752	E-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.14		< 0.15		< 0.15		< 0.15		< 0.074		< 0.074		< 0.15		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.73		< 0.15		< 0.73		< 2.2	
1610517	East Side East Ditch Area	Unit 3	8140753	E-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.66		0.17		0.28		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140754	E-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		2.2		0.53		1.1		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140755	E-8-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.9		0.48		0.4		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1610517	East Side East Ditch Area	Unit 3	8140756	E-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.8		0.32		0.16		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610517	East Side East Ditch Area	Unit 3	8140757	E-7-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 0.14		< 0.14		< 0.14		< 0.14		2.4		0.61		1		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.71		< 0.14		< 0.71		< 2.1	
1610517	East Side East Ditch Area	Unit 3	8140758	F-6-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.27		0.084		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610520	East Side East Ditch Area	Unit 3	8140771	F-6-c(3.5-4.0)	(0.5-4.0)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		1.8		0.25		0.57		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 2.0	
1610520	East Side East Ditch Area	Unit 3	8140772	E-6-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.35		0.067		0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610520	East Side East Ditch Area	Unit 3	8140773	E-6-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 0.11		< 0.11		< 0.11		< 0.11		3.3		0.96		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1610520	East Side East Ditch Area	Unit 3	8140774	E-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.13		< 0.13		< 0.13		1.4		0.26		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610520	East Side East Ditch Area	Unit 3	8140775	E-6-b(1.5-2.0)	(0.5-2.0)	11/17/2015	< 0.14		< 0.14		< 0.14		< 0.14		0.74		< 0.074		0.5		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.72		< 0.14		< 0.72		< 2.2	
1610520	East Side East Ditch Area	Unit 3	8140776	F-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.27		0.077		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610520	East Side East Ditch Area	Unit 3	8140777	F-6-b(4.5-5.0)	(0.5-5.0)	11/17/2015	< 0.12		< 0.12	UJ	< 0.12		< 0.12		2.4		0.58		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12	UJ	< 0.61		< 0.12		< 0.61		< 1.8	UJ

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
						CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610110	East Side East Ditch Area	Unit 3	8138496	B-3-e(1.0-1.5)	(0.0-1.5)	11/16/2015	< 3.9		< 0.66		< 0.13		< 0.67		0.49		< 0.067		0.22		< 0.13		< 2.0		< 0.66		0.35		< 0.13		0.18		< 0.13		< 0.13		0.14	
1610110	East Side East Ditch Area	Unit 3	8138497	C-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.37		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.73		< 0.11		0.11		< 0.11		< 0.11		0.096	
1610110	East Side East Ditch Area	Unit 3	8138498	C-3-c(4.5-5.0)	(0.5-5.0)	11/16/2015	< 3.6		< 0.59		< 0.12		< 0.61		0.62		< 0.061		< 0.061		< 0.12		< 1.8		< 0.59		0.34		< 0.12		0.24		< 0.12		< 0.12		0.15	
1610110	East Side East Ditch Area	Unit 3	8138499	A-2-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.32		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.22		< 0.11		0.12		< 0.11		< 0.11		0.12	
1610110	East Side East Ditch Area	Unit 3	8138500	A-2-b(1.5-2.0)	(0.5-2.0)	11/16/2015	< 3.8		< 0.63		< 0.13		< 0.65		0.26		< 0.065		< 0.065		< 0.13		< 1.9		< 0.63		0.16		< 0.13		< 0.065		< 0.13		< 0.13		< 0.065	
1610110	East Side East Ditch Area	Unit 3	8138501	A-2-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.7		< 0.62		< 0.12		< 0.63		1.3		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		**1.4**		< 0.12		0.29		< 0.12		< 0.12		0.18	
1610110	East Side East Ditch Area	Unit 3	8138502	A-2-c(2.0-2.5)	(0.0-2.5)	11/16/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.89		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		**2.6**		< 0.11		0.17		< 0.11		< 0.11		0.15	
1610110	East Side East Ditch Area	Unit 3	8138503	A-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.9		< 0.65		< 0.13		< 0.66		1.9		0.068		< 0.066		< 0.13		< 1.9		< 0.65		0.73		< 0.13		0.36		< 0.13		< 0.13		0.28	
1610110	East Side East Ditch Area	Unit 3	8138504	A-3-a(1.5-2.0)	(0.5-2.0)	11/16/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.22		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		0.16		< 0.12		0.085		< 0.12		< 0.12		0.071	
1610110	East Side East Ditch Area	Unit 3	8138505	A-2-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.4		< 0.56		< 0.11		< 0.57		2.6		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.95		< 0.11		5.5		< 0.11		< 0.11		3.1	
1610110	East Side East Ditch Area	Unit 3	8138506	A-2-a(3.0-3.5)	(0.0-3.5)	11/16/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.065		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		0.17		< 0.11		< 0.11		0.17	
1610110	East Side East Ditch Area	Unit 3	8138507	A-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.93		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		0.34		< 0.12		< 0.063		< 0.12		< 0.12		< 0.063	
1610111	East Side East Ditch Area	Unit 3	8138509	A-3-b(2.5-3.0)	(0.5-3.0)	11/16/2015	< 3.9		< 0.64		< 0.13		< 0.66		1.4		< 0.066		**0.93**		< 0.13		< 1.9		< 0.64		0.98		< 0.13		0.48		< 0.13		< 0.13		0.45	
1610111	East Side East Ditch Area	Unit 3	8138514	B-4-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.9		< 0.65		< 0.13		< 0.66		0.22		< 0.066		< 0.066		< 0.13		< 2.0		< 0.65		0.13		< 0.13		< 0.066		< 0.13		< 0.13		< 0.066	
1610111	East Side East Ditch Area	Unit 3	8138515	B-4-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 3.8		< 0.63		< 0.13		< 0.64		0.88		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		1.1		< 0.13		0.087		< 0.13		< 0.13		0.084	
1610111	Former Roundhouse Area	Unit 2	8138519	I-8-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 17		< 2.8		< 0.57		< 2.9		1.4		< 0.29		< 0.29		< 0.57		< 8.5		< 2.8		0.36		< 0.57		2.1		< 0.57		< 0.57		1.1	
1610111	Former Roundhouse Area	Unit 2	8138520	I-8-c(2.5-3.0)	(0.5-3.0)	11/16/2015	< 23		< 3.8		< 0.76		< 3.9		1.2		5.4		< 0.39		< 0.76		< 11		< 3.8		0.71		< 0.76		11		< 0.76		< 0.76		3.3	
1610111	Former Roundhouse Area	Unit 2	8138521	I-8-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.5		< 0.59		< 0.12		< 0.60		1.5		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.37		< 0.12		0.9		< 0.12		< 0.12		0.57	
1610111	Former Roundhouse Area	Unit 2	8138522	I-8-d(2.5-3.0)	(0.5-3.0)	11/16/2015	< 3.3		< 0.56		< 0.11		< 0.57		0.43		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.18		< 0.11		0.76		< 0.11		0.11		0.42	
1610111	Former Fueling Facility	Unit 1	8138523	I-8-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 17		< 2.9		< 0.58		< 2.9		0.65		< 0.29		< 0.29		< 0.58		< 8.7		< 2.9		0.51		< 0.58		0.92		< 0.58		< 0.58		0.57	
1610111	Former Fueling Facility	Unit 1	8138526	J-4-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 3.5		< 0.58		< 0.12		< 0.59		3		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		**2.5**		< 0.12		0.86		< 0.12		< 0.12		0.67	
1610111	Former Fueling Facility	Unit 1	8138529	J-4-b(2.5-3.0)	(0.5-3.0)	11/16/2015	< 18		< 3.0		< 0.61		< 3.1		56		8.5		< 0.31		< 0.61		< 9.1		< 3.0		**11**		< 0.61		9.6		< 0.61		< 0.61		**7.6**	
1610111	Former Fueling Facility	Unit 1	8138530	DUP-16		11/16/2015	< 17		< 2.9		< 0.58		< 2.9		6.5		< 0.29		< 0.29		< 0.58		< 8.6		< 2.9		**5.6**		< 0.58		1		< 0.58		< 0.58		0.71	
1610111	Former Fueling Facility	Unit 1	8138531	J-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 19		< 3.2		< 0.63		< 3.2		1.6		< 0.32		< 0.32		< 0.63		< 9.5		< 3.2		0.8		< 0.63		< 0.32		< 0.63		< 0.63		< 0.32	
1610111	Former Fueling Facility	Unit 1	8138532	J-4-c(0.5-1.0)	(0.5-1.0)	11/16/2015	< 3.9		< 0.66		< 0.13		< 0.67		0.98		< 0.067		< 0.067		< 0.13		< 2.0		< 0.66		0.54		< 0.13		0.091		< 0.13		< 0.13		0.17	
1610517	East Side East Ditch Area	Unit 3	8140738	E-8-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.2		< 0.53		< 0.11		0.66		0.35		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.18		< 0.11		0.17		< 0.11		< 0.11		0.077	
1610517	East Side East Ditch Area	Unit 3	8140739	E-8-e(2.0-2.5)	(0.0-2.5)	11/17/2015	< 4.3		< 0.71		< 0.14		< 0.73		0.68		0.26		< 0.073		< 0.14		< 2.1		< 0.71		0.28		< 0.14		1.5		< 0.14		< 0.14		0.97	
1610517	East Side East Ditch Area	Unit 3	8140740	E-8-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.62		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.29		< 0.12		0.42		< 0.12		< 0.12		0.34	
1610517	East Side East Ditch Area	Unit 3	8140741	E-8-c(2.0-2.5)	(0.0-2.5)	11/17/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.31		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		0.15		< 0.12		0.22		< 0.12		< 0.12		0.17	
1610517	East Side East Ditch Area	Unit 3	8140742	E-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.7		< 0.61		< 0.12		< 0.62		0.96		0.15		< 0.062		< 0.12		< 1.8		< 0.61		0.3		< 0.12		0.51		< 0.12		< 0.12		0.36	
1610517	East Side East Ditch Area	Unit 3	8140743	E-8-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 3.4		< 0.57		< 0.11		< 0.59		0.25		< 0.059		< 0.059		< 0.11		< 1.7		< 0.57		0.46		< 0.11		0.79		< 0.11		< 0.11		0.62	
1610517	East Side East Ditch Area	Unit 3	8140744	D-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.8		< 0.63		< 0.13		< 0.64		0.63		0.093		< 0.064		< 0.13		< 1.9	**UJ**	< 0.63		0.21		< 0.13		0.27	**J**	< 0.13		< 0.13		0.28	
1610517	East Side East Ditch Area	Unit 3	8140748	D-8-a(0.5-1.0)	(0.5-1.0)	11/17/2015	< 3.6		< 0.60		< 0.12		< 0.61		1.9		0.33		< 0.061		< 0.12		< 1.8		< 0.60		0.32		< 0.12		0.84		< 0.12		0.13		0.81	
1610517	East Side East Ditch Area	Unit 3	8140749	DUP-17		11/17/2015	< 3.8		< 0.64		< 0.13		< 0.65		0.72		0.065		< 0.065		< 0.13		< 1.9		< 0.64		0.42		< 0.13		1.2		< 0.13		< 0.13		1.1	
1610517	East Side East Ditch Area	Unit 3	8140750	D-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.9		< 0.66		< 0.13		< 0.67		3.6		0.22		< 0.067		< 0.13		< 2.0		< 0.66		**1.7**		< 0.13		2.5		< 0.13		< 0.13		2.3	
1610517	East Side East Ditch Area	Unit 3	8140751	D-7-c(1.0-1.5)	(0.0-1.5)	11/17/2015	< 3.9		< 0.65		< 0.13		< 0.66		2		0.23		< 0.066		< 0.13		< 1.9		< 0.65		0.41		< 0.13		0.81		< 0.13		< 0.13		0.88	
1610517	East Side East Ditch Area	Unit 3	8140752	E-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 4.4		< 0.73		< 0.15		< 0.74		< 0.074		< 0.074		< 0.074		< 0.15		< 2.2		< 0.73		< 0.074		< 0.15		< 0.074		< 0.15		< 0.15		< 0.074	
1610517	East Side East Ditch Area	Unit 3	8140753	E-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.71		0.077		< 0.060		< 0.12		< 1.8		< 0.59		0.5		< 0.12		0.52		< 0.12		< 0.12		0.47	
1610517	East Side East Ditch Area	Unit 3	8140754	E-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.7		< 0.61		< 0.12		< 0.63		3.7		0.33		< 0.063		< 0.12		< 1.8		< 0.61		0.99		< 0.12		1.7		< 0.12		< 0.12		1.5	
1610517	East Side East Ditch Area	Unit 3	8140755	E-8-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.6		< 0.60		< 0.12		< 0.61		1.5		0.078		< 0.061		< 0.12		< 1.8		< 0.60		0.98		< 0.12		0.67		< 0.12		< 0.12		0.68	
1610517	East Side East Ditch Area	Unit 3	8140756	E-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.62		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.53		< 0.11		0.29		< 0.11		< 0.11		0.45	
1610517	East Side East Ditch Area	Unit 3	8140757	E-7-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 4.3		< 0.71		< 0.14		< 0.72		2.2		< 0.072		< 0.072		< 0.14		< 2.1		< 0.71		1.2		< 0.14		2		< 0.14		< 0.14		1.8	
1610517	East Side East Ditch Area	Unit 3	8140758	F-6-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.4		< 0.57		< 0.11		< 0.59		0.28		< 0.059		< 0.059		< 0.11		< 1.7		< 0.57		0.19		< 0.11		0.071		< 0.11		< 0.11		0.064	
1610520	East Side East Ditch Area	Unit 3	8140771	F-6-c(3.5-4.0)	(0.5-4.0)	11/17/2015	< 3.9		< 0.65		< 0.13		< 0.67		1.7		0.081		< 0.067		< 0.13		< 2.0		< 0.65		0.72		< 0.13		1.1		< 0.13		< 0.13		0.9	
1610520	East Side East Ditch Area	Unit 3	8140772	E-6-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.39		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.12		< 0.12		0.29		< 0.12		< 0.12		0.23	
1610520	East Side East Ditch Area	Unit 3	8140773	E-6-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 3.3		< 0.55		< 0.11		< 0.56		1.8		0.058		< 0.056		< 0.11		< 1.6		< 0.55		**3.2**		< 0.11		0.12		< 0.11		< 0.11		0.15	
1610520	East Side East Ditch Area	Unit 3	8140774	E-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.8		< 0.63		< 0.13		< 0.64		0.91		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		0.83		< 0.13		< 0.064		< 0.13		< 0.13		0.083	
1610520	East Side East Ditch Area	Unit 3	8140775	E-6-b(1.5-2.0)	(0.5-2.0)	11/17/2015	< 4.3		< 0.72		< 0.14		< 0.74		1.3		0.16		< 0.074		< 0.14		< 2.2		< 0.72		0.12		< 0.14		1.2		< 0.14		< 0.14		1.3	
1610520	East Side East Ditch Area	Unit 3	8140776	F-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.22		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.27		< 0.11		0.1		< 0.11		< 0.11		0.089	
1610520	East Side East Ditch Area	Unit 3	8140777	F-6-b(4.5-5.0)	(0.5-5.0)	11/17/2015	< 3.7	**R**	< 0.61		< 0.12		< 0.63		0.92		< 0.063		< 0.063		< 0.12		< 1.8	**UJ**	< 0.61		**2**		< 0.12		0.3	**J**	< 0.12		< 0.12		0.22	

						Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
						CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
						DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610110	East Side East Ditch Area	Unit 3	8138496	B-3-e(1.0-1.5)	(0.0-1.5)	11/16/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		0.23		< 0.13		0.46		< 0.13		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138497	C-3-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.21		< 0.11		0.31		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138498	C-3-c(4.5-5.0)	(0.5-5.0)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61		0.4		< 0.12		0.6		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138499	A-2-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.2		< 0.11		0.35		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138500	A-2-b(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.091		< 0.13		0.22		< 0.13		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138501	A-2-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.44		< 0.12		1.1		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138502	A-2-c(2.0-2.5)	(0.0-2.5)	11/16/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.28		< 0.11		0.98		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138503	A-3-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.65		< 0.66		1.6		< 0.13		1.9		< 0.13		< 0.13		< 0.13	
1610110	East Side East Ditch Area	Unit 3	8138504	A-3-a(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.1		< 0.12		0.18		< 0.12		< 0.12		< 0.12	
1610110	East Side East Ditch Area	Unit 3	8138505	A-2-a(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		4.9		< 0.11		1.9		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138506	A-2-a(3.0-3.5)	(0.0-3.5)	11/16/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.27		< 0.11		0.07		< 0.11		< 0.11		< 0.11	
1610110	East Side East Ditch Area	Unit 3	8138507	A-3-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.42		< 0.12		0.89		< 0.12		< 0.12		< 0.12	
1610111	East Side East Ditch Area	Unit 3	8138509	A-3-b(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.66		0.88		< 0.13		1.1		< 0.13		< 0.13		< 0.13	
1610111	East Side East Ditch Area	Unit 3	8138514	B-4-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.65		< 0.66		0.14		< 0.13		0.21		< 0.13		< 0.13		< 0.13	
1610111	East Side East Ditch Area	Unit 3	8138515	B-4-d(1.5-2.0)	(0.5-2.0)	11/16/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.35		< 0.13		0.72		< 0.13		< 0.13		< 0.13	
1610111	Former Roundhouse Area	Unit 2	8138519	I-8-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 8.5		< 0.57		< 0.57		< 2.8		< 2.9		1.3		< 0.57		1.1		< 0.57		< 0.57		< 0.57	
1610111	Former Roundhouse Area	Unit 2	8138520	I-8-c(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.76		< 3.8		< 3.8		< 0.76		< 0.76		< 11		< 0.76		< 0.76		< 3.8		< 3.9		3.1		< 0.76		1.5		< 0.76		< 0.76		< 0.76	
1610111	Former Roundhouse Area	Unit 2	8138521	I-8-d(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1.3		< 0.12		1.2		< 0.12		< 0.12		< 0.12	
1610111	Former Roundhouse Area	Unit 2	8138522	I-8-d(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.92		< 0.11		0.37		< 0.11		< 0.11		< 0.11	
1610111	Former Fueling Facility	Unit 1	8138523	I-8-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.7		< 0.58		< 0.58		< 2.9		< 2.9		0.84		< 0.58		0.59		< 0.58		< 0.58		< 0.58	
1610111	Former Fueling Facility	Unit 1	8138526	J-4-b(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		1.5		< 0.12		2.7		< 0.12		< 0.12		< 0.12	
1610111	Former Fueling Facility	Unit 1	8138529	J-4-b(2.5-3.0)	(0.5-3.0)	11/16/2015	< 0.61		< 3.0		< 3.0		< 0.61		< 0.61		< 9.1		< 0.61		< 0.61		< 3.0		< 3.1		42		< 0.61		38		< 0.61		< 0.61		< 0.61	
1610111	Former Fueling Facility	Unit 1	8138530	DUP-16		11/16/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.6		< 0.58		< 0.58		< 2.9		< 2.9		1.6		< 0.58		6.7		< 0.58		< 0.58		< 0.58	
1610111	Former Fueling Facility	Unit 1	8138531	J-4-c(0.0-0.5)	(0.0-0.5)	11/16/2015	< 0.63		< 3.2		< 3.2		< 0.63		< 0.63		< 9.5		< 0.63		< 0.63		< 3.2		< 3.2		1		< 0.63		1.4		< 0.63		< 0.63		< 0.63	
1610111	Former Fueling Facility	Unit 1	8138532	J-4-c(0.5-1.0)	(0.5-1.0)	11/16/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		0.37		< 0.13		0.98		< 0.13		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140738	E-8-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		0.91		< 0.54		0.17		< 0.11		0.31		< 0.11		< 0.11		< 0.11	
1610517	East Side East Ditch Area	Unit 3	8140739	E-8-e(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.71		< 0.73		1.2		< 0.14		0.77		< 0.14		< 0.14		< 0.14	
1610517	East Side East Ditch Area	Unit 3	8140740	E-8-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.71		< 0.12		0.5		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140741	E-8-c(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.35		< 0.12		0.28		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140742	E-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		1.3		< 0.12		0.81		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140743	E-8-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.59		0.56		< 0.11		0.26		< 0.11		< 0.11		< 0.11	
1610517	East Side East Ditch Area	Unit 3	8140744	D-8-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13	UJ	< 0.63	UJ	< 0.63	UJ	< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.41		< 0.13		0.65		< 0.13		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140748	D-8-a(0.5-1.0)	(0.5-1.0)	11/17/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		1.4		< 0.12		2		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140749	DUP-17		11/17/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		1.1		< 0.13		0.59		< 0.13		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140750	D-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		3.8		< 0.13		2.7		< 0.13		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140751	D-7-c(1.0-1.5)	(0.0-1.5)	11/17/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.65		< 0.66		1.1		< 0.13		2		< 0.13		< 0.13		< 0.13	
1610517	East Side East Ditch Area	Unit 3	8140752	E-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.15		< 0.73		< 0.73		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.73		< 0.74		< 0.074		< 0.15		< 0.074		< 0.15		< 0.15		< 0.15	
1610517	East Side East Ditch Area	Unit 3	8140753	E-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.69		< 0.12		0.63		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140754	E-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		3		< 0.12		2.8		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140755	E-8-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		1.2		< 0.12		0.93		< 0.12		< 0.12		< 0.12	
1610517	East Side East Ditch Area	Unit 3	8140756	E-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.49		< 0.11		0.56		< 0.11		< 0.11		< 0.11	
1610517	East Side East Ditch Area	Unit 3	8140757	E-7-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.71		< 0.72		2.6		< 0.14		1.8		< 0.14		< 0.14		< 0.14	
1610517	East Side East Ditch Area	Unit 3	8140758	F-6-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.59		0.19		< 0.11		0.25		< 0.11		< 0.11		< 0.11	
1610520	East Side East Ditch Area	Unit 3	8140771	F-6-c(3.5-4.0)	(0.5-4.0)	11/17/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.65		< 0.67		1.7		< 0.13		1.3		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140772	E-6-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.36		< 0.12		0.31		< 0.12		< 0.12		< 0.12	
1610520	East Side East Ditch Area	Unit 3	8140773	E-6-a(3.0-3.5)	(0.0-3.5)	11/17/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.49		< 0.11		1.8		< 0.11		< 0.11		< 0.11	
1610520	East Side East Ditch Area	Unit 3	8140774	E-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.26		< 0.13		0.72		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140775	E-6-b(1.5-2.0)	(0.5-2.0)	11/17/2015	< 0.14		< 0.72		< 0.72		< 0.14		< 0.14		< 2.2		< 0.14		< 0.14		< 0.72		< 0.74		1.2		< 0.14		0.99		< 0.14		< 0.14		< 0.14	
1610520	East Side East Ditch Area	Unit 3	8140776	F-6-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.14		< 0.11		0.22		< 0.11		< 0.11		< 0.11	
1610520	East Side East Ditch Area	Unit 3	8140777	F-6-b(4.5-5.0)	(0.5-5.0)	11/17/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12	UJ	< 1.8	UJ	< 0.12		< 0.12		< 0.61		< 0.63	UJ	0.29		< 0.12		0.91		< 0.12		< 0.12	UJ	< 0.12	UJ

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610520	East Side East Ditch Area	Unit 3	8140780	DUP-19		11/17/2015	0.14		0.11		0.28		0.26		0.28		0.56		0.33		0.27		< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140781	D-7-d(2.5-3.0)	(0.5-3.0)	11/17/2015	0.79		0.51		0.78		1.8		1.8		2.1		1.2		0.92		< 0.13		< 0.63		< 0.63		0.16		< 0.13		< 0.25		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140782	F-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.064		< 0.064		< 0.064		0.068		0.086		0.19		0.081		< 0.064		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140783	E-7-d(1.5-2.0)	(0.5-2.0)	11/17/2015	0.31		0.28		0.98		1.1		0.8		1.6		0.89		0.71		< 0.12		< 0.59		< 0.59		0.24		< 0.12		< 0.24		< 0.12		0.39	
1610520	East Side East Ditch Area	Unit 3	8140784	D-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	0.86		1.2		4		4.5		3.1		9.1		3.3		3.3		< 0.13		< 0.66		< 0.66		0.66		< 0.13		< 0.27		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140787	F-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.065		0.18		0.17		0.73		0.81		1.6		0.66		0.49		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140788	F-7-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.059		< 0.059		< 0.059		1		1.2		2.8		1.9		0.95		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1610521	Former Fueling Facility	Unit 1	8140790	J-4-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 6.0		< 6.0		< 6.0		< 6.0		< 6.0		8.4		< 6.0		< 6.0		< 12		< 59		< 59		< 12		< 12		< 24		< 12		< 12	
1610521	Former Fueling Facility	Unit 1	8140791	J-4-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 4.6		< 4.6		< 4.6		< 4.6		< 4.6		4.8		< 4.6		< 4.6		< 8.9		< 45		< 45		< 8.9		< 8.9		< 18		< 8.9		< 8.9	
1610521	Former Fueling Facility	Unit 1	8140792	J-4-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.30		< 0.30		< 0.30		0.39		0.57		0.98		0.54		0.47		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1610521	Former Fueling Facility	Unit 1	8140793	J-4-a(1.5-2.0)	(0.5-2.0)	11/17/2015	< 5.5		< 5.5		< 5.5		< 5.5		< 5.5		< 5.5		< 5.5		< 5.5		< 11		< 54		< 54		< 11		< 11		< 21		< 11		< 11	
1610521	Former Fueling Facility	Unit 1	8140796	J-5-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		0.078		0.086		0.084		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1610521	Former Fueling Facility	Unit 1	8140797	J-5-d(1.0-1.5)	(0.0-1.5)	11/17/2015	0.25		0.62		1.4		2.6		2.4		3.7		1.9		2.7		< 0.11		< 0.56		< 0.56		0.32		< 0.11		< 0.23		< 0.11		< 0.11	
1610521	Former Fueling Facility	Unit 1	8140798	J-5-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.062		0.067	J	0.1	J	0.066	J	< 0.062		0.13	J	0.094	J	0.11	J	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610521	Former Fueling Facility	Unit 1	8140801	J-5-e(1.5-2.0)	(0.5-2.0)	11/17/2015	< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 8.3		< 41		< 41		< 8.3		< 8.3		< 17		< 8.3		< 8.3	
1610521	East Side East Ditch Area	Unit 3	8140806	E-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	0.2		1.1		1.8		2.3		1.8		5.6		1.8		3.4		< 0.13		< 0.64		< 0.64		0.49		< 0.13		< 0.25		< 0.13		< 0.13	
1610521	East Side East Ditch Area	Unit 3	8140807	D-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.063		0.18		0.3		0.26		0.24		0.9		0.46		0.42		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1610521	East Side East Ditch Area	Unit 3	8140808	D-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	0.21		0.065		0.16		0.18		0.16		0.29		0.17		0.15		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610521	East Side East Ditch Area	Unit 3	8140809	F-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.075		0.18		0.28		0.51		0.45		1.2		0.47		0.5		< 0.15		< 0.74		< 0.74		< 0.15		< 0.15		< 0.29		< 0.15		< 0.15	
1610959	Former Fueling Facility	Unit 1	8143078	J-5-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.060		< 0.060		< 0.060		0.066		0.087		0.16		0.1		0.074		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610959	Former Fueling Facility	Unit 1	8143079	J-5-b(3.5-4.0)	(0.5-4.0)	11/18/2015	52		9.9		48		37		28		47		21		26		< 0.13		< 0.63		< 0.63		11		< 0.13		< 0.25		< 0.13		< 0.13	
1610959	Former Fueling Facility	Unit 1	8143080	J-5-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.064		0.14		0.13		0.092		0.084		0.11		< 0.064		< 0.064		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1610959	Former Fueling Facility	Unit 1	8143081	J-5-a(2.5-3.0)	(0.5-3.0)	11/18/2015	< 4.0		< 4.0		< 4.0		< 4.0		< 4.0		< 4.0		< 4.0		< 4.0		< 7.8		< 39		< 39		< 7.8		< 7.8		< 16		< 7.8		< 7.8	
1610959	Former Fueling Facility	Unit 1	8143082	J-5-c(1.0-1.5)-S	(0.0-1.5)	11/18/2015	< 0.061		0.1		0.095		0.15		0.17		0.36		0.17		0.13		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143085	B-2-c(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.078		0.78	J	1.2	J	3	J	2.2	J	4.9	J	1.6	J	1.6	J	< 0.15		< 0.77		< 0.77		0.89	J	< 0.15		< 0.31	R	< 0.15		< 0.15	
1610959	East Side East Ditch Area	Unit 3	8143088	B-2-c(1.0-1.5)	(0.0-1.5)	11/18/2015	0.095		0.41		0.59		1.5		1		2.2		0.82		0.78		< 0.14		< 0.70		< 0.70		0.28		< 0.14		< 0.28		< 0.14		< 0.14	
1610959	East Side East Ditch Area	Unit 3	8143089	DUP-20		11/18/2015	< 0.070		0.26	J	0.39	J	0.7	J	0.53	J	1.4	J	0.62	J	0.56	J	< 0.14		< 0.68		< 0.68		0.18	J	< 0.14		< 0.27		< 0.14		< 0.14	
1610959	East Side East Ditch Area	Unit 3	8143090	B-2-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.055		0.23		0.49		0.46		0.33		1.4		0.55		0.58		< 0.11		< 0.54		< 0.54		0.15		< 0.11		< 0.22		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143091	B-2-a(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.069		0.086		0.14		0.29		0.16		0.61		0.3		0.19		< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 0.27		< 0.14		< 0.14	
1610959	East Side East Ditch Area	Unit 3	8143092	B-2-b(0.0-0.5)	(0.0-0.5)	11/18/2015	0.26		0.13		0.75		1.5		1.3		2.1		1.1		0.84		< 0.12		< 0.61		< 0.61		0.29		< 0.12		< 0.25		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143093	B-2-b(2.0-2.5)	(0.0-2.5)	11/18/2015	< 0.065		0.088		0.18		0.84		1.2		2.2		1.6		0.77		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.25		< 0.13		0.15	
1610959	East Side East Ditch Area	Unit 3	8143096	B-3-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.058		< 0.058		0.069		0.27		0.31		0.48		0.29		0.2		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143097	B-3-b(2.5-3.0)	(0.5-3.0)	11/18/2015	< 0.063		< 0.063		0.16		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143098	B-3-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.058		< 0.058		< 0.058		0.2		0.18		0.39		0.21		0.15		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143099	B-3-d(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.057		< 0.057		< 0.057		0.5		0.57		1.3		0.73		0.58		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143102	F-8-e(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.076		0.11		0.16		0.4		0.52		0.95		0.54		0.4		< 0.15		< 0.74		< 0.74		< 0.15		< 0.15		< 0.30		< 0.15		< 0.15	
1610959	East Side East Ditch Area	Unit 3	8143103	F-8-e(1.5-2.0)	(0.5-2.0)	11/18/2015	< 0.063		< 0.063		0.11		0.18		0.24		0.35		0.34		0.17		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143104	F-8-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.10		0.11		0.2		0.47		0.65		1.2		0.68		0.39		< 0.20		< 1.0		< 1.0		< 0.20		< 0.20		< 0.40		< 0.20		< 0.20	
1610959	East Side East Ditch Area	Unit 3	8143106	C-4-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.085		0.14		0.2		0.66		0.71		1.2		0.68		0.47		< 0.17		< 0.83		< 0.83		< 0.17		< 0.17		< 0.33		< 0.17		< 0.17	
1610959	East Side East Ditch Area	Unit 3	8143107	C-4-d(2.0-2.5)	(0.0-2.5)	11/18/2015	< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		0.13		0.085		< 0.068		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.27		< 0.13		< 0.13	
1611359	East Side East Ditch Area	Unit 3	8145210	E-7-e(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.12		< 0.12		< 0.12		0.18		0.28		0.47		0.37		0.21		< 0.23		< 1.2		< 1.2		< 0.23		< 0.23		< 0.47		< 0.23		< 0.23	
1611359	East Side East Ditch Area	Unit 3	8145213	F-10-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.10		0.21		0.34		0.77		0.99		2.3		1.1		< 0.10		< 0.20		< 1.0		< 1.0		0.23		< 0.20		< 0.40		< 0.20		< 0.20	
1611359	East Side East Ditch Area	Unit 3	8145216	DUP-21		11/20/2015	< 0.089		0.7		1.7		3.9		3.8		6.1		2.9		2.5		< 0.17		< 0.87		< 0.87		0.31		< 0.17		< 0.35		< 0.17		< 0.17	
1611359	East Side East Ditch Area	Unit 3	8145217	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.099		< 0.099		< 0.099		0.21		0.29		0.49		0.31		0.16		< 0.19		< 0.97		< 0.97		< 0.19		< 0.19		< 0.39		< 0.19		< 0.19	
1611359	East Side East Ditch Area	Unit 3	8145220	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.096		< 0.096		< 0.096		0.14		0.16		0.31		0.15		0.11		< 0.19		< 0.94		< 0.94		< 0.19		< 0.19		< 0.37		< 0.19		< 0.19	
1611359	East Side East Ditch Area	Unit 3	8145221	D-6-b(0.0-0.5)	(0.0-0.5)	11/20/2015	0.27		0.96		2		2.4		1.5		4.6		1.7		1.5		< 0.21		< 1.1		< 1.1		0.48		< 0.21		< 0.42		< 0.21		< 0.21	
1611359	East Side East Ditch Area	Unit 3	8145227	E-8-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.094		< 0.094		0.14		0.27		0.23		0.41		0.24		0.21		< 0.18		< 0.92		< 0.92		< 0.18		< 0.18		< 0.37		< 0.18		< 0.18	
1611359	East Side East Ditch Area	Unit 3	8145230	D-7-a(0.0-0.5)	(0.0-0.5)	11/20/2015	0.11		0.97		1		1.8		2		4.5		1.8		1.6		< 0.14		< 0.70		< 0.70		0.47		< 0.14		< 0.28		< 0.14		< 0.14	
1611359	East Side East Ditch Area	Unit 3	8145231	D-7-a(0.5-1.0)	(0.5-1.0)	11/20/2015	0.14		1.2		1.4		2.5		2.9		6.7		3.3		2.4		< 0.16		< 0.79		< 0.79		0.57		< 0.16		< 0.31		< 0.16		< 0.16	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610520	East Side East Ditch Area	Unit 3	8140780	DUP-19		11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.37		0.082		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 2.0	
1610520	East Side East Ditch Area	Unit 3	8140781	D-7-d(2.5-3.0)	(0.5-3.0)	11/17/2015	< 0.12		< 0.13		< 0.13		< 0.13		2		0.28		0.41		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610520	East Side East Ditch Area	Unit 3	8140782	F-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.13		< 0.13		< 0.13		0.14		< 0.064		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610520	East Side East Ditch Area	Unit 3	8140783	E-7-d(1.5-2.0)	(0.5-2.0)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.5		0.27		1.1		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610520	East Side East Ditch Area	Unit 3	8140784	D-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		6.6		1.2		3.1		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1610520	East Side East Ditch Area	Unit 3	8140787	F-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.96		0.22		0.35		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610520	East Side East Ditch Area	Unit 3	8140788	F-7-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.4		0.45		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1610521	Former Fueling Facility	Unit 1	8140790	J-4-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 12		< 12		< 12		< 12		< 6.0		< 6.0		< 12		< 12		< 12		< 12		< 120		< 12		< 59		< 12		< 59		< 180	
1610521	Former Fueling Facility	Unit 1	8140791	J-4-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 8.9		< 8.9		< 8.9		< 8.9		< 4.6		< 4.6		< 8.9		< 8.9		< 8.9		< 8.9		< 89		< 8.9		< 45		< 8.9		< 45		< 130	
1610521	Former Fueling Facility	Unit 1	8140792	J-4-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.58		< 0.58		< 0.58		< 0.58		0.61		< 0.30		< 0.58		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.8	
1610521	Former Fueling Facility	Unit 1	8140793	J-4-a(1.5-2.0)	(0.5-2.0)	11/17/2015	< 11		< 11		< 11		< 11		< 5.5		< 5.5		< 11		< 11		< 11		< 11		< 110		< 11		< 54		< 11		< 54		< 160	
1610521	Former Fueling Facility	Unit 1	8140796	J-5-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.071		< 0.065		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610521	Former Fueling Facility	Unit 1	8140797	J-5-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 0.11		< 0.11		< 0.11		< 0.11		3.2		0.65		0.63		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1610521	Former Fueling Facility	Unit 1	8140798	J-5-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.08	J	< 0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12	UJ	< 0.61		< 1.8	UJ
1610521	Former Fueling Facility	Unit 1	8140801	J-5-e(1.5-2.0)	(0.5-2.0)	11/17/2015	< 8.2		< 8.3		< 8.3		< 8.3		< 4.2		< 4.2		< 8.3		< 8.3		< 8.3		< 8.3		< 83		< 8.3		< 41		< 8.3		< 41		< 120	
1610521	East Side East Ditch Area	Unit 3	8140806	E-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.13		< 0.13		< 0.13		4.5		0.83		1.5		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610521	East Side East Ditch Area	Unit 3	8140807	D-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.61		0.18		0.24		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1610521	East Side East Ditch Area	Unit 3	8140808	D-7-b(2.0-2.5)	(0.5-2.5)	11/17/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.34		0.072		0.2		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1610521	East Side East Ditch Area	Unit 3	8140809	F-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.15		< 0.15		< 0.15		< 0.15		0.92		0.26		0.27		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.74		< 0.15		< 0.74		< 2.2	
1610959	Former Fueling Facility	Unit 1	8143078	J-5-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.11		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1610959	Former Fueling Facility	Unit 1	8143079	J-5-b(3.5-4.0)	(0.5-4.0)	11/18/2015	< 0.12		< 0.13		< 0.13		< 0.13		45		7.5		66		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610959	Former Fueling Facility	Unit 1	8143080	J-5-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.12		< 0.13		< 0.13		< 0.13		0.11		< 0.064		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1610959	Former Fueling Facility	Unit 1	8143081	J-5-a(2.5-3.0)	(0.5-3.0)	11/18/2015	< 7.7		< 7.8		< 7.8		< 7.8		< 4.0		< 4.0		< 7.8		< 7.8		< 7.8		< 7.8		< 78		< 7.8		< 39		< 7.8		< 39		< 120	
1610959	Former Fueling Facility	Unit 1	8143082	J-5-c(1.0-1.5)-Sa	(0.0-1.5)	11/18/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.21		0.068		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1610959	East Side East Ditch Area	Unit 3	8143085	B-2-c(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.15		< 0.15		< 0.15		< 0.15		4.9	J	0.61	J	1.7	J	< 0.15		< 0.15		< 0.15		< 1.5	R	< 0.15		< 0.77		< 0.15		< 0.77		< 2.3	UJ
1610959	East Side East Ditch Area	Unit 3	8143088	B-2-c(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.14		< 0.14		< 0.14		< 0.14		2.1		0.33		1.4		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.70		< 0.14		< 0.70		< 2.1	
1610959	East Side East Ditch Area	Unit 3	8143089	DUP-20		11/18/2015	< 0.14		< 0.14		< 0.14		< 0.14		1.5	J	0.21	J	0.85	J	< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.0	
1610959	East Side East Ditch Area	Unit 3	8143090	B-2-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.1		0.2		0.55		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1610959	East Side East Ditch Area	Unit 3	8143091	B-2-a(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.13		< 0.14		< 0.14		< 0.14		0.63		0.12		0.35		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.0	
1610959	East Side East Ditch Area	Unit 3	8143092	B-2-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.7		0.35		0.38		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1610959	East Side East Ditch Area	Unit 3	8143093	B-2-b(2.0-2.5)	(0.0-2.5)	11/18/2015	< 0.13		< 0.13		< 0.13		< 0.13		1.3		0.42		0.22		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1610959	East Side East Ditch Area	Unit 3	8143096	B-3-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.33		0.089		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610959	East Side East Ditch Area	Unit 3	8143097	B-3-b(2.5-3.0)	(0.5-3.0)	11/18/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.09		< 0.063		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1610959	East Side East Ditch Area	Unit 3	8143098	B-3-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.3		0.08		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1610959	East Side East Ditch Area	Unit 3	8143099	B-3-d(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.8		0.22		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1610959	East Side East Ditch Area	Unit 3	8143102	F-8-e(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.15		< 0.15		< 0.15		< 0.15		0.63		0.15		< 0.15		< 0.15		< 0.15		< 0.15		< 1.5		< 0.15		< 0.74		< 0.15		< 0.74		< 2.2	
1610959	East Side East Ditch Area	Unit 3	8143103	F-8-e(1.5-2.0)	(0.5-2.0)	11/18/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.29		0.097		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1610959	East Side East Ditch Area	Unit 3	8143104	F-8-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.20		< 0.20		< 0.20		< 0.20		0.83		0.21		< 0.20		< 0.20		< 0.20		< 0.20		< 2.0		< 0.20		< 1.0		< 0.20		< 1.0		< 3.0	
1610959	East Side East Ditch Area	Unit 3	8143106	C-4-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.16		< 0.17		< 0.17		< 0.17		0.85		0.24		< 0.17		< 0.17		< 0.17		< 0.17		< 1.7		< 0.17		< 0.83		< 0.17		< 0.83		< 2.5	
1610959	East Side East Ditch Area	Unit 3	8143107	C-4-d(2.0-2.5)	(0.0-2.5)	11/18/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.097		< 0.068		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1611359	East Side East Ditch Area	Unit 3	8145210	E-7-e(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.23		< 0.23		< 0.23		< 0.23		0.45		< 0.12		< 0.23		< 0.23		< 0.23		< 0.23		< 2.3		< 0.23		< 1.2		< 0.23		< 1.2		< 3.5	
1611359	East Side East Ditch Area	Unit 3	8145213	F-10-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.20		< 0.20		< 0.20		< 0.20		1.4		0.27		< 0.20		< 0.20		< 0.20		< 0.20		< 2.0		< 0.20		< 1.0		< 0.20		< 1.0		< 3.0	UJ
1611359	East Side East Ditch Area	Unit 3	8145216	DUP-21		11/20/2015	< 0.17		< 0.17		< 0.17		< 0.17		5.6		0.89		< 0.17		< 0.17		< 0.17		< 0.17		< 1.7		< 0.17		< 0.87		< 0.17		< 0.87		< 2.6	
1611359	East Side East Ditch Area	Unit 3	8145217	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.19		< 0.19		< 0.19		< 0.19		0.41		< 0.099		< 0.19		< 0.19		< 0.19		< 0.19		< 1.9		< 0.19		< 0.97		< 0.19		< 0.97		< 2.9	
1611359	East Side East Ditch Area	Unit 3	8145220	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.19		< 0.19		< 0.19		< 0.19		0.22		< 0.096		< 0.19		< 0.19		< 0.19		< 0.19		< 1.9		< 0.19		< 0.94		< 0.19		< 0.94		< 2.8	
1611359	East Side East Ditch Area	Unit 3	8145221	D-6-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.21		< 0.21		< 0.21		< 0.21		3.9		0.58		2.5		< 0.21		< 0.21		< 0.21		< 2.1		< 0.21		< 1.1		< 0.21		< 1.1		< 3.2	
1611359	East Side East Ditch Area	Unit 3	8145227	E-8-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.18		< 0.18		< 0.18		< 0.18		0.35		< 0.094		< 0.18		< 0.18		< 0.18		< 0.18		< 1.8		< 0.18		< 0.92		< 0.18		< 0.92		< 2.8	
1611359	East Side East Ditch Area	Unit 3	8145230	D-7-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.14		< 0.14		< 0.14		< 0.14		3.1		0.59		1.1		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.70		< 0.14		< 0.70		< 2.1	
1611359	East Side East Ditch Area	Unit 3	8145231	D-7-a(0.5-1.0)	(0.5-1.0)	11/20/2015	< 0.16		< 0.16		< 0.16		< 0.16		3.7		1.2		1.2		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.79		< 0.16		< 0.79		< 2.4	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
						CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610520	East Side East Ditch Area	Unit 3	8140780	DUP-19		11/17/2015	< 3.9		< 0.65		< 0.13		< 0.67		0.63		0.15		< 0.067		< 0.13		< 2.0		< 0.65		0.29		< 0.13		0.11		< 0.13		< 0.13		0.097	
1610520	East Side East Ditch Area	Unit 3	8140781	D-7-d(2.5-3.0)	(0.5-3.0)	11/17/2015	< 3.8		< 0.63		< 0.13		< 0.64		4.1		0.73		< 0.064		< 0.13		< 1.9		< 0.63		1		< 0.13		0.9		< 0.13		< 0.13		0.77	
1610520	East Side East Ditch Area	Unit 3	8140782	F-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.8		< 0.63		< 0.13		< 0.64		0.15		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		0.085		< 0.13		0.17		< 0.13		< 0.13		0.12	
1610520	East Side East Ditch Area	Unit 3	8140783	E-7-d(1.5-2.0)	(0.5-2.0)	11/17/2015	< 3.5		< 0.59		< 0.12		< 0.60		2.2		0.35		< 0.060		< 0.12		< 1.8		< 0.59		0.8		< 0.12		2.2		< 0.12		< 0.12		2	
1610520	East Side East Ditch Area	Unit 3	8140784	D-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 4.0		< 0.66		< 0.13		< 0.68		8.1		0.86		< 0.068		< 0.13		< 2.0		< 0.66		**3.5**		< 0.13		3.7		< 0.13		< 0.13		**4.5**	
1610520	East Side East Ditch Area	Unit 3	8140787	F-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.8		< 0.64		< 0.13		< 0.65		0.7		< 0.065		< 0.065		< 0.13		< 1.9		< 0.64		0.54		< 0.13		1.2		< 0.13		< 0.13		0.63	
1610520	East Side East Ditch Area	Unit 3	8140788	F-7-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 3.5		< 0.58		< 0.12		< 0.59		1		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		**1.5**		< 0.12		0.12		< 0.12		< 0.12		0.093	
1610521	Former Fueling Facility	Unit 1	8140790	J-4-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 350		< 59		< 12		< 60		< 6.0		< 6.0		< 6.0		< 12		< 180		< 59		< 6.0		< 12		< 6.0		< 12		< 12		< 6.0	
1610521	Former Fueling Facility	Unit 1	8140791	J-4-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 270		< 45		< 8.9		< 46		5.1		< 4.6		< 4.6		< 8.9		< 130		< 45		< 4.6		< 8.9		< 4.6		< 8.9		< 8.9		< 4.6	
1610521	Former Fueling Facility	Unit 1	8140792	J-4-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 18		< 2.9		< 0.58		< 3.0		0.74		< 0.30		< 0.30		< 0.58		< 8.8		< 2.9		0.49		< 0.58		0.33		< 0.58		< 0.58		< 0.30	
1610521	Former Fueling Facility	Unit 1	8140793	J-4-a(1.5-2.0)	(0.5-2.0)	11/17/2015	< 320		< 54		< 11		< 55		< 5.5		< 5.5		< 5.5		< 11		< 160		< 54		< 5.5		< 11		< 5.5		< 11		< 11		< 5.5	
1610521	Former Fueling Facility	Unit 1	8140796	J-5-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.8		< 0.64		< 0.13		< 0.65		0.09		< 0.065		< 0.065		< 0.13		< 1.9		< 0.64		< 0.065		< 0.13		< 0.065		< 0.13		< 0.13		< 0.065	
1610521	Former Fueling Facility	Unit 1	8140797	J-5-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 3.4		< 0.56		< 0.11		< 0.58		4.9		0.39		< 0.058		< 0.11		< 1.7		< 0.56		**1.8**		< 0.11		1.4		< 0.11		< 0.11		1.1	
1610521	Former Fueling Facility	Unit 1	8140798	J-5-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.7	UJ	< 0.61		< 0.12		< 0.62		0.12	J	< 0.062		< 0.062		< 0.12		< 1.8	UJ	< 0.61		0.068	J	< 0.12		< 0.062		< 0.12		< 0.12		< 0.062	
1610521	Former Fueling Facility	Unit 1	8140801	J-5-e(1.5-2.0)	(0.5-2.0)	11/17/2015	< 250		< 41		< 8.3		< 42		4.3		< 4.2		< 4.2		< 8.3		< 120		< 41		< 4.2		< 8.3		< 4.2		< 8.3		< 8.3		< 4.2	
1610521	East Side East Ditch Area	Unit 3	8140806	E-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.8		< 0.64		< 0.13		< 0.65		4.2		0.14		< 0.065		< 0.13		< 1.9		< 0.64		**2**		< 0.13		3		< 0.13		< 0.13		2.4	
1610521	East Side East Ditch Area	Unit 3	8140807	D-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 3.7		< 0.61		< 0.12		< 0.63		0.6		< 0.063		< 0.063		< 0.12		< 1.8		< 0.61		0.4		< 0.12		0.51		< 0.12		< 0.12		0.42	
1610521	East Side East Ditch Area	Unit 3	8140808	D-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.46		0.25		< 0.061		< 0.12		< 1.8		< 0.60		0.17		< 0.12		0.36		< 0.12		< 0.12		0.29	
1610521	East Side East Ditch Area	Unit 3	8140809	F-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 4.4		< 0.74		< 0.15		< 0.75		0.94		< 0.075		< 0.075		< 0.15		< 2.2		< 0.74		0.4		< 0.15		0.6		< 0.15		< 0.15		0.54	
1610959	Former Fueling Facility	Unit 1	8143078	J-5-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.093		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		0.11		< 0.12		< 0.060		< 0.12		< 0.12		< 0.060	
1610959	Former Fueling Facility	Unit 1	8143079	J-5-b(3.5-4.0)	(0.5-4.0)	11/18/2015	< 3.8		< 0.63		< 0.13		< 0.64		98		67		< 0.064		< 0.13		< 1.9		< 0.63		**20**		< 0.13		110		< 0.13		0.14		**110**	
1610959	Former Fueling Facility	Unit 1	8143080	J-5-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 3.8		< 0.63		< 0.13		< 0.64		0.15		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		< 0.064		< 0.13		< 0.064		< 0.13		< 0.13		< 0.064	
1610959	Former Fueling Facility	Unit 1	8143081	J-5-a(2.5-3.0)	(0.5-3.0)	11/18/2015	< 230		< 39		< 7.8		< 40		< 4.0		< 4.0		< 4.0		< 7.8		< 120		< 39		< 4.0		< 7.8		< 4.0		< 7.8		< 7.8		< 4.0	
1610959	Former Fueling Facility	Unit 1	8143082	J-5-c(1.0-1.5)-S	(0.0-1.5)	11/18/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.21		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		0.16		< 0.12		< 0.061		< 0.12		< 0.12		< 0.061	
1610959	East Side East Ditch Area	Unit 3	8143085	B-2-c(0.0-0.5)	(0.0-0.5)	11/18/2015	< 4.6	UJ	< 0.77		< 0.15		< 0.78		3.5	J	0.23	J	< 0.078		< 0.15		< 2.3	UJ	< 0.77		**1.5**	J	< 0.15		4.2	J	< 0.15		< 0.15		3.4	J
1610959	East Side East Ditch Area	Unit 3	8143088	B-2-c(1.0-1.5)	(0.0-1.5)	11/18/2015	< 4.2		< 0.70		< 0.14		< 0.72		1.9		0.19		< 0.072		< 0.14		< 2.1		< 0.70		0.77		< 0.14		4		< 0.14		< 0.14		3.1	
1610959	East Side East Ditch Area	Unit 3	8143089	DUP-20		11/18/2015	< 4.1		< 0.68		< 0.14		< 0.70		1.3	J	0.098	J	< 0.070		< 0.14		< 2.0		< 0.68		0.53	J	< 0.14		1.9	J	< 0.14		< 0.14		1.6	J
1610959	East Side East Ditch Area	Unit 3	8143090	B-2-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 3.2		< 0.54		< 0.11		< 0.55		1		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.53		< 0.11		1.4		< 0.11		< 0.11		1	
1610959	East Side East Ditch Area	Unit 3	8143091	B-2-a(1.0-1.5)	(0.0-1.5)	11/18/2015	< 4.1		< 0.68		< 0.14		< 0.69		0.52		< 0.069		< 0.069		< 0.14		< 2.0		< 0.68		0.24		< 0.14		0.94		< 0.14		< 0.14		0.69	
1610959	East Side East Ditch Area	Unit 3	8143092	B-2-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 3.7		< 0.61		< 0.12		< 0.63		3.5		0.23		< 0.063		< 0.12		< 1.8		< 0.61		1.1		< 0.12		0.54		< 0.12		< 0.12		0.73	
1610959	East Side East Ditch Area	Unit 3	8143093	B-2-b(2.0-2.5)	(0.0-2.5)	11/18/2015	< 3.8		< 0.64		< 0.13		< 0.65		0.85		< 0.065		< 0.065		< 0.13		< 1.9		< 0.64		**1.3**		< 0.13		0.69		< 0.13		< 0.13		0.44	
1610959	East Side East Ditch Area	Unit 3	8143096	B-3-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.52		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.28		< 0.11		0.077		< 0.11		< 0.11		0.085	
1610959	East Side East Ditch Area	Unit 3	8143097	B-3-b(2.5-3.0)	(0.5-3.0)	11/18/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.2		0.18		< 0.063		< 0.12		< 1.9		< 0.62		< 0.063		< 0.12		0.42		< 0.12		< 0.12		0.18	
1610959	East Side East Ditch Area	Unit 3	8143098	B-3-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.32		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.14		< 0.11		0.27		< 0.11		< 0.11		0.13	
1610959	East Side East Ditch Area	Unit 3	8143099	B-3-d(1.0-1.5)	(0.0-1.5)	11/18/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.57		< 0.057		0.084		< 0.11		< 1.7		< 0.56		0.6		< 0.11		0.3		< 0.11		< 0.11		0.16	
1610959	East Side East Ditch Area	Unit 3	8143102	F-8-e(0.0-0.5)	(0.0-0.5)	11/18/2015	< 4.4		< 0.74		< 0.15		< 0.76		0.75		< 0.076		< 0.076		< 0.15		< 2.2		< 0.74		0.46		< 0.15		0.1		< 0.15		< 0.15		0.077	
1610959	East Side East Ditch Area	Unit 3	8143103	F-8-e(1.5-2.0)	(0.5-2.0)	11/18/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.39		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		0.27		< 0.12		0.16		< 0.12		< 0.12		0.22	
1610959	East Side East Ditch Area	Unit 3	8143104	F-8-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 6.0		< 1.0		< 0.20		< 1.0		0.96		< 0.10		< 0.10		< 0.20		< 3.0		< 1.0		0.58		< 0.20		0.36		< 0.20		< 0.20		0.26	
1610959	East Side East Ditch Area	Unit 3	8143106	C-4-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 5.0		< 0.83		< 0.17		< 0.85		1.3		< 0.085		**0.43**		< 0.17		< 2.5		< 0.83		0.62		< 0.17		0.36		< 0.17		< 0.17		0.3	
1610959	East Side East Ditch Area	Unit 3	8143107	C-4-d(2.0-2.5)	(0.0-2.5)	11/18/2015	< 4.0		< 0.66		< 0.13		< 0.68		0.16		< 0.068		**150**		< 0.13		< 2.0		< 0.66		< 0.068		< 0.13		0.13		< 0.13		< 0.13		0.12	
1611359	East Side East Ditch Area	Unit 3	8145210	E-7-e(0.0-0.5)	(0.0-0.5)	11/20/2015	< 7.0		< 1.2		< 0.23		< 1.2		0.48		< 0.12		< 0.12		< 0.23		< 3.5		< 1.2		0.28		< 0.23		0.23		< 0.23		< 0.23		0.19	
1611359	East Side East Ditch Area	Unit 3	8145213	F-10-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 6.0		< 1.0		< 0.20		< 1.0		1.6		< 0.10		< 0.10		< 0.20	UJ	< 3.0		< 1.0	UJ	0.99		< 0.20		0.41		< 0.20		< 0.20		0.32	
1611359	East Side East Ditch Area	Unit 3	8145216	DUP-21		11/20/2015	< 5.2		< 0.87		< 0.17		< 0.89		7.3		< 0.089		< 0.089		< 0.17		< 2.6		< 0.87		**2.7**		< 0.17		0.26		< 0.17		< 0.17		0.23	
1611359	East Side East Ditch Area	Unit 3	8145217	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 5.8		< 0.97		< 0.19		< 0.99		0.52		< 0.099		< 0.099		< 0.19		< 2.9		< 0.97		0.2		< 0.19		0.28		< 0.19		< 0.19		0.21	
1611359	East Side East Ditch Area	Unit 3	8145220	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 5.6		< 0.94		< 0.19		< 0.96		0.24		< 0.096		< 0.096		< 0.19		< 2.8		< 0.94		0.13		< 0.19		0.17		< 0.19		< 0.19		0.13	
1611359	East Side East Ditch Area	Unit 3	8145221	D-6-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 6.3		< 1.1		< 0.21		< 1.1		5		0.17		< 0.11		< 0.21		< 3.2		< 1.1		**1.8**		< 0.21		4.2		< 0.21		< 0.21		**4.3**	
1611359	East Side East Ditch Area	Unit 3	8145227	E-8-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 5.5		< 0.92		< 0.18		< 0.94		0.42		< 0.094		< 0.094		< 0.18		< 2.8		< 0.92		0.22		< 0.18		0.33		< 0.18		< 0.18		0.31	
1611359	East Side East Ditch Area	Unit 3	8145230	D-7-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 4.2		< 0.70		< 0.14		< 0.71		3		0.1		< 0.071		< 0.14		< 2.1		< 0.70		**1.9**		< 0.14		2.7		< 0.14		< 0.14		2.1	
1611359	East Side East Ditch Area	Unit 3	8145231	D-7-a(0.5-1.0)	(0.5-1.0)	11/20/2015	< 4.7		< 0.79		< 0.16		< 0.80		3.8		0.2		< 0.080		< 0.16		< 2.4		< 0.79		**3.2**		< 0.16		3		< 0.16		< 0.16		2.5	

						Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
						CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
						DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1610520	East Side East Ditch Area	Unit 3	8140780	DUP-19		11/17/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.65		< 0.67		0.68		< 0.13		0.55		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140781	D-7-d(2.5-3.0)	(0.5-3.0)	11/17/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		1.9		< 0.13		5		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140782	F-7-c(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.19		< 0.13		0.12		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140783	E-7-d(1.5-2.0)	(0.5-2.0)	11/17/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		2.6		< 0.12		1.8		< 0.12		< 0.12		< 0.12	
1610520	East Side East Ditch Area	Unit 3	8140784	D-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.68		7.2		< 0.13		6.9		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140787	F-7-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		0.74		< 0.13		0.82		< 0.13		< 0.13		< 0.13	
1610520	East Side East Ditch Area	Unit 3	8140788	F-7-a(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.27		< 0.12		1		< 0.12		< 0.12		< 0.12	
1610521	Former Fueling Facility	Unit 1	8140790	J-4-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 12		< 59		< 59		< 12		< 12		< 180		< 12		< 12		< 59		< 60		< 6.0		< 12		< 6.0		< 12		< 12		< 12	
1610521	Former Fueling Facility	Unit 1	8140791	J-4-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 8.9		< 45		< 45		< 8.9		< 8.9		< 130		< 8.9		< 8.9		< 45		< 46		< 4.6		< 8.9		< 4.6		< 8.9		< 8.9		< 8.9	
1610521	Former Fueling Facility	Unit 1	8140792	J-4-a(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.8		< 0.58		< 0.58		< 2.9		< 3.0		0.45		< 0.58		0.67		< 0.58		< 0.58		< 0.58	
1610521	Former Fueling Facility	Unit 1	8140793	J-4-a(1.5-2.0)	(0.5-2.0)	11/17/2015	< 11		< 54		< 54		< 11		< 11		< 160		< 11		< 11		< 54		< 55		< 5.5		< 11		< 5.5		< 11		< 11		< 11	
1610521	Former Fueling Facility	Unit 1	8140796	J-5-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		< 0.065		< 0.13		0.086		< 0.13		< 0.13		< 0.13	
1610521	Former Fueling Facility	Unit 1	8140797	J-5-d(1.0-1.5)	(0.0-1.5)	11/17/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		3.7		< 0.11		3.9		0.12		< 0.11		< 0.11	
1610521	Former Fueling Facility	Unit 1	8140798	J-5-e(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.61	UJ	< 0.61	UJ	< 0.12		< 0.12		< 1.8	UJ	< 0.12		< 0.12		< 0.61		< 0.62	UJ	< 0.062		< 0.12		0.14	J	< 0.12		< 0.12		< 0.12	
1610521	Former Fueling Facility	Unit 1	8140801	J-5-e(1.5-2.0)	(0.5-2.0)	11/17/2015	< 8.3		< 41		< 41		< 8.3		< 8.3		< 120		< 8.3		< 8.3		< 41		< 42		< 4.2		< 8.3		< 4.2		< 8.3		< 8.3		< 8.3	
1610521	East Side East Ditch Area	Unit 3	8140806	E-7-d(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		4		< 0.13		3.2		< 0.13		< 0.13		< 0.13	
1610521	East Side East Ditch Area	Unit 3	8140807	D-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		0.73		< 0.12		0.48		< 0.12		< 0.12		< 0.12	
1610521	East Side East Ditch Area	Unit 3	8140808	D-7-b(2.0-2.5)	(0.0-2.5)	11/17/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.39		< 0.12		0.44		< 0.12		< 0.12		< 0.12	
1610521	East Side East Ditch Area	Unit 3	8140809	F-7-b(0.0-0.5)	(0.0-0.5)	11/17/2015	< 0.15		< 0.74		< 0.74		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.74		< 0.75		0.77		< 0.15		0.74		< 0.15		< 0.15		< 0.15	
1610959	Former Fueling Facility	Unit 1	8143078	J-5-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		< 0.060		< 0.12		0.1		< 0.12		< 0.12		< 0.12	
1610959	Former Fueling Facility	Unit 1	8143079	J-5-b(3.5-4.0)	(0.5-4.0)	11/18/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		190		< 0.13		81		< 0.13		< 0.13		< 0.13	
1610959	Former Fueling Facility	Unit 1	8143080	J-5-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.17		< 0.13		0.19		< 0.13		< 0.13		< 0.13	
1610959	Former Fueling Facility	Unit 1	8143081	J-5-a(2.5-3.0)	(0.5-3.0)	11/18/2015	< 7.8		< 39		< 39		< 7.8		< 7.8		< 120		< 7.8		< 7.8		< 39		< 40		< 4.0		< 7.8		< 4.0		< 7.8		< 7.8		< 7.8	
1610959	Former Fueling Facility	Unit 1	8143082	J-5-c(1.0-1.5)-S	(0.0-1.5)	11/18/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.084		< 0.12		0.23		< 0.12		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143085	B-2-c(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.15		< 0.77	UJ	< 0.77	UJ	< 0.15		< 0.15		< 2.3		< 0.15		< 0.15		< 0.77		< 0.78		4.5	J	< 0.15		3.5	J	< 0.15		< 0.15		< 0.15	
1610959	East Side East Ditch Area	Unit 3	8143088	B-2-c(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.14		< 0.70		< 0.70		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.70		< 0.72		3.5		< 0.14		1.9		< 0.14		< 0.14		< 0.14	
1610959	East Side East Ditch Area	Unit 3	8143089	DUP-20		11/18/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.0		< 0.14		< 0.14		< 0.68		< 0.70		2.2	J	< 0.14		1.1	J	< 0.14		< 0.14		< 0.14	
1610959	East Side East Ditch Area	Unit 3	8143090	B-2-a(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		1.6		< 0.11		0.78		< 0.11		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143091	B-2-a(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.0		< 0.14		< 0.14		< 0.68		< 0.69		1.1		< 0.14		0.41		< 0.14		< 0.14		< 0.14	
1610959	East Side East Ditch Area	Unit 3	8143092	B-2-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		3.4		< 0.12		2.8		< 0.12		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143093	B-2-b(2.0-2.5)	(0.0-2.5)	11/18/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.65		0.53		< 0.13		1		< 0.13		< 0.13		< 0.13	
1610959	East Side East Ditch Area	Unit 3	8143096	B-3-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.22		< 0.11		0.52		< 0.11		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143097	B-3-b(2.5-3.0)	(0.5-3.0)	11/18/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.33		< 0.12		0.24		< 0.12		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143098	B-3-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.23		< 0.11		0.31		< 0.11		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143099	B-3-d(1.0-1.5)	(0.0-1.5)	11/18/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.26		< 0.11		0.59		< 0.11		< 0.11		< 0.11	
1610959	East Side East Ditch Area	Unit 3	8143102	F-8-e(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.15		< 0.74		< 0.74		< 0.15		< 0.15		< 2.2		< 0.15		< 0.15		< 0.74		< 0.76		0.27		< 0.15		0.74		< 0.15		< 0.15		< 0.15	
1610959	East Side East Ditch Area	Unit 3	8143103	F-8-e(1.5-2.0)	(0.5-2.0)	11/18/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.38		< 0.12		0.34		< 0.12		< 0.12		< 0.12	
1610959	East Side East Ditch Area	Unit 3	8143104	F-8-b(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.20		< 1.0		< 1.0		< 0.20		< 0.20		< 3.0		< 0.20		< 0.20		< 1.0		< 1.0		0.58		< 0.20		0.87		< 0.20		< 0.20		< 0.20	
1610959	East Side East Ditch Area	Unit 3	8143106	C-4-d(0.0-0.5)	(0.0-0.5)	11/18/2015	< 0.17		< 0.83		< 0.83		< 0.17		< 0.17		< 2.5		< 0.17		< 0.17		< 0.83		< 0.85		0.75		< 0.17		1.2		< 0.17		< 0.17		< 0.17	
1610959	East Side East Ditch Area	Unit 3	8143107	C-4-d(2.0-2.5)	(0.0-2.5)	11/18/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.68		0.13		< 0.13		0.12		< 0.13		< 0.13		< 0.13	
1611359	East Side East Ditch Area	Unit 3	8145210	E-7-e(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.23		< 1.2		< 1.2		< 0.23		< 0.23		< 3.5		< 0.23		< 0.23		< 1.2		< 1.2		0.33		< 0.23		0.45		< 0.23		< 0.23		< 0.23	
1611359	East Side East Ditch Area	Unit 3	8145213	F-10-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.20		< 1.0		< 1.0		< 0.20		< 0.20		< 3.0		< 0.20		< 0.20		< 1.0		< 1.0		0.9		< 0.20		1.5		< 0.20		< 0.20		< 0.20	
1611359	East Side East Ditch Area	Unit 3	8145216	DUP-21		11/20/2015	< 0.17		< 0.87		< 0.87		< 0.17		< 0.17		< 2.6		< 0.17		< 0.17		< 0.87		< 0.89		1.4		< 0.17		6.3		< 0.17		< 0.17		< 0.17	
1611359	East Side East Ditch Area	Unit 3	8145217	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.19		< 0.97		< 0.97		< 0.19		< 0.19		< 2.9		< 0.19		< 0.19		< 0.97		< 0.99		0.38		< 0.19		0.46		< 0.19		< 0.19		< 0.19	
1611359	East Side East Ditch Area	Unit 3	8145220	E-6-c(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.19		< 0.94		< 0.94		< 0.19		< 0.19		< 2.8		< 0.19		< 0.19		< 0.94		< 0.96		0.22		< 0.19		0.23		< 0.19		< 0.19		< 0.19	
1611359	East Side East Ditch Area	Unit 3	8145221	D-6-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.21		< 1.1		< 1.1		< 0.21		< 0.21		< 3.2		< 0.21		< 0.21		< 1.1		< 1.1		6.7		< 0.21		3		< 0.21		< 0.21		< 0.21	
1611359	East Side East Ditch Area	Unit 3	8145227	E-8-b(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.18		< 0.92		< 0.92		< 0.18		< 0.18		< 2.8		< 0.18		< 0.18		< 0.92		< 0.94		0.49		< 0.18		0.34		< 0.18		< 0.18		< 0.18	
1611359	East Side East Ditch Area	Unit 3	8145230	D-7-a(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.14		< 0.70		< 0.70		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.70		< 0.71		3		< 0.14		2.5		< 0.14		< 0.14		< 0.14	
1611359	East Side East Ditch Area	Unit 3	8145231	D-7-a(0.5-1.0)	(0.5-1.0)	11/20/2015	< 0.16		< 0.79		< 0.79		< 0.16		< 0.16		< 2.4		< 0.16		< 0.16		< 0.79		< 0.80		3.4		< 0.16		3.3		< 0.16		< 0.16		< 0.16	

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1611359	East Side East Ditch Area	Unit 3	8145234	C-5-d(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.063		0.081		0.096		0.24		0.38		0.7		0.41		0.23		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1611359	East Side East Ditch Area	Unit 3	8145235	C-5-d(0.5-1.0)	(0.5-1.0)	11/20/2015	< 0.061		< 0.061		< 0.061		0.16		0.17		0.26		0.19		0.11		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1611628	East Side East Ditch Area	Unit 3	8146854	E-5-a (0.0-0.5)	(0.0-0.5)	11/23/2015	< 0.052		0.16		0.24		0.37		0.35		0.66		0.39		0.29		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1611628	East Side East Ditch Area	Unit 3	8146855	E-5-a (1.5-2.0)	(0.5-2.0)	11/23/2015	< 0.053		0.13		0.2		0.43		0.42		0.94		0.42		0.35		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1611628	East Side East Ditch Area	Unit 3	8146858	F-6-a (0.0-0.5)	(0.0-0.5)	11/23/2015	67		35		25		< 5.2		< 5.2		5.9		< 5.2		< 5.2		< 10		< 51		< 51		< 10		< 10		< 21		< 10		< 10	
1613394	Former Fueling Facility	Unit 1	8155682	G-8-c(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.059		0.11		0.14		0.2		0.26		0.59		0.37		0.17		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1613394	Former Fueling Facility	Unit 1	8155683	G-8-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.058		0.081		0.13		0.3		0.26		0.72		0.34		0.19		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155684	G-8-a(2.0-2.5)	(0.0-2.5)	11/30/2015	< 0.29		< 0.29		0.42		0.8		0.65		1.3		0.86		0.5		< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 1.1		< 0.56		< 0.56	
1613394	Former Fueling Facility	Unit 1	8155685	G-8-b(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.059		0.07		0.11		0.36		0.21		0.52		0.34		0.22		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1613394	Former Fueling Facility	Unit 1	8155686	G-8-b(4.0-4.5)	(0.0-4.5)	11/30/2015	< 0.057		0.12		0.11		0.34		0.22		0.5		0.26		0.18		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155691	G-7-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.060		0.2		0.24		0.48		0.43		0.95		0.48		0.29		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1613394	Former Fueling Facility	Unit 1	8155692	G-7-a(3.5-4.0)	(0.5-4.0)	11/30/2015	< 0.74		< 0.74		6.2	J+	1.6	J+	< 0.74		< 0.74		< 0.74		< 0.74		< 1.5		< 7.3		< 7.3		< 1.5		< 1.5		< 2.9		< 1.5		< 1.5	
1613394	Former Fueling Facility	Unit 1	8155693	G-7-b(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.30		< 0.30		< 0.30		0.32		< 0.30	UJ	0.52		0.66	J	< 0.30		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1613394	Former Fueling Facility	Unit 1	8155696	G-7-c(0.0-0.5)	(0.0-0.5)	11/30/2015	< 6.0		< 6.0		< 6.0		< 6.0		< 6.0		< 6.0		< 6.0		< 6.0		< 12		< 59		< 59		< 12		< 12		< 23		< 12		< 12	
1613394	Former Fueling Facility	Unit 1	8155697	G-7-c(3.0-3.5)	(0.0-3.5)	11/30/2015	< 0.079		< 0.079		0.15		0.2		0.14		0.49		0.35		0.16		< 0.16		< 0.78		< 0.78		< 0.16		< 0.16		< 0.31		< 0.16		< 0.16	
1613394	Former Fueling Facility	Unit 1	8155698	DUP-22		11/30/2015	< 0.28		< 0.28		< 0.28		0.3		< 0.28		0.5		0.34	J	< 0.28		< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 1.1		< 0.56		< 0.56	
1613394	Former Fueling Facility	Unit 1	8155699	G-7-b(2.0-2.5)	(0.0-2.5)	11/30/2015	< 0.056		< 0.056		0.07		0.22		0.15		0.37		0.22		0.11		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155700	G-7-d(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.54		< 0.54		< 0.54		< 0.54		0.65		< 0.54		< 0.54		< 0.54		< 1.1		< 5.3		< 5.3		< 1.1		< 1.1		< 2.1		< 1.1		< 1.1	
1613394	Former Fueling Facility	Unit 1	8155701	G-7-d(2.5-3.0)	(0.5-3.0)	11/30/2015	< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 6.2		< 12		< 61		< 61		< 12		< 12		< 24		< 12		< 12	
1613394	Former Fueling Facility	Unit 1	8155702	G-8-c(1.0-1.5)	(0.0-1.5)	11/30/2015	< 0.058		< 0.058		0.21		0.33		0.21		0.47		0.42		0.16		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155703	G-9-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.33		< 0.33		< 0.33		< 0.33		< 0.33		0.51		< 0.33		< 0.33		< 0.64		< 3.2		< 3.2		< 0.64		< 0.64		< 1.3		< 0.64		< 0.64	
1613394	Former Fueling Facility	Unit 1	8155704	G-9-a(2.5-3.0)	(0.5-3.0)	11/30/2015	< 0.28		< 0.28		< 0.28		1		1.2		2.6		1.9		0.96		< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 1.1		< 0.54		< 0.54	
1613394	Former Fueling Facility	Unit 1	8155706	G-10-d(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.52		< 0.52		< 0.52		0.71		0.79		1.4		0.93		0.55		< 1.0		< 5.1		< 5.1		< 1.0		< 1.0		< 2.0		< 1.0		< 1.0	
1613729	Former Fueling Facility	Unit 1	8157191	G-9-b(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.17		< 0.17		< 0.17		0.31		0.45		0.86		0.52		0.35		< 0.33		< 1.7		< 1.7		< 0.33		< 0.33		< 0.67		< 0.33		< 0.33	
1613729	Former Fueling Facility	Unit 1	8157192	G-9-c(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.074		< 0.074		0.092	J	0.29	J	0.27	J	0.58	J	0.31		0.16	J	< 0.14		< 0.72		< 0.72		< 0.14		< 0.14		< 0.29		< 0.14		< 0.14	
1613729	Former Fueling Facility	Unit 1	8157195	DUP-23		12/1/2015	< 0.086		0.13		0.16	J	0.49	J	0.43	J	0.98	J	0.44		0.28	J	< 0.17		< 0.84		< 0.84		< 0.17		< 0.17		< 0.34		< 0.17		< 0.17	
1613729	Former Fueling Facility	Unit 1	8157196	G-9-c(2.0-2.5)	(0.0-2.5)	12/1/2015	< 0.30		< 0.30		0.3		0.54		0.31		0.68		0.5		0.33		< 0.59		< 2.9		< 2.9		< 0.59		< 0.59		< 1.2		< 0.59		< 0.59	
1613729	Former Fueling Facility	Unit 1	8157197	G-9-d(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.19		< 0.19		< 0.19		0.39		0.63		1.1		0.77		0.35		< 0.38		< 1.9		< 1.9		< 0.38		< 0.38		< 0.76		< 0.38		< 0.38	
1613729	Former Fueling Facility	Unit 1	8157198	G-10-a(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.069		< 0.069		0.11		0.3		0.3		0.56		0.29		0.19		< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 0.27		< 0.14		< 0.14	
1613729	Former Fueling Facility	Unit 1	8157199	G-10-a(3.5-4.0)	(0.5-4.0)	12/1/2015	< 0.060		< 0.060		< 0.060		0.12		0.12		0.15		0.099		0.069		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1613729	Former Fueling Facility	Unit 1	8157200	G-10-b(3.0-3.5)	(0.0-3.5)	12/1/2015	< 0.059		< 0.059		< 0.059		0.13		0.085		0.063		< 0.059		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1613729	Former Fueling Facility	Unit 1	8157201	G-10-c(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1613729	Former Fueling Facility	Unit 1	8157202	G-10-c(2.0-2.5)	(0.0-2.5)	12/1/2015	< 0.054		< 0.054		< 0.054		0.073		0.095		0.12		0.085		0.063		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1613729	Former Fueling Facility	Unit 1	8157203	H-9-e(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.097		0.19		0.25		0.69		0.66		1.2		0.56		0.43		< 0.19		< 0.95		< 0.95		< 0.19		< 0.19		< 0.38		< 0.19		< 0.19	
1613729	Former Fueling Facility	Unit 1	8157204	H-9-e(4.0-4.5)	(0.0-4.5)	12/1/2015	< 0.055		0.38		0.21		0.32		0.86		0.99		0.72		0.26		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1613729	Former Fueling Facility	Unit 1	8157213	G-10-e(2.5-3.0)	(0.5-3.0)	12/1/2015	< 0.072		< 0.072		< 0.072		0.19		0.2		0.32		0.15		0.13		< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 0.28		< 0.14		< 0.14	
1614697	Former Roundhouse Area	Unit 2	8162088	J-7-d(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.056		0.065		0.13		0.31		0.35		0.65		0.34		0.21		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1614697	Former Roundhouse Area	Unit 2	8162089	J-7-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.28		0.32		0.41		0.65		0.89		1.7		1		0.76		< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 1.1		< 0.56		< 0.56	
1614697	Former Roundhouse Area	Unit 2	8162090	J-7-c(1.0-1.5)	(0.0-1.5)	12/3/2015	49		4.5		81		44		17		33		8.9		12		< 1.2		< 6.0		< 6.0		13		< 1.2		< 2.4		< 1.2		< 1.2	
1614697	Former Roundhouse Area	Unit 2	8162091	J-7-d(1.5-2.0)	(0.5-2.0)	12/3/2015	< 0.060		0.32		0.46		0.68		0.86		2.6		0.91		0.73		< 0.12		63		0.76		0.16		< 0.12		< 0.23		< 0.12		< 0.12	
1614697	Former Roundhouse Area	Unit 2	8162092	J-7-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.55		< 0.55		1.2		2.1		1.8		2.9		1.8		1.2		< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 2.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162093	J-7-b(2.0-2.5)	(0.0-2.5)	12/3/2015	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1614697	Former Roundhouse Area	Unit 2	8162094	J-7-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 0.59		< 1.2		< 5.8		< 5.8		< 1.2		< 1.2		< 2.3		< 1.2		< 1.2	
1614697	Former Roundhouse Area	Unit 2	8162095	J-7-a(2.0-2.5)	(0.0-2.5)	12/3/2015	8.6		< 0.72		3.7		0.73		0.77		1.5		1.1		< 0.72		< 1.4		< 7.1		< 7.1		< 1.4		< 1.4		< 2.8		< 1.4		< 1.4	
1614697	Former Roundhouse Area	Unit 2	8162098	J-8-e(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.55		0.55		1.5		1.2		1.2		3.3		1.8		1.6		< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 2.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162099	J-8-e(1.0-1.5)	(0.0-1.5)	12/3/2015	0.074		0.12		0.27		0.96		0.74		1.3		0.68		0.52		< 0.12		< 0.59		< 0.59		0.22		< 0.12		< 0.24		< 0.12		< 0.12	
1614697	Former Roundhouse Area	Unit 2	8162100	J-6-e(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.54		< 0.54		< 0.54		< 0.54		< 0.54		0.82		0.57		< 0.54		< 1.1		< 5.3		< 5.3		< 1.1		< 1.1		< 2.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162101	J-6-e(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.56		< 0.56		< 0.56		< 0.56		0.66		1.2		0.74		< 0.56		< 1.1		< 5.5		< 5.5		< 1.1		< 1.1		< 2.2		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162102	J-8-d(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.64		1.1		1.5		2.5		2		3.2		2.3		1.1		< 1.3		< 6.3		< 6.3		< 1.3		< 1.3		< 2.5		< 1.3		< 1.3	
1614697	Former Roundhouse Area	Unit 2	8162103	J-8-d(1.5-2.0)	(0.5-2.0)	12/3/2015	0.079		< 0.056		0.12		0.18		0.16		0.22		0.2		0.098		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1614697	Former Roundhouse Area	Unit 2	8162104	J-8-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.61		< 0.61		0.63		1.2		0.84		1.8		1		< 0.61		< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2	

						2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
					Analyte																																
					CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
					DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1611359	East Side East Ditch Area	Unit 3	8145234	C-5-d(0.0-0.5)	(0.0-0.5)	11/20/2015		< 0.12		< 0.12		< 0.12		0.39		0.11		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1611359	East Side East Ditch Area	Unit 3	8145235	C-5-d(0.5-1.0)	(0.5-1.0)	11/20/2015		< 0.12		< 0.12		< 0.12		0.22		< 0.061		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1611628	East Side East Ditch Area	Unit 3	8146854	E-5-a (0.0-0.5)	(0.0-0.5)	11/23/2015		< 0.10		< 0.10		< 0.10		0.53		0.094		0.25		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1611628	East Side East Ditch Area	Unit 3	8146855	E-5-a (1.5-2.0)	(0.5-2.0)	11/23/2015		< 0.10		< 0.10		< 0.10		0.7		0.11		0.37		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.5	
1611628	East Side East Ditch Area	Unit 3	8146858	F-6-a (0.0-0.5)	(0.0-0.5)	11/23/2015		< 10		< 10		< 10		< 5.2		< 5.2		50		< 10		< 10		< 10		< 100		< 10		< 51		< 10		< 51		< 150	
1613394	Former Fueling Facility	Unit 1	8155682	G-8-c (0.0-0.5)	(0.0-0.5)	11/30/2015		< 0.11		< 0.12		< 0.12		0.44		0.08		0.15		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1613394	Former Fueling Facility	Unit 1	8155683	G-8-a(0.0-0.5)	(0.0-0.5)	11/30/2015		< 0.11		< 0.11		< 0.11		0.58		0.096		0.48		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1613394	Former Fueling Facility	Unit 1	8155684	G-8-a(2.0-2.5)	(0.0-2.5)	11/30/2015		< 0.56		< 0.56		< 0.56		1.3		< 0.29		< 0.56		< 0.56		< 0.56		< 0.56		< 5.6		< 0.56		< 2.8		< 0.56		< 2.8		< 8.5	
1613394	Former Fueling Facility	Unit 1	8155685	G-8-b(0.0-0.5)	(0.0-0.5)	11/30/2015		< 0.11		< 0.12		< 0.12		0.74		0.18		0.4		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1613394	Former Fueling Facility	Unit 1	8155686	G-8-b(4.0-4.5)	(0.0-4.5)	11/30/2015		< 0.11		< 0.11		< 0.11		0.67		0.13		0.34		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1613394	Former Fueling Facility	Unit 1	8155691	G-7-a(0.0-0.5)	(0.0-0.5)	11/30/2015		< 0.12		< 0.12		< 0.12		0.93		0.13		0.62		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1613394	Former Fueling Facility	Unit 1	8155692	G-7-a(3.5-4.0)	(0.5-4.0)	11/30/2015		< 1.4		< 1.5		< 1.5		< 0.74		< 0.74		< 1.5		< 1.5		< 1.5		< 1.5		< 15		< 1.5		< 7.3		< 1.5		< 7.3		< 22	
1613394	Former Fueling Facility	Unit 1	8155693	G-7-b(0.0-0.5)	(0.0-0.5)	11/30/2015		< 0.57		< 0.58		< 0.58		0.58		< 0.30		0.66		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.7	R
1613394	Former Fueling Facility	Unit 1	8155696	G-7-c(0.0-0.5)	(0.0-0.5)	11/30/2015		< 12		< 12		< 12		< 6.0		< 6.0		< 12		< 12		< 12		< 12		< 120		< 12		< 59		< 12		< 59		< 180	
1613394	Former Fueling Facility	Unit 1	8155697	G-7-c(3.0-3.5)	(0.0-3.5)	11/30/2015		< 0.15		< 0.16		< 0.16		0.5		0.093		0.49		< 0.16		< 0.16		< 0.16		< 1.6		< 0.16		< 0.78		< 0.16		< 0.78		< 2.3	
1613394	Former Fueling Facility	Unit 1	8155698	DUP-22		11/30/2015		< 0.55		< 0.56		< 0.56		0.65		< 0.28		0.74		< 0.56		< 0.56		< 0.56		< 5.6		< 0.56		< 2.8		< 0.56		< 2.8		< 8.3	
1613394	Former Fueling Facility	Unit 1	8155699	G-7-b(2.0-2.5)	(0.0-2.5)	11/30/2015		< 0.11		< 0.11		< 0.11		0.43		0.099		0.18		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1613394	Former Fueling Facility	Unit 1	8155700	G-7-d(0.0-0.5)	(0.0-0.5)	11/30/2015		< 1.1		< 1.1		< 1.1		< 0.54		< 0.54		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.3		< 1.1		< 5.3		< 16	
1613394	Former Fueling Facility	Unit 1	8155701	G-7-d(2.5-3.0)	(0.5-3.0)	11/30/2015		< 12		< 12		< 12		< 6.2		< 6.2		< 12		< 12		< 12		< 12		< 120		< 12		< 61		< 12		< 61		< 180	
1613394	Former Fueling Facility	Unit 1	8155702	G-8-c(1.0-1.5)	(0.0-1.5)	11/30/2015		< 0.11		< 0.11		< 0.11		0.79		0.12		1.6		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1613394	Former Fueling Facility	Unit 1	8155703	G-9-a(0.0-0.5)	(0.0-0.5)	11/30/2015		< 0.63		< 0.64		< 0.64		0.49		< 0.33		< 0.64		< 0.64		< 0.64		< 0.64		< 6.4		< 0.64		< 3.2		< 0.64		< 3.2		< 9.6	
1613394	Former Fueling Facility	Unit 1	8155704	G-9-a(2.5-3.0)	(0.5-3.0)	11/30/2015		< 0.54		< 0.54		< 0.54		2		0.74		< 0.54		< 0.54		< 0.54		< 0.54		< 5.4		< 0.54		< 2.7		< 0.54		< 2.7		< 8.1	
1613394	Former Fueling Facility	Unit 1	8155706	G-10-d(0.0-0.5)	(0.0-0.5)	11/30/2015		< 1.0		< 1.0		< 1.0		1.1		< 0.52		< 1.0		< 1.0		< 1.0		< 1.0		< 10		< 1.0		< 5.1		< 1.0		< 5.1		< 15	
1613729	Former Fueling Facility	Unit 1	8157191	G-9-b(0.0-0.5)	(0.0-0.5)	12/1/2015		< 0.33		< 0.33		< 0.33		0.64		0.17		< 0.33		< 0.33		< 0.33		< 0.33		< 3.3		< 0.33		< 1.7		< 0.33		< 1.7		< 5.0	
1613729	Former Fueling Facility	Unit 1	8157192	G-9-c(0.0-0.5)	(0.0-0.5)	12/1/2015		< 0.14		< 0.14		< 0.14		0.52	J	0.092	J	0.19		< 0.14		< 0.14		< 0.14		< 1.4	UJ	< 0.14		< 0.72		< 0.14		< 0.72		< 2.2	UJ
1613729	Former Fueling Facility	Unit 1	8157195	DUP-23		12/1/2015		< 0.17		< 0.17		< 0.17		0.79	J	0.15	J	0.26		< 0.17		< 0.17		< 0.17		< 1.7		< 0.17		< 0.84		< 0.17		< 0.84		< 2.5	
1613729	Former Fueling Facility	Unit 1	8157196	G-9-c(2.0-2.5)	(0.0-2.5)	12/1/2015		< 0.58		< 0.59		< 0.59		1		< 0.30		1.4		< 0.59		< 0.59		< 0.59		< 5.9		< 0.59		< 2.9		< 0.59		< 2.9		< 8.8	
1613729	Former Fueling Facility	Unit 1	8157197	G-9-d(0.0-0.5)	(0.0-0.5)	12/1/2015		< 0.38		< 0.38		< 0.38		0.78		< 0.19		< 0.38		< 0.38		< 0.38		< 0.38		< 3.8		< 0.38		< 1.9		< 0.38		< 1.9		< 5.7	
1613729	Former Fueling Facility	Unit 1	8157198	G-10-a(0.0-0.5)	(0.0-0.5)	12/1/2015		< 0.13		< 0.14		< 0.14		0.46		0.1		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.68		< 0.14		< 0.68		< 2.0	
1613729	Former Fueling Facility	Unit 1	8157199	G-10-a(3.5-4.0)	(0.5-4.0)	12/1/2015		< 0.12		< 0.12		< 0.12		0.15		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.8	
1613729	Former Fueling Facility	Unit 1	8157200	G-10-b(3.0-3.5)	(0.0-3.5)	12/1/2015		< 0.12		< 0.12		< 0.12		0.21		< 0.059		0.56		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1613729	Former Fueling Facility	Unit 1	8157201	G-10-c(0.0-0.5)	(0.0-0.5)	12/1/2015		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1613729	Former Fueling Facility	Unit 1	8157202	G-10-c(2.0-2.5)	(0.0-2.5)	12/1/2015		< 0.10		< 0.11		< 0.11		0.086		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1613729	Former Fueling Facility	Unit 1	8157203	H-9-e(0.0-0.5)	(0.0-0.5)	12/1/2015		< 0.19		< 0.19		< 0.19		1.1		0.18		0.37		< 0.19		< 0.19		< 0.19		< 1.9		< 0.19		< 0.95		< 0.19		< 0.95		< 2.8	
1613729	Former Fueling Facility	Unit 1	8157204	H-9-e(4.0-4.5)	(0.0-4.5)	12/1/2015		< 0.11		< 0.11		< 0.11		0.58		0.24		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1613729	Former Fueling Facility	Unit 1	8157213	G-10-e(2.5-3.0)	(0.5-3.0)	12/1/2015		< 0.14		< 0.14		< 0.14		0.23		< 0.072		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.71		< 0.14		< 0.71		< 2.1	
1614697	Former Roundhouse Area	Unit 2	8162088	J-7-d(0.0-0.5)	(0.0-0.5)	12/3/2015		< 0.11		< 0.11		< 0.11		0.47		0.1		0.16		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1614697	Former Roundhouse Area	Unit 2	8162089	J-7-c(0.0-0.5)	(0.0-0.5)	12/3/2015		< 0.55		< 0.56		< 0.56		1		< 0.28		< 0.56		< 0.56		< 0.56		< 0.56		< 5.6		< 0.56		< 2.8		< 0.56		< 2.8		< 8.4	
1614697	Former Roundhouse Area	Unit 2	8162090	J-7-c(1.0-1.5)	(0.0-1.5)	12/3/2015		< 1.2		< 1.2		< 1.2		49		2.5		34		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.0		< 1.2		< 6.0		< 18	
1614697	Former Roundhouse Area	Unit 2	8162091	J-7-d(1.5-2.0)	(0.5-2.0)	12/3/2015		< 0.12		< 0.12		< 0.12		1.2		0.32		0.4		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1614697	Former Roundhouse Area	Unit 2	8162092	J-7-b(0.0-0.5)	(0.0-0.5)	12/3/2015		< 1.1		< 1.1		< 1.1		3		< 0.55		1.5		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.4		< 1.1		< 5.4		< 16	
1614697	Former Roundhouse Area	Unit 2	8162093	J-7-b(2.0-2.5)	(0.0-2.5)	12/3/2015		< 0.11		< 0.11		< 0.11		0.061		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1614697	Former Roundhouse Area	Unit 2	8162094	J-7-a(0.0-0.5)	(0.0-0.5)	12/3/2015		< 1.1		< 1.2		< 1.2		0.62		< 0.59		< 1.2		4.8		< 1.2		< 1.2		< 12		< 1.2		< 5.8		< 1.2		< 5.8		< 17	
1614697	Former Roundhouse Area	Unit 2	8162095	J-7-a(2.0-2.5)	(0.0-2.5)	12/3/2015		< 1.4		< 1.4		< 1.4		1.9		< 0.72		5.1		< 1.4		< 1.4		< 1.4		< 14		< 1.4		< 7.1		< 1.4		< 7.1		< 21	
1614697	Former Roundhouse Area	Unit 2	8162098	J-8-e(0.0-0.5)	(0.0-0.5)	12/3/2015		< 1.1		< 1.1		< 1.1		2.7		< 0.55		2		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.4		< 1.1		< 5.4		< 16	
1614697	Former Roundhouse Area	Unit 2	8162099	J-8-e(1.0-1.5)	(0.0-1.5)	12/3/2015		< 0.12		< 0.12		< 0.12		1.3		0.29		0.26		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1614697	Former Roundhouse Area	Unit 2	8162100	J-6-e(0.0-0.5)	(0.0-0.5)	12/3/2015		< 1.1		< 1.1		< 1.1		0.74		< 0.54		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.3		< 1.1		< 5.3		< 16	
1614697	Former Roundhouse Area	Unit 2	8162101	J-6-e(0.5-1.0)	(0.5-1.0)	12/3/2015		< 1.1		< 1.1		< 1.1		0.95		< 0.56		< 1.1		< 1.1		< 1.1		< 1.1		< 11		< 1.1		< 5.5		< 1.1		< 5.5		< 17	
1614697	Former Roundhouse Area	Unit 2	8162102	J-8-d(0.0-0.5)	(0.0-0.5)	12/3/2015		< 1.2		< 1.3		< 1.3		2.7		0.7		< 1.3		< 1.3		< 1.3		< 1.3		< 13		< 1.3		< 6.3		< 1.3		< 6.3		< 19	
1614697	Former Roundhouse Area	Unit 2	8162103	J-8-d(1.5-2.0)	(0.5-2.0)	12/3/2015		< 0.11		< 0.11		< 0.11		0.21		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1614697	Former Roundhouse Area	Unit 2	8162104	J-8-b(0.0-0.5)	(0.0-0.5)	12/3/2015		< 1.2		< 1.2		< 1.2		< 1.2		2		< 0.61		1.4		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 6.0		< 1.2		< 6.0		< 18	

					Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
					CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
					DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1611359	East Side East Ditch Area	Unit 3	8145234	C-5-d(0.0-0.5)	(0.0-0.5)	11/20/2015	< 3.7		< 0.61		< 0.12		< 0.63		0.32		< 0.063		1.6		< 0.12		< 1.8		< 0.61		0.34		< 0.12		0.15		< 0.12		< 0.12		0.15	
1611359	East Side East Ditch Area	Unit 3	8145235	C-5-d(0.5-1.0)	(0.5-1.0)	11/20/2015	< 3.6		< 0.59		< 0.12		< 0.61		0.25		< 0.061		1.9		< 0.12		< 1.8		< 0.59		0.11		< 0.12		0.15		< 0.12		< 0.12		0.1	
1611628	East Side East Ditch Area	Unit 3	8146854	E-5-a (0.0-0.5)	(0.0-0.5)	11/23/2015	< 3.1		< 0.51		< 0.10		< 0.52		0.52		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		0.31		< 0.10		0.93		< 0.10		< 0.10		0.54	
1611628	East Side East Ditch Area	Unit 3	8146855	E-5-a (1.5-2.0)	(0.5-2.0)	11/23/2015	< 3.1		< 0.52		< 0.10		< 0.53		0.67		< 0.053		< 0.053		< 0.10		< 1.5		< 0.52		0.34		< 0.10		1.4		< 0.10		< 0.10		0.87	
1611628	East Side East Ditch Area	Unit 3	8146858	F-6-a (0.0-0.5)	(0.0-0.5)	11/23/2015	< 310		< 51		< 10		< 52		14		120		< 5.2		< 10		< 150		< 51		< 5.2		< 10		72		< 10		< 10		43	
1613394	Former Fueling Facility	Unit 1	8155682	G-8-c(0.0-0.5)	(0.0-0.5)	11/30/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.45		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.25		< 0.12		0.68		< 0.12		< 0.12		0.32	
1613394	Former Fueling Facility	Unit 1	8155683	G-8-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.53		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.29		< 0.11		1.6		< 0.11		< 0.11		1.1	
1613394	Former Fueling Facility	Unit 1	8155684	G-8-a(2.0-2.5)	(0.0-2.5)	11/30/2015	< 17		< 2.8		< 0.56		< 2.9		1.5		< 0.29		< 0.29		< 0.56		< 8.5		< 2.8		0.75		< 0.56		1.4		< 0.56		< 0.56		0.94	
1613394	Former Fueling Facility	Unit 1	8155685	G-8-b(0.0-0.5)	(0.0-0.5)	11/30/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.53		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.28		< 0.12		1.3		< 0.12		< 0.12		0.93	
1613394	Former Fueling Facility	Unit 1	8155686	G-8-b(4.0-4.5)	(0.0-4.5)	11/30/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.69		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.23		< 0.11		1.6		< 0.11		< 0.11		2.2	
1613394	Former Fueling Facility	Unit 1	8155691	G-7-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.79		0.081		< 0.060		< 0.12		< 1.8		< 0.59		0.42		< 0.12		2.4		< 0.12		< 0.12		1.4	
1613394	Former Fueling Facility	Unit 1	8155692	G-7-a(3.5-4.0)	(0.5-4.0)	11/30/2015	< 44		< 7.3		< 1.5		< 7.4		1.1	J+	11	J+	< 0.74		< 1.5		< 22		< 7.3		< 0.74		< 1.5		< 0.74		< 1.5		< 1.5		< 0.74	
1613394	Former Fueling Facility	Unit 1	8155693	G-7-b(0.0-0.5)	(0.0-0.5)	11/30/2015	< 17	R	< 2.9		< 0.58		< 3.0		0.42		< 0.30		< 0.30		< 0.58		< 8.7	UJ	< 2.9		0.51	J	< 0.58		2.3	J	< 0.58		< 0.58		1.4	
1613394	Former Fueling Facility	Unit 1	8155696	G-7-c(0.0-0.5)	(0.0-0.5)	11/30/2015	< 350		< 59		< 12		< 60		< 6.0		< 6.0		< 6.0		< 12		< 180		< 59		< 6.0		< 12		< 6.0		< 12		< 12		< 6.0	
1613394	Former Fueling Facility	Unit 1	8155697	G-7-c(3.0-3.5)	(0.0-3.5)	11/30/2015	< 4.7		< 0.78		< 0.16		< 0.79		0.41		< 0.079		< 0.079		< 0.16		< 2.3		< 0.78		0.28		< 0.16		1.4		< 0.16		< 0.16		1.2	
1613394	Former Fueling Facility	Unit 1	8155698	DUP-22		11/30/2015	< 17		< 2.8		< 0.56		< 2.8		0.44		< 0.28		< 0.28		< 0.56		< 8.3		< 2.8		0.34	J	< 0.56		3.1		< 0.56		< 0.56		2	
1613394	Former Fueling Facility	Unit 1	8155699	G-7-b(2.0-2.5)	(0.0-2.5)	11/30/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.26		0.057		< 0.056		< 0.11		< 1.6		< 0.55		0.2		< 0.11		0.51		< 0.11		< 0.11		0.3	
1613394	Former Fueling Facility	Unit 1	8155700	G-7-d(0.0-0.5)	(0.0-0.5)	11/30/2015	< 32		< 5.3		< 1.1		< 5.4		< 0.54		< 0.54		< 0.54		< 1.1		< 16		< 5.3		< 0.54		< 1.1		1.1		< 1.1		< 1.1		0.57	
1613394	Former Fueling Facility	Unit 1	8155701	G-7-d(2.5-3.0)	(0.5-3.0)	11/30/2015	< 370		< 61		< 12		< 62		< 6.2		< 6.2		< 6.2		< 12		< 180		< 61		< 6.2		< 12		< 6.2		< 12		< 12		< 6.2	
1613394	Former Fueling Facility	Unit 1	8155702	G-8-c(1.0-1.5)	(0.0-1.5)	11/30/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.52		0.25		< 0.058		< 0.11		< 1.7		< 0.57		0.22		< 0.11		11		< 0.11		< 0.11		4.1	
1613394	Former Fueling Facility	Unit 1	8155703	G-9-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 19		< 3.2		< 0.64		< 3.3		0.52		< 0.33		< 0.33		< 0.64		< 9.6		< 3.2		< 0.33		< 0.64		0.73		< 0.64		< 0.64		0.63	
1613394	Former Fueling Facility	Unit 1	8155704	G-9-a(2.5-3.0)	(0.5-3.0)	11/30/2015	< 16		< 2.7		< 0.54		< 2.8		1		< 0.28		< 0.28		< 0.54		< 8.1		< 2.7		1.4		< 0.54		0.81		< 0.54		< 0.54		0.6	
1613394	Former Fueling Facility	Unit 1	8155706	G-10-d(0.0-0.5)	(0.0-0.5)	11/30/2015	< 30		< 5.1		< 1.0		< 5.2		1.4		< 0.52		< 0.52		< 1.0		< 15		< 5.1		0.66		< 1.0		0.73		< 1.0		< 1.0		< 0.52	
1613729	Former Fueling Facility	Unit 1	8157191	G-9-b(0.0-0.5)	(0.0-0.5)	12/1/2015	< 10		< 1.7		< 0.33		< 1.7		0.83		< 0.17		< 0.17		< 0.33		< 5.0		< 1.7		0.46		< 0.33		< 0.17		< 0.33		< 0.33		< 0.17	
1613729	Former Fueling Facility	Unit 1	8157192	G-9-c(0.0-0.5)	(0.0-0.5)	12/1/2015	< 4.3		< 0.72		< 0.14		< 0.74		0.54	J	< 0.074		< 0.074		< 0.14		< 2.2	R	< 0.72	UJ	0.23	J	< 0.14		0.5		< 0.14		< 0.14		0.43	
1613729	Former Fueling Facility	Unit 1	8157195	DUP-23		12/1/2015	< 5.0		< 0.84		< 0.17		< 0.86		0.83	J	< 0.086		< 0.086		< 0.17		< 2.5		< 0.84		0.35	J	< 0.17		0.63		< 0.17		< 0.17		0.59	
1613729	Former Fueling Facility	Unit 1	8157196	G-9-c(2.0-2.5)	(0.0-2.5)	12/1/2015	< 18		< 2.9		< 0.59		< 3.0		1.9		< 0.30		< 0.30		< 0.59		< 8.8		< 2.9		0.46		< 0.59		3.1		< 0.59		0.74		2.5	
1613729	Former Fueling Facility	Unit 1	8157197	G-9-d(0.0-0.5)	(0.0-0.5)	12/1/2015	< 11		< 1.9		< 0.38		< 1.9		0.95		< 0.19		< 0.19		< 0.38		< 5.7		< 1.9		0.48		< 0.38		< 0.19		< 0.38		< 0.38		< 0.19	
1613729	Former Fueling Facility	Unit 1	8157198	G-10-a(0.0-0.5)	(0.0-0.5)	12/1/2015	< 4.1		< 0.68		< 0.14		< 0.69		0.55		< 0.069		< 0.069		< 0.14		< 2.0		< 0.68		0.25		< 0.14		0.36		< 0.14		< 0.14		0.33	
1613729	Former Fueling Facility	Unit 1	8157199	G-10-a(3.5-4.0)	(0.5-4.0)	12/1/2015	< 3.5		< 0.58		< 0.12		< 0.60		0.26		< 0.060		< 0.060		< 0.12		< 1.8		< 0.58		0.085		< 0.12		0.077		< 0.12		< 0.12		< 0.060	
1613729	Former Fueling Facility	Unit 1	8157200	G-10-b(3.0-3.5)	(0.0-3.5)	12/1/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.11		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		2.1		< 0.12		< 0.12		1.4	
1613729	Former Fueling Facility	Unit 1	8157201	G-10-c(0.0-0.5)	(0.0-0.5)	12/1/2015	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1613729	Former Fueling Facility	Unit 1	8157202	G-10-c(2.0-2.5)	(0.0-2.5)	12/1/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.13		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.059		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1613729	Former Fueling Facility	Unit 1	8157203	H-9-e(0.0-0.5)	(0.0-0.5)	12/1/2015	< 5.7		< 0.95		< 0.19		< 0.97		1.4		< 0.097		< 0.097		< 0.19		< 2.8		< 0.95		0.46		< 0.19		0.92		< 0.19		< 0.19		0.88	
1613729	Former Fueling Facility	Unit 1	8157204	H-9-e(4.0-4.5)	(0.0-4.5)	12/1/2015	< 3.2		< 0.54		< 0.11		< 0.55		0.14		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.52		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1613729	Former Fueling Facility	Unit 1	8157213	G-10-e(2.5-3.0)	(0.5-3.0)	12/1/2015	< 4.2		< 0.71		< 0.14		< 0.72		0.21		< 0.072		< 0.072		< 0.14		< 2.1		< 0.71		0.16		< 0.14		0.24		< 0.14		< 0.14		0.15	
1614697	Former Roundhouse Area	Unit 2	8162088	J-7-d(0.0-0.5)	(0.0-0.5)	12/3/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.57		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.29		< 0.11		0.46	B	< 0.11		< 0.11		0.22	B
1614697	Former Roundhouse Area	Unit 2	8162089	J-7-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 17		< 2.8		< 0.56		< 2.8		0.93		< 0.28		< 0.28		< 0.56		< 8.4		< 2.8		0.88		< 0.56		0.84	B	< 0.56		< 0.56		0.54	B
1614697	Former Roundhouse Area	Unit 2	8162090	J-7-c(1.0-1.5)	(0.0-1.5)	12/3/2015	< 36		< 6.0		< 1.2		< 6.1		180		52		< 0.61		< 1.2		< 18		< 6.0		8		< 1.2		21	B	< 1.2		< 1.2		22	B
1614697	Former Roundhouse Area	Unit 2	8162091	J-7-d(1.5-2.0)	(0.5-2.0)	12/3/2015	< 3.5		< 0.59		< 0.12		4.2		1.2		0.09		< 0.060		< 0.12		< 1.8		< 0.59		0.88		< 0.12		0.89	B	< 0.12		< 0.12		0.64	B
1614697	Former Roundhouse Area	Unit 2	8162092	J-7-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 32		< 5.4		< 1.1		< 5.5		5.1		< 0.55		< 0.55		< 1.1		< 16		< 5.4		1.5		< 1.1		7.9	B	< 1.1		< 1.1		4	B
1614697	Former Roundhouse Area	Unit 2	8162093	J-7-b(2.0-2.5)	(0.0-2.5)	12/3/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.064		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		0.15	B	< 0.11		< 0.11		0.13	B
1614697	Former Roundhouse Area	Unit 2	8162094	J-7-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 35		< 5.8		< 1.2		< 5.9		< 0.59		< 0.59		< 0.59		< 1.2		< 17		< 5.8		< 0.59		< 1.2		4.7	B	< 1.2		< 1.2		2.6	B
1614697	Former Roundhouse Area	Unit 2	8162095	J-7-a(2.0-2.5)	(0.0-2.5)	12/3/2015	< 43		< 7.1		< 1.4		< 7.2		2.3		9.5		< 0.72		< 1.4		< 21		< 7.1		0.87		< 1.4		26	B	< 1.4		< 1.4		8.5	B
1614697	Former Roundhouse Area	Unit 2	8162098	J-8-e(0.0-0.5)	(0.0-0.5)	12/3/2015	< 32		< 5.4		< 1.1		< 5.5		1.9		< 0.55		< 0.55		< 1.1		< 16		< 5.4		1.9		< 1.1		7.3	B	< 1.1		< 1.1		3.5	B
1614697	Former Roundhouse Area	Unit 2	8162099	J-8-e(1.0-1.5)	(0.0-1.5)	12/3/2015	< 3.5		< 0.59		< 0.12		< 0.60		1.7		0.075		< 0.060		< 0.12		< 1.8		< 0.59		0.62		< 0.12		0.47	B	< 0.12		< 0.12		0.31	B
1614697	Former Roundhouse Area	Unit 2	8162100	J-6-e(0.0-0.5)	(0.0-0.5)	12/3/2015	< 32		< 5.3		< 1.1		< 5.4		0.64		< 0.54		< 0.54		< 1.1		< 16		< 5.3		0.58		< 1.1		2.1	B	< 1.1		< 1.1		1.2	B
1614697	Former Roundhouse Area	Unit 2	8162101	J-6-e(0.5-1.0)	(0.5-1.0)	12/3/2015	< 33		< 5.5		< 1.1		< 5.6		1.2		< 0.56		< 0.56		< 1.1		< 17		< 5.5		0.61		< 1.1		3.2	B	< 1.1		< 1.1		1.8	B
1614697	Former Roundhouse Area	Unit 2	8162102	J-8-d(0.0-0.5)	(0.0-0.5)	12/3/2015	< 38		< 6.3		< 1.3		< 6.4		3.9		< 0.64		< 0.64		< 1.3		< 19		< 6.3		1.9		< 1.3		4.8	B	< 1.3		< 1.3		2.2	B
1614697	Former Roundhouse Area	Unit 2	8162103	J-8-d(1.5-2.0)	(0.5-2.0)	12/3/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.37		0.089		< 0.056		< 0.11		< 1.6		< 0.55		0.14		< 0.11		0.69	B	< 0.11		< 0.11		0.16	B
1614697	Former Roundhouse Area	Unit 2	8162104	J-8-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 36		< 6.0		< 1.2		< 6.1		2.2		< 0.61		< 0.61		< 1.2		< 18		< 6.0		0.91		< 1.2		5.5	B	< 1.2		< 1.2		4.6	B

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1611359	East Side East Ditch Area	Unit 3	8145234	C-5-d(0.0-0.5)	(0.0-0.5)	11/20/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		0.22		< 0.12		0.28		< 0.12		< 0.12		< 0.12	
1611359	East Side East Ditch Area	Unit 3	8145235	C-5-d(0.5-1.0)	(0.5-1.0)	11/20/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61		0.22		< 0.12		0.24		< 0.12		< 0.12		< 0.12	
1611628	East Side East Ditch Area	Unit 3	8146854	E-5-a (0.0-0.5)	(0.0-0.5)	11/23/2015	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		0.62		< 0.10		0.53		< 0.10		< 0.10		< 0.10	
1611628	East Side East Ditch Area	Unit 3	8146855	E-5-a (1.5-2.0)	(1.5-2.0)	11/23/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.52		< 0.53		0.92		< 0.10		0.73		< 0.10		< 0.10		< 0.10	
1611628	East Side East Ditch Area	Unit 3	8146858	F-6-a (0.0-0.5)	(0.0-0.5)	11/23/2015	< 10		< 51		< 51		< 10		< 10		< 150		< 10		< 10		< 51		< 52		260		< 10		32		< 10		< 10		< 10	
1613394	Former Fueling Facility	Unit 1	8155682	G-8-c(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.49		< 0.12		0.42		< 0.12		< 0.12		< 0.12	
1613394	Former Fueling Facility	Unit 1	8155683	G-8-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		1.2		< 0.11		0.54		< 0.11		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155684	G-8-a(2.0-2.5)	(0.0-2.5)	11/30/2015	< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 8.5		< 0.56		< 0.56		< 2.8		< 2.9		2.4		< 0.56		1.2		< 0.56		< 0.56		< 0.56	
1613394	Former Fueling Facility	Unit 1	8155685	G-8-b(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		1.2		< 0.12		0.49		< 0.12		< 0.12		< 0.12	
1613394	Former Fueling Facility	Unit 1	8155686	G-8-b(4.0-4.5)	(0.0-4.5)	11/30/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		1.1		< 0.11		0.54		< 0.11		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155691	G-7-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1.5		< 0.12		0.74		0.15		< 0.12		< 0.12	
1613394	Former Fueling Facility	Unit 1	8155692	G-7-a(3.5-4.0)	(0.5-4.0)	11/30/2015	< 1.5		< 7.3		< 7.3		< 1.5		< 1.5		< 22		< 1.5		< 1.5		< 7.3		< 7.4		15	J+	< 1.5		5.5	J+	< 1.5		< 1.5		< 1.5	
1613394	Former Fueling Facility	Unit 1	8155693	G-7-b(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.58		< 2.9	UJ	< 2.9		< 0.58		< 0.58		< 8.7		< 0.58		< 0.58		< 2.9		< 3.0		1.6		< 0.58		0.45		< 0.58		< 0.58		< 0.58	
1613394	Former Fueling Facility	Unit 1	8155696	G-7-c(0.0-0.5)	(0.0-0.5)	11/30/2015	< 12		< 59		< 59		< 12		< 12		< 180		< 12		< 12		< 59		< 60		< 6.0		< 12		< 6.0		< 12		< 12		< 12	
1613394	Former Fueling Facility	Unit 1	8155697	G-7-c(3.0-3.5)	(0.0-3.5)	11/30/2015	< 0.16		< 0.78		< 0.78		< 0.16		< 0.16		< 2.3		< 0.16		< 0.16		< 0.78		< 0.79		1.2		< 0.16		0.33		< 0.16		< 0.16		< 0.16	
1613394	Former Fueling Facility	Unit 1	8155698	DUP-22		11/30/2015	< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 8.3		< 0.56		< 0.56		< 2.8		< 2.8		1.7		< 0.56		0.51		< 0.56		< 0.56		< 0.56	
1613394	Former Fueling Facility	Unit 1	8155699	G-7-b(2.0-2.5)	(0.0-2.5)	11/30/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.66		< 0.11		0.28		< 0.11		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155700	G-7-d(0.0-0.5)	(0.0-0.5)	11/30/2015	< 1.1		< 5.3		< 5.3		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.3		< 5.4		0.63		< 1.1		< 0.54		< 1.1		< 1.1		< 1.1	
1613394	Former Fueling Facility	Unit 1	8155701	G-7-d(2.5-3.0)	(0.5-3.0)	11/30/2015	< 12		< 61		< 61		< 12		< 12		< 180		< 12		< 12		< 61		< 62		< 6.2		< 12		< 6.2		< 12		< 12		< 12	
1613394	Former Fueling Facility	Unit 1	8155702	G-8-c(1.0-1.5)	(0.0-1.5)	11/30/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		3.3		< 0.11		0.65		0.14		< 0.11		< 0.11	
1613394	Former Fueling Facility	Unit 1	8155703	G-9-a(0.0-0.5)	(0.0-0.5)	11/30/2015	< 0.64		< 3.2		< 3.2		< 0.64		< 0.64		< 9.6		< 0.64		< 0.64		< 3.2		< 3.3		0.75		< 0.64		0.38		< 0.64		< 0.64		< 0.64	
1613394	Former Fueling Facility	Unit 1	8155704	G-9-a(2.5-3.0)	(0.5-3.0)	11/30/2015	< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 8.1		< 0.54		< 0.54		< 2.7		< 2.8		1.4		< 0.54		0.88		< 0.54		< 0.54		< 0.54	
1613394	Former Fueling Facility	Unit 1	8155706	G-10-d(0.0-0.5)	(0.0-0.5)	11/30/2015	< 1.0		< 5.1		< 5.1		< 1.0		< 1.0		< 15		< 1.0		< 1.0		< 5.1		< 5.2		0.91		< 1.0		1.2		< 1.0		< 1.0		< 1.0	
1613729	Former Fueling Facility	Unit 1	8157191	G-9-b(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.33		< 1.7		< 1.7		< 0.33		< 0.33		< 5.0		< 0.33		< 0.33		< 1.7		< 1.7		0.47		< 0.33		0.87		< 0.33		< 0.33		< 0.33	
1613729	Former Fueling Facility	Unit 1	8157192	G-9-c(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.14		< 0.72		< 0.72		< 0.14		< 0.14		< 2.2		< 0.14		< 0.14		< 0.72		< 0.74		0.68		< 0.14		0.49	J	< 0.14		< 0.14		< 0.14	
1613729	Former Fueling Facility	Unit 1	8157195	DUP-23		12/1/2015	< 0.17		< 0.84		< 0.84		< 0.17		< 0.17		< 2.5		< 0.17		< 0.17		< 0.84		< 0.86		0.83		< 0.17		0.71	J	< 0.17		< 0.17		< 0.17	
1613729	Former Fueling Facility	Unit 1	8157196	G-9-c(2.0-2.5)	(0.0-2.5)	12/1/2015	< 0.59		< 2.9		< 2.9		< 0.59		< 0.59		< 8.8		< 0.59		< 0.59		< 2.9		< 3.0		3.5		< 0.59		1.2		< 0.59		< 0.59		< 0.59	
1613729	Former Fueling Facility	Unit 1	8157197	G-9-d(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.38		< 1.9		< 1.9		< 0.38		< 0.38		< 5.7		< 0.38		< 0.38		< 1.9		< 1.9		0.5		< 0.38		0.96		< 0.38		< 0.38		< 0.38	
1613729	Former Fueling Facility	Unit 1	8157198	G-10-a(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.14		< 0.68		< 0.68		< 0.14		< 0.14		< 2.0		< 0.14		< 0.14		< 0.68		< 0.69		0.61		< 0.14		0.51		< 0.14		< 0.14		< 0.14	
1613729	Former Fueling Facility	Unit 1	8157199	G-10-a(3.5-4.0)	(3.5-4.0)	12/1/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.58		< 0.60		0.25		< 0.12		0.23		< 0.12		< 0.12		< 0.12	
1613729	Former Fueling Facility	Unit 1	8157200	G-10-b(3.0-3.5)	(0.0-3.5)	12/1/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.98		< 0.12		0.18		< 0.12		< 0.12		< 0.12	
1613729	Former Fueling Facility	Unit 1	8157201	G-10-c(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1613729	Former Fueling Facility	Unit 1	8157202	G-10-c(2.0-2.5)	(0.0-2.5)	12/1/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.057		< 0.11		0.12		< 0.11		< 0.11		< 0.11	
1613729	Former Fueling Facility	Unit 1	8157203	H-9-e(0.0-0.5)	(0.0-0.5)	12/1/2015	< 0.19		< 0.95		< 0.95		< 0.19		< 0.19		< 2.8		< 0.19		< 0.19		< 0.95		< 0.97		1.2		< 0.19		1.4		< 0.19		< 0.19		< 0.19	
1613729	Former Fueling Facility	Unit 1	8157204	H-9-e(4.0-4.5)	(0.0-4.5)	12/1/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		0.3		< 0.11		< 0.11		< 0.11	
1613729	Former Fueling Facility	Unit 1	8157213	G-10-e(2.5-3.0)	(0.5-3.0)	12/1/2015	< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.71		< 0.72		0.26		< 0.14		0.2		< 0.14		< 0.14		< 0.14	
1614697	Former Roundhouse Area	Unit 2	8162088	J-7-d(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.53	B	< 0.11		0.53		2.2		< 0.11		< 0.11	
1614697	Former Roundhouse Area	Unit 2	8162089	J-7-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 8.4		< 0.56		< 0.56		< 2.8		< 2.8		0.74	B	< 0.56		0.98		< 0.56		< 0.56		< 0.56	
1614697	Former Roundhouse Area	Unit 2	8162090	J-7-c(1.0-1.5)	(0.0-1.5)	12/3/2015	< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.0		< 6.1		220	B	< 1.2		140		< 1.2		< 1.2		< 1.2	
1614697	Former Roundhouse Area	Unit 2	8162091	J-7-d(1.5-2.0)	(0.5-2.0)	12/3/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1.2	B	< 0.12		1.2		1		< 0.12		< 0.12	
1614697	Former Roundhouse Area	Unit 2	8162092	J-7-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.4		< 5.5		6.5	B	< 1.1		4.4		< 1.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162093	J-7-b(2.0-2.5)	(0.0-2.5)	12/3/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.1	B	< 0.11		0.066		< 0.11		< 0.11		< 0.11	
1614697	Former Roundhouse Area	Unit 2	8162094	J-7-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 1.2		< 5.8		< 5.8		< 1.2		< 1.2		< 17		< 1.2		< 1.2		< 5.8		< 5.9		1.9	B	< 1.2		0.67		< 1.2		< 1.2		< 1.2	
1614697	Former Roundhouse Area	Unit 2	8162095	J-7-a(2.0-2.5)	(0.0-2.5)	12/3/2015	< 1.4		< 7.1		< 7.1		< 1.4		< 1.4		< 21		< 1.4		< 1.4		< 7.1		< 7.2		17	B	< 1.4		4.8		< 1.4		< 1.4		2.4	
1614697	Former Roundhouse Area	Unit 2	8162098	J-8-e(0.0-0.5)	(0.0-0.5)	12/3/2015	< 1.1		< 5.4		< 5.4		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.4		< 5.5		4.8	B	< 1.1		2.6		< 1.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162099	J-8-e(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1.8	B	< 0.12		1.6		< 0.12		< 0.12		< 0.12	
1614697	Former Roundhouse Area	Unit 2	8162100	J-6-e(0.0-0.5)	(0.0-0.5)	12/3/2015	< 1.1		< 5.3		< 5.3		< 1.1		< 1.1		< 16		< 1.1		< 1.1		< 5.3		< 5.4		1.1	B	< 1.1		0.84		< 1.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162101	J-6-e(0.5-1.0)	(0.5-1.0)	12/3/2015	< 1.1		< 5.5		< 5.5		< 1.1		< 1.1		< 17		< 1.1		< 1.1		< 5.5		< 5.6		1.9	B	< 1.1		1.1		< 1.1		< 1.1		< 1.1	
1614697	Former Roundhouse Area	Unit 2	8162102	J-8-d(0.0-0.5)	(0.0-0.5)	12/3/2015	< 1.3		< 6.3		< 6.3		< 1.3		< 1.3		< 19		< 1.3		< 1.3		< 6.3		< 6.4		4.8	B	< 1.3		3.3		< 1.3		< 1.3		< 1.3	
1614697	Former Roundhouse Area	Unit 2	8162103	J-8-d(1.5-2.0)	(0.5-2.0)	12/3/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.43	B	< 0.11		0.37		< 0.11		< 0.11		< 0.11	
1614697	Former Roundhouse Area	Unit 2	8162104	J-8-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 1.2		< 6.0		< 6.0		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 6.0		< 6.1		3.2	B	< 1.2		2		< 1.2		< 1.2		< 1.2	

					Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	**360**		**N/A**		**1800**		**0.82**		**0.24**		**1.11**		**N/A**		**1.6**		**N/A**		**290**		**630**		**N/A**		**630**		**0.37**		**19**		**0.23**	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1614697	Former Roundhouse Area	Unit 2	8162105	J-8-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.062		< 0.062		0.066		0.2		0.13	J	0.26		0.13		0.084		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24	UJ	< 0.12		< 0.12	
1614697	Former Fueling Facility	Unit 1	8162107	J-6-b(0.0-0.5)	(0.0-0.5)	12/3/2015	0.13		0.082		0.27		**0.88**		**0.42**		**1.2**		0.53		0.42		< 0.12		< 0.60		< 0.60		0.21		< 0.12		< 0.24		< 0.12		< 0.12	
1614697	Former Fueling Facility	Unit 1	8162108	J-6-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.067		< 0.067		< 0.067		0.19		0.15		0.39		0.31		0.076		< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1614697	Former Fueling Facility	Unit 1	8162109	J-6-c(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.054		0.057		0.11		0.18		0.17		0.34		0.21		0.16		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1614697	Former Fueling Facility	Unit 1	8162110	J-6-c(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.062		0.16		0.31		**0.98**		**0.7**		**1.5**		0.67		0.58		< 0.12		< 0.61		< 0.61		0.19		< 0.12		< 0.24		< 0.12		< 0.12	
1614697	Former Fueling Facility	Unit 1	8162111	J-6-d(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.058		0.16		0.27		0.36		**0.41**		1		0.45		0.37		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1614697	Former Fueling Facility	Unit 1	8162112	J-6-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 10		< 50		< 50		< 10		< 10		< 20		< 10		< 10	
1614697	Former Fueling Facility	Unit 1	8162113	J-6-a(1.5-2.0)	(0.5-2.0)	12/3/2015	< 4.4		< 4.4		< 4.4		< 4.4		< 4.4		< 4.4		< 4.4		< 4.4		< 8.6		< 43		< 43		< 8.6		< 8.6		< 17		< 8.6		< 8.6	
1614697	Former Fueling Facility	Unit 1	8162117	J-8-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.055		0.083		0.15		0.25		**0.25**		0.71		0.26		0.22		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1614697	Former Fueling Facility	Unit 1	8162118	J-8-c(2.0-2.5)	(0.0-2.5)	12/3/2015	0.11		0.065		0.35		0.81		**0.77**		0.94		0.56		0.42		< 0.11		< 0.55		< 0.55		0.14		< 0.11		< 0.22		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163533	J-8-a (0.0-0.5)	(0.0-0.5)	12/4/2015	0.3		0.29		1.1		**2.1**		**1.6**		**3.3**		1.2		1.2		< 0.12		< 0.62		< 0.62		0.53		< 0.12		< 0.25		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163534	J-8-a (1.5-2.0)	(0.5-2.0)	12/4/2015	< 0.053		< 0.053		< 0.053		0.066		0.063		0.097		0.06		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1614954	Former Fueling Facility	Unit 1	8163537	K-3-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.061		0.26		0.27		0.45		**0.6**		**1.3**		0.59		0.52		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163540	DUP-25		12/4/2015	< 0.059		0.3		0.32		0.68		**0.7**		**1.6**		0.66		0.69		< 0.12		< 0.58		< 0.58		0.13		< 0.12		< 0.23		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163541	K-3-a (3.5-4.0)	(0.5-4.0)	12/4/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163542	K-3-c (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.055		0.073		0.13		0.34		**0.53**		0.89		0.51		0.41		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163543	K-3-c (1.0-1.5)	(0.0-1.5)	12/4/2015	< 4.7		< 4.7		< 4.7		< 4.7		< 4.7		< 4.7		< 4.7		< 4.7		< 9.3		< 46		< 46		< 9.3		< 9.3		< 19		< 9.3		< 9.3	
1614954	Former Fueling Facility	Unit 1	8163544	K-3-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 4.5		< 4.5		< 4.5		< 4.5		< 4.5		< 4.5		< 4.5		< 4.5		< 8.7		< 44		< 44		< 8.7		< 8.7		< 17		< 8.7		< 8.7	
1614954	Former Fueling Facility	Unit 1	8163545	K-3-b (0.5-1.0)	(0.5-1.0)	12/4/2015	< 0.057		1.2		1.3		**1.5**		**1.8**		**4.7**		1.8		**1.7**		< 0.11		< 0.56		< 0.56		0.39		< 0.11		< 0.22		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163548	K-4-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.30		1.2		1.3		**1.8**		**2.3**		**5.1**		2.2		**1.8**		< 0.60		< 3.0		< 3.0		< 0.60		< 0.60		< 1.2		< 0.60		< 0.60	
1614954	Former Fueling Facility	Unit 1	8163549	K-4-b (5.0-5.5)	(0.0-5.5)	12/4/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163550	K-4-e (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.062		0.11		0.13		0.2		0.16		0.41		0.17		0.1		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163551	K-4-e (6.0-6.5)	(0.0-6.5)	12/4/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166113	K-4-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 5.8		11		14	J	**34**		**28**	J	**48**	J	19	J	**25**		< 11		< 57		< 57		< 11		< 11		< 23		**48**		< 11	
1615426	Former Fueling Facility	Unit 1	8166116	DUP-26		12/7/2015	< 4.2		5.8		6.7		**19**		**17**		**34**		12		**13**		< 8.3		< 41		< 41		< 8.3		< 8.3		< 17		< 8.3		< 8.3	
1615426	Former Fueling Facility	Unit 1	8166117	K-4-a(0.0-0.5)	(0.0-0.5)	12/7/2015	0.11		1		1.4		**1.4**		**1.5**		**4**		1.9		1.4		< 0.11		< 0.56		< 0.56		0.33		< 0.11		< 0.22		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166118	K-4-c(1.0-1.5)	(0.0-1.5)	12/7/2015	5.5		20		35		**63**		**47**		**91**		36		**39**		< 1.8		< 9.2		< 9.2		5.6		< 1.8		< 3.7		< 1.8		< 1.8	
1615426	Former Fueling Facility	Unit 1	8166119	K-4-a(0.5-1.0)	(0.5-1.0)	12/7/2015	0.099		0.82		1.1		**1.2**		**1.2**		**3.5**		1.6		0.89		< 0.11		< 0.55		< 0.55		0.3		< 0.11		< 0.22		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166120	K-4-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166126	K-5-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1615426	Former Fueling Facility	Unit 1	8166127	K-4-d(1.0-1.5)	(0.0-1.5)	12/7/2015	0.075		1.2		1.3		**2**		**2.3**		**5.8**		2.2		**1.9**		< 0.12		< 0.59		< 0.59		0.36		< 0.12		< 0.23		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166128	K-5-a(2.0-2.5)	(0.0-2.5)	12/7/2015	0.12		2		2.2		**2.9**		**3.2**		**7.3**		2.7		**2.8**		< 0.13		< 0.63		< 0.63		0.76		< 0.13		< 0.25		< 0.13		< 0.13	
1615426	Former Fueling Facility	Unit 1	8166130	K-5-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 4.4		< 4.4		< 4.4		< 4.4		< 4.4		**8.6**		< 4.4		< 4.4		< 8.6		< 43		< 43		< 8.6		< 8.6		< 17		< 8.6		< 8.6	
1615426	Former Fueling Facility	Unit 1	8166131	K-5-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.066		< 0.066		< 0.066		< 0.066		< 0.066		< 0.066		< 0.066		< 0.066		< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1615426	Former Fueling Facility	Unit 1	8166132	K-5-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 0.056		0.37		0.45		0.77		**0.7**		**1.9**		0.61		0.65		< 0.11		< 0.55		< 0.55		0.13		< 0.11		< 0.22		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166133	K-5-d(1.5-2.0)	(0.5-2.0)	12/7/2015	0.25		1.7		2.4		**3.8**		**4**		**9.4**		3.6		**3.3**		< 0.12		< 0.58		< 0.58		0.71		< 0.12		< 0.23		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166134	K-5-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.063		0.082		0.084		0.26		**0.24**		0.52		0.21		0.21		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166135	K-5-b(3.0-3.5)	(0.0-3.5)	12/7/2015	0.21		1.1		1.6		**2.1**		**2**		**5.2**		1.7		**2**		< 0.12		< 0.59		< 0.59		0.62		< 0.12		< 0.24		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166136	K-5-e(0.5-1.0)	(0.5-1.0)	12/7/2015	< 4.8		< 4.8		< 4.8		< 4.8		< 4.8		**5.7**		< 4.8		< 4.8		< 9.5		< 47		< 47		< 9.5		< 9.5		< 19		< 9.5		< 9.5	
1615426	Former Fueling Facility	Unit 1	8166137	K-5-e(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.056		0.47		0.63		**0.84**		**1**		**2.4**		0.91		0.73		< 0.11		< 0.55		< 0.55		0.2		< 0.11		< 0.22		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166140	K-6-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.072		< 0.072		< 0.072		< 0.072		< 0.072		< 0.072		< 0.072		< 0.072		< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 0.28		< 0.14		< 0.14	
1615426	Former Fueling Facility	Unit 1	8166141	K-6-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.063		0.11		0.14		0.29		**0.3**		0.54		0.26		0.28		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166142	K-6-a(0.5-1.0)	(0.5-1.0)	12/7/2015	0.068		0.69		0.91		**1.2**		**1.5**		**3.7**		1.5		1.2		< 0.11		< 0.56		< 0.56		0.3		< 0.11		< 0.23		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166143	K-6-c(0.5-1.0)	(0.5-1.0)	12/7/2015	< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 7.7		< 38		< 38		< 7.7		< 7.7		< 15		< 7.7		< 7.7	
1615426	Former Fueling Facility	Unit 1	8166144	K-6-b(2.0-2.5)	(0.0-2.5)	12/7/2015	< 4.3		< 4.3		< 4.3		< 4.3		**4.5**		**8.7**		< 4.3		< 4.3		< 8.4		< 42		< 42		< 8.4		< 8.4		< 17		< 8.4		< 8.4	
1615901	Former Fueling Facility	Unit 1	8168630	K-6-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.8		< 3.8		< 3.8		< 3.8		< 3.8		< 3.8		< 3.8		< 3.8		< 7.5		< 37		< 37		< 7.5		< 7.5		< 15		< 7.5		< 7.5	
1615901	Former Fueling Facility	Unit 1	8168631	K-7-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.056		< 0.056		< 0.056		0.12	J	0.13	J	0.41	J	0.15	J	0.41	J	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22	UJ	< 0.11		< 0.11	
1615901	Former Fueling Facility	Unit 1	8168635	DUP-28		12/8/2015	< 0.056		< 0.056		< 0.056		< 0.056		0.061	J	0.18	J	0.062	J	< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Former Fueling Facility	Unit 1	8168636	K-7-c(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.085		< 0.085		< 0.085		0.11		0.13		0.18		0.089		< 0.085		< 0.17		< 0.83		< 0.83		< 0.17		< 0.17		< 0.33		< 0.17		< 0.17	
1615901	Former Fueling Facility	Unit 1	8168637	K-6-d(1.5-2.0)	(0.5-2.0)	12/8/2015	< 4.9		< 4.9		< 4.9		< 4.9		< 4.9		< 4.9		< 4.9		< 4.9		< 9.6		< 48		< 48		< 9.6		< 9.6		< 19		< 9.6		< 9.6	

						2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
					Analyte																																
					CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
					DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1614697	Former Roundhouse Area	Unit 2	8162105	J-8-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.35		< 0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	UJ
1614697	Former Fueling Facility	Unit 1	8162107	J-6-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.3		0.18		0.49		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1614697	Former Fueling Facility	Unit 1	8162108	J-6-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.55		0.1		0.15		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.65		< 0.13		< 0.65		< 2.0	
1614697	Former Fueling Facility	Unit 1	8162109	J-6-c(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.29		0.067		0.13		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1614697	Former Fueling Facility	Unit 1	8162110	J-6-c(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.12		< 0.12		< 0.12		< 0.12		1.5		0.24		0.57		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1614697	Former Fueling Facility	Unit 1	8162111	J-6-d(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.6		0.15		0.17		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1614697	Former Fueling Facility	Unit 1	8162112	J-6-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 9.9		< 10		< 10		< 10		< 5.1		< 5.1		< 10		< 10		< 10		< 10		< 100		< 10		< 50		< 10		< 50		< 150	
1614697	Former Fueling Facility	Unit 1	8162113	J-6-a(1.5-2.0)	(0.5-2.0)	12/3/2015	< 8.5		< 8.6		< 8.6		< 8.6		< 4.4		< 4.4		< 8.6		< 8.6		< 8.6		20		< 86		< 8.6		< 43		< 8.6		< 43		< 130	
1614697	Former Fueling Facility	Unit 1	8162117	J-8-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.67		0.12		0.24		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1614697	Former Fueling Facility	Unit 1	8162118	J-8-c(2.0-2.5)	(0.0-2.5)	12/3/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.79		0.14		0.12		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1614954	Former Fueling Facility	Unit 1	8163533	J-8-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.12		< 0.12		< 0.12		< 0.12		2.8		0.49		0.62		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1614954	Former Fueling Facility	Unit 1	8163534	J-8-a (1.5-2.0)	(0.5-2.0)	12/4/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.064		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.5	
1614954	Former Fueling Facility	Unit 1	8163537	K-3-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.71		0.18		0.16		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1614954	Former Fueling Facility	Unit 1	8163540	DUP-25		12/4/2015	< 0.11		< 0.12		< 0.12		< 0.12		1		0.17		0.25		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1614954	Former Fueling Facility	Unit 1	8163541	K-3-a (3.5-4.0)	(0.5-4.0)	12/4/2015	< 0.10		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1614954	Former Fueling Facility	Unit 1	8163542	K-3-c (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.58		0.12		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1614954	Former Fueling Facility	Unit 1	8163543	K-3-c (1.0-1.5)	(0.0-1.5)	12/4/2015	< 9.2		< 9.3		< 9.3		< 9.3		< 4.7		< 4.7		< 9.3		< 9.3		< 9.3		< 9.3		< 93		< 9.3		< 46		< 9.3		< 46		< 140	
1614954	Former Fueling Facility	Unit 1	8163544	K-3-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 8.6		< 8.7		< 8.7		< 8.7		< 4.5		< 4.5		< 8.7		< 8.7		< 8.7		< 8.7		< 87		< 8.7		< 44		< 8.7		< 44		< 130	
1614954	Former Fueling Facility	Unit 1	8163545	K-3-b (0.5-1.0)	(0.5-1.0)	12/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		2.4		0.57		0.48		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1614954	Former Fueling Facility	Unit 1	8163548	K-4-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.59		< 0.60		< 0.60		< 0.60		2.7		0.76		< 0.60		< 0.60		< 0.60		< 0.60		< 6.0		< 0.60		< 3.0		< 0.60		< 3.0		< 8.9	
1614954	Former Fueling Facility	Unit 1	8163549	K-4-b (5.0-5.5)	(0.0-5.5)	12/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1614954	Former Fueling Facility	Unit 1	8163550	K-4-e (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.54		< 0.062		0.4		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1614954	Former Fueling Facility	Unit 1	8163551	K-4-e (6.0-6.5)	(0.0-6.5)	12/4/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1615426	Former Fueling Facility	Unit 1	8166113	K-4-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 11		< 11		< 11		< 11		**37**	J	< 5.8		< 11		< 11		< 11		< 11		< 110	UJ	< 11	UJ	< 57		< 11		< 57		< 170	UJ
1615426	Former Fueling Facility	Unit 1	8166116	DUP-26		12/7/2015	< 8.2		< 8.3		< 8.3		< 8.3		**24**		< 4.2		< 8.3		< 8.3		< 8.3		< 8.3		< 83		< 8.3		< 41		< 8.3		< 41		< 120	
1615426	Former Fueling Facility	Unit 1	8166117	K-4-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.11		< 0.11		< 0.11		< 0.11		2		**0.52**		1.1		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1615426	Former Fueling Facility	Unit 1	8166118	K-4-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 1.8		< 1.8		< 1.8		< 1.8		**71**		**8.7**		**9.1**		< 1.8		< 1.8		< 1.8		< 18		< 1.8		< 9.2		< 1.8		< 9.2		< 27	
1615426	Former Fueling Facility	Unit 1	8166119	K-4-a(0.5-1.0)	(0.5-1.0)	12/7/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.8		**0.42**		1.1		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1615426	Former Fueling Facility	Unit 1	8166120	K-4-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.063		< 0.063		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1615426	Former Fueling Facility	Unit 1	8166126	K-5-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.13		< 0.13		< 0.13		< 0.064		< 0.064		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1615426	Former Fueling Facility	Unit 1	8166127	K-4-d(1.0-1.5)	(0.0-1.5)	12/7/2015	< 0.12		< 0.12		< 0.12		< 0.12		3.1		**0.8**		0.5		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1615426	Former Fueling Facility	Unit 1	8166128	K-5-a(2.0-2.5)	(0.0-2.5)	12/7/2015	< 0.12		< 0.13		< 0.13		< 0.13		4.4		**0.89**		0.93		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1615426	Former Fueling Facility	Unit 1	8166130	K-5-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 8.6		< 8.6		< 8.6		< 8.6		< 4.4		< 4.4		< 8.6		< 8.6		< 8.6		< 8.6		< 86		< 8.6		< 43		< 8.6		< 43		< 130	
1615426	Former Fueling Facility	Unit 1	8166131	K-5-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.13		< 0.13		< 0.13		< 0.13		< 0.066		< 0.066		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.64		< 0.13		< 0.64		< 1.9	
1615426	Former Fueling Facility	Unit 1	8166132	K-5-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.2		**0.18**		0.34		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1615426	Former Fueling Facility	Unit 1	8166133	K-5-d(1.5-2.0)	(0.5-2.0)	12/7/2015	< 0.11		< 0.12		< 0.12		< 0.12		5.1		**1**		0.86		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1615426	Former Fueling Facility	Unit 1	8166134	K-5-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.29		< 0.063		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1615426	Former Fueling Facility	Unit 1	8166135	K-5-b(3.0-3.5)	(0.0-3.5)	12/7/2015	< 0.12		< 0.12		< 0.12		< 0.12		3.5		**0.63**		1.2		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1615426	Former Fueling Facility	Unit 1	8166136	K-5-e(0.5-1.0)	(0.5-1.0)	12/7/2015	< 9.4		< 9.5		< 9.5		< 9.5		< 4.8		< 4.8		< 9.5		< 9.5		< 9.5		< 9.5		< 95		< 9.5		< 47		< 9.5		< 47		< 140	
1615426	Former Fueling Facility	Unit 1	8166137	K-5-e(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.3		**0.29**		0.32		< 0.11		< 0.11		0.23		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1615426	Former Fueling Facility	Unit 1	8166140	K-6-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.14		< 0.14		< 0.14		< 0.14		< 0.072		< 0.072		< 0.14		< 0.14		< 0.14		< 0.14		< 1.4		< 0.14		< 0.71		< 0.14		< 0.71		< 2.1	
1615426	Former Fueling Facility	Unit 1	8166141	K-6-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.41		0.072		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1615426	Former Fueling Facility	Unit 1	8166142	K-6-a(0.5-1.0)	(0.5-1.0)	12/7/2015	< 0.11		< 0.11		< 0.11		< 0.11		2		**0.43**		0.31		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1615426	Former Fueling Facility	Unit 1	8166143	K-6-c(0.5-1.0)	(0.5-1.0)	12/7/2015	< 7.6		< 7.7		< 7.7		< 7.7		< 3.9		< 3.9		< 7.7		< 7.7		< 7.7		< 7.7		< 77		< 7.7		< 38		< 7.7		< 38		< 120	
1615426	Former Fueling Facility	Unit 1	8166144	K-6-b(2.0-2.5)	(0.0-2.5)	12/7/2015	< 8.4		< 8.4		< 8.4		< 8.4		5.5		< 4.3		< 8.4		< 8.4		< 8.4		< 8.4		< 84		< 8.4		< 42		< 8.4		< 42		< 130	
1615901	Former Fueling Facility	Unit 1	8168630	K-6-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 7.4		< 7.5		< 7.5		< 7.5		< 3.8		< 3.8		< 7.5		< 7.5		< 7.5		< 7.5		< 75		< 7.5		< 37		< 7.5		< 37		< 110	UJ
1615901	Former Fueling Facility	Unit 1	8168631	K-7-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.27	J	< 0.056	UJ	0.17		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1615901	Former Fueling Facility	Unit 1	8168635	DUP-28		12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.095	J	< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1615901	Former Fueling Facility	Unit 1	8168636	K-7-c(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.17		< 0.17		< 0.17		< 0.17		0.13		< 0.085		< 0.17		< 0.17		< 0.17		< 0.17		< 1.7		< 0.17		< 0.83		< 0.17		< 0.83		< 2.5	
1615901	Former Fueling Facility	Unit 1	8168637	K-6-d(1.5-2.0)	(0.5-2.0)	12/8/2015	< 9.5		< 9.6		< 9.6		< 9.6		< 4.9		< 4.9		< 9.6		< 9.6		< 9.6		< 9.6		< 96		< 9.6		< 48		< 9.6		< 48		< 140	UJ

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
						CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1614697	Former Roundhouse Area	Unit 2	8162105	J-8-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 3.7	R	< 0.61		< 0.12		< 0.62		0.42		< 0.062		< 0.062		< 0.12		< 1.8	UJ	< 0.61		0.087		< 0.12		0.17	B	< 0.12		< 0.12		0.21	B
1614697	Former Fueling Facility	Unit 1	8162107	J-6-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 3.6		< 0.60		< 0.12		< 0.61		1.7		0.097		< 0.061		< 0.12		< 1.8		< 0.60		0.48		< 0.12		1.2	B	< 0.12		< 0.12		0.77	B
1614697	Former Fueling Facility	Unit 1	8162108	J-6-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 3.9		< 0.65		< 0.13		< 0.67		0.29		< 0.067		< 0.067		< 0.13		< 2.0		< 0.65		0.18		< 0.13		0.37		< 0.13		< 0.13		0.29	
1614697	Former Fueling Facility	Unit 1	8162109	J-6-c(0.5-1.0)	(0.5-1.0)	12/3/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.32		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.17		< 0.11		0.49		< 0.11		< 0.11		0.19	
1614697	Former Fueling Facility	Unit 1	8162110	J-6-c(1.0-1.5)	(0.0-1.5)	12/3/2015	< 3.7		< 0.61		< 0.12		< 0.62		2		0.12		< 0.062		< 0.12		< 1.8		< 0.61		0.6		< 0.12		1.5	B	< 0.12		< 0.12		0.98	B
1614697	Former Fueling Facility	Unit 1	8162111	J-6-d(0.5-1.0)	(0.5-1.0)	12/3/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.65		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.41		< 0.11		0.5	B	< 0.11		< 0.11		0.27	B
1614697	Former Fueling Facility	Unit 1	8162112	J-6-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 300		< 50		< 10		< 51		< 5.1		< 5.1		< 5.1		< 10		< 150		< 50		< 5.1		< 10		< 5.1		< 10		< 10		< 5.1	
1614697	Former Fueling Facility	Unit 1	8162113	J-6-a(1.5-2.0)	(0.5-2.0)	12/3/2015	< 260		< 43		< 8.6		< 44		< 4.4		< 4.4		< 4.4		< 8.6		< 130		< 43		< 4.4		< 8.6		< 4.4		< 8.6		< 8.6		< 4.4	
1614697	Former Fueling Facility	Unit 1	8162117	J-8-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 3.2		< 0.54		< 0.11		< 0.55		0.64		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.26		< 0.11		0.69	B	< 0.11		< 0.11		0.43	B
1614697	Former Fueling Facility	Unit 1	8162118	J-8-c(2.0-2.5)	(0.0-2.5)	12/3/2015	< 3.3		< 0.55		< 0.11		< 0.56		1.6		0.12		< 0.056		< 0.11		< 1.6		< 0.55		0.55		< 0.11		0.16		< 0.11		< 0.11		0.15	
1614954	Former Fueling Facility	Unit 1	8163533	J-8-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 3.7		< 0.62		< 0.12		< 0.64		4.3		0.32		< 0.064		< 0.12		< 1.9		< 0.62		1.2		< 0.12		1.3		< 0.12		< 0.12		1	
1614954	Former Fueling Facility	Unit 1	8163534	J-8-a (1.5-2.0)	(0.5-2.0)	12/4/2015	< 3.1		< 0.52		< 0.10		< 0.53		0.11		< 0.053		< 0.053		< 0.10		< 1.5		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1614954	Former Fueling Facility	Unit 1	8163537	K-3-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 3.6		< 0.59		< 0.12		< 0.61		0.74		< 0.061		< 0.061		< 0.12		< 1.8		< 0.59		0.54		< 0.12		0.42		< 0.12		< 0.12		0.25	
1614954	Former Fueling Facility	Unit 1	8163540	DUP-25		12/4/2015	< 3.5		< 0.58		< 0.12		< 0.59		1.3		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.58		< 0.12		0.66		< 0.12		< 0.12		0.41	
1614954	Former Fueling Facility	Unit 1	8163541	K-3-a (3.5-4.0)	(0.5-4.0)	12/4/2015	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1614954	Former Fueling Facility	Unit 1	8163542	K-3-c (0.0-0.5)	(0.0-0.5)	12/4/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.72		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.47		< 0.11		0.16		< 0.11		< 0.11		0.21	
1614954	Former Fueling Facility	Unit 1	8163543	K-3-c (1.0-1.5)	(0.0-1.5)	12/4/2015	< 280		< 46		< 9.3		< 47		< 4.7		< 4.7		< 4.7		< 9.3		< 140		< 46		< 4.7		< 9.3		< 4.7		< 9.3		< 9.3		< 4.7	
1614954	Former Fueling Facility	Unit 1	8163544	K-3-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 260		< 44		< 8.7		< 45		< 4.5		< 4.5		< 4.5		< 8.7		< 130		< 44		< 4.5		< 8.7		< 4.5		< 8.7		< 8.7		< 4.5	
1614954	Former Fueling Facility	Unit 1	8163545	K-3-b (0.5-1.0)	(0.5-1.0)	12/4/2015	< 3.4		< 0.56		< 0.11		< 0.57		2.2		0.057		< 0.057		< 0.11		< 1.7		< 0.56		**1.7**		< 0.11		0.75		< 0.11		< 0.11		0.67	
1614954	Former Fueling Facility	Unit 1	8163548	K-4-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 18		< 3.0		< 0.60		< 3.0		2.2		< 0.30		< 0.30		< 0.60		< 8.9		< 3.0		**1.9**		< 0.60		0.84		< 0.60		< 0.60		0.69	
1614954	Former Fueling Facility	Unit 1	8163549	K-4-b (5.0-5.5)	(0.0-5.5)	12/4/2015	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1614954	Former Fueling Facility	Unit 1	8163550	K-4-e (0.0-0.5)	(0.0-0.5)	12/4/2015	< 3.6		< 0.61		< 0.12		< 0.62		0.37		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		0.13		< 0.12		0.89		< 0.12		< 0.12		0.7	
1614954	Former Fueling Facility	Unit 1	8163551	K-4-e (6.0-6.5)	(0.0-6.5)	12/4/2015	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1615426	Former Fueling Facility	Unit 1	8166113	K-4-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 340		< 57		< 11		< 58		46	J	< 5.8		< 5.8		< 11		< 170	R	< 57	UJ	**17**	J	< 11		< 5.8		< 11		< 11		< 5.8	
1615426	Former Fueling Facility	Unit 1	8166116	DUP-26		12/7/2015	< 250		< 41		< 8.3		< 42		34		< 4.2		< 4.2		< 8.3		< 120		< 41		**12**		< 8.3		< 4.2		< 8.3		< 8.3		< 4.2	
1615426	Former Fueling Facility	Unit 1	8166117	K-4-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.4		< 0.56		< 0.11		< 0.57		2.6		0.15		< 0.057		< 0.11		< 1.7		< 0.56		**2**		< 0.11		1.7		< 0.11		< 0.11		1.6	J
1615426	Former Fueling Facility	Unit 1	8166118	K-4-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 55		< 9.2		< 1.8		< 9.3		120		11		< 0.93		< 1.8		< 27		< 9.2		**36**		< 1.8		5.6		< 1.8		< 1.8		3.2	J
1615426	Former Fueling Facility	Unit 1	8166119	K-4-a(0.5-1.0)	(0.5-1.0)	12/7/2015	< 3.3		< 0.55		< 0.11		< 0.56		2.3		0.13		< 0.056		< 0.11		< 1.6		< 0.55		**1.6**		< 0.11		1.6		< 0.11		< 0.11		1.5	J
1615426	Former Fueling Facility	Unit 1	8166120	K-4-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.7		< 0.62		< 0.12		< 0.63		< 0.063		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		< 0.063		< 0.12		< 0.063		< 0.12		< 0.12		< 0.063	
1615426	Former Fueling Facility	Unit 1	8166126	K-5-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.8		< 0.63		< 0.13		< 0.64		< 0.064		< 0.064		< 0.064		< 0.13		< 1.9		< 0.63		< 0.064		< 0.13		< 0.064		< 0.13		< 0.13		< 0.064	
1615426	Former Fueling Facility	Unit 1	8166127	K-4-d(1.0-1.5)	(0.0-1.5)	12/7/2015	< 3.5		< 0.59		< 0.12		< 0.60		2.6		0.11		< 0.060		< 0.12		< 1.8		< 0.59		**2.1**		< 0.12		0.89		< 0.12		< 0.12		0.74	J
1615426	Former Fueling Facility	Unit 1	8166128	K-5-a(2.0-2.5)	(0.0-2.5)	12/7/2015	< 3.8		< 0.63		< 0.13		< 0.64		4.6		0.21		< 0.064		< 0.13		< 1.9		< 0.63		**3**		< 0.13		1.9		< 0.13		0.14		1.9	J
1615426	Former Fueling Facility	Unit 1	8166130	K-5-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 260		< 43		< 8.6		< 44		4.5		< 4.4		< 4.4		< 8.6		< 130		< 43		< 4.4		< 8.6		< 4.4		< 8.6		< 8.6		< 4.4	
1615426	Former Fueling Facility	Unit 1	8166131	K-5-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.9		< 0.64		< 0.13		< 0.66		< 0.066		< 0.066		< 0.066		< 0.13		< 1.9		< 0.64		< 0.066		< 0.13		< 0.066		< 0.13		< 0.13		< 0.066	
1615426	Former Fueling Facility	Unit 1	8166132	K-5-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 3.3		< 0.55		< 0.11		< 0.56		1.2		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		0.64		< 0.11		1		< 0.11		< 0.11		0.68	J
1615426	Former Fueling Facility	Unit 1	8166133	K-5-d(1.5-2.0)	(0.5-2.0)	12/7/2015	< 3.5		< 0.58		< 0.12		< 0.59		5		0.21		< 0.059		< 0.12		< 1.7		< 0.58		**3.7**		< 0.12		1.7		< 0.12		< 0.12		1.8	J
1615426	Former Fueling Facility	Unit 1	8166134	K-5-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.7		< 0.61		< 0.12		< 0.63		0.12		< 0.063		< 0.063		< 0.12		< 1.8		< 0.61		0.18		< 0.12		< 0.063		< 0.12		< 0.12		< 0.063	
1615426	Former Fueling Facility	Unit 1	8166135	K-5-b(3.0-3.5)	(0.0-3.5)	12/7/2015	< 3.5		< 0.59		< 0.12		< 0.60		3.6		0.22		< 0.060		< 0.12		< 1.8		< 0.59		**1.8**		< 0.12		2.4		< 0.12		< 0.12		2	J
1615426	Former Fueling Facility	Unit 1	8166136	K-5-e(0.5-1.0)	(0.5-1.0)	12/7/2015	< 280		< 47		< 9.5		< 48		< 4.8		< 4.8		< 4.8		< 9.5		< 140		< 47		< 4.8		< 9.5		< 4.8		< 9.5		< 9.5		< 4.8	
1615426	Former Fueling Facility	Unit 1	8166137	K-5-e(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.3		< 0.55		< 0.11		< 0.56		1.3		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		0.9		< 0.11		0.67		< 0.11		< 0.11		0.49	J
1615426	Former Fueling Facility	Unit 1	8166140	K-6-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 4.3		< 0.71		< 0.14		< 0.72		< 0.072		< 0.072		< 0.072		< 0.14		< 2.1		< 0.71		< 0.072		< 0.14		< 0.072		< 0.14		< 0.14		< 0.072	
1615426	Former Fueling Facility	Unit 1	8166141	K-6-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.35		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		0.23		< 0.12		0.097		< 0.12		< 0.12		0.11	J
1615426	Former Fueling Facility	Unit 1	8166142	K-6-a(0.5-1.0)	(0.5-1.0)	12/7/2015	< 3.4		< 0.56		< 0.11		< 0.58		1.8		< 0.058		< 0.058		< 0.11		< 1.7		< 0.56		**1.5**		< 0.11		0.57		< 0.11		< 0.11		0.5	J
1615426	Former Fueling Facility	Unit 1	8166143	K-6-c(0.5-1.0)	(0.5-1.0)	12/7/2015	< 230		< 38		< 7.7		< 39		< 3.9		< 3.9		< 3.9		< 7.7		< 120		< 38		< 3.9		< 7.7		< 3.9		< 7.7		< 7.7		< 3.9	
1615426	Former Fueling Facility	Unit 1	8166144	K-6-b(2.0-2.5)	(0.0-2.5)	12/7/2015	< 250		< 42		< 8.4		< 43		8.8		< 4.3		< 4.3		< 8.4		< 130		< 42		< 4.3		< 8.4		< 4.3		< 8.4		< 8.4		< 4.3	
1615901	Former Fueling Facility	Unit 1	8168630	K-6-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 220		< 37		< 7.5		< 38		< 3.8		< 3.8		< 3.8		< 7.5		< 110		< 37		< 3.8		< 7.5		< 3.8		< 7.5		< 7.5		< 3.8	
1615901	Former Fueling Facility	Unit 1	8168631	K-7-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.19	J	< 0.056		< 0.056		< 0.11		< 1.6	UJ	< 0.55		0.11	J	< 0.11		0.6	J	< 0.11		< 0.11		0.37	J
1615901	Former Fueling Facility	Unit 1	8168635	DUP-28		12/8/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.096	J	< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		0.13	J	< 0.11		< 0.11		0.096	J
1615901	Former Fueling Facility	Unit 1	8168636	K-7-c(2.0-2.5)	(0.0-2.5)	12/8/2015	< 5.0		< 0.83		< 0.17		< 0.85		0.22		< 0.085		< 0.085		< 0.17		< 2.5		< 0.83		< 0.085		< 0.17		< 0.085		< 0.17		< 0.17		< 0.085	
1615901	Former Fueling Facility	Unit 1	8168637	K-6-d(1.5-2.0)	(0.5-2.0)	12/8/2015	< 290		< 48		< 9.6		< 49		< 4.9		< 4.9		< 4.9		< 9.6		< 140		< 48		< 4.9		< 9.6		< 4.9		< 9.6		< 9.6		< 4.9	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1614697	Former Roundhouse Area	Unit 2	8162105	J-6-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12	UJ	< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		0.28	B	< 0.12		0.4		< 0.12		< 0.12		< 0.12	
1614697	Former Fueling Facility	Unit 1	8162107	J-6-b(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		2.6	B	< 0.12		1.5		< 0.12		< 0.12		< 0.12	
1614697	Former Fueling Facility	Unit 1	8162108	J-6-b(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.13		< 0.65		< 0.65		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.65		< 0.67		0.63		< 0.13		0.25		< 0.13		< 0.13		< 0.13	
1614697	Former Fueling Facility	Unit 1	8162109	J-6-c(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.45		< 0.11		0.28		< 0.11		< 0.11		< 0.11	
1614697	Former Fueling Facility	Unit 1	8162110	J-6-c(1.0-1.5)	(0.0-1.5)	12/3/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		2.2	B	< 0.12		1.6		< 0.12		< 0.12		< 0.12	
1614697	Former Fueling Facility	Unit 1	8162111	J-6-d(0.5-1.0)	(0.5-1.0)	12/3/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.43	B	< 0.11		0.64		< 0.11		< 0.11		< 0.11	
1614697	Former Fueling Facility	Unit 1	8162112	J-6-a(0.0-0.5)	(0.0-0.5)	12/3/2015	< 10		< 50		< 50		< 10		< 10		< 150		< 10		< 10		< 50		< 51		< 5.1		< 10		< 5.1		< 10		< 10		< 10	
1614697	Former Fueling Facility	Unit 1	8162113	J-6-a(1.5-2.0)	(0.5-2.0)	12/3/2015	< 8.6		< 43		< 43		< 8.6		< 8.6		< 130		< 8.6		< 8.6		< 43		< 44		< 4.4		< 8.6		< 4.4		11	J	< 8.6		< 8.6	
1614697	Former Fueling Facility	Unit 1	8162117	J-8-c(0.0-0.5)	(0.0-0.5)	12/3/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.73	B	< 0.11		0.5		< 0.11		< 0.11		< 0.11	
1614697	Former Fueling Facility	Unit 1	8162118	J-8-c(2.0-2.5)	(0.0-2.5)	12/3/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		1.4		< 0.11		1.4		< 0.11		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163533	J-8-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.64		4.2		< 0.12		3.6		< 0.12		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163534	J-8-a (1.5-2.0)	(0.5-2.0)	12/4/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.52		< 0.53		0.091		< 0.10		0.11		< 0.10		< 0.10		< 0.10	
1614954	Former Fueling Facility	Unit 1	8163537	K-3-a (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.61		0.58		< 0.12		0.73		< 0.12		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163540	DUP-25		12/4/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.76		< 0.12		1.2		< 0.12		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163541	K-3-a (3.5-4.0)	(0.5-4.0)	12/4/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163542	K-3-c (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.34		< 0.11		0.64		< 0.11		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163543	K-3-c (1.0-1.5)	(0.0-1.5)	12/4/2015	< 9.3		< 46		< 46		< 9.3		< 9.3		< 140		< 9.3		< 9.3		< 46		< 47		< 4.7		< 9.3		< 4.7		< 9.3		< 9.3		< 9.3	
1614954	Former Fueling Facility	Unit 1	8163544	K-3-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 8.7		< 44		< 44		< 8.7		< 8.7		< 130		< 8.7		< 8.7		< 44		< 45		< 4.5		< 8.7		< 4.5		< 8.7		< 8.7		< 8.7	
1614954	Former Fueling Facility	Unit 1	8163545	K-3-b (0.5-1.0)	(0.5-1.0)	12/4/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		1.4		< 0.11		2.3		< 0.11		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163548	K-4-b (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.60		< 3.0		< 3.0		< 0.60		< 0.60		< 8.9		< 0.60		< 0.60		< 3.0		< 3.0		1.1		< 0.60		2.3		< 0.60		< 0.60		< 0.60	
1614954	Former Fueling Facility	Unit 1	8163549	K-4-b (5.0-5.5)	(0.0-5.5)	12/4/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1614954	Former Fueling Facility	Unit 1	8163550	K-4-e (0.0-0.5)	(0.0-0.5)	12/4/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		1		< 0.12		0.34		< 0.12		< 0.12		< 0.12	
1614954	Former Fueling Facility	Unit 1	8163551	K-4-e (6.0-6.5)	(0.0-6.5)	12/4/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166113	K-4-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 11		< 57		< 57	UJ	< 11		< 11	UJ	< 170		< 11		< 11		< 57		< 58		< 5.8		< 11		53	J	< 11		< 11		< 11	
1615426	Former Fueling Facility	Unit 1	8166116	DUP-26		12/7/2015	< 8.3		< 41		< 41		< 8.3		< 8.3		< 120		< 8.3		< 8.3		< 41		< 42		6.1		< 8.3		32		< 8.3		< 8.3		< 8.3	
1615426	Former Fueling Facility	Unit 1	8166117	K-4-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		2.6		< 0.11		2		< 0.11		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166118	K-4-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 1.8		< 9.2		< 9.2		< 1.8		< 1.8		< 27		< 1.8		< 1.8		< 9.2		< 9.3		68		< 1.8		110		< 1.8		< 1.8		< 1.8	
1615426	Former Fueling Facility	Unit 1	8166119	K-4-a(0.5-1.0)	(0.5-1.0)	12/7/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		2.3		< 0.11		1.8		< 0.11		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166120	K-4-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		< 0.063		< 0.12		< 0.063		< 0.12		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166126	K-5-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		< 0.064		< 0.13		< 0.064		< 0.13		< 0.13		< 0.13	
1615426	Former Fueling Facility	Unit 1	8166127	K-4-d(1.0-1.5)	(0.0-1.5)	12/7/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1.3		< 0.12		2.9		< 0.12		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166128	K-5-a(2.0-2.5)	(0.0-2.5)	12/7/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		2.7		< 0.13		4.3		< 0.13		< 0.13		< 0.13	
1615426	Former Fueling Facility	Unit 1	8166130	K-5-d(0.0-0.5)	(0.0-0.5)	12/7/2015	< 8.6		< 43		< 43		< 8.6		< 8.6		< 130		< 8.6		< 8.6		< 43		< 44		< 4.4		< 8.6		< 4.4		< 8.6		< 8.6		< 8.6	
1615426	Former Fueling Facility	Unit 1	8166131	K-5-c(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.13		< 0.64		< 0.64		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.64		< 0.66		< 0.066		< 0.13		< 0.066		< 0.13		< 0.13		< 0.13	
1615426	Former Fueling Facility	Unit 1	8166132	K-5-c(1.0-1.5)	(0.0-1.5)	12/7/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.99		< 0.11		1.1		< 0.11		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166133	K-5-d(1.5-2.0)	(0.5-2.0)	12/7/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		2.7		< 0.12		4.9		< 0.12		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166134	K-5-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.63		< 0.063		< 0.12		0.16		< 0.12		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166135	K-5-b(3.0-3.5)	(0.0-3.5)	12/7/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		3.2		< 0.12		3.2		< 0.12		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166136	K-5-e(0.5-1.0)	(0.5-1.0)	12/7/2015	< 9.5		< 47		< 47		< 9.5		< 9.5		< 140		< 9.5		< 9.5		< 47		< 48		< 4.8		< 9.5		< 4.8		< 9.5		< 9.5		< 9.5	
1615426	Former Fueling Facility	Unit 1	8166137	K-5-e(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.95		< 0.11		1.3		0.23		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166140	K-6-a(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.14		< 0.71		< 0.71		< 0.14		< 0.14		< 2.1		< 0.14		< 0.14		< 0.71		< 0.72		< 0.072		< 0.14		< 0.072		< 0.14		< 0.14		< 0.14	
1615426	Former Fueling Facility	Unit 1	8166141	K-6-b(0.0-0.5)	(0.0-0.5)	12/7/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		0.12		< 0.12		0.37		< 0.12		< 0.12		< 0.12	
1615426	Former Fueling Facility	Unit 1	8166142	K-6-a(0.5-1.0)	(0.5-1.0)	12/7/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		0.99		< 0.11		1.7		< 0.11		< 0.11		< 0.11	
1615426	Former Fueling Facility	Unit 1	8166143	K-6-c(0.5-1.0)	(0.5-1.0)	12/7/2015	< 7.7		< 38		< 38		< 7.7		< 7.7		< 120		< 7.7		< 7.7		< 38		< 39		< 3.9		< 7.7		< 3.9		< 7.7		< 7.7		< 7.7	
1615426	Former Fueling Facility	Unit 1	8166144	K-6-b(2.0-2.5)	(0.0-2.5)	12/7/2015	< 8.4		< 42		< 42		< 8.4		< 8.4		< 130		< 8.4		< 8.4		< 42		< 43		< 4.3		< 8.4		7.2		< 8.4		< 8.4		< 8.4	
1615901	Former Fueling Facility	Unit 1	8168630	K-6-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 7.5		< 37		< 37		< 7.5		< 7.5		< 110		< 7.5		< 7.5		< 37		< 38		< 3.8		< 7.5		< 3.8		< 7.5		< 7.5		< 7.5	
1615901	Former Fueling Facility	Unit 1	8168631	K-7-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.44	J	< 0.11		0.21	J	0.16		< 0.11		< 0.11	
1615901	Former Fueling Facility	Unit 1	8168635	DUP-28		12/8/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.12	J	< 0.11		0.11	J	< 0.11		< 0.11		< 0.11	
1615901	Former Fueling Facility	Unit 1	8168636	K-7-c(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.17		< 0.83		< 0.83		< 0.17		< 0.17		< 2.5		< 0.17		< 0.17		< 0.83		< 0.85		0.17		< 0.17		0.21		< 0.17		< 0.17		< 0.17	
1615901	Former Fueling Facility	Unit 1	8168637	K-6-d(1.5-2.0)	(0.5-2.0)	12/8/2015	< 9.6		< 48		< 48		< 9.6		< 9.6		< 140		< 9.6		< 9.6		< 48		< 49		< 4.9		< 9.6		< 4.9		< 9.6		< 9.6		< 9.6	

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1615901	Former Fueling Facility	Unit 1	8168638	K-7-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 4.2		< 8.2		< 41		< 41		< 8.2		< 8.2		< 16		< 8.2		< 8.2	
1615901	Former Fueling Facility	Unit 1	8168639	K-7-d(2.0-2.5)	(0.0-2.5)	12/8/2015	0.11		< 0.059		0.24		0.74		**0.76**		1.1		0.47		0.41		< 0.12		< 0.58		< 0.58		0.15		< 0.12		< 0.23		< 0.12		< 0.12	
1615901	Remainder of Outfall 007	Unit 5	8168640	K-8-c(0.0-0.5)	(0.0-0.5)	12/8/2015	0.11		0.56		0.82		**1.3**		**1.5**		**3.5**		1.3		0.98		< 0.12		< 0.58		< 0.58		0.33		< 0.12		< 0.23		< 0.12		< 0.12	
1615901	Remainder of Outfall 007	Unit 5	8168641	K-8-c(2.5-3.0)	(2.5-3.0)	12/8/2015	< 0.059		< 0.059		< 0.059		0.089		0.14		0.25		0.11		0.091		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1615901	Locomotive Track Yard	Unit 4	8168642	K-8-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.055		0.31		0.39		0.35		**0.42**		**1.3**		0.61		0.33		< 0.11		< 0.54		< 0.54		0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168643	K-8-b(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168644	K-7-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.052		0.065		0.11		0.085		0.11		0.34		0.18		0.094		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1615901	Locomotive Track Yard	Unit 4	8168645	K-7-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.055		0.081		0.13		0.14		0.18		0.54		0.28		0.13		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Former Fueling Facility	Unit 1	8168646	K-6-e(1.5-2.0)	(0.5-2.0)	12/8/2015	< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 9.9		< 50		< 50		< 9.9		< 9.9		< 20		< 9.9		< 9.9	
1615901	Locomotive Track Yard	Unit 4	8168650	K-7-a(3.0-3.5)	(0.0-3.5)	12/8/2015	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168651	K-7-b(1.0-1.5)	(0.0-1.5)	12/8/2015	< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 5.1		< 9.9		< 50		< 50		< 9.9		< 9.9		< 20		< 9.9		< 9.9	
1615901	Locomotive Track Yard	Unit 4	8168653	K-8-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.056		0.42		0.42		0.58		**0.65**		**2.1**		0.77		0.66		< 0.11		< 0.55		< 0.55		0.16		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168654	K-9-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 7.6		< 38		< 38		< 7.6		< 7.6		< 15		< 7.6		< 7.6	
1615901	Locomotive Track Yard	Unit 4	8168655	K-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.058		0.24		0.3		0.35		**0.38**		**1.3**		0.48		0.41		< 0.11		< 0.57		< 0.57		0.12		< 0.11		< 0.23		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168656	K-8-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168657	K-9-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.056		0.16		0.2		0.25		**0.26**		0.89		0.37		0.31		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168658	J-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.057		0.2		0.29		0.37		**0.39**		1.1		0.61		0.31		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168659	J-9-a(2.5-3.0)	(0.5-3.0)	12/8/2015	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168660	K-8-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.054		0.055		0.13		0.11		0.1		0.25		0.14		0.074		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168661	K-8-a(1.5-2.0)	(0.5-2.0)	12/8/2015	0.081		< 0.060		0.11		0.31		**0.27**		0.53		0.32		0.13		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1615901	Former Fueling Facility	Unit 1	8168664	K-6-e(0.0-0.5)	(0.0-0.5)	12/8/2015	< 5.7		< 5.7		< 5.7		< 5.7		< 5.7		< 5.7		< 5.7		< 5.7		< 11		< 56		< 56		< 11		< 11		< 22		< 11		< 11	
1616472	Former Fueling Facility	Unit 1	8171700	H-8-d(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.061		0.34		0.13		0.3		**0.26**		0.76		0.32		0.22		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1616472	Former Fueling Facility	Unit 1	8171701	H-8-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.058		< 0.058		0.12		0.36		0.19		0.56		0.31		0.19		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1616472	Former Fueling Facility	Unit 1	8171702	H-8-d(1.0-1.5)	(0.0-1.5)	12/9/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1616472	Former Fueling Facility	Unit 1	8171703	H-8-c(3.5-4.0)	(3.5-4.0)	12/9/2015	< 0.062		< 0.062		0.16		0.39		**0.31**		0.64		0.35		0.2		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1616472	Former Roundhouse Area	Unit 2	8171704	H-8-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.056		0.06		0.064		0.22		0.21		0.64		0.33		0.23		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1616472	Former Roundhouse Area	Unit 2	8171705	H-8-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.058		0.1		0.11		0.26		**0.27**		0.54		0.29		0.21		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1616472	Former Roundhouse Area	Unit 2	8171706	H-8-a(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1616472	Former Roundhouse Area	Unit 2	8171707	H-8-b(5.0-5.5)	(0.0-5.5)	12/9/2015	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171708	I-10-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.052		0.16		0.23		0.33		**0.37**		1.4		0.53		0.49		< 0.10		< 0.51		< 0.51		0.14		< 0.10		< 0.20		< 0.10		< 0.10	
1616472	Remainder of Outfall 007	Unit 5	8171709	I-10-d(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171710	I-10-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 0.059		0.072		0.095		0.23		0.18		0.41		0.32		0.15		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171711	I-10-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.058		0.8		1.4		**1.8**		**1.4**		**5.1**		1.3		1.4		< 0.11		0.89		< 0.56		0.48		< 0.11		< 0.23		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171712	I-10-c(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.058		0.18		0.23		0.33		**0.24**		0.83		0.43		0.26		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171713	I-9-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.059		0.34		0.68		**2.9**		**2**		**5.7**		2.1		**2.2**		< 0.12		< 0.58		< 0.58		0.4		< 0.12		< 0.23		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171714	I-9-b(3.0-3.5)	(0.0-3.5)	12/9/2015	0.21		0.31		0.96		**4.9**		**4.4**		**6.8**		3.1		**2.3**		< 0.12		< 0.62		< 0.62		0.58		< 0.12		< 0.25		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171720	I-9-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1616472	Remainder of Outfall 007	Unit 5	8171721	I-9-a(1.5-2.0)	(0.5-2.0)	12/9/2015	0.22		1		1.3		**5**		**4.7**		**6.3**		3.6		**2.7**		< 0.11		< 0.56		< 0.56		0.64		< 0.11		< 0.23		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171722	I-9-d(1.5-2.0)	(0.5-2.0)	12/9/2015	< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		0.078		0.072		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171723	I-9-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.064		0.18		0.3		0.29	J	**0.37**	J	1.1	J	0.48	J	0.37		< 0.13		< 0.63		< 0.63		0.14		< 0.13		< 0.25	UJ	< 0.13		< 0.13	
1616472	Remainder of Outfall 007	Unit 5	8171726	DUP-29		12/9/2015	< 0.057		< 0.057		< 0.057		0.062	J	0.08	J	0.18	J	0.077	J	< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171727	I-9-c(2.5-3.0)	(0.5-3.0)	12/9/2015	< 0.063		< 0.063		< 0.063		0.11		0.083		0.25		0.13		0.085		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1616473	Remainder of Outfall 007	Unit 5	8171729	G-13-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 1.0		< 0.50		< 0.50	
1616473	Remainder of Outfall 007	Unit 5	8171733	DUP-30		12/9/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1616870	Remainder of Outfall 007	Unit 5	8173784	G-11-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 0.054		< 0.054		0.12		0.29		**0.31**		0.49		0.21		0.18		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21	UJ	< 0.11		< 0.11	
1616870	Remainder of Outfall 007	Unit 5	8173787	DUP-31		12/10/2015	< 0.054		< 0.054		0.062		0.14		0.14		0.26		0.13		0.11		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1616870	Remainder of Outfall 007	Unit 5	8173788	G-11-a(3.0-3.5)	(0.0-3.5)	12/10/2015	< 0.059		< 0.059		< 0.059		0.079		0.093		0.18		0.13		0.089		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1616870	Remainder of Outfall 007	Unit 5	8173789	I-10-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 4.3		< 4.3		< 4.3		< 4.3		< 4.3		**7**		< 4.3		< 4.3		< 8.4		< 42		< 42		< 8.4		< 8.4		< 17		< 8.4		< 8.4	
1616870	Remainder of Outfall 007	Unit 5	8173790	I-10-a(2.0-2.5)	(0.0-2.5)	12/10/2015	< 0.054		< 0.054		< 0.054		0.088		0.092		0.22		0.1		0.055		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1616870	Remainder of Outfall 007	Unit 5	8173793	G-11-b(0.5-1.0)	(0.5-1.0)	12/10/2015	0.12		0.097		0.13		0.4		0.2		0.48		0.29		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1615901	Former Fueling Facility	Unit 1	8168638	K-7-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 8.1		< 8.2		< 8.2		< 8.2		< 4.2		< 4.2		< 8.2		< 8.2		< 8.2		< 8.2		< 82		< 8.2		< 41		< 8.2		< 41		< 120	UJ
1615901	Former Fueling Facility	Unit 1	8168639	K-7-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.93		0.16		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1615901	Remainder of Outfall 007	Unit 5	8168640	K-8-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.12		< 0.12		< 0.12		< 0.12		2		0.4		0.46		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1615901	Remainder of Outfall 007	Unit 5	8168641	K-8-c(2.5-3.0)	(0.5-3.0)	12/8/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.23		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168642	K-8-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.68		0.19		0.24		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1615901	Locomotive Track Yard	Unit 4	8168643	K-8-b(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1615901	Locomotive Track Yard	Unit 4	8168644	K-7-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.13		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1615901	Locomotive Track Yard	Unit 4	8168645	K-7-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.26		0.085		0.12		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1615901	Former Fueling Facility	Unit 1	8168646	K-6-e(1.5-2.0)	(0.5-2.0)	12/8/2015	< 9.8		< 9.9		< 9.9		< 9.9		< 5.1		< 5.1		< 9.9		49	J+	240	J+	330		< 99		< 9.9		< 50		< 9.9		< 50		< 150	UJ
1615901	Locomotive Track Yard	Unit 4	8168650	K-7-a(3.0-3.5)	(0.0-3.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1615901	Locomotive Track Yard	Unit 4	8168651	K-7-b(1.0-1.5)	(0.0-1.5)	12/8/2015	< 9.8		< 9.9		< 9.9		< 9.9		< 5.1		< 5.1		< 9.9		< 9.9		< 9.9		< 9.9		< 99		< 9.9		< 50		< 9.9		< 50		< 150	UJ
1615901	Locomotive Track Yard	Unit 4	8168653	K-8-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		1.2		0.25		0.48		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168654	K-9-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 7.5		< 7.6		< 7.6		< 7.6		< 3.9		< 3.9		< 7.6		< 7.6		< 7.6		< 7.6		< 76		< 7.6		< 38		< 7.6		< 38		< 110	UJ
1615901	Locomotive Track Yard	Unit 4	8168655	K-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.75		0.17		0.41		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168656	K-8-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.059		< 0.059		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168657	K-9-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.52		0.12		0.41		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168658	J-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.59		0.15		0.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168659	J-9-a(2.5-3.0)	(0.5-3.0)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.057		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1615901	Locomotive Track Yard	Unit 4	8168660	K-8-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.19		< 0.054		0.13		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1615901	Locomotive Track Yard	Unit 4	8168661	K-8-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.42		0.092		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1615901	Former Fueling Facility	Unit 1	8168664	K-6-e(0.0-0.5)	(0.0-0.5)	12/8/2015	< 11		< 11		< 11		< 11		< 5.7		< 5.7		< 11		< 11		< 11		< 11		< 110		< 11		< 56		< 11		< 56		< 170	UJ
1616472	Former Fueling Facility	Unit 1	8171700	H-8-d(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.77		0.13		0.31		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1616472	Former Fueling Facility	Unit 1	8171701	H-8-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.72		0.12		0.43		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1616472	Former Fueling Facility	Unit 1	8171702	H-8-d(1.0-1.5)	(0.0-1.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1616472	Former Fueling Facility	Unit 1	8171703	H-8-c(3.5-4.0)	(3.5-4.0)	12/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.7		0.12		0.33		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1616472	Former Roundhouse Area	Unit 2	8171704	H-8-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.45		0.11		0.21		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1616472	Former Roundhouse Area	Unit 2	8171705	H-8-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.51		0.083		0.23		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1616472	Former Roundhouse Area	Unit 2	8171706	H-8-a(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1616472	Former Roundhouse Area	Unit 2	8171707	H-8-b(5.0-5.5)	(0.0-5.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.057		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171708	I-10-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.79		0.14		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1616472	Remainder of Outfall 007	Unit 5	8171709	I-10-d(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171710	I-10-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.54		0.11		0.24		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171711	I-10-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		3.3		0.51		0.91		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171712	I-10-c(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.77		0.13		0.27		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171713	I-9-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.12		< 0.12		< 0.12		4.4		0.8		0.43		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171714	I-9-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		5.7		0.92		0.47		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1616472	Remainder of Outfall 007	Unit 5	8171720	I-9-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1616472	Remainder of Outfall 007	Unit 5	8171721	I-9-a(1.5-2.0)	(0.5-2.0)	12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		5.6		1		0.27		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171722	I-9-d(1.5-2.0)	(0.5-2.0)	12/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.060		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1616472	Remainder of Outfall 007	Unit 5	8171723	I-9-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.12		< 0.13		< 0.13		< 0.13		0.56	J	0.15		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3	UJ	< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	UJ
1616472	Remainder of Outfall 007	Unit 5	8171726	DUP-29		12/9/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.1	J	< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1616472	Remainder of Outfall 007	Unit 5	8171727	I-9-c(2.5-3.0)	(0.5-3.0)	12/9/2015	< 0.12		< 0.12		< 0.12		< 0.12		0.52		< 0.063		0.39		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.8	
1616473	Remainder of Outfall 007	Unit 5	8171729	G-13-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.50		< 0.50		< 0.50		< 0.50		< 0.26		< 0.26		< 0.50		< 0.50		< 0.50		< 0.50		< 5.0		< 0.50		< 2.5		< 0.50		< 2.5		< 7.6	
1616473	Remainder of Outfall 007	Unit 5	8171733	DUP-30		12/9/2015	< 0.51		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.6		< 0.51		< 2.6		< 7.7	
1616870	Remainder of Outfall 007	Unit 5	8173784	G-11-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 0.10		< 0.11		< 0.11		< 0.11		0.33		0.061		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1616870	Remainder of Outfall 007	Unit 5	8173787	DUP-31		12/10/2015	< 0.10		< 0.11		< 0.11		< 0.11		0.16		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1616870	Remainder of Outfall 007	Unit 5	8173788	G-11-a(3.0-3.5)	(0.0-3.5)	12/10/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.13		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1616870	Remainder of Outfall 007	Unit 5	8173789	I-10-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 8.3		< 8.4		< 8.4		< 8.4		4.3		< 4.3		< 8.4		< 8.4		< 8.4		< 8.4		< 84		< 8.4		< 42		< 8.4		< 42		< 130	
1616870	Remainder of Outfall 007	Unit 5	8173790	I-10-a(2.0-2.5)	(0.0-2.5)	12/10/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.14		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1616870	Remainder of Outfall 007	Unit 5	8173793	G-11-b(0.5-1.0)	(0.5-1.0)	12/10/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.59		0.059		1.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2,4-Dinitrophenol	Flags	2,4-Dinitrotoluene	Flags	2,6-Dinitrotoluene	Flags	bis(2-Ethylhexyl)phthalate	Flags	Fluoranthene	Flags	Fluorene	Flags	Hexachlorobenzene	Flags	Hexachlorobutadiene	Flags	Hexachlorocyclopentadiene	Flags	Hexachloroethane	Flags	Indeno(1,2,3-cd)pyrene	Flags	Isophorone	Flags	2-Methylnaphthalene	Flags	2-Methylphenol	Flags	4-Methylphenol	Flags	Naphthalene	Flags
						CAS Number	51-28-5		121-14-2		606-20-2		117-81-7		206-44-0		86-73-7		118-74-1		87-68-3		77-47-4		67-72-1		193-39-5		78-59-1		91-57-6		95-48-7		106-44-5		91-20-3	
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1615901	Former Fueling Facility	Unit 1	8168638	K-7-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 250		< 41		< 8.2		< 42		< 4.2		< 4.2		< 4.2		< 8.2		< 120		< 41		< 4.2		< 8.2		< 4.2		< 8.2		< 8.2		< 4.2	
1615901	Former Fueling Facility	Unit 1	8168639	K-7-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 3.5		< 0.58		< 0.12		< 0.59		1.9		0.081		< 0.059		< 0.12		< 1.7		< 0.58		0.49		< 0.12		0.14		< 0.12		< 0.12		0.075	
1615901	Remainder of Outfall 007	Unit 5	8168640	K-8-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.5		< 0.58		< 0.12		< 0.59		2.8		0.19		< 0.059		< 0.12		< 1.7		< 0.58		1.2		< 0.12		1.1		< 0.12		< 0.12		0.73	
1615901	Remainder of Outfall 007	Unit 5	8168641	K-8-c(2.5-3.0)	(0.5-3.0)	12/8/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.13		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.082		< 0.12		0.06		< 0.12		< 0.12		< 0.059	
1615901	Locomotive Track Yard	Unit 4	8168642	K-8-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.59		0.056		< 0.055		< 0.11		< 1.6		< 0.54		0.59		< 0.11		0.51		< 0.11		< 0.11		0.33	
1615901	Locomotive Track Yard	Unit 4	8168643	K-8-b(2.0-2.5)	(0.0-2.5)	12/8/2015	< 3.3		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1615901	Locomotive Track Yard	Unit 4	8168644	K-7-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.1		< 0.51		< 0.10		< 0.52		0.12		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		0.15		< 0.10		0.27		< 0.10		< 0.10		0.14	
1615901	Locomotive Track Yard	Unit 4	8168645	K-7-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.25		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.2		< 0.11		0.5		< 0.11		< 0.11		0.23	
1615901	Former Fueling Facility	Unit 1	8168646	K-6-e(1.5-2.0)	(0.5-2.0)	12/8/2015	< 300		< 50		< 9.9		< 51		< 5.1		< 5.1		**15**		< 9.9		< 150		< 50		< 5.1		< 9.9		< 5.1		< 9.9		< 9.9		< 5.1	
1615901	Locomotive Track Yard	Unit 4	8168650	K-7-a(3.0-3.5)	(0.0-3.5)	12/8/2015	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1615901	Locomotive Track Yard	Unit 4	8168651	K-7-b(1.0-1.5)	(0.0-1.5)	12/8/2015	< 300		< 50		< 9.9		< 51		< 5.1		< 5.1		< 5.1		< 9.9		< 150		< 50		< 5.1		< 9.9		< 5.1		< 9.9		< 9.9		< 5.1	
1615901	Locomotive Track Yard	Unit 4	8168653	K-8-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.3		< 0.55		< 0.11		< 0.56		1		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.75		< 0.11		1.6		< 0.11		< 0.11		1	
1615901	Locomotive Track Yard	Unit 4	8168654	K-9-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 230		< 38		< 7.6		< 39		< 3.9		< 3.9		< 3.9		< 7.6		< 110		< 38		< 3.9		< 7.6		< 3.9		< 7.6		< 7.6		< 3.9	
1615901	Locomotive Track Yard	Unit 4	8168655	K-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.58		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.47		< 0.11		1.4		< 0.11		< 0.11		0.89	
1615901	Locomotive Track Yard	Unit 4	8168656	K-8-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 3.4		< 0.57		< 0.11		< 0.59		< 0.059		< 0.059		< 0.059		< 0.11		< 1.7		< 0.57		< 0.059		< 0.11		< 0.059		< 0.11		< 0.11		< 0.059	
1615901	Locomotive Track Yard	Unit 4	8168657	K-9-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.5		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.33		< 0.11		1.6		< 0.11		< 0.11		0.91	
1615901	Locomotive Track Yard	Unit 4	8168658	J-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.51		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.52		< 0.11		0.54		< 0.11		< 0.11		0.29	
1615901	Locomotive Track Yard	Unit 4	8168659	J-9-a(2.5-3.0)	(0.5-3.0)	12/8/2015	< 3.4		< 0.56		< 0.11		< 0.57		< 0.057		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	
1615901	Locomotive Track Yard	Unit 4	8168660	K-8-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.27		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.12		< 0.11		0.39		< 0.11		< 0.11		0.15	
1615901	Locomotive Track Yard	Unit 4	8168661	K-8-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 3.5		< 0.59		< 0.12		< 0.60		0.54		0.082		< 0.060		< 0.12		< 1.8		< 0.59		0.24		< 0.12		0.17		< 0.12		< 0.12		0.14	
1615901	Former Fueling Facility	Unit 1	8168664	K-6-e(0.0-0.5)	(0.0-0.5)	12/8/2015	< 330		< 56		< 11		< 57		< 5.7		< 5.7		< 5.7		< 11		< 170		< 56		< 5.7		< 11		< 5.7		< 11		< 11		< 5.7	
1616472	Former Fueling Facility	Unit 1	8171700	H-8-d(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.6		< 0.60		< 0.12		< 0.61		0.55		0.086		< 0.061		< 0.12		< 1.8		< 0.60		0.27		< 0.12		1.1		< 0.12		< 0.12		1.2	
1616472	Former Fueling Facility	Unit 1	8171701	H-8-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.37		0.063		< 0.058		< 0.11		< 1.7		< 0.57		0.18		< 0.11		1.4		< 0.11		< 0.11		0.76	
1616472	Former Fueling Facility	Unit 1	8171702	H-8-d(1.0-1.5)	(0.0-1.5)	12/9/2015	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1616472	Former Fueling Facility	Unit 1	8171703	H-8-c(3.5-4.0)	(3.5-4.0)	12/9/2015	< 3.7		< 0.61		< 0.12		< 0.62		0.66		0.082		< 0.062		< 0.12		< 1.8		< 0.61		0.27		< 0.12		0.78		< 0.12		< 0.12		0.5	
1616472	Former Roundhouse Area	Unit 2	8171704	H-8-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.32		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.28		< 0.11		0.59		< 0.11		< 0.11		0.38	
1616472	Former Roundhouse Area	Unit 2	8171705	H-8-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.38		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.25		< 0.11		0.63		< 0.11		< 0.11		0.36	
1616472	Former Roundhouse Area	Unit 2	8171706	H-8-a(2.0-2.5)	(0.0-2.5)	12/9/2015	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1616472	Former Roundhouse Area	Unit 2	8171707	H-8-b(5.0-5.5)	(0.0-5.5)	12/9/2015	< 3.4		< 0.56		< 0.11		< 0.57		< 0.057		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	
1616472	Remainder of Outfall 007	Unit 5	8171708	I-10-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.1		< 0.51		< 0.10		< 0.52		0.86		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		0.49		< 0.10		0.27		< 0.10		< 0.10		0.2	
1616472	Remainder of Outfall 007	Unit 5	8171709	I-10-d(2.0-2.5)	(0.0-2.5)	12/9/2015	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1616472	Remainder of Outfall 007	Unit 5	8171710	I-10-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.45		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.22		< 0.12		0.77		< 0.12		< 0.12		0.52	
1616472	Remainder of Outfall 007	Unit 5	8171711	I-10-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.4		< 0.56		< 0.11		< 0.58		3.9		0.13		< 0.058		< 0.11		< 1.7		< 0.56		**1.4**		< 0.11		3		< 0.11		< 0.11		2.5	
1616472	Remainder of Outfall 007	Unit 5	8171712	I-10-c(2.0-2.5)	(0.0-2.5)	12/9/2015	< 3.4		< 0.57		< 0.11		< 0.58		0.67		0.068		< 0.058		< 0.11		< 1.7		< 0.57		0.31		< 0.11		0.59		< 0.11		< 0.11		0.47	
1616472	Remainder of Outfall 007	Unit 5	8171713	I-9-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.5		< 0.58		< 0.12		< 0.59		5.2		0.11		< 0.059		< 0.12		< 1.7		< 0.58		**2.1**		< 0.12		1.2		< 0.12		< 0.12		0.84	
1616472	Remainder of Outfall 007	Unit 5	8171714	I-9-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 3.7		< 0.62		< 0.12		< 0.64		8.7		0.25		< 0.064		< 0.12		< 1.9		< 0.62		**2.8**		< 0.12		0.89		< 0.12		< 0.12		2.1	
1616472	Remainder of Outfall 007	Unit 5	8171720	I-9-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1616472	Remainder of Outfall 007	Unit 5	8171721	I-9-a(1.5-2.0)	(0.5-2.0)	12/9/2015	< 3.4		< 0.56		< 0.11		< 0.57		8.4		0.22		< 0.057		< 0.11		< 1.7		< 0.56		**3.3**		< 0.11		0.49		< 0.11		< 0.11		0.35	
1616472	Remainder of Outfall 007	Unit 5	8171722	I-9-d(1.5-2.0)	(0.5-2.0)	12/9/2015	< 3.5		< 0.59		< 0.12		< 0.60		< 0.060		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.060	
1616472	Remainder of Outfall 007	Unit 5	8171723	I-9-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 3.8	**R**	< 0.63		< 0.13		< 0.64		0.42	**J**	< 0.064		< 0.064		< 0.13		< 1.9	**UJ**	< 0.63		0.38	**J**	< 0.13		0.29		< 0.13		< 0.13		0.18	
1616472	Remainder of Outfall 007	Unit 5	8171726	DUP-29		12/9/2015	< 3.4		< 0.56		< 0.11		< 0.57		0.084	**J**	< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.077	**J**	< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	
1616472	Remainder of Outfall 007	Unit 5	8171727	I-9-c(2.5-3.0)	(0.5-3.0)	12/9/2015	< 3.7		< 0.62		< 0.12		< 0.63		0.16		< 0.063		< 0.063		< 0.12		< 1.8		< 0.62		0.095		< 0.12		0.98		< 0.12		< 0.12		0.6	
1616473	Remainder of Outfall 007	Unit 5	8171729	G-13-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 15		< 2.5		< 0.50		< 2.6		< 0.26		< 0.26		< 0.26		< 0.50		< 7.6		< 2.5		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.26	
1616473	Remainder of Outfall 007	Unit 5	8171733	DUP-30		12/9/2015	< 15		< 2.6		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.7		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1616870	Remainder of Outfall 007	Unit 5	8173784	G-11-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 3.2	**UJ**	< 0.53	**UJ**	< 0.11	**UJ**	< 0.54		0.57		< 0.054		< 0.054		< 0.11		< 1.6	**UJ**	< 0.53	**UJ**	0.2		< 0.11		0.12		< 0.11		< 0.11		0.1	
1616870	Remainder of Outfall 007	Unit 5	8173787	DUP-31		12/10/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.23		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.11		< 0.11		0.13		< 0.11		< 0.11		0.12	
1616870	Remainder of Outfall 007	Unit 5	8173788	G-11-a(3.0-3.5)	(0.0-3.5)	12/10/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.15		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.11		< 0.12		< 0.059		< 0.12		< 0.12		< 0.059	
1616870	Remainder of Outfall 007	Unit 5	8173789	I-10-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 250		< 42		< 8.4		< 43		4.3		< 4.3		< 4.3		< 8.4		< 130		< 42		< 4.3		< 8.4		< 4.3		< 8.4		< 8.4		< 4.3	
1616870	Remainder of Outfall 007	Unit 5	8173790	I-10-a(2.0-2.5)	(0.0-2.5)	12/10/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.11		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.088		< 0.11		0.087		< 0.11		< 0.11		0.069	
1616870	Remainder of Outfall 007	Unit 5	8173793	G-11-b(0.5-1.0)	(0.5-1.0)	12/10/2015	< 3.2		< 0.53		< 0.11		< 0.54		0.37		0.097		< 0.054		< 0.11		< 1.6		< 0.53		0.13		< 0.11		4.1		< 0.11		< 0.11		2.5	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1615901	Former Fueling Facility	Unit 1	8168638	K-7-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 8.2		< 41		< 41		< 8.2		< 8.2		< 120		< 8.2		< 8.2		< 41		< 42		< 4.2		< 8.2		< 4.2		< 8.2		< 8.2		< 8.2	
1615901	Former Fueling Facility	Unit 1	8168639	K-7-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		1.7		< 0.12		1.7		< 0.12		< 0.12		< 0.12	
1615901	Remainder of Outfall 007	Unit 5	8168640	K-8-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		2.4		< 0.12		2.6		< 0.12		< 0.12		< 0.12	
1615901	Remainder of Outfall 007	Unit 5	8168641	K-8-c(2.5-3.0)	(0.5-3.0)	12/8/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.092		< 0.12		0.17		< 0.12		< 0.12		< 0.12	
1615901	Locomotive Track Yard	Unit 4	8168642	K-8-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.71		< 0.11		0.61		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168643	K-8-b(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168644	K-7-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		0.17		< 0.10		0.15		0.15		< 0.10		< 0.10	
1615901	Locomotive Track Yard	Unit 4	8168645	K-7-b(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.35		< 0.11		0.26		0.23		< 0.11		< 0.11	
1615901	Former Fueling Facility	Unit 1	8168646	K-6-e(1.5-2.0)	(0.5-2.0)	12/8/2015	< 9.9		< 50		< 50		< 9.9		< 9.9		< 150		< 9.9		< 9.9		< 50		< 51		< 5.1		< 9.9		< 5.1		**1.400**	**J+**	< 9.9		< 9.9	
1615901	Locomotive Track Yard	Unit 4	8168650	K-7-a(3.0-3.5)	(0.0-3.5)	12/8/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168651	K-7-b(1.0-1.5)	(0.0-1.5)	12/8/2015	< 9.9		< 50		< 50		< 9.9		< 9.9		< 150		< 9.9		< 9.9		< 50		< 51		< 5.1		< 9.9		< 5.1		< 9.9		< 9.9		< 9.9	
1615901	Locomotive Track Yard	Unit 4	8168653	K-8-d(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		1.2		< 0.11		1		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168654	K-9-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 7.6		< 38		< 38		< 7.6		< 7.6		< 110		< 7.6		< 7.6		< 38		< 39		< 3.9		< 7.6		< 3.9		< 7.6		< 7.6		< 7.6	
1615901	Locomotive Track Yard	Unit 4	8168655	K-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.98		< 0.11		0.59		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168656	K-8-d(2.0-2.5)	(0.0-2.5)	12/8/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.59		< 0.059		< 0.11		< 0.059		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168657	K-9-c(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.95		< 0.11		0.49		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168658	J-9-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.61		< 0.11		0.62		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168659	J-9-a(2.5-3.0)	(0.5-3.0)	12/8/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168660	K-8-a(0.0-0.5)	(0.0-0.5)	12/8/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.43		< 0.11		0.24		< 0.11		< 0.11		< 0.11	
1615901	Locomotive Track Yard	Unit 4	8168661	K-8-a(1.5-2.0)	(0.5-2.0)	12/8/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.66		< 0.12		0.57		< 0.12		< 0.12		< 0.12	
1615901	Former Fueling Facility	Unit 1	8168664	K-6-e(0.0-0.5)	(0.0-0.5)	12/8/2015	< 11		< 56		< 56		< 11		< 11		< 170		< 11		< 11		< 56		< 57		< 5.7		< 11		< 5.7		< 11		< 11		< 11	
1616472	Former Fueling Facility	Unit 1	8171700	H-8-d(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		1.2		< 0.12		0.5		< 0.12		< 0.12		< 0.12	
1616472	Former Fueling Facility	Unit 1	8171701	H-8-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		1.5		< 0.11		0.4		< 0.11		< 0.11		< 0.11	
1616472	Former Fueling Facility	Unit 1	8171702	H-8-d(1.0-1.5)	(0.0-1.5)	12/9/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1616472	Former Fueling Facility	Unit 1	8171703	H-8-c(3.5-4.0)	(3.5-4.0)	12/9/2015	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		1.3		< 0.12		0.64		< 0.12		< 0.12		< 0.12	
1616472	Former Roundhouse Area	Unit 2	8171704	H-8-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.53		< 0.11		0.29		< 0.11		< 0.11		< 0.11	
1616472	Former Roundhouse Area	Unit 2	8171705	H-8-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.75		< 0.11		0.36		< 0.11		< 0.11		< 0.11	
1616472	Former Roundhouse Area	Unit 2	8171706	H-8-a(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1616472	Former Roundhouse Area	Unit 2	8171707	H-8-b(5.0-5.5)	(0.0-5.5)	12/9/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171708	I-10-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		0.31		< 0.10		0.8		< 0.10		< 0.10		< 0.10	
1616472	Remainder of Outfall 007	Unit 5	8171709	I-10-d(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171710	I-10-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.73		< 0.12		0.43		< 0.12		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171711	I-10-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		2.1		< 0.11		3.5		< 0.11		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171712	I-10-c(2.0-2.5)	(0.0-2.5)	12/9/2015	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.91		< 0.11		0.49		< 0.11		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171713	I-9-b(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		3.1		< 0.12		4.4		< 0.12		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171714	I-9-b(3.0-3.5)	(0.0-3.5)	12/9/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.64		5.1		< 0.12		7.6		< 0.12		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171720	I-9-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1616472	Remainder of Outfall 007	Unit 5	8171721	I-9-a(1.5-2.0)	(0.5-2.0)	12/9/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		4.1		< 0.11		7.9		< 0.11		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171722	I-9-d(1.5-2.0)	(0.5-2.0)	12/9/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.12	
1616472	Remainder of Outfall 007	Unit 5	8171723	I-9-c(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.35		< 0.13		0.47	**J**	< 0.13		< 0.13		< 0.13	
1616472	Remainder of Outfall 007	Unit 5	8171726	DUP-29		12/9/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		< 0.057		< 0.11		0.091	**J**	< 0.11		< 0.11		< 0.11	
1616472	Remainder of Outfall 007	Unit 5	8171727	I-9-c(2.5-3.0)	(0.5-3.0)	12/9/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.62		< 0.63		1.1		< 0.12		0.21		< 0.12		< 0.12		< 0.12	
1616473	Remainder of Outfall 007	Unit 5	8171729	G-13-a(0.0-0.5)	(0.0-0.5)	12/9/2015	< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 7.6		< 0.50		< 0.50		< 2.5		< 2.6		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.50	
1616473	Remainder of Outfall 007	Unit 5	8171733	DUP-30		12/9/2015	< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 7.7		< 0.51		< 0.51		< 2.6		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1616870	Remainder of Outfall 007	Unit 5	8173784	G-11-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 0.11	**UJ**	< 0.53	**UJ**	< 0.53	**UJ**	< 0.11	**UJ**	< 0.11	**UJ**	< 1.6	**UJ**	< 0.11		< 0.11		< 0.53		< 0.54		0.39		< 0.11		0.45		< 0.11		< 0.11		< 0.11	
1616870	Remainder of Outfall 007	Unit 5	8173787	DUP-31		12/10/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.16		< 0.11		0.23		< 0.11		< 0.11		< 0.11	
1616870	Remainder of Outfall 007	Unit 5	8173788	G-11-a(3.0-3.5)	(0.0-3.5)	12/10/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.11		< 0.12		0.11		< 0.12		< 0.12		< 0.12	
1616870	Remainder of Outfall 007	Unit 5	8173789	I-10-a(0.0-0.5)	(0.0-0.5)	12/10/2015	< 8.4		< 42		< 42		< 8.4		< 8.4		< 130		< 8.4		< 8.4		< 42		< 43		< 4.3		< 8.4		4.3		< 8.4		< 8.4		< 8.4	
1616870	Remainder of Outfall 007	Unit 5	8173790	I-10-a(2.0-2.5)	(0.0-2.5)	12/10/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.12		< 0.11		0.12		< 0.11		< 0.11		< 0.11	
1616870	Remainder of Outfall 007	Unit 5	8173793	G-11-b(0.5-1.0)	(0.5-1.0)	12/10/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		2.7		< 0.11		0.46		< 0.11		< 0.11		< 0.11	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
						CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
						DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1616870	Remainder of Outfall 007	Unit 5	8173794	G-11-b(3.5-4.0)	(0.5-4.0)	12/10/2015	< 0.059		< 0.059		0.12		0.26		0.19		0.35		0.22		0.16		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1616870	Remainder of Outfall 007	Unit 5	8173797	H-11-c(0.5-1.0)	(0.5-1.0)	12/10/2015	< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 1.1		< 0.53		< 0.53	
1616870	Remainder of Outfall 007	Unit 5	8173798	H-11-c(4.0-4.5)	(0.0-4.5)	12/10/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1617198	Remainder of Outfall 007	Unit 5	8175628	H-14-b(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.25		< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 1.0	UJ	< 0.50		< 0.50	
1617198	Remainder of Outfall 007	Unit 5	8175631	DUP-32		12/11/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 1.0		< 0.50		< 0.50	
1617198	Remainder of Outfall 007	Unit 5	8175632	H-14-b(5.0-5.5)	(0.0-5.5)	12/11/2015	< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1617198	Remainder of Outfall 007	Unit 5	8175633	H-14-c(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.10		< 0.50		< 0.50		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1617198	Remainder of Outfall 007	Unit 5	8175634	H-14-c(3.0-3.5)	(0.0-3.5)	12/11/2015	< 0.059		0.39		< 0.059		0.11		0.086		0.18		0.07		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1617198	Remainder of Outfall 007	Unit 5	8175635	H-15-d(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1617198	Remainder of Outfall 007	Unit 5	8175636	H-15-d(5.0-5.5)	(0.0-5.5)	12/11/2015	< 0.059		0.062		< 0.059		0.14		0.089		0.23		0.083		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1617198	Remainder of Outfall 007	Unit 5	8175637	H-15-e(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1617198	Remainder of Outfall 007	Unit 5	8175638	H-15-e(4.0-4.5)	(0.0-4.5)	12/11/2015	< 0.067		< 0.067		< 0.067		< 0.067		< 0.067		0.076		< 0.067		< 0.067		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.26		< 0.13		< 0.13	
1617703	Remainder of Outfall 007	Unit 5	8177799	H-16-d(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.52		< 2.6		< 2.6		< 0.52		< 0.52		< 1.0		< 0.52		< 0.52	
1617703	Remainder of Outfall 007	Unit 5	8177800	H-16-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 1.0		< 0.50		< 0.50	
1617703	Remainder of Outfall 007	Unit 5	8177801	H-16-d(2.0-2.5)	(0.0-2.5)	12/14/2015	< 0.056		< 0.056		< 0.056		0.13		0.14		0.28		0.13		0.12		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177802	H-16-c(6.0-6.5)	(0.0-6.5)	12/14/2015	< 0.056		0.058		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177803	H-16-g(0.5-1.0)	(0.5-1.0)	12/14/2015	< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 3.9		< 7.7		< 39		< 39		< 7.7		< 7.7		< 15		< 7.7		< 7.7	
1617703	Remainder of Outfall 007	Unit 5	8177804	H-16-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177805	H-16-a(4.0-4.5)	(0.0-4.5)	12/14/2015	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1617703	Remainder of Outfall 007	Unit 5	8177806	H-16-b(4.0-4.5)	(0.0-4.5)	12/14/2015	< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1617703	Remainder of Outfall 007	Unit 5	8177813	H-15-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.52		< 2.6		< 2.6		< 0.52		< 0.52		< 1.0		< 0.52		< 0.52	
1617703	Remainder of Outfall 007	Unit 5	8177814	H-15-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		< 0.53		< 2.6		< 2.6		< 0.53		< 0.53		< 1.1		< 0.53		< 0.53	
1617703	Remainder of Outfall 007	Unit 5	8177815	H-15-c(3.5-4.0)	(0.5-4.0)	12/14/2015	< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.059		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1617703	Remainder of Outfall 007	Unit 5	8177816	H-15-a(1.0-1.5)	(0.0-1.5)	12/14/2015	< 0.053		< 0.053		< 0.053		0.12		0.14		0.25		0.093		0.078		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21	UJ	< 0.10		< 0.10	
1617703	Remainder of Outfall 007	Unit 5	8177817	H-14-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.053		< 0.053		< 0.053		0.078		0.068		0.13		0.077		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1617703	Remainder of Outfall 007	Unit 5	8177818	H-14-a(3.0-3.5)	(0.0-3.5)	12/14/2015	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177821	H-15-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 5.0		< 9.8		< 49		< 49		< 9.8		< 9.8		< 20		< 9.8		< 9.8	
1617703	Remainder of Outfall 007	Unit 5	8177822	H-15-b(5.0-5.5)	(0.0-5.5)	12/14/2015	0.18		< 0.065		0.31		< 0.065		< 0.065		< 0.065		< 0.065		< 0.065		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13	
1618175	Remainder of Outfall 007	Unit 5	8179835	I-15-c(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1618175	Remainder of Outfall 007	Unit 5	8179836	I-15-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1618175	Remainder of Outfall 007	Unit 5	8179837	I-15-c(5.0-5.5)	(0.0-5.5)	12/15/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1618175	Remainder of Outfall 007	Unit 5	8179838	I-15-b(6.0-6.5)	(0.0-6.5)	12/15/2015	< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.061		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1618175	Remainder of Outfall 007	Unit 5	8179839	I-14-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.27		< 0.27		< 0.27		< 0.27		< 0.27		0.33		< 0.27		< 0.27		< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 1.1		< 0.53		< 0.53	
1618175	Remainder of Outfall 007	Unit 5	8179842	Dup-34		12/15/2015	< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1618175	Remainder of Outfall 007	Unit 5	8179843	I-13-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.056		0.06		0.12		0.29		**0.27**		0.64		0.25		0.14		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1618175	Remainder of Outfall 007	Unit 5	8179844	I-14-c(0.0-0.5)	(0.0-0.5)	12/15/2015	< 0.28		0.39		0.63		**2.5**		**2.5**		**4.1**		1.8		1.2		< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 1.1		< 0.56		< 0.56	
1618175	Remainder of Outfall 007	Unit 5	8179845	I-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1618175	Remainder of Outfall 007	Unit 5	8179846	J-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1618175	Remainder of Outfall 007	Unit 5	8179847	J-13-a(1.0-1.5)	(0.0-1.5)	12/15/2015	< 0.055		< 0.055		0.15		0.4		**0.43**		0.67		0.32		0.19		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1618576	Remainder of Outfall 007	Unit 5	8181675	H-12-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.26		0.42		0.32		**1.6**		**2.1**		**2.8**		1.7		0.92		< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1618576	Remainder of Outfall 007	Unit 5	8181676	H-12-c(6.0-6.5)	(0.0-6.5)	12/16/2015	< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.063		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12	
1618576	Remainder of Outfall 007	Unit 5	8181677	H-13-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.29		< 0.29		< 0.29		0.32		**0.31**		0.66		< 0.29		< 0.29		< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1618576	Remainder of Outfall 007	Unit 5	8181678	H-13-c(0.5-1.0)	(0.5-1.0)	12/16/2015	< 0.30		< 0.30		< 0.30		**1.3**		**1.2**		**2**		0.87		0.76		< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 1.2		< 0.58		< 0.58	
1618576	Remainder of Outfall 007	Unit 5	8181680	G-12-a(3.0-3.5)	(0.0-3.5)	12/16/2015	< 0.057		< 0.057		0.063		0.19		0.18		0.23		0.15		0.1		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1618576	Remainder of Outfall 007	Unit 5	8181682	H-12-d(1.5-2.0)	(0.5-2.0)	12/16/2015	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1618576	Remainder of Outfall 007	Unit 5	8181684	H-13-d(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.29		< 0.29		< 0.29		< 0.29		< 0.29		0.51		< 0.29		< 0.29		< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57	
1618576	Remainder of Outfall 007	Unit 5	8181685	H-13-e(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1618576	Remainder of Outfall 007	Unit 5	8181686	H-13-e(1.5-2.0)	(0.5-2.0)	12/16/2015	< 0.053		0.055		< 0.053		0.14		0.14		0.23		0.12		0.082		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1618576	Remainder of Outfall 007	Unit 5	8181687	H-13-d(1.0-1.5)	(0.0-1.5)	12/16/2015	< 4.8		< 4.8		< 4.8		< 4.8		< 4.8		< 4.8		< 4.8		< 4.8		< 9.3		< 47		< 47		< 9.3		< 9.3		< 19		< 9.3		< 9.3	
1618576	Remainder of Outfall 007	Unit 5	8181688	H-12-a(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.26		0.27		0.29		**1.2**		**1.4**		**2**		0.99		0.63		< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1616870	Remainder of Outfall 007	Unit 5	8173794	G-11-b(3.5-4.0)	(0.5-4.0)	12/10/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.34		0.068		0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1616870	Remainder of Outfall 007	Unit 5	8173797	H-11-c(0.5-1.0)	(0.5-1.0)	12/10/2015	< 0.53		< 0.53		< 0.53		< 0.53		< 0.27		< 0.27		< 0.53		< 0.53		< 0.53		< 0.53		< 5.3		< 0.53		< 2.7		< 0.53		< 2.7		< 8.0	
1616870	Remainder of Outfall 007	Unit 5	8173798	H-11-c(4.0-4.5)	(0.0-4.5)	12/10/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1617198	Remainder of Outfall 007	Unit 5	8175628	H-14-b(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.49		< 0.50		< 0.50		< 0.50		< 0.25		< 0.25		< 0.50		< 0.50		< 0.50		< 0.50		< 5.0		< 0.50		< 2.5		< 0.50		< 2.5		< 7.5	
1617198	Remainder of Outfall 007	Unit 5	8175631	DUP-32		12/11/2015	< 0.50		< 0.50		< 0.50		< 0.50		< 0.26		< 0.26		< 0.50		< 0.50		< 0.50		< 0.50		< 5.0		< 0.50		< 2.5		< 0.50		< 2.5		< 7.5	
1617198	Remainder of Outfall 007	Unit 5	8175632	H-14-b(5.0-5.5)	(0.0-5.5)	12/11/2015	< 0.11		< 0.12		< 0.12		< 0.12		< 0.059		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1617198	Remainder of Outfall 007	Unit 5	8175633	H-14-c(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.099		< 0.10		< 0.10		< 0.10		< 0.051		< 0.051		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.50		< 0.10		< 0.50		< 1.5	
1617198	Remainder of Outfall 007	Unit 5	8175634	H-14-c(3.0-3.5)	(0.0-3.5)	12/11/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.2		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1617198	Remainder of Outfall 007	Unit 5	8175635	H-15-d(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.50		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.5		< 0.51		< 2.5		< 7.6	
1617198	Remainder of Outfall 007	Unit 5	8175636	H-15-d(5.0-5.5)	(0.0-5.5)	12/11/2015	< 0.11		< 0.12		< 0.12		< 0.12		0.34		< 0.059		0.16		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1617198	Remainder of Outfall 007	Unit 5	8175637	H-15-e(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.51		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.6		< 0.51		< 2.6		< 7.7	
1617198	Remainder of Outfall 007	Unit 5	8175638	H-15-e(4.0-4.5)	(0.0-4.5)	12/11/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.12		< 0.067		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1617703	Remainder of Outfall 007	Unit 5	8177799	H-16-d(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.52		< 0.52		< 0.52		< 0.52		< 0.27		< 0.27		< 0.52		< 0.52		< 0.52		< 0.52		< 5.2		< 0.52		< 2.6		< 0.52		< 2.6		< 7.8	
1617703	Remainder of Outfall 007	Unit 5	8177800	H-16-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.50		< 0.50		< 0.50		< 0.50		< 0.26		< 0.26		< 0.50		< 0.50		< 0.50		< 0.50		< 5.0		< 0.50		< 2.5		< 0.50		< 2.5		< 7.5	
1617703	Remainder of Outfall 007	Unit 5	8177801	H-16-d(2.0-2.5)	(0.0-2.5)	12/14/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.22		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1617703	Remainder of Outfall 007	Unit 5	8177802	H-16-c(6.0-6.5)	(0.0-6.5)	12/14/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1617703	Remainder of Outfall 007	Unit 5	8177803	H-16-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 7.6		< 7.7		< 7.7		< 7.7		< 3.9		< 3.9		< 7.7		< 7.7		< 7.7		< 7.7		< 77	R	< 7.7		< 39		< 7.7		< 39		< 120	R
1617703	Remainder of Outfall 007	Unit 5	8177804	H-16-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.10		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.54		< 1.6	
1617703	Remainder of Outfall 007	Unit 5	8177805	H-16-a(4.0-4.5)	(0.0-4.5)	12/14/2015	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1617703	Remainder of Outfall 007	Unit 5	8177806	H-16-b(4.0-4.5)	(0.0-4.5)	12/14/2015	< 0.11		< 0.12		< 0.12		< 0.12		< 0.059		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1617703	Remainder of Outfall 007	Unit 5	8177813	H-15-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.52		< 0.52		< 0.52		< 0.52		< 0.27		< 0.27		< 0.52		< 0.52		< 0.52		< 0.52		< 5.2		< 0.52		< 2.6		< 0.52		< 2.6		< 7.9	
1617703	Remainder of Outfall 007	Unit 5	8177814	H-15-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.52		< 0.53		< 0.53		< 0.53		< 0.27		< 0.27		< 0.53		< 0.53		< 0.53		< 0.53		< 5.3		< 0.53		< 2.6		< 0.53		< 2.6		< 7.9	
1617703	Remainder of Outfall 007	Unit 5	8177815	H-15-c(3.5-4.0)	(0.5-4.0)	12/14/2015	< 0.11		< 0.12		< 0.12		< 0.12		< 0.059		< 0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1617703	Remainder of Outfall 007	Unit 5	8177816	H-15-a(1.0-1.5)	(0.0-1.5)	12/14/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.16		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0	UJ	< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1617703	Remainder of Outfall 007	Unit 5	8177817	H-14-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.12		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1617703	Remainder of Outfall 007	Unit 5	8177818	H-14-a(3.0-3.5)	(0.0-3.5)	12/14/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1617703	Remainder of Outfall 007	Unit 5	8177821	H-15-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 9.7		< 9.8		< 9.8		< 9.8		< 5.0		< 5.0		< 9.8		< 9.8		< 9.8		< 9.8		< 98	R	< 9.8		< 49		< 9.8		< 49		< 150	R
1617703	Remainder of Outfall 007	Unit 5	8177822	H-15-b(5.0-5.5)	(0.0-5.5)	12/14/2015	< 0.13		< 0.13		< 0.13		< 0.13		0.073		< 0.065		0.31		< 0.13		< 0.13		0.24		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1618175	Remainder of Outfall 007	Unit 5	8179835	I-15-c(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.50		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.5		< 0.51		< 2.5		< 7.6	
1618175	Remainder of Outfall 007	Unit 5	8179836	I-15-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.51		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.6		< 0.51		< 2.6		< 7.7	
1618175	Remainder of Outfall 007	Unit 5	8179837	I-15-c(5.0-5.5)	(0.0-5.5)	12/15/2015	< 0.11		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1618175	Remainder of Outfall 007	Unit 5	8179838	I-15-b(6.0-6.5)	(0.0-6.5)	12/15/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.061		< 0.061		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1618175	Remainder of Outfall 007	Unit 5	8179839	I-14-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.53		< 0.53		< 0.53		< 0.53		0.3		< 0.27		< 0.53		< 0.53		< 0.53		< 0.53		< 5.3		< 0.53		< 2.7		< 0.53		< 2.7		< 8.0	R
1618175	Remainder of Outfall 007	Unit 5	8179842	Dup-34		12/15/2015	< 0.56		< 0.57		< 0.57		< 0.57		0.34		< 0.29		< 0.57		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.8		< 0.57		< 2.8		< 8.5	
1618175	Remainder of Outfall 007	Unit 5	8179843	I-13-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.8		0.12		0.23		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1618175	Remainder of Outfall 007	Unit 5	8179844	I-14-c(0.0-0.5)	(0.0-0.5)	12/15/2015	< 0.55		< 0.56		< 0.56		< 0.56		3		0.42		< 0.56		< 0.56		< 0.56		< 0.56		< 5.6		< 0.56		< 2.8		< 0.56		< 2.8		< 8.4	
1618175	Remainder of Outfall 007	Unit 5	8179845	I-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1618175	Remainder of Outfall 007	Unit 5	8179846	J-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.51		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.6		< 0.51		< 2.6		< 7.7	
1618175	Remainder of Outfall 007	Unit 5	8179847	J-13-a(1.0-1.5)	(0.0-1.5)	12/15/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.52		0.099		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1618576	Remainder of Outfall 007	Unit 5	8181675	H-12-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.51		< 0.51		< 0.51		< 0.51		2		0.35		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.6		< 0.51		< 2.6		< 7.7	
1618576	Remainder of Outfall 007	Unit 5	8181676	H-12-c(6.0-6.5)	(0.0-6.5)	12/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.063		< 0.063		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1618576	Remainder of Outfall 007	Unit 5	8181677	H-13-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.57		< 0.57		< 0.57		< 0.57		0.72		< 0.29		< 0.57		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.9		< 0.57		< 2.9		< 8.6	
1618576	Remainder of Outfall 007	Unit 5	8181678	H-13-c(0.5-1.0)	(0.5-1.0)	12/16/2015	< 0.58		< 0.58		< 0.58		< 0.58		1.5		0.32		< 0.58		< 0.58		< 0.58		< 0.58		< 5.8		< 0.58		< 2.9		< 0.58		< 2.9		< 8.7	
1618576	Remainder of Outfall 007	Unit 5	8181680	G-12-a(3.0-3.5)	(0.0-3.5)	12/16/2015	< 0.11		< 0.11		< 0.11		< 0.11		0.23		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1618576	Remainder of Outfall 007	Unit 5	8181682	H-12-d(1.5-2.0)	(0.5-2.0)	12/16/2015	< 0.10		< 0.11		< 0.11		< 0.11		0.057		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1618576	Remainder of Outfall 007	Unit 5	8181684	H-13-d(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.56		< 0.57		< 0.57		< 0.57		0.42		< 0.29		< 0.57		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.8		< 0.57		< 2.8		< 8.5	
1618576	Remainder of Outfall 007	Unit 5	8181685	H-13-e(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.10		< 0.10		< 0.10		< 0.10		< 0.052		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1618576	Remainder of Outfall 007	Unit 5	8181686	H-13-e(1.5-2.0)	(0.5-2.0)	12/16/2015	< 0.10		< 0.10		< 0.10		< 0.10		0.29		< 0.053		0.16		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1618576	Remainder of Outfall 007	Unit 5	8181687	H-13-d(1.0-1.5)	(0.0-1.5)	12/16/2015	< 9.2		< 9.3		< 9.3		< 9.3		< 4.8		< 4.8		< 9.3		< 9.3		< 9.3		< 9.3		< 93	R	< 9.3		< 47		< 9.3		< 47		< 140	R
1618576	Remainder of Outfall 007	Unit 5	8181688	H-12-a(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.50		< 0.51		< 0.51		< 0.51		1.4		0.28		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.5		< 0.51		< 2.5		< 7.6	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2,4-Dinitrophenol	Flags	2,4-Dinitrotoluene	Flags	2,6-Dinitrotoluene	Flags	bis(2-Ethylhexyl)phthalate	Flags	Fluoranthene	Flags	Fluorene	Flags	Hexachlorobenzene	Flags	Hexachlorobutadiene	Flags	Hexachlorocyclopentadiene	Flags	Hexachloroethane	Flags	Indeno(1,2,3-cd)pyrene	Flags	Isophorone	Flags	2-Methylnaphthalene	Flags	2-Methylphenol	Flags	4-Methylphenol	Flags	Naphthalene	Flags
						CAS Number	51-28-5		121-14-2		606-20-2		117-81-7		206-44-0		86-73-7		118-74-1		87-68-3		77-47-4		67-72-1		193-39-5		78-59-1		91-57-6		95-48-7		106-44-5		91-20-3	
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1616870	Remainder of Outfall 007	Unit 5	8173794	G-11-b(3.5-4.0)	(0.5-4.0)	12/10/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.47		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.17		< 0.12		0.29		< 0.12		< 0.12		0.23	
1616870	Remainder of Outfall 007	Unit 5	8173797	H-11-c(0.5-1.0)	(0.5-1.0)	12/10/2015	< 16		< 2.7		< 0.53		< 2.7		< 0.27		< 0.27		< 0.27		< 0.53		< 8.0		< 2.7		< 0.27		< 0.53		< 0.27		< 0.53		< 0.53		< 0.27	
1616870	Remainder of Outfall 007	Unit 5	8173798	H-11-c(4.0-4.5)	(0.0-4.5)	12/10/2015	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1617198	Remainder of Outfall 007	Unit 5	8175628	H-14-b(0.5-1.0)	(0.5-1.0)	12/11/2015	< 15	UJ	< 2.5	UJ	< 0.50	UJ	< 2.5		< 0.25		< 0.25		< 0.25		< 0.50		< 7.5	UJ	< 2.5	UJ	< 0.25		< 0.50		< 0.25		< 0.50		< 0.50		< 0.25	
1617198	Remainder of Outfall 007	Unit 5	8175631	DUP-32		12/11/2015	< 15		< 2.5		< 0.50		< 2.6		< 0.26		< 0.26		< 0.26		< 0.50		< 7.5		< 2.5		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.26	
1617198	Remainder of Outfall 007	Unit 5	8175632	H-14-b(5.0-5.5)	(0.0-5.5)	12/11/2015	< 3.5		< 0.58		< 0.12		< 0.59		< 0.059		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.059	
1617198	Remainder of Outfall 007	Unit 5	8175633	H-14-c(0.5-1.0)	(0.5-1.0)	12/11/2015	< 3.0		< 0.50		< 0.10		< 0.51		< 0.051		< 0.051		< 0.051		< 0.10		< 1.5		< 0.50		< 0.051		< 0.10		< 0.051		< 0.10		< 0.10		< 0.051	
1617198	Remainder of Outfall 007	Unit 5	8175634	H-14-c(3.0-3.5)	(0.0-3.5)	12/11/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.24		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		0.077		< 0.12		< 0.12		0.62	
1617198	Remainder of Outfall 007	Unit 5	8175635	H-15-d(0.5-1.0)	(0.5-1.0)	12/11/2015	< 15		< 2.5		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.6		< 2.5		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1617198	Remainder of Outfall 007	Unit 5	8175636	H-15-d(5.0-5.5)	(0.0-5.5)	12/11/2015	< 3.5		< 0.58		< 0.12		< 0.59		0.17		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.08		< 0.12		0.46		< 0.12		< 0.12		0.34	
1617198	Remainder of Outfall 007	Unit 5	8175637	H-15-e(0.5-1.0)	(0.5-1.0)	12/11/2015	< 15		< 2.6		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.7		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1617198	Remainder of Outfall 007	Unit 5	8175638	H-15-e(4.0-4.5)	(0.0-4.5)	12/11/2015	< 4.0		< 0.66		< 0.13		< 0.67		< 0.067		< 0.067		< 0.067		< 0.13		< 2.0		< 0.66		< 0.067		< 0.13		< 0.067		< 0.13		< 0.13		0.083	
1617703	Remainder of Outfall 007	Unit 5	8177799	H-16-d(0.5-1.0)	(0.5-1.0)	12/14/2015	< 16		< 2.6		< 0.52		< 2.7		< 0.27		< 0.27		< 0.27		< 0.52		< 7.8		< 2.6		< 0.27		< 0.52		< 0.27		< 0.52		< 0.52		< 0.27	
1617703	Remainder of Outfall 007	Unit 5	8177800	H-16-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 15		< 2.5		< 0.50		< 2.6		< 0.26		< 0.26		< 0.26		< 0.50		< 7.5		< 2.5		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.26	
1617703	Remainder of Outfall 007	Unit 5	8177801	H-16-d(2.0-2.5)	(0.0-2.5)	12/14/2015	< 3.3		< 0.54		< 0.11		< 0.56		0.22		< 0.056		< 0.056		< 0.11		< 1.6		< 0.54		0.11		< 0.11		0.21		< 0.11		< 0.11		0.52	
1617703	Remainder of Outfall 007	Unit 5	8177802	H-16-c(6.0-6.5)	(0.0-6.5)	12/14/2015	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		0.09	
1617703	Remainder of Outfall 007	Unit 5	8177803	H-16-g(0.5-1.0)	(0.5-1.0)	12/14/2015	< 230	R	< 39		< 7.7		< 39		< 3.9		< 3.9		< 3.9		< 7.7		< 120		< 39		< 3.9		< 7.7		< 3.9		< 7.7		< 7.7		< 3.9	
1617703	Remainder of Outfall 007	Unit 5	8177804	H-16-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		0.062		< 0.11		< 0.11		0.2	
1617703	Remainder of Outfall 007	Unit 5	8177805	H-16-a(4.0-4.5)	(0.0-4.5)	12/14/2015	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1617703	Remainder of Outfall 007	Unit 5	8177806	H-16-b(4.0-4.5)	(0.0-4.5)	12/14/2015	< 3.5		< 0.58		< 0.12		< 0.59		< 0.059		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.059	
1617703	Remainder of Outfall 007	Unit 5	8177813	H-15-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 16		< 2.6		< 0.52		< 2.7		< 0.27		< 0.27		< 0.27		< 0.52		< 7.9		< 2.6		< 0.27		< 0.52		< 0.27		< 0.52		< 0.52		< 0.27	
1617703	Remainder of Outfall 007	Unit 5	8177814	H-15-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 16		< 2.6		< 0.53		< 2.7		< 0.27		< 0.27		< 0.27		< 0.53		< 7.9		< 2.6		< 0.27		< 0.53		< 0.27		< 0.53		< 0.53		< 0.27	
1617703	Remainder of Outfall 007	Unit 5	8177815	H-15-c(3.5-4.0)	(0.5-4.0)	12/14/2015	< 3.5		< 0.58		< 0.12		< 0.59		< 0.059		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.059	
1617703	Remainder of Outfall 007	Unit 5	8177816	H-15-a(1.0-1.5)	(0.0-1.5)	12/14/2015	< 3.1		< 0.52		< 0.10		< 0.53		0.2		< 0.053		< 0.053		< 0.10		< 1.6	UJ	< 0.52		0.096		< 0.10		0.096		< 0.10		< 0.10		0.074	
1617703	Remainder of Outfall 007	Unit 5	8177817	H-14-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 3.1		< 0.52		< 0.10		< 0.53		0.12		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		0.066		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1617703	Remainder of Outfall 007	Unit 5	8177818	H-14-a(3.0-3.5)	(0.0-3.5)	12/14/2015	< 3.3		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1617703	Remainder of Outfall 007	Unit 5	8177821	H-15-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 290	R	< 49		< 9.8		< 50		< 5.0		< 5.0		< 5.0		< 9.8		< 150		< 49		< 5.0		< 9.8		< 5.0		< 9.8		< 9.8		< 5.0	
1617703	Remainder of Outfall 007	Unit 5	8177822	H-15-b(5.0-5.5)	(0.0-5.5)	12/14/2015	< 3.8		< 0.63		< 0.13		< 0.65		0.22		0.42		< 0.065		< 0.13		< 1.9		< 0.63		< 0.065		< 0.13		0.24		< 0.13		< 0.13		0.59	
1618175	Remainder of Outfall 007	Unit 5	8179835	I-15-c(0.5-1.0)	(0.5-1.0)	12/15/2015	< 15		< 2.5		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.6		< 2.5		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1618175	Remainder of Outfall 007	Unit 5	8179836	I-15-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 15		< 2.6		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.7		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1618175	Remainder of Outfall 007	Unit 5	8179837	I-15-c(5.0-5.5)	(0.0-5.5)	12/15/2015	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1618175	Remainder of Outfall 007	Unit 5	8179838	I-15-b(6.0-6.5)	(0.0-6.5)	12/15/2015	< 3.6		< 0.60		< 0.12		< 0.61		< 0.061		< 0.061		< 0.061		< 0.12		< 1.8		< 0.60		< 0.061		< 0.12		< 0.061		< 0.12		< 0.12		< 0.061	
1618175	Remainder of Outfall 007	Unit 5	8179839	I-14-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 16	R	< 2.7		< 0.53		< 2.7		0.31		< 0.27		< 0.27		< 0.53		< 8.0	UJ	< 2.7		< 0.27		< 0.53		< 0.27		< 0.53		< 0.53		< 0.27	
1618175	Remainder of Outfall 007	Unit 5	8179842	Dup-34		12/15/2015	< 17		< 2.8		< 0.57		< 2.9		< 0.29		< 0.29		< 0.29		< 0.57		< 8.5		< 2.8		< 0.29		< 0.57		< 0.29		< 0.57		< 0.57		< 0.29	
1618175	Remainder of Outfall 007	Unit 5	8179843	I-13-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 3.3		< 0.55		< 0.11		< 0.56		0.34		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.22		< 0.11		0.84		< 0.11		< 0.11		0.55	
1618175	Remainder of Outfall 007	Unit 5	8179844	I-14-c(0.0-0.5)	(0.0-0.5)	12/15/2015	< 17		< 2.8		< 0.56		< 2.8		4.8		< 0.28		< 0.28		< 0.56		< 8.4		< 2.8		1.7		< 0.56		0.45		< 0.56		< 0.56		0.77	
1618175	Remainder of Outfall 007	Unit 5	8179845	I-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1618175	Remainder of Outfall 007	Unit 5	8179846	J-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 15		< 2.6		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.7		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1618175	Remainder of Outfall 007	Unit 5	8179847	J-13-a(1.0-1.5)	(0.0-1.5)	12/15/2015	< 3.3		< 0.54		< 0.11		< 0.55		0.81		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.27		< 0.11		0.27		< 0.11		< 0.11		0.13	
1618576	Remainder of Outfall 007	Unit 5	8181675	H-12-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 15		< 2.6		< 0.51		< 2.6		2.7		< 0.26		< 0.26		< 0.51		< 7.7		< 2.6		1.4		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1618576	Remainder of Outfall 007	Unit 5	8181676	H-12-c(6.0-6.5)	(0.0-6.5)	12/16/2015	< 3.7		< 0.62		< 0.12		< 0.63		< 0.063		< 0.063		< 0.063		< 0.12		< 1.9		< 0.62		< 0.063		< 0.12		< 0.063		< 0.12		< 0.12		< 0.063	
1618576	Remainder of Outfall 007	Unit 5	8181677	H-13-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 17		< 2.9		< 0.57		< 2.9		0.42		< 0.29		< 0.29		< 0.57		< 8.6		< 2.9		< 0.29		< 0.57		0.98		< 0.57		< 0.57		0.6	
1618576	Remainder of Outfall 007	Unit 5	8181678	H-13-c(0.5-1.0)	(0.5-1.0)	12/16/2015	< 17		< 2.9		< 0.58		< 3.0		2.3		< 0.30		< 0.30		< 0.58		< 8.7		< 2.9		0.75		< 0.58		0.8		< 0.58		< 0.58		0.53	
1618576	Remainder of Outfall 007	Unit 5	8181680	G-12-a(3.0-3.5)	(0.0-3.5)	12/16/2015	< 3.3		< 0.56		< 0.11		< 0.57		0.27		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.13		< 0.11		0.29		< 0.11		< 0.11		0.17	
1618576	Remainder of Outfall 007	Unit 5	8181682	H-12-d(1.5-2.0)	(0.5-2.0)	12/16/2015	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		0.091		< 0.11		< 0.11		0.091	
1618576	Remainder of Outfall 007	Unit 5	8181684	H-13-d(0.0-0.5)	(0.0-0.5)	12/16/2015	< 17		< 2.8		< 0.57		< 2.9		0.33		< 0.29		< 0.29		< 0.57		< 8.5		< 2.8		< 0.29		< 0.57		0.48		< 0.57		< 0.57		0.31	
1618576	Remainder of Outfall 007	Unit 5	8181685	H-13-e(0.0-0.5)	(0.0-0.5)	12/16/2015	< 3.1		< 0.51		< 0.10		< 0.52		< 0.052		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1618576	Remainder of Outfall 007	Unit 5	8181686	H-13-e(1.5-2.0)	(0.5-2.0)	12/16/2015	< 3.1		< 0.52		< 0.10		< 0.53		0.17		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		0.11		< 0.10		0.5		< 0.10		< 0.10		0.25	
1618576	Remainder of Outfall 007	Unit 5	8181687	H-13-d(1.0-1.5)	(0.0-1.5)	12/16/2015	< 280	R	< 47		< 9.3		< 48		< 4.8		< 4.8		< 4.8		< 9.3		< 140		< 47		< 4.8		< 9.3		< 4.8		< 9.3		< 9.3		< 4.8	
1618576	Remainder of Outfall 007	Unit 5	8181688	H-12-a(0.0-0.5)	(0.0-0.5)	12/16/2015	< 15		< 2.5		< 0.51		< 2.6		2.1		< 0.26		< 0.26		< 0.51		< 7.6		< 2.5		0.82		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	

						Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
						CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
						DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1616870	Remainder of Outfall 007	Unit 5	8173794	G-11-b(3.5-4.0)	(0.5-4.0)	12/10/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.63		< 0.12		0.42		< 0.12		< 0.12		< 0.12	
1616870	Remainder of Outfall 007	Unit 5	8173797	H-11-c(0.5-1.0)	(0.5-1.0)	12/10/2015	< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 8.0		< 0.53		< 0.53		< 2.7		< 2.7		< 0.27		< 0.53		< 0.27		< 0.53		< 0.53		< 0.53	
1616870	Remainder of Outfall 007	Unit 5	8173798	H-11-c(4.0-4.5)	(0.0-4.5)	12/10/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1617198	Remainder of Outfall 007	Unit 5	8175628	H-14-b(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.50	UJ	< 2.5	UJ	< 2.5	UJ	< 0.50	UJ	< 0.50	UJ	< 7.5	UJ	< 0.50		< 0.50		< 2.5		< 2.5		< 0.25		< 0.50		< 0.25		< 0.50		< 0.50		< 0.50	
1617198	Remainder of Outfall 007	Unit 5	8175631	DUP-32		12/11/2015	< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 7.5		< 0.50		< 0.50		< 2.5		< 2.6		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.50	
1617198	Remainder of Outfall 007	Unit 5	8175632	H-14-b(5.0-5.5)	(0.0-5.5)	12/11/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.12	
1617198	Remainder of Outfall 007	Unit 5	8175633	H-14-c(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.10		< 0.50		< 0.50		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.50		< 0.51		< 0.051		< 0.10		< 0.051		< 0.10		< 0.10		< 0.10	
1617198	Remainder of Outfall 007	Unit 5	8175634	H-14-c(3.0-3.5)	(0.0-3.5)	12/11/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.32		< 0.12		0.27		< 0.12		< 0.12		< 0.12	
1617198	Remainder of Outfall 007	Unit 5	8175635	H-15-d(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 7.6		< 0.51		< 0.51		< 2.5		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1617198	Remainder of Outfall 007	Unit 5	8175636	H-15-d(5.0-5.5)	(0.0-5.5)	12/11/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.57		< 0.12		0.24		< 0.12		< 0.12		< 0.12	
1617198	Remainder of Outfall 007	Unit 5	8175637	H-15-e(0.5-1.0)	(0.5-1.0)	12/11/2015	< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 7.7		< 0.51		< 0.51		< 2.6		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1617198	Remainder of Outfall 007	Unit 5	8175638	H-15-e(4.0-4.5)	(0.0-4.5)	12/11/2015	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.67		0.14		< 0.13		< 0.067		0.15		< 0.13		< 0.13	
1617703	Remainder of Outfall 007	Unit 5	8177799	H-16-d(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.52		< 2.6		< 2.6		< 0.52		< 0.52		< 7.8		< 0.52		< 0.52		< 2.6		< 2.7		< 0.27		< 0.52		< 0.27		< 0.52		< 0.52		< 0.52	
1617703	Remainder of Outfall 007	Unit 5	8177800	H-16-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 7.5		< 0.50		< 0.50		< 2.5		< 2.6		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.50	
1617703	Remainder of Outfall 007	Unit 5	8177801	H-16-d(2.0-2.5)	(0.0-2.5)	12/14/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.56		0.26		< 0.11		0.2		< 0.11		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177802	H-16-c(6.0-6.5)	(0.0-6.5)	12/14/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177803	H-16-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 7.7		< 39		< 39		< 7.7		< 7.7		< 120		< 7.7		< 7.7		< 39		< 39		< 3.9		< 7.7		< 3.9		< 7.7		< 7.7		< 7.7	
1617703	Remainder of Outfall 007	Unit 5	8177804	H-16-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177805	H-16-a(4.0-4.5)	(0.0-4.5)	12/14/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1617703	Remainder of Outfall 007	Unit 5	8177806	H-16-b(4.0-4.5)	(0.0-4.5)	12/14/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.12	
1617703	Remainder of Outfall 007	Unit 5	8177813	H-15-c(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.52		< 2.6		< 2.6		< 0.52		< 0.52		< 7.9		< 0.52		< 0.52		< 2.6		< 2.7		< 0.27		< 0.52		< 0.27		< 0.52		< 0.52		< 0.52	
1617703	Remainder of Outfall 007	Unit 5	8177814	H-15-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.53		< 2.6		< 2.6		< 0.53		< 0.53		< 7.9		< 0.53		< 0.53		< 2.6		< 2.7		< 0.27		< 0.53		< 0.27		< 0.53		< 0.53		< 0.53	
1617703	Remainder of Outfall 007	Unit 5	8177815	H-15-c(3.5-4.0)	(0.5-4.0)	12/14/2015	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		< 0.059		< 0.12		< 0.059		< 0.12		< 0.12		< 0.12	
1617703	Remainder of Outfall 007	Unit 5	8177816	H-15-a(1.0-1.5)	(0.0-1.5)	12/14/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.16		< 0.10		0.19		< 0.10		< 0.10		< 0.10	
1617703	Remainder of Outfall 007	Unit 5	8177817	H-14-a(0.5-1.0)	(0.5-1.0)	12/14/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.12		< 0.10		0.13		< 0.10		< 0.10		< 0.10	
1617703	Remainder of Outfall 007	Unit 5	8177818	H-14-a(3.0-3.5)	(0.0-3.5)	12/14/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1617703	Remainder of Outfall 007	Unit 5	8177821	H-15-b(0.5-1.0)	(0.5-1.0)	12/14/2015	< 9.8		< 49		< 49		< 9.8		< 9.8		< 150		< 9.8		< 9.8		< 49		< 50		< 5.0		< 9.8		< 5.0		< 9.8		< 9.8		< 9.8	
1617703	Remainder of Outfall 007	Unit 5	8177822	H-15-b(5.0-5.5)	(0.0-5.5)	12/14/2015	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.65		0.7		< 0.13		0.36		< 0.13		< 0.13		< 0.13	
1618175	Remainder of Outfall 007	Unit 5	8179835	I-15-c(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 7.6		< 0.51		< 0.51		< 2.5		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1618175	Remainder of Outfall 007	Unit 5	8179836	I-15-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 7.7		< 0.51		< 0.51		< 2.6		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1618175	Remainder of Outfall 007	Unit 5	8179837	I-15-c(5.0-5.5)	(0.0-5.5)	12/15/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1618175	Remainder of Outfall 007	Unit 5	8179838	I-15-b(6.0-6.5)	(0.0-6.5)	12/15/2015	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		< 0.061		< 0.12		< 0.061		< 0.12		< 0.12		< 0.12	
1618175	Remainder of Outfall 007	Unit 5	8179839	I-14-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.53		< 2.7		< 2.7		< 0.53		< 0.53		< 8.0		< 0.53		< 0.53		< 2.7		< 2.7		0.3		< 0.53		0.32		< 0.53		< 0.53		< 0.53	
1618175	Remainder of Outfall 007	Unit 5	8179842	Dup-34		12/15/2015	< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 8.5		< 0.57		< 0.57		< 2.8		< 2.9		< 0.29		< 0.57		< 0.29		< 0.57		< 0.57		< 0.57	
1618175	Remainder of Outfall 007	Unit 5	8179843	I-13-b(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		1.1		< 0.11		0.38		< 0.11		< 0.11		< 0.11	
1618175	Remainder of Outfall 007	Unit 5	8179844	I-14-c(0.0-0.5)	(0.0-0.5)	12/15/2015	< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 8.4		< 0.56		< 0.56		< 2.8		< 2.8		3.5		< 0.56		4.6		< 0.56		< 0.56		< 0.56	
1618175	Remainder of Outfall 007	Unit 5	8179845	I-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1618175	Remainder of Outfall 007	Unit 5	8179846	J-13-a(0.5-1.0)	(0.5-1.0)	12/15/2015	< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 7.7		< 0.51		< 0.51		< 2.6		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1618175	Remainder of Outfall 007	Unit 5	8179847	J-13-a(1.0-1.5)	(0.0-1.5)	12/15/2015	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.64		< 0.11		0.76		< 0.11		< 0.11		< 0.11	
1618576	Remainder of Outfall 007	Unit 5	8181675	H-12-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 7.7		< 0.51		< 0.51		< 2.6		< 2.6		0.9		< 0.51		2.8		< 0.51		< 0.51		< 0.51	
1618576	Remainder of Outfall 007	Unit 5	8181676	H-12-c(6.0-6.5)	(0.0-6.5)	12/16/2015	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.63		< 0.063		< 0.12		0.28		< 0.12		< 0.12		< 0.12	
1618576	Remainder of Outfall 007	Unit 5	8181677	H-13-c(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 8.6		< 0.57		< 0.57		< 2.9		< 2.9		1.1		< 0.57		0.48		< 0.57		< 0.57		< 0.57	
1618576	Remainder of Outfall 007	Unit 5	8181678	H-13-c(0.5-1.0)	(0.5-1.0)	12/16/2015	< 0.58		< 2.9		< 2.9		< 0.58		< 0.58		< 8.7		< 0.58		< 0.58		< 2.9		< 3.0		1.3		< 0.58		2.1		< 0.58		< 0.58		< 0.58	
1618576	Remainder of Outfall 007	Unit 5	8181680	G-12-a(3.0-3.5)	(0.0-3.5)	12/16/2015	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.39		< 0.11		0.26		< 0.11		< 0.11		< 0.11	
1618576	Remainder of Outfall 007	Unit 5	8181682	H-12-d(1.5-2.0)	(0.5-2.0)	12/16/2015	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		0.1		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1618576	Remainder of Outfall 007	Unit 5	8181684	H-13-d(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.57		< 2.8		< 2.8		< 0.57		< 0.57		< 8.5		< 0.57		< 0.57		< 2.8		< 2.9		0.4		< 0.57		0.32		< 0.57		< 0.57		< 0.57	
1618576	Remainder of Outfall 007	Unit 5	8181685	H-13-e(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.10	
1618576	Remainder of Outfall 007	Unit 5	8181686	H-13-e(1.5-2.0)	(0.5-2.0)	12/16/2015	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.52		< 0.10		0.2		< 0.10		< 0.10		< 0.10	
1618576	Remainder of Outfall 007	Unit 5	8181687	H-13-d(1.0-1.5)	(0.0-1.5)	12/16/2015	< 9.3		< 47		< 47		< 9.3		< 9.3		< 140		< 9.3		< 9.3		< 47		< 48		< 4.8		< 9.3		< 4.8		< 9.3		< 9.3		< 9.3	
1618576	Remainder of Outfall 007	Unit 5	8181688	H-12-a(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 7.6		< 0.51		< 0.51		< 2.5		< 2.6		1		< 0.51		1.9		< 0.51		< 0.51		< 0.51	

						Analyte	Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
						CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
						DNREC SLs	360		N/A		1800		0.82		0.24		1.11		N/A		1.6		N/A		290		630		N/A		630		0.37		19		0.23	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1618576	Remainder of Outfall 007	Unit 5	8181689	H-12-b(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.26		0.42		0.29		1.4		1.6		2.1		1.3		0.82		< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51	
1618576	Remainder of Outfall 007	Unit 5	8181691	H-12-a(7.0-7.5)	(0.0-7.5)	12/16/2015	< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1621540	Locomotive Track Yard	Unit 4	8196995	K-11-a(1.0-1.5)	(0.0-1.5)	1/5/2016	2		1.9		5		16		7.9		15		3.9		5.8		< 0.11		< 0.57		< 0.57		1.2		< 0.11		< 0.23		< 0.11		< 0.11	
1621540	Locomotive Track Yard	Unit 4	8196996	K-12-a(0.0-0.5)	(0.0-0.5)	1/5/2016	18	J	0.63	J-	18	J	14	J	6.7	J	12	J	2.5	J	5.1	J-	< 0.10	UJ	< 0.51		< 0.51	UJ	4.9	J	< 0.10	UJ	< 0.20		< 0.10	UJ	< 0.10	UJ
1621540	Locomotive Track Yard	Unit 4	8197000	DUP-35		1/5/2016	0.37	J	0.18	J	0.5	J	0.7	J	0.65	J	1.2	J	0.44	J	0.42	J	< 0.10		< 0.50		< 0.50		0.19	J	< 0.10		< 0.20		< 0.10		< 0.10	
1621540	Locomotive Track Yard	Unit 4	8197001	K-10-b(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.052		0.094		0.12		0.091		0.11		0.19		0.19		0.092		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1621540	Locomotive Track Yard	Unit 4	8197002	K-10-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.051		0.11		0.19		0.14		0.15		0.64		0.37		0.16		< 0.10		< 0.50		< 0.50		0.14		< 0.10		< 0.20		< 0.10		< 0.10	
1621540	Locomotive Track Yard	Unit 4	8197003	K-10-a(0.5-1.0)	(0.5-1.0)	1/5/2016	11		2.8		11		17		11		18		7.7		8.8		< 0.12		< 0.58		< 0.58		1.8		< 0.12		< 0.23		< 0.12		< 0.12	
1621540	Locomotive Track Yard	Unit 4	8197004	K-10-c(0.0-0.5)	(0.0-0.5)	1/5/2016	0.13		1.3		1.6		1.1		1.3		2.7		2.4		0.97		< 0.12		< 0.58		< 0.58		0.29		< 0.12		< 0.23		< 0.12		< 0.12	
1621540	Locomotive Track Yard	Unit 4	8197005	K-10-c(0.5-1.0)	(0.5-1.0)	1/5/2016	< 0.056		0.36		0.37		0.34		0.33		0.76		0.56		0.26		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198629	I-16-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.055		< 0.055		< 0.055		0.092		0.17		0.13		0.12		0.067		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198630	I-16-a(7.0-7.5)	(0.0-7.5)	1/6/2016	< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1621913	Remainder of Outfall 007	Unit 5	8198631	I-16-b(1.5-2.0)	(0.5-2.0)	1/6/2016	< 0.056		< 0.056		< 0.056		0.08		0.071		0.097		0.091		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198632	I-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.051		< 0.10		< 0.50		< 0.50		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1621913	Remainder of Outfall 007	Unit 5	8198633	H-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1621913	Remainder of Outfall 007	Unit 5	8198634	H-17-a(2.5-3.0)	(0.5-3.0)	1/6/2016	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198635	H-17-c(1.0-1.5)	(0.0-1.5)	1/6/2016	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1621913	Remainder of Outfall 007	Unit 5	8198636	H-17-c(2.5-3.0)	(0.5-3.0)	1/6/2016	< 0.056		< 0.056		< 0.056		0.091		0.15		0.17		0.14		< 0.056		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200526	J-14-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.053		< 0.053		< 0.053		0.054	J	0.07	J-	0.085	J	< 0.053		0.054	J	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200529	DUP-36		1/7/2016	< 0.052		< 0.052		< 0.052		0.11	J	0.1		0.15	J	0.076		0.083	J	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200530	I-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200531	I-15-a(5.5-6.0)	(0.5-6.0)	1/7/2016	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200536	I-14-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.054		< 0.054		< 0.054		0.094		0.11		0.14		0.075		0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200537	I-14-b(1.5-2.0)	(0.5-2.0)	1/7/2016	0.11		< 0.057		0.11		0.14		0.18		0.23		0.14		0.076		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200540	J-15-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200541	J-15-b(1.0-1.5)	(0.0-1.5)	1/7/2016	< 0.053		< 0.053		0.086		0.35		0.34		0.48		0.24		0.19		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200542	J-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200543	J-15-a(3.0-3.5)	(0.0-3.5)	1/7/2016	< 0.060		< 0.060		< 0.060		0.064		< 0.060		0.086		< 0.060		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12	
1622320	Remainder of Outfall 007	Unit 5	8200546	H-18-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		0.14		0.079		< 0.062		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1622320	Remainder of Outfall 007	Unit 5	8200547	H-18-a(3.5-4.0)	(0.5-4.0)	1/7/2016	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200548	H-17-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.20		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200549	H-17-b(4.5-5.0)	(0.5-5.0)	1/7/2016	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202422	H-13-b(1.0-1.5)	(0.0-1.5)	1/8/2016	< 0.056		< 0.056		0.076		0.28		0.23		0.43		0.26		0.14		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202425	DUP-37		1/8/2016	< 0.058		< 0.058		0.08		0.28		0.2		0.43		0.25		0.11		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202426	H-13-a(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202427	H-13-b(4.0-4.5)	(0.0-4.5)	1/8/2016	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202430	I-13-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		0.071		< 0.052		< 0.052		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1622686	Remainder of Outfall 007	Unit 5	8202431	I-12-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202432	I-13-c(4.5-5.0)	(0.5-5.0)	1/8/2016	0.2		< 0.054		< 0.054		0.093		0.071		0.057		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202435	I-12-c(5.5-6.0)	(0.5-6.0)	1/8/2016	0.11		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202436	J-13-b(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.053		< 0.053		0.086		0.082		0.11		0.28		0.24		0.11		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10	
1622686	Remainder of Outfall 007	Unit 5	8202437	J-13-b(2.0-2.5)	(0.0-2.5)	1/8/2016	< 0.054		0.074		0.059		0.12		0.23		0.32		0.16		0.14		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202440	I-12-b(0.0-0.5)	(0.0-0.5)	1/8/2016	< 0.056		0.34		0.27		0.82		0.78		1.2		0.57		0.6		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202441	I-12-b(3.5-4.0)	(0.5-4.0)	1/8/2016	< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203649	H-9-d(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.060		< 0.060		< 0.060		0.069		0.063		0.14		0.068		< 0.060		< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	
1622954	Remainder of Outfall 007	Unit 5	8203653	DUP-38		1/11/2016	< 0.28		< 0.28		< 0.28		< 0.28		< 0.28		0.39		< 0.28		< 0.28		< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 1.1		< 0.54		< 0.54	
1622954	Remainder of Outfall 007	Unit 5	8203654	H-9-d(4.0-4.5)	(0.0-4.5)	1/11/2016	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203655	H-9-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.31		< 0.31		< 0.31		0.33		< 0.31		0.54		< 0.31		< 0.31		< 0.61		< 3.1		< 3.1		< 0.61		< 0.61		< 1.2		< 0.61		< 0.61	
1622954	Remainder of Outfall 007	Unit 5	8203656	H-9-a(1.5-2.0)	(0.5-2.0)	1/11/2016	< 0.058		< 0.058		< 0.058		< 0.058		< 0.058		< 0.058		< 0.058		< 0.058		< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 0.23		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203657	H-9-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.062		< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12	

Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
						Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1618576	Remainder of Outfall 007	Unit 5	8181689	H-12-b(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.51		< 0.51		< 0.51		< 0.51		1.8		0.28		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.6		< 0.51		< 2.6		< 7.7	
1618576	Remainder of Outfall 007	Unit 5	8181691	H-12-a(7.0-7.5)	(0.0-7.5)	12/16/2015	< 0.12		< 0.12		< 0.12		< 0.12		< 0.060		< 0.060		< 0.12	UJ	< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	UJ
1621540	Locomotive Track Yard	Unit 4	8196995	K-11-a(1.0-1.5)	(0.0-1.5)	1/5/2016	< 0.11		< 0.11		< 0.11		< 0.11		19		1.1		1.3		< 0.11		< 0.11		0.29		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1621540	Locomotive Track Yard	Unit 4	8196996	K-12-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.10	UJ	< 0.10	UJ	< 0.10	UJ	< 0.10		15	J	1.1		9.8	J	< 0.10	UJ	< 0.10	UJ	< 0.10	UJ	< 1.0		< 0.10	UJ	< 0.51	UJ	< 0.10	UJ	< 0.51	UJ	< 1.5	UJ
1621540	Locomotive Track Yard	Unit 4	8197000	DUP-35		1/5/2016	< 0.10		< 0.10		< 0.10		< 0.10		1	J	< 0.052		0.2	J	< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.50		< 0.10		< 0.50		< 1.5	
1621540	Locomotive Track Yard	Unit 4	8197001	K-10-b(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.15		0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1621540	Locomotive Track Yard	Unit 4	8197002	K-10-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.45		0.082		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.50		< 0.10		< 0.50		< 1.5	
1621540	Locomotive Track Yard	Unit 4	8197003	K-10-a(0.5-1.0)	(0.5-1.0)	1/5/2016	< 0.11		< 0.12		< 0.12		< 0.12		18		2.6		5.5		< 0.12		< 0.12		0.36		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1621540	Locomotive Track Yard	Unit 4	8197004	K-10-c(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.11		< 0.12		< 0.12		< 0.12		1.2		0.58		0.35		0.31		1.7		2		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1621540	Locomotive Track Yard	Unit 4	8197005	K-10-c(0.5-1.0)	(0.5-1.0)	1/5/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.48		0.18		0.17		0.95		1.8		0.59		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1621913	Remainder of Outfall 007	Unit 5	8198629	I-16-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.1		0.07		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1621913	Remainder of Outfall 007	Unit 5	8198630	I-16-a(7.0-7.5)	(0.0-7.5)	1/6/2016	< 0.12		< 0.12		< 0.12		< 0.12		< 0.060		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1621913	Remainder of Outfall 007	Unit 5	8198631	I-16-b(1.5-2.0)	(0.5-2.0)	1/6/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.17		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1621913	Remainder of Outfall 007	Unit 5	8198632	I-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.051		< 0.051		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.50		< 0.10		< 0.50		< 1.5	
1621913	Remainder of Outfall 007	Unit 5	8198633	H-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.052		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1621913	Remainder of Outfall 007	Unit 5	8198634	H-17-a(2.5-3.0)	(0.5-3.0)	1/6/2016	< 0.10		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1621913	Remainder of Outfall 007	Unit 5	8198635	H-17-c(1.0-1.5)	(0.0-1.5)	1/6/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1621913	Remainder of Outfall 007	Unit 5	8198636	H-17-c(2.5-3.0)	(0.5-3.0)	1/6/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.16		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1622320	Remainder of Outfall 007	Unit 5	8200526	J-14-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.093	J	< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1622320	Remainder of Outfall 007	Unit 5	8200529	DUP-36		1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.14	J	< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1622320	Remainder of Outfall 007	Unit 5	8200530	I-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.052		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1622320	Remainder of Outfall 007	Unit 5	8200531	I-15-a(5.5-6.0)	(0.5-6.0)	1/7/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1622320	Remainder of Outfall 007	Unit 5	8200536	I-14-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.11		< 0.11		< 0.11		0.12		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622320	Remainder of Outfall 007	Unit 5	8200537	I-14-b(1.5-2.0)	(0.5-2.0)	1/7/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.19		< 0.057		0.15		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1622320	Remainder of Outfall 007	Unit 5	8200540	J-15-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.5	
1622320	Remainder of Outfall 007	Unit 5	8200541	J-15-b(1.0-1.5)	(0.0-1.5)	1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.44		0.055		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1622320	Remainder of Outfall 007	Unit 5	8200542	J-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.053		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.5	
1622320	Remainder of Outfall 007	Unit 5	8200543	J-15-a(3.0-3.5)	(0.0-3.5)	1/7/2016	< 0.12		< 0.12		< 0.12		< 0.12		0.11		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1622320	Remainder of Outfall 007	Unit 5	8200546	H-18-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.12		< 0.12		< 0.12		< 0.12		0.089		< 0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	
1622320	Remainder of Outfall 007	Unit 5	8200547	H-18-a(3.5-4.0)	(0.5-4.0)	1/7/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1622320	Remainder of Outfall 007	Unit 5	8200548	H-17-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.052		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1622320	Remainder of Outfall 007	Unit 5	8200549	H-17-b(4.5-5.0)	(0.5-5.0)	1/7/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202422	H-13-b(1.0-1.5)	(0.0-1.5)	1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.55		0.077		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202425	DUP-37		1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.63		0.078		0.15		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1622686	Remainder of Outfall 007	Unit 5	8202426	H-13-a(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202427	H-13-b(4.0-4.5)	(0.0-4.5)	1/8/2016	< 0.10		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202430	I-13-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.052		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1622686	Remainder of Outfall 007	Unit 5	8202431	I-12-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.10		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202432	I-13-c(4.5-5.0)	(0.5-5.0)	1/8/2016	< 0.10		< 0.11		< 0.11		< 0.11		0.23		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202435	I-12-c(5.5-6.0)	(0.5-6.0)	1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.1		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202436	J-13-b(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.14		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202437	J-13-b(2.0-2.5)	(0.0-2.5)	1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.18		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202440	I-12-b(0.0-0.5)	(0.0-0.5)	1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.83		0.15		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1622686	Remainder of Outfall 007	Unit 5	8202441	I-12-b(3.5-4.0)	(0.5-4.0)	1/8/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.054		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1622954	Remainder of Outfall 007	Unit 5	8203649	H-9-d(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.12		< 0.12		< 0.12		< 0.12		0.1		< 0.060		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1622954	Remainder of Outfall 007	Unit 5	8203653	DUP-38		1/11/2016	< 0.54		< 0.54		< 0.54		< 0.54		0.37		< 0.28		< 0.54		< 0.54		< 0.54		< 0.54		< 5.4		< 0.54		< 2.7		< 0.54		< 2.7		< 8.1	
1622954	Remainder of Outfall 007	Unit 5	8203654	H-9-d(4.0-4.5)	(0.0-4.5)	1/11/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1622954	Remainder of Outfall 007	Unit 5	8203655	H-9-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.60		< 0.61		< 0.61		< 0.61		0.6		< 0.31		< 0.61		< 0.61		< 0.61		< 0.61		< 6.1		< 0.61		< 3.1		< 0.61		< 3.1		< 9.2	
1622954	Remainder of Outfall 007	Unit 5	8203656	H-9-a(1.5-2.0)	(0.5-2.0)	1/11/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.058		< 0.058		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.57		< 0.11		< 0.57		< 1.7	
1622954	Remainder of Outfall 007	Unit 5	8203657	H-9-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.12		< 0.12		< 0.12		< 0.12		< 0.062		< 0.062		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.61		< 0.12		< 0.61		< 1.8	

						Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
						CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
						DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1618576	Remainder of Outfall 007	Unit 5	8181689	H-12-b(0.0-0.5)	(0.0-0.5)	12/16/2015	< 15		< 2.6		< 0.51		< 2.6		2.4		< 0.26		< 0.26		< 0.51		< 7.7		< 2.6		1		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1618576	Remainder of Outfall 007	Unit 5	8181691	H-12-a(7.0-7.5)	(0.0-7.5)	12/16/2015	< 3.5		< 0.59		< 0.12		< 0.60		< 0.060		< 0.060	UJ	< 0.060		< 0.12		< 1.8	UJ	< 0.59		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.060	
1621540	Locomotive Track Yard	Unit 4	8196995	K-11-a(1.0-1.5)	(0.0-1.5)	1/5/2016	< 3.4		< 0.57		< 0.11		< 0.58		27		2.3		< 0.058		< 0.11		< 1.7		< 0.57		3.9		< 0.11		0.4		< 0.11		< 0.11		0.14	
1621540	Locomotive Track Yard	Unit 4	8196996	K-12-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 3.0	R	< 0.51	UJ	< 0.10	UJ	0.59	J-	48	J	16	J	< 0.052	UJ	< 0.10		< 1.5	UJ	< 0.51	UJ	2.8	J	< 0.10	UJ	6.1	J	< 0.10	UJ	< 0.10	UJ	1.5	J
1621540	Locomotive Track Yard	Unit 4	8197000	DUP-35		1/5/2016	< 3.0		< 0.50		< 0.10		< 0.52		1.7	J	0.35	J	< 0.052		< 0.10		< 1.5		< 0.50		0.43	J	< 0.10		0.23	J	< 0.10		< 0.10		0.078	
1621540	Locomotive Track Yard	Unit 4	8197001	K-10-b(0.0-0.5)	(0.0-0.5)	1/5/2016	< 3.1		< 0.51		< 0.10		< 0.52		0.24		0.073		< 0.052		< 0.10		< 1.5		< 0.51		0.11		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1621540	Locomotive Track Yard	Unit 4	8197002	K-10-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 3.0		< 0.50		< 0.10		< 0.51		0.29		0.052		< 0.051		< 0.10		< 1.5		< 0.50		0.29		< 0.10		< 0.051		< 0.10		< 0.10		< 0.051	
1621540	Locomotive Track Yard	Unit 4	8197003	K-10-a(0.5-1.0)	(0.5-1.0)	1/5/2016	< 3.5		0.6		< 0.12		< 0.59		44		11		< 0.059		< 0.12		< 1.7		< 0.58		7.5		< 0.12		3.1		< 0.12		< 0.12		1	
1621540	Locomotive Track Yard	Unit 4	8197004	K-10-c(0.0-0.5)	(0.0-0.5)	1/5/2016	< 3.5		< 0.58		< 0.12		< 0.59		1.5		0.17		< 0.059		< 0.12		< 1.7		< 0.58		2.1		< 0.12		0.42		< 0.12		< 0.12		0.45	
1621540	Locomotive Track Yard	Unit 4	8197005	K-10-c(0.5-1.0)	(0.5-1.0)	1/5/2016	< 3.3		< 0.55		< 0.11		< 0.56		0.48		0.07		< 0.056		< 0.11		< 1.6		< 0.55		0.51		< 0.11		0.35		< 0.11		< 0.11		0.23	
1621913	Remainder of Outfall 007	Unit 5	8198629	I-16-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 3.2		< 0.54		< 0.11		< 0.55		0.15		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.093		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1621913	Remainder of Outfall 007	Unit 5	8198630	I-16-a(7.0-7.5)	(0.0-7.5)	1/6/2016	< 3.5		< 0.59		< 0.12		< 0.60		< 0.060		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.060	
1621913	Remainder of Outfall 007	Unit 5	8198631	I-16-b(1.5-2.0)	(0.5-2.0)	1/6/2016	< 3.3		< 0.55		< 0.11		< 0.56		0.11		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		0.065		< 0.11		0.073		< 0.11		< 0.11		0.08	
1621913	Remainder of Outfall 007	Unit 5	8198632	I-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 3.0		< 0.50		< 0.10		< 0.51		< 0.051		< 0.051		< 0.051		< 0.10		< 1.5		< 0.50		< 0.051		< 0.10		< 0.051		< 0.10		< 0.10		< 0.051	
1621913	Remainder of Outfall 007	Unit 5	8198633	H-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 3.0		< 0.51		< 0.10		< 0.52		< 0.052		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1621913	Remainder of Outfall 007	Unit 5	8198634	H-17-a(2.5-3.0)	(0.5-3.0)	1/6/2016	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1621913	Remainder of Outfall 007	Unit 5	8198635	H-17-c(1.0-1.5)	(0.0-1.5)	1/6/2016	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1621913	Remainder of Outfall 007	Unit 5	8198636	H-17-c(2.5-3.0)	(0.5-3.0)	1/6/2016	< 3.3		< 0.54		< 0.11		< 0.56		0.15		< 0.056		< 0.056		< 0.11		< 1.6		< 0.54		0.098		< 0.11		0.18		< 0.11		< 0.11		0.12	
1622320	Remainder of Outfall 007	Unit 5	8200526	J-14-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.1		< 0.52		< 0.10		< 0.53		0.086	J	< 0.053		< 0.053		< 0.10		< 1.6	UJ	< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1622320	Remainder of Outfall 007	Unit 5	8200529	DUP-36		1/7/2016	< 3.1		< 0.51		< 0.10		< 0.52		0.17	J	< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		0.067		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1622320	Remainder of Outfall 007	Unit 5	8200530	I-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.1		< 0.51		< 0.10		< 0.52		< 0.052		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1622320	Remainder of Outfall 007	Unit 5	8200531	I-15-a(5.5-6.0)	(0.5-6.0)	1/7/2016	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1622320	Remainder of Outfall 007	Unit 5	8200536	I-14-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.2		< 0.53		< 0.11		< 0.54		0.13		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.063		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1622320	Remainder of Outfall 007	Unit 5	8200537	I-14-b(1.5-2.0)	(0.5-2.0)	1/7/2016	< 3.3		< 0.56		< 0.11		< 0.57		0.22		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.11		< 0.11		0.2		< 0.11		< 0.11		0.087	
1622320	Remainder of Outfall 007	Unit 5	8200540	J-15-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.5		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1622320	Remainder of Outfall 007	Unit 5	8200541	J-15-b(1.0-1.5)	(0.0-1.5)	1/7/2016	< 3.1		< 0.52		< 0.10		< 0.53		0.65		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		0.22		< 0.10		0.092		< 0.10		< 0.10		< 0.053	
1622320	Remainder of Outfall 007	Unit 5	8200542	J-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.5		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1622320	Remainder of Outfall 007	Unit 5	8200543	J-15-a(3.0-3.5)	(0.0-3.5)	1/7/2016	< 3.5		< 0.59		< 0.12		< 0.60		0.13		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.060	
1622320	Remainder of Outfall 007	Unit 5	8200546	H-18-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.6		< 0.61		< 0.12		< 0.62		< 0.062		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		0.065		< 0.12		0.063		< 0.12		< 0.12		< 0.062	
1622320	Remainder of Outfall 007	Unit 5	8200547	H-18-a(3.5-4.0)	(0.5-4.0)	1/7/2016	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1622320	Remainder of Outfall 007	Unit 5	8200548	H-17-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 3.1		< 0.51		< 0.10		< 0.52		< 0.052		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1622320	Remainder of Outfall 007	Unit 5	8200549	H-17-b(4.5-5.0)	(0.5-5.0)	1/7/2016	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1622686	Remainder of Outfall 007	Unit 5	8202422	H-13-b(1.0-1.5)	(0.0-1.5)	1/8/2016	< 3.3		< 0.55		< 0.11		< 0.56		0.42		< 0.056		< 0.056		< 0.11		< 1.6	UJ	< 0.55		0.21		< 0.11		0.3	J	< 0.11		< 0.11		0.19	
1622686	Remainder of Outfall 007	Unit 5	8202425	DUP-37		1/8/2016	< 3.4		< 0.57		< 0.11		< 0.58		0.41		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		0.18		< 0.11		0.51	J	< 0.11		< 0.11		0.24	
1622686	Remainder of Outfall 007	Unit 5	8202426	H-13-a(0.5-1.0)	(0.5-1.0)	1/8/2016	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1622686	Remainder of Outfall 007	Unit 5	8202427	H-13-b(4.0-4.5)	(0.0-4.5)	1/8/2016	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1622686	Remainder of Outfall 007	Unit 5	8202430	I-13-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 3.1		< 0.51		< 0.10		< 0.52		< 0.052		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1622686	Remainder of Outfall 007	Unit 5	8202431	I-12-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1622686	Remainder of Outfall 007	Unit 5	8202432	I-13-c(4.5-5.0)	(0.5-5.0)	1/8/2016	< 3.2		< 0.53		< 0.11		< 0.54		0.068		0.14		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		0.059		< 0.11		< 0.11		< 0.054	
1622686	Remainder of Outfall 007	Unit 5	8202435	I-12-c(5.5-6.0)	(0.5-6.0)	1/8/2016	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		0.28		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1622686	Remainder of Outfall 007	Unit 5	8202436	J-13-b(0.5-1.0)	(0.5-1.0)	1/8/2016	< 3.1		< 0.52		< 0.10		< 0.53		0.13		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		0.16		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1622686	Remainder of Outfall 007	Unit 5	8202437	J-13-b(2.0-2.5)	(0.0-2.5)	1/8/2016	< 3.2		< 0.53		< 0.11		< 0.54		0.12		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		0.15		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1622686	Remainder of Outfall 007	Unit 5	8202440	I-12-b(0.0-0.5)	(0.0-0.5)	1/8/2016	< 3.3		< 0.55		< 0.11		< 0.56		0.78		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		0.53		< 0.11		0.19		< 0.11		< 0.11		0.13	
1622686	Remainder of Outfall 007	Unit 5	8202441	I-12-b(3.5-4.0)	(0.5-4.0)	1/8/2016	< 3.2		< 0.53		< 0.11		< 0.54		< 0.054		< 0.054		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1622954	Remainder of Outfall 007	Unit 5	8203649	H-9-d(0.5-1.0)	(0.5-1.0)	1/11/2016	< 3.5		< 0.59		< 0.12		< 0.60		0.1		< 0.060		< 0.060		< 0.12		< 1.8		< 0.59		< 0.060		< 0.12		0.15		< 0.12		< 0.12		0.1	
1622954	Remainder of Outfall 007	Unit 5	8203653	DUP-38		1/11/2016	< 16		< 2.7		< 0.54		< 2.8		0.47		< 0.28		< 0.28		< 0.54		< 8.1		< 2.7		< 0.28		< 0.54		0.37		< 0.54		< 0.54		< 0.28	
1622954	Remainder of Outfall 007	Unit 5	8203654	H-9-d(4.0-4.5)	(0.0-4.5)	1/11/2016	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.6		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1622954	Remainder of Outfall 007	Unit 5	8203655	H-9-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 18		< 3.1		< 0.61		< 3.1		0.51		< 0.31		< 0.31		< 0.61		< 9.2		< 3.1		< 0.31		< 0.61		1.4		< 0.61		< 0.61		0.95	
1622954	Remainder of Outfall 007	Unit 5	8203656	H-9-a(1.5-2.0)	(0.5-2.0)	1/11/2016	< 3.4		< 0.57		< 0.11		< 0.58		< 0.058		< 0.058		< 0.058		< 0.11		< 1.7		< 0.57		< 0.058		< 0.11		< 0.058		< 0.11		< 0.11		< 0.058	
1622954	Remainder of Outfall 007	Unit 5	8203657	H-9-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 3.7		< 0.61		< 0.12		< 0.62		< 0.062		< 0.062		< 0.062		< 0.12		< 1.8		< 0.61		< 0.062		< 0.12		0.078		< 0.12		< 0.12		< 0.062	

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1618576	Remainder of Outfall 007	Unit 5	8181689	H-12-b(0.0-0.5)	(0.0-0.5)	12/16/2015	< 0.51		< 2.6		< 2.6		< 0.51		< 0.51		< 7.7		< 0.51		< 0.51		< 2.6		< 2.6		0.92		< 0.51		2.5		< 0.51		< 0.51		< 0.51	
1618576	Remainder of Outfall 007	Unit 5	8181691	H-12-a(7.0-7.5)	(0.0-7.5)	12/16/2015	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		< 0.060		< 0.12		0.085		< 0.12		< 0.12		< 0.12	
1621540	Locomotive Track Yard	Unit 4	8196995	K-11-a(1.0-1.5)	(0.0-1.5)	1/5/2016	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		10		< 0.11		23		< 0.11		< 0.11		< 0.11	
1621540	Locomotive Track Yard	Unit 4	8196996	K-12-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.10		< 0.51		< 0.51	UJ	< 0.10	UJ	< 0.10	UJ	< 1.5		< 0.10		0.29	J-	< 0.51	UJ	< 0.52		43	J	< 0.10	UJ	37	J-	< 0.10	UJ	< 0.10	UJ	< 0.10	UJ
1621540	Locomotive Track Yard	Unit 4	8197000	DUP-35		1/5/2016	< 0.10		< 0.50		< 0.50		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.50		< 0.52		0.83	J	< 0.10		1.7	J	< 0.10		< 0.10		< 0.10	
1621540	Locomotive Track Yard	Unit 4	8197001	K-10-b(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		0.16		< 0.10		0.25		< 0.10		< 0.10		< 0.10	
1621540	Locomotive Track Yard	Unit 4	8197002	K-10-a(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.10		< 0.50		< 0.50		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.50		< 0.51		0.076		< 0.10		0.37		< 0.10		< 0.10		< 0.10	
1621540	Locomotive Track Yard	Unit 4	8197003	K-10-a(0.5-1.0)	(0.5-1.0)	1/5/2016	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		41		< 0.12		33		0.49		< 0.12		< 0.12	
1621540	Locomotive Track Yard	Unit 4	8197004	K-10-c(0.0-0.5)	(0.0-0.5)	1/5/2016	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.78		< 0.12		1.3		7.5		< 0.12		< 0.12	
1621540	Locomotive Track Yard	Unit 4	8197005	K-10-c(0.5-1.0)	(0.5-1.0)	1/5/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.49		< 0.11		< 0.056		38		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198629	I-16-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.094		< 0.11		0.14		< 0.11		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198630	I-16-a(7.0-7.5)	(0.0-7.5)	1/6/2016	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		< 0.060		< 0.12		< 0.060		< 0.12		< 0.12		< 0.12	
1621913	Remainder of Outfall 007	Unit 5	8198631	I-16-b(1.5-2.0)	(0.5-2.0)	1/6/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.18		< 0.11		0.1		< 0.11		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198632	I-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.10		< 0.50		< 0.50		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.50		< 0.51		< 0.051		< 0.10		< 0.051		< 0.10		< 0.10		< 0.10	
1621913	Remainder of Outfall 007	Unit 5	8198633	H-17-a(0.5-1.0)	(0.5-1.0)	1/6/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.10	
1621913	Remainder of Outfall 007	Unit 5	8198634	H-17-a(2.5-3.0)	(0.5-3.0)	1/6/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1621913	Remainder of Outfall 007	Unit 5	8198635	H-17-c(1.0-1.5)	(0.0-1.5)	1/6/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1621913	Remainder of Outfall 007	Unit 5	8198636	H-17-c(2.5-3.0)	(0.5-3.0)	1/6/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.56		0.28		< 0.11		0.15		< 0.11		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200526	J-14-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.068	J	< 0.10		0.1	J	< 0.10		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200529	DUP-36		1/7/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		0.12	J	< 0.10		0.19	J	< 0.10		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200530	I-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200531	I-15-a(5.5-6.0)	(0.5-6.0)	1/7/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200536	I-14-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		0.14		< 0.11		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200537	I-14-b(1.5-2.0)	(0.5-2.0)	1/7/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.1		< 0.11		0.28		< 0.11		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200540	J-15-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200541	J-15-b(1.0-1.5)	(0.0-1.5)	1/7/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.45		< 0.10		0.57		0.12		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200542	J-15-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200543	J-15-a(3.0-3.5)	(0.0-3.5)	1/7/2016	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.11		< 0.12		0.19		< 0.12		< 0.12		< 0.12	
1622320	Remainder of Outfall 007	Unit 5	8200546	H-18-a(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		< 0.062		< 0.12		< 0.062		< 0.12		< 0.12		< 0.12	
1622320	Remainder of Outfall 007	Unit 5	8200547	H-18-a(3.5-4.0)	(0.5-4.0)	1/7/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1622320	Remainder of Outfall 007	Unit 5	8200548	H-17-b(0.5-1.0)	(0.5-1.0)	1/7/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.10	
1622320	Remainder of Outfall 007	Unit 5	8200549	H-17-b(4.5-5.0)	(0.5-5.0)	1/7/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202422	H-13-b(1.0-1.5)	(0.0-1.5)	1/8/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.59		< 0.11		0.39		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202425	DUP-37		1/8/2016	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		0.75		< 0.11		0.4		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202426	H-13-a(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202427	H-13-b(4.0-4.5)	(0.0-4.5)	1/8/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202430	I-13-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.10	
1622686	Remainder of Outfall 007	Unit 5	8202431	I-12-c(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202432	I-13-c(4.5-5.0)	(0.5-5.0)	1/8/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		0.55		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202435	I-12-c(5.5-6.0)	(0.5-6.0)	1/8/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		0.2		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202436	J-13-b(0.5-1.0)	(0.5-1.0)	1/8/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.058		< 0.10		0.13		< 0.10		< 0.10		< 0.10	
1622686	Remainder of Outfall 007	Unit 5	8202437	J-13-b(2.0-2.5)	(0.0-2.5)	1/8/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		0.17		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202440	I-12-b(0.0-0.5)	(0.0-0.5)	1/8/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.27		< 0.11		0.96		< 0.11		< 0.11		< 0.11	
1622686	Remainder of Outfall 007	Unit 5	8202441	I-12-b(3.5-4.0)	(0.5-4.0)	1/8/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203649	H-9-d(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		0.15		< 0.12		0.094		< 0.12		< 0.12		< 0.12	
1622954	Remainder of Outfall 007	Unit 5	8203653	DUP-38		1/11/2016	< 0.54		< 2.7		< 2.7		< 0.54		< 0.54		< 8.1		< 0.54		< 0.54		< 2.7		< 2.8		0.55		< 0.54		0.38		< 0.54		< 0.54		< 0.54	
1622954	Remainder of Outfall 007	Unit 5	8203654	H-9-d(4.0-4.5)	(0.0-4.5)	1/11/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203655	H-9-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.61		< 3.1		< 3.1		< 0.61		< 0.61		< 9.2		< 0.61		< 0.61		< 3.1		< 3.1		1.1		< 0.61		0.47		< 0.61		< 0.61		< 0.61	
1622954	Remainder of Outfall 007	Unit 5	8203656	H-9-a(1.5-2.0)	(0.5-2.0)	1/11/2016	< 0.11		< 0.57		< 0.57		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.57		< 0.58		< 0.058		< 0.11		< 0.058		< 0.11		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203657	H-9-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.12		< 0.61		< 0.61		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.61		< 0.62		0.075		< 0.12		< 0.062		< 0.12		< 0.12		< 0.12	

						Acenaphthene		Acenaphthylene		Anthracene		Benzo(a)anthracene		Benzo(a)pyrene		Benzo(b)fluoranthene		Benzo(g,h,i)perylene		Benzo(k)fluoranthene		4-Bromophenyl-phenylether		Butylbenzylphthalate		Di-n-butylphthalate		Carbazole		4-Chloro-3-methylphenol		4-Chloroaniline		bis(2-Chloroethoxy)methane		bis(2-Chloroethyl)ether	
					Analyte																																
					CAS Number	83-32-9	Flags	208-96-8	Flags	120-12-7	Flags	56-55-3	Flags	50-32-8	Flags	205-99-2	Flags	191-24-2	Flags	207-08-9	Flags	101-55-3	Flags	85-68-7	Flags	84-74-2	Flags	86-74-8	Flags	59-50-7	Flags	106-47-8	Flags	111-91-1	Flags	111-44-4	Flags
					DNREC SLs	**360**		**N/A**		**1800**		**0.82**		**0.24**		**1.11**		**N/A**		**1.6**		**N/A**		**290**		**630**		**N/A**		**630**		**0.37**		**19**		**0.23**	
Group #	**Location**	**Exposure Unit**	**Lab Sample ID**	**Sample ID**	**Depth (Feet)**	**Sample Date**	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1622954	Remainder of Outfall 007	Unit 5	8203658	H-9-b(3.5-4.0)	(0.5-4.0)	1/11/2016	< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.068		< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 0.27		< 0.13		< 0.13	
1622954	East Side East Ditch Area	Unit 3	8203663	H-8-e(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.30		< 0.30		0.99		**1.7**		**1.2**		**1.9**		0.72		0.87		< 0.60		< 3.0		< 3.0		< 0.60		< 0.60		< 1.2		< 0.60		< 0.50
1622954	East Side East Ditch Area	Unit 3	8203664	H-8-e(2.5-3.0)	(0.5-3.0)	1/11/2016	< 0.061		0.064		0.11		0.34		**0.24**		0.65		0.3		0.24		< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 0.24		< 0.12		< 0.12
1622954	Remainder of Outfall 007	Unit 5	8203665	H-9-c(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.064		< 0.064		0.076		0.25		0.2		0.43		0.2		0.13		< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 0.25		< 0.12		< 0.12
1622954	Remainder of Outfall 007	Unit 5	8203666	H-9-c(3.5-4.0)	(0.5-4.0)	1/11/2016	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		0.076		< 0.057		< 0.057		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1622954	Remainder of Outfall 007	Unit 5	8203668	I-18-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.052		< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10
1622954	Remainder of Outfall 007	Unit 5	8203669	I-18-a(4.5-5.0)	(0.5-5.0)	1/11/2016	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1622954	Remainder of Outfall 007	Unit 5	8203670	I-17-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 1.0		< 0.51		< 0.51
1622954	Remainder of Outfall 007	Unit 5	8203671	I-17-b(4.5-5.0)	(0.5-5.0)	1/11/2016	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Former Fueling Facility	Unit 1	8205866	B-1-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.39		< 0.39		< 0.39		0.62		**0.66**		**1.3**		0.57		0.42		< 0.76		< 3.8		< 3.8		< 0.76		< 0.76		< 1.5		< 0.76		< 0.76
1623400	Former Fueling Facility	Unit 1	8205867	B-1-b(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.059		0.17		0.23		0.37		**0.29**		**1.2**		0.28		0.46		< 0.12		< 0.58		< 0.58		0.14		< 0.12		< 0.23		< 0.12		< 0.12
1623400	Former Fueling Facility	Unit 1	8205868	D-2-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.33		0.53		0.69		**1.8**		**1.1**		**4.9**		1.3		**2.2**		< 0.64		< 3.2		< 3.2		< 0.64		< 0.64		< 1.3		< 0.64		< 0.64
1623400	Former Fueling Facility	Unit 1	8205869	D-3-e(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.61		< 0.61		< 0.61		< 0.61		< 0.61		0.95		< 0.61		< 0.61		< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 2.4		< 1.2		< 1.2
1623400	Remainder of Outfall 007	Unit 5	8205870	H-11-d(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.057		< 0.057		< 0.057		0.14		0.15		0.31		0.22		0.11		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205871	H-11-d(4.5-5.0)	(0.5-5.0)	1/12/2016	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		0.065		0.056		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205872	I-11-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.055		< 0.055		< 0.055		< 0.055		0.065		0.15		0.068		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205873	J-12-a(0.5-1.0)	(0.5-1.0)	1/12/2016	0.38		< 0.055		0.97		0.6		**0.34**		0.57		0.2		0.25		< 0.11		< 0.54		< 0.54		0.13		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205874	J-12-a(1.5-1.5)	(0.0-1.5)	1/12/2016	0.36		< 0.056		0.83		0.53		0.23		0.44		0.13		0.19		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205875	H-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		0.14		0.061		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205876	H-11-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		0.13		0.058		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205877	I-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.055		0.062		0.11		0.22		0.21		0.37		0.2		0.16		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205878	I-11-a(2.5-3.0)	(0.5-3.0)	1/12/2016	1.3		< 0.056		1.3		0.074		< 0.056		0.11		0.067		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205879	I-11-c(5.5-6.0)	(5.5-6.0)	1/12/2016	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205880	I-12-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 2.6		< 13		< 13		< 2.6		< 2.6		< 5.1		< 2.6		< 2.6
1623400	Remainder of Outfall 007	Unit 5	8205881	I-12-a(4.5-5.0)	(0.5-5.0)	1/12/2016	1.4		< 0.057		1.2		0.069		0.066		0.13		0.061		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205884	J-12-b(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623400	Remainder of Outfall 007	Unit 5	8205890	J-12-b(4.0-4.5)	(0.0-4.5)	1/12/2016	0.081		< 0.056		0.13		< 0.056		< 0.056		< 0.056		< 0.056		< 0.056		< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623754	Locomotive Track Yard	Unit 4	8207451	K-9-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 2.6		< 13		< 13		< 2.6		< 2.6		< 5.2		< 2.6		< 2.6
1623754	Locomotive Track Yard	Unit 4	8207454	DUP-40		1/13/2016	< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 2.7		< 13		< 13		< 2.7		< 2.7		< 5.3		< 2.7		< 2.7
1623754	Locomotive Track Yard	Unit 4	8207456	K-9-b(1.5-2.0)	(0.5-2.0)	1/13/2016	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		0.18		0.1		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623754	Locomotive Track Yard	Unit 4	8207458	J-10-a(0.2-0.5)	(0.2-0.5)	1/13/2016	< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.26		< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 1.0		< 0.50		< 0.50
1623754	Locomotive Track Yard	Unit 4	8207459	J-10-a(2.5-3.0)	(0.5-3.0)	1/13/2016	< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.055		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623754	Locomotive Track Yard	Unit 4	8207460	J-10-c(0.0-0.5)	(0.0-0.5)	1/13/2016	< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 1.3		< 2.6		< 13		< 13		< 2.6		< 2.6		< 5.1		< 2.6		< 2.6
1623754	Locomotive Track Yard	Unit 4	8207461	J-10-c(2.0-2.5)	(0.0-2.5)	1/13/2016	0.81		< 0.054		< 0.054		0.099		< 0.054		0.11		< 0.054		< 0.054		< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 0.21		< 0.11		< 0.11
1623754	Locomotive Track Yard	Unit 4	8207462	K-11-c(0.5-1.0)	(0.5-1.0)	1/13/2016	< 0.055		< 0.055		< 0.055		0.1		0.12		0.24		0.13		0.11		< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623754	Locomotive Track Yard	Unit 4	8207463	K-11-c(3.0-3.5)	(0.0-3.5)	1/13/2016	0.13		< 0.064		0.1		< 0.064		< 0.064		< 0.064		< 0.064		< 0.064		< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 0.25		< 0.13		< 0.13
1623754	Locomotive Track Yard	Unit 4	8207464	K-11-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		**2.1**		1.8		< 1.4		< 2.8		< 14		< 14		< 2.8		< 2.8		< 5.5		< 2.8		< 2.8
1623754	Locomotive Track Yard	Unit 4	8207467	J-10-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 1.4		< 2.7		< 13		< 13		< 2.7		< 2.7		< 5.4		< 2.7		< 2.7
1623754	Locomotive Track Yard	Unit 4	8207468	J-10-b(2.5-3.0)	(0.5-3.0)	1/13/2016	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623755	Remainder of Outfall 007	Unit 5	8207475	H-11-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 0.060		1.1		1		**1.5**		**2.1**		**4**		2.3		1.3		< 0.12		< 0.59		< 0.59		0.22		< 0.12		< 0.24		< 0.12		< 0.12
1623755	Remainder of Outfall 007	Unit 5	8207478	DUP-41		1/14/2016	< 0.29		2.7		2.6		**2.5**		**4.1**		**7.4**		4.6		**2.5**		< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57
1623755	Remainder of Outfall 007	Unit 5	8207484	H-11-b(1.5-2.0)	(0.5-2.0)	1/14/2016	0.19		0.94		1.2		**2**		**2.5**		**3.2**		2.2		1.2		< 0.11		< 0.56		< 0.56		0.46		< 0.11		< 0.23		< 0.11		< 0.11
1623755	Remainder of Outfall 007	Unit 5	8207486	I-11-b(1.0-1.5)	(0.0-1.5)	1/14/2016	< 0.053		< 0.053		0.076		0.17		0.17		0.3		0.17		0.11		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10
1623755	Remainder of Outfall 007	Unit 5	8207489	J-9-c(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.29		0.64		0.58		0.65		**0.84**		**2**		1		0.69		< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 1.1		< 0.57		< 0.57
1623755	Remainder of Outfall 007	Unit 5	8207490	J-9-c(2.5-3.0)	(0.5-3.0)	1/14/2016	< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.057		< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 0.22		< 0.11		< 0.11
1623755	Remainder of Outfall 007	Unit 5	8207491	J-9-c(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.28		1.2		1.7		**3.8**		**5.8**		**10**		4.3		**4.1**		< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 1.1		< 0.56		< 0.56
1623755	Remainder of Outfall 007	Unit 5	8207492	J-9-e(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.061		0.48		0.72		**0.99**		**0.96**		**2.8**		1		0.95		< 0.12		< 0.60		< 0.60		0.32		< 0.12		< 0.24		< 0.12		< 0.12
1623755	Remainder of Outfall 007	Unit 5	8207493	J-9-e(2.0-2.5)	(0.0-2.5)	1/14/2016	< 0.053		< 0.053		< 0.053		< 0.053		< 0.053		0.063		< 0.053		< 0.053		< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 0.21		< 0.10		< 0.10
1623755	Locomotive Track Yard	Unit 4	8207494	J-9-b(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.27		< 0.27		0.38		< 0.27		< 0.27		0.74		0.54		0.29		< 0.53		< 2.6		< 2.6		< 0.53		< 0.53		< 1.1		< 0.53		< 0.53
1623755	Locomotive Track Yard	Unit 4	8207495	J-9-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 0.059		0.097		0.16		0.17		0.15		0.34		0.22		0.13		< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 0.23		< 0.12		< 0.12

1. Samples collected and analyzed for SVOCs by method SW-846 8270D. All results are reported in mg/kg.
2. Screening levels Compare to DNREC-Site Investigation and Restoration Section Screening Level Table- February 2016.
3. "<" - Compound concentration not detected above laboratory limits of quantitation).
4. Bold and shaded cells represent exceedances of DNREC SIRS Screening Levels.

U The analyte was analyzed for, but not detected above the reported sample quantitation limit.
J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample
J+ Result is estimated quantity but the result may be biased high.
J- Result is estimated quantity but the result may be biased low.
UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified
B The analyte was detected in the method, field, and/or trip blank

						Analyte	2-Chloronaphthalene		2-Chlorophenol		4-Chlorophenyl-phenylether		2,2'-oxybis(1-Chloropropane)		Chrysene		Dibenz(a,h)anthracene		Dibenzofuran		1,2-Dichlorobenzene		1,3-Dichlorobenzene		1,4-Dichlorobenzene		3,3'-Dichlorobenzidine		2,4-Dichlorophenol		Diethylphthalate		2,4-Dimethylphenol		Dimethylphthalate		4,6-Dinitro-2-methylphenol	
						CAS Number	91-58-7	Flags	95-57-8	Flags	7005-72-3	Flags	108-60-1	Flags	218-01-9	Flags	53-70-3	Flags	132-64-9	Flags	95-50-1	Flags	541-73-1	Flags	106-46-7	Flags	91-94-1	Flags	120-83-2	Flags	84-66-2	Flags	105-67-9	Flags	131-11-3	Flags	534-52-1	Flags
						DNREC SLs	480		39		N/A		71		16		0.17		7.3		180		N/A		2.6		0.13		19		5100		130		N/A		0.51	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1622954	Remainder of Outfall 007	Unit 5	8203658	H-9-b(3.5-4.0)	(0.5-4.0)	1/11/2016	< 0.13		< 0.13		< 0.13		< 0.13		< 0.068		< 0.068		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.66		< 0.13		< 0.66		< 2.0	
1622954	East Side East Ditch Area	Unit 3	8203663	H-8-e(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.59		< 0.60		< 0.60		< 0.60		1.9		< 0.30		< 0.60		< 0.60		< 0.60		< 0.60		< 6.0		< 0.60		< 3.0		< 0.60		< 3.0		< 9.0	
1622954	East Side East Ditch Area	Unit 3	8203664	H-8-e(2.5-3.0)	(0.5-3.0)	1/11/2016	< 0.12		< 0.12		< 0.12		< 0.12		0.7		0.08		0.2		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1622954	Remainder of Outfall 007	Unit 5	8203665	H-9-c(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.12		< 0.12		< 0.12		< 0.12		0.45		< 0.064		0.29		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.62		< 0.12		< 0.62		< 1.9	
1622954	Remainder of Outfall 007	Unit 5	8203666	H-9-c(3.5-4.0)	(0.5-4.0)	1/11/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.08		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1622954	Remainder of Outfall 007	Unit 5	8203668	I-18-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.10		< 0.10		< 0.10		< 0.10		< 0.052		< 0.052		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.51		< 0.10		< 0.51		< 1.5	
1622954	Remainder of Outfall 007	Unit 5	8203669	I-18-a(4.5-5.0)	(0.5-5.0)	1/11/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1622954	Remainder of Outfall 007	Unit 5	8203670	I-17-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.50		< 0.51		< 0.51		< 0.51		< 0.26		< 0.26		< 0.51		< 0.51		< 0.51		< 0.51		< 5.1		< 0.51		< 2.5		< 0.51		< 2.5		< 7.6	
1622954	Remainder of Outfall 007	Unit 5	8203671	I-17-b(4.5-5.0)	(0.5-5.0)	1/11/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1623400	Former Fueling Facility	Unit 1	8205866	B-1-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.75		< 0.76		< 0.76		< 0.76		0.95		< 0.39		< 0.76		< 0.76		< 0.76		< 0.76		< 7.6		< 0.76		< 3.8		< 0.76		< 3.8		< 11	
1623400	Former Fueling Facility	Unit 1	8205867	B-1-b(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.12		< 0.12		< 0.12		1.1		0.13		0.53		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	
1623400	Former Fueling Facility	Unit 1	8205868	D-2-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.63		< 0.64		< 0.64		< 0.64		3.4		**0.37**		1		< 0.64		< 0.64		< 0.64		< 6.4		< 0.64		< 3.2		< 0.64		< 3.2		< 9.6	
1623400	Former Fueling Facility	Unit 1	8205869	D-3-e(0.0-0.5)	(0.0-0.5)	1/12/2016	< 1.2		< 1.2		< 1.2		< 1.2		0.64		< 0.61		< 1.2		< 1.2		< 1.2		< 1.2		< 12		< 1.2		< 5.9		< 1.2		< 5.9		< 18	
1623400	Remainder of Outfall 007	Unit 5	8205870	H-11-d(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.29		0.066		0.13		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623400	Remainder of Outfall 007	Unit 5	8205871	H-11-d(4.5-5.0)	(0.5-5.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623400	Remainder of Outfall 007	Unit 5	8205872	I-11-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.072		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623400	Remainder of Outfall 007	Unit 5	8205873	J-12-a(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.66		< 0.055		0.2		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623400	Remainder of Outfall 007	Unit 5	8205874	J-12-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.58		< 0.056		0.21		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.6	
1623400	Remainder of Outfall 007	Unit 5	8205875	H-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.097		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623400	Remainder of Outfall 007	Unit 5	8205876	H-11-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.1		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1623400	Remainder of Outfall 007	Unit 5	8205877	I-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.28		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623400	Remainder of Outfall 007	Unit 5	8205878	I-11-a(2.5-3.0)	(0.5-3.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.17		< 0.056		1		< 0.11		0.55		1.1		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1623400	Remainder of Outfall 007	Unit 5	8205879	I-11-c(5.5-6.0)	(0.5-6.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.066		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623400	Remainder of Outfall 007	Unit 5	8205880	I-12-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 2.5		< 2.6		< 2.6		< 2.6		< 1.3		< 1.3		< 2.6		< 2.6		< 2.6		< 2.6		< 26		< 2.6		< 13		< 2.6		< 13		< 38	
1623400	Remainder of Outfall 007	Unit 5	8205881	I-12-a(4.5-5.0)	(0.5-5.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.12		< 0.057		0.94		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623400	Remainder of Outfall 007	Unit 5	8205884	J-12-b(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1623400	Remainder of Outfall 007	Unit 5	8205890	J-12-b(4.0-4.5)	(0.0-4.5)	1/12/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.056		< 0.056		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.55		< 0.11		< 0.55		< 1.7	
1623754	Locomotive Track Yard	Unit 4	8207451	K-9-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.6		< 2.6		< 2.6		< 2.6		< 1.3		< 1.3		< 2.6		< 2.6		< 2.6		< 2.6		< 26		< 2.6		< 13		< 2.6		< 13		< 39	
1623754	Locomotive Track Yard	Unit 4	8207454	DUP-40		1/13/2016	< 2.6		< 2.7		< 2.7		< 2.7		< 1.4		< 1.4		< 2.7		< 2.7		< 2.7		< 2.7		< 27		< 2.7		< 13		< 2.7		< 13		< 40	
1623754	Locomotive Track Yard	Unit 4	8207456	K-9-b(1.5-2.0)	(0.5-2.0)	1/13/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.18		< 0.057		0.17		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623754	Locomotive Track Yard	Unit 4	8207458	J-10-a(0.2-0.5)	(0.2-0.5)	1/13/2016	< 0.50		< 0.50		< 0.50		< 0.50		< 0.26		< 0.26		< 0.50		< 0.50		< 0.50		< 0.50		< 5.0		< 0.50		< 2.5		< 0.50		< 2.5		< 7.5	
1623754	Locomotive Track Yard	Unit 4	8207459	J-10-a(2.5-3.0)	(0.5-3.0)	1/13/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.055		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623754	Locomotive Track Yard	Unit 4	8207460	J-10-c(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.5		< 2.6		< 2.6		< 2.6		< 1.3		< 1.3		< 2.6		< 2.6		< 2.6		< 2.6		< 26		< 2.6		< 13		< 2.6		< 13		< 39	
1623754	Locomotive Track Yard	Unit 4	8207461	J-10-c(2.0-2.5)	(0.0-2.5)	1/13/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.15		< 0.054		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.53		< 0.11		< 0.53		< 1.6	
1623754	Locomotive Track Yard	Unit 4	8207462	K-11-c(0.5-1.0)	(0.5-1.0)	1/13/2016	< 0.11		< 0.11		< 0.11		< 0.11		0.15		< 0.055		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.54		< 0.11		< 0.54		< 1.6	
1623754	Locomotive Track Yard	Unit 4	8207463	K-11-c(3.0-3.5)	(0.0-3.5)	1/13/2016	< 0.12		< 0.13		< 0.13		< 0.13		< 0.064		< 0.064		< 0.13		< 0.13		< 0.13		< 0.13		< 1.3		< 0.13		< 0.63		< 0.13		< 0.63		< 1.9	
1623754	Locomotive Track Yard	Unit 4	8207464	K-11-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.7		< 2.8		< 2.8		< 2.8		< 1.4		< 1.4		< 2.8		< 2.8		< 2.8		< 2.8		< 28		< 2.8		< 14		< 2.8		< 14		< 42	
1623754	Locomotive Track Yard	Unit 4	8207467	J-10-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.6		< 2.7		< 2.7		< 2.7		< 1.4		< 1.4		< 2.7		< 2.7		< 2.7		< 2.7		< 27		< 2.7		< 13		< 2.7		< 13		< 40	
1623754	Locomotive Track Yard	Unit 4	8207468	J-10-b(2.5-3.0)	(0.5-3.0)	1/13/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.057		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623755	Remainder of Outfall 007	Unit 5	8207475	H-11-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 0.12		< 0.12		< 0.12		< 0.12		2.1		**0.62**		0.46		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.59		< 0.12		< 0.59		< 1.8	
1623755	Remainder of Outfall 007	Unit 5	8207478	DUP-41		1/14/2016	< 0.57		< 0.57		< 0.57		< 0.57		3.9		**1.2**		0.67		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.9		< 0.57		< 2.9		< 8.6	
1623755	Remainder of Outfall 007	Unit 5	8207484	H-11-b(1.5-2.0)	(0.5-2.0)	1/14/2016	< 0.11		< 0.11		< 0.11		< 0.11		2.9		**0.73**		0.43		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623755	Remainder of Outfall 007	Unit 5	8207486	I-11-b(1.0-1.5)	(0.0-1.5)	1/14/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.25		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1623755	Remainder of Outfall 007	Unit 5	8207489	J-9-d(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.57		< 0.57		< 0.57		< 0.57		1.4		< 0.29		< 0.57		< 0.57		< 0.57		< 0.57		< 5.7		< 0.57		< 2.9		< 0.57		< 2.9		< 8.6	
1623755	Remainder of Outfall 007	Unit 5	8207490	J-9-d(2.5-3.0)	(0.5-3.0)	1/14/2016	< 0.11		< 0.11		< 0.11		< 0.11		< 0.057		< 0.057		< 0.11		< 0.11		< 0.11		< 0.11		< 1.1		< 0.11		< 0.56		< 0.11		< 0.56		< 1.7	
1623755	Remainder of Outfall 007	Unit 5	8207491	J-9-c(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.55		< 0.56		< 0.56		< 0.56		7.8		**1.1**		< 0.56		< 0.56		< 0.56		< 0.56		< 5.6		< 0.56		< 2.8		< 0.56		< 2.8		< 8.4	
1623755	Remainder of Outfall 007	Unit 5	8207492	J-9-e(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.12		< 0.12		< 0.12		< 0.12		2		**0.31**		0.84		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.60		< 0.12		< 0.60		< 1.8	
1623755	Remainder of Outfall 007	Unit 5	8207493	J-9-e(2.0-2.5)	(0.0-2.5)	1/14/2016	< 0.10		< 0.10		< 0.10		< 0.10		0.057		< 0.053		< 0.10		< 0.10		< 0.10		< 0.10		< 1.0		< 0.10		< 0.52		< 0.10		< 0.52		< 1.6	
1623755	Locomotive Track Yard	Unit 4	8207494	J-9-b(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.52		< 0.53		< 0.53		< 0.53		0.76		< 0.27		< 0.53		< 0.53		< 0.53		< 0.53		< 5.3		< 0.53		< 2.6		< 0.53		< 2.6		< 7.9	
1623755	Locomotive Track Yard	Unit 4	8207495	J-9-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 0.11		< 0.12		< 0.12		< 0.12		0.35		0.059		< 0.12		< 0.12		< 0.12		< 0.12		< 1.2		< 0.12		< 0.58		< 0.12		< 0.58		< 1.7	

1. Samples collected and analyzed for SVOCs by method SW-846 8270D. All results are reported in mg/kg.
2. Screening levels Compare to DNREC-Site Investigation and Restoration Section Screening Level Table- Februa
3. "<" - Compound concentration not detected above laboratory limits of quantitation).
4. Bold and shaded cells represent exceedances of DNREC SIRS Screening Levels.

U The analyte was analyzed for, but not detected above the reported sample quantitation limit.
J The analyte was positively identified; the associated numerical value is the approximate concentratic
J+ Result is estimated quantity but the result may be biased high.
J- Result is estimated quantity but the result may be biased low.
UJ The analyte was not detected above the reported sample quantitation limit. However, the reported and may or may not represent the actual limit of quantitation necessary to accurately and precisely
R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and me The presence or absence of the analyte cannot be verified
B The analyte was detected in the method, field, and/or trip blank

					Analyte	2,4-Dinitrophenol		2,4-Dinitrotoluene		2,6-Dinitrotoluene		bis(2-Ethylhexyl)phthalate		Fluoranthene		Fluorene		Hexachlorobenzene		Hexachlorobutadiene		Hexachlorocyclopentadiene		Hexachloroethane		Indeno(1,2,3-cd)pyrene		Isophorone		2-Methylnaphthalene		2-Methylphenol		4-Methylphenol		Naphthalene	
					CAS Number	51-28-5	Flags	121-14-2	Flags	606-20-2	Flags	117-81-7	Flags	206-44-0	Flags	86-73-7	Flags	118-74-1	Flags	87-68-3	Flags	77-47-4	Flags	67-72-1	Flags	193-39-5	Flags	78-59-1	Flags	91-57-6	Flags	95-48-7	Flags	106-44-5	Flags	91-20-3	Flags
					DNREC SLs	13		1.7		0.36		39		240		240		0.21		1.2		0.18		1.8		1.3		570		24		320		630		3.8	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1622954	Remainder of Outfall 007	Unit 5	8203658	H-9-b(3.5-4.0)	(0.5-4.0)	1/11/2016	< 4.0		< 0.66		< 0.13		< 0.68		< 0.068		< 0.068		< 0.13		< 2.0		< 0.66		< 0.068		< 0.13		< 0.068		< 0.13		< 0.13		< 0.068	
1622954	East Side East Ditch Area	Unit 3	8203663	H-8-e(0.5-1.0)	(0.5-1.0)	1/11/2016	< 18		< 3.0		< 0.60		< 3.0		3.9		0.48		< 0.30		< 0.60		< 9.0		< 3.0		0.74		< 0.60		0.74		< 0.60		< 0.60		0.6	
1622954	East Side East Ditch Area	Unit 3	8203664	H-8-e(2.5-3.0)	(0.5-3.0)	1/11/2016	< 3.6		< 0.60		< 0.12		< 0.61		0.67		0.063		< 0.061		< 0.12		< 1.8		< 0.60		0.29		< 0.12		0.49		< 0.12		< 0.12		0.31	
1622954	Remainder of Outfall 007	Unit 5	8203665	H-9-c(0.5-1.0)	(0.5-1.0)	1/11/2016	< 3.7		< 0.62		< 0.12		< 0.64		0.37		< 0.064		< 0.064		< 0.12		< 1.9		< 0.62		0.16		< 0.12		0.89		< 0.12		< 0.12		0.54	
1622954	Remainder of Outfall 007	Unit 5	8203666	H-9-c(3.5-4.0)	(0.5-4.0)	1/11/2016	< 3.3		< 0.55		< 0.11		< 0.57		0.094		< 0.057		< 0.057		< 0.11		< 1.7		< 0.55		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	
1622954	Remainder of Outfall 007	Unit 5	8203668	I-18-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 3.1		< 0.51		< 0.10		< 0.52		< 0.052		< 0.052		< 0.052		< 0.10		< 1.5		< 0.51		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.052	
1622954	Remainder of Outfall 007	Unit 5	8203669	I-18-a(4.5-5.0)	(0.5-5.0)	1/11/2016	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1622954	Remainder of Outfall 007	Unit 5	8203670	I-17-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 15		< 2.5		< 0.51		< 2.6		< 0.26		< 0.26		< 0.26		< 0.51		< 7.6		< 2.5		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.26	
1622954	Remainder of Outfall 007	Unit 5	8203671	I-17-b(4.5-5.0)	(0.5-5.0)	1/11/2016	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1623400	Former Fueling Facility	Unit 1	8205866	B-1-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 23		< 3.8		< 0.76		< 3.9		0.88		< 0.39		< 0.39		< 0.76		< 11		< 3.8		0.53		< 0.76		0.51		< 0.76		< 0.76		< 0.39	
1623400	Former Fueling Facility	Unit 1	8205867	B-1-b(0.0-0.5)	(0.0-0.5)	1/12/2016	< 3.5		< 0.58		< 0.12		< 0.59		0.74		0.068		< 0.059		< 0.12		< 1.7		< 0.58		0.27		< 0.12		1.3		< 0.12		< 0.12		0.86	
1623400	Former Fueling Facility	Unit 1	8205868	D-2-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 19		< 3.2		< 0.64		< 3.3		2.6		< 0.33		< 0.33		< 0.64		< 9.6		< 3.2		**1.4**		< 0.64		2.7		< 0.64		< 0.64		2.1	
1623400	Former Fueling Facility	Unit 1	8205869	D-3-e(0.0-0.5)	(0.0-0.5)	1/12/2016	< 36		< 5.9		< 1.2		< 6.1		0.9		< 0.61		< 0.61		< 1.2		< 18		< 5.9		< 0.61		< 1.2		0.86		< 1.2		< 1.2		< 0.61	
1623400	Remainder of Outfall 007	Unit 5	8205870	H-11-d(0.5-1.0)	(0.5-1.0)	1/12/2016	< 3.4		< 0.56		< 0.11		< 0.57		0.21		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.16		< 0.11		0.37		< 0.11		< 0.11		0.21	
1623400	Remainder of Outfall 007	Unit 5	8205871	H-11-d(4.5-5.0)	(0.5-5.0)	1/12/2016	< 3.2		< 0.54		< 0.11		< 0.55		0.066		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		0.055		< 0.11		< 0.11		< 0.055	
1623400	Remainder of Outfall 007	Unit 5	8205872	I-11-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 3.3		< 0.54		< 0.11		< 0.55		0.081		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.066		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1623400	Remainder of Outfall 007	Unit 5	8205873	J-12-a(0.5-1.0)	(0.5-1.0)	1/12/2016	< 3.3		< 0.54		< 0.11		< 0.55		2.3		0.18		< 0.055		< 0.11		< 1.6		< 0.54		0.18		< 0.11		0.23		< 0.11		< 0.11		0.12	
1623400	Remainder of Outfall 007	Unit 5	8205874	J-12-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 3.3		< 0.55		< 0.11		< 0.56		2.1		0.4		< 0.056		< 0.11		< 1.6		< 0.55		0.11		< 0.11		0.21		< 0.11		< 0.11		0.1	
1623400	Remainder of Outfall 007	Unit 5	8205875	H-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 3.2		< 0.54		< 0.11		< 0.55		0.13		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.057		< 0.11		0.21		< 0.11		< 0.11		0.11	
1623400	Remainder of Outfall 007	Unit 5	8205876	H-11-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		0.4		< 0.11		< 0.11		0.24	
1623400	Remainder of Outfall 007	Unit 5	8205877	I-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 3.2		< 0.54		< 0.11		< 0.55		0.41		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.19		< 0.11		0.37		< 0.11		< 0.11		0.17	
1623400	Remainder of Outfall 007	Unit 5	8205878	I-11-a(2.5-3.0)	(0.5-3.0)	1/12/2016	< 3.3		< 0.55		< 0.11		< 0.56		0.24		3.9		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		0.71		< 0.11		< 0.11		0.19	
1623400	Remainder of Outfall 007	Unit 5	8205879	I-11-c(5.5-6.0)	(0.5-6.0)	1/12/2016	< 3.4		< 0.56		< 0.11		< 0.57		0.22		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		0.19		< 0.11		< 0.11		0.091	
1623400	Remainder of Outfall 007	Unit 5	8205880	J-12-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 77		< 13		< 2.6		< 13		< 1.3		< 1.3		< 1.3		< 2.6		< 38		< 13		< 1.3		< 2.6		< 1.3		< 2.6		< 2.6		< 1.3	
1623400	Remainder of Outfall 007	Unit 5	8205881	J-12-a(4.5-5.0)	(0.5-5.0)	1/12/2016	< 3.4		< 0.56		< 0.11		< 0.57		< 0.057		3		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		0.47	
1623400	Remainder of Outfall 007	Unit 5	8205884	J-12-b(0.5-1.0)	(0.5-1.0)	1/12/2016	< 3.3		< 0.55		< 0.11		< 0.56		< 0.056		< 0.056		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.056	
1623400	Remainder of Outfall 007	Unit 5	8205890	J-12-b(4.0-4.5)	(0.0-4.5)	1/12/2016	< 3.3		< 0.55		< 0.11		< 0.56		0.17		0.15		< 0.056		< 0.11		< 1.7		< 0.55		< 0.056		< 0.11		0.081		< 0.11		< 0.11		< 0.056	
1623754	Locomotive Track Yard	Unit 4	8207451	K-9-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 78		< 13		< 2.6		< 13		< 1.3		< 1.3		< 1.3		< 2.6		< 39		< 13		< 1.3		< 2.6		< 1.3		< 2.6		< 2.6		< 1.3	
1623754	Locomotive Track Yard	Unit 4	8207454	DUP-40		1/13/2016	< 80		< 13		< 2.7		< 14		< 1.4		< 1.4		< 1.4		< 2.7		< 40		< 13		< 1.4		< 2.7		< 1.4		< 2.7		< 2.7		< 1.4	
1623754	Locomotive Track Yard	Unit 4	8207456	K-9-b(1.5-2.0)	(0.5-2.0)	1/13/2016	< 3.3		< 0.56		< 0.11		< 0.57		0.087		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		0.069		< 0.11		4.7		< 0.11		< 0.11		1.6	
1623754	Locomotive Track Yard	Unit 4	8207458	J-10-d(0.2-0.5)	(0.2-0.5)	1/13/2016	< 15		< 2.5		< 0.50		< 2.6		< 0.26		< 0.26		< 0.26		< 0.50		< 7.5		< 2.5		< 0.26		< 0.50		< 0.26		< 0.50		< 0.50		< 0.26	
1623754	Locomotive Track Yard	Unit 4	8207459	J-10-a(2.5-3.0)	(0.5-3.0)	1/13/2016	< 3.2		< 0.54		< 0.11		< 0.55		< 0.055		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.055	
1623754	Locomotive Track Yard	Unit 4	8207460	J-10-c(0.0-0.5)	(0.0-0.5)	1/13/2016	< 77		< 13		< 2.6		< 13		< 1.3		< 1.3		< 1.3		< 2.6		< 39		< 13		< 1.3		< 2.6		< 1.3		< 2.6		< 2.6		< 1.3	
1623754	Locomotive Track Yard	Unit 4	8207461	J-10-c(2.0-2.5)	(0.0-2.5)	1/13/2016	< 3.2		< 0.53		< 0.11		< 0.54		0.53		2		< 0.054		< 0.11		< 1.6		< 0.53		< 0.054		< 0.11		< 0.054		< 0.11		< 0.11		< 0.054	
1623754	Locomotive Track Yard	Unit 4	8207462	K-11-c(0.5-1.0)	(0.5-1.0)	1/13/2016	< 3.2		< 0.54		< 0.11		< 0.55		0.21		< 0.055		< 0.055		< 0.11		< 1.6		< 0.54		0.11		< 0.11		0.066		< 0.11		< 0.11		< 0.055	
1623754	Locomotive Track Yard	Unit 4	8207463	K-11-c(3.0-3.5)	(0.0-3.5)	1/13/2016	< 3.8		< 0.63		< 0.13		< 0.64		0.11		0.23		< 0.064		< 0.13		< 1.9		< 0.63		< 0.064		< 0.13		0.16		< 0.13		< 0.13		< 0.064	
1623754	Locomotive Track Yard	Unit 4	8207464	K-11-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 83		< 14		< 2.8		< 14		< 1.4		< 1.4		< 1.4		< 2.8		< 42		< 14		< 1.4		< 2.8		< 1.4		< 2.8		< 2.8		< 1.4	
1623754	Locomotive Track Yard	Unit 4	8207467	J-10-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 80		< 13		< 2.7		< 14		< 1.4		< 1.4		< 1.4		< 2.7		< 40		< 13		< 1.4		< 2.7		< 1.4		< 2.7		< 2.7		< 1.4	
1623754	Locomotive Track Yard	Unit 4	8207468	J-10-b(2.5-3.0)	(0.5-3.0)	1/13/2016	< 3.4		< 0.56		< 0.11		< 0.57		< 0.057		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	
1623755	Remainder of Outfall 007	Unit 5	8207475	H-11-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 3.6		< 0.59		< 0.12		< 0.60		1.5		0.088		< 0.060		< 0.12		< 1.8		< 0.59		**2**		< 0.12		1.3		< 0.12		< 0.12		0.9	
1623755	Remainder of Outfall 007	Unit 5	8207478	DUP-41		1/14/2016	< 17		< 2.9		< 0.57		< 2.9		2.1		< 0.29		< 0.29		< 0.57		< 8.6		< 2.9		**3.7**		< 0.57		2		< 0.57		< 0.57		1.3	
1623755	Remainder of Outfall 007	Unit 5	8207484	H-11-b(1.5-2.0)	(0.5-2.0)	1/14/2016	< 3.4		< 0.56		< 0.11		< 0.58		3		0.28		< 0.058		< 0.11		< 1.7		< 0.56		**1.7**		< 0.11		1		< 0.11		< 0.11		0.7	
1623755	Remainder of Outfall 007	Unit 5	8207486	I-11-b(1.0-1.5)	(0.0-1.5)	1/14/2016	< 3.1		< 0.52		< 0.10		< 0.53		0.35		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		0.12		< 0.10		0.089		< 0.10		< 0.10		< 0.053	
1623755	Remainder of Outfall 007	Unit 5	8207489	J-9-d(0.0-0.5)	(0.0-0.5)	1/14/2016	< 17		< 2.9		< 0.57		< 2.9		1.2		< 0.29		< 0.29		< 0.57		< 8.6		< 2.9		0.95		< 0.57		0.66		< 0.57		< 0.57		0.48	
1623755	Remainder of Outfall 007	Unit 5	8207490	J-9-d(2.5-3.0)	(0.5-3.0)	1/14/2016	< 3.4		< 0.56		< 0.11		< 0.57		< 0.057		< 0.057		< 0.057		< 0.11		< 1.7		< 0.56		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.057	
1623755	Remainder of Outfall 007	Unit 5	8207491	J-9-c(0.0-0.5)	(0.0-0.5)	1/14/2016	< 17		< 2.8		< 0.56		< 2.8		1.8		< 0.28		< 0.28		< 0.56		< 8.4		< 2.8		**4.5**		< 0.56		0.52		< 0.56		< 0.56		0.35	
1623755	Remainder of Outfall 007	Unit 5	8207492	J-9-e(0.0-0.5)	(0.0-0.5)	1/14/2016	< 3.6		< 0.60		< 0.12		< 0.61		1.6		0.068		< 0.061		< 0.12		< 1.8		< 0.60		1.1		< 0.12		2.7		< 0.12		< 0.12		1.9	
1623755	Remainder of Outfall 007	Unit 5	8207493	J-9-e(2.0-2.5)	(0.0-2.5)	1/14/2016	< 3.1		< 0.52		< 0.10		< 0.53		< 0.053		< 0.053		< 0.053		< 0.10		< 1.6		< 0.52		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.053	
1623755	Locomotive Track Yard	Unit 4	8207494	J-9-b(0.0-0.5)	(0.0-0.5)	1/14/2016	< 16		< 2.6		< 0.53		< 2.7		0.79		< 0.27		< 0.27		< 0.53		< 7.9		< 2.6		0.57		< 0.53		0.45		< 0.53		< 0.53		0.47	
1623755	Locomotive Track Yard	Unit 4	8207495	J-9-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 3.5		< 0.58		< 0.12		< 0.59		0.23		< 0.059		< 0.059		< 0.12		< 1.7		< 0.58		0.16		< 0.12		0.28		< 0.12		< 0.12		0.18	

1. Samples collected and analyzed for SVOCs by method SW-846 8270D. All results are reported in mg/kg.
2. Screening levels Compare to DNREC-Site Investigation and Restoration Section Screening Level Table- Februa
3. "<" - Compound concentration not detected above laboratory limits of quantitation).
4. Bold and shaded cells represent exceedances of DNREC SIRS Screening Levels.

U The analyte was analyzed for, but not detected above the reported sample quantitation limit.
J The analyte was positively identified; the associated numerical value is the approximate concentratic
J+ Result is estimated quantity but the result may be biased high.
J- Result is estimated quantity but the result may be biased low.
UJ The analyte was not detected above the reported sample quantitation limit. However, the reported and may or may not represent the actual limit of quantitation necessary to accurately and precisely
R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and m The presence or absence of the analyte cannot be verified.
B The analyte was detected in the method, field, and/or trip blank

					Analyte	2-Nitroaniline		3-Nitroaniline		4-Nitroaniline		Nitrobenzene		2-Nitrophenol		4-Nitrophenol		N-Nitroso-di-n-propylamine		N-Nitrosodiphenylamine		Di-n-octylphthalate		Pentachlorophenol		Phenanthrene		Phenol		Pyrene		1,2,4-Trichlorobenzene		2,4,5-Trichlorophenol		2,4,6-Trichlorophenol	
					CAS Number	88-74-4	Flags	99-09-2	Flags	100-01-6	Flags	98-95-3	Flags	88-75-5	Flags	100-02-7	Flags	621-64-7	Flags	86-30-6	Flags	117-84-0	Flags	87-86-5	Flags	85-01-8	Flags	108-95-2	Flags	129-00-0	Flags	120-82-1	Flags	95-95-4	Flags	88-06-2	Flags
					DNREC SLs	63		N/A		25		5.1		N/A		N/A		0.078		110		63		0.041		180		1900		180		5.8		630		6.3	
Group #	Location	Exposure Unit	Lab Sample ID	Sample ID	Depth (Feet)	Sample Date	mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
1622954	Remainder of Outfall 007	Unit 5	8203658	H-9-b(3.5-4.0)	(0.5-4.0)	1/11/2016	< 0.13		< 0.66		< 0.66		< 0.13		< 0.13		< 2.0		< 0.13		< 0.13		< 0.66		< 0.68		< 0.068		< 0.13		< 0.068		< 0.13		< 0.13		< 0.13	
1622954	East Side East Ditch Area	Unit 3	8203663	H-8-e(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.60		< 3.0		< 3.0		< 0.60		< 0.60		< 9.0		< 0.60		< 0.60		< 3.0		< 3.0		4.3		< 0.60		2.9		< 0.60		< 0.60		< 0.60	
1622954	East Side East Ditch Area	Unit 3	8203664	H-8-e(2.5-3.0)	(0.5-3.0)	1/11/2016	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		0.96		< 0.12		0.56		< 0.12		< 0.12		< 0.12	
1622954	Remainder of Outfall 007	Unit 5	8203665	H-9-c(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.12		< 0.62		< 0.62		< 0.12		< 0.12		< 1.9		< 0.12		< 0.12		< 0.62		< 0.64		0.82		< 0.12		0.35		< 0.12		< 0.12		< 0.12	
1622954	Remainder of Outfall 007	Unit 5	8203666	H-9-c(3.5-4.0)	(0.5-4.0)	1/11/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.57		0.076		< 0.11		0.08		< 0.11		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203668	I-18-a(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.10		< 0.51		< 0.51		< 0.10		< 0.10		< 1.5		< 0.10		< 0.10		< 0.51		< 0.52		< 0.052		< 0.10		< 0.052		< 0.10		< 0.10		< 0.10	
1622954	Remainder of Outfall 007	Unit 5	8203669	I-18-a(4.5-5.0)	(0.5-5.0)	1/11/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1622954	Remainder of Outfall 007	Unit 5	8203670	I-17-b(0.5-1.0)	(0.5-1.0)	1/11/2016	< 0.51		< 2.5		< 2.5		< 0.51		< 0.51		< 7.6		< 0.51		< 0.51		< 2.5		< 2.6		< 0.26		< 0.51		< 0.26		< 0.51		< 0.51		< 0.51	
1622954	Remainder of Outfall 007	Unit 5	8203671	I-17-b(4.5-5.0)	(0.5-5.0)	1/11/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		0.1		< 0.11		< 0.11		< 0.11	
1623400	Former Fueling Facility	Unit 1	8205866	B-1-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.76		< 3.8		< 3.8		< 0.76		< 0.76		< 11		< 0.76		< 0.76		< 3.8		< 3.9		0.56		< 0.76		0.8		< 0.76		< 0.76		< 0.76	
1623400	Former Fueling Facility	Unit 1	8205867	B-1-b(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		1.4		< 0.12		0.63		< 0.12		< 0.12		< 0.12	
1623400	Former Fueling Facility	Unit 1	8205868	D-2-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.64		< 3.2		< 3.2		< 0.64		< 0.64		< 9.6		< 0.64		< 0.64		< 3.2		< 3.3		2.5		< 0.64		2.2		< 0.64		< 0.64		< 0.64	
1623400	Former Fueling Facility	Unit 1	8205869	D-3-e(0.0-0.5)	(0.0-0.5)	1/12/2016	< 1.2		< 5.9		< 5.9		< 1.2		< 1.2		< 18		< 1.2		< 1.2		< 5.9		< 6.1		0.75		< 1.2		0.74		< 1.2		< 1.2		< 1.2	
1623400	Remainder of Outfall 007	Unit 5	8205870	H-11-d(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.42		< 0.11		0.22		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205871	H-11-d(4.5-5.0)	(0.5-5.0)	1/12/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.092		< 0.11		0.057		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205872	I-11-c(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		0.074		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205873	J-12-a(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.32		< 0.11		2.2		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205874	J-12-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.55		< 0.56		0.21		< 0.11		2.9		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205875	H-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.1		< 0.11		0.11		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205876	H-11-a(1.0-1.5)	(0.0-1.5)	1/12/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.15		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205877	I-11-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.31		< 0.11		0.37		0.23		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205878	I-11-a(2.5-3.0)	(0.5-3.0)	1/12/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.37		< 0.11		1.2		0.22		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205879	I-11-c(5.5-6.0)	(5.5-6.0)	1/12/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		< 0.057		< 0.11		0.66		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205880	I-12-a(0.0-0.5)	(0.0-0.5)	1/12/2016	< 2.6		< 13		< 13		< 2.6		< 2.6		< 38		< 2.6		< 2.6		< 13		< 13		< 1.3		< 2.6		< 1.3		< 2.6		< 2.6		< 2.6	
1623400	Remainder of Outfall 007	Unit 5	8205881	J-12-a(4.5-5.0)	(0.5-5.0)	1/12/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		1.4		< 0.11		0.64		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205884	J-12-b(0.5-1.0)	(0.5-1.0)	1/12/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		< 0.056		< 0.11		< 0.056		< 0.11		< 0.11		< 0.11	
1623400	Remainder of Outfall 007	Unit 5	8205890	J-12-b(4.0-4.5)	(0.0-4.5)	1/12/2016	< 0.11		< 0.55		< 0.55		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.55		< 0.56		0.28		< 0.11		0.18		< 0.11		< 0.11		< 0.11	
1623754	Locomotive Track Yard	Unit 4	8207451	K-9-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.6		< 13		< 13		< 2.6		< 2.6		< 39		< 2.6		< 2.6		< 13		< 13		< 1.3		2.9		< 1.3		< 2.6		< 2.6		< 2.6	
1623754	Locomotive Track Yard	Unit 4	8207454	DUP-40		1/13/2016	< 2.7		< 13		< 13		< 2.7		< 2.7		< 40		< 2.7		< 2.7		< 13		< 14		< 1.4		3		< 1.4		< 2.7		< 2.7		< 2.7	
1623754	Locomotive Track Yard	Unit 4	8207456	K-9-b(1.5-2.0)	(0.5-2.0)	1/13/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		0.31		< 0.11		0.076		< 0.11		< 0.11		< 0.11	
1623754	Locomotive Track Yard	Unit 4	8207458	J-10-a(0.2-0.5)	(0.2-0.5)	1/13/2016	< 0.50		< 2.5		< 2.5		< 0.50		< 0.50		< 7.5		< 0.50		< 0.50		< 2.5		< 2.6		< 0.26		0.53		< 0.26		< 0.50		< 0.50		< 0.50	
1623754	Locomotive Track Yard	Unit 4	8207459	J-10-a(2.5-3.0)	(0.5-3.0)	1/13/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		< 0.055		< 0.11		< 0.055		< 0.11		< 0.11		< 0.11	
1623754	Locomotive Track Yard	Unit 4	8207460	J-10-c(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.6		< 13		< 13		< 2.6		< 2.6		< 39		< 2.6		< 2.6		< 13		< 13		< 1.3		2.9		< 1.3		< 2.6		< 2.6		< 2.6	
1623754	Locomotive Track Yard	Unit 4	8207461	J-10-c(2.0-2.5)	(0.0-2.5)	1/13/2016	< 0.11		< 0.53		< 0.53		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.53		< 0.54		< 0.054		< 0.11		0.73		< 0.11		< 0.11		< 0.11	
1623754	Locomotive Track Yard	Unit 4	8207462	K-11-c(0.5-1.0)	(0.5-1.0)	1/13/2016	< 0.11		< 0.54		< 0.54		< 0.11		< 0.11		< 1.6		< 0.11		< 0.11		< 0.54		< 0.55		0.13		< 0.11		0.2		< 0.11		< 0.11		< 0.11	
1623754	Locomotive Track Yard	Unit 4	8207463	K-11-c(3.0-3.5)	(0.0-3.5)	1/13/2016	< 0.13		< 0.63		< 0.63		< 0.13		< 0.13		< 1.9		< 0.13		< 0.13		< 0.63		< 0.64		0.4		< 0.13		0.17		< 0.13		< 0.13		< 0.13	
1623754	Locomotive Track Yard	Unit 4	8207464	K-11-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.8		< 14		< 14		< 2.8		< 2.8		< 42		< 2.8		< 2.8		< 14		< 14		< 1.4		3		3.6		< 2.8		< 2.8		< 2.8	
1623754	Locomotive Track Yard	Unit 4	8207467	J-10-b(0.0-0.5)	(0.0-0.5)	1/13/2016	< 2.7		< 13		< 13		< 2.7		< 2.7		< 40		< 2.7		< 2.7		< 13		< 14		< 1.4		3.2		< 1.4		< 2.7		< 2.7		< 2.7	
1623754	Locomotive Track Yard	Unit 4	8207468	J-10-b(2.5-3.0)	(0.5-3.0)	1/13/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.11	
1623755	Remainder of Outfall 007	Unit 5	8207475	H-11-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 0.12		< 0.59		< 0.59		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.59		< 0.60		1.2		< 0.12		1.8		< 0.12		< 0.12		< 0.12	
1623755	Remainder of Outfall 007	Unit 5	8207478	DUP-41		1/14/2016	< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 8.6		< 0.57		< 0.57		< 2.9		< 2.9		1.8		< 0.57		2.9		< 0.57		< 0.57		< 0.57	
1623755	Remainder of Outfall 007	Unit 5	8207484	H-11-b(1.5-2.0)	(0.5-2.0)	1/14/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.58		3.5		< 0.11		2.9		< 0.11		< 0.11		< 0.11	
1623755	Remainder of Outfall 007	Unit 5	8207486	I-11-b(1.0-1.5)	(0.0-1.5)	1/14/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		0.2		< 0.10		0.36		0.13		< 0.10		< 0.10	
1623755	Remainder of Outfall 007	Unit 5	8207489	J-9-d(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.57		< 2.9		< 2.9		< 0.57		< 0.57		< 8.6		< 0.57		< 0.57		< 2.9		< 2.9		0.86		< 0.57		1		< 0.57		< 0.57		< 0.57	
1623755	Remainder of Outfall 007	Unit 5	8207490	J-9-d(2.5-3.0)	(0.5-3.0)	1/14/2016	< 0.11		< 0.56		< 0.56		< 0.11		< 0.11		< 1.7		< 0.11		< 0.11		< 0.56		< 0.57		< 0.057		< 0.11		< 0.057		< 0.11		< 0.11		< 0.11	
1623755	Remainder of Outfall 007	Unit 5	8207491	J-9-c(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.56		< 2.8		< 2.8		< 0.56		< 0.56		< 8.4		< 0.56		< 0.56		< 2.8		< 2.8		0.86		< 0.56		2.6		< 0.56		< 0.56		< 0.56	
1623755	Remainder of Outfall 007	Unit 5	8207492	J-9-e(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.12		< 0.60		< 0.60		< 0.12		< 0.12		< 1.8		< 0.12		< 0.12		< 0.60		< 0.61		1.9		< 0.12		1.5		< 0.12		< 0.12		< 0.12	
1623755	Remainder of Outfall 007	Unit 5	8207493	J-9-e(2.0-2.5)	(0.0-2.5)	1/14/2016	< 0.10		< 0.52		< 0.52		< 0.10		< 0.10		< 1.6		< 0.10		< 0.10		< 0.52		< 0.53		< 0.053		< 0.10		< 0.053		< 0.10		< 0.10		< 0.10	
1623755	Locomotive Track Yard	Unit 4	8207494	J-9-b(0.0-0.5)	(0.0-0.5)	1/14/2016	< 0.53		< 2.6		< 2.6		< 0.53		< 0.53		< 7.9		< 0.53		< 0.53		< 2.6		< 2.7		0.95		< 0.53		0.56		< 0.53		< 0.53		< 0.53	
1623755	Locomotive Track Yard	Unit 4	8207495	J-9-b(0.5-1.0)	(0.5-1.0)	1/14/2016	< 0.12		< 0.58		< 0.58		< 0.12		< 0.12		< 1.7		< 0.12		< 0.12		< 0.58		< 0.59		0.39		< 0.12		0.18		< 0.12		< 0.12		< 0.12	

1. Samples collected and analyzed for SVOCs by method SW-846 8270D. All results are reported in mg/kg.
2. Screening levels Compare to DNREC-Site Investigation and Restoration Section Screening Level Table- Februa
3. "<" - Compound concentration not detected above laboratory limits of quantitation).
4. Bold and shaded cells represent exceedances of DNREC SIRS Screening Levels.

U The analyte was analyzed for, but not detected above the reported sample quantitation limit.
J The analyte was positively identified; the associated numerical value is the approximate concentratic
J+ Result is estimated quantity but the result may be biased high.
J- Result is estimated quantity but the result may be biased low.
UJ The analyte was not detected above the reported sample quantitation limit. However, the reported and may or may not represent the actual limit of quantitation necessary to accurately and precisely
R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and m The presence or absence of the analyte cannot be verified.
B The analyte was detected in the method, field, and/or trip blank