LaPlace Chloroprene Air Sampling

Date: 1/19-20/17

Location	Canister ID	Flow Controller ID	Set Up Date	Set Up Time (HRS)	Set Up Pres. ("Hg)	Collection Date	Collection Time (HRS)	Collection Pres. ("Hg)	Comments
E. St. John HS	011	PR-18	1/19/17	1148	-30	1/20/17	1159	-7.25	
Ochsners	SAT155	PR-4	1/19/17	1154	-30	1/20/17	1204	-8.5	CO-LOCATED
Acorn and Hwy 44	004	PR-22	1/19/17	1200	-30	1/20/17	1212	-8	w/ IN-LINE FILTER
Levee	SAT136	PR-5	1/19/17	1204	-30	1/20/17	1216	-11.25	
5th Ward Elementary	EPA0784	PR-23	1/19/17	1208	-30	1/20/17	1220	-6.5	w/ IN-LINE FILTER
238 Chad Baker	113	PR-10	1/19/17	1212	-30	1/20/17	1224	-5	
OCHSNERS	107	PR-12	1/19/17	1154	-30	1/20/17	1204	-8	CO-LOCATED w/ IN-LINE FILTER
		LAST LINE GI				1/20/17			

Notes: 1) SAMPLER = ERIK HADWIN = GI =

2) ALL CANISTERS / FLOW CONTROLLERS PASSED LEAK CHECK PRIOR TO DEPLOYMENT.

3) WEATHER = CURRENT (1/19) - WINDS S @ ~~8 mph~~ 8-10 mph on 1/19; PREDICTED - WINDS PREDICTED TO BE SSW ~~TO SW~~ 10-15 mph on 1/19 DURING DAY of 1/19, THEN SW @ 5-10 DURING EVENING of 1/19, AND THEN SSW @ 5-10 mph DURING DAY of 1/20. BASED ON CURRENT & PREDICTED WINDS, START-3 SELECTED OCHSNERS AS CO-LOCATED SAMPLER LOCATION.