LaPlace Chloroprene Air Sampling

Date: 6/29/16

Location	Canister ID	Flow Controller ID	Set Up Date	Set Up Time	Set Up Pres.	Timer Setting Start Date	Timer Setting Start Time	Timer Setting Finish Date	Timer Setting Finish Time	Collection Date	Collection Time	Collection Pres.	Comments
E. St. John HS	5046 ~~PR~~	PR-10	6/29/16	1116	-30" Hg	—	—	—	—	6/30/16	1148	-8" Hg	PASS LC
chsners	19656	PR-20	6/29/16	1121	-30" Hg	—	—	—	—	6/30/16	1154	-6" Hg	PASS LC
Acorn and Hwy 44	19285	PR-18	6/29/16	1131	-30" Hg	—	—	—	—	6/30/16	1203	-6" Hg	PASS LC
Levee	18821	PR-7	6/29/16	1136	-30" Hg	—	—	—	—	6/30/16	1207	-8" Hg	PASS LC
5th Ward Elementary	19276	PR-19	6/29/16	1140	-30" Hg	—	—	—	—	6/30/16	1211	-18" Hg	PASS LC
238 Chad Baker	19646	PR-25	6/29/16	1144	-30" Hg	—	—	—	—	6/30/16	1215	-9" Hg	PASS LC
238 CHAD BAKER	19300	PR-5	6/29/16	1144	-30" Hg	—	—	—	—	6/30/16	1215	-8" Hg	PASS LC

Notes: WIND ENE AND PREDICTED TO MOVE ~~IN~~ FROM EAST