LaPlace Chloroprene Air Sampling

Date: 11/29-30/16			Set Up			Collection			
Location	Canister ID	Flow Controller ID	Date	Time (Hrs)	Pres. ("Hg)	Date	Time (Hrs)	Pres. ("Hg)	Comments
E. St. John HS	5080	PR-18	11/29/16	1219	-30	11/30/16	1220	-9	CO-LOCATED
Ochsners	5128 ~~5142~~ EH	PR-5	11/29/16	1223	-30	11/30/16	1224	-11	
Acorn and Hwy 44	SAT069	PR-22	11/29/16	1233	-30	11/30/16	1234	-9.5	W/ IN-LINE FILTER
Levee	18831	PR-24	11/29/16	1237	-30	11/30/16	1240	-8.5	
5th Ward Elementary	SAT017	PR-23	11/29/16	1240	-30	11/30/16	1243	-8.5	W/ IN-LINE FILTER
238 Chad Baker	SAT050	PR-10	11/29/16	1244	-30	11/30/16	1246	-7.5	
E. ST. JOHN HS	5083	PR-9	11/29/16	1219	-30	11/30/16	1220	-9.25 ~~-9.5~~ EH	CO-LOCATED W/ IN-LINE FILTER
			LAST LINE EH			11/30/16			

Notes: 1) SAMPLER = ERIK HADWIN EH =

2) WEATHER = 11/29 (CURRENT) - SSE WINDS @ 4 mph ; PREDICTED - S WINDS @ 15-25 mph DURING DAY OF 11/29, THEN SSW WINDS @ 10-15 mph DURING EVENING OF 11/29, AND THEN NW WINDS @ 10-15 mph. BASED ON PREDICTED WINDS, SELECTED EAST ST. JOHN AS CO-LOCATED SAMPLE LOCATION.

3) ALL CANISTERS/FLOW CONTROLLERS PASSED LEAK CHECK PRIOR TO DEPLOYMENT.