LaPlace Chloroprene Air Sampling

Date: 5/10-11/17			Set Up			Collection			
Location	Canister ID	Flow Controller ID	Date	Time (HRS)	Pres. ("Hg)	Date	Time (HRS)	Pres. ("Hg)	Comments
E. St. John HS	5104	PR-15	5/10/17	1234	-30	5/11/17	1235	-8	w/ in-line filter
Ochsners	5052	PR-18	5/10/17	1238	-30	5/11/17	1239	-10	
Acorn and Hwy 44	3235	PR-8	5/10/17	1248	-30	5/11/17	1249	-7.75	w/ in-line filter
Levee	SAT080	PR-23	5/10/17	1252	-30	5/11/17	1253	-8.5	w/ in-line filter
5th Ward Elementary	5019	PR-10	5/10/17	1256 ~~1300~~ EH 5/10/17	-30	5/11/17	1257	-8.5	
238 Chad Baker	SAT118	PR-4	5/10/17	1300	-30	5/11/17	1301	-9.25	
E. ST. JOHN HS	18817	PR-24	5/10/17	1234	-30	5/11/17	1235	-6	w/ in-line filter
			LAST LINE EH 5/11/17						

Notes: 1) SAMPLER = ERIK HAWIN = EH =

2) WEATHER = CURRENT (5/10) - WINDS SE @ 7mph; PREDICTED - WINDS SSE @ 5-10mph ~~THROUGH~~ DURING 5/10 EH 5/10/17 AND THEN WINDS S @ 5-10mph DURING DAY OF 5/11.

BASED ON PREDICTED AND CURRENT WINDS, SAMPLER SELECTED EAST ST. JOHN HS AS CO-LOCATED SAMPLE LOCATION.

3) ALL CANISTERS / FLOW CONTROLLERS PASSED LEAK CHECK PRIOR TO DEPLOYMENT.