Index
Analytical Sample Inventory
(by Laboratory Report Number)

23 Barry Place
Stamford, CT

Laboratory Report Number	Report Date	Sample Identifier Number
CET Letter	03/23/2007	
CET #06120015	12/13/2006	AOC2-SS-SB01-9
		AOC2-SS-SB02-10
		AOC2-SS-SB03-11
		AOC2-SS-SB03-11A
		AOC2-SS-SB04-12
		AOC25-SS-SB01-1
		AOC25-SS-SB02-2
		AOC25-SS-SB03-3
		AOC6-SS-SB01-13
		AOC6-SS-SB02-14
		AOC6-SS-SB03-15
		AOC8-SS-SB01-5
		AOC8-SS-SB02-6
		AOC8-SS-SB03-7
		AOC8-SS-SB04-8
CET #06120107	12/19/2006	AOC10-SS-SB01-32
		AOC10-SS-SB02-33
		AOC10-SS-SB03-34
		AOC10-SS-SB03-34A
		AOC10-SS-SB04-35
		AOC16-SS-SB01-23
		AOC16-SS-SB02-24
		AOC19-SS-SB02-26
		AOC23-SS-SB01-40
		AOC23-SS-SB02-41
		AOC23-SS-SB02-41A
		AOC23-SS-SB03-42
		AOC23-SS-SB03-42A
		AOC23-SS-SB04-43
		AOC23-SS-SB04-43A
		AOC23-SS-SB05-44
		AOC23-SS-SB06-45
		AOC23-SS-SB07-46
		AOC23-SS-SB08-47
		AOC23-SS-SB09-48
		AOC23-SS-SB09-48A
		AOC23-SS-SB10-49
		AOC23-SS-SB11-50

Index
Analytical Sample Inventory
(by Laboratory Report Number)

23 Barry Place
Stamford, CT

Laboratory Report Number	Report Date	Sample Identifier Number
CET #06120107 (Continued)	12/19/2006	AOC5-SS-SB01-36
		AOC5-SS-SB01-36A
		AOC5-SS-SB01-37
		AOC5-SS-SB01-38
		AOC5-SS-SB01-39
CET #06120342	12/22/2006	MW05-SS-SB01-109
		MW05-SS-SB01-109A
		MW06-SS-SB01-110
CET #06120121	12/26/2006	AOC22-SS-SB01-56
		AOC22-SS-SB01-57
		AOC22-SS-SB02-58
		AOC22-SS-SB03-59
		AOC22-SS-SB03-60
		AOC22-SS-SB04-61
		AOC22-SS-SB04-62
		AOC22-SS-SB05-63
		AOC22-SS-SB05-63A
		AOC22-SS-SB05-64
		AOC22-SS-SB05-64A
		AOC22-SS-SB06-65
		AOC22-SS-SB07-66
		AOC22-SS-SB07-67
		AOC22-SS-SB08-68
		AOC22-SS-SB08-69
		AOC22-SS-SB09-70
		AOC22-SS-SB09-70A
		AOC22-SS-SB10-71
		AOC22-SS-SB10-72
		AOC22-SS-SB11-73
		AOC22-SS-SB11-73A
		AOC22-SS-SB12-74
		AOC22-SS-SB12-74A
		AOC22-SS-SB12-75
		AOC22-SS-SB13-76
		AOC22-SS-SB13-76A
		AOC22-SS-SB13-77
		AOC22-SS-SB14-78
		AOC22-SS-SB14-79

Index
Analytical Sample Inventory
(by Laboratory Report Number)

23 Barry Place
Stamford, CT

Laboratory Report Number	Report Date	Sample Identifier Number
CET #06120121 (Continued)	12/26/2006	AOC22-SS-SB15-80
		AOC22-SS-SB15-80A
		AOC22-SS-SB15-81
		AOC23-SS-SB12-51
		AOC23-SS-SB13-52
		AOC23-SS-SB14-53
		AOC23-SS-SB15-54
		AOC23-SS-SB16-55
		AOC23-SS-SB16-55A
		AOC26-SS-SB01-29
		AOC26-SS-SB02-30
		AOC26-SS-SB03-31
CET #06120310	12/26/2006	MW01-SS-SB01-106
		MW02-SS-SB02-107
		MW02-SS-SB02-108
CET #06120459	12/27/2006	AOC3-SS-TP01-113
		AOC3-SS-TP02-114
		AOC3-SS-TP03-115
		AOC9-SS-TP01-112
		MW07-SS-SB01-111
CET #06120205	12/28/2006	AOC18-SS-SB01-25
		AOC20-SS-SB01-28
		AOC21-SS-SB01-82
		AOC21-SS-SB01-82A
		AOC21-SS-SB01-83
		AOC21-SS-SB01-84
		AOC21-SS-SB02-85
		AOC21-SS-SB02-85A
		AOC21-SS-SB02-86
		AOC21-SS-SB02-86A
		AOC21-SS-SB02-87
		AOC21-SS-SB03-88
		AOC21-SS-SB03-88A
		AOC21-SS-SB03-89
		AOC21-SS-SB03-90
		AOC21-SS-SB03-90A
		AOC21-SS-SB04-91
		AOC21-SS-SB04-92
		AOC21-SS-SB04-93

Index
Analytical Sample Inventory
(by Laboratory Report Number)

23 Barry Place
Stamford, CT

Laboratory Report Number	Report Date	Sample Identifier Number
CET #06120205 (Continued)	12/28/2006	AOC21-SS-SB04-93A
		AOC21-SS-SB05-94
		AOC21-SS-SB05-95
		AOC21-SS-SB05-96
		AOC21-SS-SB05-96A
		AOC21-SS-SB05-97
		AOC21-SS-SB06-100
		AOC21-SS-SB06-101
		AOC21-SS-SB06-98
		AOC21-SS-SB06-99
		AOC21-SS-SB07-102
		AOC21-SS-SB07-103
		AOC21-SS-SB07-104
		AOC21-SS-SB07-105
		AOC7-SS-SB01-27
		EB05
		TB04
CET #06120030r	01/02/2007	AOC1-SS-SB01-18
		AOC15-SS-SB01-21
		AOC17-SS-SB01-17
		AOC19-SS-SB01-19
		AOC27-SS-SB01-22
		AOC4-SS-SB01-20
		AOC6-22-SB04-16
CET #06120463	01/04/2007	AOC9-SS-TP02-116
		AOC9-SS-TP02-116A
CET #07010027	01/11/2007	EB09
		MW-1
		MW-2
		MW-3
		MW-3A
		MW-4
		MW-5
		MW-6
		MW-7
		MW-7A
		MW-8
		MW-9
		MW-E1
		TB09

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

March 23, 2007

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

RE: Project: 206937 Pitney Bowes Stamford

From the end of November thru February, Complete Environmental Testing has been involved in the Pitney Bowes Stamford project with Woodard & Curran. Samples were generally picked up by an outside courier service in the afternoon of the collection day and brought directly back to Complete Environmental Testing. Upon receipt at our laboratory, the samples were turned over to our secretary and the chains of custodies were signed. At that time, the temperatures of the samples were taken using a hand held infrared thermometer. The temperature was recorded along with a notation on whether or not there was evidence of cooling for the samples. In general samples were received at the laboratory within 6-8 hours of collection of the first sample. All sample coolers were sufficiently packed with ice to ensure appropriate cooling. The majority of the temperatures recorded ranged from 8-12C. This temperature range seems reasonable given the time frame from sample collection to receipt at the laboratory. There were two coolers that had temperatures recorded of 16 & 17C. Samples picked up on 12/6/06 (CET# 06120205) were recorded at 17C, and samples picked up on 12/15/07 (CET # 06120463) were recorded at 16C. These temperatures are higher than the ones previously recorded at this site. Both coolers were packed in ice consistent with the other coolers received. The samples collected on 12/15/06 were collected at 1:45pm, and received at the laboratory at 3:00pm. In addition, the outside temperature at 2:00pm that day was 51F. Given the warmer outside temperature and the quick delivery to the laboratory, a temperature of 16C does not seem unreasonable. The temperature for the samples collected on 12/6/06 does seem higher than expected. It may be possible that the temperatures read by the secretary on that day was recorded incorrectly. Based on the previous temperature recordings, a temperature in the range of 8-12C would have been expected.

Please call me if you have any questions.

Sincerely,

David Ditta

Laboratory Director

NOTES:
[ ] Indicates Date Prep Test Completed; ND is Not Detected.

Connecticut Laboratory Certification PH 0116
Massachusetts Laboratory Certification M-CT903
Rhode Island Laboratory Certification 199

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 13, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford CT
Project #: 206937
CET #: 06120015
PO #: 206937
Soil: A0C2-SS-SB01-9; A0C2-SS-SB02-10; A0C2-SS-SB03-11; A0C2-SS-SB03-11A; A0C2-SS-SB04-12; A0C25-SS-SB01-1; A0C25-SS-SB02-2; A0C25-SS-SB03-3; A0C25-SS-SB04-4; A0C6-SS-SB01-13; A0C6-SS-SB02-14; A0C6-SS-SB03-15; A0C8-SS-SB01-5; A0C8-SS-SB02-6; A0C8-SS-SB03-7; A0C8-SS-SB04-8
Collection Date(s): 11/30/2006
Water: EB01; Trip Blank
`llection Date(s): 11/30/2006

PREP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/7/2006

Acid Digestion [EPA 3050B]

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14882	AD14883	AD14884	AD14885
Date Analyzed	12/1/2006	12/5/2006	12/5/2006	12/5/2006

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/5/2006

NOTES:
ıdicates Date Prep Test Completed; ND is Not Detected.

Accelerated Solvent Extraction [EPA 3545]

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14882	AD14883	AD14884	AD14885
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	A0C25-SS-SB01-1	A0C25-SS-SB02-2	A0C25-SS-SB03-3	A0C25-SS-SB04-4	A0C8-SS-SB01-5
CET ID	AD14878	AD14879	AD14880	AD14881	AD14882
Date Analyzed	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14883	AD14884	AD14885
Date Analyzed	12/5/2006	12/5/2006	12/5/2006

Closed System P&T Extraction [EPA 5035]

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8	A0C2-SS-SB01-9
CET ID	AD14882	AD14883	AD14884	AD14885	AD14886
Date Analyzed	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006

Closed System P&T Extraction [EPA 5035]

Client ID	A0C2-SS-SB02-10	A0C2-SS-SB03-11	A0C2-SS-SB04-12	A0C6-SS-SB01-13	A0C6-SS-SB02-14
CET ID	AD14887	AD14888	AD14889	AD14890	AD14891
Date Analyzed	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006

Closed System P&T Extraction [EPA 5035]

Client ID	A0C6-SS-SB03-15	A0C2-SS-SB03-11A
CET ID	AD14892	AD14893
Date Analyzed	12/4/2006	12/4/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/7/2006

ANALYSIS:

Total Mercury [EPA 7470] Units: mg/l

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/6/2006
Total Mercury	ND < 0.002

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14882	AD14883	AD14884	AD14885
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Total Mercury	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Solids [EPA 160.3 mo] Units: percent

Client ID	A0C25-SS-SB01-1	A0C25-SS-SB02-2	A0C25-SS-SB03-3	A0C25-SS-SB04-4	A0C8-SS-SB01-5
CET ID	AD14878	AD14879	AD14880	AD14881	AD14882
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006	12/4/2006
Total Solids	90	88	87	88	86

Total Solids [EPA 160.3 mo] Units: percent

Client ID	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8	A0C2-SS-SB01-9	A0C2-SS-SB02-10
CET ID	AD14883	AD14884	AD14885	AD14886	AD14887
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/13/2006	12/13/2006
Total Solids	86	82	88	79	76

Total Solids [EPA 160.3 mo] Units: percent

Client ID	A0C2-SS-SB03-11	A0C2-SS-SB04-12	A0C6-SS-SB01-13	A0C6-SS-SB02-14	A0C6-SS-SB03-15
CET ID	AD14888	AD14889	AD14890	AD14891	AD14892
Date Analyzed	12/13/2006	12/13/2006	12/13/2006	12/13/2006	12/13/2006
Total Solids	77	72	56	48	68

Total Solids [EPA 160.3 mo] Units: percent

Client ID	A0C2-SS-SB03-11A
CET ID	AD14893
Date Analyzed	12/13/2006
Total Solids	76

Total Metals [EPA 200.7] Units: mg/l

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/7/2006
Dilution	1
Lead	ND < 0.013
Selenium	ND < 0.01
Cadmium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14882	AD14883	AD14884	AD14885
Date Analyzed	12/4/2006	12/6/2006	12/6/2006	12/6/2006
Dilution	1.0	1.0	1.0	1.0
Lead	10	14	12	8.7
Selenium	ND < 1.5	ND < 1.5	ND < 1.5	ND < 1.5
Cadmium	1.2	ND < 1.0	ND < 1.0	1.4
Chromium	60	56	32	62
Arsenic	2.8	3.0	3.1	2.4
Barium	130	140	95	140
Silver	ND < 2.5	ND < 2.5	ND < 2.5	ND < 2.5

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/7/2006
DCB (Surr)	85
PCB-1016	ND < 0.50
PCB-1221	ND < 0.50
PCB-1232	ND < 0.50
PCB-1242	ND < 0.50
PCB-1248	ND < 0.50
PCB-1254	ND < 0.50
PCB-1260	ND < 0.50
TCMX (Surr)	88

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	A0C25-SS-SB01-1	A0C25-SS-SB02-2	A0C25-SS-SB03-3	A0C25-SS-SB04-4	A0C8-SS-SB01-5
CET ID	AD14878	AD14879	AD14880	AD14881	AD14882
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006	12/7/2006
DCB (Surr 2)	97	85	85	103	89
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1248	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1254	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
TCMX (Surr 1)	110	98	102	102	96

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14883	AD14884	AD14885
Date Analyzed	12/7/2006	12/7/2006	12/7/2006
DCB (Surr 2)	89	98	91
Dilution	1	1	1
PCB-1016	ND < 0.30	ND < 0.40	ND < 0.30
PCB-1221	ND < 0.30	ND < 0.40	ND < 0.30
PCB-1232	ND < 0.30	ND < 0.40	ND < 0.30
PCB-1242	ND < 0.30	ND < 0.40	ND < 0.30
PCB-1248	ND < 0.30	ND < 0.40	ND < 0.30
PCB-1254	ND < 0.30	ND < 0.40	ND < 0.30
PCB-1260	ND < 0.30	ND < 0.40	ND < 0.30
TCMX (Surr 1)	96	96	97

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/8/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
2-Chlorophenol	ND < 20
1,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
1,2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
,4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20
2,6-Dinitrotoluene	ND < 75
4-Nitroaniline	ND < 20
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB01
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
Anthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
3,3-Dichlorobenzidine	ND < 75
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
ibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	36
Phenol-d5 (Surr) 15-110	22
Nitrobenzene-d5(Surr) 30-130	75
2-Fluorobiphenyl (Surr) 30-130	78
2,4,6-Tribromophenol (Surr) 15-115	98
Terphenyl-d14 (Surr) 30-130	59

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14882	AD14883	AD14884	AD14885
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006
Dilution	1	1	1	1
Pyridine	ND < 349	ND < 349	ND < 366	ND < 341
n-Nitroso-dimethylamine	ND < 349	ND < 349	ND < 366	ND < 341
bis(2-Chloroethyl)ether	ND < 349	ND < 349	ND < 366	ND < 341
Phenol	ND < 349	ND < 349	ND < 366	ND < 341
Aniline	ND < 349	ND < 349	ND < 366	ND < 341
2-Chlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
1,3-Dichlorobenzene	ND < 349	ND < 349	ND < 366	ND < 341
1,4-Dichlorobenzene	ND < 349	ND < 349	ND < 366	ND < 341
Benzyl Alcohol	ND < 349	ND < 349	ND < 366	ND < 341
1,2-Dichlorobenzene	ND < 349	ND < 349	ND < 366	ND < 341
bis(2-chloroisopropyl)ether	ND < 349	ND < 349	ND < 366	ND < 341
Hexachloroethane	ND < 349	ND < 349	ND < 366	ND < 341

.es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
N-Nitroso-di-n-propylamine	ND < 349	ND < 349	ND < 366	ND < 341
2-Methyl Phenol	ND < 349	ND < 349	ND < 366	ND < 341
3+4 Methyl Phenol	ND < 349	ND < 349	ND < 366	ND < 341
Nitrobenzene	ND < 349	ND < 349	ND < 366	ND < 341
Isophorone	ND < 349	ND < 349	ND < 366	ND < 341
2-Nitrophenol	ND < 349	ND < 349	ND < 366	ND < 341
2,4-Dimethylphenol	ND < 349	ND < 349	ND < 366	ND < 341
bis(2-Chloroethoxy)methane	ND < 349	ND < 349	ND < 366	ND < 341
Benzoic Acid	ND < 349	ND < 349	ND < 366	ND < 341
2,4-Dichlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
1,2,4-Trichlorobenzene	ND < 349	ND < 349	ND < 366	ND < 341
Naphthalene	ND < 349	ND < 349	ND < 366	ND < 341
2,6-Dichlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
4-Chloroaniline	ND < 349	ND < 349	ND < 366	ND < 341
Hexachlorobutadiene	ND < 349	ND < 349	ND < 366	ND < 341
4-Chloro-3-methylphenol	ND < 349	ND < 349	ND < 366	ND < 341
2-Methyl Naphthalene	ND < 349	ND < 349	ND < 366	ND < 341
Hexachlorocyclopentadiene	ND < 349	ND < 349	ND < 366	ND < 341
2,4,6-Trichlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
2,4,5-Trichlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
2-Chloronaphthalene	ND < 349	ND < 349	ND < 366	ND < 341
2-Nitroaniline	ND < 349	ND < 349	ND < 366	ND < 341
Acenaphthylene	ND < 349	ND < 349	ND < 366	ND < 341
Dimethylphthalate	ND < 349	ND < 349	ND < 366	ND < 341
,6-Dinitrotoluene	ND < 349	ND < 349	ND < 366	ND < 341
4-Nitroaniline	ND < 349	ND < 349	ND < 366	ND < 341
Acenaphthene	ND < 349	ND < 349	ND < 366	ND < 341
2,4-Dinitrophenol	ND < 349	ND < 349	ND < 366	ND < 341
2,4-Dinitrotoluene	ND < 349	ND < 349	ND < 366	ND < 341
4-Nitrophenol	ND < 349	ND < 349	ND < 366	ND < 341
Dibenzofuran	ND < 349	ND < 349	ND < 366	ND < 341
2,3,4,6-Tetrachlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
Fluorene	ND < 349	ND < 349	ND < 366	ND < 341
4-Chlorophenyl-phenylether	ND < 349	ND < 349	ND < 366	ND < 341
Diethylphthalate	ND < 349	ND < 349	ND < 366	ND < 341
3-Nitroaniline	ND < 349	ND < 349	ND < 366	ND < 341
4,6-Dinitro-2-methylphenol	ND < 349	ND < 349	ND < 366	ND < 341
n-Nitrosodiphenylamine	ND < 349	ND < 349	ND < 366	ND < 341
Azobenzene	ND < 349	ND < 349	ND < 366	ND < 341
4-Bromophenyl-phenylether	ND < 349	ND < 349	ND < 366	ND < 341
Hexachlorobenzene	ND < 349	ND < 349	ND < 366	ND < 341
Pentachlorophenol	ND < 349	ND < 349	ND < 366	ND < 341
Benzidine	ND < 349	ND < 349	ND < 366	ND < 341
Phenanthrene	ND < 349	ND < 349	ND < 366	ND < 341
Anthracene	ND < 349	ND < 349	ND < 366	ND < 341
Carbazole	ND < 349	ND < 349	ND < 366	ND < 341
Di-n-butylphthalate	ND < 349	ND < 349	ND < 366	ND < 341
Fluoranthene	ND < 349	ND < 349	ND < 366	ND < 341
Pyrene	ND < 349	ND < 349	ND < 366	ND < 341
Butylbenzylphthalate	ND < 349	ND < 349	ND < 366	ND < 341

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
3,3-Dichlorobenzidine	ND < 349	ND < 349	ND < 366	ND < 341
Benzo[a]anthracene	ND < 349	ND < 349	ND < 366	ND < 341
Chrysene	ND < 349	ND < 349	ND < 366	ND < 341
bis(2-Ethylhexyl)phthalate	ND < 349	ND < 349	ND < 366	ND < 341
Di-n-octylphthalate	ND < 349	ND < 349	ND < 366	ND < 341
Benzo[b]fluoranthene	ND < 349	ND < 349	ND < 366	ND < 341
Benzo[k]fluoranthene	ND < 349	ND < 349	ND < 366	ND < 341
Benzo[a]pyrene	ND < 349	ND < 349	ND < 366	ND < 341
Indeno[1,2,3-cd]pyrene	ND < 349	ND < 349	ND < 366	ND < 341
Dibenz[a,h]anthracene	ND < 349	ND < 349	ND < 366	ND < 341
Benzo[g,h,i]perylene	ND < 349	ND < 349	ND < 366	ND < 341
2-Fluorophenol (Surr) 30-130	63.8	58.1	64.5	80.3
Phenol-d5 (Surr) 30-130	65.6	64.1	63.3	77.7
Nitrobenzene-d5(Surr) 30-130	62.5	60	60.5	78.1
2-Fluorobiphenyl (Surr) 30-130	63	60.7	57.5	75.9
2,4,6-Tribromophenol (Surr) 30-130	74.6	77.7	67	82.9
Terphenyl-d14 (Surr) 30-130	68.2	61.6	54.4	70.6

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB01
CET ID	AD14894
Date Analyzed	12/6/2006
Dilution	1.0
TPH	ND < 0.10
Octacosane (surr)	85

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8
CET ID	AD14882	AD14883	AD14884	AD14885
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Dilution	1.0	1.0	1.0	1.0
ETPH	ND < 59	ND < 59	ND < 61	ND < 57
Octacosane (surr)	85.8	89.6	87.3	82.7

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB01	Trip Blank
CET ID	AD14894	AD14895
Date Analyzed	12/8/2006	12/11/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0

ɹotes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB01	Trip Blank
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
·ans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
·,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0

·otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB01	Trip Blank
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	99.9	106
toluene-d8 (SURR) 70-130	99	99
4-bromofluorobenzene (SURR) 70-130	102	88.5

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8	A0C2-SS-SB01-9
CET ID	AD14882	AD14883	AD14884	AD14885	AD14886
Date Analyzed	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006
Dilution	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 18	ND < 19	ND < 18	ND < 19
Chloromethane	ND < 12	ND < 12	ND < 13	ND < 12	ND < 13
Vinyl Chloride	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Bromomethane	ND < 12	ND < 12	ND < 13	ND < 12	ND < 13
Chloroethane	ND < 12	ND < 12	ND < 13	ND < 12	ND < 13
cetone	ND < 120	ND < 120	ND < 120	ND < 110	ND < 130
Acrylonitrile	ND < 18	ND < 18	ND < 19	ND < 18	ND < 19
Trichlorofluoromethane	ND < 18	ND < 18	ND < 19	ND < 18	ND < 19
Trichlorotrifluoroethane	ND < 18	ND < 18	ND < 19	ND < 18	ND < 19
1,1-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Methylene Chloride	ND < 18	ND < 18	ND < 19	ND < 18	ND < 19
Carbon Disulfide	ND < 12	ND < 12	ND < 13	ND < 12	ND < 13
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,1-Dichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
2-Butanone (MEK)	ND < 30	ND < 30	ND < 31	ND < 29	ND < 32
2,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Chloroform	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Tetrahydrofuran	ND < 30	ND < 30	ND < 31	ND < 29	ND < 32
1,1,1-Trichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Carbon Tetrachloride	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,1-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Benzene	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Methyl Isobutyl Ketone	ND < 30	ND < 30	ND < 31	ND < 29	ND < 32
Trichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Dibromomethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Bromodichloromethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
2-Hexanone	ND < 30	ND < 30	ND < 31	ND < 29	ND < 32

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C8-SS-SB01-5	A0C8-SS-SB02-6	A0C8-SS-SB03-7	A0C8-SS-SB04-8	A0C2-SS-SB01-9
cis-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Toluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,1,2-Trichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Tetrachloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,3-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Dibromochloromethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2-Dibromoethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
trans-1,4-Dichloro-2-Butene	ND < 30	ND < 30	ND < 31	ND < 29	ND < 32
Chlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Ethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
m+p Xylenes	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
o-Xylene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Styrene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Bromoform	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Isopropylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Bromobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2,3-Trichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
-Propylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
2-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
4-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
tert-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
sec-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,3-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
4-Isopropyltoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,4-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
n-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Hexachlorobutadiene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
Naphthalene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0	ND < 7.0
1,2 Dichloroethane-d4 (SURR) 70-130	106	115	108	106	107
toluene-d8 (SURR) 70-130	96	97.6	98.4	99.1	99.8
4-bromofluorobenzene (SURR) 70-130	100	101	99.9	102	95.5

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C2-SS-SB02-10	A0C2-SS-SB03-11	A0C2-SS-SB04-12	A0C6-SS-SB01-13	A0C6-SS-SB02-14
CET ID	AD14887	AD14888	AD14889	AD14890	AD14891
Date Analyzed	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006
Dilution	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 20	ND < 20	ND < 21	ND < 27	ND < 32
Chloromethane	ND < 14	ND < 13	ND < 14	ND < 18	ND < 21
Vinyl Chloride	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Bromomethane	ND < 14	ND < 13	ND < 14	ND < 18	ND < 21
Chloroethane	ND < 14	ND < 13	ND < 14	ND < 18	ND < 21
Acetone	ND < 130	ND < 130	ND < 140	ND < 180	ND < 210
Acrylonitrile	ND < 20	ND < 20	ND < 21	ND < 27	ND < 32
Trichlorofluoromethane	ND < 20	ND < 20	ND < 21	ND < 27	ND < 32
Trichlorotrifluoroethane	ND < 20	ND < 20	ND < 21	ND < 27	58
1,1-Dichloroethene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Methylene Chloride	ND < 20	ND < 20	ND < 21	ND < 27	ND < 32
Carbon Disulfide	ND < 14	ND < 13	ND < 14	ND < 18	ND < 21
Methyl-t-Butyl Ether (MTBE)	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
trans-1,2-Dichloroethene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,1-Dichloroethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
2-Butanone (MEK)	ND < 33	ND < 33	ND < 35	ND < 45	ND < 53
2,2-Dichloropropane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
cis-1,2-Dichloroethene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Chloroform	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Tetrahydrofuran	ND < 33	ND < 33	ND < 35	ND < 45	ND < 53
,1,1-Trichloroethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Carbon Tetrachloride	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,1-Dichloropropene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Benzene	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0	ND < 3.0
1,2-Dichloroethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Methyl Isobutyl Ketone	ND < 33	ND < 33	ND < 35	ND < 45	ND < 53
Trichloroethene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2-Dichloropropane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Dibromomethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Bromodichloromethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
2-Hexanone	ND < 33	ND < 33	ND < 35	ND < 45	ND < 53
cis-1,3-Dichloropropene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Toluene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
trans-1,3-Dichloropropene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,1,2-Trichloroethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Tetrachloroethene	ND < 7.0	ND < 7.0	ND < 7.0	35	17
1,3-Dichloropropane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Dibromochloromethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2-Dibromoethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
trans-1,4-Dichloro-2-Butene	ND < 33	ND < 33	ND < 35	ND < 45	ND < 53
Chlorobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,1,1,2-Tetrachloroethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Ethylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
m+p Xylenes	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
o-Xylene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Styrene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C2-SS-SB02-10	A0C2-SS-SB03-11	A0C2-SS-SB04-12	A0C6-SS-SB01-13	A0C6-SS-SB02-14
Bromoform	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Isopropylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,1,2,2-Tetrachloroethane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Bromobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2,3-Trichloropropane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
n-Propylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
2-Chlorotoluene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
4-Chlorotoluene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,3,5-Trimethylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
tert-Butylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2,4-Trimethylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
sec-Butylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,3-Dichlorobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
4-Isopropyltoluene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,4-Dichlorobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2-Dichlorobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
n-Butylbenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2-Dibromo-3-Chloropropane	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2,4-Trichlorobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Hexachlorobutadiene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
Naphthalene	15	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2,3-Trichlorobenzene	ND < 7.0	ND < 7.0	ND < 7.0	ND < 9.0	ND < 11
1,2 Dichloroethane-d4 (SURR) 70-130	104	108	103	101	108
toluene-d8 (SURR) 70-130	97	99.5	98.6	97.8	96.3
4-bromofluorobenzene (SURR) 70-130	119	93.8	105	105	122

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C6-SS-SB03-15	A0C2-SS-SB03-11A
CET ID	AD14892	AD14893
Date Analyzed	12/4/2006	12/4/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 23	ND < 20
Chloromethane	ND < 15	ND < 14
Vinyl Chloride	ND < 8.0	ND < 7.0
Bromomethane	ND < 15	ND < 14
Chloroethane	ND < 15	ND < 14
Acetone	ND < 150	ND < 130
Acrylonitrile	ND < 23	ND < 20
Trichlorofluoromethane	ND < 23	ND < 20
Trichlorotrifluoroethane	ND < 23	ND < 20
1,1-Dichloroethene	ND < 8.0	ND < 7.0
Methylene Chloride	ND < 23	ND < 20
Carbon Disulfide	ND < 15	ND < 14
Methyl-t-Butyl Ether (MTBE)	ND < 8.0	ND < 7.0
trans-1,2-Dichloroethene	ND < 8.0	ND < 7.0
1,1-Dichloroethane	ND < 8.0	ND < 7.0
2-Butanone (MEK)	ND < 37	ND < 33

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C6-SS-SB03-15	A0C2-SS-SB03-11A
2,2-Dichloropropane	ND < 8.0	ND < 7.0
cis-1,2-Dichloroethene	ND < 8.0	ND < 7.0
Chloroform	ND < 8.0	ND < 7.0
Tetrahydrofuran	ND < 37	ND < 33
1,1,1-Trichloroethane	ND < 8.0	ND < 7.0
Carbon Tetrachloride	ND < 8.0	ND < 7.0
1,1-Dichloropropene	ND < 8.0	ND < 7.0
Benzene	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 8.0	ND < 7.0
Methyl Isobutyl Ketone	ND < 37	ND < 33
Trichloroethene	9.7	ND < 7.0
1,2-Dichloropropane	ND < 8.0	ND < 7.0
Dibromomethane	ND < 8.0	ND < 7.0
Bromodichloromethane	ND < 8.0	ND < 7.0
2-Hexanone	ND < 37	ND < 33
cis-1,3-Dichloropropene	ND < 8.0	ND < 7.0
Toluene	ND < 8.0	ND < 7.0
trans-1,3-Dichloropropene	ND < 8.0	ND < 7.0
1,1,2-Trichloroethane	ND < 8.0	ND < 7.0
Tetrachloroethene	ND < 8.0	ND < 7.0
1,3-Dichloropropane	ND < 8.0	ND < 7.0
Dibromochloromethane	ND < 8.0	ND < 7.0
1,2-Dibromoethane	ND < 8.0	ND < 7.0
trans-1,4-Dichloro-2-Butene	ND < 37	ND < 33
Chlorobenzene	ND < 8.0	ND < 7.0
1,1,1,2-Tetrachloroethane	ND < 8.0	ND < 7.0
Ethylbenzene	ND < 8.0	ND < 7.0
m+p Xylenes	ND < 8.0	ND < 7.0
o-Xylene	ND < 8.0	ND < 7.0
Styrene	ND < 8.0	ND < 7.0
Bromoform	ND < 8.0	ND < 7.0
Isopropylbenzene	ND < 8.0	ND < 7.0
1,1,2,2-Tetrachloroethane	ND < 8.0	ND < 7.0
Bromobenzene	ND < 8.0	ND < 7.0
1,2,3-Trichloropropane	ND < 8.0	ND < 7.0
n-Propylbenzene	ND < 8.0	ND < 7.0
2-Chlorotoluene	ND < 8.0	ND < 7.0
4-Chlorotoluene	ND < 8.0	ND < 7.0
1,3,5-Trimethylbenzene	ND < 8.0	ND < 7.0
tert-Butylbenzene	ND < 8.0	ND < 7.0
1,2,4-Trimethylbenzene	ND < 8.0	ND < 7.0
sec-Butylbenzene	ND < 8.0	ND < 7.0
1,3-Dichlorobenzene	ND < 8.0	ND < 7.0
4-Isopropyltoluene	ND < 8.0	ND < 7.0
1,4-Dichlorobenzene	ND < 8.0	ND < 7.0
1,2-Dichlorobenzene	ND < 8.0	ND < 7.0
n-Butylbenzene	ND < 8.0	ND < 7.0
1,2-Dibromo-3-Chloropropane	ND < 8.0	ND < 7.0
1,2,4-Trichlorobenzene	ND < 8.0	ND < 7.0
Hexachlorobutadiene	ND < 8.0	ND < 7.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C6-SS-SB03-15	A0C2-SS-SB03-11A
Naphthalene	ND < 8.0	ND < 7.0
1,2,3-Trichlorobenzene	ND < 8.0	ND < 7.0
1,2 Dichloroethane-d4 (SURR) 70-130	106	108
toluene-d8 (SURR) 70-130	98.1	98.9
4-bromofluorobenzene (SURR) 70-130	104	94.9

Sincerely,

David Ditta
Laboratory Director

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET: 11/30/01 1745

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs - ASE, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC25-SS-SB01-1	11/30/06 845	S				X										X									1	
AOC25-SS-SB02-2	900	S				X										X									1	
AOC25-SS-SB03-3	915	S				X										X									1	
AOC25-SS-SB04-4	830	S				X										X									1	
AOC8-SS-SB01-5	1000	S				X	X						X	X		X			X						5	
AOC8-SS-SB02-6	1005	S				X	X						X	X		X			X						5	
AOC8-SS-SB03-7	1030	S				X	X						X	X		X			X						5	
AOC8-SS-SB04-8	1040	S				X	X						X	X		X			X						5	
AOC2-SS-SB01-9	1120	S				X	X																		4	
AOC2-SS-SB02-10	1150	S				X	X																		4	

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

													G	G		G			G							

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

E / / / / /

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	11/30/06 1600	OZELL 16:00
OZELL Fitzpatrick	11-30-06 5:45pm	R Black

NOTES:

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: Stamford, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * – SEE CONTRACT FULL QA/QC DO
Data Report: ☐ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt 3 °C

SHEET 1 OF 2

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET: 11/30/06 1745

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC2-SS-SB03-11	11/30/06 1315	S				X	X																		4	
AOC2-SS-SB04-12	1415	S				X	X																		4	
AOC6-SS-SB01-13	1435	S				X	X																		4	
AOC6-SS-SB02-14	1500	S				X	X																		4	
AOC6-SS-SB03-15	1530	S				X	X																		4	
AOC2-SS-SB03-11A	1315	S				X	X																		4	
EB01	1500	W				X	X						X	X		X			X						6	
TRIP BLANK	11/29/06	W				X																			2	

PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other): Hcl

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other): G G G G

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore): E

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	11/30/06 1600	[signature]
[signature]	11-30-06 5:45pm	[signature]

NOTES:

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: Stamford, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * -- SEE CONTRACT FULL QA/QC

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: Y or N; Temp Upon Receipt 3 °C

SHEET 2 OF 2

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 11/30/2006 ***CET #:*** 06120015

Laboratory Sample ID(s): AD14878-AD14895

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☒Yes ☐ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 12/14/2006

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford CT
CET#: 06120015

QA Type: Volatile Organics Date Analyzed: 12/6/2006 QA Sample ID: AD14984

Analyte	SampRes	Spk Amt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	190	168	181	88	95	7.50	ND<5.0	104
1,1,1-Trichloroethane	ND<6.0	190	179	179	94	94	0.00	ND<5.0	101
1,1,2,2-Tetrachloroethane	ND<6.0	190	165	194	87	102	16.10	ND<5.0	107
1,1,2-Trichloroethane	ND<6.0	190	185	193	97	102	4.60	ND<5.0	122
1,1-Dichloroethane	ND<6.0	190	203	201	107	106	0.90	ND<5.0	115
1,1-Dichloroethene	ND<6.0	190	180	191	95	101	6.40	ND<5.0	101
1,1-Dichloropropene	ND<6.0	190	203	205	107	108	0.90	ND<5.0	114
1,2,3-Trichlorobenzene	ND<6.0	190	175	182	92	96	3.90	ND<5.0	123
1,2,3-Trichloropropane	ND<6.0	190	189	186	100	98	1.60	ND<5.0	112
1,2,4-Trichlorobenzene	ND<6.0	190	174	174	92	92	0.00	ND<5.0	115
1 2,4-Trimethylbenzene	ND<6.0	190	176	171	93	90	2.80	ND<5.0	106
-Dibromo-3-Chloropropane	ND<6.0	190	156	190	82	100	19.70	ND<5.0	114
,2-Dibromoethane	ND<6.0	190	165	188	87	99	13.00	ND<5.0	106
1,2-Dichlorobenzene	ND<6.0	190	176	178	93	94	1.20	ND<5.0	116
1,2-Dichloroethane	ND<6.0	190	196	205	103	108	4.70	ND<5.0	120
1,2-Dichloropropane	ND<6.0	190	204	207	107	109	1.90	ND<5.0	124
1,3,5-Trimethylbenzene	ND<6.0	190	176	169	93	89	4.10	ND<5.0	104
1,3-Dichlorobenzene	ND<6.0	190	180	178	95	94	1.10	ND<5.0	114
1,3-Dichloropropane	ND<6.0	190	187	196	98	103	4.60	ND<5.0	123
1,4-Dichlorobenzene	ND<6.0	190	173	172	91	90	0.70	ND<5.0	112
2,2-Dichloropropane	ND<6.0	190	154	145	81	76	6.10	ND<5.0	87
2-Butanone (MEK)	ND<30	381	375	358	98	94	4.60	ND<25	100
2-Chlorotoluene	ND<6.0	190	158	151	83	80	4.50	ND<5.0	99
2-Hexanone	ND<30	381	410	463	108	122	12.20	ND<25	121
4-Chlorotoluene	ND<6.0	190	215	210	113	111	1.80	ND<5.0	129
4-Isopropyltoluene	ND<6.0	190	182	173	96	91	5.00	ND<5.0	111
Acetone	ND<120	381	408	447	107	117	8.90	ND<100	96
Acrylonitrile	ND<18	190	192	222	101	117	14.70	ND<100	112
Benzene	ND<2.0	190	198	201	104	106	1.90	ND<5.0	115
Bromobenzene	ND<6.0	190	179	176	94	93	1.70	ND<5.0	109
Bromochloromethane	ND<6.0	190	211	215	111	113	1.80	ND<5.0	126
Bromodichloromethane	ND<6.0	190	190	195	100	103	3.00	ND<5.0	122
Bromoform	ND<6.0	190	148	177	78	93	17.90	ND<5.0	104
Bromomethane	ND<12	190	134	116	70	61	14.30	ND<5.0	49
Carbon Disulfide	96	190	372	311	145	113	24.80	ND<5.0	77
Carbon Tetrachloride	ND<6.0	190	157	175	83	92	10.90	ND<5.0	104
Chlorobenzene	ND<6.0	190	179	190	94	100	6.00	ND<5.0	106
Chloroethane	ND<12	190	138	118	73	62	15.60	ND<5.0	50
loroform	ND<6.0	190	198	198	104	104	0.00	ND<5.0	115

A Type: Volatile Organics Date Analyzed: 12/6/2006 QA Sample ID: AD14984

Analyte	SampRes	Spk Amt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Chloromethane	ND<12	190	147	144	77	76	2.10	ND<5.0	52
cis-1,2-Dichloroethene	ND<6.0	190	200	201	105	106	0.90	ND<5.0	115
cis-1,3-Dichloropropene	ND<6.0	190	193	196	102	103	1.00	ND<5.0	121
Dibromochloromethane	ND<6.0	190	159	182	84	96	13.50	ND<5.0	106
Dibromomethane	ND<6.0	190	185	200	97	105	7.50	ND<5.0	119
Dichlorodifluoromethane	ND<18	190	126	125	66	66	0.80	ND<25	52
Ethyl Methacrylate	ND<6.0	190	188	203	99	107	7.90	ND<25	128
Ethylbenzene	ND<6.0	190	187	192	98	101	2.60	ND<5.0	108
Hexachlorobutadiene	ND<6.0	190	172	168	90	88	2.30	ND<5.0	113
Isopropylbenzene	ND<6.0	190	168	175	88	92	4.10	ND<5.0	101
m+p Xylenes	ND<6.0	381	357	374	94	98	4.70	ND<5.0	103
Methyl Isobutyl Ketone	ND<30	381	428	453	112	119	6.10	ND<25	132
Methyl Methacrylate	ND<6.0	190	200	221	105	116	10.00	ND<25	128
Methyl-t-Butyl Ether (MTBE)	ND<6.0	190	205	209	108	110	1.80	ND<5.0	124
Methylene Chloride	ND<18	190	180	187	95	98	3.80	6.0	107
n-Butylbenzene	ND<6.0	190	189	179	100	94	5.50	ND<5.0	116
n-Propylbenzene	ND<6.0	190	184	176	97	93	4.40	ND<5.0	112
Naphthalene	ND<6.0	190	157	177	83	93	12.10	ND<5.0	117
o-Xylene	ND<6.0	190	179	189	94	100	5.50	ND<5.0	106
sec-Butylbenzene	ND<6.0	190	182	174	96	92	4.50	ND<5.0	111
Styrene	ND<6.0	190	158	168	83	88	6.10	ND<5.0	97
tert-Butylbenzene	ND<6.0	190	174	169	92	89	3.00	ND<5.0	106
Tetrachloroethene	ND<6.0	190	200	199	105	105	0.00	ND<5.0	116
Tetrahydrofuran	ND<30	190	208	229	109	121	10.40	ND<25	129
luene	ND<6.0	190	205	202	108	106	1.90	ND<5.0	122
ans-1,2-Dichloroethene	ND<6.0	190	201	202	106	106	0.00	ND<5.0	111
trans-1,3-Dichloropropene	ND<6.0	190	190	192	100	101	1.00	ND<5.0	122
Trichloroethene	ND<6.0	190	190	190	100	100	0.00	ND<5.0	120
Trichlorofluoromethane	ND<18	190	164	160	86	84	2.50	ND<5.0	72
Trichlorotrifluoroethane	ND<18	190	164	162	86	85	1.20	ND<25	94
Vinyl Chloride	ND<6.0	190	112	96.8	59	51	14.60	ND<5.0	36

QA Type: Total Metals Date Analyzed: 12/4/2006 QA Sample ID: AD14882 Client ID: AOC8-SS-SB01-5

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	10	29.1	34.4	35.5	84	88	4.40	ND<2.0	104
Selenium	ND<1.5	58.1	47.4	48.3	82	83	1.80	ND<1.0	105
Cadmium	1.2	29.1	23.9	24.6	78	80	3.00	ND<0.50	103
Chromium	60	29.1	82.6	77.6	78	60	25.00	ND<2.0	103
Arsenic	2.8	29.1	26.6	27.4	82	84	3.20	ND<1.0	103
Barium	130	*	*	*	*	*	*	ND<2.0	104
Silver	ND<2.5	5.81	5.18	5.26	89	90	1.40	ND<2.0	101

*Sample result too high for accurate spike recovery

QA Type: Conn. Extractable TPH Date Analyzed: 12/7/2006 QA Sample ID: AD14678

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	990	1740	2230	2300	71	75	5.46	ND<50	62

QA Type: EPA 8082 PCBs Date Analyzed: 12/7/2006 QA Sample ID: AD14730

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
PCB-1016	ND<0.50	2.0	1.9	95	ND<0.50	80
PCB-1260	ND<0.50	2.0	2.0	100	ND<0.50	90

QA Type: Total Metals Date Analyzed: 12/6/2006 QA Sample ID: AD14985

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	7.9	27.8	31.9	32.1	86	87	0.81	ND<2.0	103
Selenium	ND<1.5	55.6	48.7	48.7	88	88	0.00	ND<1.0	104
Cadmium	ND<1.0	27.8	24.0	23.8	86	86	0.81	ND<0.50	100
Chromium	30	27.8	48.9	49.8	68	71	4.60	ND<2.0	101
Arsenic	1.6	27.8	25.4	25.3	86	85	0.35	ND<1.0	102
Barium	100	*	*	*	*	*	*	ND<2.0	99
Silver	ND<2.5	5.56	3.97	3.95	71	71	0.56	ND<2.0	88

*Sample result too high for accurate spike recovery

QA Type: Conn. Extractable TPH Date Analyzed: 12/7/2006 QA Sample ID: AD14679

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	0.64	5.0	4.6	79	ND<0.10	100

QA Type: Total Mercury Date Analyzed: 12/6/2006 QA Sample ID: AD14882 Client ID: AOC8-SS-SB01-5

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	1.51	1.5	1.6	99	106	6.53	ND<0.002	100

QA Type: Total Mercury Date Analyzed: 12/6/2006 QA Sample ID: AD14894 Client ID: EB01

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.002	0.0050	0.0053	0.0054	106	108	1.87	ND<0.002	106

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/7/2006 QA Sample ID: AD14986

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pyridine	ND<358	4800	1400	1600	29	33	13.12	ND<300	51
n-Nitroso-dimethylamine	ND<358	4800	1900	2100	40	44	10.07	ND<300	60
bis(2-Chloroethyl)ether	ND<358	4800	1900	2000	40	42	5.17	ND<300	52
Phenol	ND<358	4800	2500	2700	52	56	7.57	ND<300	65
Aniline	ND<358	4800	2300	2600	48	54	12.34	ND<300	73
2-Chlorophenol	ND<358	4800	2400	2600	50	54	8.06	ND<300	65
1,3-Dichlorobenzene	ND<358	4800	1900	2300	40	48	18.97	ND<300	62
1,4-Dichlorobenzene	ND<358	4800	1900	2200	40	46	14.52	ND<300	64
1,2-Dichlorobenzene	ND<358	4800	2000	2300	42	48	13.84	ND<300	65
bis(2-chloroisopropyl)ether	ND<358	4800	2200	2500	46	52	12.87	ND<300	66
Hexachloroethane	ND<358	4800	1800	2200	38	46	19.93	ND<300	62
N-Nitroso-di-n-propylamine	ND<358	4800	2400	2800	50	58	15.33	ND<300	68
2-Methyl Phenol	ND<358	4800	3000	3400	62	71	12.45	ND<300	67
3+4 Methyl Phenol	ND<358	4800	2900	3000	60	62	3.42	ND<300	67
Nitrobenzene	ND<358	4800	2400	2800	50	58	15.33	ND<300	71
Isophorone	ND<358	4800	2600	3000	54	62	14.23	ND<300	70
2-Nitrophenol	ND<358	4800	2300	2600	48	54	12.34	ND<300	64
2,4-Dimethylphenol	ND<358	4800	2800	3000	58	62	6.95	ND<300	66
bis(2-Chloroethoxy)methane	ND<358	4800	2700	3000	56	62	10.62	ND<300	71
2,4-Dichlorophenol	ND<358	4800	2600	2900	54	60	10.82	ND<300	67
1,2,4-Trichlorobenzene	ND<358	4800	2400	2700	50	56	11.68	ND<300	69
Naphthalene	ND<358	4800	3000	3400	62	71	12.45	ND<300	85
4-Chloroaniline	ND<358	4800	2200	2600	46	54	16.80	ND<300	72
Hexachlorobutadiene	ND<358	4800	2400	2800	50	58	15.33	ND<300	70
4-Chloro-3-methylphenol	ND<358	4800	2800	3000	58	62	6.95	ND<300	67
Methyl Naphthalene	ND<358	4800	2900	3300	60	69	13.00	ND<300	72

\ Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/7/2006 QA Sample ID: AD14986

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Hexachlorocyclopentadiene	ND<358	4800	2500	3100	52	65	21.42	ND<300	76
2,4,6-Trichlorophenol	ND<358	4800	2500	2800	52	58	11.23	ND<300	64
2,4,5-Trichlorophenol	ND<358	4800	2800	3000	58	62	6.95	ND<300	66
2-Chloronaphthalene	ND<358	4800	2600	3200	54	67	20.68	ND<300	73
2-Nitroaniline	ND<358	4800	3100	3400	65	71	9.16	ND<300	75
Acenaphthylene	ND<358	4800	3400	3900	71	81	13.68	ND<300	88
Dimethylphthalate	ND<358	4800	2400	3300	50	69	31.65	ND<300	76
2,6-Dinitrotoluene	ND<358	4800	2300	2400	48	50	4.29	ND<300	78
4-Nitroaniline	ND<358	4800	3100	2700	65	56	13.91	ND<300	77
Acenaphthene	ND<358	4800	3500	3900	73	81	10.77	ND<300	90
2,4-Dinitrophenol	ND<358	4800	1700	2000	35	42	16.34	ND<300	55
2,4-Dinitrotoluene	ND<358	4800	3100	3300	65	69	6.30	ND<300	78
4-Nitrophenol	ND<358	4800	2600	2800	54	58	7.29	ND<300	64
Dibenzofuran	ND<358	4800	2900	3200	60	67	9.91	ND<300	74
Fluorene	ND<358	4800	2800	3100	58	65	10.25	ND<300	92
4-Chlorophenyl-phenylether	ND<358	4800	2800	3200	58	67	13.44	ND<300	73
Diethylphthalate	ND<358	4800	3100	3300	65	69	6.30	ND<300	77
3-Nitroaniline	ND<358	4800	4900	4700	102	98	4.10	ND<300	99
4,6-Dinitro-2-methylphenol	ND<358	4800	2200	2500	46	52	12.87	ND<300	64
n-Nitrosodiphenylamine	ND<358	4800	4200	4100	88	85	2.43	ND<300	116
Azobenzene	ND<358	4800	3000	3400	62	71	12.45	ND<300	81
4-Bromophenyl-phenylether	ND<358	4800	3000	3300	62	69	9.60	ND<300	73
Hexachlorobenzene	ND<358	4800	3300	3600	69	75	8.62	ND<300	75
Pentachlorophenol	ND<358	4800	2700	2900	56	60	7.20	ND<300	59
enanthrene	ND<358	4800	3800	4100	79	85	7.53	ND<300	91
anthracene	ND<358	4800	3900	4100	81	85	5.04	ND<300	97
Di-n-butylphthalate	ND<358	4800	3200	3400	67	71	5.96	ND<300	75
Fluoranthene	ND<358	4800	4500	4800	94	100	6.40	ND<300	96
Pyrene	ND<358	4800	4500	4800	94	100	6.40	ND<300	96
Butylbenzylphthalate	ND<358	4800	3400	3300	71	69	2.87	ND<300	72
Benzo[a]anthracene	ND<358	4800	4500	4400	94	92	2.26	ND<300	91
Chrysene	ND<358	4800	4200	4100	88	85	2.43	ND<300	91
bis(2-Ethylhexyl)phthalate	ND<358	4800	3400	3300	71	69	2.87	ND<300	71
Di-n-octylphthalate	ND<358	4800	3600	3400	75	71	5.76	ND<300	74
Benzo[b]fluoranthene	ND<358	4800	4200	4500	88	94	6.95	ND<300	92
Benzo[k]fluoranthene	ND<358	4800	4200	4400	88	92	4.69	ND<300	98
Benzo[a]pyrene	ND<358	4800	4100	4500	85	94	9.38	ND<300	96
Indeno[1,2,3-cd]pyrene	ND<358	4800	4800	5000	100	104	3.92	ND<300	104
Dibenz[a,h]anthracene	ND<358	4800	4800	5100	100	106	5.83	ND<300	107
Benzo[g,h,i]perylene	ND<358	4800	4900	5000	102	104	1.94	ND<300	103

QA Type: Total Metals Date Analyzed: 12/7/2006 QA Sample ID: AD14877

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.20	0.221	0.224	110	112	1.80	ND<0.013	98
Selenium	ND<0.01	0.40	0.458	0.461	114	115	0.87	ND<0.01	98
Cadmium	ND<0.005	0.20	0.199	0.202	100	101	1.50	ND<0.005	96
Chromium	ND<0.05	0.20	0.202	0.204	101	102	0.99	ND<0.05	96
Arsenic	ND<0.004	0.20	0.204	0.211	102	106	3.80	ND<0.004	94
Barium	ND<0.05	0.20	0.220	0.221	110	110	0.00	ND<0.05	98
Silver	ND<0.012	0.10	0.107	0.101	107	101	5.80	ND<0.012	93

A Type: EPA 8082 PCBs Date Analyzed: 12/7/2006 QA Sample ID: AD14985

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	0.556	0.57	0.56	103	101	1.96	ND<0.25	100
PCB-1260	ND<0.30	0.556	0.58	0.56	104	101	2.93	ND<0.25	100

QA Type: Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15053

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	43	86	ND<10	94
Chloromethane	ND<2.7	50.0	37.2	74	ND<2.7	90
Vinyl Chloride	ND<1.6	50.0	36.1	72	ND<1.6	50
Bromomethane	ND<5.0	50.0	39.5	79	ND<5.0	84
Chloroethane	ND<5.0	50.0	40.9	82	ND<5.0	84
Acetone	ND<50	100	87	87	ND<50	118
Acrylonitrile	ND<20	50	45	90	ND<25	104
Trichlorofluoromethane	ND<25	50	45	90	ND<25	110
Trichlorotrifluoroethane	ND<25	50	41	82	ND<25	86
1,1-Dichloroethene	ND<1.0	50.0	42.5	85	ND<1.0	91
Methylene Chloride	ND<5.0	50.0	44.8	90	ND<5.0	98
Carbon Disulfide	ND<5.0	50.0	46.0	92	ND<5.0	101
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	45.7	91	ND<5.0	102
trans-1,2-Dichloroethene	ND<1.0	50.0	45.4	91	ND<1.0	98
1,1-Dichloroethane	1.6	50.0	46.4	90	ND<1.0	98
2-Butanone (MEK)	ND<25	100	85	85	ND<25	108
2,2-Dichloropropane	ND<1.0	50.0	29.9	60	ND<1.0	109
cis-1,2-Dichloroethene	ND<1.0	50.0	45.7	91	ND<1.0	103
Chloroform	ND<1.0	50.0	46.5	93	ND<1.0	100
Tetrahydrofuran	ND<5.0	50.0	50.1	100	ND<5.0	106
,1-Trichloroethane	2.4	50.0	50.6	96	ND<1.0	105
Carbon Tetrachloride	ND<1.0	50.0	47.2	94	ND<1.0	104
1,1-Dichloropropene	ND<1.0	50.0	47.4	95	ND<1.0	106
Benzene	ND<1.0	50.0	47.6	95	ND<1.0	103
1,2-Dichloroethane	ND<1.0	50.0	44.5	89	ND<1.0	96
Methyl Isobutyl Ketone	ND<25	100	87	87	ND<25	102
Trichloroethene	1.5	50.0	49.6	96	ND<1.0	108
1,2-Dichloropropane	ND<1.0	50.0	47.4	95	ND<1.0	103
Dibromomethane	ND<1.0	50.0	47.8	96	ND<1.0	107
Bromodichloromethane	ND<0.50	50.0	48.6	97	ND<0.5	102
2-Hexanone	ND<25	100	83	83	ND<25	99
cis-1,3-Dichloropropene	ND<0.50	50.0	43.5	87	ND<0.5	103
Toluene	ND<1.0	50.0	49.2	98	ND<1.0	107
trans-1,3-Dichloropropene	ND<0.50	50.0	43.5	87	ND<0.5	103
1,1,2-Trichloroethane	ND<1.0	50.0	44.7	89	ND<1.0	97
Tetrachloroethene	ND<1.0	50.0	48.4	97	ND<1.0	113
1,3-Dichloropropane	ND<1.0	50.0	46.1	92	ND<1.0	102
Dibromochloromethane	ND<0.50	50.0	48.0	96	ND<0.5	100
1,2-Dibromoethane	ND<0.50	50.0	48.4	97	ND<0.5	103
trans-1,4-Dichloro-2-Butene	ND<10	50	38	76	ND<10	92
Chlorobenzene	ND<1.0	50.0	49.2	98	ND<1.0	104
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	42.1	84	ND<1.0	90
Ethylbenzene	ND<1.0	50.0	48.1	96	ND<1.0	101
m+p Xylenes	ND<1.0	100.0	97.0	97	ND<1.0	106
o-Xylene	ND<1.0	50.0	48.8	98	ND<1.0	101
Styrene	ND<1.0	50.0	48.5	97	ND<1.0	102
Bromoform	ND<1.0	50.0	44.3	89	ND<1.0	96

\ Type: Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15053

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Isopropylbenzene	ND<1.0	50.0	47.4	95	ND<1.0	100
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	42.1	84	ND<0.5	89
Bromobenzene	ND<1.0	50.0	46.6	93	ND<1.0	93
1,2,3-Trichloropropane	ND<1.0	50.0	47.0	94	ND<1.0	102
n-Propylbenzene	ND<1.0	50.0	47.4	95	ND<1.0	97
2-Chlorotoluene	ND<1.0	50.0	43.2	86	ND<1.0	105
4-Chlorotoluene	ND<1.0	50.0	54.5	109	ND<1.0	116
1,3,5-Trimethylbenzene	ND<1.0	50.0	46.2	92	ND<1.0	95
tert-Butylbenzene	ND<1.0	50.0	45.4	91	ND<1.0	93
1,2,4-Trimethylbenzene	ND<1.0	50.0	46.2	92	ND<1.0	95
sec-Butylbenzene	ND<1.0	50.0	44.6	89	ND<1.0	93
1,3-Dichlorobenzene	ND<1.0	50.0	45.3	91	ND<1.0	93
4-Isopropyltoluene	ND<1.0	50.0	43.9	88	ND<1.0	94
1,4-Dichlorobenzene	ND<1.0	50.0	45.4	91	ND<1.0	92
1,2-Dichlorobenzene	ND<1.0	50.0	44.1	88	ND<1.0	90
n-Butylbenzene	ND<1.0	50.0	42.0	84	ND<1.0	95
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	37.1	74	ND<1.0	84
1,2,4-Trichlorobenzene	ND<1.0	50.0	38.6	77	ND<1.0	87
Hexachlorobutadiene	ND<0.45	50.00	31.67	63	ND<0.45	78
Naphthalene	ND<1.0	50.0	38.3	77	ND<1.0	83
1,2,3-Trichlorobenzene	ND<1.0	50.0	37.4	75	ND<1.0	80

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	8
Nitroso-dimethylamine	ND<20	ND<20	28
bis(2-Chloroethyl)ether	ND<10	ND<10	62
Phenol	ND<20	ND<20	25
Aniline	ND<20	ND<20	12
2-Chlorophenol	ND<20	ND<20	60
1,3-Dichlorobenzene	ND<5.0	ND<5.0	65
1,4-Dichlorobenzene	ND<5.0	ND<5.0	68
Benzyl Alcohol	ND<20	ND<20	50
1,2-Dichlorobenzene	ND<5.0	ND<5.0	70
bis(2-chloroisopropyl)ether	ND<10	ND<10	70
Hexachloroethane	ND<3.0	ND<3.0	65
N-Nitroso-di-n-propylamine	ND<10	ND<10	75
2-Methyl Phenol	ND<20	ND<20	52
3+4 Methyl Phenol	ND<20	ND<20	48
Nitrobenzene	ND<20	ND<20	72
Isophorone	ND<20	ND<20	75
2-Nitrophenol	ND<20	ND<20	70
2,4-Dimethylphenol	ND<20	ND<20	48
bis(2-Chloroethoxy)methane	ND<20	ND<20	75
2,4-Dichlorophenol	ND<20	ND<20	70
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	75
Naphthalene	ND<1.0	ND<1.0	88
4-Chloroaniline	ND<20	ND<20	60
Hexachlorobutadiene	ND<20	ND<20	78
4-Chloro-3-methylphenol	ND<20	ND<20	72
2-Methyl Naphthalene	ND<1.0	ND<1.0	80
Hexachlorocyclopentadiene	ND<20	ND<20	55
6-Trichlorophenol	ND<20	ND<20	72

\ Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
2,4,5-Trichlorophenol	ND<20	ND<20	75
2-Chloronaphthalene	ND<20	ND<20	80
2-Nitroaniline	ND<20	ND<20	82
Acenaphthylene	ND<0.30	ND<0.30	92
Dimethylphthalate	ND<20	ND<20	85
2,6-Dinitrotoluene	ND<75	ND<75	88
4-Nitroaniline	ND<20	ND<20	72
Acenaphthene	ND<1.0	ND<1.0	98
2,4-Dinitrophenol	ND<20	ND<20	82
2,4-Dinitrotoluene	ND<75	ND<75	90
4-Nitrophenol	ND<75	ND<75	35
Dibenzofuran	ND<1.0	ND<1.0	88
Fluorene	ND<1.0	ND<1.0	100
4-Chlorophenyl-phenylether	ND<20	ND<20	85
Diethylphthalate	ND<20	ND<20	88
3-Nitroaniline	ND<20	ND<20	85
4,6-Dinitro-2-methylphenol	ND<20	ND<20	78
n-Nitrosodiphenylamine	ND<20	ND<20	140
Azobenzene	ND<20	ND<20	85
4-Bromophenyl-phenylether	ND<20	ND<20	88
Hexachlorobenzene	ND<0.077	ND<0.077	92
Pentachlorophenol	ND<1.0	ND<1.0	78
Phenanthrene	ND<0.077	ND<0.077	102
Anthracene	ND<1.0	ND<1.0	100
Di-n-butylphthalate	ND<20	ND<20	92
oranthene	ND<1.0	ND<1.0	105
,rene	ND<1.0	ND<1.0	105
Butylbenzylphthalate	ND<20	ND<20	85
Benzo[a]anthracene	ND<0.06	ND<0.06	98
Chrysene	ND<1.0	ND<1.0	98
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	88
Di-n-octylphthalate	ND<20	ND<20	82
Benzo[b]fluoranthene	ND<0.08	ND<0.08	98
Benzo[k]fluoranthene	ND<0.30	ND<0.30	108
Benzo[a]pyrene	ND<0.20	ND<0.20	100
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	102
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	108
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	102

QA Type: Volatile Organics Date Analyzed: 12/11/2006 QA Sample ID: AD15586

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	65	130	ND<10	110
Chloromethane	ND<2.7	50.0	63.1	126	ND<2.7	129
Vinyl Chloride	ND<1.6	50.0	61.9	124	ND<1.6	119
Bromomethane	ND<5.0	50.0	60.7	121	ND<5.0	116
Chloroethane	ND<5.0	50.0	65.9	132	ND<5.0	123
Acetone	ND<50	100	101	101	ND<50	124
Acrylonitrile	ND<20	50	49	98	ND<25	96
Trichlorofluoromethane	ND<25	50	60	120	ND<25	118
Trichlorotrifluoroethane	ND<25	50	51	102	ND<25	96
1,1-Dichloroethene	ND<1.0	50.0	50.6	101	ND<1.0	98
Methylene Chloride	ND<5.0	50.0	55.3	111	ND<5.0	113

\ Type: Volatile Organics Date Analyzed: 12/11/2006 QA Sample ID: AD15586

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Carbon Disulfide	ND<5.0	50.0	45.4	91	ND<5.0	81
Methyl-t-Butyl Ether (MTBE)	250	*	*	*	ND<5.0	109
trans-1,2-Dichloroethene	ND<1.0	50.0	54.0	108	ND<1.0	98
1,1-Dichloroethane	ND<1.0	50.0	54.8	110	ND<1.0	105
2-Butanone (MEK)	ND<25	100	117	117	ND<25	144
2,2-Dichloropropane	ND<1.0	50.0	63.8	128	ND<1.0	120
cis-1,2-Dichloroethene	ND<1.0	50.0	54.7	109	ND<1.0	114
Chloroform	ND<1.0	50.0	53.5	107	ND<1.0	108
Tetrahydrofuran	ND<5.0	50.0	57.9	116	ND<5.0	127
1,1,1-Trichloroethane	ND<1.0	50.0	51.9	104	ND<1.0	100
Carbon Tetrachloride	ND<1.0	50.0	49.0	98	ND<1.0	97
1,1-Dichloropropene	ND<1.0	50.0	49.7	99	ND<1.0	98
Benzene	ND<1.0	50.0	49.4	99	ND<1.0	100
1,2-Dichloroethane	ND<1.0	50.0	46.3	93	ND<1.0	96
Methyl Isobutyl Ketone	ND<25	100	97	97	ND<25	105
Trichloroethene	ND<1.0	50.0	48.0	96	ND<1.0	99
1,2-Dichloropropane	ND<1.0	50.0	51.4	103	ND<1.0	105
Dibromomethane	ND<1.0	50.0	45.1	90	ND<1.0	95
Bromodichloromethane	ND<0.50	50.0	52.4	105	ND<0.5	108
2-Hexanone	ND<25	100	102	102	ND<25	110
cis-1,3-Dichloropropene	ND<0.50	50.0	52.6	105	ND<0.5	108
Toluene	ND<1.0	50.0	49.9	100	ND<1.0	101
trans-1,3-Dichloropropene	ND<0.50	50.0	50.4	101	ND<0.5	103
1,1,2-Trichloroethane	ND<1.0	50.0	48.2	96	ND<1.0	101
Tetrachloroethene	ND<1.0	50.0	47.9	96	ND<1.0	98
-Dichloropropane	ND<1.0	50.0	49.6	99	ND<1.0	103
ibromochloromethane	ND<0.50	50.0	45.2	90	ND<0.5	96
1,2-Dibromoethane	ND<0.50	50.0	46.2	92	ND<0.5	95
trans-1,4-Dichloro-2-Butene	ND<10	50	54	108	ND<10	120
Chlorobenzene	ND<1.0	50.0	49.9	100	ND<1.0	100
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	48.8	98	ND<1.0	98
Ethylbenzene	ND<1.0	50.0	51.2	102	ND<1.0	101
m+p Xylenes	ND<1.0	100.0	102.0	102	ND<1.0	99
o-Xylene	ND<1.0	50.0	48.9	98	ND<1.0	94
Styrene	ND<1.0	50.0	47.4	95	ND<1.0	92
Bromoform	ND<1.0	50.0	40.2	80	ND<1.0	93
Isopropylbenzene	ND<1.0	50.0	49.9	100	ND<1.0	95
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	46.3	93	ND<0.5	91
Bromobenzene	ND<1.0	50.0	49.4	99	ND<1.0	102
1,2,3-Trichloropropane	ND<1.0	50.0	43.0	86	ND<1.0	93
n-Propylbenzene	ND<1.0	50.0	50.2	100	ND<1.0	100
2-Chlorotoluene	ND<1.0	50.0	52.3	105	ND<1.0	109
4-Chlorotoluene	ND<1.0	50.0	48.1	96	ND<1.0	95
1,3,5-Trimethylbenzene	ND<1.0	50.0	51.5	103	ND<1.0	104
tert-Butylbenzene	ND<1.0	50.0	52.3	105	ND<1.0	105
1,2,4-Trimethylbenzene	ND<1.0	50.0	51.8	104	ND<1.0	104
sec-Butylbenzene	ND<1.0	50.0	52.6	105	ND<1.0	105
1,3-Dichlorobenzene	ND<1.0	50.0	49.6	99	ND<1.0	100
4-Isopropyltoluene	ND<1.0	50.0	52.9	106	ND<1.0	106
1,4-Dichlorobenzene	ND<1.0	50.0	48.2	96	ND<1.0	98
1,2-Dichlorobenzene	ND<1.0	50.0	49.3	99	ND<1.0	101

*Sample result too high for accurate spike recovery

QA Type: Volatile Organics Date Analyzed: 12/11/2006 QA Sample ID: AD15586

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
n-Butylbenzene	ND<1.0	50.0	52.8	106	ND<1.0	104
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	41.4	83	ND<1.0	105
1,2,4-Trichlorobenzene	ND<1.0	50.0	50.6	101	ND<1.0	105
Hexachlorobutadiene	ND<0.45	50.00	48.49	97	ND<0.45	99
Naphthalene	ND<1.0	50.0	41.4	83	ND<1.0	93
1,2,3-Trichlorobenzene	ND<1.0	50.0	46.4	93	ND<1.0	98

ND is not detected

Narrative

4. Bromomethane dup and LCS recoveries low for sample AD14984.
   Carbon Disulfide spike recovery high for sample AD14984.
   Chloroethane dup and LCS recoveries low for sample AD14984.
   Chloromethane LCS recovery low for sample AD14984.
   Dichlorodifluoromethane spike, dup and LCS recoveries low for sample AD14984.
   Methyl Isobutyl Ketone LCS recovery high for sample AD14984.
   Vinyl Chloride spike, dup and LCS recoveries low for sample AD14984.
   Total Chromium dup recovery low for sample AD14882.
   Total Chromium spike and dup recoveries low for sample AD14985.
   Total Silver spike and dup recoveries low for sample AD14985.
   Pyridine spike and dup recoveries low for sample AD14986.
   Hexachloroethane spike recovery low for sample AD14986
   Vinyl Chloride LCS recovery low for sample AD15053.
   2,2-Dichloropropane spike recovery low for sample AD15053.
   Hexachlorobutadiene spike recovery low for sample AD15053.
   Pyridine LCS recovery low for sample AD14867.
   n-Nitroso-dimethylamine LCS recovery low for sample AD14867.
   Phenol LCS recovery low for sample AD14867.
   Aniline LCS recovery low for sample AD14867.
   n-Nitrosodiphenylamine LCS recovery high for sample AD14867.
   Chloroethane spike recovery high for sample AD15586.
   2-Butanone (MEK) LCS recovery high for sample AD15586.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 19, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford CT
Project #: 206937
CET #: 06120107
PO #: 206937
Soil: AOC10-SS-SB01-32; AOC10-SS-SB02-33; AOC10-SS-SB03-34; AOC10-SS-SB03-34A; AOC10-SS-SB04-35; AOC16-SS-SB01-23; AOC16-SS-SB02-24; AOC19-SS-SB02-26; AOC23-SS-SB01-40; AOC23-SS-SB02-41; AOC23-SS-SB02-41A; AOC23-SS-SB03-42; AOC23-SS-SB03-42A; AOC23-SS-SB04-43; AOC23-SS-SB04-43A; AOC23-SS-SB05-44; AOC23-SS-SB06-45; AOC23-SS-SB07-46; AOC23-SS-SB08-47; AOC23-SS-SB09-48; AOC23-SS-SB09-48A; AOC23-SS-SB10-49; AOC23-SS-SB11-50; AOC5-SS-SB01-36; AOC5-SS-SB01-36A; AOC5-SS-SB01-37; AOC5-SS-SB01-38; AOC5-SS-SB01-39
Collection Date(s): 12/4/2006
Water: EB03; Trip Blank TB02
Collection Date(s): 12/4/2006

PREP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/11/2006

Acid Digestion [EPA 3050B]

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB03-34A	AOC10-SS-SB04-35
CET ID	AD15272	AD15273	AD15274	AD15275	AD15276
Date Analyzed	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006

Acid Digestion [EPA 3050B]

Client ID	AOC19-SS-SB02-26
CET ID	AD15302
Date Analyzed	12/5/2006

NOTES:
Indicates Date Prep Test Completed; ND is Not Detected.

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/11/2006

Accelerated Solvent Extraction [EPA 3545]

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/11/2006

Accelerated Solvent Extraction [EPA 3545]

Client ID	AOC5-SS-SB01-36A
CET ID	AD15278
Date Analyzed	12/11/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC5-SS-SB01-36A	AOC5-SS-SB01-37	AOC5-SS-SB01-38	AOC5-SS-SB01-39	AOC23-SS-SB01-40
CET ID	AD15278	AD15279	AD15280	AD15281	AD15282
Date Analyzed	12/5/2006	12/5/2006	12/5/2006	12/5/2006	12/5/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC23-SS-SB02-41	AOC23-SS-SB03-42	AOC23-SS-SB04-43	AOC23-SS-SB05-44	AOC23-SS-SB06-45
CET ID	AD15283	AD15285	AD15287	AD15289	AD15290
Date Analyzed	12/5/2006	12/5/2006	12/5/2006	12/6/2006	12/6/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC23-SS-SB07-46	AOC23-SS-SB08-47	AOC23-SS-SB09-48	AOC23-SS-SB10-49	AOC23-SS-SB11-50
CET ID	AD15291	AD15292	AD15293	AD15295	AD15296
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC19-SS-SB02-26
CET ID	AD15302
Date Analyzed	12/6/2006

Ultrasonic Ext. PCB and Pest [EPA 3550B]

Client ID	AOC23-SS-SB02-41A	AOC23-SS-SB03-42A	AOC23-SS-SB04-43A	AOC23-SS-SB09-48A
CET ID	AD15284	AD15286	AD15288	AD15294
Date Analyzed	12/12/2006	12/12/2006	12/12/2006	12/12/2006

Closed System P&T Extraction [EPA 5035]

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006	12/7/2006

ces:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Closed System P&T Extraction [EPA 5035]

Client ID	AOC5-SS-SB01-36A	AOC16-SS-SB01-23	AOC16-SS-SB02-24	AOC19-SS-SB02-26
CET ID	AD15278	AD15300	AD15301	AD15302
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/9/2006

ANALYSIS:

Total Mercury [EPA 200.8] Units: mg/l

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/12/2006
Total Mercury	ND < 0.0004

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB03-34A	AOC10-SS-SB04-35
CET ID	AD15272	AD15273	AD15274	AD15275	AD15276
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006	12/7/2006
Total Mercury	ND < 0.30	ND < 0.30	1.3	1.7	ND < 0.30

tal Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC19-SS-SB02-26
CET ID	AD15302
Date Analyzed	12/7/2006
Total Mercury	ND < 0.30

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB03-34A	AOC10-SS-SB04-35
CET ID	AD15272	AD15273	AD15274	AD15275	AD15276
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Total Solids	84	86	80	82	81

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC5-SS-SB01-36	AOC5-SS-SB01-36A	AOC5-SS-SB01-37	AOC5-SS-SB01-38	AOC5-SS-SB01-39
CET ID	AD15277	AD15278	AD15279	AD15280	AD15281
Date Analyzed	12/11/2006	12/11/2006	12/12/2006	12/12/2006	12/12/2006
Total Solids	79	86	92	97	84

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC23-SS-SB01-40	AOC23-SS-SB02-41	AOC23-SS-SB02-41A	AOC23-SS-SB03-42	AOC23-SS-SB03-42A
CET ID	AD15282	AD15283	AD15284	AD15285	AD15286
Date Analyzed	12/12/2006	12/12/2006	12/12/2006	12/12/2006	12/12/2006
Total Solids	77	89	81	84	97

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC23-SS-SB04-43	AOC23-SS-SB04-43A	AOC23-SS-SB05-44	AOC23-SS-SB06-45	AOC23-SS-SB07-46
CET ID	AD15287	AD15288	AD15289	AD15290	AD15291
Date Analyzed	12/12/2006	12/12/2006	12/12/2006	12/12/2006	12/12/2006
Total Solids	77	78	90	78	80

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC23-SS-SB08-47	AOC23-SS-SB09-48	AOC23-SS-SB09-48A	AOC23-SS-SB10-49	AOC23-SS-SB11-50
CET ID	AD15292	AD15293	AD15294	AD15295	AD15296
Date Analyzed	12/12/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006
Total Solids	81	85	90	83	84

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC16-SS-SB01-23	AOC16-SS-SB02-24	AOC19-SS-SB02-26
CET ID	AD15300	AD15301	AD15302
Date Analyzed	12/8/2006	12/8/2006	12/6/2006
Total Solids	74	83	91

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB03-34A	AOC10-SS-SB04-35
CET ID	AD15272	AD15273	AD15274	AD15275	AD15276
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Dilution	1.0	1.0	1.0	1.0	1.0
Lead	7.8	20	90	69	9.7
Selenium	ND < 1.5	ND < 1.5	ND < 1.5	ND < 1.5	ND < 1.5
Cadmium	ND < 1.0	ND < 1.0	1.4	1.2	ND < 1.0
Chromium	38	38	47	45	41
Arsenic	2.0	2.7	4.6	3.9	4.1
Barium	70	120	120	130	54
Silver	ND < 2.5	ND < 2.5	ND < 2.5	ND < 2.5	ND < 2.5

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC19-SS-SB02-26
CET ID	AD15302
Date Analyzed	12/6/2006
Dilution	1.0
Lead	23
Selenium	ND < 1.5
Cadmium	ND < 1.0
Chromium	23
Arsenic	91
Barium	150
Silver	ND < 2.5

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Metals [EPA 200.8] Units: mg/l

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/12/2006
Dilution	1.0
Lead	ND < 0.013
Selenium	ND < 0.01
Cadmium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/13/2006
DCB (Surr)	107
PCB-1016	ND < 0.50
PCB-1221	ND < 0.50
PCB-1232	ND < 0.50
PCB-1242	ND < 0.50
PCB-1248	ND < 0.50
PCB-1254	ND < 0.50
PCB-1260	ND < 0.50
TCMX (Surr)	91

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
DCB (Surr 2)	89	92	101	100	90
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1248	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1254	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
TCMX (Surr 1)	97	93	98	100	92

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A	AOC5-SS-SB01-37	AOC5-SS-SB01-38	AOC5-SS-SB01-39	AOC23-SS-SB01-40
CET ID	AD15278	AD15279	AD15280	AD15281	AD15282
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
DCB (Surr 2)	87	80	82	83	81
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A	AOC5-SS-SB01-37	AOC5-SS-SB01-38	AOC5-SS-SB01-39	AOC23-SS-SB01-40
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1248	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1254	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
TCMX (Surr 1)	81	83	87	83	91

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC23-SS-SB02-41	AOC23-SS-SB02-41A	AOC23-SS-SB03-42	AOC23-SS-SB03-42A	AOC23-SS-SB04-43
CET ID	AD15283	AD15284	AD15285	AD15286	AD15287
Date Analyzed	12/9/2006	12/12/2006	12/9/2006	12/12/2006	12/9/2006
DCB (Surr 2)	79	66	89	62	100
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1221	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1232	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1242	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1248	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1254	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1260	ND < 0.30	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.40
TCMX (Surr 1)	89	99	94	83	93

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC23-SS-SB04-43A	AOC23-SS-SB05-44	AOC23-SS-SB06-45	AOC23-SS-SB07-46	AOC23-SS-SB08-47
CET ID	AD15288	AD15289	AD15290	AD15291	AD15292
Date Analyzed	12/12/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006
DCB (Surr 2)	71	103	83	88	83
Dilution	1	1	1	1	1
PCB-1016	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1221	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1232	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1242	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1248	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1254	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
PCB-1260	ND < 0.40	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.40
TCMX (Surr 1)	103	96	84	79	78

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC23-SS-SB09-48	AOC23-SS-SB09-48A	AOC23-SS-SB10-49	AOC23-SS-SB11-50	AOC19-SS-SB02-26
CET ID	AD15293	AD15294	AD15295	AD15296	AD15302
Date Analyzed	12/8/2006	12/15/2006	12/8/2006	12/8/2006	12/8/2006
DCB (Surr 2)	122	83	72	79	84
Dilution	10	4	1	1	1
PCB-1016	ND < 3.0	ND < 1.2	ND < 0.40	ND < 0.30	ND < 0.30
PCB-1221	ND < 3.0	ND < 1.2	ND < 0.40	ND < 0.30	ND < 0.30
PCB-1232	ND < 3.0	ND < 1.2	ND < 0.40	ND < 0.30	ND < 0.30
PCB-1242	ND < 3.0	ND < 1.2	ND < 0.40	ND < 0.30	ND < 0.30

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC23-SS-SB09-48	AOC23-SS-SB09-48A	AOC23-SS-SB10-49	AOC23-SS-SB11-50	AOC19-SS-SB02-26
PCB-1248	ND < 3.0	2.8	ND < 0.40	ND < 0.30	ND < 0.30
PCB-1254	3.4	ND < 1.2	ND < 0.40	ND < 0.30	ND < 0.30
PCB-1260	9.4	6.8	0.60	ND < 0.30	ND < 0.30
TCMX (Surr 1)	98	101	88	90	101

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/8/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
2-Chlorophenol	ND < 20
1,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
1,2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
2,4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20
2,6-Dinitrotoluene	ND < 75
4-Nitroaniline	ND < 20

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB03
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
Anthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
,3-Dichlorobenzidine	ND < 75
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	33
Phenol-d5 (Surr) 15-110	20
Nitrobenzene-d5(Surr) 30-130	65
2-Fluorobiphenyl (Surr) 30-130	69
2,4,6-Tribromophenol (Surr) 15-115	90
Terphenyl-d14 (Surr) 30-130	52

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Dilution	1	1	1	1	1
Pyridine	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
n-Nitroso-dimethylamine	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
bis(2-Chloroethyl)ether	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Phenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Aniline	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Chlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
1,3-Dichlorobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
1,4-Dichlorobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzyl Alcohol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
1,2-Dichlorobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
bis(2-chloroisopropyl)ether	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Hexachloroethane	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
N-Nitroso-di-n-propylamine	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Methyl Phenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
3+4 Methyl Phenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Nitrobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Isophorone	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Nitrophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,4-Dimethylphenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
bis(2-Chloroethoxy)methane	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzoic Acid	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,4-Dichlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
1,2,4-Trichlorobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Naphthalene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,6-Dichlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
-Chloroaniline	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Hexachlorobutadiene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
4-Chloro-3-methylphenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Methyl Naphthalene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Hexachlorocyclopentadiene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,4,6-Trichlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,4,5-Trichlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Chloronaphthalene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Nitroaniline	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Acenaphthylene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Dimethylphthalate	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,6-Dinitrotoluene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
4-Nitroaniline	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Acenaphthene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,4-Dinitrophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,4-Dinitrotoluene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
4-Nitrophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Dibenzofuran	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2,3,4,6-Tetrachlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Fluorene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
4-Chlorophenyl-phenylether	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Diethylphthalate	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
3-Nitroaniline	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
4,6-Dinitro-2-methylphenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
n-Nitrosodiphenylamine	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Azobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
4-Bromophenyl-phenylether	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Hexachlorobenzene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Pentachlorophenol	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzidine	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Phenanthrene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Anthracene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Carbazole	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Di-n-butylphthalate	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Fluoranthene	ND < 358	440	ND < 375	ND < 371	ND < 380
Pyrene	ND < 358	370	ND < 375	ND < 371	ND < 380
Butylbenzylphthalate	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
3,3-Dichlorobenzidine	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzo[a]anthracene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Chrysene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
bis(2-Ethylhexyl)phthalate	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Di-n-octylphthalate	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzo[b]fluoranthene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzo[k]fluoranthene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzo[a]pyrene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Indeno[1,2,3-cd]pyrene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Dibenz[a,h]anthracene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
Benzo[g,h,i]perylene	ND < 358	ND < 349	ND < 375	ND < 371	ND < 380
2-Fluorophenol (Surr) 30-130	53.5	73.4	77.2	65.7	87
Phenol-d5 (Surr) 30-130	50.5	70.2	76	63.1	82.5
Nitrobenzene-d5(Surr) 30-130	53.3	70.7	76.5	68.5	62.8
2-Fluorobiphenyl (Surr) 30-130	51.3	73.2	78.2	68.8	74
2,4,6-Tribromophenol (Surr) 30-130	47	73.7	80.9	68	73
Terphenyl-d14 (Surr) 30-130	55.4	64.8	60	70.7	69.7

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A
CET ID	AD15278
Date Analyzed	12/10/2006
Dilution	1
Pyridine	ND < 349
n-Nitroso-dimethylamine	ND < 349
bis(2-Chloroethyl)ether	ND < 349
Phenol	ND < 349
Aniline	ND < 349
2-Chlorophenol	ND < 349
1,3-Dichlorobenzene	ND < 349
1,4-Dichlorobenzene	ND < 349
Benzyl Alcohol	ND < 349
1,2-Dichlorobenzene	ND < 349
bis(2-chloroisopropyl)ether	ND < 349
Hexachloroethane	ND < 349
N-Nitroso-di-n-propylamine	ND < 349
2-Methyl Phenol	ND < 349

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A
3+4 Methyl Phenol	ND < 349
Nitrobenzene	ND < 349
Isophorone	ND < 349
2-Nitrophenol	ND < 349
2,4-Dimethylphenol	ND < 349
bis(2-Chloroethoxy)methane	ND < 349
Benzoic Acid	ND < 349
2,4-Dichlorophenol	ND < 349
1,2,4-Trichlorobenzene	ND < 349
Naphthalene	ND < 349
2,6-Dichlorophenol	ND < 349
4-Chloroaniline	ND < 349
Hexachlorobutadiene	ND < 349
4-Chloro-3-methylphenol	ND < 349
2-Methyl Naphthalene	ND < 349
Hexachlorocyclopentadiene	ND < 349
2,4,6-Trichlorophenol	ND < 349
2,4,5-Trichlorophenol	ND < 349
2-Chloronaphthalene	ND < 349
2-Nitroaniline	ND < 349
Acenaphthylene	ND < 349
Dimethylphthalate	ND < 349
2,6-Dinitrotoluene	ND < 349
4-Nitroaniline	ND < 349
Acenaphthene	ND < 349
2,4-Dinitrophenol	ND < 349
2,4-Dinitrotoluene	ND < 349
4-Nitrophenol	ND < 349
Dibenzofuran	ND < 349
2,3,4,6-Tetrachlorophenol	ND < 349
Fluorene	ND < 349
4-Chlorophenyl-phenylether	ND < 349
Diethylphthalate	ND < 349
3-Nitroaniline	ND < 349
4,6-Dinitro-2-methylphenol	ND < 349
n-Nitrosodiphenylamine	ND < 349
Azobenzene	ND < 349
4-Bromophenyl-phenylether	ND < 349
Hexachlorobenzene	ND < 349
Pentachlorophenol	ND < 349
Benzidine	ND < 349
Phenanthrene	ND < 349
Anthracene	ND < 349
Carbazole	ND < 349
Di-n-butylphthalate	ND < 349
Fluoranthene	ND < 349
Pyrene	ND < 349
Butylbenzylphthalate	ND < 349
3,3-Dichlorobenzidine	ND < 349
Benzo[a]anthracene	ND < 349

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A
Chrysene	ND < 349
bis(2-Ethylhexyl)phthalate	ND < 349
Di-n-octylphthalate	ND < 349
Benzo[b]fluoranthene	ND < 349
Benzo[k]fluoranthene	ND < 349
Benzo[a]pyrene	ND < 349
Indeno[1,2,3-cd]pyrene	ND < 349
Dibenz[a,h]anthracene	ND < 349
Benzo[g,h,i]perylene	ND < 349
2-Fluorophenol (Surr) 30-130	63
Phenol-d5 (Surr) 30-130	58.6
Nitrobenzene-d5(Surr) 30-130	61.5
2-Fluorobiphenyl (Surr) 30-130	61.4
2,4,6-Tribromophenol (Surr) 30-130	63.1
Terphenyl-d14 (Surr) 30-130	61.6

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB03
CET ID	AD15297
Date Analyzed	12/8/2006
Dilution	1.0
ETPH	ND < 0.10
Octacosane (surr)	84

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006	12/7/2006
Dilution	1.0	1.0	1.0	1.0	1.0
ETPH	ND < 60	ND < 59	ND < 63	ND < 62	ND < 64
Octacosane (surr)	104	100	112	105	106

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A	AOC19-SS-SB02-26
CET ID	AD15278	AD15302
Date Analyzed	12/7/2006	12/9/2006
Dilution	1.0	1.0
ETPH	220*	ND < 55
Octacosane (surr)	96.7	97.8

*C_9-C_{28} Fuel oil range

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB03	Trip Blank TB02
CET ID	AD15297	AD15298
Date Analyzed	12/9/2006	12/9/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB03	Trip Blank TB02
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
richloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB03	Trip Blank TB02
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	115	109
toluene-d8 (SURR) 70-130	100	100
4-bromofluorobenzene (SURR) 70-130	91.2	90

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
CET ID	AD15272	AD15273	AD15274	AD15276	AD15277
Date Analyzed	12/7/2006	12/7/2006	12/7/2006	12/7/2006	12/7/2006
Dilution	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 18	ND < 19	ND < 19	ND < 19
Chloromethane	ND < 12	ND < 12	ND < 13	ND < 13	ND < 13
Vinyl Chloride	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Bromomethane	ND < 12	ND < 12	ND < 13	ND < 13	ND < 13
Chloroethane	ND < 12	ND < 12	ND < 13	ND < 13	ND < 13
Acetone	ND < 120	ND < 120	ND < 130	ND < 120	ND < 130
Acrylonitrile	ND < 18	ND < 18	ND < 19	ND < 19	ND < 19
Trichlorofluoromethane	ND < 18	ND < 18	ND < 19	ND < 19	ND < 19
Trichlorotrifluoroethane	ND < 18	ND < 18	ND < 19	ND < 19	ND < 19
1,1-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Methylene Chloride	ND < 18	ND < 18	ND < 19	ND < 19	ND < 19
Carbon Disulfide	ND < 12	ND < 12	ND < 13	ND < 13	ND < 13
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,1-Dichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
2-Butanone (MEK)	ND < 30	ND < 30	ND < 32	ND < 31	ND < 32
2,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Chloroform	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Tetrahydrofuran	ND < 30	ND < 30	ND < 32	ND < 31	ND < 32
1,1,1-Trichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Carbon Tetrachloride	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,1-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC10-SS-SB01-32	AOC10-SS-SB02-33	AOC10-SS-SB03-34	AOC10-SS-SB04-35	AOC5-SS-SB01-36
Benzene	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Methyl Isobutyl Ketone	ND < 30	ND < 30	ND < 32	ND < 31	ND < 32
Trichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Dibromomethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Bromodichloromethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
2-Hexanone	ND < 30	ND < 30	ND < 32	ND < 31	ND < 32
cis-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Toluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,1,2-Trichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Tetrachloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,3-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Dibromochloromethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2-Dibromoethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
trans-1,4-Dichloro-2-Butene	ND < 30	ND < 30	ND < 32	ND < 31	ND < 32
Chlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Ethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
m+p Xylenes	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
o-Xylene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Styrene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
romoform	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Isopropylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Bromobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2,3-Trichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
n-Propylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
2-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
4-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
tert-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
sec-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,3-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
4-Isopropyltoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,4-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
n-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Hexachlorobutadiene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
Naphthalene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 7.0	ND < 7.0
1,2 Dichloroethane-d4 (SURR) 70-130	98.8	109	109	105	109
toluene-d8 (SURR) 70-130	99	98.5	101	101	101
4-bromofluorobenzene (SURR) 70-130	102	106	112	102	98.2

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A	AOC16-SS-SB01-23	AOC16-SS-SB02-24	AOC19-SS-SB02-26
CET ID	AD15278	AD15300	AD15301	AD15302
Date Analyzed	12/7/2006	12/8/2006	12/8/2006	12/8/2006
Dilution	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 21	ND < 19	ND < 17
Chloromethane	ND < 12	ND < 14	ND < 13	ND < 11
Vinyl Chloride	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Bromomethane	ND < 12	ND < 14	ND < 13	ND < 11
Chloroethane	ND < 12	ND < 14	ND < 13	ND < 11
Acetone	ND < 120	ND < 140	ND < 120	ND < 110
Acrylonitrile	ND < 18	ND < 21	ND < 19	ND < 17
Trichlorofluoromethane	ND < 18	ND < 21	ND < 19	ND < 17
Trichlorotrifluoroethane	ND < 18	ND < 21	ND < 19	ND < 17
1,1-Dichloroethene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Methylene Chloride	ND < 18	ND < 21	ND < 19	ND < 17
Carbon Disulfide	ND < 12	ND < 14	ND < 13	ND < 11
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,1-Dichloroethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
2-Butanone (MEK)	ND < 30	ND < 34	ND < 31	ND < 28
2,2-Dichloropropane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Chloroform	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Tetrahydrofuran	ND < 30	ND < 34	ND < 31	ND < 28
,1,1-Trichloroethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Carbon Tetrachloride	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,1-Dichloropropene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Benzene	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Methyl Isobutyl Ketone	ND < 30	ND < 34	ND < 31	ND < 28
Trichloroethene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2-Dichloropropane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Dibromomethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Bromodichloromethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
2-Hexanone	ND < 30	ND < 34	ND < 31	ND < 28
cis-1,3-Dichloropropene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Toluene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Tetrachloroethene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,3-Dichloropropane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Dibromochloromethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2-Dibromoethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 30	ND < 34	ND < 31	ND < 28
Chlorobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Ethylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
m+p Xylenes	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
o-Xylene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Styrene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC5-SS-SB01-36A	AOC16-SS-SB01-23	AOC16-SS-SB02-24	AOC19-SS-SB02-26
Bromoform	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Isopropylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Bromobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
n-Propylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
2-Chlorotoluene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
4-Chlorotoluene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
tert-Butylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
sec-Butylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
4-Isopropyltoluene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
n-Butylbenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Hexachlorobutadiene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
Naphthalene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
2,3-Trichlorobenzene	ND < 6.0	ND < 7.0	ND < 7.0	ND < 6.0
.,2 Dichloroethane-d4 (SURR) 70-130	107	97.5	105	118
toluene-d8 (SURR) 70-130	101	99.7	98.4	96.9
4-bromofluorobenzene (SURR) 70-130	100	102	109	135

Sincerely,

David Ditta
Laboratory Director

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer

Client:

CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs – ASE, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs – ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC10-SS-SB01-32	12/4/06 845	S				X	X						X	X		X			X						9	1
AOC10-SS-SB02-33	930	S				X	X						X	X		X			X						5	
AOC10-SS-SB03-34	1000	S				X	X						X	X		X			X						5	
AOC10-SS-SB03-34A	1000	S				X													X						1	
AOC10-SS-SB04-35	1030	S				X	X						X	X		X			X						5	
AOC5-SS-SB01-36	1130	S				X	X						X	X		X									5	
AOC5-SS-SB01-36A	1130	S				X	X						X	X		X									5	
AOC5-SS-SB01-37	1200	S				X										X									1	
AOC5-SS-SB01-38	1205	S				X										X									1	
AOC5-SS-SB01-39	1210	S				X										X									1	

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

							G						6	6		6			6						

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

							F																		38

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/4/06 1550	[signature] 1550
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/4/6 1210	[signature] 12/4/06 1215
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
		5.13

NOTES:
1 - RUN MS/MSD FOR VOCS, PCBS, SVOCS, METALS, CT ETPH

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * – SEE QUOTE FULL QA/QC DOC

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ____ °C

SHEET 1 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer

Client:

CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC23-SS-SB01-40	12/4/06 1335	S				X										X										1
AOC23-SS-SB02-41	1340	S				X										X										1
AOC23-SS-SB02-41A	1340	S				X										X										2
AOC23-SS-SB03-42	1345	S				X										X										1
AOC23-SS-SB03-42A	1345	S				X										X										2
AOC23-SS-SB04-43	1350	S				X										X										1
AOC23-SS-SB04-43A	1350	S				X										X										2
AOC23-SS-SD05-44	1355	S				X										X										1
AOC23-SS-SB06-45	1400	S				X										X										1
AOC23-SS-SB07-46	1405	S				X										X										1
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)																										
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)																G										
Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)																										13

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/4/06 1550	[signature] 1550
[signature]	12/4/6 1710	[signature] 12/4/06 5:13

NOTES:
1 - PCB ANALYSIS VIA ASE
2 - PCB ANAYSIS VIA ULTRASONIC

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EOMANOS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt °C

SHEET 2 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC23-SS-SB08-47	12/4/06 1410	S				X										X										
AOC23-SS-SB09-48	1415	S				X										X										1
AOC23-SS-SB09-48A	1415	S				X										X										1
AOC23-SS-SB10-49	1420	S				X										X										2
AOC23-SS-SB11-50	1425	S				X										X										1
EB03	1430	W				X	X						X	X		X			X							1
TRIP BLANK-TB07	11/29/06	W				X	X																			
TEMP BLANK	11/29/06	W																								

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/4/06 1550	[signature] 1550
[signature]	12/4/6 1700	[signature] 12/4/06 5:12

NOTES:
1 - PCB ANALYSIS VIA ASE
2 - PCB ANALYSIS VIA Ultrasonic

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: Jesse Edmands PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * SEE QUOTE FOR QA/QC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ____ °C

SHEET 3 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer

Client:

CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	Organics: 8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	Metals (check all that apply): 13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	Additional Analysis	TOTAL # OF CONT.	NOTE #
AOC16-SS-SB01-23	12/4/06 0941	S				X	X																			5	1
AOC16-SS-SB02-24	↓	S				X	X																			5	1
AOC19-SS-SB02-26	↓	S				X	X						X			X			X							5	1
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)																											
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)													G			G			G								
Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)							E																			15	

RELINQUISHED BY: [signature] DATE/TIME 12/4/06 1500 RECEIVED BY: [signature] 1550

RELINQUISHED BY: [signature] DATE/TIME 12/4/06 1780 RECEIVED BY: [signature] 12/4/06 5:13

RELINQUISHED BY: DATE/TIME RECEIVED BY:

NOTES:
1 - Extra solids in 8 oz. JAR FOR USE IN VOC Analysis

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: Stamford, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FOR QA/QC DOC

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ____ °C

SHEET 4 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 12/4/2006 ***CET #:*** 06120107

Laboratory Sample ID(s): AD15272-AD15302

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/3/2007

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford CT
CET#: 06120107

QA Type: Total Metals Date Analyzed: 12/6/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	7.8	29.8	32.7	32.9	84	84	0.72	ND<2.0	101
Selenium	ND<1.5	59.5	43.4	44.6	73	75	2.80	ND<1.0	99
Cadmium	ND<1.0	29.8	23.9	24.2	80	81	1.20	ND<0.50	97
Chromium	38	29.8	66.5	63.0	96	84	13.00	ND<2.0	100
Arsenic	2.0	29.8	24.2	24.7	74	76	2.30	ND<1.0	98
Barium	70	29.8	96.9	96.9	90	90	0.00	ND<2.0	98
Silver	ND<2.5	5.95	3.98	4.01	67	67	0.74	ND<2.0	85

QA Type: Conn. Extractable TPH Date Analyzed: 12/11/2006 QA Sample ID: AD15534

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<51	1520	1480	1480	97	97	0.00	ND<50	98

QA Type: Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	198	195	227	98	115	15.50	ND<5.0	90
1,1,1-Trichloroethane	ND<6.0	198	185	221	93	112	18.10	ND<5.0	91
1,1,2,2-Tetrachloroethane	ND<6.0	198	213	223	108	113	4.50	ND<5.0	93
1,1,2-Trichloroethane	ND<6.0	198	185	208	93	105	11.70	ND<5.0	98
1,1-Dichloroethane	ND<6.0	198	173	207	87	105	18.30	ND<5.0	94
1,1-Dichloroethene	ND<6.0	198	190	220	96	111	14.50	ND<5.0	96
1,1-Dichloropropene	ND<6.0	198	183	213	92	108	15.60	ND<5.0	92
1,2,3-Trichlorobenzene	ND<6.0	198	191	212	96	107	10.30	ND<5.0	98
1,2,3-Trichloropropane	ND<6.0	198	166	200	84	101	18.60	ND<5.0	94
1,2,4-Trichlorobenzene	ND<6.0	198	194	218	98	110	11.50	ND<5.0	96
1,2,4-Trimethylbenzene	ND<6.0	198	200	234	101	118	15.50	ND<5.0	99
1,2-Dibromo-3-Chloropropane	ND<6.0	198	213	194	108	98	9.70	ND<5.0	104
1,2-Dibromoethane	ND<6.0	198	178	194	90	98	8.60	ND<5.0	90
1,2-Dichlorobenzene	ND<6.0	198	198	235	100	119	17.40	ND<5.0	99
1,2-Dichloroethane	ND<6.0	198	179	199	90	100	10.10	ND<5.0	93
1,2-Dichloropropane	ND<6.0	198	176	208	89	105	16.60	ND<5.0	92
1,3,5-Trimethylbenzene	ND<6.0	198	200	236	101	119	16.40	ND<5.0	97
1,3-Dichlorobenzene	ND<6.0	198	199	235	100	119	17.40	ND<5.0	99
Dichloropropane	ND<6.0	198	183	208	92	105	12.80	ND<5.0	97

QA Type: Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,4-Dichlorobenzene	ND<6.0	198	195	226	98	114	14.60	ND<5.0	96
2,2-Dichloropropane	ND<6.0	198	172	194	87	98	12.00	ND<5.0	84
2-Butanone (MEK)	ND<30	395	372	314	94	80	16.90	ND<25	93
2-Chlorotoluene	ND<6.0	198	213	250	108	126	15.40	ND<5.0	97
2-Hexanone	ND<30	395	431	380	109	96	12.50	ND<25	92
4-Chlorotoluene	ND<6.0	198	169	205	85	104	19.60	ND<5.0	97
4-Isopropyltoluene	ND<6.0	198	209	248	106	125	16.40	ND<5.0	99
Acetone	ND<120	395	323	290	82	73	10.80	ND<100	55
Acrylonitrile	ND<18	198	182	167	92	84	8.60	ND<100	100
Benzene	ND<2.0	198	161	193	81	98	18.10	ND<5.0	86
Bromobenzene	ND<6.0	198	194	227	98	115	16.00	ND<5.0	97
Bromochloromethane	ND<6.0	198	172	200	87	101	15.00	ND<5.0	94
Bromodichloromethane	ND<6.0	198	180	212	91	107	16.30	ND<5.0	95
Bromoform	ND<6.0	198	207	224	105	113	7.30	ND<5.0	95
Bromomethane	ND<12	198	111	162	56	82	37.30	ND<5.0	64
Carbon Disulfide	ND<12	198	180	212	91	107	16.30	ND<5.0	90
Carbon Tetrachloride	ND<6.0	198	186	218	94	110	15.80	ND<5.0	93
Chlorobenzene	ND<6.0	198	193	225	98	114	15.60	ND<5.0	90
Chloroethane	ND<12	198	112	170	57	86	41.10	ND<5.0	62
Chloroform	ND<6.0	198	172	207	87	105	18.90	ND<5.0	95
Chloromethane	ND<12	198	183	199	92	100	7.90	ND<5.0	77
cis-1,2-Dichloroethene	ND<6.0	198	174	205	88	104	16.80	ND<5.0	93
1,3-Dichloropropene	ND<6.0	198	177	208	89	105	16.00	ND<5.0	96
Dibromochloromethane	ND<6.0	198	187	215	94	109	14.40	ND<5.0	91
Dibromomethane	ND<6.0	198	180	201	91	102	11.50	ND<5.0	99
Dichlorodifluoromethane	ND<18	198	229	248	116	125	7.50	ND<25	62
Ethyl Methacrylate	ND<6.0	198	185	204	93	103	9.80	ND<25	99
Ethylbenzene	ND<6.0	198	196	226	99	114	14.10	ND<5.0	86
Hexachlorobutadiene	ND<6.0	198	205	233	104	118	12.60	ND<5.0	97
Isopropylbenzene	ND<6.0	198	201	232	102	117	13.70	ND<5.0	89
m+p Xylenes	ND<6.0	395	390	454	99	115	15.30	ND<5.0	89
Methyl Isobutyl Ketone	ND<30	395	418	388	106	98	7.60	ND<25	93
Methyl Methacrylate	ND<6.0	198	196	200	99	101	2.00	ND<25	98
Methyl-t-Butyl Ether (MTBE)	ND<6.0	198	169	201	85	102	17.70	ND<5.0	95
Methylene Chloride	ND<18	198	165	194	83	98	16.20	ND<5.0	85
n-Butylbenzene	ND<6.0	198	213	247	108	125	14.60	ND<5.0	96
n-Propylbenzene	ND<6.0	198	195	232	98	117	17.20	ND<5.0	96
Naphthalene	ND<6.0	198	201	201	102	102	0.00	ND<5.0	104
o-Xylene	ND<6.0	198	193	221	98	112	13.80	ND<5.0	89
sec-Butylbenzene	ND<6.0	198	210	248	106	125	16.40	ND<5.0	99
Styrene	ND<6.0	198	192	222	97	112	14.40	ND<5.0	90
tert-Butylbenzene	ND<6.0	198	206	246	104	124	17.50	ND<5.0	101
Tetrachloroethene	ND<6.0	198	182	211	92	107	15.20	ND<5.0	92
Tetrahydrofuran	ND<30	198	163	147	82	74	10.40	ND<25	82
Toluene	ND<6.0	198	182	214	92	108	16.10	ND<5.0	96
trans-1,2-Dichloroethene	ND<6.0	198	176	208	89	105	16.60	ND<5.0	92
trans-1,3-Dichloropropene	ND<6.0	198	186	212	94	107	13.00	ND<5.0	97
Trichloroethene	ND<6.0	198	169	199	85	100	15.80	ND<5.0	93
Trichlorofluoromethane	ND<18	198	201	235	102	119	15.40	ND<5.0	93
Chlorotrifluoroethane	ND<18	198	145	179	73	90	21.00	ND<25	69
Vinyl Chloride	ND<6.0	198	174	204	88	103	15.80	ND<5.0	73

QA Type: EPA 8082 PCBs Date Analyzed: 12/8/2006 QA Sample ID: AD15289 Client ID: AOC23-SS-SB05-44

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	1.11	1.2	1.2	108	108	0.00	ND<0.25	97
PCB-1260	ND<0.30	1.11	1.2	1.2	108	108	0.00	ND<0.25	97

QA Type: EPA 8082 PCBs Date Analyzed: 12/9/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	0.595	0.62	0.64	104	108	3.77	ND<0.25	104
PCB-1260	ND<0.30	0.595	0.65	0.64	109	108	0.92	ND<0.25	108

QA Type: Total Mercury Date Analyzed: 12/7/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	1.55	1.5	1.5	97	97	0.00	ND<0.002	100

QA Type: Conn. Extractable TPH Date Analyzed: 12/8/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<60	1790	1830	1770	102	99	3.09	ND<50	101

QA Type: Conn. Extractable TPH Date Analyzed: 12/11/2006 QA Sample ID: AD15807

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<56	1670	1610	1670	96	100	3.67	ND<50	99

QA Type: Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15163

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
:hlorodifluoromethane	ND<10	50	75	150	ND<10	114
Chloromethane	ND<2.7	50.0	63.6	127	ND<2.7	125
Vinyl Chloride	ND<1.6	50.0	63.2	126	ND<1.6	127
Bromomethane	ND<5.0	50.0	61.0	122	ND<5.0	119
Chloroethane	ND<5.0	50.0	59.8	120	ND<5.0	116
Acetone	ND<50	100	152	152	ND<50	115
Acrylonitrile	ND<20	50	46	92	ND<25	114
Trichlorofluoromethane	ND<25	50	62	124	ND<25	122
Trichlorotrifluoroethane	ND<25	50	64	128	ND<25	128
1,1-Dichloroethene	ND<1.0	50.0	64.9	130	ND<1.0	126
Methylene Chloride	ND<5.0	50.0	59.3	119	ND<5.0	114
Carbon Disulfide	ND<5.0	50.0	61.2	122	ND<5.0	120
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	53.0	106	ND<5.0	115
trans-1,2-Dichloroethene	ND<1.0	50.0	53.8	108	ND<1.0	116
1,1-Dichloroethane	ND<1.0	50.0	53.4	107	ND<1.0	107
2-Butanone (MEK)	ND<25	100	122	122	ND<25	119
2,2-Dichloropropane	ND<1.0	50.0	52.7	105	ND<1.0	116
cis-1,2-Dichloroethene	ND<1.0	50.0	56.8	114	ND<1.0	110
Chloroform	10	50.0	62.9	106	ND<1.0	107
Tetrahydrofuran	ND<5.0	50.0	74.8	150	ND<5.0	113
1,1,1-Trichloroethane	ND<1.0	50.0	52.0	104	ND<1.0	108
Carbon Tetrachloride	ND<1.0	50.0	53.1	106	ND<1.0	108
1,1-Dichloropropene	ND<1.0	50.0	54.9	110	ND<1.0	107
Benzene	ND<1.0	50.0	54.4	109	ND<1.0	105
1,2-Dichloroethane	ND<1.0	50.0	53.6	107	ND<1.0	106
Methyl Isobutyl Ketone	ND<25	100	128	128	ND<25	119
Trichloroethene	ND<1.0	50.0	50.8	102	ND<1.0	101

QA Type: Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15163

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
1,2-Dichloropropane	ND<1.0	50.0	53.1	106	ND<1.0	106
Dibromomethane	ND<1.0	50.0	54.5	109	ND<1.0	107
Bromodichloromethane	1.2	50.0	56.8	111	ND<0.5	110
2-Hexanone	ND<25	100	124	124	ND<25	118
cis-1,3-Dichloropropene	ND<0.50	50.0	53.6	107	ND<0.5	108
Toluene	ND<1.0	50.0	53.8	108	ND<1.0	105
trans-1,3-Dichloropropene	ND<0.50	50.0	54.0	108	ND<0.5	108
1,1,2-Trichloroethane	ND<1.0	50.0	55.7	111	ND<1.0	112
Tetrachloroethene	ND<1.0	50.0	52.1	104	ND<1.0	103
1,3-Dichloropropane	ND<1.0	50.0	56.8	114	ND<1.0	112
Dibromochloromethane	ND<0.50	50.0	52.6	105	ND<0.5	102
1,2-Dibromoethane	ND<0.50	50.0	53.7	107	ND<0.5	107
trans-1,4-Dichloro-2-Butene	ND<10	50	59	118	ND<10	102
Chlorobenzene	ND<1.0	50.0	51.5	103	ND<1.0	106
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	49.6	99	ND<1.0	102
Ethylbenzene	ND<1.0	50.0	52.3	105	ND<1.0	106
m+p Xylenes	ND<1.0	100.0	103.4	103	ND<1.0	107
o-Xylene	ND<1.0	50.0	48.5	97	ND<1.0	101
Styrene	ND<1.0	50.0	45.4	91	ND<1.0	100
Bromoform	ND<1.0	50.0	58.0	116	ND<1.0	105
Isopropylbenzene	ND<1.0	50.0	47.8	96	ND<1.0	102
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	53.1	106	ND<0.5	112
Bromobenzene	ND<1.0	50.0	51.6	103	ND<1.0	102
1,2,3-Trichloropropane	ND<1.0	50.0	54.7	109	ND<1.0	106
Propylbenzene	ND<1.0	50.0	50.2	100	ND<1.0	101
Chlorotoluene	ND<1.0	50.0	52.8	106	ND<1.0	103
4-Chlorotoluene	ND<1.0	50.0	48.7	97	ND<1.0	98
1,3,5-Trimethylbenzene	ND<1.0	50.0	51.9	104	ND<1.0	103
tert-Butylbenzene	ND<1.0	50.0	51.3	103	ND<1.0	103
1,2,4-Trimethylbenzene	ND<1.0	50.0	51.7	103	ND<1.0	104
sec-Butylbenzene	ND<1.0	50.0	50.5	101	ND<1.0	103
1,3-Dichlorobenzene	ND<1.0	50.0	49.4	99	ND<1.0	100
4-Isopropyltoluene	ND<1.0	50.0	50.6	101	ND<1.0	105
1,4-Dichlorobenzene	ND<1.0	50.0	48.1	96	ND<1.0	97
1,2-Dichlorobenzene	ND<1.0	50.0	49.6	99	ND<1.0	100
n-Butylbenzene	ND<1.0	50.0	48.9	98	ND<1.0	102
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	61.3	123	ND<1.0	106
1,2,4-Trichlorobenzene	ND<1.0	50.0	49.9	100	ND<1.0	101
Hexachlorobutadiene	ND<0.45	50.00	46.79	94	ND<0.45	95
Naphthalene	ND<1.0	50.0	53.7	107	ND<1.0	100
1,2,3-Trichlorobenzene	ND<1.0	50.0	49.1	98	ND<1.0	100

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pyridine	ND<358	4800	450	420	9	9	6.95	ND<300	44
n-Nitroso-dimethylamine	ND<358	4800	2300	2400	48	50	4.29	ND<300	58
bis(2-Chloroethyl)ether	ND<358	4800	2600	2800	54	58	7.29	ND<300	67
Phenol	ND<358	4800	2600	2700	54	56	3.62	ND<300	64
Aniline	ND<358	4800	1200	1200	25	25	0.00	ND<300	41
Chlorophenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	65

Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,3-Dichlorobenzene	ND<358	4800	2400	2500	50	52	4.11	ND<300	61
1,4-Dichlorobenzene	ND<358	4800	2500	2500	52	52	0.00	ND<300	55
Benzyl Alcohol	ND<358	4800	780	900	16	19	14.86	ND<300	52
1,2-Dichlorobenzene	ND<358	4800	2600	2600	54	54	0.00	ND<300	66
bis(2-chloroisopropyl)ether	ND<358	4800	2600	2700	54	56	3.62	ND<300	65
Hexachloroethane	ND<358	4800	2500	2500	52	52	0.00	ND<300	62
N-Nitroso-di-n-propylamine	ND<358	4800	2800	2900	58	60	3.54	ND<300	68
2-Methyl Phenol	ND<358	4800	2400	2600	50	54	8.06	ND<300	62
3+4 Methyl Phenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	59
Nitrobenzene	ND<358	4800	3100	3000	65	62	3.30	ND<300	66
Isophorone	ND<358	4800	3000	2800	62	58	6.95	ND<300	68
2-Nitrophenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	63
2,4-Dimethylphenol	ND<358	4800	2300	2000	48	42	13.84	ND<300	59
bis(2-Chloroethoxy)methane	ND<358	4800	3000	3000	62	62	0.00	ND<300	69
2,4-Dichlorophenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	67
1,2,4-Trichlorobenzene	ND<358	4800	3000	3000	62	62	0.00	ND<300	70
Naphthalene	ND<358	4800	3600	3600	75	75	0.00	ND<300	84
4-Chloroaniline	ND<358	4800	3200	3300	67	69	3.10	ND<300	77
Hexachlorobutadiene	ND<358	4800	3000	3000	62	62	0.00	ND<300	71
4-Chloro-3-methylphenol	ND<358	4800	2800	2800	58	58	0.00	ND<300	67
2-Methyl Naphthalene	ND<358	4800	2900	2900	60	60	0.00	ND<300	69
Hexachlorocyclopentadiene	ND<358	4800	3100	3400	65	71	9.16	ND<300	74
2,4,6-Trichlorophenol	ND<358	4800	2300	2400	48	50	4.29	ND<300	66
' 5-Trichlorophenol	ND<358	4800	3100	3000	65	62	3.30	ND<300	65
.hloronaphthalene	ND<358	4800	3000	3200	62	67	6.50	ND<300	83
2-Nitroaniline	ND<358	4800	3300	3300	69	69	0.00	ND<300	79
Acenaphthylene	ND<358	4800	4200	4100	88	85	2.43	ND<300	99
Dimethylphthalate	ND<358	4800	3100	3100	65	65	0.00	ND<300	74
2,6-Dinitrotoluene	ND<358	4800	3000	3100	62	65	3.30	ND<300	69
4-Nitroaniline	ND<358	4800	3200	3300	67	69	3.10	ND<300	78
Acenaphthene	ND<358	4800	3700	3700	77	77	0.00	ND<300	89
2,4-Dinitrophenol	ND<358	4800	1900	2200	40	46	14.52	ND<300	52
2,4-Dinitrotoluene	ND<358	4800	3100	2900	65	60	6.72	ND<300	69
4-Nitrophenol	ND<358	4800	1700	1600	35	33	6.11	ND<300	54
Dibenzofuran	ND<358	4800	3100	3100	65	65	0.00	ND<300	74
Fluorene	ND<358	4800	3800	3800	79	79	0.00	ND<300	92
4-Chlorophenyl-phenylether	ND<358	4800	3100	3000	65	62	3.30	ND<300	73
Diethylphthalate	ND<358	4800	3100	3100	65	65	0.00	ND<300	76
3-Nitroaniline	ND<358	4800	4100	4700	85	98	13.64	ND<300	67
4,6-Dinitro-2-methylphenol	ND<358	4800	2600	2700	54	56	3.62	ND<300	62
n-Nitrosodiphenylamine	ND<358	4800	7100	6100	148	127	15.27	ND<300	192
Azobenzene	ND<358	4800	3200	3200	67	67	0.00	ND<300	79
4-Bromophenyl-phenylether	ND<358	4800	3100	3100	65	65	0.00	ND<300	74
Hexachlorobenzene	ND<358	4800	3300	3300	69	69	0.00	ND<300	76
Pentachlorophenol	ND<358	4800	2900	3200	60	67	9.91	ND<300	58
Phenanthrene	ND<358	4800	3900	3900	81	81	0.00	ND<300	90
Anthracene	ND<358	4800	3900	4000	81	83	2.55	ND<300	92
Di-n-butylphthalate	ND<358	4800	3200	3000	67	62	6.50	ND<300	75
Fluoranthene	ND<358	4800	4200	4600	88	96	9.06	ND<300	96
Pyrene	ND<358	4800	4300	4600	90	96	6.69	ND<300	98
·tylbenzylphthalate	ND<358	4800	3300	3600	69	75	8.62	ND<300	73

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15272 Client ID: AOC10-SS-SB01-32

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Benzo[a]anthracene	ND<358	4800	4500	4400	94	92	2.26	ND<300	93
Chrysene	ND<358	4800	4400	4400	92	92	0.00	ND<300	90
bis(2-Ethylhexyl)phthalate	ND<358	4800	3400	3800	71	79	11.20	ND<300	77
Di-n-octylphthalate	ND<358	4800	3600	3700	75	77	2.76	ND<300	77
Benzo[b]fluoranthene	ND<358	4800	4100	4100	85	85	0.00	ND<300	100
Benzo[k]fluoranthene	ND<358	4800	4200	4600	88	96	9.06	ND<300	103
Benzo[a]pyrene	ND<358	4800	4000	4300	83	90	7.29	ND<300	99
Indeno[1,2,3-cd]pyrene	ND<358	4800	4800	3700	100	77	25.86	ND<300	104
Dibenz[a,h]anthracene	ND<358	4800	5100	4900	106	102	3.85	ND<300	105
Benzo[g,h,i]perylene	ND<358	4800	4900	4500	102	94	8.38	ND<300	102

QA Type: Conn. Extractable TPH Date Analyzed: 12/11/2006 QA Sample ID: AD15160

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	ND<0.10	5.0	4.9	98	ND<0.10	100

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	8
-Nitroso-dimethylamine	ND<20	ND<20	28
2-Chloroethyl)ether	ND<10	ND<10	62
enol	ND<20	ND<20	25
Aniline	ND<20	ND<20	12
2-Chlorophenol	ND<20	ND<20	60
1,3-Dichlorobenzene	ND<5.0	ND<5.0	65
1,4-Dichlorobenzene	ND<5.0	ND<5.0	68
Benzyl Alcohol	ND<20	ND<20	50
1,2-Dichlorobenzene	ND<5.0	ND<5.0	70
bis(2-chloroisopropyl)ether	ND<10	ND<10	70
Hexachloroethane	ND<3.0	ND<3.0	65
N-Nitroso-di-n-propylamine	ND<10	ND<10	75
2-Methyl Phenol	ND<20	ND<20	52
3+4 Methyl Phenol	ND<20	ND<20	48
Nitrobenzene	ND<20	ND<20	72
Isophorone	ND<20	ND<20	75
2-Nitrophenol	ND<20	ND<20	70
2,4-Dimethylphenol	ND<20	ND<20	48
bis(2-Chloroethoxy)methane	ND<20	ND<20	75
2,4-Dichlorophenol	ND<20	ND<20	70
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	75
Naphthalene	ND<1.0	ND<1.0	88
4-Chloroaniline	ND<20	ND<20	60
Hexachlorobutadiene	ND<20	ND<20	78
4-Chloro-3-methylphenol	ND<20	ND<20	72
2-Methyl Naphthalene	ND<1.0	ND<1.0	80
Hexachlorocyclopentadiene	ND<20	ND<20	55
2,4,6-Trichlorophenol	ND<20	ND<20	72
5-Trichlorophenol	ND<20	ND<20	75

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
2-Chloronaphthalene	ND<20	ND<20	80
2-Nitroaniline	ND<20	ND<20	82
Acenaphthylene	ND<0.30	ND<0.30	92
Dimethylphthalate	ND<20	ND<20	85
2,6-Dinitrotoluene	ND<75	ND<75	88
4-Nitroaniline	ND<20	ND<20	72
Acenaphthene	ND<1.0	ND<1.0	98
2,4-Dinitrophenol	ND<20	ND<20	82
2,4-Dinitrotoluene	ND<75	ND<75	90
4-Nitrophenol	ND<75	ND<75	35
Dibenzofuran	ND<1.0	ND<1.0	88
Fluorene	ND<1.0	ND<1.0	100
4-Chlorophenyl-phenylether	ND<20	ND<20	85
Diethylphthalate	ND<20	ND<20	88
3-Nitroaniline	ND<20	ND<20	85
4,6-Dinitro-2-methylphenol	ND<20	ND<20	78
n-Nitrosodiphenylamine	ND<20	ND<20	140
Azobenzene	ND<20	ND<20	85
4-Bromophenyl-phenylether	ND<20	ND<20	88
Hexachlorobenzene	ND<0.077	ND<0.077	92
Pentachlorophenol	ND<1.0	ND<1.0	78
Phenanthrene	ND<0.077	ND<0.077	102
Anthracene	ND<1.0	ND<1.0	100
Di-n-butylphthalate	ND<20	ND<20	92
oranthene	ND<1.0	ND<1.0	105
ene	ND<1.0	ND<1.0	105
Butylbenzylphthalate	ND<20	ND<20	85
Benzo[a]anthracene	ND<0.06	ND<0.06	98
Chrysene	ND<1.0	ND<1.0	98
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	88
Di-n-octylphthalate	ND<20	ND<20	82
Benzo[b]fluoranthene	ND<0.08	ND<0.08	98
Benzo[k]fluoranthene	ND<0.30	ND<0.30	108
Benzo[a]pyrene	ND<0.20	ND<0.20	100
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	102
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	108
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	102

QA Type: Total Metals Date Analyzed: 12/12/2006 QA Sample ID: AD16142

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.200	0.221	0.220	110	110	0.00	ND<0.013	104
Selenium	ND<0.01	0.400	0.504	0.506	126	126	0.00	ND<0.01	118
Cadmium	ND<0.005	0.200	0.231	0.232	116	116	0.00	ND<0.005	105
Chromium	ND<0.05	0.200	0.209	0.209	104	104	0.00	ND<0.05	101
Arsenic	ND<0.004	0.200	0.232	0.229	116	114	1.74	ND<0.004	106
Barium	ND<0.05	0.200	0.231	0.230	116	115	0.87	ND<0.05	108
Silver	ND<0.012	0.100	0.090	0.0927	90	93	2.96	ND<0.012	94

QA Type: EPA 8082 PCBs Date Analyzed: 12/12/2006 QA Sample ID: AD15809

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
PCB-1016	ND<0.50	2	2.0	100	ND<0.50	96
PCB-1260	ND<0.50	2	2.3	115	ND<0.50	100

QA Type: EPA 8082 PCBs Date Analyzed: 12/15/2006 QA Sample ID: AD15788

Analyte	Blank	LCS%Rec
PCB-1016	ND<0.25	90
PCB-1260	ND<0.25	73

ND is not detected

Narrative

3. Samples were received at 8°C with evidence of cooling.

4. Total Selenium spike recovery low for sample AD15272.
   Total Arsenic spike recovery low for sample AD15272.
   Total Silver spike and dup recoveries low for sample AD15272.
   Acetone LCS recovery low for sample AD15272.
   Bromomethane spike and LCS recoveries low for sample AD15272.
   Chloroethane spike and LCS recoveries low for sample AD15272.
   Dichlorodifluoromethane LCS recovery low for sample AD15272.
   Trichlorotrifluoroethane LCS recovery low for sample AD15272.
   Dichlorodifluoromethane spike recovery high for sample AD15163.
   Acetone spike recovery high for sample AD15163.
   Tetrahyrofuran spike recovery high for sample AD15163.
   Pyridine spike and dup recoveries low for sample AD15272.
   Aniline spike and dup recoveries low for sample AD15272.
   Benzyl Alcohol spike and dup recoveries low for sample AD15272.
   n-Nitrosodiphenylamine spike and LCS recoveries high for sample AD15272.
   Pyridine LCS recovery low for sample AD14867.
   n-Nitroso-dimethylamine LCS recovery low for sample AD14867.
   Phenol LCS recovery low for sample AD14867.
   Aniline LCS recovery low for sample AD14867.
   Total Selenium spike and dup recoveries high for sample AD16142.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 22, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford
Project #: 206937
CET #: 06120342
PO #: 206937
Soil: MW05-SS-SB01-109; MW05-SS-SB01-109A; MW06-SS-SB01-110
Collection Date(s): 12/12/2006
Water: EB07; TB07
Collection Date(s): 12/12/2006

PREP ANALYSIS:

Accelerated Solvent Extraction [EPA 3545]

Client ID	MW06-SS-SB01-110
CET ID	AD16353
Date Analyzed	12/14/2006

Closed System P&T Extraction [EPA 5035]

Client ID	MW05-SS-SB01-109	MW06-SS-SB01-110
CET ID	AD16351	AD16353
Date Analyzed	12/15/2006	12/15/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB07
CET ID	AD16354
Date Analyzed	12/19/2006

NOTES:
Indicates Date Prep Test Completed; ND is Not Detected.

ANALYSIS:

Total Solids [EPA 160.3 mo] Units: percent

Client ID	MW05-SS-SB01-109	MW05-SS-SB01-109A	MW06-SS-SB01-110
CET ID	AD16351	AD16352	AD16353
Date Analyzed	12/18/2006	12/18/2006	12/18/2006
Total Solids	85	85	83

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB07
CET ID	AD16354
Date Analyzed	12/20/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
2-Chlorophenol	ND < 20
1,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
2,4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB07
2,6-Dinitrotoluene	ND < 75
4-Nitroaniline	ND < 20
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
nthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
3,3-Dichlorobenzidine	ND < 75
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	32
Phenol-d5 (Surr) 15-110	21
Nitrobenzene-d5(Surr) 30-130	73
2-Fluorobiphenyl (Surr) 30-130	78
2,4,6-Tribromophenol (Surr) 15-115	88
Terphenyl-d14 (Surr) 30-130	50

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW06-SS-SB01-110
CET ID	AD16353
Date Analyzed	12/15/2006
Dilution	1
Pyridine	ND < 362
n-Nitroso-dimethylamine	ND < 362
bis(2-Chloroethyl)ether	ND < 362
Phenol	ND < 362
Aniline	ND < 362
2-Chlorophenol	ND < 362
1,3-Dichlorobenzene	ND < 362
1,4-Dichlorobenzene	ND < 362
Benzyl Alcohol	ND < 362
1,2-Dichlorobenzene	ND < 362
bis(2-chloroisopropyl)ether	ND < 362
Hexachloroethane	ND < 362
N-Nitroso-di-n-propylamine	ND < 362
2-Methyl Phenol	ND < 362
3+4 Methyl Phenol	ND < 362
Nitrobenzene	ND < 362
Isophorone	ND < 362
2-Nitrophenol	ND < 362
2,4-Dimethylphenol	ND < 362
bis(2-Chloroethoxy)methane	ND < 362
Benzoic Acid	ND < 362
2,4-Dichlorophenol	ND < 362
1,2,4-Trichlorobenzene	ND < 362
Naphthalene	ND < 362
2,6-Dichlorophenol	ND < 362
4-Chloroaniline	ND < 362
Hexachlorobutadiene	ND < 362
4-Chloro-3-methylphenol	ND < 362
2-Methyl Naphthalene	ND < 362
Hexachlorocyclopentadiene	ND < 362
2,4,6-Trichlorophenol	ND < 362
2,4,5-Trichlorophenol	ND < 362
2-Chloronaphthalene	ND < 362
2-Nitroaniline	ND < 362
Acenaphthylene	ND < 362
Dimethylphthalate	ND < 362
2,6-Dinitrotoluene	ND < 362
4-Nitroaniline	ND < 362
Acenaphthene	ND < 362
2,4-Dinitrophenol	ND < 362
2,4-Dinitrotoluene	ND < 362
4-Nitrophenol	ND < 362
Dibenzofuran	ND < 362
2,3,4,6-Tetrachlorophenol	ND < 362
Fluorene	ND < 362
4-Chlorophenyl-phenylether	ND < 362
Diethylphthalate	ND < 362

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW06-SS-SB01-110
3-Nitroaniline	ND < 362
4,6-Dinitro-2-methylphenol	ND < 362
n-Nitrosodiphenylamine	ND < 362
Azobenzene	ND < 362
4-Bromophenyl-phenylether	ND < 362
Hexachlorobenzene	ND < 362
Pentachlorophenol	ND < 362
Benzidine	ND < 362
Phenanthrene	ND < 362
Anthracene	ND < 362
Carbazole	ND < 362
Di-n-butylphthalate	ND < 362
Fluoranthene	ND < 362
Pyrene	ND < 362
Butylbenzylphthalate	ND < 362
3,3-Dichlorobenzidine	ND < 362
Benzo[a]anthracene	ND < 362
Chrysene	ND < 362
bis(2-Ethylhexyl)phthalate	ND < 362
Di-n-octylphthalate	ND < 362
Benzo[b]fluoranthene	ND < 362
Benzo[k]fluoranthene	ND < 362
Benzo[a]pyrene	ND < 362
ıdeno[1,2,3-cd]pyrene	ND < 362
Dibenz[a,h]anthracene	ND < 362
Benzo[g,h,i]perylene	ND < 362
2-Fluorophenol (Surr) 30-130	65.9
Phenol-d5 (Surr) 30-130	70
Nitrobenzene-d5(Surr) 30-130	46.5
2-Fluorobiphenyl (Surr) 30-130	67.3
2,4,6-Tribromophenol (Surr) 30-130	82.4
Terphenyl-d14 (Surr) 30-130	66

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB07
CET ID	AD16354
Date Analyzed	12/19/2006
Dilution	1.0
ETPH	ND < 0.10
Octacosane (surr)	90

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	MW05-SS-SB01-109	MW05-SS-SB01-109A	MW06-SS-SB01-110
CET ID	AD16351	AD16352	AD16353
Date Analyzed	12/19/2006	12/19/2006	12/19/2006
Dilution	1.0	ND < 1.0	ND < 1.0
ETPH	ND < 59	ND < 59	ND < 61
Octacosane (surr)	109	101	107

.otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB07	TB07
CET ID	AD16354	AD16355
Date Analyzed	12/20/2006	12/20/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB07	TB07
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	100	102
toluene-d8 (SURR) 70-130	97.6	99.6
4-bromofluorobenzene (SURR) 70-130	103	101

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW05-SS-SB01-109	MW06-SS-SB01-110
CET ID	AD16351	AD16353
Date Analyzed	12/15/2006	12/15/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 19
Chloromethane	ND < 12	ND < 13
Vinyl Chloride	ND < 6.0	ND < 7.0
Bromomethane	ND < 12	ND < 13
Chloroethane	ND < 12	ND < 13
Acetone	ND < 120	ND < 120
Acrylonitrile	ND < 18	ND < 19
Trichlorofluoromethane	ND < 18	ND < 19
Trichlorotrifluoroethane	ND < 18	ND < 19
1,1-Dichloroethene	ND < 6.0	ND < 7.0
Methylene Chloride	ND < 18	ND < 19
Carbon Disulfide	ND < 12	ND < 13
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 7.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 7.0
1,1-Dichloroethane	ND < 6.0	ND < 7.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW05-SS-SB01-109	MW06-SS-SB01-110
2-Butanone (MEK)	ND < 30	ND < 31
2,2-Dichloropropane	ND < 6.0	ND < 7.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 7.0
Chloroform	ND < 6.0	ND < 7.0
Tetrahydrofuran	ND < 30	ND < 31
1,1,1-Trichloroethane	ND < 6.0	ND < 7.0
Carbon Tetrachloride	ND < 6.0	ND < 7.0
1,1-Dichloropropene	ND < 6.0	ND < 7.0
Benzene	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 6.0	ND < 7.0
Methyl Isobutyl Ketone	ND < 30	ND < 31
Trichloroethene	ND < 6.0	ND < 7.0
1,2-Dichloropropane	ND < 6.0	ND < 7.0
Dibromomethane	ND < 6.0	ND < 7.0
Bromodichloromethane	ND < 6.0	ND < 7.0
2-Hexanone	ND < 30	ND < 31
cis-1,3-Dichloropropene	ND < 6.0	ND < 7.0
Toluene	ND < 6.0	ND < 7.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 7.0
1,1,2-Trichloroethane	ND < 6.0	ND < 7.0
Tetrachloroethene	ND < 6.0	ND < 7.0
1,3-Dichloropropane	ND < 6.0	ND < 7.0
ᐧibromochloromethane	ND < 6.0	ND < 7.0
,2-Dibromoethane	ND < 6.0	ND < 7.0
trans-1,4-Dichloro-2-Butene	ND < 30	ND < 31
Chlorobenzene	ND < 6.0	ND < 7.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 7.0
Ethylbenzene	ND < 6.0	ND < 7.0
m+p Xylenes	ND < 6.0	ND < 7.0
o-Xylene	ND < 6.0	ND < 7.0
Styrene	ND < 6.0	ND < 7.0
Bromoform	ND < 6.0	ND < 7.0
Isopropylbenzene	ND < 6.0	ND < 7.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 7.0
Bromobenzene	ND < 6.0	ND < 7.0
1,2,3-Trichloropropane	ND < 6.0	ND < 7.0
n-Propylbenzene	ND < 6.0	ND < 7.0
2-Chlorotoluene	ND < 6.0	ND < 7.0
4-Chlorotoluene	ND < 6.0	ND < 7.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 7.0
tert-Butylbenzene	ND < 6.0	ND < 7.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 7.0
sec-Butylbenzene	ND < 6.0	ND < 7.0
1,3-Dichlorobenzene	ND < 6.0	ND < 7.0
4-Isopropyltoluene	ND < 6.0	ND < 7.0
1,4-Dichlorobenzene	ND < 6.0	ND < 7.0
1,2-Dichlorobenzene	ND < 6.0	ND < 7.0
n-Butylbenzene	ND < 6.0	ND < 7.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 7.0

ᐧtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW05-SS-SB01-109	MW06-SS-SB01-110
1,2,4-Trichlorobenzene	ND < 6.0	ND < 7.0
Hexachlorobutadiene	ND < 6.0	ND < 7.0
Naphthalene	ND < 6.0	ND < 7.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 7.0
1,2 Dichloroethane-d4 (SURR) 70-130	98.3	102
toluene-d8 (SURR) 70-130	92.6	92.8
4-bromofluorobenzene (SURR) 70-130	89.1	90.4

Sincerely,

David Ditta
Laboratory Director

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET: 12-12-06 4:15

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
MW05-SS-SB01-109	12/12/06 1103	S				X	X						X												9	1
MW05-SS-SB01-109A	↓ 1103	S				X							X												1	
MW06-SS-SB01-110	1410	S				X	X						X	X											5	2
EB07	↓	W				X	X						X	X											4	
TB07	11/29/06 1450	W				X	X																		2	
TEMP BLANK	11/29/06 1450	W																							1	

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

P	✓												6	6												
F	/	/	/	/	/																					

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/12/06 1500	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12-12-06 3:45	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1- RUN MS/MSD FOR VOCs and ETPH
2- RUN MS/MSD FOR SVOCs

Client / Reporting Information

Company Name: WOODARD & CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: Jesse Edmands PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * – SEE QUOTE FOR QA/QC DOC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt 10° °C

SHEET 1 OF 1

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes, Stamford ***Project Number.*** 206937

Sampling Date(s): 12/12/2006 ***CET #:*** 06120342

Laboratory Sample ID(s): AD16351-AD16356

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/5/2007

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford
CET#: 06120342

QA Type: Volatile Organics Date Analyzed: 12/18/2006 QA Sample ID: AD16351 Client ID: MW05-SS-SB01-109

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	201	199	195	99	97	2.00	ND<5.0	100
1,1,1-Trichloroethane	ND<6.0	201	200	193	100	96	3.60	ND<5.0	91
1,1,2,2-Tetrachloroethane	ND<6.0	201	173	173	86	86	0.00	ND<5.0	87
1,1,2-Trichloroethane	ND<6.0	201	173	170	86	85	1.80	ND<5.0	85
1,1-Dichloroethane	ND<6.0	201	181	177	90	88	2.10	ND<5.0	86
1,1-Dichloroethene	ND<6.0	201	201	206	100	102	2.00	ND<5.0	100
1 1-Dichloropropene	ND<6.0	201	217	219	108	109	0.90	ND<5.0	102
,3-Trichlorobenzene	ND<6.0	201	152	152	76	76	0.00	ND<5.0	97
,2,3-Trichloropropane	ND<6.0	201	196	196	98	98	0.00	ND<5.0	96
1,2,4-Trichlorobenzene	ND<6.0	201	171	171	85	85	0.00	ND<5.0	98
1,2,4-Trimethylbenzene	ND<6.0	201	193	196	96	98	1.60	ND<5.0	92
1,2-Dibromo-3-Chloropropane	ND<6.0	201	178	190	89	94	6.40	ND<5.0	95
1,2-Dibromoethane	ND<6.0	201	196	193	98	96	1.60	ND<5.0	101
1,2-Dichlorobenzene	ND<6.0	201	195	194	97	96	0.50	ND<5.0	96
1,2-Dichloroethane	ND<6.0	201	182	179	90	89	1.60	ND<5.0	91
1,2-Dichloropropane	ND<6.0	201	192	190	96	94	1.10	ND<5.0	96
1,3,5-Trimethylbenzene	ND<6.0	201	209	211	104	105	1.00	ND<5.0	98
1,3-Dichlorobenzene	ND<6.0	201	207	205	103	102	1.00	ND<5.0	96
1,3-Dichloropropane	ND<6.0	201	180	179	90	89	0.60	ND<5.0	89
1,4-Dichlorobenzene	ND<6.0	201	197	195	98	97	1.00	ND<5.0	93
2,2-Dichloropropane	ND<6.0	201	193	191	96	95	1.00	ND<5.0	90
2-Butanone (MEK)	ND<30	402	360	356	90	89	1.10	ND<25	81
2-Chlorotoluene	ND<6.0	201	205	214	102	106	3.80	ND<5.0	99
2-Hexanone	ND<30	402	355	322	88	80	9.70	ND<25	90
4-Chlorotoluene	ND<6.0	201	236	215	117	107	8.90	ND<5.0	97
4-Isopropyltoluene	ND<6.0	201	223	230	111	114	2.70	ND<5.0	102
Acetone	ND<120	402	401	414	100	103	3.20	ND<100	97
Acrylonitrile	ND<18	201	193	194	96	96	0.50	ND<100	85
Benzene	ND<2.0	201	198	199	98	99	0.50	ND<5.0	98
Bromobenzene	ND<6.0	201	216	209	107	104	2.80	ND<5.0	99
Bromochloromethane	ND<6.0	201	178	174	89	87	2.30	ND<5.0	87
Bromodichloromethane	ND<6.0	201	185	178	92	89	3.80	ND<5.0	93
Bromoform	ND<6.0	201	180	175	90	87	2.80	ND<5.0	93
Bromomethane	ND<12	201	150	146	75	73	2.70	ND<5.0	72
bon Disulfide	ND<12	201	220	212	109	105	3.70	ND<5.0	99

. Type: Volatile Organics Date Analyzed: 12/18/2006 QA Sample ID: AD16351 Client ID: MW05-SS-SB01-109

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
Carbon Tetrachloride	ND<6.0	201	193	181	96	90	6.50	ND<5.0	92
Chlorobenzene	ND<6.0	201	210	206	104	102	1.90	ND<5.0	102
Chloroethane	ND<12	201	155	156	77	78	0.60	ND<5.0	69
Chloroform	ND<6.0	201	174	177	87	88	1.70	ND<5.0	86
Chloromethane	ND<12	201	155	145	77	72	6.70	ND<5.0	70
cis-1,2-Dichloroethene	ND<6.0	201	191	194	95	96	1.60	ND<5.0	94
cis-1,3-Dichloropropene	ND<6.0	201	197	187	98	93	5.20	ND<5.0	98
Dibromochloromethane	ND<6.0	201	189	184	94	92	2.70	ND<5.0	98
Dibromomethane	ND<6.0	201	187	179	93	89	4.30	ND<5.0	94
Dichlorodifluoromethane	ND<18	201	166	158	83	79	5.00	ND<25	74
Ethyl Methacrylate	ND<6.0	201	189	186	94	92	1.60	ND<25	96
Ethylbenzene	ND<6.0	201	219	216	109	107	1.90	ND<5.0	103
Hexachlorobutadiene	ND<6.0	201	140	140	70	70	0.00	ND<5.0	88
Isopropylbenzene	ND<6.0	201	214	215	106	107	0.90	ND<5.0	100
m+p Xylenes	ND<6.0	402	438	434	109	108	0.90	ND<5.0	103
Methyl Isobutyl Ketone	ND<30	402	380	342	94	85	10.50	ND<25	97
Methyl Methacrylate	ND<6.0	201	202	199	100	99	1.00	ND<25	105
Methyl-t-Butyl Ether (MTBE)	ND<6.0	201	193	184	96	92	4.80	ND<5.0	93
Methylene Chloride	ND<18	201	202	199	100	99	1.00	ND<5.0	108
n-Butylbenzene	ND<6.0	201	206	211	102	105	2.90	ND<5.0	96
n-Propylbenzene	ND<6.0	201	226	224	112	111	0.90	ND<5..0	99
Naphthalene	ND<6.0	201	155	156	77	78	0.60	ND<5.0	99
o-Xylene	ND<6.0	201	218	216	108	107	0.90	ND<5.0	104
sec-Butylbenzene	ND<6.0	201	223	227	111	113	1.80	ND<5.0	102
rene	ND<6.0	201	207	199	103	99	4.00	ND<5.0	101
rt-Butylbenzene	ND<6.0	201	224	230	111	114	2.70	ND<5.0	103
Tetrachloroethene	ND<6.0	201	205	206	102	102	0.00	ND<5.0	92
Tetrahydrofuran	ND<30	201	196	197	98	98	0.50	ND<25	91
Toluene	ND<6.0	201	200	197	100	98	1.50	ND<5.0	95
trans-1,2-Dichloroethene	ND<6.0	201	187	191	93	95	2.10	ND<5.0	90
trans-1,3-Dichloropropene	ND<6.0	201	186	172	92	86	7.70	ND<5.0	93
trans-1,4-Dichloro-2-Butene	ND<30	201	187	180	93	90	3.70	ND<5.0	95
Trichloroethene	ND<6.0	201	210	210	104	104	0.00	ND<5.0	101
Trichlorofluoromethane	ND<18	201	182	177	90	88	2.70	ND<5.0	82
Trichlorotrifluoroethane	ND<18	201	186	182	92	90	2.20	ND<25	83
Vinyl Chloride	ND<6.0	201	144	139	72	69	3.40	ND<5.0	72

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD16353 Client ID: MW06-SS-SB01-110

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pyridine	ND<362	4800	1700	1700	35	35	0.00	ND<300	34
n-Nitroso-dimethylamine	ND<362	4800	2500	2500	52	52	0.00	ND<300	47
bis(2-Chloroethyl)ether	ND<362	4800	2900	2900	60	60	0.00	ND<300	51
Phenol	ND<362	4800	3000	3100	62	65	3.30	ND<300	60
Aniline	ND<362	4800	2500	2600	52	54	3.95	ND<300	50
2-Chlorophenol	ND<362	4800	3000	3100	62	65	3.30	ND<300	60
1,3-Dichlorobenzene	ND<362	4800	2400	2200	50	46	8.77	ND<300	51
1,4-Dichlorobenzene	ND<362	4800	2500	2300	52	48	8.40	ND<300	53
Benzyl Alcohol	ND<362	4800	470	700	10	15	39.44	ND<300	26
1,2-Dichlorobenzene	ND<362	4800	2600	2500	54	52	3.95	ND<300	55
2-chloroisopropyl)ether	ND<362	4800	2700	2700	56	56	0.00	ND<300	54

. Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD16353 Client ID: MW06-SS-SB01-110

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Hexachloroethane	ND<362	4800	2500	2200	52	46	12.87	ND<300	55
N-Nitroso-di-n-propylamine	ND<362	4800	2900	3100	60	65	6.72	ND<300	61
2-Methyl Phenol	ND<362	4800	3400	3200	71	67	5.96	ND<300	65
3+4 Methyl Phenol	ND<362	4800	3100	3100	65	65	0.00	ND<300	60
Nitrobenzene	ND<362	4800	2500	2600	52	54	3.95	ND<300	57
Isophorone	ND<362	4800	2800	2800	58	58	0.00	ND<300	57
2-Nitrophenol	ND<362	4800	1600	1800	33	38	11.86	ND<300	60
2,4-Dimethylphenol	ND<362	4800	3100	3100	65	65	0.00	ND<300	64
bis(2-Chloroethoxy)methane	ND<362	4800	2800	2800	58	58	0.00	ND<300	57
2,4-Dichlorophenol	ND<362	4800	3300	3400	69	71	2.87	ND<300	67
1,2,4-Trichlorobenzene	ND<362	4800	2800	2800	58	58	0.00	ND<300	59
Naphthalene	ND<362	4800	3400	3400	71	71	0.00	ND<300	70
4-Chloroaniline	ND<362	4800	810	680	17	14	17.36	ND<300	63
Hexachlorobutadiene	ND<362	4800	2800	2700	58	56	3.67	ND<300	59
4-Chloro-3-methylphenol	ND<362	4800	3400	3300	71	69	2.87	ND<300	70
2-Methyl Naphthalene	ND<362	4800	3300	3300	69	69	0.00	ND<300	67
Hexachlorocyclopentadiene	ND<362	4800	<300	<300	0	0	0.00	ND<300	19
2,4,6-Trichlorophenol	ND<362	4800	2700	2600	56	54	3.62	ND<300	53
2,4,5-Trichlorophenol	ND<362	4800	3600	3600	75	75	0.00	ND<300	77
2-Chloronaphthalene	ND<362	4800	2900	2800	60	58	3.54	ND<300	59
2-Nitroaniline	ND<362	4800	2700	2700	56	56	0.00	ND<300	71
Acenaphthylene	ND<362	4800	3500	3500	73	73	0.00	ND<300	79
Dimethylphthalate	ND<362	4800	3000	3000	62	62	0.00	ND<300	68
2,6-Dinitrotoluene	ND<362	4800	2400	2500	50	52	4.11	ND<300	68
Nitroaniline	ND<362	4800	2700	2700	56	56	0.00	ND<300	71
Acenaphthene	ND<362	4800	3800	3700	79	77	2.69	ND<300	81
2,4-Dinitrophenol	ND<362	4800	1200	1300	25	27	8.06	ND<300	38
2,4-Dinitrotoluene	ND<362	4800	2700	2700	56	56	0.00	ND<300	74
4-Nitrophenol	ND<362	4800	2600	2400	54	50	8.06	ND<300	53
Dibenzofuran	ND<362	4800	3400	3300	71	69	2.87	ND<300	72
Fluorene	ND<362	4800	3900	3800	81	79	2.49	ND<300	94
4-Chlorophenyl-phenylether	ND<362	4800	3100	3100	65	65	0.00	ND<300	68
Diethylphthalate	ND<362	4800	3200	3100	67	65	3.20	ND<300	71
3-Nitroaniline	ND<362	4800	2400	2500	50	52	4.11	ND<300	72
4,6-Dinitro-2-methylphenol	ND<362	4800	1900	2100	40	44	10.07	ND<300	58
n-Nitrosodiphenylamine	ND<362	4800	3100	3300	65	69	6.30	ND<300	83
Azobenzene	ND<362	4800	3100	3100	65	65	0.00	ND<300	67
4-Bromophenyl-phenylether	ND<362	4800	3100	3000	65	62	3.30	ND<300	67
Hexachlorobenzene	ND<362	4800	3100	3100	65	65	0.00	ND<300	70
Pentachlorophenol	ND<362	4800	3200	3100	67	65	3.20	ND<300	62
Phenanthrene	ND<362	4800	3800	3800	79	79	0.00	ND<300	85
Anthracene	ND<362	4800	3800	3800	79	79	0.00	ND<300	87
Di-n-butylphthalate	ND<362	4800	3100	3200	65	67	3.20	ND<300	73
Fluoranthene	ND<362	4800	4200	4300	88	90	2.37	ND<300	97
Pyrene	ND<362	4800	4300	4300	90	90	0.00	ND<300	98
Butylbenzylphthalate	ND<362	4800	2800	2700	58	56	3.67	ND<300	62
Benzo[a]anthracene	ND<362	4800	3200	3200	67	67	0.00	ND<300	72
Chrysene	ND<362	4800	3800	3700	79	77	2.69	ND<300	84
bis(2-Ethylhexyl)phthalate	ND<362	4800	2800	2800	58	58	0.00	ND<300	64
Di-n-octylphthalate	ND<362	4800	3000	2900	62	60	3.42	ND<300	66
Benzo[b]fluoranthene	ND<362	4800	4400	4300	92	90	2.32	ND<300	83
Benzo[k]fluoranthene	ND<362	4800	4600	4500	96	94	2.11	ND<300	86

\ Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD16353 Client ID: MW06-SS-SB01-110

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Benzo[a]pyrene	ND<362	4800	4400	4300	92	90	2.32	ND<300	83
Indeno[1,2,3-cd]pyrene	ND<362	4800	4000	3900	83	81	2.55	ND<300	70
Dibenz[a,h]anthracene	ND<362	4800	4800	4800	100	100	0.00	ND<300	88
Benzo[g,h,i]perylene	ND<362	4800	4900	4800	102	100	1.98	ND<300	86

QA Type: Conn. Extractable TPH Date Analyzed: 12/20/2006 QA Sample ID: AD16371

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	ND<0.10	5.0	5.3	106	ND<0.10	86

QA Type: Conn. Extractable TPH Date Analyzed: 12/20/2006 QA Sample ID: AD16351 Client ID: MW05-SS-SB01-109

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<59	1760	1720	1730	98	98	0.61	ND<50	103

QA Type: Volatile Organics Date Analyzed: 12/20/2006 QA Sample ID: AD16274

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	39	78	ND<10	106
Chloromethane	ND<2.7	50.0	47.4	95	ND<2.7	99
Vinyl Chloride	ND<1.6	50.0	30.6	61	ND<1.6	96
Bromomethane	ND<5.0	50.0	43.6	87	ND<5.0	98
Chloroethane	ND<5.0	50.0	48.3	97	ND<5.0	98
·etone	ND<50	100	84	84	ND<50	73
.rylonitrile	ND<20	50	45	90	ND<25	92
ı richlorofluoromethane	ND<25	50	42	84	ND<25	110
Trichlorotrifluoroethane	ND<25	50	53	106	ND<25	94
1,1-Dichloroethene	ND<1.0	50.0	53.7	107	ND<1.0	94
Methylene Chloride	ND<5.0	50.0	36.9	74	ND<5.0	67
Carbon Disulfide	ND<5.0	50.0	61.0	122	ND<5.0	99
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	47.8	96	ND<5.0	95
trans-1,2-Dichloroethene	ND<1.0	50.0	51.1	102	ND<1.0	96
1,1-Dichloroethane	ND<1.0	50.0	48.1	96	ND<1.0	96
2-Butanone (MEK)	ND<25	100	89	89	ND<25	87
2,2-Dichloropropane	ND<1.0	50.0	49.4	99	ND<1.0	93
cis-1,2-Dichloroethene	ND<1.0	50.0	47.7	95	ND<1.0	95
Chloroform	ND<1.0	50.0	47.4	95	ND<1.0	97
Tetrahydrofuran	ND<5.0	50.0	45.4	91	ND<5.0	96
1,1,1-Trichloroethane	ND<1.0	50.0	48.4	97	ND<1.0	98
Carbon Tetrachloride	ND<1.0	50.0	49.1	98	ND<1.0	97
1,1-Dichloropropene	ND<1.0	50.0	50.0	100	ND<1.0	96
Benzene	ND<1.0	50.0	46.0	92	ND<1.0	91
1,2-Dichloroethane	ND<1.0	50.0	46.9	94	ND<1.0	97
Methyl Isobutyl Ketone	ND<25	100	93	93	ND<25	100
Trichloroethene	ND<1.0	50.0	45.8	92	ND<1.0	96
1,2-Dichloropropane	ND<1.0	50.0	46.7	93	ND<1.0	95
Dibromomethane	ND<1.0	50.0	47.4	95	ND<1.0	97
Bromodichloromethane	ND<0.50	50.0	46.6	93	ND<0.5	97
2-Hexanone	ND<25	100	99	99	ND<25	101
cis-1,3-Dichloropropene	ND<0.50	50.0	48.1	96	ND<0.5	98
Toluene	ND<1.0	50.0	47.8	96	ND<1.0	97
.ıs-1,3-Dichloropropene	ND<0.50	50.0	48.5	97	ND<0.5	99

A Type: Volatile Organics Date Analyzed: 12/20/2006 QA Sample ID: AD16274

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
1,1,2-Trichloroethane	ND<1.0	50.0	46.9	94	ND<1.0	97
Tetrachloroethene	ND<1.0	50.0	47.9	96	ND<1.0	97
1,3-Dichloropropane	ND<1.0	50.0	47.5	95	ND<1.0	98
Dibromochloromethane	ND<0.50	50.0	46.7	93	ND<0.5	100
1,2-Dibromoethane	ND<0.50	50.0	46.6	93	ND<0.5	95
Chlorobenzene	ND<1.0	50.0	48.9	98	ND<1.0	103
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	47.8	96	ND<1.0	101
Ethylbenzene	ND<1.0	50.0	47.9	96	ND<1.0	102
m+p Xylenes	ND<1.0	100.0	97.4	97	ND<1.0	101
o-Xylene	ND<1.0	50.0	47.3	95	ND<1.0	99
Styrene	ND<1.0	50.0	47.3	95	ND<1.0	101
Bromoform	ND<1.0	50.0	47.7	95	ND<1.0	100
Isopropylbenzene	ND<1.0	50.0	46.8	94	ND<1.0	100
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	49.2	98	ND<0.5	96
Bromobenzene	ND<1.0	50.0	47.5	95	ND<1.0	102
1,2,3-Trichloropropane	ND<1.0	50.0	46.3	93	ND<1.0	96
n-Propylbenzene	ND<1.0	50.0	48.8	98	ND<1.0	101
2-Chlorotoluene	ND<1.0	50.0	53.1	106	ND<1.0	97
4-Chlorotoluene	ND<1.0	50.0	37.2	74	ND<1.0	104
1,3,5-Trimethylbenzene	ND<1.0	50.0	47.7	95	ND<1.0	101
tert-Butylbenzene	ND<1.0	50.0	46.4	93	ND<1.0	98
1,2,4-Trimethylbenzene	ND<1.0	50.0	47.7	95	ND<1.0	99
sec-Butylbenzene	ND<1.0	50.0	48.0	96	ND<1.0	100
1,3-Dichlorobenzene	ND<1.0	50.0	47.2	94	ND<1.0	97
4-Isopropyltoluene	ND<1.0	50.0	49.2	98	ND<1.0	99
-Dichlorobenzene	ND<1.0	50.0	47.1	94	ND<1.0	98
,2-Dichlorobenzene	ND<1.0	50.0	47.0	94	ND<1.0	98
n-Butylbenzene	ND<1.0	50.0	50.0	100	ND<1.0	101
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	46.7	93	ND<1.0	96
1,2,4-Trichlorobenzene	ND<1.0	50.0	48.3	97	ND<1.0	100
Hexachlorobutadiene	ND<0.45	50.00	46.77	94	ND<0.45	96
Naphthalene	ND<1.0	50.0	46.5	93	ND<1.0	99
1,2,3-Trichlorobenzene	ND<1.0	50.0	46.9	94	ND<1.0	99

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/21/2006 QA Sample ID: AD16354 Client ID: EB07

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	10
n-Nitroso-dimethylamine	ND<20	ND<20	20
bis(2-Chloroethyl)ether	ND<10	ND<10	48
Phenol	ND<20	ND<20	20
Aniline	ND<20	ND<20	20
2-Chlorophenol	ND<20	ND<20	48
1,3-Dichlorobenzene	ND<5.0	ND<5.0	48
1,4-Dichlorobenzene	ND<5.0	ND<5.0	48
Benzyl Alcohol	ND<20	ND<20	38
1,2-Dichlorobenzene	ND<5.0	ND<5.0	50
bis(2-chloroisopropyl)ether	ND<10	ND<10	50
Hexachloroethane	ND<3.0	ND<3.0	50
N-Nitroso-di-n-propylamine	ND<10	ND<10	55
2-Methyl Phenol	ND<20	ND<20	45
4 Methyl Phenol	ND<20	ND<20	42

. Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/21/2006 QA Sample ID: AD16354 Client ID: EB07

Analyte	SampRes	Blank	LCS%Rec
Nitrobenzene	ND<20	ND<20	58
Isophorone	ND<20	ND<20	52
2-Nitrophenol	ND<20	ND<20	60
2,4-Dimethylphenol	ND<20	ND<20	52
bis(2-Chloroethoxy)methane	ND<20	ND<20	52
2,4-Dichlorophenol	ND<20	ND<20	55
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	52
Naphthalene	ND<1.0	ND<1.0	62
4-Chloroaniline	ND<20	ND<20	50
Hexachlorobutadiene	ND<20	ND<20	55
4-Chloro-3-methylphenol	ND<20	ND<20	60
2-Methyl Naphthalene	ND<1.0	ND<1.0	58
Hexachlorocyclopentadiene	ND<20	ND<20	0
2,4,6-Trichlorophenol	ND<20	ND<20	55
2,4,5-Trichlorophenol	ND<20	ND<20	58
2-Chloronaphthalene	ND<20	ND<20	52
2-Nitroaniline	ND<20	ND<20	65
Acenaphthylene	ND<0.30	ND<0.30	70
Dimethylphthalate	ND<20	ND<20	62
2,6-Dinitrotoluene	ND<75	ND<75	65
4-Nitroaniline	ND<20	ND<20	80
Acenaphthene	ND<1.0	ND<1.0	68
2,4-Dinitrophenol	ND<20	ND<20	50
2,4-Dinitrotoluene	ND<75	ND<75	75
4-Nitrophenol	ND<75	ND<75	20
›enzofuran	ND<1.0	ND<1.0	65
.uorene	ND<1.0	ND<1.0	75
4-Chlorophenyl-phenylether	ND<20	ND<20	60
Diethylphthalate	ND<20	ND<20	68
3-Nitroaniline	ND<20	ND<20	65
4,6-Dinitro-2-methylphenol	ND<20	ND<20	68
n-Nitrosodiphenylamine	ND<20	ND<20	95
Azobenzene	ND<20	ND<20	65
4-Bromophenyl-phenylether	ND<20	ND<20	65
Hexachlorobenzene	ND<0.077	ND<0.077	65
Pentachlorophenol	ND<1.0	ND<1.0	45
Phenanthrene	ND<0.077	ND<0.077	80
Anthracene	ND<1.0	ND<1.0	82
Di-n-butylphthalate	ND<20	ND<20	72
Fluoranthene	ND<1.0	ND<1.0	82
Pyrene	ND<1.0	ND<1.0	82
Butylbenzylphthalate	ND<20	ND<20	55
Benzo[a]anthracene	ND<0.06	ND<0.06	75
Chrysene	ND<1.0	ND<1.0	72
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	52
Di-n-octylphthalate	ND<20	ND<20	50
Benzo[b]fluoranthene	ND<0.08	ND<0.08	68
Benzo[k]fluoranthene	ND<0.30	ND<0.30	72
Benzo[a]pyrene	ND<0.20	ND<0.20	75
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	78
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	78
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	80

) is not detected

Narrative

3. Samples were received at 10°C with evidence of cooling.

4. Chloroethane LCS recovery low for sample AD16351.
   Vinyl Chloride dup recovery low for sample AD16351.
   Benzyl Alcohol spike, dup and LCS recoveries low for sample AD16353.
   4-Chloroaniline spike and dup recoveries low for sample AD16353.
   Hexachlorocyclopentadiene spike, dup and LCS recoveries low for sample AD16353.
   2,4-Dinitrophenol spike and dup recoveries low for sample AD16353.
   Vinyl Chloride spike recovery low for sample AD16274.
   Pyridine LCS recovery low for sample AD16354.
   n-Nitroso-dimethylamine LCS recovery low for sample AD16354.
   Phenol LCS recovery low for sample AD16354.
   Aniline LCS recovery low for sample AD16354.
   Hexachlorocyclopentadiene LCS recovery low for sample AD16354.

Percent Solids Logbook

Date: 12-16-06

Pan #	CET#	Sample ID	Pan wt	Initial wt	Final wt	% Total Solids	Analyst
1	288	16090	1.01	13.83	12.06	80	D H/SG
2		DUP	1.03	10.50	9.37	79	
3	288	16091	1.02	13.16	11.70	81	
4	340	16331	1.01	14.94	11.41	70	
5		16338	1.01	10.97	9.00	73	
6		16339	1.03	11.78	10.59	81	
7		16340	1.04	15.24	12.15	73	
8		16341	1.01	13.28	6.69	43	
9	342	16351	1.02	12.60	11.78	85	
10		16352	1.04	11.55	10.84	85	
11		16353	1.03	13.58	12.30	85	
12	344	16358	1.00	10.20	~~9.94~~ 9.94	88	
13		16359	0.97	12.12	12.07	92	
14		16360	0.99	11.92	11.47	88	
15		16361	1.00	10.67	10.12	85	
16	345	16362	0.99	11.05	10.51	86	
17		16363	1.01	10.83	10.34	86	
18		16364	1.00	11.68	11.04	86	
19		16365	1.01	14.50	13.44	86	
20		16366	0.99	10.62	10.12	86	
21	355	16 ~~367~~ 398	1.00	12.89	12.60	90	
22		16 ~~368~~ 399	0.99	11.97	11.95	92	
23		16 ~~369~~ 397	1.00	10.73	10.86	92	

Re-weigh CET#: 344 Re-weigh Sample ID #: 16359 (13) Re-weigh: 12.07

RPD: 1.3%

Secondary Review: [signature] Date: 12-23-06

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 26, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford Ct
Project #: 206937
CET #: 06120121
PO #: 206937
Soil: AOC22-SS-SB01-56; AOC22-SS-SB01-57; AOC22-SS-SB02-58; AOC22-SS-SB03-59; AOC22-SS-SB03-60; AOC22-SS-SB04-61; AOC22-SS-SB04-62; AOC22-SS-SB05-63; AOC22-SS-SB05-63A; AOC22-SS-SB05-64; AOC22-SS-SB05-64A; AOC22-SS-SB06-65; AOC22-SS-SB07-66; AOC22-SS-SB07-67; AOC22-SS-SB08-68; AOC22-SS-SB08-69; AOC22-SS-SB09-70; AOC22-SS-SB09-70A; AOC22-SS-SB10-71; AOC22-SS-SB10-72; AOC22-SS-SB11-73; AOC22-SS-SB11-73A; AOC22-SS-SB12-74; AOC22-SS-SB12-74A; AOC22-SS-SB12-75; AOC22-SS-SB13-76; AOC22-SS-SB13-76A; AOC22-SS-SB13-77; AOC22-SS-SB14-78; AOC22-SS-SB14-79; AOC22-SS-SB15-80; AOC22-SS-SB15-80A; AOC22-SS-SB15-81; AOC23-SS-SB12-51; AOC23-SS-SB13-52; AOC23-SS-SB14-53; C23-SS-SB15-54; AOC23-SS-SB16-55; AOC23-SS-SB16-55A; AOC26-SS-SB01-29; AOC26-SS-SB02-30; AOC26-SS-SB03-31
Collection Date(s): 12/5/2006
Water: EB04; TB03
Collection Date(s): 12/5/2006

PREP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/11/2006

Acid Digestion [EPA 3050B]

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/7/2006

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/11/2006

NOTES:
Indicates Date Prep Test Completed; ND is Not Detected.

Accelerated Solvent Extraction [EPA 3545]

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/9/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC26-SS-SB01-29	AOC26-SS-SB02-30	AOC26-SS-SB03-31	AOC23-SS-SB12-51	AOC23-SS-SB13-52
CET ID	AD15366	AD15367	AD15368	AD15369	AD15370
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC23-SS-SB14-53	AOC23-SS-SB15-54	AOC23-SS-SB16-55	AOC22-SS-SB01-56	AOC22-SS-SB01-57
CET ID	AD15371	AD15372	AD15373	AD15375	AD15376
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC22-SS-SB02-58	AOC22-SS-SB03-59	AOC22-SS-SB03-60	AOC22-SS-SB04-61	AOC22-SS-SB04-62
CET ID	AD15377	AD15378	AD15379	AD15380	AD15381
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC22-SS-SB05-63	AOC22-SS-SB05-64	AOC22-SS-SB05-64A	AOC22-SS-SB06-65	AOC22-SS-SB07-66
CET ID	AD15382	AD15384	AD15385	AD15386	AD15387
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC22-SS-SB07-67	AOC22-SS-SB08-68	AOC22-SS-SB08-69	AOC22-SS-SB09-70	AOC22-SS-SB10-71
CET ID	AD15388	AD15389	AD15390	AD15391	AD15393
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC22-SS-SB10-72	AOC22-SS-SB11-73	AOC22-SS-SB11-73A	AOC22-SS-SB12-74	AOC22-SS-SB12-75
CET ID	AD15394	AD15395	AD15396	AD15397	AD15399
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC22-SS-SB13-76	AOC22-SS-SB13-77	AOC22-SS-SB14-78	AOC22-SS-SB14-79	AOC22-SS-SB15-80
CET ID	AD15400	AD15402	AD15403	AD15404	AD15405
Date Analyzed	12/8/2006	12/8/2006	12/8/2006	12/8/2006	12/8/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC22-SS-SB15-81
CET ID	AD15407
Date Analyzed	12/8/2006

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Ultrasonic Ext. PCB and Pest [EPA 3550B]

Client ID	AOC23-SS-SB16-55A	AOC22-SS-SB05-63A	AOC22-SS-SB09-70A	AOC22-SS-SB12-74A	AOC22-SS-SB13-76A
CET ID	AD15374	AD15383	AD15392	AD15398	AD15401
Date Analyzed	12/12/2006	12/12/2006	12/12/2006	12/12/2006	12/12/2006

Ultrasonic Ext. PCB and Pest [EPA 3550B]

Client ID	AOC22-SS-SB15-80A
CET ID	AD15406
Date Analyzed	12/12/2006

Closed System P&T Extraction [EPA 5035]

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/7/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/9/2006

ANALYSIS:

Total Mercury [EPA 200.8] Units: mg/l

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/12/2006
Total Mercury	ND < 0.0004

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/11/2006
Total Mercury	0.32

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC26-SS-SB01-29	AOC26-SS-SB02-30	AOC26-SS-SB03-31	AOC23-SS-SB12-51	AOC23-SS-SB13-52
CET ID	AD15366	AD15367	AD15368	AD15369	AD15370
Date Analyzed	12/14/2006	12/14/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	92	94	89	85	75

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC23-SS-SB14-53	AOC23-SS-SB15-54	AOC23-SS-SB16-55	AOC23-SS-SB16-55A	AOC22-SS-SB01-56
CET ID	AD15371	AD15372	AD15373	AD15374	AD15375
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	93	78	78	79	77

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB01-57	AOC22-SS-SB02-58	AOC22-SS-SB03-59	AOC22-SS-SB03-60	AOC22-SS-SB04-61
CET ID	AD15376	AD15377	AD15378	AD15379	AD15380
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	76	79	85	84	85

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB04-62	AOC22-SS-SB05-63	AOC22-SS-SB05-63A	AOC22-SS-SB05-64	AOC22-SS-SB05-64A
CET ID	AD15381	AD15382	AD15383	AD15384	AD15385
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	84	84	80	85	83

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB06-65	AOC22-SS-SB07-66	AOC22-SS-SB07-67	AOC22-SS-SB08-68	AOC22-SS-SB08-69
CET ID	AD15386	AD15387	AD15388	AD15389	AD15390
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	83	72	74	89	81

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB09-70	AOC22-SS-SB09-70A	AOC22-SS-SB10-71	AOC22-SS-SB10-72	AOC22-SS-SB11-73
CET ID	AD15391	AD15392	AD15393	AD15394	AD15395
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	65	66	82	56	87

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB11-73A	AOC22-SS-SB12-74	AOC22-SS-SB12-74A	AOC22-SS-SB12-75	AOC22-SS-SB13-76
CET ID	AD15396	AD15397	AD15398	AD15399	AD15400
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006
Total Solids	87	87	90	90	75

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB13-76A	AOC22-SS-SB13-77	AOC22-SS-SB14-78	AOC22-SS-SB14-79	AOC22-SS-SB15-80
CET ID	AD15401	AD15402	AD15403	AD15404	AD15405
Date Analyzed	12/9/2006	12/9/2006	12/7/2006	12/9/2006	12/9/2006
Total Solids	77	85	71	82	84

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC22-SS-SB15-80A	AOC22-SS-SB15-81
CET ID	AD15406	AD15407
Date Analyzed	12/9/2006	12/9/2006
Total Solids	87	68

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/7/2006
Dilution	1.0
Lead	34
Selenium	ND < 1.5
Cadmium	1.7
Chromium	30
Arsenic	22
Barium	120
Silver	ND < 3.0

Total Metals [EPA 200.8] Units: mg/l

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/12/2006
Dilution	1.0
Lead	ND < 0.013
Selenium	ND < 0.01
Cadmium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/13/2006
DCB (Surr)	117
PCB-1016	ND < 0.50
PCB-1221	ND < 0.50
PCB-1232	ND < 0.50
PCB-1242	ND < 0.50
PCB-1248	ND < 0.50
PCB-1254	ND < 0.50
PCB-1260	ND < 0.50
TCMX (Surr)	96

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC26-SS-SB01-29	AOC26-SS-SB02-30	AOC26-SS-SB03-31	AOC23-SS-SB12-51	AOC23-SS-SB13-52
CET ID	AD15366	AD15367	AD15368	AD15369	AD15370
Date Analyzed	12/11/2006	12/11/2006	12/11/2006	12/11/2006	12/11/2006
DCB (Surr 2)	117	138	125	117	101
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1248	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1254	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.30	1.3	0.80
TCMX (Surr 1)	97	104	102	102	92

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC23-SS-SB14-53	AOC23-SS-SB15-54	AOC23-SS-SB16-55	AOC23-SS-SB16-55A	AOC22-SS-SB01-56
CET ID	AD15371	AD15372	AD15373	AD15374	AD15375
Date Analyzed	12/11/2006	12/11/2006	12/11/2006	12/12/2006	12/11/2006
DCB (Surr 2)	144	127	84	69	142
Dilution	4	5	1	1	5
PCB-1016	ND < 1.1	ND < 1.7	ND < 0.40	ND < 0.40	ND < 1.7
PCB-1221	ND < 1.1	ND < 1.7	ND < 0.40	ND < 0.40	ND < 1.7
PCB-1232	ND < 1.1	ND < 1.7	ND < 0.40	ND < 0.40	ND < 1.7
PCB-1242	ND < 1.1	ND < 1.7	ND < 0.40	ND < 0.40	ND < 1.7
PCB-1248	ND < 1.1	ND < 1.7	ND < 0.40	ND < 0.40	ND < 1.7
PCB-1254	ND < 1.1	ND < 1.7	0.97	0.60	10
PCB-1260	3.2	9.3	1.0	0.70	ND < 1.7
TCMX (Surr 1)	121	121	92	104	117

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB01-57	AOC22-SS-SB02-58	AOC22-SS-SB03-59	AOC22-SS-SB03-60	AOC22-SS-SB04-61
CET ID	AD15376	AD15377	AD15378	AD15379	AD15380
Date Analyzed	12/11/2006	12/11/2006	12/12/2006	12/12/2006	12/12/2006
DCB (Surr 2)	102	84	117	134	123
Dilution	1	1	1	1	1
PCB-1016	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1221	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1232	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1242	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1248	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.30	ND < 0.30
PCB-1254	ND < 0.40	ND < 0.40	1.3	1.3	0.70
PCB-1260	ND < 0.40	1.5	ND < 0.30	ND < 0.30	ND < 0.30
TCMX (Surr 1)	94	115	99	102	108

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB04-62	AOC22-SS-SB05-63	AOC22-SS-SB05-63A	AOC22-SS-SB05-64**	AOC22-SS-SB05-64A**
CET ID	AD15381	AD15382	AD15383	AD15384	AD15385
Date Analyzed	12/12/2006	12/11/2006	12/12/2006	12/13/2006	12/13/2006
DCB (Surr 2)	111	136	72	111	100
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.40	ND < 3.0	ND < 3.1
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.40	ND < 3.0	ND < 3.1
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.40	ND < 3.0	ND < 3.1
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.40	ND < 3.0	ND < 3.1
PCB-1248	ND < 0.30	ND < 0.30	0.67	ND < 3.0	ND < 3.1
PCB-1254	1.2	1.1	1.3	ND < 3.0	ND < 3.1
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.40	ND < 3.0	ND < 3.1
TCMX (Surr 1)	99	99	110	80	79

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB06-65**	AOC22-SS-SB07-66	AOC22-SS-SB07-67	AOC22-SS-SB08-68	AOC22-SS-SB08-69
CET ID	AD15386	AD15387	AD15388	AD15389	AD15390
Date Analyzed	12/13/2006	12/13/2006	12/11/2006	12/11/2006	12/11/2006
DCB (Surr 2)	103	95	105	150	107
Dilution	1	1	1	1	1
PCB-1016	ND < 3.1	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.40
PCB-1221	ND < 3.1	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.40
PCB-1232	ND < 3.1	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.40
PCB-1242	ND < 3.1	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.40
PCB-1248	ND < 3.1	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.40
PCB-1254	ND < 3.1	ND < 0.40	ND < 0.40	1.9	ND < 0.40
PCB-1260	ND < 3.1	ND < 0.40	ND < 0.40	ND < 0.30	ND < 0.40
TCMX (Surr 1)	78	73	97	101	103

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB09-70**	AOC22-SS-SB09-70A	AOC22-SS-SB10-71	AOC22-SS-SB10-72	AOC22-SS-SB11-73
CET ID	AD15391	AD15392	AD15393	AD15394	AD15395
Date Analyzed	12/13/2006	12/16/2006	12/12/2006	12/13/2006	12/13/2006
DCB (Surr 2)	91	*	110	*	*
Dilution	1	20	1	10	20
PCB-1016	ND < 7.7	ND < 7.6	ND < 0.40	ND < 4.5	ND < 5.8
PCB-1221	ND < 7.7	ND < 7.6	ND < 0.40	ND < 4.5	ND < 5.8
PCB-1232	ND < 7.7	ND < 7.6	ND < 0.40	ND < 4.5	ND < 5.8
PCB-1242	ND < 7.7	ND < 7.6	ND < 0.40	ND < 4.5	ND < 5.8
PCB-1248	ND < 7.7	93	ND < 0.40	21	13
PCB-1254	ND < 7.7	45	0.75	ND < 4.5	ND < 5.8
PCB-1260	ND < 7.7	64	0.79	13	31
TCMX (Surr 1)	90	*	103	*	*

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB11-73A	AOC22-SS-SB12-74	AOC22-SS-SB12-74A	AOC22-SS-SB12-75	AOC22-SS-SB13-76
CET ID	AD15396	AD15397	AD15398	AD15399	AD15400
Date Analyzed	12/13/2006	12/12/2006	12/15/2006	12/12/2006	12/13/2006
DCB (Surr 2)	*	99	89	83	*
Dilution	50	1	1	1	100
PCB-1016	ND < 15	ND < 0.30	ND < 0.30	ND < 0.30	ND < 34
PCB-1221	ND < 15	ND < 0.30	ND < 0.30	ND < 0.30	ND < 34
PCB-1232	ND < 15	ND < 0.30	ND < 0.30	ND < 0.30	ND < 34
PCB-1242	ND < 15	ND < 0.30	ND < 0.30	ND < 0.30	ND < 34
PCB-1248	20	ND < 0.30	0.42	ND < 0.30	120
PCB-1254	ND < 15	0.44	0.56	ND < 0.30	ND < 34
PCB-1260	64	ND < 0.30	ND < 0.30	ND < 0.30	ND < 34
TCMX (Surr 1)	*	89	98	70	*

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB13-76A	AOC22-SS-SB13-77	AOC22-SS-SB14-78	AOC22-SS-SB14-79	AOC22-SS-SB15-80
CET ID	AD15401	AD15402	AD15403	AD15404	AD15405
Date Analyzed	12/15/2006	12/13/2006	12/11/2006	12/11/2006	12/13/2006
DCB (Surr 2)	*	101	107	116	139
Dilution	100	1	1	1	5
PCB-1016	ND < 33	ND < 0.30	ND < 0.40	ND < 0.40	ND < 1.5
PCB-1221	ND < 33	ND < 0.30	ND < 0.40	ND < 0.40	ND < 1.5
PCB-1232	ND < 33	ND < 0.30	ND < 0.40	ND < 0.40	ND < 1.5
PCB-1242	ND < 33	ND < 0.30	ND < 0.40	ND < 0.40	ND < 1.5
PCB-1248	140	ND < 0.30	ND < 0.40	ND < 0.40	ND < 1.5
PCB-1254	ND < 33	ND < 0.30	ND < 0.40	ND < 0.40	4.5
PCB-1260	ND < 33	ND < 0.30	ND < 0.40	ND < 0.40	7.3
TCMX (Surr 1)	*	101	103	104	127

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB15-80A	AOC22-SS-SB15-81
CET ID	AD15406	AD15407
Date Analyzed	12/15/2006	12/11/2006
DCB (Surr 2)	78	112
Dilution	4	1
PCB-1016	ND < 1.2	ND < 0.40
PCB-1221	ND < 1.2	ND < 0.40
PCB-1232	ND < 1.2	ND < 0.40
PCB-1242	ND < 1.2	ND < 0.40
PCB-1248	ND < 1.2	ND < 0.40
PCB-1254	4.4	ND < 0.40
PCB-1260	6.2	ND < 0.40
TCMX (Surr 1)	92	101

- *Surogates diluted out of samples
- ** Detection limits raised due to an interfering pattern of peaks.

es:
] Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/8/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
2-Chlorophenol	ND < 20
1,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
1,2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
,4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20
2,6-Dinitrotoluene	ND < 75
4-Nitroaniline	ND < 20
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB04
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
Anthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
3,3-Dichlorobenzidine	ND < 75
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	39
Phenol-d5 (Surr) 15-110	24
Nitrobenzene-d5(Surr) 30-130	81
2-Fluorobiphenyl (Surr) 30-130	78
2,4,6-Tribromophenol (Surr) 15-115	94
Terphenyl-d14 (Surr) 30-130	56

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/10/2006
Dilution	1
Pyridine	ND < 423
n-Nitroso-dimethylamine	ND < 423
bis(2-Chloroethyl)ether	ND < 423
Phenol	ND < 423
Aniline	ND < 423
2-Chlorophenol	ND < 423
1,3-Dichlorobenzene	ND < 423
1,4-Dichlorobenzene	ND < 423
Benzyl Alcohol	ND < 423
1,2-Dichlorobenzene	ND < 423
bis(2-chloroisopropyl)ether	ND < 423
Hexachloroethane	ND < 423

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
N-Nitroso-di-n-propylamine	ND < 423
2-Methyl Phenol	ND < 423
3+4 Methyl Phenol	ND < 423
Nitrobenzene	ND < 423
Isophorone	ND < 423
2-Nitrophenol	ND < 423
2,4-Dimethylphenol	ND < 423
bis(2-Chloroethoxy)methane	ND < 423
Benzoic Acid	ND < 423
2,4-Dichlorophenol	ND < 423
1,2,4-Trichlorobenzene	ND < 423
Naphthalene	ND < 423
2,6-Dichlorophenol	ND < 423
4-Chloroaniline	ND < 423
Hexachlorobutadiene	ND < 423
4-Chloro-3-methylphenol	ND < 423
2-Methyl Naphthalene	ND < 423
Hexachlorocyclopentadiene	ND < 423
2,4,6-Trichlorophenol	ND < 423
2,4,5-Trichlorophenol	ND < 423
2-Chloronaphthalene	ND < 423
2-Nitroaniline	ND < 423
Acenaphthylene	ND < 423
Dimethylphthalate	ND < 423
2,6-Dinitrotoluene	ND < 423
4-Nitroaniline	ND < 423
Acenaphthene	ND < 423
2,4-Dinitrophenol	ND < 423
2,4-Dinitrotoluene	ND < 423
4-Nitrophenol	ND < 423
Dibenzofuran	ND < 423
2,3,4,6-Tetrachlorophenol	ND < 423
Fluorene	ND < 423
4-Chlorophenyl-phenylether	ND < 423
Diethylphthalate	ND < 423
3-Nitroaniline	ND < 423
4,6-Dinitro-2-methylphenol	ND < 423
n-Nitrosodiphenylamine	ND < 423
Azobenzene	ND < 423
4-Bromophenyl-phenylether	ND < 423
Hexachlorobenzene	ND < 423
Pentachlorophenol	ND < 423
Benzidine	ND < 423
Phenanthrene	ND < 423
Anthracene	ND < 423
Carbazole	ND < 423
Di-n-butylphthalate	ND < 423
Fluoranthene	ND < 423
Pyrene	ND < 423
Butylbenzylphthalate	ND < 423

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
3,3-Dichlorobenzidine	ND < 423
Benzo[a]anthracene	ND < 423
Chrysene	ND < 423
bis(2-Ethylhexyl)phthalate	ND < 423
Di-n-octylphthalate	ND < 423
Benzo[b]fluoranthene	ND < 423
Benzo[k]fluoranthene	ND < 423
Benzo[a]pyrene	ND < 423
Indeno[1,2,3-cd]pyrene	ND < 423
Dibenz[a,h]anthracene	ND < 423
Benzo[g,h,i]perylene	ND < 423
2-Fluorophenol (Surr) 30-130	40.9
Phenol-d5 (Surr) 30-130	60.6
Nitrobenzene-d5(Surr) 30-130	68
2-Fluorobiphenyl (Surr) 30-130	66.7
2,4,6-Tribromophenol (Surr) 30-130	63.9
Terphenyl-d14 (Surr) 30-130	66.3

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB04
CET ID	AD15408
Date Analyzed	12/9/2006
Dilution	1.0
ETPH	ND < 0.10
Octacosane (surr)	89

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/7/2006
Dilution	1.0
ETPH	ND < 71
Octacosane (surr)	87.4

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB04	TB03
CET ID	AD15408	AD15409
Date Analyzed	12/11/2006	12/12/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB04	TB03
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB04	TB03
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	98.3	97.7
toluene-d8 (SURR) 70-130	97.6	96.5
4-bromofluorobenzene (SURR) 70-130	102	102

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/7/2006
Dilution	1.0
Dichlorodifluoromethane	ND < 22
Chloromethane	ND < 15
Vinyl Chloride	ND < 8.0
Bromomethane	ND < 15
Chloroethane	ND < 15
Acetone	ND < 140
crylonitrile	ND < 22
Trichlorofluoromethane	ND < 22
Trichlorotrifluoroethane	ND < 22
1,1-Dichloroethene	ND < 8.0
Methylene Chloride	ND < 22
Carbon Disulfide	ND < 15
Methyl-t-Butyl Ether (MTBE)	ND < 8.0
trans-1,2-Dichloroethene	ND < 8.0
1,1-Dichloroethane	ND < 8.0
2-Butanone (MEK)	ND < 36
2,2-Dichloropropane	ND < 8.0
cis-1,2-Dichloroethene	ND < 8.0
Chloroform	ND < 8.0
Tetrahydrofuran	ND < 36
1,1,1-Trichloroethane	ND < 8.0
Carbon Tetrachloride	ND < 8.0
1,1-Dichloropropene	ND < 8.0
Benzene	ND < 2.0
1,2-Dichloroethane	ND < 8.0
Methyl Isobutyl Ketone	ND < 36
Trichloroethene	7800E
1,2-Dichloropropane	ND < 8.0
Dibromomethane	ND < 8.0
Bromodichloromethane	ND < 8.0
2-Hexanone	ND < 36
cis-1,3-Dichloropropene	ND < 8.0
Toluene	ND < 8.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
trans-1,3-Dichloropropene	ND < 8.0
1,1,2-Trichloroethane	13
Tetrachloroethene	20
1,3-Dichloropropane	ND < 8.0
Dibromochloromethane	ND < 8.0
1,2-Dibromoethane	ND < 8.0
trans-1,4-Dichloro-2-Butene	ND < 36
Chlorobenzene	ND < 8.0
1,1,1,2-Tetrachloroethane	ND < 8.0
Ethylbenzene	ND < 8.0
m+p Xylenes	ND < 8.0
o-Xylene	ND < 8.0
Styrene	ND < 8.0
Bromoform	ND < 8.0
Isopropylbenzene	ND < 8.0
1,1,2,2-Tetrachloroethane	ND < 8.0
Bromobenzene	ND < 8.0
1,2,3-Trichloropropane	ND < 8.0
n-Propylbenzene	ND < 8.0
2-Chlorotoluene	ND < 8.0
4-Chlorotoluene	ND < 8.0
1,3,5-Trimethylbenzene	ND < 8.0
tert-Butylbenzene	ND < 8.0
1,2,4-Trimethylbenzene	ND < 8.0
sec-Butylbenzene	ND < 8.0
1,3-Dichlorobenzene	ND < 8.0
4-Isopropyltoluene	ND < 8.0
1,4-Dichlorobenzene	ND < 8.0
1,2-Dichlorobenzene	ND < 8.0
n-Butylbenzene	ND < 8.0
1,2-Dibromo-3-Chloropropane	ND < 8.0
1,2,4-Trichlorobenzene	ND < 8.0
Hexachlorobutadiene	ND < 8.0
Naphthalene	ND < 8.0
1,2,3-Trichlorobenzene	ND < 8.0
1,2 Dichloroethane-d4 (SURR) 70-130	127
toluene-d8 (SURR) 70-130	91.1
4-bromofluorobenzene (SURR) 70-130	156 H

Volatile Organics Dilution [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
CET ID	AD15403
Date Analyzed	12/9/2006
Dilution	108.0
Dichlorodifluoromethane	ND < 2300
Chloromethane	ND < 1500
Vinyl Chloride	ND < 760
Bromomethane	ND < 1500
Chloroethane	ND < 1500
Acetone	ND < 15000

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

olatile Organics Dilution [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
Acrylonitrile	ND < 2300
Trichlorofluoromethane	ND < 2300
Trichlorotrifluoroethane	ND < 2300
1,1-Dichloroethene	ND < 760
Methylene Chloride	ND < 2300
Carbon Disulfide	ND < 1500
Methyl-t-Butyl Ether (MTBE)	ND < 760
trans-1,2-Dichloroethene	ND < 760
1,1-Dichloroethane	ND < 760
2-Butanone (MEK)	ND < 3800
2,2-Dichloropropane	ND < 760
cis-1,2-Dichloroethene	ND < 760
Chloroform	ND < 760
Tetrahydrofuran	ND < 3800
1,1,1-Trichloroethane	ND < 760
Carbon Tetrachloride	ND < 760
1,1-Dichloropropene	ND < 760
Benzene	ND < 150
1,2-Dichloroethane	ND < 760
Methyl Isobutyl Ketone	ND < 3800
Trichloroethene	18000
1,2-Dichloropropane	ND < 760
Dibromomethane	ND < 760
Bromodichloromethane	ND < 760
-Hexanone	ND < 3800
cis-1,3-Dichloropropene	ND < 760
Toluene	ND < 760
trans-1,3-Dichloropropene	ND < 760
1,1,2-Trichloroethane	ND < 760
Tetrachloroethene	ND < 760
1,3-Dichloropropane	ND < 760
Dibromochloromethane	ND < 760
1,2-Dibromoethane	ND < 760
trans-1,4-Dichloro-2-Butene	ND < 3800
Chlorobenzene	ND < 760
1,1,1,2-Tetrachloroethane	ND < 760
Ethylbenzene	ND < 760
m+p Xylenes	ND < 760
o-Xylene	ND < 760
Styrene	ND < 760
Bromoform	ND < 760
Isopropylbenzene	ND < 760
1,1,2,2-Tetrachloroethane	ND < 760
Bromobenzene	ND < 760
1,2,3-Trichloropropane	ND < 760
n-Propylbenzene	ND < 760
2-Chlorotoluene	ND < 760
4-Chlorotoluene	ND < 760
1,3,5-Trimethylbenzene	ND < 760
tert-Butylbenzene	ND < 760

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

olatile Organics Dilution [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC22-SS-SB14-78
1,2,4-Trimethylbenzene	ND < 760
sec-Butylbenzene	ND < 760
1,3-Dichlorobenzene	ND < 760
4-Isopropyltoluene	ND < 760
1,4-Dichlorobenzene	ND < 760
1,2-Dichlorobenzene	ND < 760
n-Butylbenzene	ND < 760
1,2-Dibromo-3-Chloropropane	ND < 760
1,2,4-Trichlorobenzene	ND < 760
Hexachlorobutadiene	ND < 760
Naphthalene	ND < 760
1,2,3-Trichlorobenzene	ND < 760
1,2 Dichloroethane-d4 (SURR) 70-130	103
toluene-d8 (SURR) 70-130	101
4-bromofluorobenzene (SURR) 70-130	87.2

H – Surrogate recovery high
E – Estimated value, exceeds calibration curve
Sincerely,

vid Ditta
oratory Director

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 12/5/2006 ***CET #:*** 06120121

Laboratory Sample ID(s): AD15366-AD15410

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/2/2007

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford Ct
CET#: 06120121

QA Type: Total Metals Date Analyzed: 12/7/2006 QA Sample ID: AD15359

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	4.1	26.9	26.5	26.2	83	82	1.30	ND<2.0	100
Selenium	ND<1.5	53.8	45.8	44.6	85	83	2.60	ND<1.0	101
Cadmium	ND<1.0	26.9	22.5	22.0	84	82	2.20	ND<0.50	98
Chromium	7.6	26.9	28.4	28.9	77	79	2.40	ND<2.0	99
Arsenic	2.9	26.9	25.1	25.1	82	82	0.00	ND<1.0	98
Barium	32	26.9	59.8	58.0	103	97	6.30	ND<2.0	106
Silver	ND<2.5	5.38	4.89	4.73	91	88	3.40	ND<2.0	99

QA Type: Conn. Extractable TPH Date Analyzed: 12/11/2006 QA Sample ID: AD15534

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<51	1520	1480	1480	97	97	0.00	ND<50	98

QA Type: Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD15272

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	198	195	227	98	115	15.50	ND<5.0	90
1,1,1-Trichloroethane	ND<6.0	198	185	221	93	112	18.10	ND<5.0	91
1,1,2,2-Tetrachloroethane	ND<6.0	198	213	223	108	113	4.50	ND<5.0	93
1,1,2-Trichloroethane	ND<6.0	198	185	208	93	105	11.70	ND<5.0	98
1,1-Dichloroethane	ND<6.0	198	173	207	87	105	18.30	ND<5.0	94
1,1-Dichloroethene	ND<6.0	198	190	220	96	111	14.50	ND<5.0	96
1,1-Dichloropropene	ND<6.0	198	183	213	92	108	15.60	ND<5.0	92
1,2,3-Trichlorobenzene	ND<6.0	198	191	212	96	107	10.30	ND<5.0	98
1,2,3-Trichloropropane	ND<6.0	198	166	200	84	101	18.60	ND<5.0	94
1,2,4-Trichlorobenzene	ND<6.0	198	194	218	98	110	11.50	ND<5.0	96
1,2,4-Trimethylbenzene	ND<6.0	198	200	234	101	118	15.50	ND<5.0	99
1,2-Dibromo-3-Chloropropane	ND<6.0	198	213	194	108	98	9.70	ND<5.0	104
1,2-Dibromoethane	ND<6.0	198	178	194	90	98	8.60	ND<5.0	90
1,2-Dichlorobenzene	ND<6.0	198	198	235	100	119	17.40	ND<5.0	99
1,2-Dichloroethane	ND<6.0	198	179	199	90	100	10.10	ND<5.0	93
1,2-Dichloropropane	ND<6.0	198	176	208	89	105	16.60	ND<5.0	92
1,3,5-Trimethylbenzene	ND<6.0	198	200	236	101	119	16.40	ND<5.0	97
-Dichlorobenzene	ND<6.0	198	199	235	100	119	17.40	ND<5.0	99
-Dichloropropane	ND<6.0	198	183	208	92	105	12.80	ND<5.0	97

QA Type: Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD15272

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,4-Dichlorobenzene	ND<6.0	198	195	226	98	114	14.60	ND<5.0	96
2,2-Dichloropropane	ND<6.0	198	172	194	87	98	12.00	ND<5.0	84
2-Butanone (MEK)	ND<30	395	372	314	94	80	16.90	ND<25	93
2-Chlorotoluene	ND<6.0	198	213	250	108	126	15.40	ND<5.0	97
2-Hexanone	ND<30	395	431	380	109	96	12.50	ND<25	92
4-Chlorotoluene	ND<6.0	198	169	205	85	104	19.60	ND<5.0	97
4-Isopropyltoluene	ND<6.0	198	209	248	106	125	16.40	ND<5.0	99
Acetone	ND<120	395	323	290	82	73	10.80	ND<100	55
Acrylonitrile	ND<18	198	182	167	92	84	8.60	ND<100	100
Benzene	ND<2.0	198	161	193	81	98	18.10	ND<5.0	86
Bromobenzene	ND<6.0	198	194	227	98	115	16.00	ND<5.0	97
Bromochloromethane	ND<6.0	198	172	200	87	101	15.00	ND<5.0	94
Bromodichloromethane	ND<6.0	198	180	212	91	107	16.30	ND<5.0	95
Bromoform	ND<6.0	198	207	224	105	113	7.30	ND<5.0	95
Bromomethane	ND<12	198	111	162	56	82	37.30	ND<5.0	64
Carbon Disulfide	ND<12	198	180	212	91	107	16.30	ND<5.0	90
Carbon Tetrachloride	ND<6.0	198	186	218	94	110	15.80	ND<5.0	93
Chlorobenzene	ND<6.0	198	193	225	98	114	15.60	ND<5.0	90
Chloroethane	ND<12	198	112	170	57	86	41.10	ND<5.0	62
Chloroform	ND<6.0	198	172	207	87	105	18.90	ND<5.0	95
Chloromethane	ND<12	198	183	199	92	100	7.90	ND<5.0	77
cis-1,2-Dichloroethene	ND<6.0	198	174	205	88	104	16.80	ND<5.0	93
1,3-Dichloropropene	ND<6.0	198	177	208	89	105	16.00	ND<5.0	96
ibromochloromethane	ND<6.0	198	187	215	94	109	14.40	ND<5.0	91
Dibromomethane	ND<6.0	198	180	201	91	102	11.50	ND<5.0	99
Dichlorodifluoromethane	ND<18	198	229	248	116	125	7.50	ND<25	62
Ethyl Methacrylate	ND<6.0	198	185	204	93	103	9.80	ND<25	99
Ethylbenzene	ND<6.0	198	196	226	99	114	14.10	ND<5.0	86
Hexachlorobutadiene	ND<6.0	198	205	233	104	118	12.60	ND<5.0	97
Isopropylbenzene	ND<6.0	198	201	232	102	117	13.70	ND<5.0	89
m+p Xylenes	ND<6.0	395	390	454	99	115	15.30	ND<5.0	89
Methyl Isobutyl Ketone	ND<30	395	418	388	106	98	7.60	ND<25	93
Methyl Methacrylate	ND<6.0	198	196	200	99	101	2.00	ND<25	98
Methyl-t-Butyl Ether (MTBE)	ND<6.0	198	169	201	85	102	17.70	ND<5.0	95
Methylene Chloride	ND<18	198	165	194	83	98	16.20	ND<5.0	85
n-Butylbenzene	ND<6.0	198	213	247	108	125	14.60	ND<5.0	96
n-Propylbenzene	ND<6.0	198	195	232	98	117	17.20	ND<5.0	96
Naphthalene	ND<6.0	198	201	201	102	102	0.00	ND<5.0	104
o-Xylene	ND<6.0	198	193	221	98	112	13.80	ND<5.0	89
sec-Butylbenzene	ND<6.0	198	210	248	106	125	16.40	ND<5.0	99
Styrene	ND<6.0	198	192	222	97	112	14.40	ND<5.0	90
tert-Butylbenzene	ND<6.0	198	206	246	104	124	17.50	ND<5.0	101
Tetrachloroethene	ND<6.0	198	182	211	92	107	15.20	ND<5.0	92
Tetrahydrofuran	ND<30	198	163	147	82	74	10.40	ND<25	82
Toluene	ND<6.0	198	182	214	92	108	16.10	ND<5.0	96
trans-1,2-Dichloroethene	ND<6.0	198	176	208	89	105	16.60	ND<5.0	92
trans-1,3-Dichloropropene	ND<6.0	198	186	212	94	107	13.00	ND<5.0	97
Trichloroethene	ND<6.0	198	169	199	85	100	15.80	ND<5.0	93
Trichlorofluoromethane	ND<18	198	201	235	102	119	15.40	ND<5.0	93
chlorotrifluoroethane	ND<18	198	145	179	73	90	21.00	ND<25	69
ıyl Chloride	ND<6.0	198	174	204	88	103	15.80	ND<5.0	73

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15272

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pyridine	ND<358	4800	450	420	9	9	6.95	ND<300	44
n-Nitroso-dimethylamine	ND<358	4800	2300	2400	48	50	4.29	ND<300	58
bis(2-Chloroethyl)ether	ND<358	4800	2600	2800	54	58	7.29	ND<300	67
Phenol	ND<358	4800	2600	2700	54	56	3.62	ND<300	64
Aniline	ND<358	4800	1200	1200	25	25	0.00	ND<300	41
2-Chlorophenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	65
1,3-Dichlorobenzene	ND<358	4800	2400	2500	50	52	4.11	ND<300	61
1,4-Dichlorobenzene	ND<358	4800	2500	2500	52	52	0.00	ND<300	55
Benzyl Alcohol	ND<358	4800	780	900	16	19	14.86	ND<300	52
1,2-Dichlorobenzene	ND<358	4800	2600	2600	54	54	0.00	ND<300	66
bis(2-chloroisopropyl)ether	ND<358	4800	2600	2700	54	56	3.62	ND<300	65
Hexachloroethane	ND<358	4800	2500	2500	52	52	0.00	ND<300	62
N-Nitroso-di-n-propylamine	ND<358	4800	2800	2900	58	60	3.54	ND<300	68
2-Methyl Phenol	ND<358	4800	2400	2600	50	54	8.06	ND<300	62
3+4 Methyl Phenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	59
Nitrobenzene	ND<358	4800	3100	3000	65	62	3.30	ND<300	66
Isophorone	ND<358	4800	3000	2800	62	58	6.95	ND<300	68
2-Nitrophenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	63
2,4-Dimethylphenol	ND<358	4800	2300	2000	48	42	13.84	ND<300	59
bis(2-Chloroethoxy)methane	ND<358	4800	3000	3000	62	62	0.00	ND<300	69
2,4-Dichlorophenol	ND<358	4800	2700	2700	56	56	0.00	ND<300	67
1,2,4-Trichlorobenzene	ND<358	4800	3000	3000	62	62	0.00	ND<300	70
phthalene	ND<358	4800	3600	3600	75	75	0.00	ND<300	84
Chloroaniline	ND<358	4800	3200	3300	67	69	3.10	ND<300	77
Hexachlorobutadiene	ND<358	4800	3000	3000	62	62	0.00	ND<300	71
4-Chloro-3-methylphenol	ND<358	4800	2800	2800	58	58	0.00	ND<300	67
2-Methyl Naphthalene	ND<358	4800	2900	2900	60	60	0.00	ND<300	69
Hexachlorocyclopentadiene	ND<358	4800	3100	3400	65	71	9.16	ND<300	74
2,4,6-Trichlorophenol	ND<358	4800	2300	2400	48	50	4.29	ND<300	66
2,4,5-Trichlorophenol	ND<358	4800	3100	3000	65	62	3.30	ND<300	65
2-Chloronaphthalene	ND<358	4800	3000	3200	62	67	6.50	ND<300	83
2-Nitroaniline	ND<358	4800	3300	3300	69	69	0.00	ND<300	79
Acenaphthylene	ND<358	4800	4200	4100	88	85	2.43	ND<300	99
Dimethylphthalate	ND<358	4800	3100	3100	65	65	0.00	ND<300	74
2,6-Dinitrotoluene	ND<358	4800	3000	3100	62	65	3.30	ND<300	69
4-Nitroaniline	ND<358	4800	3200	3300	67	69	3.10	ND<300	78
Acenaphthene	ND<358	4800	3700	3700	77	77	0.00	ND<300	89
2,4-Dinitrophenol	ND<358	4800	1900	2200	40	46	14.52	ND<300	52
2,4-Dinitrotoluene	ND<358	4800	3100	2900	65	60	6.72	ND<300	69
4-Nitrophenol	ND<358	4800	1700	1600	35	33	6.11	ND<300	54
Dibenzofuran	ND<358	4800	3100	3100	65	65	0.00	ND<300	74
Fluorene	ND<358	4800	3800	3800	79	79	0.00	ND<300	92
4-Chlorophenyl-phenylether	ND<358	4800	3100	3000	65	62	3.30	ND<300	73
Diethylphthalate	ND<358	4800	3100	3100	65	65	0.00	ND<300	76
3-Nitroaniline	ND<358	4800	4100	4700	85	98	13.64	ND<300	67
4,6-Dinitro-2-methylphenol	ND<358	4800	2600	2700	54	56	3.62	ND<300	62
n-Nitrosodiphenylamine	ND<358	4800	7100	6100	148	127	15.27	ND<300	192
Azobenzene	ND<358	4800	3200	3200	67	67	0.00	ND<300	79
4-Bromophenyl-phenylether	ND<358	4800	3100	3100	65	65	0.00	ND<300	74
xachlorobenzene	ND<358	4800	3300	3300	69	69	0.00	ND<300	76

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15272

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pentachlorophenol	ND<358	4800	2900	3200	60	67	9.91	ND<300	58
Phenanthrene	ND<358	4800	3900	3900	81	81	0.00	ND<300	90
Anthracene	ND<358	4800	3900	4000	81	83	2.55	ND<300	92
Di-n-butylphthalate	ND<358	4800	3200	3000	67	62	6.50	ND<300	75
Fluoranthene	ND<358	4800	4200	4600	88	96	9.06	ND<300	96
Pyrene	ND<358	4800	4300	4600	90	96	6.69	ND<300	98
Butylbenzylphthalate	ND<358	4800	3300	3600	69	75	8.62	ND<300	73
Benzo[a]anthracene	ND<358	4800	4500	4400	94	92	2.26	ND<300	93
Chrysene	ND<358	4800	4400	4400	92	92	0.00	ND<300	90
bis(2-Ethylhexyl)phthalate	ND<358	4800	3400	3800	71	79	11.20	ND<300	77
Di-n-octylphthalate	ND<358	4800	3600	3700	75	77	2.76	ND<300	77
Benzo[b]fluoranthene	ND<358	4800	4100	4100	85	85	0.00	ND<300	100
Benzo[k]fluoranthene	ND<358	4800	4200	4600	88	96	9.06	ND<300	103
Benzo[a]pyrene	ND<358	4800	4000	4300	83	90	7.29	ND<300	99
Indeno[1,2,3-cd]pyrene	ND<358	4800	4800	3700	100	77	25.86	ND<300	104
Dibenz[a,h]anthracene	ND<358	4800	5100	4900	106	102	3.85	ND<300	105
Benzo[g,h,i]perylene	ND<358	4800	4900	4500	102	94	8.38	ND<300	102

QA Type: Conn. Extractable TPH Date Analyzed: 12/11/2006 QA Sample ID: AD15160

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	ND<0.10	5.0	4.9	98	ND<0.10	100

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	8
n-Nitroso-dimethylamine	ND<20	ND<20	28
bis(2-Chloroethyl)ether	ND<10	ND<10	62
Phenol	ND<20	ND<20	25
Aniline	ND<20	ND<20	12
2-Chlorophenol	ND<20	ND<20	60
1,3-Dichlorobenzene	ND<5.0	ND<5.0	65
1,4-Dichlorobenzene	ND<5.0	ND<5.0	68
Benzyl Alcohol	ND<20	ND<20	50
1,2-Dichlorobenzene	ND<5.0	ND<5.0	70
bis(2-chloroisopropyl)ether	ND<10	ND<10	70
Hexachloroethane	ND<3.0	ND<3.0	65
N-Nitroso-di-n-propylamine	ND<10	ND<10	75
2-Methyl Phenol	ND<20	ND<20	52
3+4 Methyl Phenol	ND<20	ND<20	48
Nitrobenzene	ND<20	ND<20	72
Isophorone	ND<20	ND<20	75
2-Nitrophenol	ND<20	ND<20	70
2,4-Dimethylphenol	ND<20	ND<20	48
bis(2-Chloroethoxy)methane	ND<20	ND<20	75
2,4-Dichlorophenol	ND<20	ND<20	70
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	75
Naphthalene	ND<1.0	ND<1.0	88
4 Chloroaniline	ND<20	ND<20	60
achlorobutadiene	ND<20	ND<20	78

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
4-Chloro-3-methylphenol	ND<20	ND<20	72
2-Methyl Naphthalene	ND<1.0	ND<1.0	80
Hexachlorocyclopentadiene	ND<20	ND<20	55
2,4,6-Trichlorophenol	ND<20	ND<20	72
2,4,5-Trichlorophenol	ND<20	ND<20	75
2-Chloronaphthalene	ND<20	ND<20	80
2-Nitroaniline	ND<20	ND<20	82
Acenaphthylene	ND<0.30	ND<0.30	92
Dimethylphthalate	ND<20	ND<20	85
2,6-Dinitrotoluene	ND<75	ND<75	88
4-Nitroaniline	ND<20	ND<20	72
Acenaphthene	ND<1.0	ND<1.0	98
2,4-Dinitrophenol	ND<20	ND<20	82
2,4-Dinitrotoluene	ND<75	ND<75	90
4-Nitrophenol	ND<75	ND<75	35
Dibenzofuran	ND<1.0	ND<1.0	88
Fluorene	ND<1.0	ND<1.0	100
4-Chlorophenyl-phenylether	ND<20	ND<20	85
Diethylphthalate	ND<20	ND<20	88
3-Nitroaniline	ND<20	ND<20	85
4,6-Dinitro-2-methylphenol	ND<20	ND<20	78
n-Nitrosodiphenylamine	ND<20	ND<20	140
Azobenzene	ND<20	ND<20	85
4-Bromophenyl-phenylether	ND<20	ND<20	88
Hexachlorobenzene	ND<0.077	ND<0.077	92
Pentachlorophenol	ND<1.0	ND<1.0	78
Phenanthrene	ND<0.077	ND<0.077	102
Anthracene	ND<1.0	ND<1.0	100
Di-n-butylphthalate	ND<20	ND<20	92
Fluoranthene	ND<1.0	ND<1.0	105
Pyrene	ND<1.0	ND<1.0	105
Butylbenzylphthalate	ND<20	ND<20	85
Benzo[a]anthracene	ND<0.06	ND<0.06	98
Chrysene	ND<1.0	ND<1.0	98
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	88
Di-n-octylphthalate	ND<20	ND<20	82
Benzo[b]fluoranthene	ND<0.08	ND<0.08	98
Benzo[k]fluoranthene	ND<0.30	ND<0.30	108
Benzo[a]pyrene	ND<0.20	ND<0.20	100
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	102
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	108
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	102

QA Type: Total Mercury Date Analyzed: 12/11/2006 QA Sample ID: AD15812

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	0.61	1.55	2.4	2.6	115	128	10.70	ND<0.002	100

QA Type: Volatile Organics Date Analyzed: 12/11/2006 QA Sample ID: AD15924

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	48	96	ND<10	96
Chloromethane	17	50.0	55.2	76	ND<2.7	84
Vinyl Chloride	ND<1.6	50.0	45.1	90	ND<1.6	87
Bromomethane	ND<5.0	50.0	42.7	85	ND<5.0	94
Chloroethane	ND<5.0	50.0	41.2	82	ND<5.0	92
Acetone	ND<50	100	108	108	ND<50	129
Acrylonitrile	ND<20	50	44	88	ND<25	96
Trichlorofluoromethane	ND<25	50	49	98	ND<25	108
Trichlorotrifluoroethane	ND<25	50	40	80	ND<25	100
1,1-Dichloroethene	ND<1.0	50.0	37.5	75	ND<1.0	94
Methylene Chloride	ND<5.0	50.0	41.4	83	ND<5.0	93
Carbon Disulfide	9.6	50.0	46.9	75	ND<5.0	104
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	46.5	93	ND<5.0	97
trans-1,2-Dichloroethene	ND<1.0	50.0	41.3	83	ND<1.0	95
1,1-Dichloroethane	ND<1.0	50.0	43.0	86	ND<1.0	92
2-Butanone (MEK)	ND<25	100	88	88	ND<25	108
2,2-Dichloropropane	ND<1.0	50.0	45.9	92	ND<1.0	100
cis-1,2-Dichloroethene	ND<1.0	50.0	46.2	92	ND<1.0	96
Chloroform	ND<1.0	50.0	46.8	94	ND<1.0	94
Tetrahydrofuran	ND<5.0	50.0	44.0	88	ND<5.0	92
1,1,1-Trichloroethane	ND<1.0	50.0	46.8	94	ND<1.0	100
Carbon Tetrachloride	ND<1.0	50.0	45.9	92	ND<1.0	100
1,1-Dichloropropene	ND<1.0	50.0	44.9	90	ND<1.0	99
nzene	ND<1.0	50.0	45.5	91	ND<1.0	97
-Dichloroethane	ND<1.0	50.0	45.0	90	ND<1.0	94
Methyl Isobutyl Ketone	ND<25	100	95	95	ND<25	92
Trichloroethene	ND<1.0	50.0	47.5	95	ND<1.0	102
1,2-Dichloropropane	ND<1.0	50.0	46.4	93	ND<1.0	95
Dibromomethane	ND<1.0	50.0	48.6	97	ND<1.0	100
Bromodichloromethane	ND<0.50	50.0	49.2	98	ND<0.5	99
2-Hexanone	ND<25	100	93	93	ND<25	97
cis-1,3-Dichloropropene	ND<0.50	50.0	48.5	97	ND<0.5	97
Toluene	ND<1.0	50.0	48.7	97	ND<1.0	100
trans-1,3-Dichloropropene	ND<0.50	50.0	48.5	97	ND<0.5	97
1,1,2-Trichloroethane	ND<1.0	50.0	46.3	93	ND<1.0	94
Tetrachloroethene	ND<1.0	50.0	48.6	97	ND<1.0	101
1,3-Dichloropropane	ND<1.0	50.0	47.3	95	ND<1.0	96
Dibromochloromethane	ND<0.50	50.0	50.7	101	ND<0.5	98
1,2-Dibromoethane	ND<0.50	50.0	50.0	100	ND<0.5	97
trans-1,4-Dichloro-2-Butene	ND<10	50	47	94	ND<10	92
Chlorobenzene	ND<1.0	50.0	50.7	101	ND<1.0	97
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	46.9	94	ND<1.0	87
Ethylbenzene	ND<1.0	50.0	48.5	97	ND<1.0	97
m+p Xylenes	ND<1.0	100.0	100.8	101	ND<1.0	95
o-Xylene	ND<1.0	50.0	49.1	98	ND<1.0	95
Styrene	ND<1.0	50.0	48.3	97	ND<1.0	96
Bromoform	ND<1.0	50.0	47.7	95	ND<1.0	92
Isopropylbenzene	ND<1.0	50.0	48.9	98	ND<1.0	93
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	46.7	93	ND<0.5	86
Bromobenzene	ND<1.0	50.0	46.5	93	ND<1.0	92
?,3-Trichloropropane	ND<1.0	50.0	49.8	100	ND<1.0	98

\ Type: Volatile Organics Date Analyzed: 12/11/2006 QA Sample ID: AD15924

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
n-Propylbenzene	ND<1.0	50.0	47.6	95	ND<1.0	95
2-Chlorotoluene	ND<1.0	50.0	52.7	105	ND<1.0	90
4-Chlorotoluene	ND<1.0	50.0	38.3	77	ND<1.0	98
1,3,5-Trimethylbenzene	ND<1.0	50.0	46.1	92	ND<1.0	92
tert-Butylbenzene	ND<1.0	50.0	44.7	89	ND<1.0	90
1,2,4-Trimethylbenzene	ND<1.0	50.0	46.4	93	ND<1.0	92
sec-Butylbenzene	ND<1.0	50.0	44.4	89	ND<1.0	89
1,3-Dichlorobenzene	ND<1.0	50.0	47.0	94	ND<1.0	91
4-Isopropyltoluene	ND<1.0	50.0	44.6	89	ND<1.0	90
1,4-Dichlorobenzene	ND<1.0	50.0	46.1	92	ND<1.0	92
1,2-Dichlorobenzene	ND<1.0	50.0	45.8	92	ND<1.0	89
n-Butylbenzene	ND<1.0	50.0	43.9	88	ND<1.0	87
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	42.8	86	ND<1.0	81
1,2,4-Trichlorobenzene	ND<1.0	50.0	42.9	86	ND<1.0	81
Hexachlorobutadiene	ND<0.45	50.00	34.86	70	ND<0.45	64
Naphthalene	ND<1.0	50.0	47.9	96	ND<1.0	82
1,2,3-Trichlorobenzene	ND<1.0	50.0	42.2	84	ND<1.0	78

QA Type: Total Metals Date Analyzed: 12/12/2006 QA Sample ID: AD16142

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.200	0.221	0.220	110	110	0.00	ND<0.013	104
Selenium	ND<0.01	0.400	0.504	0.506	126	126	0.00	ND<0.01	118
Cadmium	ND<0.005	0.200	0.231	0.232	116	116	0.00	ND<0.005	105
Chromium	ND<0.05	0.200	0.209	0.209	104	104	0.00	ND<0.05	101
Arsenic	ND<0.004	0.200	0.232	0.229	116	114	1.74	ND<0.004	106
ium	ND<0.05	0.200	0.231	0.230	116	115	0.87	ND<0.05	108
ıver	ND<0.012	0.100	0.090	0.0927	90	93	2.96	ND<0.012	94

QA Type: EPA 8082 PCBs Date Analyzed: 12/12/2006 QA Sample ID: AD15809

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
PCB-1016	ND<0.50	2	2.0	100	ND<0.50	96
PCB-1260	ND<0.50	2	2.3	115	ND<0.50	100

QA Type: EPA 8082 PCBs Date Analyzed: 12/11/2006 QA Sample ID: AD15403 Client ID: AOC22-SS-SB14-78

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.40	1.41	1.4	1.4	99	99	0.00	ND<0.25	100
PCB-1260	ND<0.40	1.41	1.6	1.6	113	113	0.00	ND<0.25	110

QA Type: EPA 8082 PCBs Date Analyzed: 12/11/2006 QA Sample ID: AD15366 Client ID: AOC26-SS-SB01-29

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	1.09	1.0	1.2	92	110	18.10	ND<0.25	96
PCB-1260	ND<0.30	1.09	1.2	1.2	110	110	0.00	ND<0.25	99

QA Type: EPA 8082 PCBs Date Analyzed: 12/15/2006 QA Sample ID: AD15788

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<148	*	*	*	*	*	*	ND<0.25	90
PCB-1260	500	*	*	*	*	*	*	ND<0.25	73

*Sample result too high for accurate spike recovery

\ Type: Volatile Organics Date Analyzed: 1/3/2007 QA Sample ID: AD15403 Client ID: AOC22-SS-SB14-78

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<4.0	530	643	671	121	127	4.80	ND<5.0	90
1,1,1-Trichloroethane	ND<4.0	530	509	495	96	93	2.70	ND<5.0	91
1,1,2,2-Tetrachloroethane	ND<4.0	530	634	594	120	112	6.90	ND<5.0	93
1,1,2-Trichloroethane	13	530	516	471	95	86	9.40	ND<5.0	98
1,1-Dichloroethane	ND<4.0	530	490	465	92	88	5.30	ND<5.0	94
1,1-Dichloroethene	ND<4.0	530	534	503	101	95	6.20	ND<5.0	96
1,1-Dichloropropene	ND<4.0	530	479	454	90	86	5.30	ND<5.0	92
1,2,3-Trichlorobenzene	ND<4.0	530	247	210	47	40	16.20	ND<5.0	98
1,2,3-Trichloropropane	ND<4.0	530	765	905	144	171	17.10	ND<5.0	94
1,2,4-Trichlorobenzene	ND<4.0	530	276	238	52	45	14.80	ND<5.0	96
1,2,4-Trimethylbenzene	ND<4.0	530	719	766	136	145	6.40	ND<5.0	99
1,2-Dibromo-3-Chloropropane	ND<4.0	530	861	872	162	165	1.80	ND<5.0	104
1,2-Dibromoethane	ND<4.0	530	482	446	91	84	7.70	ND<5.0	90
1,2-Dichlorobenzene	ND<4.0	530	504	471	95	89	6.70	ND<5.0	99
1,2-Dichloroethane	ND<4.0	530	479	434	90	82	9.90	ND<5.0	93
1,2-Dichloropropane	ND<4.0	530	481	459	91	87	4.70	ND<5.0	92
1,3,5-Trimethylbenzene	ND<4.0	530	821	914	155	172	10.40	ND<5.0	97
1,3-Dichlorobenzene	ND<4.0	530	515	497	97	94	3.60	ND<5.0	99
1,3-Dichloropropane	ND<4.0	530	475	414	90	78	13.70	ND<5.0	97
1,4-Dichlorobenzene	ND<4.0	530	462	421	87	79	9.40	ND<5.0	96
2,2-Dichloropropane	ND<4.0	530	491	476	93	90	3.10	ND<5.0	84
2-Butanone (MEK)	ND<18	1060	1010	984	95	93	2.70	ND<25	93
2-Chlorotoluene	ND<4.0	530	686	563	129	106	19.60	ND<5.0	97
2-Hexanone	ND<18	1060	1170	984	110	93	17.00	ND<25	92
˜hlorotoluene	ND<4.0	530	557	534	105	101	3.90	ND<5.0	97
.sopropyltoluene	ND<4.0	530	824	875	155	165	6.20	ND<5.0	99
Acetone	ND<71	1060	1070	896	101	84	17.80	ND<100	55
Acrylonitrile	ND<11	530	541	499	102	94	8.00	ND<100	100
Benzene	ND<4.0	530	434	411	82	78	5.50	ND<5.0	86
Bromobenzene	ND<4.0	530	658	674	124	127	2.40	ND<5.0	97
Bromochloromethane	ND<4.0	530	476	418	90	79	12.90	ND<5.0	94
Bromodichloromethane	ND<4.0	530	484	445	91	84	8.30	ND<5.0	95
Bromoform	ND<4.0	530	539	490	102	92	9.80	ND<5.0	95
Bromomethane	ND<8.0	530	276	276	52	52	0.00	ND<5.0	64
Carbon Disulfide	ND<8.0	530	482	455	91	86	5.80	ND<5.0	90
Carbon Tetrachloride	ND<4.0	530	513	497	97	94	3.10	ND<5.0	93
Chlorobenzene	ND<4.0	530	466	419	88	79	10.50	ND<5.0	90
Chloroethane	ND<8.0	530	273	283	52	53	3.60	ND<5.0	62
Chloroform	ND<4.0	530	486	457	92	86	6.20	ND<5.0	95
Chloromethane	ND<8.0	530	507	465	96	88	8.70	ND<5.0	77
cis-1,2-Dichloroethene	ND<4.0	530	471	433	89	82	8.40	ND<5.0	93
cis-1,3-Dichloropropene	ND<4.0	530	444	397	84	75	11.20	ND<5.0	96
Dibromochloromethane	ND<4.0	530	538	518	102	98	4.30	ND<5.0	91
Dibromomethane	ND<4.0	530	456	411	86	78	10.40	ND<5.0	99
Dichlorodifluoromethane	ND<11	530	667	641	126	121	4.00	ND<25	62
Ethyl Methacrylate	ND<4.0	530	444	330	84	62	29.40	ND<25	99
Ethylbenzene	ND<4.0	530	554	524	105	99	6.00	ND<5.0	86
Hexachlorobutadiene	ND<4.0	530	743	816	140	154	9.50	ND<5.0	97
Isopropylbenzene	ND<4.0	530	560	532	106	100	5.80	ND<5.0	89
m+p Xylenes	ND<4.0	1060	1050	954	99	90	9.60	ND<5.0	89
Methyl Isobutyl Ketone	ND<18	1060	1220	1140	115	108	6.30	ND<25	93
˜˜thyl Methacrylate	ND<4.0	530	576	546	109	103	5.70	ND<25	98

A Type: Volatile Organics Date Analyzed: 1/3/2007 QA Sample ID: AD15403 Client ID: AOC22-SS-SB14-78

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Methyl-t-Butyl Ether (MTBE)	ND<4.0	530	521	501	98	94	3.90	ND<5.0	95
Methylene Chloride	ND<11	530	481	439	91	83	9.20	ND<5.0	85
n-Butylbenzene	ND<4.0	530	642	641	121	121	0.00	ND<5.0	96
n-Propylbenzene	ND<4.0	530	774	847	146	160	9.20	ND<5..0	96
Naphthalene	7.9	530	113	72.7	20	12	47.50	ND<5.0	104
o-Xylene	ND<4.0	530	513	479	97	90	6.80	ND<5.0	89
sec-Butylbenzene	ND<4.0	530	835	940	158	177	11.30	ND<5.0	99
Styrene	ND<4.0	530	318	248	60	47	24.70	ND<5.0	90
tert-Butylbenzene	ND<4.0	530	902	1060	170	200	16.20	ND<5.0	101
Tetrachloroethene	20	530	497	455	90	82	9.20	ND<5.0	92
Tetrahydrofuran	ND<18	530	587	478	111	90	20.70	ND<25	82
Toluene	ND<4.0	530	461	411	87	78	11.60	ND<5.0	96
trans-1,2-Dichloroethene	ND<4.0	530	472	436	89	82	7.90	ND<5.0	92
trans-1,3-Dichloropropene	ND<4.0	530	427	358	81	68	17.70	ND<5.0	97
Trichloroethene	7800E	*	*	*	*	*	*	ND<5.0	93
Trichlorofluoromethane	ND<11	530	533	524	101	99	2.10	ND<5.0	93
Trichlorotrifluoroethane	ND<11	530	380	373	72	70	1.80	ND<25	69
Vinyl Chloride	ND<4.0	530	381	340	72	64	11.30	ND<5.0	73

E-Estimated value, exceeds calibration range
*Sample result too high for accurate spike recovery
ND is not detected

Narrative

3. Samples were received at 11°C with evidence of cooling.

4. 4-bromofluorobenzene (SURR) recovery high for sample AD15403.
   Acetone LCS recovery low on sample AD15272.
   Bromomethane spike and LCS recoveries low for sample AD15272.
   Chloroethane spike and LCS recoveries low for sample AD15272.
   Dichlorodifluoromethane LCS recovery low for sample AD15272.
   Trichlorotrifluoroethane LCS recovery low for sample AD15272.
   Pyridine spike and dup recoveries low for sample AD15272.
   Aniline spike and dup recoveries low for sample AD15272.
   Benzyl Alcohol spike and dup recoveries low for sample AD15272.
   n-Nitrosodiphenylamine spike and LCS recoveries high for sample AD15272.
   Pyridine LCS recovery low for sample AD14867.
   n-Nitroso-dimethylamine LCS recovery low for sample AD14867.
   Phenol LCS recovery low for sample AD14867.
   Aniline LCS recovery low for sample AD14867.
   Hexachlorobutadiene LCS recovery low for sample AD15924.
   Total Selenium spike and dup recoveries high for sample AD16142.
   1,2,3-Trichlorobenzene spike and dup recoveries low for sample AD15403.
   1,2,3-Trichloropropane spike and dup recoveries high for sample AD15403.
   1,2,4-Trichlorobenzene spike and dup recoveries low for sample AD15403.
   1,2,4-Trimethylbenzene spike and dup recoveries high for sample AD15403.
   1,2-Dibromo-3-Chloropropane spike and dup recoveries high for sample AD15403.
   1,3,5-Trimethylbenzene spike and dup recoveries high for sample AD15403.
   4-Isopropyltoluene spike and dup recoveries high for sample AD15403.
   Acetone LCS recovery low for sample AD15403.
   Bromomethane spike, dup and LCS recoveries low for sample AD15403.
   Chloroethane spike, dup and LCS recoveries low for sample AD15403.
   Dichlorodifluoromethane LCS recovery low for sample AD15403.
   Ethyl Methacrylate dup recovery low for sample AD15403.
   Hexachlorobutadiene spike and dup recoveries high for sample AD15403.
   n-Propylbenzene spike and dup recoveries high for sample AD15403.
   Naphthalene spike and dup recoveries low for sample AD15403.
   Sec-Butylbenzene spike and dup recoveries high for sample AD15403.
   Styrene spike and dup recoveries low for sample AD15403.
   Tert-Butylbenzene spike and dup recoveries high for sample AD15403.
   Trans-1,3-Dichloropropene dup recovery low for sample AD15403.
   Trichlorotrifluoroethane LCS recovery low for sample AD15403.
   Vinyl Chloride dup recovery low for sample AD15403.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	Organics: 8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	Metals (check all that apply): 13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	Additional Analysis	TOTAL # OF CONT.	NOTE #
AOC26-SS-SB01-29	12/5/06/0900	S				X										X										1	1
AOC26-SS-SB02-30	/0910	S				X										X										1	1
AOC26-SS-SB03-31	/0920	S				X										X										1	1
AOC23-SS-SB12-51	/0945	S				X										X										1	1
AOC23-SS-SB13-52	/0950	S				X										X										1	1
AOC23-SS-SB14-53	/0955	S				X										X										1	1
AOC23-SS-SB15-54	/1000	S				X										X										1	1
AOC23-SS-SB16-55	/1005	S				X										X										1	1
AOC23-SS-SB16-55A	/1005	S				X										X										1	2
																6											

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/5/06 1510	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/5/06 4p	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1 - PCBs Analysis via ASE
2 - PCBs Analysis via Ultrasonic
RUN MS/MSD FOR PCBs ON AOC26-SS-SB01-29

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC DOC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt: °C

SHEET 1 OF 5

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC22-SS-SB01-56	12/5/06 1127	S				X										X									1	1
AOC22-SS-SB01-57	1125	S				X										X									1	1
AOC22-SS-SB02-58	1130	S				X										X									1	1
AOC22-SS-SB03-59	1137	S				X										X									1	1
AOC22-SS-SB03-60	1139	S				X										X									1	1
AOC22-SS-SB04-61	1142	S				X										X									1	1
AOC22-SS-SB04-62	1145	S				X										X									1	1
AOC22-SS-SB05-63	1150	S				X										X									1	1
AOC22-SS-SB05-63A	1150	S				X										X									1	2
AOC22-SS-SB05-64	1150	S				X										X									1	1

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other): G

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/5/06 1510	[signature] 12-5-06
[signature]	12/5/06 4P	[signature]

NOTES:
1 - PCB ANALYSIS VIA ASE
2 - PCB ANALYSIS VIA ULTRASONIC Extraction

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ____ °C

SHEET 2 OF 5

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC22-SS-SB05-64A	12/5/06 1150	S				X										X									1	1
AOC22-SS-SB06-65	1255	S				X										X									1	1
AOC22-SS-SB07-66	1430	S				X										X									1	1
AOC22-SS-SB07-67	1430	S				X										X									1	1
AOC22-SS-SB08-68	1300	S				X										X									1	1
AOC22-SS-SB08-69	1300	S				X										X									1	1
AOC22-SS-SB09-70	1310	S				X										X									1	1
AOC22-SS-SB09-70A	1310	S				X										X									1	2
AOC22-SS-SB10-71	1315	S				X										X									1	1
AOC22-SS-SB10-72	1317	S				X										X									1	1

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other): 6

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/5/06 1510	[signature] 12-5-06
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/5/6 4p	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1 - PCB ANALYSIS VIA ASE
2 - PCB ANALYSIS VIA ULTRASONIC

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE GOMANOS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * – SEE QUOTE FULL QA/QC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: Y or N
Temp Upon Receipt: 110 °C

SHEET 3 OF 5

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET: 12-5-06 4:15

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	Organics: 8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	Metals (check all that apply): 13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	Additional Analysis	TOTAL # OF CONT.	NOTE #
AOC22-SS-SB11-73	12/5/06 1325	S				X										X										1	1
AOC22-SS-SB11-73A	1325	S				X										X										1	1
AOC22-SS-SB12-74	1335	S				X										X										1	1
AOC22-SS-SB12-74A	1335	S				X										X										1	2
AOC22-SS-SB12-75	1335	S				X										X										1	1
AOC22-SS-SB13-76	1340	S				X										X										1	1
AOC22-SS-SB13-76A	1340	S				X										X										1	2
AOC22-SS-SB13-77	1340	S				X										X										1	1
AOC22-SS-SB14-78	1400	S				X	X						X	X		X			X							9	1
AOC22-SS-SB14-79	1400	S				X										X										1	1

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

E	/	/

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[illegible]	12/5/06 1510	[illegible] 12/5/06
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
M. Kim	12/5/6 4p	[illegible]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1-PCB ANALYSIS VIA ASE
2-PCB ANALYSIS VIA ULTRASONIC
RUN MS/MSD FOR VOCS ON AOC22-SS-SB14-78

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1570 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE FOMANOS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * – SEE QUOTE FULL QA/QC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ____ °C

SHEET 4 OF 5

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer	
Client:	
CET:	12-5-06 4:15

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC22-SS-SB15-80	12/5/06 1420	S				X										X									1	1
AOC22-SS-SB15-80A	1420	S				X										X									1	2
AOC22-SS-SB15-81	1400	S				X										X									1	1
EB04	1500	W				X	X						X	X		X			X						6	1
TB03	11/29/06	W				X	X																		2	
TEMP BLANK	11/29/06	W																								
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)																										
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)							V						G	G		G			P							
Soil VOCs Only (M=MeOH B=Sodium Bisulfate W=Water F=Empty Vial E=Encore)																										

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/5/06 1510	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
AM. K.	12/5/6 4p	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1- PCB ANALYSIS VIA ASE
2- PCB ANALYSIS VIA ULTRASONIC

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ____ °C

SHEET 5 OF 5

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 26, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford
Project #: 206937
CET #: 06120310
PO #: 206937
Soil: MW01-SS-SB01-106; MW02-SS-SB02-107; MW02-SS-SB02-108
Collection Date(s): 12/11/2006
Water: EB06; TB06
Collection Date(s): 12/11/2006

PREP ANALYSIS:

Accelerated Solvent Extraction [EPA 3545]

Client ID	MW02-SS-SB02-108
CET ID	AD16216
Date Analyzed	12/15/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	MW02-SS-SB02-108
CET ID	AD16216
Date Analyzed	12/14/2006

Closed System P&T Extraction [EPA 5035]

Client ID	MW01-SS-SB01-106	MW02-SS-SB02-107	MW02-SS-SB02-108
CET ID	AD16211	AD16212	AD16216
Date Analyzed	12/13/2006	12/13/2006	12/13/2006

NOTES:
ndicates Date Prep Test Completed; ND is Not Detected.

Connecticut Laboratory Certification PH 0116
Massachusetts Laboratory Certification M-CT903
Rhode Island Laboratory Certification 199

ANALYSIS:

Total Solids [EPA 160.3 mo] Units: percent

Client ID	MW01-SS-SB01-106	MW02-SS-SB02-107	MW02-SS-SB02-108
CET ID	AD16211	AD16212	AD16216
Date Analyzed	12/19/2006	12/19/2006	12/18/2006
Total Solids	89	86	91

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	MW02-SS-SB02-108
CET ID	AD16216
Date Analyzed	12/20/2006
DCB (Surr 2)	85
Dilution	1
PCB-1016	ND < 0.30
PCB-1221	ND < 0.30
PCB-1232	ND < 0.30
PCB-1242	ND < 0.30
PCB-1248	ND < 0.30
PCB-1254	ND < 0.30
PCB-1260	ND < 0.30
TCMX (Surr 1)	89

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW02-SS-SB02-108
CET ID	AD16216
Date Analyzed	12/15/2006
Dilution	5
Pyridine	ND < 1649
n-Nitroso-dimethylamine	ND < 1649
bis(2-Chloroethyl)ether	ND < 1649
Phenol	ND < 1649
Aniline	ND < 1649
2-Chlorophenol	ND < 1649
1,3-Dichlorobenzene	ND < 1649
1,4-Dichlorobenzene	ND < 1649
Benzyl Alcohol	ND < 1649
1,2-Dichlorobenzene	ND < 1649
bis(2-chloroisopropyl)ether	ND < 1649
Hexachloroethane	ND < 1649
N-Nitroso-di-n-propylamine	ND < 1649
2-Methyl Phenol	ND < 1649
3+4 Methyl Phenol	ND < 1649
Nitrobenzene	ND < 1649
Isophorone	ND < 1649
2-Nitrophenol	ND < 1649
2,4-Dimethylphenol	ND < 1649
bis(2-Chloroethoxy)methane	ND < 1649
Benzoic Acid	ND < 1649
2,4-Dichlorophenol	ND < 1649

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW02-SS-SB02-108
1,2,4-Trichlorobenzene	ND < 1649
Naphthalene	ND < 1649
2,6-Dichlorophenol	ND < 1649
4-Chloroaniline	ND < 1649
Hexachlorobutadiene	ND < 1649
4-Chloro-3-methylphenol	ND < 1649
2-Methyl Naphthalene	ND < 1649
Hexachlorocyclopentadiene	ND < 1649
2,4,6-Trichlorophenol	ND < 1649
2,4,5-Trichlorophenol	ND < 1649
2-Chloronaphthalene	ND < 1649
2-Nitroaniline	ND < 1649
Acenaphthylene	ND < 1649
Dimethylphthalate	ND < 1649
2,6-Dinitrotoluene	ND < 1649
4-Nitroaniline	ND < 1649
Acenaphthene	ND < 1649
2,4-Dinitrophenol	ND < 1649
2,4-Dinitrotoluene	ND < 1649
4-Nitrophenol	ND < 1649
ibenzofuran	ND < 1649
2,3,4,6-Tetrachlorophenol	ND < 1649
Fluorene	ND < 1649
4-Chlorophenyl-phenylether	ND < 1649
Diethylphthalate	ND < 1649
3-Nitroaniline	ND < 1649
4,6-Dinitro-2-methylphenol	ND < 1649
n-Nitrosodiphenylamine	ND < 1649
Azobenzene	ND < 1649
4-Bromophenyl-phenylether	ND < 1649
Hexachlorobenzene	ND < 1649
Pentachlorophenol	ND < 1649
Benzidine	ND < 1649
Phenanthrene	ND < 1649
Anthracene	ND < 1649
Carbazole	ND < 1649
Di-n-butylphthalate	ND < 1649
Fluoranthene	ND < 1649
Pyrene	ND < 1649
Butylbenzylphthalate	ND < 1649
3,3-Dichlorobenzidine	ND < 1649
Benzo[a]anthracene	ND < 1649
Chrysene	ND < 1649
bis(2-Ethylhexyl)phthalate	ND < 1649
Di-n-octylphthalate	ND < 1649
Benzo[b]fluoranthene	ND < 1649

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW02-SS-SB02-108
Benzo[k]fluoranthene	ND < 1649
Benzo[a]pyrene	ND < 1649
Indeno[1,2,3-cd]pyrene	ND < 1649
Dibenz[a,h]anthracene	ND < 1649
Benzo[g,h,i]perylene	ND < 1649
2-Fluorophenol (Surr) 30-130	61.6
Phenol-d5 (Surr) 30-130	93.2
Nitrobenzene-d5(Surr) 30-130	92.3
2-Fluorobiphenyl (Surr) 30-130	108
2,4,6-Tribromophenol (Surr) 30-130	86.6
Terphenyl-d14 (Surr) 30-130	80.9

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	MW02-SS-SB02-108
CET ID	AD16216
Date Analyzed	12/16/2006
Dilution	1.0
ETPH	ND < 55
Octacosane (surr)	96

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB06	TB06
CET ID	AD16213	AD16214
Date Analyzed	12/20/2006	12/20/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB06	TB06
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
tyrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	98.2	101
toluene-d8 (SURR) 70-130	98.3	99.5
4-bromofluorobenzene (SURR) 70-130	103	100

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW01-SS-SB01-106	MW02-SS-SB02-107	MW02-SS-SB02-108
CET ID	AD16211	AD16212	AD16216
Date Analyzed	12/13/2006	12/13/2006	12/13/2006
Dilution	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 17	ND < 18	ND < 17
Chloromethane	ND < 12	ND < 12	ND < 11
Vinyl Chloride	ND < 6.0	ND < 6.0	ND < 6.0
Bromomethane	ND < 12	ND < 12	ND < 11
Chloroethane	ND < 12	ND < 12	ND < 11
Acetone	ND < 110	ND < 120	ND < 110
Acrylonitrile	ND < 17	ND < 18	ND < 17
Trichlorofluoromethane	ND < 17	ND < 18	ND < 17
Trichlorotrifluoroethane	ND < 17	ND < 18	ND < 17
1,1-Dichloroethene	ND < 6.0	ND < 6.0	ND < 6.0
Methylene Chloride	ND < 17	ND < 18	ND < 17
Carbon Disulfide	ND < 12	ND < 12	ND < 11
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 6.0
1,1-Dichloroethane	ND < 6.0	ND < 6.0	ND < 6.0
2-Butanone (MEK)	ND < 29	ND < 30	ND < 28
2,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 6.0
Chloroform	ND < 6.0	ND < 6.0	ND < 6.0
etrahydrofuran	ND < 29	ND < 30	ND < 28
,1,1-Trichloroethane	ND < 6.0	ND < 6.0	ND < 6.0
Carbon Tetrachloride	ND < 6.0	ND < 6.0	ND < 6.0
1,1-Dichloropropene	ND < 6.0	ND < 6.0	ND < 6.0
Benzene	ND < 2.0	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 6.0	ND < 6.0	ND < 6.0
Methyl Isobutyl Ketone	ND < 29	ND < 30	ND < 28
Trichloroethene	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 6.0
Dibromomethane	ND < 6.0	ND < 6.0	ND < 6.0
Bromodichloromethane	ND < 6.0	ND < 6.0	ND < 6.0
2-Hexanone	ND < 29	ND < 30	ND < 28
cis-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 6.0
Toluene	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0	ND < 6.0	ND < 6.0
Tetrachloroethene	ND < 6.0	ND < 6.0	ND < 6.0
1,3-Dichloropropane	ND < 6.0	ND < 6.0	ND < 6.0
Dibromochloromethane	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dibromoethane	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 29	ND < 30	ND < 28
Chlorobenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 6.0
Ethylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
m+p Xylenes	ND < 6.0	ND < 6.0	ND < 6.0
o-Xylene	ND < 6.0	ND < 6.0	ND < 6.0
Styrene	ND < 6.0	ND < 6.0	ND < 6.0

otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW01-SS-SB01-106	MW02-SS-SB02-107	MW02-SS-SB02-108
Bromoform	ND < 6.0	ND < 6.0	ND < 6.0
Isopropylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 6.0
Bromobenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0	ND < 6.0	ND < 6.0
n-Propylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
2-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 6.0
4-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
tert-Butylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
sec-Butylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 6.0
4-Isopropyltoluene	ND < 6.0	ND < 6.0	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 6.0
n-Butylbenzene	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 6.0	ND < 6.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 6.0
Hexachlorobutadiene	ND < 6.0	ND < 6.0	ND < 6.0
Naphthalene	ND < 6.0	ND < 6.0	ND < 6.0
,2,3-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 6.0
ı,2 Dichloroethane-d4 (SURR) 70-130	103	112	120
toluene-d8 (SURR) 70-130	102	100	92.3
4-bromofluorobenzene (SURR) 70-130	102	100	156

Sincerely,

David Ditta
Laboratory Director

.otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET: 12-11-06 5:25

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	Organics: 8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ACE	Pesticides	Metals (check all that apply): 13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	Additional Analysis	TOTAL # OF CONT.	NOTE #
MW01-SS-SC01-106	12/11/06 740	S				X	X																			8	1
MW02-SS-SC02-107	↓ 1022	S				X	X																			4	
E1306	↓ 1410	W				X	X																			2	
T1306	11/29/06	W				X	X																			2	
TEMP BLANK	11/29/06	W																								1	
MW02-SS-SB02-108	12/11/06 1020	S				X	X						X	X		X										5	2

PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)

							V						G	G		G											

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

							E	/	/	/	/																

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/11/06 1515	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1- RUN MS/MSD FOR VOCS
2- HOLD SAMPLE FOR ANALYSES

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC DOC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt 12 °C

SHEET 1 OF 1

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

WOODARD & CURRAN
Engineering • Science • Operations

1520 Highland Avenue
Cheshire, CT 06410
(203) 271-0379 or 888-265-8969
(203) 271-7952 (FAX)

FAX Transmittal Sheet

To: Jackie

FAX #: 203-377-9952

Sender: Don Weeks

Date: 12/12/06

No. of Pages (Including cover sheet): 1

Hard Copy to Follow in Mail: Yes ____ No X

Comments

Jackie

Please analyze sample Number MW02-55-SB02-108 per the instructions on the COC. The sample was delivered on 12/11/06. Please Release Hold.

Don Weeks

Note: This message is intended only for the use of the individual or entity named above and may contain information that is privileged, confidential, and exempt from disclosure under the applicable law. If you are not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, please notify us immediately by telephone and return the original to us by postal service at the address noted on this stationery. Any dissemination, distribution, or copying of this communication by anyone other than the intended recipient is strictly prohibited. Thank you!

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 12/11/2006 ***CET #:*** 06120310

Laboratory Sample ID(s): AD16211-AD16216

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/3/2007

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford
CET#: 06120310

QA Type: Volatile Organics Date Analyzed: 12/19/2006 QA Sample ID: AD16211 Client ID: MW01-SS-SB01-106

Analyte	SampRes	Spk Amt	SpkRes	SpkDup Res	Spk%Rec	Dup%Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	361	341	314	94	87	8.30	ND<5.0	92
1,1,1-Trichloroethane	ND<6.0	361	422	358	117	99	16.50	ND<5.0	103
1,1,2,2-Tetrachloroethane	ND<6.0	361	297	279	82	77	6.30	ND<5.0	96
1,1,2-Trichloroethane	ND<6.0	361	363	361	101	100	1.00	ND<5.0	108
1,1-Dichloroethane	ND<6.0	361	414	361	115	100	14.00	ND<5.0	104
1,1-Dichloroethene	ND<6.0	361	422	371	117	103	12.70	ND<5.0	100
1-Dichloropropene	ND<6.0	361	450	383	125	106	16.40	ND<5.0	107
,3-Trichlorobenzene	ND<6.0	361	369	348	102	96	5.60	ND<5.0	98
,2,3-Trichloropropane	ND<6.0	361	350	323	97	90	8.00	ND<5.0	92
1,2,4-Trichlorobenzene	ND<6.0	361	401	355	111	98	12.10	ND<5.0	98
1,2,4-Trimethylbenzene	ND<6.0	361	367	327	102	91	11.80	ND<5.0	91
1,2-Dibromo-3-Chloropropane	ND<6.0	361	284	375	79	104	27.70	ND<5.0	114
1,2-Dibromoethane	ND<6.0	361	335	343	93	95	2.30	ND<5.0	105
1,2-Dichlorobenzene	ND<6.0	361	365	330	101	91	10.00	ND<5.0	95
1,2-Dichloroethane	ND<6.0	361	361	343	100	95	5.10	ND<5.0	102
1,2-Dichloropropane	ND<6.0	361	384	343	106	95	10.90	ND<5.0	101
1,3,5-Trimethylbenzene	ND<6.0	361	358	316	99	88	12.50	ND<5.0	88
1,3-Dichlorobenzene	ND<6.0	361	383	336	106	93	13.00	ND<5.0	95
1,3-Dichloropropane	ND<6.0	361	369	360	102	100	2.30	ND<5.0	105
1,4-Dichlorobenzene	ND<6.0	361	370	325	102	90	12.50	ND<5.0	91
2,2-Dichloropropane	ND<6.0	361	392	298	109	82	27.70	ND<5.0	96
2-Butanone (MEK)	ND<29	721	630	884	87	123	33.80	ND<25	97
2-Chlorotoluene	ND<6.0	361	429	287	119	80	39.80	ND<5.0	92
2-Hexanone	ND<29	721	524	656	73	91	22.40	ND<25	97
4-Chlorotoluene	ND<6.0	361	285	382	79	106	29.30	ND<5.0	89
4-Isopropyltoluene	ND<6.0	361	396	340	110	94	15.50	ND<5.0	94
Acetone	ND<110	721	615	648	85	90	5.30	ND<100	92
Acrylonitrile	ND<17	361	348	461	96	128	28.20	ND<100	103
Benzene	ND<2.0	361	388	339	107	94	13.00	ND<5.0	98
Bromobenzene	ND<6.0	361	332	301	92	83	9.80	ND<5.0	84
Bromochloromethane	ND<6.0	361	379	352	105	98	7.40	ND<5.0	99
Bromodichloromethane	ND<6.0	361	398	363	110	101	8.50	ND<5.0	104
Bromoform	ND<6.0	361	317	331	88	92	4.30	ND<5.0	98
omomethane	ND<12	361	262	276	73	76	5.20	ND<5.0	76
bon Disulfide	ND<12	361	438	381	121	106	13.20	ND<5.0	115

Type: Volatile Organics Date Analyzed: 12/19/2006 QA Sample ID: AD16211 Client ID: MW01-SS-SB01-106

Analyte	SampRes	Spk Amt	SpkRes	SpkDup Res	Spk%Rec	Dup%Rec	RPD	Blank	LCS% Rec
Carbon Tetrachloride	ND<6.0	361	426	363	118	101	15.50	ND<5.0	100
Chlorobenzene	ND<6.0	361	362	328	100	91	9.50	ND<5.0	96
Chloroethane	ND<12	361	255	218	71	60	15.60	ND<5.0	50
Chloroform	ND<6.0	361	429	384	119	106	11.60	ND<5.0	108
Chloromethane	ND<12	361	277	272	77	75	1.80	ND<5.0	81
cis-1,2-Dichloroethene	ND<6.0	361	420	372	116	103	11.90	ND<5.0	106
cis-1,3-Dichloropropene	ND<6.0	361	399	360	111	100	10.70	ND<5.0	102
Dibromochloromethane	ND<6.0	361	342	328	95	91	4.10	ND<5.0	100
Dibromomethane	ND<6.0	361	376	380	104	105	1.00	ND<5.0	112
Dichlorodifluoromethane	ND<17	361	351	284	97	79	21.00	ND<25	114
Ethyl Methacrylate	ND<6.0	361	351	350	97	97	0.20	ND<25	106
Ethylbenzene	ND<6.0	361	363	322	101	89	12.40	ND<5.0	93
Hexachlorobutadiene	ND<6.0	361	394	332	109	92	16.90	ND<5.0	90
Isopropylbenzene	ND<6.0	361	393	341	109	94	14.30	ND<5.0	98
m+p Xylenes	ND<6.0	721	766	672	106	93	12.90	ND<5.0	98
Methyl Isobutyl Ketone	ND<29	721	542	638	75	88	16.20	ND<25	96
Methyl Methacrylate	ND<6.0	361	333	369	92	102	10.10	ND<25	114
Methyl-t-Butyl Ether (MTBE)	ND<6.0	361	376	367	104	102	1.90	ND<5.0	108
Methylene Chloride	ND<17	361	324	290	90	80	11.20	ND<5.0	84
n-Butylbenzene	ND<6.0	361	409	340	113	94	18.10	ND<5.0	91
n-Propylbenzene	ND<6.0	361	396	344	110	95	14.30	ND<5.0	92
Naphthalene	ND<6.0	361	326	360	90	100	9.90	ND<5.0	105
o-Xylene	ND<6.0	361	374	327	104	91	13.80	ND<5.0	96
sec-Butylbenzene	ND<6.0	361	391	336	108	93	14.80	ND<5.0	94
:ene	ND<6.0	361	360	327	100	91	9.60	ND<5.0	96
t-Butylbenzene	ND<6.0	361	385	337	107	93	13.60	ND<5.0	92
Tetrachloroethene	ND<6.0	361	463	401	128	111	14.20	ND<5.0	112
Tetrahydrofuran	ND<29	361	255	345	71	96	30.10	ND<25	101
Toluene	ND<6.0	361	439	381	122	106	14.00	ND<5.0	108
trans-1,2-Dichloroethene	ND<6.0	361	428	375	119	104	13.50	ND<5.0	105
trans-1,3-Dichloropropene	ND<6.0	361	380	357	105	99	6.00	ND<5.0	99
Trichloroethene	ND<6.0	361	475	464	132	129	2.30	ND<5.0	117
Trichlorofluoromethane	ND<17	361	453	446	125	124	0.80	ND<5.0	119
Trichlorotrifluoroethane	ND<17	361	323	275	90	76	16.10	ND<25	72
Vinyl Chloride	ND<6.0	361	271	219	75	61	21.20	ND<5.0	119

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD15799

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pyridine	ND<1631	4300	2000	2100	46	49	4.83	ND<300	38
n-Nitroso-dimethylamine	ND<1631	4300	2100	2500	49	58	17.40	ND<300	44
bis(2-Chloroethyl)ether	ND<1631	4300	3100	3200	72	74	3.14	ND<300	56
Phenol	ND<1631	4300	2700	2800	63	65	3.60	ND<300	55
Aniline	ND<1631	4300	1400	1900	33	44	30.21	ND<300	53
2-Chlorophenol	ND<1631	4300	2700	3000	63	70	10.56	ND<300	52
1,3-Dichlorobenzene	ND<1631	4300	2300	2700	54	63	15.99	ND<300	46
1,4-Dichlorobenzene	ND<1631	4300	2500	2800	58	65	11.36	ND<300	45
Benzyl Alcohol	ND<1631	4300	1900	2300	44	54	19.04	ND<300	50
1,2-Dichlorobenzene	ND<1631	4300	2600	2700	60	63	3.73	ND<300	46
bis(2-chloroisopropyl)ether	ND<1631	4300	2500	2800	58	65	11.36	ND<300	47
:achloroethane	ND<1631	4300	1500	2100	35	49	33.21	ND<300	44

A Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD15799

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
N-Nitroso-di-n-propylamine	ND<1631	4300	2100	2600	49	60	21.41	ND<300	48
2-Methyl Phenol	ND<1631	4300	3000	3100	70	72	3.24	ND<300	54
3+4 Methyl Phenol	ND<1631	4300	3000	2800	70	65	6.97	ND<300	54
Nitrobenzene	ND<1631	4300	3400	2300	79	54	38.61	ND<300	44
Isophorone	ND<1631	4300	2900	2900	67	67	0.00	ND<300	56
2-Nitrophenol	ND<1631	4300	2200	2400	51	56	8.60	ND<300	51
2,4-Dimethylphenol	ND<1631	4300	3100	3300	72	77	6.18	ND<300	55
bis(2-Chloroethoxy)methane	ND<1631	4300	2800	2900	65	67	3.47	ND<300	51
2,4-Dichlorophenol	ND<1631	4300	2900	3300	67	77	12.91	ND<300	56
1,2,4-Trichlorobenzene	ND<1631	4300	2700	2900	63	67	7.07	ND<300	51
Naphthalene	ND<1631	4300	3200	3700	74	86	14.46	ND<300	61
4-Chloroaniline	ND<1631	4300	2500	2700	58	63	7.78	ND<300	60
Hexachlorobutadiene	ND<1631	4300	2700	3000	63	70	10.56	ND<300	49
4-Chloro-3-methylphenol	ND<1631	4300	3800	2800	88	65	30.36	ND<300	58
2-Methyl Naphthalene	ND<1631	4300	2600	3200	60	74	20.61	ND<300	55
Hexachlorocyclopentadiene	ND<1631	4300	2500	3200	58	74	24.60	ND<300	60
2,4,6-Trichlorophenol	ND<1631	4300	2500	2900	58	67	14.82	ND<300	51
2,4,5-Trichlorophenol	ND<1631	4300	2400	3100	56	72	25.49	ND<300	50
2-Chloronaphthalene	ND<1631	4300	1900	2100	44	49	9.89	ND<300	46
2-Nitroaniline	ND<1631	4300	2800	3000	65	70	6.97	ND<300	60
Acenaphthylene	ND<1631	4300	3500	4300	81	100	20.51	ND<300	74
Dimethylphthalate	ND<1631	4300	2700	3200	63	74	16.91	ND<300	57
2,6-Dinitrotoluene	ND<1631	4300	2700	2400	63	56	11.80	ND<300	56
litroaniline	ND<1631	4300	3200	3100	74	72	3.14	ND<300	61
enaphthene	ND<1631	4300	3200	4000	74	93	22.22	ND<300	68
2,4-Dinitrophenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	47
2,4-Dinitrotoluene	ND<1631	4300	2600	2500	60	58	4.05	ND<300	57
4-Nitrophenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	45
Dibenzofuran	ND<1631	4300	2700	3300	63	77	19.93	ND<300	59
Fluorene	ND<1631	4300	3300	4000	77	93	19.21	ND<300	71
4-Chlorophenyl-phenylether	ND<1631	4300	2500	3000	58	70	18.30	ND<300	56
Diethylphthalate	ND<1631	4300	2900	3100	67	72	6.74	ND<300	59
3-Nitroaniline	ND<1631	4300	4200	4600	98	107	9.09	ND<300	84
4,6-Dinitro-2-methylphenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	51
n-Nitrosodiphenylamine	ND<1631	4300	4700	6900	109	160	37.92	ND<300	103
Azobenzene	ND<1631	4300	2700	3500	63	81	25.80	ND<300	63
4-Bromophenyl-phenylether	ND<1631	4300	2300	3200	54	74	32.68	ND<300	55
Hexachlorobenzene	ND<1631	4300	2500	3100	58	72	21.51	ND<300	58
Pentachlorophenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	46
Phenanthrene	ND<1631	4300	4000	4900	93	114	20.29	ND<300	73
Anthracene	ND<1631	4300	3300	4500	77	105	31.15	ND<300	75
Di-n-butylphthalate	ND<1631	4300	2200	3300	51	77	39.88	ND<300	59
Fluoranthene	ND<1631	4300	4000	5800	93	135	36.84	ND<300	75
Pyrene	ND<1631	4300	4400	5700	102	133	26.38	ND<300	76
Butylbenzylphthalate	ND<1631	4300	2500	3200	58	74	24.60	ND<300	57
Benzo[a]anthracene	ND<1631	4300	4100	5000	95	116	19.59	ND<300	71
Chrysene	ND<1631	4300	4100	4700	95	109	13.41	ND<300	70
bis(2-Ethylhexyl)phthalate	ND<1631	4300	2700	3300	63	77	19.93	ND<300	58
Di-n-octylphthalate	ND<1631	4300	2800	3600	65	84	25.00	ND<300	57
Benzo[b]fluoranthene	ND<1631	4300	3900	4800	91	112	21.02	ND<300	82
nzo[k]fluoranthene	ND<1631	4300	3900	5100	91	119	26.99	ND<300	86

Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD15799

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup% Rec	RPD	Blank	LCS% Rec
Benzo[a]pyrene	ND<1631	4300	4200	5300	98	123	22.93	ND<300	82
Indeno[1,2,3-cd]pyrene	ND<1631	4300	3800	5400	88	126	35.08	ND<300	83
Dibenz[a,h]anthracene	ND<1631	4300	3800	5400	88	126	35.08	ND<300	83
Benzo[g,h,i]perylene	ND<1631	4300	3500	5100	81	119	37.53	ND<300	83

QA Type: Conn. Extractable TPH Date Analyzed: 12/18/2006 QA Sample ID: AD16216 Client ID: MW02-SS-SB02-108

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<55	1650	1680	1790	102	108	5.71	ND<50	96

QA Type: EPA 8082 PCBs Date Analyzed: 12/20/2006 QA Sample ID: AD15888

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	1.10	0.97	0.98	88	89	1.02	ND<0.25	91
PCB-1260	ND<0.30	1.10	0.99	0.97	90	88	2.02	ND<0.25	90

QA Type: Volatile Organics Date Analyzed: 12/20/2006 QA Sample ID: AD16274

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	39	78	ND<10	106
Chloromethane	ND<2.7	50.0	47.4	95	ND<2.7	99
Vinyl Chloride	ND<1.6	50.0	30.6	61	ND<1.6	96
Bromomethane	ND<5.0	50.0	43.6	87	ND<5.0	98
Chloroethane	ND<5.0	50.0	48.3	97	ND<5.0	98
Acetone	ND<50	100	84	84	ND<50	73
Acrylonitrile	ND<20	50	45	90	ND<25	92
Trichlorofluoromethane	ND<25	50	42	84	ND<25	110
Trichlorotrifluoroethane	ND<25	50	53	106	ND<25	94
1,1-Dichloroethene	ND<1.0	50.0	53.7	107	ND<1.0	94
Methylene Chloride	ND<5.0	50.0	36.9	74	ND<5.0	67
Carbon Disulfide	ND<5.0	50.0	61.0	122	ND<5.0	99
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	47.8	96	ND<5.0	95
trans-1,2-Dichloroethene	ND<1.0	50.0	51.1	102	ND<1.0	96
1,1-Dichloroethane	ND<1.0	50.0	48.1	96	ND<1.0	96
2-Butanone (MEK)	ND<25	100	89	89	ND<25	87
2,2-Dichloropropane	ND<1.0	50.0	49.4	99	ND<1.0	93
cis-1,2-Dichloroethene	ND<1.0	50.0	47.7	95	ND<1.0	95
Chloroform	ND<1.0	50.0	47.4	95	ND<1.0	97
Tetrahydrofuran	ND<5.0	50.0	45.4	91	ND<5.0	96
1,1,1-Trichloroethane	ND<1.0	50.0	48.4	97	ND<1.0	98
Carbon Tetrachloride	ND<1.0	50.0	49.1	98	ND<1.0	97
1,1-Dichloropropene	ND<1.0	50.0	50.0	100	ND<1.0	96
Benzene	ND<1.0	50.0	46.0	92	ND<1.0	91
1,2-Dichloroethane	ND<1.0	50.0	46.9	94	ND<1.0	97
Methyl Isobutyl Ketone	ND<25	100	93	93	ND<25	100
Trichloroethene	ND<1.0	50.0	45.8	92	ND<1.0	96
1,2-Dichloropropane	ND<1.0	50.0	46.7	93	ND<1.0	95
Dibromomethane	ND<1.0	50.0	47.4	95	ND<1.0	97
Bromodichloromethane	ND<0.50	50.0	46.6	93	ND<0.5	97
2-Hexanone	ND<25	100	99	99	ND<25	101
cis-1,3-Dichloropropene	ND<0.50	50.0	48.1	96	ND<0.5	98

A Type: Volatile Organics Date Analyzed: 12/20/2006 QA Sample ID: AD16274

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Toluene	ND<1.0	50.0	47.8	96	ND<1.0	97
trans-1,3-Dichloropropene	ND<0.50	50.0	48.5	97	ND<0.5	99
1,1,2-Trichloroethane	ND<1.0	50.0	46.9	94	ND<1.0	97
Tetrachloroethene	ND<1.0	50.0	47.9	96	ND<1.0	97
1,3-Dichloropropane	ND<1.0	50.0	47.5	95	ND<1.0	98
Dibromochloromethane	ND<0.50	50.0	46.7	93	ND<0.5	100
1,2-Dibromoethane	ND<0.50	50.0	46.6	93	ND<0.5	95
Chlorobenzene	ND<1.0	50.0	48.9	98	ND<1.0	103
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	47.8	96	ND<1.0	101
Ethylbenzene	ND<1.0	50.0	47.9	96	ND<1.0	102
m+p Xylenes	ND<1.0	100.0	97.4	97	ND<1.0	101
o-Xylene	ND<1.0	50.0	47.3	95	ND<1.0	99
Styrene	ND<1.0	50.0	47.3	95	ND<1.0	101
Bromoform	ND<1.0	50.0	47.7	95	ND<1.0	100
Isopropylbenzene	ND<1.0	50.0	46.8	94	ND<1.0	100
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	49.2	98	ND<0.5	96
Bromobenzene	ND<1.0	50.0	47.5	95	ND<1.0	102
1,2,3-Trichloropropane	ND<1.0	50.0	46.3	93	ND<1.0	96
n-Propylbenzene	ND<1.0	50.0	48.8	98	ND<1.0	101
2-Chlorotoluene	ND<1.0	50.0	53.1	106	ND<1.0	97
4-Chlorotoluene	ND<1.0	50.0	37.2	74	ND<1.0	104
1,3,5-Trimethylbenzene	ND<1.0	50.0	47.7	95	ND<1.0	101
tert-Butylbenzene	ND<1.0	50.0	46.4	93	ND<1.0	98
1,2,4-Trimethylbenzene	ND<1.0	50.0	47.7	95	ND<1.0	99
-Butylbenzene	ND<1.0	50.0	48.0	96	ND<1.0	100
-Dichlorobenzene	ND<1.0	50.0	47.2	94	ND<1.0	97
4-Isopropyltoluene	ND<1.0	50.0	49.2	98	ND<1.0	99
1,4-Dichlorobenzene	ND<1.0	50.0	47.1	94	ND<1.0	98
1,2-Dichlorobenzene	ND<1.0	50.0	47.0	94	ND<1.0	98
n-Butylbenzene	ND<1.0	50.0	50.0	100	ND<1.0	101
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	46.7	93	ND<1.0	96
1,2,4-Trichlorobenzene	ND<1.0	50.0	48.3	97	ND<1.0	100
Hexachlorobutadiene	ND<0.45	50.00	46.77	94	ND<0.45	96
Naphthalene	ND<1.0	50.0	46.5	93	ND<1.0	99
1,2,3-Trichlorobenzene	ND<1.0	50.0	46.9	94	ND<1.0	99

ND is not detected

Narrative

3. Samples were received at 12° with evidence of cooling.

4. Chloroethane dup and LCS recoveries low for sample AD16211.
   Trichloroethene spike recovery high for sample AD16211.
   Vinyl Chloride dup recovery low for sample AD16211.
   Hexachloroethane spike recovery low.
   2,4-Dinitrophenol spike and dup recoveries low.
   4-Nitrophenol spike and dup recoveries low.
   4,6-Dinitro-2-methylphenol spike and dup recoveries low.
   n-Nitrosodiphenylamine dup recovery high.
   Pentachlorophenol spike and dup recoveries low.
   Vinyl Chloride spike recovery low for sample AD16274.
   Methylene Chloride LCS recovery low for sample AD16274.
   Surrogate 4-Bromofluorobenzene was out on Volatile sample AD16211; reported duplicate result.
   Agreement between analyses inconsistent, no other samples left due to MS/MSD on this sample.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 27, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford
Project #: 206937
CET #: 06120459
PO #: 206937
Soil: AOC3-SS-TP01-113; AOC3-SS-TP02-114; AOC3-SS-TP03-115; AOC9-SS-TP01-112; MW07-SS-SB01-111
Collection Date(s): 12/14/2006
Water: EB08; TB08-Trip Blank
Collection Date(s): 12/14/2006

REP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/19/2006

Acid Digestion [EPA 3050B]

Client ID	AOC9-SS-TP01-112
CET ID	AD16860
Date Analyzed	12/20/2006

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/21/2006

Accelerated Solvent Extraction [EPA 3545]

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112
CET ID	AD16859	AD16860
Date Analyzed	12/20/2006	12/20/2006

NOTES:
ndicates Date Prep Test Completed; ND is Not Detected.

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC9-SS-TP01-112
CET ID	AD16860
Date Analyzed	12/20/2006

Closed System P&T Extraction [EPA 5035]

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112	AOC3-SS-TP01-113	AOC3-SS-TP02-114	AOC3-SS-TP03-115
CET ID	AD16859	AD16860	AD16861	AD16862	AD16863
Date Analyzed	12/22/2006	12/22/2006	12/22/2006	12/22/2006	12/22/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/20/2006

ANALYSIS:

Total Mercury [EPA 7470] Units: mg/l

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/21/2006
Total Mercury	ND < 0.002

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP01-112
CET ID	AD16860
Date Analyzed	12/21/2006
Total Mercury	ND < 0.30

Total Solids [EPA 160.3 mo] Units: percent

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112	AOC3-SS-TP01-113	AOC3-SS-TP02-114	AOC3-SS-TP03-115
CET ID	AD16859	AD16860	AD16861	AD16862	AD16863
Date Analyzed	12/21/2006	12/19/2006	12/26/2006	12/26/2006	12/26/2006
Total Solids	88	86	69	94	85

Total Metals [EPA 200.7] Units: mg/l

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/19/2006
Dilution	1
Lead	ND < 0.013
Selenium	ND < 0.01
Cadmium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP01-112
CET ID	AD16860
Date Analyzed	12/20/2006
Dilution	1.0
Lead	8.5
Selenium	ND < 1.5
Cadmium	2.5
Chromium	77
Arsenic	4.1
Barium	190
Silver	ND < 2.5

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/26/2006
DCB (Surr)	76
PCB-1016	ND < 0.50
PCB-1221	ND < 0.50
PCB-1232	ND < 0.50
PCB-1242	ND < 0.50
PCB-1248	ND < 0.50
PCB-1254	ND < 0.50
PCB-1260	ND < 0.50
TCMX (Surr)	69

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP01-112
CET ID	AD16860
Date Analyzed	12/21/2006
DCB (Surr 2)	94
Dilution	ND < 1
PCB-1016	ND < 0.30
PCB-1221	ND < 0.30
PCB-1232	ND < 0.30
PCB-1242	ND < 0.30
PCB-1248	ND < 0.30
PCB-1254	ND < 0.30
PCB-1260	ND < 0.30
TCMX (Surr 1)	91

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/21/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
2-Chlorophenol	ND < 20
1,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
1,2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20
2,6-Dinitrotoluene	ND < 75
4-Nitroaniline	ND < 20
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB08
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
Anthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
3,3-Dichlorobenzidine	ND < 75
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	40
Phenol-d5 (Surr) 15-110	26
Nitrobenzene-d5(Surr) 30-130	79
2-Fluorobiphenyl (Surr) 30-130	79
2,4,6-Tribromophenol (Surr) 15-115	84
Terphenyl-d14 (Surr) 30-130	54

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112
CET ID	AD16859	AD16860
Date Analyzed	12/19/2006	12/19/2006
Dilution	1	1
Pyridine	ND < 341	ND < 349
n-Nitroso-dimethylamine	ND < 341	ND < 349
bis(2-Chloroethyl)ether	ND < 341	ND < 349
Phenol	ND < 341	ND < 349
Aniline	ND < 341	ND < 349
2-Chlorophenol	ND < 341	ND < 349
1,3-Dichlorobenzene	ND < 341	ND < 349
1,4-Dichlorobenzene	ND < 341	ND < 349
Benzyl Alcohol	ND < 341	ND < 349
1,2-Dichlorobenzene	ND < 341	ND < 349

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112
bis(2-chloroisopropyl)ether	ND < 341	ND < 349
Hexachloroethane	ND < 341	ND < 349
N-Nitroso-di-n-propylamine	ND < 341	ND < 349
2-Methyl Phenol	ND < 341	ND < 349
3+4 Methyl Phenol	ND < 341	ND < 349
Nitrobenzene	ND < 341	ND < 349
Isophorone	ND < 341	ND < 349
2-Nitrophenol	ND < 341	ND < 349
2,4-Dimethylphenol	ND < 341	ND < 349
bis(2-Chloroethoxy)methane	ND < 341	ND < 349
Benzoic Acid	ND < 341	ND < 349
2,4-Dichlorophenol	ND < 341	ND < 349
1,2,4-Trichlorobenzene	ND < 341	ND < 349
Naphthalene	ND < 341	ND < 349
2,6-Dichlorophenol	ND < 341	ND < 349
4-Chloroaniline	ND < 341	ND < 349
Hexachlorobutadiene	ND < 341	ND < 349
4-Chloro-3-methylphenol	ND < 341	ND < 349
2-Methyl Naphthalene	ND < 341	ND < 349
Hexachlorocyclopentadiene	ND < 341	ND < 349
4,6-Trichlorophenol	ND < 341	ND < 349
2,4,5-Trichlorophenol	ND < 341	ND < 349
2-Chloronaphthalene	ND < 341	ND < 349
2-Nitroaniline	ND < 341	ND < 349
Acenaphthylene	ND < 341	ND < 349
Dimethylphthalate	ND < 341	ND < 349
2,6-Dinitrotoluene	ND < 341	ND < 349
4-Nitroaniline	ND < 341	ND < 349
Acenaphthene	ND < 341	ND < 349
2,4-Dinitrophenol	ND < 341	ND < 349
2,4-Dinitrotoluene	ND < 341	ND < 349
4-Nitrophenol	ND < 341	ND < 349
Dibenzofuran	ND < 341	ND < 349
2,3,4,6-Tetrachlorophenol	ND < 341	ND < 349
Fluorene	ND < 341	ND < 349
4-Chlorophenyl-phenylether	ND < 341	ND < 349
Diethylphthalate	ND < 341	ND < 349
3-Nitroaniline	ND < 341	ND < 349
4,6-Dinitro-2-methylphenol	ND < 341	ND < 349
n-Nitrosodiphenylamine	ND < 341	ND < 349
Azobenzene	ND < 341	ND < 349
4-Bromophenyl-phenylether	ND < 341	ND < 349
Hexachlorobenzene	ND < 341	ND < 349
Pentachlorophenol	ND < 341	ND < 349
Benzidine	ND < 341	ND < 349
Phenanthrene	ND < 341	ND < 349

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112
Anthracene	ND < 341	ND < 349
Carbazole	ND < 341	ND < 349
Di-n-butylphthalate	ND < 341	ND < 349
Fluoranthene	ND < 341	ND < 349
Pyrene	ND < 341	ND < 349
Butylbenzylphthalate	ND < 341	ND < 349
3,3-Dichlorobenzidine	ND < 341	ND < 349
Benzo[a]anthracene	ND < 341	ND < 349
Chrysene	ND < 341	ND < 349
bis(2-Ethylhexyl)phthalate	ND < 341	ND < 349
Di-n-octylphthalate	ND < 341	ND < 349
Benzo[b]fluoranthene	ND < 341	ND < 349
Benzo[k]fluoranthene	ND < 341	ND < 349
Benzo[a]pyrene	ND < 341	ND < 349
Indeno[1,2,3-cd]pyrene	ND < 341	ND < 349
Dibenz[a,h]anthracene	ND < 341	ND < 349
Benzo[g,h,i]perylene	ND < 341	ND < 349
2-Fluorophenol (Surr) 30-130	46	70.4
Phenol-d5 (Surr) 30-130	69.2	77.2
Nitrobenzene-d5(Surr) 30-130	67.8	69.3
2-Fluorobiphenyl (Surr) 30-130	73.7	76.6
2,4,6-Tribromophenol (Surr) 30-130	73.3	82.6
Terphenyl-d14 (Surr) 30-130	49.8	49.2

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB08
CET ID	AD16864
Date Analyzed	12/20/2006
Dilution	1.0
ETPH	ND < 0.10
Octacosane (surr)	110

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112
CET ID	AD16859	AD16860
Date Analyzed	12/20/2006	12/20/2006
Dilution	1.0	1.0
ETPH	ND < 57	ND < 59
Octacosane (surr)	120	119

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB08	TB08-Trip Blank
CET ID	AD16864	AD16865
Date Analyzed	12/22/2006	12/22/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB08	TB08-Trip Blank
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
2-Dichloropropane	ND < 1.0	ND < 1.0
ibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0

ᵒtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB08	TB08-Trip Blank
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	95.5	95.5
toluene-d8 (SURR) 70-130	95.2	95.2
4-bromofluorobenzene (SURR) 70-130	82.1	82.6

ıatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112	AOC3-SS-TP01-113	AOC3-SS-TP02-114	AOC3-SS-TP03-115
CET ID	AD16859	AD16860	AD16861	AD16862	AD16863
Date Analyzed	12/22/2006	12/22/2006	12/22/2006	12/22/2006	12/22/2006
Dilution	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 18	ND < 22	ND < 16	ND < 18
Chloromethane	ND < 12	ND < 12	ND < 15	ND < 11	ND < 12
Vinyl Chloride	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Bromomethane	ND < 12	ND < 12	ND < 15	ND < 11	ND < 12
Chloroethane	ND < 12	ND < 12	ND < 15	ND < 11	ND < 12
Acetone	ND < 110	ND < 120	ND < 150	ND < 110	ND < 120
Acrylonitrile	ND < 18	ND < 18	ND < 22	ND < 16	ND < 18
Trichlorofluoromethane	ND < 18	ND < 18	ND < 22	ND < 16	ND < 18
Trichlorotrifluoroethane	ND < 18	ND < 18	ND < 22	ND < 16	ND < 18
1,1-Dichloroethene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Methylene Chloride	ND < 18	ND < 18	ND < 22	ND < 16	ND < 18
Carbon Disulfide	ND < 12	ND < 12	ND < 15	ND < 11	ND < 12
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,1-Dichloroethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
2-Butanone (MEK)	ND < 29	ND < 30	ND < 37	ND < 27	ND < 30
2,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 6.0	12	ND < 6.0	ND < 6.0
Chloroform	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Tetrahydrofuran	ND < 29	ND < 30	ND < 37	ND < 27	ND < 30

ıtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112	AOC3-SS-TP01-113	AOC3-SS-TP02-114	AOC3-SS-TP03-115
1,1,1-Trichloroethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Carbon Tetrachloride	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,1-Dichloropropene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Benzene	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Methyl Isobutyl Ketone	ND < 29	ND < 30	ND < 37	ND < 27	ND < 30
Trichloroethene	160	ND < 6.0	29	ND < 6.0	13
1,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Dibromomethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Bromodichloromethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
2-Hexanone	ND < 29	ND < 30	ND < 37	ND < 27	ND < 30
cis-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Toluene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Tetrachloroethene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	9.5
1,3-Dichloropropane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
ɔibromochloromethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
,2-Dibromoethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 29	ND < 30	ND < 37	ND < 27	ND < 30
Chlorobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Ethylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
m+p Xylenes	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
o-Xylene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Styrene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Bromoform	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Isopropylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Bromobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
n-Propylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
2-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
4-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
tert-Butylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
sec-Butylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
4-Isopropyltoluene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
n-Butylbenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	MW07-SS-SB01-111	AOC9-SS-TP01-112	AOC3-SS-TP01-113	AOC3-SS-TP02-114	AOC3-SS-TP03-115
1,2,4-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Hexachlorobutadiene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
Naphthalene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 8.0	ND < 6.0	ND < 6.0
1,2 Dichloroethane-d4 (SURR) 70-130	125	115	109	117	127
toluene-d8 (SURR) 70-130	87.2	94.2	101	92.4	92.4
4-bromofluorobenzene (SURR) 70-130	73.2	92.7	83.3	82.4	71.8

Sincerely,

David Ditta
oratory Director

otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Volatile Soils Only:
Date and Time in Freezer
Client:
CET 12/14-06 5:10

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOW07-SS-SB01-111	12/14/06 726	S				X	X																			
AOC9-SS-TP01-112	1030	S				X	X						X	X											9	1
AOC3-SS-TP01-113	1145	S				X	X						X	X		X			X						5	2
AOC3-SS-TP02-114	1410	S				X	X																		4	
AOC3-SS-TP03-115	1450	S				X	X																		4	
EB03	1500	W				X	X																		4	
TB08 - TRIP BLANK	11/29/06					X	X						X	X		X			X						6	
TEMP BLANK	11/29/06					X	X																		2	

PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME 12/14/06	RECEIVED BY:	12/14/06
RELINQUISHED BY:	DATE/TIME 12/14/06 4:50	RECEIVED BY:	
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:	

NOTES:
1 - RUN MS/MSD FOR VOCS
2 - RUN MS/MSD FOR ETPH, SVOCS, METALS, PCBs

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FOR QA/QC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: 15.0 °C Temp Upon Receipt: °C Y N

SHEET 1 OF

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 6/9/06

CET
COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:
Date and Time in Freezer
Client:
CET: 12-14-06 5:10

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Sample ID	Date/Time	Matrix (A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify))	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	Organics: 8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	Metals (check all that apply): 13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	Additional Analysis	TOTAL # OF CONT.	NOTE #
MW07-SS-SB01-111	12/14/06 726	S				X	X						X	X												9	1
AOC9-SS-TP01-112	1030	S				X	X						X	X		X			X							5	2
AOC3-SS-TP01-113	1145	S				X	X																			4	
AOC3-SS-TP02-114	1410	S				X	X																			4	
AOC3-SS-TP03-115	1450	S				X	X																			4	
EQ08	1500	W																									
TB08 - TRIP BLANK	11/29/06																										
TEMP BLANK	11/29/06																										

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other): G G

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore): E

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/14/06	[signature] 12/14/06
[signature]	12/14/06 4:50	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1 - RUN MS/MSD FOR VOCs
2 - RUN MS/MSD FOR ETPH, SVOCs, METALS, PCBs

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):
QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FOR QA/QC DOC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt: 10.0 °C

SHEET 1 OF

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 12/14/2006 ***CET #:*** 06120459

Laboratory Sample ID(s): AD16859-AD16866

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/3/2007

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford
CET#: 06120459

QA Type: Total Metals Date Analyzed: 12/19/2006 QA Sample ID: AD16667

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.005	0.20	0.208	0.209	104	104	0.00	ND<0.013	97
Selenium	ND<0.01	0.40	0.432	0.438	108	110	1.80	ND<0.01	98
Cadmium	ND<0.005	0.20	0.203	0.205	102	102	0.00	ND<0.005	98
Chromium	ND<0.05	0.20	0.206	0.207	103	104	0.97	ND<0.05	98
Arsenic	ND<0.004	0.20	0.206	0.211	103	106	2.90	ND<0.004	96
Barium	ND<0.05	0.20	0.223	0.227	112	114	1.80	ND<0.05	100
Silver	ND<0.012	0.10	0.104	0.101	104	101	2.90	ND<0.012	96

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/20/2006 QA Sample ID: AD16860 Client ID: AOC9-SS-TP01-112

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Pyridine	ND<349	4700	1800	2000	38	43	10.63	ND<300	36
n-Nitroso-dimethylamine	ND<349	4700	2300	2500	49	53	8.42	ND<300	46
bis(2-Chloroethyl)ether	ND<349	4700	2600	2600	55	55	0.00	ND<300	50
Phenol	ND<349	4700	3100	3200	66	68	3.13	ND<300	62
Aniline	ND<349	4700	2200	2100	47	45	4.59	ND<300	43
2-Chlorophenol	ND<349	4700	2900	3100	62	66	6.74	ND<300	60
1,3-Dichlorobenzene	ND<349	4700	2400	2600	51	55	7.90	ND<300	51
1,4-Dichlorobenzene	ND<349	4700	2500	2700	53	57	7.60	ND<300	53
Benzyl Alcohol	ND<349	4700	3200	3000	68	64	6.52	ND<300	56
1,2-Dichlorobenzene	ND<349	4700	2600	2700	55	57	3.73	ND<300	54
bis(2-chloroisopropyl)ether	ND<349	4700	2600	2800	55	60	7.49	ND<300	53
Hexachloroethane	ND<349	4700	2600	2900	55	62	10.94	ND<300	55
N-Nitroso-di-n-propylamine	ND<349	4700	3000	3200	64	68	6.52	ND<300	60
2-Methyl Phenol	ND<349	4700	3000	3200	64	68	6.52	ND<300	62
3+4 Methyl Phenol	ND<349	4700	3200	3000	68	64	6.52	ND<300	64
Nitrobenzene	ND<349	4700	2700	2800	57	60	3.76	ND<300	54
Isophorone	ND<349	4700	2700	2700	57	57	0.00	ND<300	54
2-Nitrophenol	ND<349	4700	2900	3100	62	66	6.74	ND<300	57
2,4-Dimethylphenol	ND<349	4700	2500	2300	53	49	8.42	ND<300	57
bis(2-Chloroethoxy)methane	ND<349	4700	2700	2800	57	60	3.76	ND<300	55
2,4-Dichlorophenol	ND<349	4700	3000	3000	64	64	0.00	ND<300	60
1,2,4-Trichlorobenzene	ND<349	4700	2800	2900	60	62	3.46	ND<300	57
Naphthalene	ND<349	4700	3300	3500	70	74	5.94	ND<300	67
hloroaniline	ND<349	4700	3300	3000	70	64	9.55	ND<300	63

Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/20/2006 QA Sample ID: AD16860 Client ID: AOC9-SS-TP01-112

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Hexachlorobutadiene	ND<349	4700	2700	2900	57	62	7.22	ND<300	57
4-Chloro-3-methylphenol	ND<349	4700	3300	3400	70	72	2.95	ND<300	67
2-Methyl Naphthalene	ND<349	4700	3100	3200	66	68	3.13	ND<300	61
Hexachlorocyclopentadiene	ND<349	4700	850	830	18	18	2.24	ND<300	24
2,4,6-Trichlorophenol	ND<349	4700	3100	3000	66	64	3.39	ND<300	63
2,4,5-Trichlorophenol	ND<349	4700	3400	3300	72	70	2.95	ND<300	67
2-Chloronaphthalene	ND<349	4700	2800	2900	60	62	3.46	ND<300	58
2-Nitroaniline	ND<349	4700	3300	3300	70	70	0.00	ND<300	68
Acenaphthylene	ND<349	4700	3700	3700	79	79	0.00	ND<300	74
Dimethylphthalate	ND<349	4700	3000	3000	64	64	0.00	ND<300	61
2,6-Dinitrotoluene	ND<349	4700	3100	3100	66	66	0.00	ND<300	63
4-Nitroaniline	ND<349	4700	3400	3400	72	72	0.00	ND<300	67
Acenaphthene	ND<349	4700	3700	3800	79	81	2.76	ND<300	76
2,4-Dinitrophenol	ND<349	4700	2700	2900	57	62	7.22	ND<300	55
2,4-Dinitrotoluene	ND<349	4700	3400	3400	72	72	0.00	ND<300	69
4-Nitrophenol	ND<349	4700	3000	3000	64	64	0.00	ND<300	67
Dibenzofuran	ND<349	4700	3300	3300	70	70	0.00	ND<300	67
Fluorene	ND<349	4700	4300	4300	92	92	0.00	ND<300	86
4-Chlorophenyl-phenylether	ND<349	4700	3100	3100	66	66	0.00	ND<300	63
Diethylphthalate	ND<349	4700	3200	3200	68	68	0.00	ND<300	65
3-Nitroaniline	ND<349	4700	2500	2200	53	47	12.80	ND<300	54
4,6-Dinitro-2-methylphenol	ND<349	4700	3200	3300	68	70	3.04	ND<300	62
n-Nitrosodiphenylamine	ND<349	4700	3700	3600	79	77	2.70	ND<300	76
Azobenzene	ND<349	4700	3100	3200	66	68	3.13	ND<300	64
`romophenyl-phenylether	ND<349	4700	3000	3000	64	64	0.00	ND<300	61
_xachlorobenzene	ND<349	4700	3100	3100	66	66	0.00	ND<300	63
Pentachlorophenol	ND<349	4700	2600	2700	55	57	3.73	ND<300	49
Phenanthrene	ND<349	4700	3800	3800	81	81	0.00	ND<300	78
Anthracene	ND<349	4700	4000	4000	85	85	0.00	ND<300	80
Di-n-butylphthalate	ND<349	4700	3200	3200	68	68	0.00	ND<300	65
Fluoranthene	ND<349	4700	4300	4300	92	92	0.00	ND<300	86
Pyrene	ND<349	4700	4300	4300	92	92	0.00	ND<300	87
Butylbenzylphthalate	ND<349	4700	2800	2800	60	60	0.00	ND<300	57
Benzo[a]anthracene	ND<349	4700	3700	3700	79	79	0.00	ND<300	76
Chrysene	ND<349	4700	3800	3800	81	81	0.00	ND<300	76
bis(2-Ethylhexyl)phthalate	ND<349	4700	2900	2900	62	62	0.00	ND<300	58
Di-n-octylphthalate	ND<349	4700	3000	3000	64	64	0.00	ND<300	60
Benzo[b]fluoranthene	ND<349	4700	3900	3900	83	83	0.00	ND<300	80
Benzo[k]fluoranthene	ND<349	4700	4100	4100	87	87	0.00	ND<300	83
Benzo[a]pyrene	ND<349	4700	3900	3800	83	81	2.56	ND<300	80
Indeno[1,2,3-cd]pyrene	ND<349	4700	4700	4700	100	100	0.00	ND<300	90
Dibenz[a,h]anthracene	ND<349	4700	4500	4500	96	96	0.00	ND<300	85
Benzo[g,h,i]perylene	ND<349	4700	4700	4700	100	100	0.00	ND<300	93

QA Type: Conn. Extractable TPH Date Analyzed: 12/21/2006 QA Sample ID: AD16991

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	ND<0.10	5.0	5.6	112	ND<0.10	108

QA Type: Conn. Extractable TPH Date Analyzed: 12/21/2006 QA Sample ID: AD16860 Client ID: AOC9-SS-TP01-112

:alyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
,PH	ND<59	1740	1720	1880	99	108	8.90	ND<50	99

QA Type: Total Metals Date Analyzed: 12/20/2006 QA Sample ID: AD17309

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	140	*	*	*	*	*	*	ND<2.0	102
Selenium	ND<1.5	54.9	49.7	50.5	90	92	1.60	ND<1.0	102
Cadmium	1.1	27.5	24.6	25.1	86	87	2.10	ND<0.50	102
Chromium	18	27.5	42.5	41.4	89	85	4.60	ND<2.0	102
Arsenic	5.2	27.5	31.8	30.3	97	91	5.70	ND<1.0	104
Barium	61	27.5	93.6	93.9	119	120	0.84	ND<2.0	100
Silver	ND<2.5	5.49	5.07	5.22	92	95	3.00	ND<2.0	98

*Sample result too high for accurate spike recovery

QA Type: EPA 8082 PCBs Date Analyzed: 12/21/2006 QA Sample ID: AD16778

Analyte	Blank	LCS%Rec
PCB-1016	ND<0.25	95
PCB-1260	ND<0.25	100

QA Type: Total Mercury Date Analyzed: 12/21/2006 QA Sample ID: AD17006

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	1.44	1.4	1.4	97	97	0.00	ND<0.002	100

QA Type: Total Mercury Date Analyzed: 12/21/2006 QA Sample ID: AD17276

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.002	0.0050	0.0063	0.0061	126	122	3.23	ND<0.002	126

. Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16859 Client ID: MW07-SS-SB01-111

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	268	283	273	106	102	3.80	ND<5.0	109
1,1,1-Trichloroethane	ND<6.0	268	251	251	94	94	0.00	ND<5.0	95
1,1,2,2-Tetrachloroethane	ND<6.0	268	251	253	94	94	0.70	ND<5.0	105
1,1,2-Trichloroethane	ND<6.0	268	246	244	92	91	0.90	ND<5.0	104
1,1-Dichloroethane	ND<6.0	268	257	241	96	90	6.50	ND<5.0	92
1,1-Dichloroethene	ND<6.0	268	254	227	95	85	11.30	ND<5.0	92
1,1-Dichloropropene	ND<6.0	268	243	215	91	80	12.30	ND<5.0	100
1,2,3-Trichlorobenzene	ND<6.0	268	88.3	90.7	33	34	2.70	ND<5.0	117
1,2,3-Trichloropropane	ND<6.0	268	464	300	173	112	42.80	ND<5.0	103
1,2,4-Trichlorobenzene	ND<6.0	268	82.6	86.4	31	32	4.40	ND<5.0	120
1,2,4-Trimethylbenzene	ND<6.0	268	173	177	65	66	2.10	ND<5.0	115
1,2-Dibromo-3-Chloropropane	ND<6.0	268	356	299	133	112	17.10	ND<5.0	106
1,2-Dibromoethane	ND<6.0	268	202	188	75	70	7.30	ND<5.0	104
1,2-Dichlorobenzene	ND<6.0	268	255	225	95	84	12.40	ND<5.0	108
1,2-Dichloroethane	ND<6.0	268	236	229	88	85	3.10	ND<5.0	100
1,2-Dichloropropane	ND<6.0	268	262	258	98	96	1.50	ND<5.0	102
1,3,5-Trimethylbenzene	ND<6.0	268	206	204	77	76	1.00	ND<5.0	119
1,3-Dichlorobenzene	ND<6.0	268	231	205	86	76	11.90	ND<5.0	108
1,3-Dichloropropane	ND<6.0	268	219	215	82	80	1.90	ND<5.0	104
1,4-Dichlorobenzene	ND<6.0	268	192	174	72	65	9.80	ND<5.0	104
2,2-Dichloropropane	ND<6.0	268	262	264	98	98	0.70	ND<5.0	96
2-Butanone (MEK)	ND<29	536	570	546	106	102	3.80	ND<25	110
2-Chlorotoluene	ND<6.0	268	388	331	145	124	15.60	ND<5.0	105
^ Hexanone	ND<29	536	526	501	98	94	4.80	ND<25	117
:hlorotoluene	ND<6.0	268	268	224	100	84	17.90	ND<5.0	106

QA Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16859 Client ID: MW07-SS-SB01-111

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
4-Isopropyltoluene	ND<6.0	268	282	252	105	94	11.10	ND<5.0	116
Acetone	ND<110	536	481	511	90	95	6.10	ND<100	105
Acrylonitrile	ND<18	268	246	243	92	91	1.20	ND<100	86
Benzene	ND<2.0	268	242	232	90	87	4.20	ND<5.0	96
Bromobenzene	ND<6.0	268	325	270	121	101	18.00	ND<5.0	105
Bromochloromethane	ND<6.0	268	238	220	89	82	7.80	ND<5.0	94
Bromodichloromethane	ND<6.0	268	246	241	92	90	2.10	ND<5.0	100
Bromoform	ND<6.0	268	244	230	91	86	5.90	ND<5.0	111
Bromomethane	ND<12	268	272	280	101	104	2.90	ND<5.0	111
Carbon Disulfide	ND<12	268	207	165	77	62	22.50	ND<5.0	71
Carbon Tetrachloride	ND<6.0	268	258	250	96	93	3.20	ND<5.0	96
Chlorobenzene	ND<6.0	268	216	202	81	75	6.70	ND<5.0	109
Chloroethane	ND<12	268	235	240	88	90	2.10	ND<5.0	92
Chloroform	ND<6.0	268	249	236	93	88	5.30	ND<5.0	93
Chloromethane	ND<12	268	334	330	125	123	1.60	ND<5.0	128
cis-1,2-Dichloroethene	ND<6.0	268	239	218	89	81	9.30	ND<5.0	97
cis-1,3-Dichloropropene	ND<6.0	268	205	194	76	72	5.50	ND<5.0	107
Dibromochloromethane	ND<6.0	268	258	248	96	92	4.00	ND<5.0	105
Dibromomethane	ND<6.0	268	215	203	80	76	5.80	ND<5.0	103
Dichlorodifluoromethane	ND<18	268	289	298	108	111	2.70	ND<25	116
Ethyl Methacrylate	ND<6.0	268	226	237	84	88	4.70	ND<25	112
Ethylbenzene	ND<6.0	268	248	229	92	85	8.00	ND<5.0	110
Hexachlorobutadiene	ND<6.0	268	195	188	73	70	3.80	ND<5.0	118
Isopropylbenzene	ND<6.0	268	251	236	94	88	6.20	ND<5.0	115
m+p Xylenes	ND<6.0	536	460	431	86	80	6.50	ND<5.0	109
Methyl Isobutyl Ketone	ND<29	536	608	621	113	116	2.60	ND<25	118
Methyl Methacrylate	ND<6.0	268	277	272	103	101	2.00	ND<25	116
Methyl-t-Butyl Ether (MTBE)	ND<6.0	268	292	297	109	111	1.80	ND<5.0	96
Methylene Chloride	ND<18	268	237	224	88	84	5.60	6.0	90
n-Butylbenzene	ND<6.0	268	175	159	65	59	9.60	ND<5.0	113
n-Propylbenzene	ND<6.0	268	328	273	122	102	17.90	ND<5.0	105
Naphthalene	ND<6.0	268	70.7	68.6	26	26	3.10	ND<5.0	111
o-Xylene	ND<6.0	268	251	239	94	89	4.90	ND<5.0	111
sec-Butylbenzene	ND<6.0	268	325	278	121	104	15.10	ND<5.0	112
Styrene	ND<6.0	268	178	171	66	64	4.00	ND<5.0	113
tert-Butylbenzene	ND<6.0	268	438	330	163	123	28.00	ND<5.0	114
Tetrachloroethene	ND<6.0	268	234	213	87	80	9.40	ND<5.0	100
Tetrahydrofuran	ND<29	268	343	339	128	126	1.60	ND<25	109
Toluene	ND<6.0	268	220	209	82	78	5.10	ND<5.0	97
trans-1,2-Dichloroethene	ND<6.0	268	236	206	88	77	13.60	ND<5.0	91
trans-1,3-Dichloropropene	ND<6.0	268	174	163	65	61	6.50	ND<5.0	109
trans-1,4-Dichloro-2-Butene	ND<29	268	140	135	52	50	3.50	ND<5.0	114
Trichloroethene	160	268	341	302	68	53	24.10	ND<5.0	104
Trichlorofluoromethane	ND<18	268	328	300	122	112	8.50	ND<5.0	117
Trichlorotrifluoroethane	ND<18	268	227	214	85	80	6.00	ND<25	79
Vinyl Chloride	ND<6.0	268	252	244	94	91	3.20	ND<5.0	94

A Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/21/2006 QA Sample ID: AD16354

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	10
n-Nitroso-dimethylamine	ND<20	ND<20	20
bis(2-Chloroethyl)ether	ND<10	ND<10	48
Phenol	ND<20	ND<20	20
Aniline	ND<20	ND<20	20
2-Chlorophenol	ND<20	ND<20	48
1,3-Dichlorobenzene	ND<5.0	ND<5.0	48
1,4-Dichlorobenzene	ND<5.0	ND<5.0	48
Benzyl Alcohol	ND<20	ND<20	38
1,2-Dichlorobenzene	ND<5.0	ND<5.0	50
bis(2-chloroisopropyl)ether	ND<10	ND<10	50
Hexachloroethane	ND<3.0	ND<3.0	50
N-Nitroso-di-n-propylamine	ND<10	ND<10	55
2-Methyl Phenol	ND<20	ND<20	45
3+4 Methyl Phenol	ND<20	ND<20	42
Nitrobenzene	ND<20	ND<20	58
Isophorone	ND<20	ND<20	52
2-Nitrophenol	ND<20	ND<20	60
2,4-Dimethylphenol	ND<20	ND<20	52
bis(2-Chloroethoxy)methane	ND<20	ND<20	52
2,4-Dichlorophenol	ND<20	ND<20	55
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	52
Naphthalene	ND<1.0	ND<1.0	62
4-Chloroaniline	ND<20	ND<20	50
xachlorobutadiene	ND<20	ND<20	55
Chloro-3-methylphenol	ND<20	ND<20	60
2-Methyl Naphthalene	ND<1.0	ND<1.0	58
Hexachlorocyclopentadiene	ND<20	ND<20	0
2,4,6-Trichlorophenol	ND<20	ND<20	55
2,4,5-Trichlorophenol	ND<20	ND<20	58
2-Chloronaphthalene	ND<20	ND<20	52
2-Nitroaniline	ND<20	ND<20	65
Acenaphthylene	ND<0.30	ND<0.30	70
Dimethylphthalate	ND<20	ND<20	62
2,6-Dinitrotoluene	ND<75	ND<75	65
4-Nitroaniline	ND<20	ND<20	80
Acenaphthene	ND<1.0	ND<1.0	68
2,4-Dinitrophenol	ND<20	ND<20	50
2,4-Dinitrotoluene	ND<75	ND<75	75
4-Nitrophenol	ND<75	ND<75	20
Dibenzofuran	ND<1.0	ND<1.0	65
Fluorene	ND<1.0	ND<1.0	75
4-Chlorophenyl-phenylether	ND<20	ND<20	60
Diethylphthalate	ND<20	ND<20	68
3-Nitroaniline	ND<20	ND<20	65
4,6-Dinitro-2-methylphenol	ND<20	ND<20	68
n-Nitrosodiphenylamine	ND<20	ND<20	95
Azobenzene	ND<20	ND<20	65
4-Bromophenyl-phenylether	ND<20	ND<20	65
Hexachlorobenzene	ND<0.077	ND<0.077	65
Pentachlorophenol	ND<1.0	ND<1.0	45
enanthrene	ND<0.077	ND<0.077	80

A Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/21/2006 QA Sample ID: AD16354

Analyte	SampRes	Blank	LCS%Rec
Anthracene	ND<1.0	ND<1.0	82
Di-n-butylphthalate	ND<20	ND<20	72
Fluoranthene	ND<1.0	ND<1.0	82
Pyrene	ND<1.0	ND<1.0	82
Butylbenzylphthalate	ND<20	ND<20	55
Benzo[a]anthracene	ND<0.06	ND<0.06	75
Chrysene	ND<1.0	ND<1.0	72
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	52
Di-n-octylphthalate	ND<20	ND<20	50
Benzo[b]fluoranthene	ND<0.08	ND<0.08	68
Benzo[k]fluoranthene	ND<0.30	ND<0.30	72
Benzo[a]pyrene	ND<0.20	ND<0.20	75
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	78
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	78
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	80

QA Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16833

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Dichlorodifluoromethane	ND<10	50	45	48	90	96	6.00	ND<10	92
Chloromethane	ND<2.7	50.0	43.1	43.9	86	88	1.80	ND<2.7	88
Vinyl Chloride	290E	*	*	*	*	*	*	ND<1.6	92
Bromomethane	ND<5.0	50.0	50.2	47.2	100	94	5.80	ND<5.0	105
Chloroethane	ND<5.0	50.0	50.3	50.6	101	101	0.00	ND<5.0	101
Acetone	ND<50	100	74	76	74	76	3.00	ND<50	70
Acrylonitrile	ND<20	50	65	65	130	130	0.00	ND<25	128
Trichlorofluoromethane	ND<25	50	80	77	160	154	4.00	ND<25	140
Trichlorotrifluoroethane	ND<25	50	61	60	122	120	2.00	ND<25	118
1,1-Dichloroethene	1000E	*	*	*	*	*	*	ND<1.0	98
Methylene Chloride	ND<5.0	50.0	49.2	48.1	98	96	2.30	ND<5.0	94
Carbon Disulfide	ND<5.0	50.0	53.4	54.0	107	108	0.90	ND<5.0	102
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	48.4	47.3	97	95	2.30	ND<5.0	96
trans-1,2-Dichloroethene	2.5	50.0	50.4	48.9	96	93	3.20	ND<1.0	95
1,1-Dichloroethane	25	50.0	74.4	73.9	99	98	1.00	ND<1.0	102
2-Butanone (MEK)	ND<25	100	90	88	90	88	2.00	ND<25	90
2,2-Dichloropropane	ND<1.0	50.0	41.9	39.5	84	79	5.90	ND<1.0	92
cis-1,2-Dichloroethene	240E	*	*	*	*	*	*	ND<1.0	99
Chloroform	ND<1.0	50.0	48.8	47.6	98	95	2.50	ND<1.0	98
Tetrahydrofuran	ND<5.0	50.0	52.2	51.4	104	103	1.00	ND<5.0	98
1,1,1-Trichloroethane	2000E	*	*	*	*	*	*	ND<1.0	100
Carbon Tetrachloride	ND<1.0	50.0	47.4	46.2	95	92	2.60	ND<1.0	102
1,1-Dichloropropene	ND<1.0	50.0	49.5	48.4	99	97	2.20	ND<1.0	97
Benzene	ND<1.0	50.0	47.3	46.8	95	94	1.10	ND<1.0	95
1,2-Dichloroethane	ND<1.0	50.0	51.1	49.8	102	100	2.40	ND<1.0	98
Methyl Isobutyl Ketone	ND<25	100	101	97	101	97	4.00	ND<25	98
Trichloroethene	4.5	50.0	52.0	51.6	95	94	0.80	ND<1.0	99
1,2-Dichloropropane	ND<1.0	50.0	49.2	47.8	98	96	2.90	ND<1.0	97
Dibromomethane	ND<1.0	50.0	48.2	47.9	96	96	0.60	ND<1.0	95
Bromodichloromethane	ND<0.50	50.0	50.5	49.4	101	99	2.20	ND<0.5	99
2-Hexanone	ND<25	100	86	84	86	84	2.00	ND<25	85
1,3-Dichloropropene	ND<0.50	50.0	50.1	48.9	100	98	2.20	ND<0.5	97

QA Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16833

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Toluene	ND<1.0	50.0	48.2	47.5	96	95	1.50	ND<1.0	93
trans-1,3-Dichloropropene	ND<0.50	50.0	50.1	48.4	100	97	3.30	ND<0.5	97
1,1,2-Trichloroethane	ND<1.0	50.0	48.1	47.0	96	94	2.30	ND<1.0	94
Tetrachloroethene	ND<1.0	50.0	46.8	45.8	94	92	2.20	ND<1.0	93
1,3-Dichloropropane	ND<1.0	50.0	48.1	46.6	96	93	3.20	ND<1.0	94
Dibromochloromethane	ND<0.50	50.0	54.4	53.6	109	107	1.90	ND<0.5	107
1,2-Dibromoethane	ND<0.50	50.0	51.8	51.6	104	103	1.00	ND<0.5	104
trans-1,4-Dichloro-2-Butene	ND<10	50	52	50	104	100	4.00	ND<10	104
Chlorobenzene	ND<1.0	50.0	51.6	51.0	103	102	1.00	ND<1.0	102
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	58.8	58.6	118	117	0.90	ND<1.0	110
Ethylbenzene	ND<1.0	50.0	51.8	50.6	104	101	2.90	ND<1.0	101
m+p Xylenes	ND<1.0	100.0	103.4	102.1	103	102	1.00	ND<1.0	102
o-Xylene	ND<1.0	50.0	50.8	49.9	102	100	2.20	ND<1.0	100
Styrene	ND<1.0	50.0	51.8	51.1	104	102	1.90	ND<1.0	103
Bromoform	ND<1.0	50.0	59.3	58.7	119	117	1.70	ND<1.0	118
Isopropylbenzene	ND<1.0	50.0	50.4	49.8	101	100	1.40	ND<1.0	98
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	54.8	53.8	110	108	1.80	ND<0.5	101
Bromobenzene	ND<1.0	50.0	54.2	53.5	108	107	0.90	ND<1.0	109
1,2,3-Trichloropropane	ND<1.0	50.0	49.9	48.4	100	97	3.10	ND<1.0	99
n-Propylbenzene	ND<1.0	50.0	52.9	52.3	106	105	0.90	ND<1.0	105
2-Chlorotoluene	ND<1.0	50.0	54.9	53.2	110	106	3.70	ND<1.0	108
4-Chlorotoluene	ND<1.0	50.0	51.7	52.4	103	105	1.90	ND<1.0	105
1,3,5-Trimethylbenzene	ND<1.0	50.0	52.0	51.3	104	103	1.00	ND<1.0	101
-Butylbenzene	ND<1.0	50.0	53.3	52.5	107	105	1.90	ND<1.0	105
1,2,4-Trimethylbenzene	ND<1.0	50.0	52.3	51.2	105	102	2.90	ND<1.0	102
sec-Butylbenzene	ND<1.0	50.0	53.3	52.3	107	105	1.90	ND<1.0	104
1,3-Dichlorobenzene	ND<1.0	50.0	54.7	54.0	109	108	0.90	ND<1.0	109
4-Isopropyltoluene	ND<1.0	50.0	52.9	52.1	106	104	1.90	ND<1.0	104
1,4-Dichlorobenzene	ND<1.0	50.0	53.5	52.8	107	106	0.90	ND<1.0	105
1,2-Dichlorobenzene	ND<1.0	50.0	55.1	54.1	110	108	1.80	ND<1.0	109
n-Butylbenzene	ND<1.0	50.0	51.9	50.5	104	101	2.90	ND<1.0	102
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	56.8	56.8	114	114	0.00	ND<1.0	113
1,2,4-Trichlorobenzene	ND<1.0	50.0	48.3	47.4	97	95	1.90	ND<1.0	93
Hexachlorobutadiene	ND<0.45	50.00	51.79	50.12	104	100	3.92	ND<0.45	103
Naphthalene	ND<1.0	50.0	47.8	48.1	96	96	0.60	ND<1.0	93
1,2,3-Trichlorobenzene	ND<1.0	50.0	47.3	47.0	95	94	0.60	ND<1.0	92

QA Type: EPA 8082 PCBs Date Analyzed: 12/26/2006 QA Sample ID: AD17599

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
PCB-1016	ND<0.50	2.0	1.7	85	ND<0.50	95
PCB-1260	ND<0.50	2.0	1.7	85	ND<0.50	95

E-Estimated value, exceeds calibration range

ND is not detected

Narrative

3. Samples were received at 10°C with evidence of cooling.

4. Hexachlorocyclopentadiene spike, dup and LCS recoveries low for sample AD16860.
   1,2,3-Trichlorobenzene spike and dup recoveries low for sample AD16859.
   1,2,3-Trichloropropane spike recovery high for sample AD16859.
   1,2,4-Trichlorobenzene spike and dup recoveries low for sample AD16859.
   1,2,4-Trimethylbenzene spike and dup recoveries low for sample AD16859.
   1,2-Dibromo-3-Chloropropane spike recovery high for sample AD16859.
   1,4-Dichlorobenzene dup recovery low for sample AD16859.
   2-Chlorotoluene spike recovery high for sample AD16859.
   Carbon Disulfide dup recovery low for sample AD16859.
   Methylene Chloride present in blank for sample AD16859.
   n-Butylbenzene spike and dup recoveries low for sample AD16859.
   Naphthalene spike and dup recoveries low for sample AD16859.
   Styrene spike and dup recoveries low for sample AD16859.
   Tert-Butylbenzene spike recovery high for sample AD16859.
   Trans-1,3-Dichloropropene spike and dup recoveries low for sample AD16859.
   Trans1,4-Dichloro-2-Butene spike and dup recoveries low for sample AD16859.
   Trichloroethene spike and dup recoveries low for sample AD16859.
   Pyridine LCS recovery low for sample AD16354.
   n-Nitroso-dimethylamine LCS recovery low for sample AD16354.
   Phenol LCS recovery low for sample AD16354.
   Aniline LCS recovery low for sample AD16354.
   Hexachlorocyclopentadiene LCS recovery low for sample AD16354.
   4-Nitrophenol LCS recovery low for sample AD16354.
   Trichlorofluoromethane spike, dup and LCS recoveries high for sample AD16833.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

December 28, 2006

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford
Project #: 206937
CET #: 06120205
Soil: AOC18-SS-SB01-25; AOC20-SS-SB01-28; AOC21-SS-SB01-82; AOC21-SS-SB01-82A; AOC21-SS-SB01-83; AOC21-SS-SB01-84; AOC21-SS-SB02-85; AOC21-SS-SB02-85A; AOC21-SS-SB02-86; AOC21-SS-SB02-86A; AOC21-SS-SB02-87; AOC21-SS-SB03-88; AOC21-SS-SB03-88A; AOC21-SS-SB03-89; AOC21-SS-SB03-90; AOC21-SS-SB03-90A; AOC21-SS-SB04-91; AOC21-SS-SB04-92; AOC21-SS-SB04-93; AOC21-SS-SB04-93A; AOC21-SS-SB05-94; AOC21-SS-SB05-95; AOC21-SS-SB05-96; AOC21-SS-SB05-96A; AOC21-SS-SB05-97; AOC21-SS-SB06-100; AOC21-SS-SB06-101; AOC21-SS-SB06-98; AOC21-SS-SB06-99; AOC21-SS-SB07-102; AOC21-SS-SB07-103; AOC21-SS-SB07-104; AOC21-SS-SB07-105; AOC7-SS-SB01-27; EB05; TB04
Collection Date(s): 11/29/2006; 12/6/2006

PREP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/11/2006

Acid Digestion [EPA 3050B]

Client ID	AOC18-SS-SB01-25
CET ID	AD15799
Date Analyzed	12/13/2006

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/13/2006

Accelerated Solvent Extraction [EPA 3545]

Client ID	AOC18-SS-SB01-25
CET ID	AD15799
Date Analyzed	12/13/2006

NOTES:
ıdicates Date Prep Test Completed; ND is Not Detected.

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC21-SS-SB01-82	AOC21-SS-SB01-83	AOC21-SS-SB01-84	AOC21-SS-SB02-85	AOC21-SS-SB02-85A
CET ID	AD15767	AD15769	AD15770	AD15771	AD15772
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC21-SS-SB02-86	AOC21-SS-SB02-87	AOC21-SS-SB03-88	AOC21-SS-SB03-89	AOC21-SS-SB03-90
CET ID	AD15773	AD15775	AD15776	AD15778	AD15779
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC21-SS-SB03-90A	AOC21-SS-SB04-91	AOC21-SS-SB04-92	AOC21-SS-SB04-93	AOC21-SS-SB05-94
CET ID	AD15780	AD15781	AD15782	AD15783	AD15785
Date Analyzed	12/9/2006	12/9/2006	12/9/2006	12/9/2006	12/9/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC21-SS-SB05-95	AOC21-SS-SB05-96	AOC21-SS-SB05-97	AOC21-SS-SB06-98	AOC21-SS-SB06-99
CET ID	AD15786	AD15787	AD15789	AD15790	AD15791
Date Analyzed	12/13/2006	12/13/2006	12/13/2006	12/13/2006	12/13/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC21-SS-SB06-100	AOC21-SS-SB06-101	AOC21-SS-SB07-102	AOC21-SS-SB07-103	AOC21-SS-SB07-104
CET ID	AD15792	AD15793	AD15794	AD15795	AD15796
Date Analyzed	12/13/2006	12/13/2006	12/13/2006	12/13/2006	12/13/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC21-SS-SB07-105	AOC18-SS-SB01-25
CET ID	AD15797	AD15799
Date Analyzed	12/13/2006	12/13/2006

Ultrasonic Ext. PCB and Pest [EPA 3550B]

Client ID	AOC21-SS-SB01-82A	AOC21-SS-SB02-86A	AOC21-SS-SB03-88A	AOC21-SS-SB04-93A	AOC21-SS-SB05-96A
CET ID	AD15768	AD15774	AD15777	AD15784	AD15788
Date Analyzed	12/12/2006	12/12/2006	12/12/2006	12/12/2006	12/12/2006

Closed System P&T Extraction [EPA 5035]

Client ID	AOC7-SS-SB01-27	AOC18-SS-SB01-25	AOC20-SS-SB01-28
CET ID	AD15798	AD15799	AD15800
Date Analyzed	12/8/2006	12/8/2006	12/8/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/9/2006

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

ANALYSIS:

Total Mercury [EPA 200.8] Units: mg/l

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/12/2006
Total Mercury	0.00045

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC18-SS-SB01-25
CET ID	AD15799
Date Analyzed	12/12/2006
Total Mercury	ND < 0.30

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB01-82	AOC21-SS-SB01-82A	AOC21-SS-SB01-83	AOC21-SS-SB01-84	AOC21-SS-SB02-85
CET ID	AD15767	AD15768	AD15769	AD15770	AD15771
Date Analyzed	12/14/2006	12/14/2006	12/14/2006	12/14/2006	12/14/2006
Total Solids	96	96	88	70	98

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB02-85A	AOC21-SS-SB02-86	AOC21-SS-SB02-86A	AOC21-SS-SB02-87	AOC21-SS-SB03-88
CET ID	AD15772	AD15773	AD15774	AD15775	AD15776
Date Analyzed	12/14/2006	12/14/2006	12/14/2006	12/14/2006	12/14/2006
Total Solids	96	86	87	62	94

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB03-88A	AOC21-SS-SB03-89	AOC21-SS-SB03-90	AOC21-SS-SB03-90A	AOC21-SS-SB04-91
CET ID	AD15777	AD15778	AD15779	AD15780	AD15781
Date Analyzed	12/14/2006	12/14/2006	12/14/2006	12/14/2006	12/14/2006
Total Solids	93	92	63	64	96

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB04-92	AOC21-SS-SB04-93	AOC21-SS-SB04-93A	AOC21-SS-SB05-94	AOC21-SS-SB05-95
CET ID	AD15782	AD15783	AD15784	AD15785	AD15786
Date Analyzed	12/15/2006	12/15/2006	12/15/2006	12/15/2006	12/14/2006
Total Solids	88	78	74	83	82

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB05-96	AOC21-SS-SB05-96A	AOC21-SS-SB05-97	AOC21-SS-SB06-98	AOC21-SS-SB06-99
CET ID	AD15787	AD15788	AD15789	AD15790	AD15791
Date Analyzed	12/14/2006	12/15/2006	12/14/2006	12/14/2006	12/14/2006
Total Solids	71	68	81	85	80

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB06-100	AOC21-SS-SB06-101	AOC21-SS-SB07-102	AOC21-SS-SB07-103	AOC21-SS-SB07-104
CET ID	AD15792	AD15793	AD15794	AD15795	AD15796
Date Analyzed	12/14/2006	12/14/2006	12/14/2006	12/14/2006	12/14/2006
Total Solids	71	37	90	82	73

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC21-SS-SB07-105	AOC7-SS-SB01-27	AOC18-SS-SB01-25	AOC20-SS-SB01-28
CET ID	AD15797	AD15798	AD15799	AD15800
Date Analyzed	12/14/2006	12/13/2006	12/12/2006	12/13/2006
Total Solids	57	86	92	85

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC18-SS-SB01-25
CET ID	AD15799
Date Analyzed	12/13/2006
Dilution	1.0
Lead	10
Selenium	ND < 1.5
Cadmium	ND < 1.0
Chromium	30
Arsenic	1.7
Barium	99
Silver	ND < 2.5

Total Metals [EPA 200.8] Units: mg/l

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/12/2006
Dilution	1.0
Lead	ND < 0.013
Selenium	ND < 0.01
Cadmium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/14/2006
DCB (Surr)	103
PCB-1016	ND < 0.50
PCB-1221	ND < 0.50
PCB-1232	ND < 0.50
PCB-1242	ND < 0.50
PCB-1248	ND < 0.50
PCB-1254	ND < 0.50
PCB-1260	ND < 0.50
TCMX (Surr)	100

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB01-82	AOC21-SS-SB01-82A	AOC21-SS-SB01-83	AOC21-SS-SB01-84	AOC21-SS-SB02-85
CET ID	AD15767	AD15768	AD15769	AD15770	AD15771
Date Analyzed	12/11/2006	12/12/2006	12/15/2006	12/12/2006	12/12/2006
DCB (Surr 2)	82	56	*	75	72
Dilution	1	1	20	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 5.7	ND < 0.40	ND < 0.30
CB-1221	ND < 0.30	ND < 0.30	ND < 5.7	ND < 0.40	ND < 0.30
CB-1232	ND < 0.30	ND < 0.30	ND < 5.7	ND < 0.40	ND < 0.30
PCB-1242	ND < 0.30	ND < 0.30	ND < 5.7	ND < 0.40	ND < 0.30
PCB-1248	ND < 0.30	ND < 0.30	29	3.0	ND < 0.30
PCB-1254	ND < 0.30	ND < 0.30	ND < 5.7	ND < 0.40	ND < 0.30
PCB-1260	ND < 0.30	ND < 0.30	49	2.0	ND < 0.30
TCMX (Surr 1)	96	82	*	81	96

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB02-85A	AOC21-SS-SB02-86	AOC21-SS-SB02-86A	AOC21-SS-SB02-87	AOC21-SS-SB03-88
CET ID	AD15772	AD15773	AD15774	AD15775	AD15776
Date Analyzed	12/12/2006	12/15/2006	12/12/2006	12/15/2006	12/12/2006
DCB (Surr 2)	55	79	79	75	66
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
PCB-1248	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
PCB-1254	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.50	ND < 0.30
TCMX (Surr 1)	94	111	109	92	90

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB03-88A	AOC21-SS-SB03-89	AOC21-SS-SB03-90	AOC21-SS-SB03-90A	AOC21-SS-SB04-91
CET ID	AD15777	AD15778	AD15779	AD15780	AD15781
Date Analyzed	12/12/2006	12/15/2006	12/15/2006	12/15/2006	12/12/2006
DCB (Surr 2)	59	63	76	77	69
Dilution	1	1	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.30
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.30
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.30
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	ND < 0.30
PCB-1248	ND < 0.30	ND < 0.30	5.8	ND < 0.40	0.32
PCB-1254	ND < 0.30	ND < 0.30	1.7	ND < 0.40	ND < 0.30
PCB-1260	ND < 0.30	ND < 0.30	ND < 0.40	ND < 0.40	0.39
TCMX (Surr 1)	90	80	89	86	91

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB04-92	AOC21-SS-SB04-93	AOC21-SS-SB04-93A	AOC21-SS-SB05-94	AOC21-SS-SB05-95
CET ID	AD15782	AD15783	AD15784	AD15785	AD15786
Date Analyzed	12/15/2006	12/15/2006	12/15/2006	12/12/2006	12/20/2006
DCB (Surr 2)	*	*	*	62	80
Dilution	100	200	400	1	1
PCB-1016	ND < 29	ND < 65	ND < 136	ND < 0.40	ND < 0.40
PCB-1221	ND < 29	ND < 65	ND < 136	ND < 0.40	ND < 0.40
PCB-1232	ND < 29	ND < 65	ND < 136	ND < 0.40	ND < 0.40
PCB-1242	ND < 29	680	740	ND < 0.40	ND < 0.40
PCB-1248	180	ND < 65	ND < 136	ND < 0.40	ND < 0.40
PCB-1254	ND < 29	ND < 65	ND < 136	ND < 0.40	ND < 0.40
PCB-1260	220	100	ND < 136	ND < 0.40	0.40
TCMX (Surr 1)	*	*	*	87	90

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB05-96	AOC21-SS-SB05-96A	AOC21-SS-SB05-97	AOC21-SS-SB06-98	AOC21-SS-SB06-99
CET ID	AD15787	AD15788	AD15789	AD15790	AD15791
Date Analyzed	12/20/2006	12/15/2006	12/20/2006	12/20/2006	12/20/2006
DCB (Surr 2)	*	*	68	69	*
Dilution	50	400	1	1	20
PCB-1016	ND < 18	ND < 148	ND < 0.40	ND < 0.30	ND < 6.3
PCB-1221	ND < 18	ND < 148	ND < 0.40	ND < 0.30	ND < 6.3
PCB-1232	ND < 18	ND < 148	ND < 0.40	ND < 0.30	ND < 6.3
PCB-1242	ND < 18	ND < 148	ND < 0.40	ND < 0.30	ND < 6.3
PCB-1248	170	580	0.67	ND < 0.30	15
PCB-1254	ND < 18	ND < 148	ND < 0.40	0.60	ND < 6.3
PCB-1260	200	500	0.53	1.6	44
TCMX (Surr 1)	*	*	86	88	*

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB06-100	AOC21-SS-SB06-101	AOC21-SS-SB07-102	AOC21-SS-SB07-103	AOC21-SS-SB07-104
CET ID	AD15792	AD15793	AD15794	AD15795	AD15796
Date Analyzed	12/20/2006	12/28/2006	12/20/2006	12/20/2006	12/20/2006
DCB (Surr 2)	*	102	76	*	*
Dilution	100	1	1	20	10
PCB-1016	ND < 36	ND < 0.70	ND < 0.30	ND < 6.1	ND < 3.5
PCB-1221	ND < 36	ND < 0.70	ND < 0.30	ND < 6.1	ND < 3.5
PCB-1232	ND < 36	ND < 0.70	ND < 0.30	ND < 6.1	ND < 3.5
PCB-1242	ND < 36	ND < 0.70	ND < 0.30	ND < 6.1	ND < 3.5
PCB-1248	130	ND < 0.70	0.42	13	10
PCB-1254	ND < 36	ND < 0.70	ND < 0.30	ND < 6.1	ND < 3.5
PCB-1260	280	ND < 0.70	0.84	37	29
TCMX (Surr 1)	*	108	87	*	*

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC21-SS-SB07-105	AOC18-SS-SB01-25
CET ID	AD15797	AD15799
Date Analyzed	12/28/2006	12/20/2006
DCB (Surr 2)	102	73
Dilution	1	1
PCB-1016	ND < 0.50	ND < 0.30
PCB-1221	ND < 0.50	ND < 0.30
PCB-1232	ND < 0.50	ND < 0.30
PCB-1242	ND < 0.50	ND < 0.30
PCB-1248	0.60	ND < 0.30
PCB-1254	ND < 0.50	ND < 0.30
PCB-1260	ND < 0.50	ND < 0.30
TCMX (Surr 1)	111	84

* Surrogates diluted out of curve

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/9/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
2-Chlorophenol	ND < 20
1,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
1,2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB05
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
2,4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20
2,6-Dinitrotoluene	ND < 75
-Nitroaniline	ND < 20
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
Anthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
3,3-Dichlorobenzidine	ND < 75

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB05
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	37
Phenol-d5 (Surr) 15-110	23
Nitrobenzene-d5(Surr) 30-130	83
2-Fluorobiphenyl (Surr) 30-130	81
2,4,6-Tribromophenol (Surr) 15-115	96
Terphenyl-d14 (Surr) 30-130	53

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC18-SS-SB01-25
CET ID	AD15799
Date Analyzed	12/15/2006
Dilution	5
Pyridine	ND < 1631
-Nitroso-dimethylamine	ND < 1631
bis(2-Chloroethyl)ether	ND < 1631
Phenol	ND < 1631
Aniline	ND < 1631
2-Chlorophenol	ND < 1631
1,3-Dichlorobenzene	ND < 1631
1,4-Dichlorobenzene	ND < 1631
Benzyl Alcohol	ND < 1631
1,2-Dichlorobenzene	ND < 1631
bis(2-chloroisopropyl)ether	ND < 1631
Hexachloroethane	ND < 1631
N-Nitroso-di-n-propylamine	ND < 1631
2-Methyl Phenol	ND < 1631
3+4 Methyl Phenol	ND < 1631
Nitrobenzene	ND < 1631
Isophorone	ND < 1631
2-Nitrophenol	ND < 1631
2,4-Dimethylphenol	ND < 1631
bis(2-Chloroethoxy)methane	ND < 1631
Benzoic Acid	ND < 1631
2,4-Dichlorophenol	ND < 1631
1,2,4-Trichlorobenzene	ND < 1631
Naphthalene	ND < 1631
2,6-Dichlorophenol	ND < 1631
4-Chloroaniline	ND < 1631
Hexachlorobutadiene	ND < 1631
4-Chloro-3-methylphenol	ND < 1631

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC18-SS-SB01-25
2-Methyl Naphthalene	ND < 1631
Hexachlorocyclopentadiene	ND < 1631
2,4,6-Trichlorophenol	ND < 1631
2,4,5-Trichlorophenol	ND < 1631
2-Chloronaphthalene	ND < 1631
2-Nitroaniline	ND < 1631
Acenaphthylene	ND < 1631
Dimethylphthalate	ND < 1631
2,6-Dinitrotoluene	ND < 1631
4-Nitroaniline	ND < 1631
Acenaphthene	ND < 1631
2,4-Dinitrophenol	ND < 1631
2,4-Dinitrotoluene	ND < 1631
4-Nitrophenol	ND < 1631
Dibenzofuran	ND < 1631
2,3,4,6-Tetrachlorophenol	ND < 1631
Fluorene	ND < 1631
4-Chlorophenyl-phenylether	ND < 1631
Diethylphthalate	ND < 1631
3-Nitroaniline	ND < 1631
4,6-Dinitro-2-methylphenol	ND < 1631
n-Nitrosodiphenylamine	ND < 1631
Azobenzene	ND < 1631
·Bromophenyl-phenylether	ND < 1631
.exachlorobenzene	ND < 1631
Pentachlorophenol	ND < 1631
Benzidine	ND < 1631
Phenanthrene	ND < 1631
Anthracene	ND < 1631
Carbazole	ND < 1631
Di-n-butylphthalate	ND < 1631
Fluoranthene	ND < 1631
Pyrene	ND < 1631
Butylbenzylphthalate	ND < 1631
3,3-Dichlorobenzidine	ND < 1631
Benzo[a]anthracene	ND < 1631
Chrysene	ND < 1631
bis(2-Ethylhexyl)phthalate	ND < 1631
Di-n-octylphthalate	ND < 1631
Benzo[b]fluoranthene	ND < 1631
Benzo[k]fluoranthene	ND < 1631
Benzo[a]pyrene	ND < 1631
Indeno[1,2,3-cd]pyrene	ND < 1631
Dibenz[a,h]anthracene	ND < 1631
Benzo[g,h,i]perylene	ND < 1631
2-Fluorophenol (Surr) 30-130	97.7
Phenol-d5 (Surr) 30-130	108
Nitrobenzene-d5(Surr) 30-130	105
2-Fluorobiphenyl (Surr) 30-130	111
2,4,6-Tribromophenol (Surr) 30-130	117
Terphenyl-d14 (Surr) 30-130	98.4

otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB05
CET ID	AD15801
Date Analyzed	12/12/2006
Dilution	1.0
ETPH	ND < 0.10
Octacosane (surr)	88

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	AOC18-SS-SB01-25	AOC20-SS-SB01-28
CET ID	AD15799	AD15800
Date Analyzed	12/14/2006	12/14/2006
Dilution	1.0	1.0
ETPH	2500*	1200**
Octacosane (surr)	88.8	87.2

*C_{14}-C_{36} Motor oil range
**C_9-C_{14} Fuel oil range

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB05	TB04
CET ID	AD15801	AD15802
Date Analyzed	12/15/2006	12/15/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
inyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

olatile Organics [EPA 8260B] Units: ug/l

Client ID	EB05	TB04
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
-Propylbenzene	ND < 1.0	ND < 1.0
-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	101	100
toluene-d8 (SURR) 70-130	95.3	96.9
4-bromofluorobenzene (SURR) 70-130	82.9	82.1

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC7-SS-SB01-27	AOC18-SS-SB01-25	AOC20-SS-SB01-28
CET ID	AD15798	AD15799	AD15800
Date Analyzed	12/8/2006	12/9/2006	12/8/2006
Dilution	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 17	ND < 730

tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC7-SS-SB01-27	AOC18-SS-SB01-25	AOC20-SS-SB01-28
Chloromethane	ND < 12	ND < 11	ND < 490
Vinyl Chloride	ND < 6.0	ND < 6.0	ND < 250
Bromomethane	ND < 12	ND < 11	ND < 490
Chloroethane	ND < 12	ND < 11	ND < 490
Acetone	ND < 120	ND < 110	ND < 4900
Acrylonitrile	ND < 18	ND < 17	ND < 730
Trichlorofluoromethane	ND < 18	ND < 17	ND < 730
Trichlorotrifluoroethane	ND < 18	ND < 17	ND < 730
1,1-Dichloroethene	ND < 6.0	ND < 6.0	ND < 250
Methylene Chloride	ND < 18	ND < 17	ND < 730
Carbon Disulfide	ND < 12	ND < 11	ND < 490
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 6.0	ND < 250
trans-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 250
1,1-Dichloroethane	ND < 6.0	ND < 6.0	ND < 250
2-Butanone (MEK)	ND < 30	ND < 28	ND < 1200
2,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 250
cis-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 250
Chloroform	ND < 6.0	ND < 6.0	ND < 250
Tetrahydrofuran	ND < 30	ND < 28	ND < 1200
1,1,1-Trichloroethane	ND < 6.0	ND < 6.0	ND < 250
Carbon Tetrachloride	ND < 6.0	ND < 6.0	ND < 250
1,1-Dichloropropene	ND < 6.0	ND < 6.0	ND < 250
Benzene	ND < 2.0	ND < 2.0	ND < 250
2-Dichloroethane	ND < 6.0	ND < 6.0	ND < 250
.ethyl Isobutyl Ketone	ND < 30	ND < 28	ND < 1200
Trichloroethene	ND < 6.0	ND < 6.0	ND < 250
1,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 250
Dibromomethane	ND < 6.0	ND < 6.0	ND < 250
Bromodichloromethane	ND < 6.0	ND < 6.0	ND < 250
2-Hexanone	ND < 30	ND < 28	ND < 1200
cis-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 250
Toluene	ND < 6.0	ND < 6.0	ND < 250
trans-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 250
1,1,2-Trichloroethane	ND < 6.0	ND < 6.0	ND < 250
Tetrachloroethene	ND < 6.0	ND < 6.0	ND < 250
1,3-Dichloropropane	ND < 6.0	ND < 6.0	ND < 250
Dibromochloromethane	ND < 6.0	ND < 6.0	ND < 250
1,2-Dibromoethane	ND < 6.0	ND < 6.0	ND < 250
trans-1,4-Dichloro-2-Butene	ND < 30	ND < 28	ND < 1200
Chlorobenzene	ND < 6.0	ND < 6.0	ND < 250
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 250
Ethylbenzene	ND < 6.0	ND < 6.0	8000
m+p Xylenes	ND < 6.0	ND < 6.0	32000
o-Xylene	ND < 6.0	ND < 6.0	8400
Styrene	ND < 6.0	ND < 6.0	ND < 250
Bromoform	ND < 6.0	ND < 6.0	ND < 250
Isopropylbenzene	ND < 6.0	ND < 6.0	1400
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 250
Bromobenzene	ND < 6.0	ND < 6.0	ND < 250
1,2,3-Trichloropropane	ND < 6.0	ND < 6.0	ND < 250

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC7-SS-SB01-27	AOC18-SS-SB01-25	AOC20-SS-SB01-28
n-Propylbenzene	ND < 6.0	ND < 6.0	2000
2-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 250
4-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 250
1,3,5-Trimethylbenzene	ND < 6.0	ND < 6.0	17000
tert-Butylbenzene	ND < 6.0	ND < 6.0	ND < 250
1,2,4-Trimethylbenzene	ND < 6.0	ND < 6.0	13000
sec-Butylbenzene	ND < 6.0	ND < 6.0	2300
1,3-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 250
4-Isopropyltoluene	ND < 6.0	ND < 6.0	1500
1,4-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 250
1,2-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 250
n-Butylbenzene	ND < 6.0	ND < 6.0	ND < 250
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 6.0	ND < 250
1,2,4-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 250
Hexachlorobutadiene	ND < 6.0	ND < 6.0	ND < 250
Naphthalene	ND < 6.0	ND < 6.0	3100
1,2,3-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 250
1,2 Dichloroethane-d4 (SURR) 70-130	111	107	98.7
toluene-d8 (SURR) 70-130	101	99.3	114
4-bromofluorobenzene (SURR) 70-130	108	108	97.3

:erely,

David Ditta
Laboratory Director

otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in F.

Client:

CET: 12-6-06 4:36

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC21-SS-SB07-102	12/6/06 1032	S				X										X									1	1
AOC21-SS-SB07-103	1030	S				X										X									1	1
AOC21-SS-SB07-104	1028	S				X										X									1	1
AOC21-SS-SB07-105	1026	S				X										X									1	1
AOC7-SS-SB01-27	1100	S				X	X																		9	3
AOC18-SS-SB01-25	1140	S				X	X						X	X		X			X						5	4
AOC20-SS-SB01-28	1340	S				X	X						X												5	
EB05	1430	W				X	X						X	X		X			X						6	1
TB04 - TRIP BLANK	11/29/06	W				X	X																		2	
TEMP BLANK	11/29/06	W																							1	
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)																										
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)							O						G	G		G			G						32	
Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)							E																			

RELINQUISHED BY: DATE/TIME 12/6/06 1615 RECEIVED BY:

RELINQUISHED BY: DATE/TIME RECEIVED BY:

RELINQUISHED BY: DATE/TIME RECEIVED BY:

NOTES:
1- PCB ANALYSIS VIA ASE
2- PCB ANALYSIS VIA ULTRASONIC
3- RUN MS/MSD ON VOCS
4- RUN MS/MSD ON ETPH, PCBs, SVOCS, METALS

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EGMANOS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: (Y) or N Temp Upon Receipt 17° °C

SHEET 4 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in F. zer

Client:

CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC21-SS-SB05-94	12/6/06 953	S				X										X									1	1
AOC21-SS-SB05-95	951	S				X										X									1	1
AOC21-SS-SB05-96	949	S				X										X									1	1
AOC21-SS-SB05-96A	947	S				X										X									1	2
AOC21-SS-SB05-97	945	S				X										X									1	1
AOC21-SS-SB06-98	1000	S				X										X									1	1
AOC21-SS-SB06-99	1000	S				X										X									1	1
AOC21-SS-SB06-100	1000	S				X										X									1	1
AOC21-SS-SB06-101	1000	S				X										X									1	1
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)																										9
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)																G										
Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)																										

RELINQUISHED BY: [signature] DATE/TIME 12/6/06 1615 RECEIVED BY: [signature]

RELINQUISHED BY: DATE/TIME RECEIVED BY:

RELINQUISHED BY: DATE/TIME RECEIVED BY:

NOTES:
1- PCB ANALYSIS VIA ASE
2- PCB ANALYSIS VIA ULTRASONIC

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0579 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EOMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☒ RCP Pkg * SEE QUOTE

Data Report: ☒ Email ☐ PDF ☒ Excel ☐ Other FULL QA/QC DOC

RSR Reporting Limits (check one): ☒ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: Y or N Temp Upon Receipt 17 °C

SHEET 3 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in ı _er

Client:

CET:

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	PCBs	TOTAL # OF CONT.	NOTE #
AOC21-SS-SB03-88	12/6/06 908	S				X	X	1	1
AOC21-SS-SB03-88A	906	S				X	X	1	2
AOC21-SS-SB03-89	904	S				X	X	1	1
AOC21-SS-SB03-90	902	S				X	X	1	1
AOC21-SS-SB03-90A	900	S				X	X	1	1
AOC21-SS-SB04-91	926	S				X	X	1	1
AOC21-SS-SB04-92	924	S				X	X	1	1
AOC21-SS-SB04-93	922	S				X	X	1	1
AOC21-SS-SB04-93A	920	S				X	X	1	2
								9	

PRESERVATIVE (CI-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other): G

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/6/06 1615	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:

1-PCB ANALYSIS VIA ASE
2-PCB ANALYSIS VIA ULTRASONIC

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * SEE QUOTE FULL QA/QC DOC

Data Report: ☒ Email ☐ PDF ☒ Excel ☐ Other

RSR Reporting Limits (check one): ☒ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt: 17 °C

SHEET 2 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in . .er

Client:

CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC21-SS-SB01-82	12/6/06 842	S				X										X									1	1
AOC21-SS-SB01-82A	842	S				X										X									1	2
AOC21-SS-SB01-83	841	S				X										X									1	1
AOC21-SS-SB01-84	840	S				X										X									1	1
AOC21-SS-SB02-85	854	S				X										X									1	1
AOC21-SS-SB02-85A	853	S				X										X									1	1
AOC21-SS-SB02-86	852	S				X										X									1	1
AOC21-SS-SB02-86A	851	S				X										X									1	2
AOC21-SS-SB02-87	850	S				X										X									1	1
																G									0	

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/6/06 1615	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1- PCB ANALYSIS VIA ASE
2- PCB ANALYSIS VIA ULTRASONIC

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE.

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203)271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg *SEE QUOTE FULL QA/QC DOC

Data Report: ☒ Email ☐ PDF ☒ Excel ☐ Other

RSR Reporting Limits (check one): ☒ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: Y or N Temp Upon Receipt ____ °C

SHEET 1 OF 4

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 11/29/2006, 12/6/2006 ***CET #:*** 06120205

Laboratory Sample ID(s): AD15767-AD15803

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed (including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents)?	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)?	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the CT DEP Reasonable Confidence Protocol documents achieved?	☐Yes ☒No
5	a) Were reporting limits specified or referenced on the chain-of-custody? b) Were these reporting limits met?	☒Yes ☐ No ☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	☒Yes ☐No
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized
nature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/15/2007

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford
CET#: 06120205

QA Type: Volatile Organics Date Analyzed: 12/13/2006 QA Sample ID: AD15798 Client ID: AOC7-SS-SB01-27

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	209	190	200	91	96	5.10	ND<5.0	99
1,1,1-Trichloroethane	ND<6.0	209	217	232	104	111	6.50	ND<5.0	112
1,1,2,2-Tetrachloroethane	ND<6.0	209	166	186	79	89	11.40	ND<5.0	93
1,1,2-Trichloroethane	ND<6.0	209	187	207	90	99	10.10	ND<5.0	98
1,1-Dichloroethane	ND<6.0	209	210	217	100	104	3.90	ND<5.0	102
1,1-Dichloroethene	ND<6.0	209	207	220	99	105	5.90	ND<5.0	104
-Dichloropropene	ND<6.0	209	224	238	107	114	6.30	ND<5.0	111
,3-Trichlorobenzene	ND<6.0	209	150	189	72	90	22.90	ND<5.0	93
1,2,3-Trichloropropane	ND<6.0	209	188	199	90	95	5.60	ND<5.0	94
1,2,4-Trichlorobenzene	ND<6.0	209	166	200	79	96	18.60	ND<5.0	95
1,2,4-Trimethylbenzene	ND<6.0	209	192	203	92	97	5.50	ND<5.0	93
1,2-Dibromo-3-Chloropropane	ND<6.0	209	148	204	71	98	31.80	ND<5.0	88
1,2-Dibromoethane	ND<6.0	209	174	198	83	95	12.80	ND<5.0	98
1,2-Dichlorobenzene	ND<6.0	209	175	196	84	94	11.40	ND<5.0	92
1,2-Dichloroethane	ND<6.0	209	210	218	100	104	3.90	ND<5.0	108
1,2-Dichloropropane	ND<6.0	209	209	218	100	104	3.90	ND<5.0	105
1,3,5-Trimethylbenzene	ND<6.0	209	198	210	95	100	5.40	ND<5.0	96
1,3-Dichlorobenzene	ND<6.0	209	184	199	88	95	7.90	ND<5.0	93
1,3-Dichloropropane	ND<6.0	209	196	212	94	101	7.40	ND<5.0	102
1,4-Dichlorobenzene	ND<6.0	209	176	195	84	93	10.30	ND<5.0	90
2,2-Dichloropropane	ND<6.0	209	197	197	94	94	0.00	ND<5.0	111
2-Butanone (MEK)	ND<30	419	336	429	80	102	23.90	ND<25	92
2-Chlorotoluene	ND<6.0	209	225	235	108	112	3.60	ND<5.0	88
2-Hexanone	ND<30	419	349	439	83	105	23.00	ND<25	98
4-Chlorotoluene	ND<6.0	209	242	161	116	77	40.40	ND<5.0	99
4-Isopropyltoluene	ND<6.0	209	192	209	92	100	8.40	ND<5.0	93
Acetone	ND<120	419	394	444	94	106	12.00	ND<100	84
Acrylonitrile	ND<18	209	180	211	86	101	15.90	ND<100	98
Benzene	ND<2.0	209	193	209	92	100	8.00	ND<5.0	98
Bromobenzene	ND<6.0	209	190	201	91	96	5.70	ND<5.0	94
Bromochloromethane	ND<6.0	209	214	214	102	102	0.00	ND<5.0	106
Bromodichloromethane	ND<6.0	209	205	216	98	103	4.90	ND<5.0	104
Bromoform	ND<6.0	209	174	196	83	94	11.90	ND<5.0	96
omomethane	ND<12	209	167	162	80	78	3.00	ND<5.0	82
bon Disulfide	ND<12	209	223	233	107	111	3.70	ND<5.0	114

QA Type: Volatile Organics Date Analyzed: 12/13/2006 QA Sample ID: AD15798 Client ID: AOC7-SS-SB01-27

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Carbon Tetrachloride	ND<6.0	209	218	232	104	111	6.50	ND<5.0	108
Chlorobenzene	ND<6.0	209	204	214	98	102	4.40	ND<5.0	108
Chloroethane	ND<12	209	178	160	85	77	10.60	ND<5.0	80
Chloroform	ND<6.0	209	213	220	102	105	2.90	ND<5.0	103
Chloromethane	ND<12	209	240	217	115	104	10.00	ND<5.0	127
cis-1,2-Dichloroethene	ND<6.0	209	210	216	100	103	3.00	ND<5.0	105
cis-1,3-Dichloropropene	ND<6.0	209	205	215	98	103	4.90	ND<5.0	104
Dibromochloromethane	ND<6.0	209	179	195	86	93	8.60	ND<5.0	97
Dibromomethane	ND<6.0	209	197	218	94	104	9.80	ND<5.0	104
Dichlorodifluoromethane	ND<18	209	312	313	149	150	0.70	ND<25	196
Ethyl Methacrylate	ND<6.0	209	179	199	86	95	10.60	ND<25	102
Ethylbenzene	ND<6.0	209	217	223	104	107	2.80	ND<5.0	108
Hexachlorobutadiene	ND<6.0	209	165	192	79	92	15.20	ND<5.0	93
Isopropylbenzene	ND<6.0	209	197	212	94	101	6.90	ND<5.0	100
m+p Xylenes	ND<6.0	419	428	443	102	106	3.80	ND<5.0	111
Methyl Isobutyl Ketone	ND<30	419	358	439	85	105	20.60	ND<25	102
Methyl Methacrylate	ND<6.0	209	195	238	93	114	20.00	ND<25	104
Methyl-t-Butyl Ether (MTBE)	ND<6.0	209	195	206	93	99	5.50	ND<5.0	99
Methylene Chloride	ND<18	209	177	181	85	87	2.20	ND<5.0	88
n-Butylbenzene	ND<6.0	209	198	213	95	102	7.40	ND<5.0	96
n-Propylbenzene	ND<6.0	209	201	214	96	102	5.90	ND<5..0	95
Naphthalene	ND<6.0	209	136	191	65	91	33.60	ND<5.0	93
Xylene	ND<6.0	209	202	214	97	102	5.40	ND<5.0	103
-Butylbenzene	ND<6.0	209	197	212	94	101	6.90	ND<5.0	96
tyrene	ND<6.0	209	190	203	91	97	6.60	ND<5.0	100
tert-Butylbenzene	ND<6.0	209	191	203	91	97	6.00	ND<5.0	93
Tetrachloroethene	ND<6.0	209	235	246	112	118	5.20	ND<5.0	115
Tetrahydrofuran	ND<30	209	151	187	72	90	21.40	ND<25	86
Toluene	ND<6.0	209	220	235	105	112	6.50	ND<5.0	109
trans-1,2-Dichloroethene	ND<6.0	209	217	222	104	106	1.90	ND<5.0	105
trans-1,3-Dichloropropene	ND<6.0	209	203	211	97	101	3.90	ND<5.0	103
Trichloroethene	ND<6.0	209	206	229	99	110	10.90	ND<5.0	104
Trichlorofluoromethane	ND<18	209	240	239	115	114	0.90	ND<5.0	114
Trichlorotrifluoroethane	ND<18	209	176	172	84	82	2.30	ND<25	85
Vinyl Chloride	ND<6.0	209	208	190	100	91	9.00	ND<5.0	124

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	8
n-Nitroso-dimethylamine	ND<20	ND<20	28
bis(2-Chloroethyl)ether	ND<10	ND<10	62
Phenol	ND<20	ND<20	25
Aniline	ND<20	ND<20	12
2-Chlorophenol	ND<20	ND<20	60
1,3-Dichlorobenzene	ND<5.0	ND<5.0	65
1,4-Dichlorobenzene	ND<5.0	ND<5.0	68
Benzyl Alcohol	ND<20	ND<20	50
1,2-Dichlorobenzene	ND<5.0	ND<5.0	70
is(2-chloroisopropyl)ether	ND<10	ND<10	70
xachloroethane	ND<3.0	ND<3.0	65

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
N-Nitroso-di-n-propylamine	ND<10	ND<10	75
2-Methyl Phenol	ND<20	ND<20	52
3+4 Methyl Phenol	ND<20	ND<20	48
Nitrobenzene	ND<20	ND<20	72
Isophorone	ND<20	ND<20	75
2-Nitrophenol	ND<20	ND<20	70
2,4-Dimethylphenol	ND<20	ND<20	48
bis(2-Chloroethoxy)methane	ND<20	ND<20	75
Benzoic Acid	ND<20	ND<20	20
2,4-Dichlorophenol	ND<20	ND<20	70
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	75
Naphthalene	ND<1.0	ND<1.0	88
4-Chloroaniline	ND<20	ND<20	60
Hexachlorobutadiene	ND<20	ND<20	78
4-Chloro-3-methylphenol	ND<20	ND<20	72
2-Methyl Naphthalene	ND<1.0	ND<1.0	80
Hexachlorocyclopentadiene	ND<20	ND<20	55
2,4,6-Trichlorophenol	ND<20	ND<20	72
2,4,5-Trichlorophenol	ND<20	ND<20	75
2-Chloronaphthalene	ND<20	ND<20	80
2-Nitroaniline	ND<20	ND<20	82
enaphthylene	ND<0.30	ND<0.30	92
methylphthalate	ND<20	ND<20	85
2,6-Dinitrotoluene	ND<75	ND<75	88
4-Nitroaniline	ND<20	ND<20	72
Acenaphthene	ND<1.0	ND<1.0	98
2,4-Dinitrophenol	ND<20	ND<20	82
2,4-Dinitrotoluene	ND<75	ND<75	90
4-Nitrophenol	ND<75	ND<75	35
Dibenzofuran	ND<1.0	ND<1.0	88
Fluorene	ND<1.0	ND<1.0	100
4-Chlorophenyl-phenylether	ND<20	ND<20	85
Diethylphthalate	ND<20	ND<20	88
3-Nitroaniline	ND<20	ND<20	85
4,6-Dinitro-2-methylphenol	ND<20	ND<20	78
n-Nitrosodiphenylamine	ND<20	ND<20	140
Azobenzene	ND<20	ND<20	85
4-Bromophenyl-phenylether	ND<20	ND<20	88
Hexachlorobenzene	ND<0.077	ND<0.077	92
Pentachlorophenol	ND<1.0	ND<1.0	78
Phenanthrene	ND<0.077	ND<0.077	102
Anthracene	ND<1.0	ND<1.0	100
Carbazole	ND<1.0	ND<1.0	120
Di-n-butylphthalate	ND<20	ND<20	92
Fluoranthene	ND<1.0	ND<1.0	105
Pyrene	ND<1.0	ND<1.0	105
Butylbenzylphthalate	ND<20	ND<20	85
Benzo[a]anthracene	ND<0.06	ND<0.06	98

Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Chrysene	ND<1.0	ND<1.0	98
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	88
Di-n-octylphthalate	ND<20	ND<20	82
Benzo[b]fluoranthene	ND<0.08	ND<0.08	98
Benzo[k]fluoranthene	ND<0.30	ND<0.30	108
Benzo[a]pyrene	ND<0.20	ND<0.20	100
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	102
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	108
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	102

QA Type: Conn. Extractable TPH Date Analyzed: 12/13/2006 QA Sample ID: AD15891

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	7.4	5.0	11	72	ND<0.10	114

QA Type: Total Metals Date Analyzed: 12/12/2006 QA Sample ID: AD16142

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.200	0.221	0.220	110	110	0.00	ND<0.013	104
Selenium	ND<0.01	0.400	0.504	0.506	126	126	0.00	ND<0.01	118
Cadmium	ND<0.005	0.200	0.231	0.232	116	116	0.00	ND<0.005	105
Chromium	ND<0.05	0.200	0.209	0.209	104	104	0.00	ND<0.05	101
Arsenic	ND<0.004	0.200	0.232	0.229	116	114	1.74	ND<0.004	106
ium	ND<0.05	0.200	0.231	0.230	116	115	0.87	ND<0.05	108
er	ND<0.012	0.100	0.090	0.0927	90	93	2.96	ND<0.012	94

QA Type: Total Mercury Date Analyzed: 12/12/2006 QA Sample ID: AD15799 Client ID: AOC18-SS-SB01-25

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	1.41	1.7	1.5	121	106	13.22	ND<0.002	108

QA Type: Total Metals Date Analyzed: 12/13/2006 QA Sample ID: AD15799 Client ID: AOC18-SS-SB01-25

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	10	27.2	31.1	32.3	78	82	5.50	ND<2.0	103
Selenium	ND<1.5	54.3	46.6	47.1	86	87	1.00	ND<1.0	104
Cadmium	ND<1.0	27.2	21.3	21.4	78	79	0.51	ND<0.50	98
Chromium	30	27.2	51.4	54.2	79	89	12.00	ND<2.0	100
Arsenic	1.7	27.2	24.0	24.4	82	84	1.80	ND<1.0	101
Barium	99	*	*	*	*	*	*	ND<2.0	112
Silver	ND<2.5	5.43	3.55	3.68	65	68	3.60	ND<2.0	85

*Sample result too high for accurate spike recovery

QA Type: Conn. Extractable TPH Date Analyzed: 12/15/2006 QA Sample ID: AD15799 Client ID: AOC18-SS-SB01-25

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	2500	1630	3390	3730	55	76	32.10	ND<50	101

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD15799 Client ID: AOC18-SS-SB01-25

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup %Rec	RPD	Blank	LCS% Rec
Pyridine	ND<1631	4300	2000	2100	46	49	4.83	ND<300	38
n-Nitroso-dimethylamine	ND<1631	4300	2100	2500	49	58	17.40	ND<300	44
bis(2-Chloroethyl)ether	ND<1631	4300	3100	3200	72	74	3.14	ND<300	56
Phenol	ND<1631	4300	2700	2800	63	65	3.60	ND<300	55
Aniline	ND<1631	4300	1400	1900	33	44	30.21	ND<300	53
2-Chlorophenol	ND<1631	4300	2700	3000	63	70	10.56	ND<300	52
1,3-Dichlorobenzene	ND<1631	4300	2300	2700	54	63	15.99	ND<300	46
1,4-Dichlorobenzene	ND<1631	4300	2500	2800	58	65	11.36	ND<300	45
Benzyl Alcohol	ND<1631	4300	1900	2300	44	54	19.04	ND<300	50
1,2-Dichlorobenzene	ND<1631	4300	2600	2700	60	63	3.73	ND<300	46
bis(2-chloroisopropyl)ether	ND<1631	4300	2500	2800	58	65	11.36	ND<300	47
Hexachloroethane	ND<1631	4300	1500	2100	35	49	33.21	ND<300	44
N-Nitroso-di-n-propylamine	ND<1631	4300	2100	2600	49	60	21.41	ND<300	48
2-Methyl Phenol	ND<1631	4300	3000	3100	70	72	3.24	ND<300	54
3+4 Methyl Phenol	ND<1631	4300	3000	2800	70	65	6.97	ND<300	54
Nitrobenzene	ND<1631	4300	3400	2300	79	54	38.61	ND<300	44
Isophorone	ND<1631	4300	2900	2900	67	67	0.00	ND<300	56
2-Nitrophenol	ND<1631	4300	2200	2400	51	56	8.60	ND<300	51
2,4-Dimethylphenol	ND<1631	4300	3100	3300	72	77	6.18	ND<300	55
bis(2-Chloroethoxy)methane	ND<1631	4300	2800	2900	65	67	3.47	ND<300	51
2,4-Dichlorophenol	ND<1631	4300	2900	3300	67	77	12.91	ND<300	56
1,2,4-Trichlorobenzene	ND<1631	4300	2700	2900	63	67	7.07	ND<300	51
phthalene	ND<1631	4300	3200	3700	74	86	14.46	ND<300	61
Chloroaniline	ND<1631	4300	2500	2700	58	63	7.78	ND<300	60
Hexachlorobutadiene	ND<1631	4300	2700	3000	63	70	10.56	ND<300	49
4-Chloro-3-methylphenol	ND<1631	4300	3800	2800	88	65	30.36	ND<300	58
2-Methyl Naphthalene	ND<1631	4300	2600	3200	60	74	20.61	ND<300	55
Hexachlorocyclopentadiene	ND<1631	4300	2500	3200	58	74	24.60	ND<300	60
2,4,6-Trichlorophenol	ND<1631	4300	2500	2900	58	67	14.82	ND<300	51
2,4,5-Trichlorophenol	ND<1631	4300	2400	3100	56	72	25.49	ND<300	50
2-Chloronaphthalene	ND<1631	4300	1900	2100	44	49	9.89	ND<300	46
2-Nitroaniline	ND<1631	4300	2800	3000	65	70	6.97	ND<300	60
Acenaphthylene	ND<1631	4300	3500	4300	81	100	20.51	ND<300	74
Dimethylphthalate	ND<1631	4300	2700	3200	63	74	16.91	ND<300	57
2,6-Dinitrotoluene	ND<1631	4300	2700	2400	63	56	11.80	ND<300	56
4-Nitroaniline	ND<1631	4300	3200	3100	74	72	3.14	ND<300	61
Acenaphthene	ND<1631	4300	3200	4000	74	93	22.22	ND<300	68
2,4-Dinitrophenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	47
2,4-Dinitrotoluene	ND<1631	4300	2600	2500	60	58	4.05	ND<300	57
4-Nitrophenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	45
Dibenzofuran	ND<1631	4300	2700	3300	63	77	19.93	ND<300	59
Fluorene	ND<1631	4300	3300	4000	77	93	19.21	ND<300	71
4-Chlorophenyl-phenylether	ND<1631	4300	2500	3000	58	70	18.30	ND<300	56
Diethylphthalate	ND<1631	4300	2900	3100	67	72	6.74	ND<300	59
3-Nitroaniline	ND<1631	4300	4200	4600	98	107	9.09	ND<300	84
4,6-Dinitro-2-methylphenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	51
n-Nitrosodiphenylamine	ND<1631	4300	4700	6900	109	160	37.92	ND<300	103
Azobenzene	ND<1631	4300	2700	3500	63	81	25.80	ND<300	63
4-Bromophenyl-phenylether	ND<1631	4300	2300	3200	54	74	32.68	ND<300	55

. Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD15799 Client ID: AOC18-SS-SB01-25

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk%Rec	Dup %Rec	RPD	Blank	LCS% Rec
Hexachlorobenzene	ND<1631	4300	2500	3100	58	72	21.51	ND<300	58
Pentachlorophenol	ND<1631	4300	<327	<327	0	0	0.00	ND<300	46
Phenanthrene	ND<1631	4300	4000	4900	93	114	20.29	ND<300	73
Anthracene	ND<1631	4300	3300	4500	77	105	31.15	ND<300	75
Di-n-butylphthalate	ND<1631	4300	2200	3300	51	77	39.88	ND<300	59
Fluoranthene	ND<1631	4300	4000	5800	93	135	36.84	ND<300	75
Pyrene	ND<1631	4300	4400	5700	102	133	26.38	ND<300	76
Butylbenzylphthalate	ND<1631	4300	2500	3200	58	74	24.60	ND<300	57
Benzo[a]anthracene	ND<1631	4300	4100	5000	95	116	19.59	ND<300	71
Chrysene	ND<1631	4300	4100	4700	95	109	13.41	ND<300	70
bis(2-Ethylhexyl)phthalate	ND<1631	4300	2700	3300	63	77	19.93	ND<300	58
Di-n-octylphthalate	ND<1631	4300	2800	3600	65	84	25.00	ND<300	57
Benzo[b]fluoranthene	ND<1631	4300	3900	4800	91	112	21.02	ND<300	82
Benzo[k]fluoranthene	ND<1631	4300	3900	5100	91	119	26.99	ND<300	86
Benzo[a]pyrene	ND<1631	4300	4200	5300	98	123	22.93	ND<300	82
Indeno[1,2,3-cd]pyrene	ND<1631	4300	3800	5400	88	126	35.08	ND<300	83
Dibenz[a,h]anthracene	ND<1631	4300	3800	5400	88	126	35.08	ND<300	83
Benzo[g,h,i]perylene	ND<1631	4300	3500	5100	81	119	37.53	ND<300	83

QA Type: Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD16270

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	44	88	ND<10	106
Chloromethane	ND<2.7	50.0	46.7	93	ND<2.7	103
ıyl Chloride	ND<1.6	50.0	46.4	93	ND<1.6	100
ɔromomethane	ND<5.0	50.0	44.8	90	ND<5.0	89
Chloroethane	ND<5.0	50.0	49.1	98	ND<5.0	99
Acetone	ND<50	100	98	98	ND<50	101
Acrylonitrile	ND<20	50	44	88	ND<25	88
Trichlorofluoromethane	ND<25	50	46	92	ND<25	94
Trichlorotrifluoroethane	ND<25	50	42	84	ND<25	82
1,1-Dichloroethene	ND<1.0	50.0	37.2	74	ND<1.0	71
Methylene Chloride	ND<5.0	50.0	40.7	81	ND<5.0	78
Carbon Disulfide	ND<5.0	50.0	35.8	72	ND<5.0	70
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	41.0	82	ND<5.0	81
trans-1,2-Dichloroethene	ND<1.0	50.0	41.4	83	ND<1.0	79
1,1-Dichloroethane	ND<1.0	50.0	42.2	84	ND<1.0	82
2-Butanone (MEK)	ND<25	100	87	87	ND<25	87
2,2-Dichloropropane	ND<1.0	50.0	44.3	89	ND<1.0	83
cis-1,2-Dichloroethene	ND<1.0	50.0	47.0	94	ND<1.0	78
Chloroform	ND<1.0	50.0	44.2	88	ND<1.0	86
Tetrahydrofuran	ND<5.0	50.0	42.9	86	ND<5.0	85
1,1,1-Trichloroethane	ND<1.0	50.0	43.8	88	ND<1.0	86
Carbon Tetrachloride	ND<1.0	50.0	43.4	87	ND<1.0	85
1,1-Dichloropropene	ND<1.0	50.0	43.4	87	ND<1.0	86
Benzene	ND<1.0	50.0	45.8	92	ND<1.0	90
1,2-Dichloroethane	ND<1.0	50.0	40.4	81	ND<1.0	80
Methyl Isobutyl Ketone	ND<25	100	81	81	ND<25	79
Trichloroethene	ND<1.0	50.0	46.2	92	ND<1.0	94
1,2-Dichloropropane	ND<1.0	50.0	47.3	95	ND<1.0	92
Dibromomethane	ND<1.0	50.0	45.3	91	ND<1.0	89

ı Type: Volatile Organics Date Analyzed: 12/15/2006 QA Sample ID: AD16270

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Bromodichloromethane	ND<0.50	50.0	44.9	90	ND<0.5	88
2-Hexanone	ND<25	100	76	76	ND<25	76
cis-1,3-Dichloropropene	ND<0.50	50.0	46.2	92	ND<0.5	89
Toluene	ND<1.0	50.0	46.2	92	ND<1.0	90
trans-1,3-Dichloropropene	ND<0.50	50.0	44.5	89	ND<0.5	86
1,1,2-Trichloroethane	ND<1.0	50.0	45.5	91	ND<1.0	87
Tetrachloroethene	ND<1.0	50.0	45.0	90	ND<1.0	89
1,3-Dichloropropane	ND<1.0	50.0	44.9	90	ND<1.0	87
Dibromochloromethane	ND<0.50	50.0	52.0	104	ND<0.5	98
1,2-Dibromoethane	ND<0.50	50.0	52.0	104	ND<0.5	97
trans-1,4-Dichloro-2-Butene	ND<10	50	46	92	ND<10	84
Chlorobenzene	ND<1.0	50.0	52.9	106	ND<1.0	100
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	47.4	95	ND<1.0	85
Ethylbenzene	ND<1.0	50.0	52.5	105	ND<1.0	98
m+p Xylenes	ND<1.0	100.0	104.8	105	ND<1.0	99
o-Xylene	ND<1.0	50.0	51.1	102	ND<1.0	96
Styrene	ND<1.0	50.0	52.7	105	ND<1.0	99
Bromoform	ND<1.0	50.0	50.9	102	ND<1.0	95
Isopropylbenzene	ND<1.0	50.0	51.4	103	ND<1.0	97
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	50.4	101	ND<0.5	90
Bromobenzene	ND<1.0	50.0	49.0	98	ND<1.0	96
1,2,3-Trichloropropane	ND<1.0	50.0	39.4	79	ND<1.0	81
n-Propylbenzene	ND<1.0	50.0	49.1	98	ND<1.0	96
2-Chlorotoluene	ND<1.0	50.0	55.3	111	ND<1.0	105
⁴-Chlorotoluene	ND<1.0	50.0	42.4	85	ND<1.0	85
,5-Trimethylbenzene	ND<1.0	50.0	51.8	104	ND<1.0	98
.rt-Butylbenzene	ND<1.0	50.0	50.2	100	ND<1.0	98
1,2,4-Trimethylbenzene	ND<1.0	50.0	52.9	106	ND<1.0	98
sec-Butylbenzene	ND<1.0	50.0	50.8	102	ND<1.0	99
1,3-Dichlorobenzene	ND<1.0	50.0	51.3	103	ND<1.0	100
4-Isopropyltoluene	ND<1.0	50.0	50.6	101	ND<1.0	98
1,4-Dichlorobenzene	ND<1.0	50.0	50.0	100	ND<1.0	98
1,2-Dichlorobenzene	ND<1.0	50.0	50.0	100	ND<1.0	98
n-Butylbenzene	ND<1.0	50.0	49.4	99	ND<1.0	96
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	41.2	82	ND<1.0	83
1,2,4-Trichlorobenzene	ND<1.0	50.0	42.6	85	ND<1.0	84
Hexachlorobutadiene	ND<0.45	50.00	46.21	92	ND<0.45	94
Naphthalene	ND<1.0	50.0	39.3	79	ND<1.0	79
1,2,3-Trichlorobenzene	ND<1.0	50.0	40.4	81	ND<1.0	82

QA Type: EPA 8082 PCBs Date Analyzed: 12/12/2006 QA Sample ID: AD15771 Client ID: AOC21-SS-SB02-85

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	1.02	0.91	0.95	89	93	4.28	ND<0.25	87
PCB-1260	ND<0.30	1.02	0.83	0.91	81	89	9.14	ND<0.25	88

QA Type: EPA 8082 PCBs Date Analyzed: 12/15/2006 QA Sample ID: AD15788 Client ID: AOC21-SS-SB05-96A

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<148	*	*	*	*	*	*	ND<0.25	90
PCB-1260	500	*	*	*	*	*	*	ND<0.25	73

*Sample result too high for accurate spike recovery

Type: EPA 8082 PCBs Date Analyzed: 12/15/2006 QA Sample ID: AD15565

Analyte	SampRes	Blank	LCS%Rec
PCB-1016	ND<2.0	ND<0.50	80
PCB-1260	ND<2.0	ND<0.50	89

QA Type: EPA 8082 PCBs Date Analyzed: 12/20/2006 QA Sample ID: AD15786 Client ID: AOC21-SS-SB05-95

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.40	1.22	1.1	1.1	90	90	0.00	ND<0.25	94
PCB-1260	0.40	1.22	1.1	1.2	57	66	13.30	ND<0.25	95

QA Type: EPA 8082 PCBs Date Analyzed: 12/28/2006 QA Sample ID: AD17447

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<29	1.15	1.1	1.6	96	139	36.90	ND<0.25	87
PCB-1260	ND<29	1.15	1.2	1.3	104	113	8.29	ND<0.25	88

ND is not detected

Narrative

3. Samples were received at 17°C with evidence of cooling.

4. Dichlorodifluoromethane spike and dup recoveries high for sample AD15798.
   Naphthalene spike recovery low for sample AD15798.
   Pyridine LCS recovery low for sample AD14867.
   n-Nitroso-dimethylamine LCS recovery low for sample AD14867.
   Phenol LCS recovery low for sample AD14867.
   Aniline LCS recovery low for sample AD14867.
   Benzoic Acid LCS recovery low for sample AD14867.
   Total Selenium spike and dup recoveries high for sample AD16142.
   Total Silver spike and dup recoveries low for sample AD15799.
   Hexachloroethane spike recovery low for sample AD15799.
   2,4-Dinitrophenol spike and dup recoveries low for sample AD15799.
   4-Nitrophenol spike and dup recoveries low for sample AD15799.
   4,6-Dinitro-2-methylphenol spike and dup recoveries low for sample AD15799.
   Pentachlorophenol spike and dup recoveries low for sample AD15799.
   PCB-1016 dup recovery high for sample AD17447.

7. MS/MSD was requested on client sample AOC-18-SS-SB01-25 for Total PCBs. Laboratory did not spike that sample.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

January 2, 2007

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford, CT
Project #: 206937
CET #: 06120030r
PO #: 206937
Soil: A0C1-SS-SB01-18; A0C15-SS-SB01-21; A0C17-SS-SB01-17; A0C19-SS-SB01-19; A0C27-SS-SB01-22; A0C4-SS-SB01-20; A0C6-SS-SB04-16
Collection Date(s): 12/1/2006
Water: EB02; Trip Blank
Collection Date(s): 12/1/2006

PREP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/4/2006

Acid Digestion [EPA 3050B]

Client ID	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C15-SS-SB01-21
CET ID	AD14983	AD14984	AD14985	AD14988
Date Analyzed	12/5/2006	12/5/2006	12/5/2006	12/5/2006

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/5/2006

Accelerated Solvent Extraction [EPA 3545]

Client ID	A0C17-SS-SB01-17	A0C4-SS-SB01-20
CET ID	AD14983	AD14986
Date Analyzed	12/7/2006	12/7/2006

NOTES:
ıdicates Date Prep Test Completed; ND is Not Detected.

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	A0C17-SS-SB01-17	A0C19-SS-SB01-19	A0C27-SS-SB01-22
CET ID	AD14983	AD14985	AD14987
Date Analyzed	12/5/2006	12/5/2006	12/5/2006

Closed System P&T Extraction [EPA 5035]

Client ID	A0C6-SS-SB04-16	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C4-SS-SB01-20
CET ID	AD14982	AD14983	AD14984	AD14985	AD14986
Date Analyzed	12/4/2006	12/4/2006	12/4/2006	12/4/2006	12/4/2006

Closed System P&T Extraction [EPA 5035]

Client ID	A0C15-SS-SB01-21
CET ID	AD14988
Date Analyzed	12/4/2006

Liquid-Liquid Extraction [EPA 3510]

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/7/2006

ANALYSIS:

Total Mercury [EPA 200.8] Units: mg/l

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/4/2006
Total Mercury	ND < 0.0004

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C15-SS-SB01-21
CET ID	AD14983	AD14984	AD14985	AD14988
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Total Mercury	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30

Total Solids [EPA 160.3 mo] Units: percent

Client ID	A0C6-SS-SB04-16	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C4-SS-SB01-20
CET ID	AD14982	AD14983	AD14984	AD14985	AD14986
Date Analyzed	12/8/2006	12/6/2006	12/6/2006	12/6/2006	12/7/2006
Total Solids	61	86	84	90	84

Total Solids [EPA 160.3 mo] Units: percent

Client ID	A0C27-SS-SB01-22	A0C15-SS-SB01-21
CET ID	AD14987	AD14988
Date Analyzed	12/8/2006	12/6/2006
Total Solids	65	93

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C15-SS-SB01-21
CET ID	AD14983	AD14984	AD14985	AD14988
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Dilution	1.0	1.0	1.0	1.0
Lead	7.4	7.7	7.9	73
Selenium	ND < 1.5	ND < 1.5	ND < 1.5	ND < 1.5
Cadmium	8.9	ND < 1.0	ND < 1.0	1.1
Chromium	35	26	30	14
Arsenic	1.9	1.7	1.6	120
Barium	120	76	100	87
Silver	ND < 2.5	ND < 2.5	ND < 2.5	ND < 2.5

Total Metals [EPA 200.8] Units: mg/l

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/4/2006
Dilution	1.0
Lead	ND < 0.013
Selenium	ND < 0.01
Cadmium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/7/2006
DCB (Surr)	105
PCB-1016	ND < 0.50
PCB-1221	ND < 0.50
PCB-1232	ND < 0.50
PCB-1242	ND < 0.50
PCB-1248	ND < 0.50
PCB-1254	ND < 0.50
PCB-1260	ND < 0.50
TCMX (Surr)	97

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	A0C17-SS-SB01-17	A0C19-SS-SB01-19	A0C27-SS-SB01-22
CET ID	AD14983	AD14985	AD14987
Date Analyzed	12/7/2006	12/7/2006	12/7/2006
DCB (Surr 2)	88	84	111
Dilution	1	1	1
PCB-1016	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1221	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1232	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1242	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1248	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1254	ND < 0.30	ND < 0.30	ND < 0.40
PCB-1260	ND < 0.30	ND < 0.30	0.45
TCMX (Surr 1)	95	89	99

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/8/2006
Dilution	1.0
Pyridine	ND < 20
n-Nitroso-dimethylamine	ND < 20
bis(2-Chloroethyl)ether	ND < 10
Phenol	ND < 20
Aniline	ND < 20
Chlorophenol	ND < 20
,3-Dichlorobenzene	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0
Benzyl Alcohol	ND < 20
1,2-Dichlorobenzene	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10
Hexachloroethane	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10
2-Methyl Phenol	ND < 20
3+4 Methyl Phenol	ND < 20
Nitrobenzene	ND < 20
Isophorone	ND < 20
2-Nitrophenol	ND < 20
2,4-Dimethylphenol	ND < 20
bis(2-Chloroethoxy)methane	ND < 20
Benzoic Acid	ND < 20
2,4-Dichlorophenol	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0
Naphthalene	ND < 1.0
2,6-Dichlorophenol	ND < 20
4-Chloroaniline	ND < 20
Hexachlorobutadiene	ND < 20
4-Chloro-3-methylphenol	ND < 20
2-Methyl Naphthalene	ND < 1.0
Hexachlorocyclopentadiene	ND < 20
2,4,6-Trichlorophenol	ND < 20
2,4,5-Trichlorophenol	ND < 20

.es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	EB02
2-Chloronaphthalene	ND < 20
2-Nitroaniline	ND < 20
Acenaphthylene	ND < 0.30
Dimethylphthalate	ND < 20
2,6-Dinitrotoluene	ND < 75
4-Nitroaniline	ND < 20
Acenaphthene	ND < 1.0
2,4-Dinitrophenol	ND < 20
2,4-Dinitrotoluene	ND < 75
4-Nitrophenol	ND < 75
Dibenzofuran	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20
Fluorene	ND < 1.0
4-Chlorophenyl-phenylether	ND < 20
Diethylphthalate	ND < 20
3-Nitroaniline	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20
n-Nitrosodiphenylamine	ND < 20
Azobenzene	ND < 20
4-Bromophenyl-phenylether	ND < 20
Hexachlorobenzene	ND < 0.077
Pentachlorophenol	ND < 1.0
Benzidine	ND < 75
Phenanthrene	ND < 0.077
Anthracene	ND < 1.0
Carbazole	ND < 1.0
Di-n-butylphthalate	ND < 20
Fluoranthene	ND < 1.0
Pyrene	ND < 1.0
Butylbenzylphthalate	ND < 20
3,3-Dichlorobenzidine	ND < 75
Benzo[a]anthracene	ND < 0.06
Chrysene	ND < 1.0
bis(2-Ethylhexyl)phthalate	ND < 2.0
Di-n-octylphthalate	ND < 20
Benzo[b]fluoranthene	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30
Benzo[a]pyrene	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0
2-Fluorophenol (Surr) 15-110	40
Phenol-d5 (Surr) 15-110	25
Nitrobenzene-d5(Surr) 30-130	84
2-Fluorobiphenyl (Surr) 30-130	82
2,4,6-Tribromophenol (Surr) 15-115	100
Terphenyl-d14 (Surr) 30-130	54

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	A0C17-SS-SB01-17	A0C4-SS-SB01-20
CET ID	AD14983	AD14986
Date Analyzed	12/7/2006	12/7/2006
Dilution	1	1
Pyridine	ND < 349	ND < 358
n-Nitroso-dimethylamine	ND < 349	ND < 358
bis(2-Chloroethyl)ether	ND < 349	ND < 358
Phenol	ND < 349	ND < 358
Aniline	ND < 349	ND < 358
2-Chlorophenol	ND < 349	ND < 358
1,3-Dichlorobenzene	ND < 349	ND < 358
1,4-Dichlorobenzene	ND < 349	ND < 358
Benzyl Alcohol	ND < 349	ND < 358
1,2-Dichlorobenzene	ND < 349	ND < 358
bis(2-chloroisopropyl)ether	ND < 349	ND < 358
Hexachloroethane	ND < 349	ND < 358
N-Nitroso-di-n-propylamine	ND < 349	ND < 358
2-Methyl Phenol	ND < 349	ND < 358
3+4 Methyl Phenol	ND < 349	ND < 358
Nitrobenzene	ND < 349	ND < 358
Isophorone	ND < 349	ND < 358
2-Nitrophenol	ND < 349	ND < 358
2,4-Dimethylphenol	ND < 349	ND < 358
is(2-Chloroethoxy)methane	ND < 349	ND < 358
enzoic Acid	ND < 349	ND < 358
2,4-Dichlorophenol	ND < 349	ND < 358
1,2,4-Trichlorobenzene	ND < 349	ND < 358
Naphthalene	ND < 349	ND < 358
2,6-Dichlorophenol	ND < 349	ND < 358
4-Chloroaniline	ND < 349	ND < 358
Hexachlorobutadiene	ND < 349	ND < 358
4-Chloro-3-methylphenol	ND < 349	ND < 358
2-Methyl Naphthalene	ND < 349	ND < 358
Hexachlorocyclopentadiene	ND < 349	ND < 358
2,4,6-Trichlorophenol	ND < 349	ND < 358
2,4,5-Trichlorophenol	ND < 349	ND < 358
2-Chloronaphthalene	ND < 349	ND < 358
2-Nitroaniline	ND < 349	ND < 358
Acenaphthylene	ND < 349	ND < 358
Dimethylphthalate	ND < 349	ND < 358
2,6-Dinitrotoluene	ND < 349	ND < 358
4-Nitroaniline	ND < 349	ND < 358
Acenaphthene	ND < 349	ND < 358
2,4-Dinitrophenol	ND < 349	ND < 358
2,4-Dinitrotoluene	ND < 349	ND < 358
4-Nitrophenol	ND < 349	ND < 358
Dibenzofuran	ND < 349	ND < 358
2,3,4,6-Tetrachlorophenol	ND < 349	ND < 358
Fluorene	ND < 349	ND < 358
4-Chlorophenyl-phenylether	ND < 349	ND < 358

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	A0C17-SS-SB01-17	A0C4-SS-SB01-20
Diethylphthalate	ND < 349	ND < 358
3-Nitroaniline	ND < 349	ND < 358
4,6-Dinitro-2-methylphenol	ND < 349	ND < 358
n-Nitrosodiphenylamine	ND < 349	ND < 358
Azobenzene	ND < 349	ND < 358
4-Bromophenyl-phenylether	ND < 349	ND < 358
Hexachlorobenzene	ND < 349	ND < 358
Pentachlorophenol	ND < 349	ND < 358
Benzidine	ND < 349	ND < 358
Phenanthrene	ND < 349	ND < 358
Anthracene	ND < 349	ND < 358
Carbazole	ND < 349	ND < 358
Di-n-butylphthalate	ND < 349	ND < 358
Fluoranthene	ND < 349	ND < 358
Pyrene	ND < 349	ND < 358
Butylbenzylphthalate	ND < 349	ND < 358
3,3-Dichlorobenzidine	ND < 349	ND < 358
Benzo[a]anthracene	ND < 349	ND < 358
Chrysene	ND < 349	ND < 358
bis(2-Ethylhexyl)phthalate	ND < 349	ND < 358
Di-n-octylphthalate	ND < 349	ND < 358
Benzo[b]fluoranthene	ND < 349	ND < 358
Benzo[k]fluoranthene	ND < 349	ND < 358
Benzo[a]pyrene	ND < 349	ND < 358
Indeno[1,2,3-cd]pyrene	ND < 349	ND < 358
Dibenz[a,h]anthracene	ND < 349	ND < 358
Benzo[g,h,i]perylene	ND < 349	ND < 358
2-Fluorophenol (Surr) 30-130	49.6	67.3
Phenol-d5 (Surr) 30-130	47.2	64.1
Nitrobenzene-d5(Surr) 30-130	43.7	58.7
2-Fluorobiphenyl (Surr) 30-130	48.7	67.2
2,4,6-Tribromophenol (Surr) 30-130	56.8	75.9
Terphenyl-d14 (Surr) 30-130	57.8	61.4

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	EB02
CET ID	AD14989
Date Analyzed	12/6/2006
Dilution	1.0
ETPH	ND < 0.10
Octacosane (surr)	91

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C4-SS-SB01-20	A0C15-SS-SB01-21
CET ID	AD14984	AD14985	AD14986	AD14988
Date Analyzed	12/6/2006	12/6/2006	12/6/2006	12/6/2006
Dilution	1.0	1.0	1.0	1.0
ETPH	ND < 60	ND < 56	ND < 60	1100*
Octacosane (surr)	89.8	88.4	89.4	89.8

*C_{18}-C_{36} May be PNA related

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB02	Trip Blank
CET ID	AD14989	AD14990
Date Analyzed	12/9/2006	12/9/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
˜hloroform	ND < 1.0	ND < 1.0
etrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB02	Trip Blank
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
2 Dichloroethane-d4 (SURR) 70-130	99.8	99.3
luene-d8 (SURR) 70-130	96.3	98.4
4-bromofluorobenzene (SURR) 70-130	102	102

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C6-SS-SB04-16	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C4-SS-SB01-20
CET ID	AD14982	AD14983	AD14984	AD14985	AD14986
Date Analyzed	12/6/2006	12/4/2006	12/4/2006	12/5/2006	12/5/2006
Dilution	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 25	ND < 18	ND < 18	ND < 17	ND < 18
Chloromethane	ND < 17	ND < 12	ND < 12	ND < 12	ND < 12
Vinyl Chloride	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromomethane	ND < 17	ND < 12	ND < 12	ND < 12	ND < 12
Chloroethane	ND < 17	ND < 12	ND < 12	ND < 12	ND < 12
Acetone	ND < 160	ND < 120	ND < 120	ND < 110	160
Acrylonitrile	ND < 25	ND < 18	ND < 18	ND < 17	ND < 18
Trichlorofluoromethane	ND < 25	ND < 18	ND < 18	ND < 17	ND < 18
Trichlorotrifluoroethane	ND < 25	ND < 18	ND < 18	ND < 17	ND < 18
1,1-Dichloroethene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Methylene Chloride	ND < 25	ND < 18	ND < 18	ND < 17	ND < 18
Carbon Disulfide	59	ND < 12	96	ND < 12	31
Methyl-t-Butyl Ether (MTBE)	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,2-Dichloroethene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1-Dichloroethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0

es:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C6-SS-SB04-16	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C4-SS-SB01-20
2-Butanone (MEK)	ND < 41	ND < 30	ND < 30	ND < 28	ND < 30
2,2-Dichloropropane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
cis-1,2-Dichloroethene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Chloroform	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Tetrahydrofuran	ND < 41	ND < 30	ND < 30	ND < 28	ND < 30
1,1,1-Trichloroethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Carbon Tetrachloride	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1-Dichloropropene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Benzene	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0
1,2-Dichloroethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Methyl Isobutyl Ketone	ND < 41	ND < 30	ND < 30	ND < 28	ND < 30
Trichloroethene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichloropropane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Dibromomethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromodichloromethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
2-Hexanone	ND < 41	ND < 30	ND < 30	ND < 28	ND < 30
cis-1,3-Dichloropropene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Toluene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,3-Dichloropropene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1,2-Trichloroethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Tetrachloroethene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,3-Dichloropropane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Dibromochloromethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dibromoethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 41	ND < 30	ND < 30	ND < 28	ND < 30
Chlorobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Ethylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
m+p Xylenes	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
o-Xylene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Styrene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromoform	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Isopropylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,3-Trichloropropane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
n-Propylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
2-Chlorotoluene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
4-Chlorotoluene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,3,5-Trimethylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
tert-Butylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,4-Trimethylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
sec-Butylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,3-Dichlorobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
4-Isopropyltoluene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,4-Dichlorobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichlorobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
n-Butylbenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C6-SS-SB04-16	A0C17-SS-SB01-17	A0C1-SS-SB01-18	A0C19-SS-SB01-19	A0C4-SS-SB01-20
1,2,4-Trichlorobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Hexachlorobutadiene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
Naphthalene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,3-Trichlorobenzene	ND < 9.0	ND < 6.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2 Dichloroethane-d4 (SURR) 70-130	175 H	99.8	105	106	101
toluene-d8 (SURR) 70-130	80.2	99.5	100	99.3	101
4-bromofluorobenzene (SURR) 70-130	156 H	92.7	95.2	97.5	97.2

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C15-SS-SB01-21
CET ID	AD14988
Date Analyzed	12/5/2006
Dilution	1.0
Dichlorodifluoromethane	ND < 17
Chloromethane	ND < 11
Vinyl Chloride	ND < 6.0
Bromomethane	ND < 11
Chloroethane	ND < 11
Acetone	ND < 110
Acrylonitrile	ND < 17
Trichlorofluoromethane	ND < 17
Trichlorotrifluoroethane	ND < 17
1,1-Dichloroethene	ND < 6.0
Methylene Chloride	ND < 17
Carbon Disulfide	ND < 11
Methyl-t-Butyl Ether (MTBE)	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0
1,1-Dichloroethane	ND < 6.0
2-Butanone (MEK)	ND < 27
2,2-Dichloropropane	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0
Chloroform	ND < 6.0
Tetrahydrofuran	ND < 27
1,1,1-Trichloroethane	ND < 6.0
Carbon Tetrachloride	ND < 6.0
1,1-Dichloropropene	ND < 6.0
Benzene	ND < 2.0
1,2-Dichloroethane	ND < 6.0
Methyl Isobutyl Ketone	ND < 27
Trichloroethene	1000E
1,2-Dichloropropane	ND < 6.0
Dibromomethane	ND < 6.0
Bromodichloromethane	ND < 6.0
2-Hexanone	ND < 27
cis-1,3-Dichloropropene	ND < 6.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C15-SS-SB01-21
Toluene	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0
Tetrachloroethene	37
1,3-Dichloropropane	ND < 6.0
Dibromochloromethane	ND < 6.0
1,2-Dibromoethane	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 27
Chlorobenzene	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 6.0
Ethylbenzene	ND < 6.0
m+p Xylenes	ND < 6.0
o-Xylene	ND < 6.0
Styrene	ND < 6.0
Bromoform	ND < 6.0
Isopropylbenzene	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0
Bromobenzene	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0
n-Propylbenzene	ND < 6.0
2-Chlorotoluene	ND < 6.0
4-Chlorotoluene	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0
rt-Butylbenzene	ND < 6.0
,2,4-Trimethylbenzene	ND < 6.0
sec-Butylbenzene	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0
4-Isopropyltoluene	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0
n-Butylbenzene	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 6.0
1,2,4-Trichlorobenzene	ND < 6.0
Hexachlorobutadiene	ND < 6.0
Naphthalene	ND < 6.0
1,2,3-Trichlorobenzene	ND < 6.0
1,2 Dichloroethane-d4 (SURR) 70-130	123
toluene-d8 (SURR) 70-130	87.3
4-bromofluorobenzene (SURR) 70-130	135H

›tes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

volatile Organics Dilution [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C15-SS-SB01-21
CET ID	AD14988
Date Analyzed	12/5/2006
Dilution	99.0
Dichlorodifluoromethane	ND < 1600
Chloromethane	ND < 1100
Vinyl Chloride	ND < 530
Bromomethane	ND < 1100
Chloroethane	ND < 1100
Acetone	ND < 11000
Acrylonitrile	ND < 1600
Trichlorofluoromethane	ND < 1600
Trichlorotrifluoroethane	ND < 1600
1,1-Dichloroethene	ND < 530
Methylene Chloride	ND < 1600
Carbon Disulfide	ND < 1100
Methyl-t-Butyl Ether (MTBE)	ND < 530
trans-1,2-Dichloroethene	ND < 530
1,1-Dichloroethane	ND < 530
2-Butanone (MEK)	ND < 2700
2,2-Dichloropropane	ND < 530
cis-1,2-Dichloroethene	ND < 530
Chloroform	ND < 530
Tetrahydrofuran	ND < 2700
1,1-Trichloroethane	ND < 530
arbon Tetrachloride	ND < 530
1,1-Dichloropropene	ND < 530
Benzene	ND < 110
1,2-Dichloroethane	ND < 530
Methyl Isobutyl Ketone	ND < 2700
Trichloroethene	ND < 530
1,2-Dichloropropane	ND < 530
Dibromomethane	ND < 530
Bromodichloromethane	ND < 530
2-Hexanone	ND < 2700
cis-1,3-Dichloropropene	ND < 530
Toluene	ND < 530
trans-1,3-Dichloropropene	ND < 530
1,1,2-Trichloroethane	ND < 530
Tetrachloroethene	ND < 530
1,3-Dichloropropane	ND < 530
Dibromochloromethane	ND < 530
1,2-Dibromoethane	ND < 530
trans-1,4-Dichloro-2-Butene	ND < 2700
Chlorobenzene	ND < 530
1,1,1,2-Tetrachloroethane	ND < 530
Ethylbenzene	ND < 530
m+p Xylenes	ND < 530
o-Xylene	ND < 530
Styrene	ND < 530
Bromoform	ND < 530

ıes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics Dilution [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	A0C15-SS-SB01-21
Isopropylbenzene	ND < 530
1,1,2,2-Tetrachloroethane	ND < 530
Bromobenzene	ND < 530
1,2,3-Trichloropropane	ND < 530
n-Propylbenzene	ND < 530
2-Chlorotoluene	ND < 530
4-Chlorotoluene	ND < 530
1,3,5-Trimethylbenzene	ND < 530
tert-Butylbenzene	ND < 530
1,2,4-Trimethylbenzene	ND < 530
sec-Butylbenzene	ND < 530
1,3-Dichlorobenzene	ND < 530
4-Isopropyltoluene	ND < 530
1,4-Dichlorobenzene	ND < 530
1,2-Dichlorobenzene	ND < 530
n-Butylbenzene	ND < 530
1,2-Dibromo-3-Chloropropane	ND < 530
1,2,4-Trichlorobenzene	ND < 530
Hexachlorobutadiene	ND < 530
Naphthalene	ND < 530
1,2,3-Trichlorobenzene	ND < 530
1,2 Dichloroethane-d4 (SURR) 70-130	103
toluene-d8 (SURR) 70-130	99.1
bromofluorobenzene (SURR) 70-130	102

H – Surrogate recovery high
E – Estimated value – exceeds

Sincerely,

David Ditta
Laboratory Director

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes, Stamford ***Project Number.*** 206937

Sampling Date(s): 11/29/2006, 12/1/2006 ***CET #:*** 06120030

Laboratory Sample ID(s): AD14982-AD14991

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed. Explain any criteria failing outside of acceptable guidelines, as specified in the SW-848 method.-	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)? If no, the attached narrative should include any explanation as to acceptability of samples received at other temperatures.	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the SW-846 method performance criteria document achieved?	☐Yes ☒No
5	Were reporting limits specified on the chain-of-custody met?	☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists?	☒Yes ☐No
7	Are project-specific QC samples included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 12/14/2006

March 10, 2005, Draft - For testing the understandability of this form only.

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford, CT
CET#: 06120030

QA Type: Volatile Organics Date Analyzed: 12/6/2006 QA Sample ID: AD14984 Client ID: AOC1-SS-SB01-18

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	190	168	181	88	95	7.50	ND<5.0	104
1,1,1-Trichloroethane	ND<6.0	190	179	179	94	94	0.00	ND<5.0	101
1,1,2,2-Tetrachloroethane	ND<6.0	190	165	194	87	102	16.10	ND<5.0	107
1,1,2-Trichloroethane	ND<6.0	190	185	193	97	102	4.60	ND<5.0	122
1,1-Dichloroethane	ND<6.0	190	203	201	107	106	0.90	ND<5.0	115
1,1-Dichloroethene	ND<6.0	190	180	191	95	101	6.40	ND<5.0	101
'-Dichloropropene	ND<6.0	190	203	205	107	108	0.90	ND<5.0	114
,3-Trichlorobenzene	ND<6.0	190	175	182	92	96	3.90	ND<5.0	123
1,2,3-Trichloropropane	ND<6.0	190	189	186	100	98	1.60	ND<5.0	112
1,2,4-Trichlorobenzene	ND<6.0	190	174	174	92	92	0.00	ND<5.0	115
1,2,4-Trimethylbenzene	ND<6.0	190	176	171	93	90	2.80	ND<5.0	106
1,2-Dibromo-3-Chloropropane	ND<6.0	190	156	190	82	100	19.70	ND<5.0	114
1,2-Dibromoethane	ND<6.0	190	165	188	87	99	13.00	ND<5.0	106
1,2-Dichlorobenzene	ND<6.0	190	176	178	93	94	1.20	ND<5.0	116
1,2-Dichloroethane	ND<6.0	190	196	205	103	108	4.70	ND<5.0	120
1,2-Dichloropropane	ND<6.0	190	204	207	107	109	1.90	ND<5.0	124
1,3,5-Trimethylbenzene	ND<6.0	190	176	169	93	89	4.10	ND<5.0	104
1,3-Dichlorobenzene	ND<6.0	190	180	178	95	94	1.10	ND<5.0	114
1,3-Dichloropropane	ND<6.0	190	187	196	98	103	4.60	ND<5.0	123
1,4-Dichlorobenzene	ND<6.0	190	173	172	91	90	0.70	ND<5.0	112
2,2-Dichloropropane	ND<6.0	190	154	145	81	76	6.10	ND<5.0	87
2-Butanone (MEK)	ND<30	381	375	358	98	94	4.60	ND<25	100
2-Chlorotoluene	ND<6.0	190	158	151	83	80	4.50	ND<5.0	99
2-Hexanone	ND<30	381	410	463	108	122	12.20	ND<25	121
4-Chlorotoluene	ND<6.0	190	215	210	113	111	1.80	ND<5.0	129
4-Isopropyltoluene	ND<6.0	190	182	173	96	91	5.00	ND<5.0	111
Acetone	ND<120	381	408	447	107	117	8.90	ND<100	96
Acrylonitrile	ND<18	190	192	222	101	117	14.70	ND<100	112
Benzene	ND<2.0	190	198	201	104	106	1.90	ND<5.0	115
Bromobenzene	ND<6.0	190	179	176	94	93	1.70	ND<5.0	109
Bromochloromethane	ND<6.0	190	211	215	111	113	1.80	ND<5.0	126
Bromodichloromethane	ND<6.0	190	190	195	100	103	3.00	ND<5.0	122
Bromoform	ND<6.0	190	148	177	78	93	17.90	ND<5.0	104
omomethane	ND<12	190	134	116	70	61	14.30	ND<5.0	49
bon Disulfide	96	190	372	311	145	113	24.80	ND<5.0	77

QA Type: Volatile Organics Date Analyzed: 12/6/2006 QA Sample ID: AD14984 Client ID: AOC1-SS-SB01-18

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Carbon Tetrachloride	ND<6.0	190	157	175	83	92	10.90	ND<5.0	104
Chlorobenzene	ND<6.0	190	179	190	94	100	6.00	ND<5.0	106
Chloroethane	ND<12	190	138	118	73	62	15.60	ND<5.0	50
Chloroform	ND<6.0	190	198	198	104	104	0.00	ND<5.0	115
Chloromethane	ND<12	190	147	144	77	76	2.10	ND<5.0	52
cis-1,2-Dichloroethene	ND<6.0	190	200	201	105	106	0.90	ND<5.0	115
cis-1,3-Dichloropropene	ND<6.0	190	193	196	102	103	1.00	ND<5.0	121
Dibromochloromethane	ND<6.0	190	159	182	84	96	13.50	ND<5.0	106
Dibromomethane	ND<6.0	190	185	200	97	105	7.50	ND<5.0	119
Dichlorodifluoromethane	ND<18	190	126	125	66	66	0.80	ND<25	52
Ethyl Methacrylate	ND<6.0	190	188	203	99	107	7.90	ND<25	128
Ethylbenzene	ND<6.0	190	187	192	98	101	2.60	ND<5.0	108
Hexachlorobutadiene	ND<6.0	190	172	168	90	88	2.30	ND<5.0	113
Isopropylbenzene	ND<6.0	190	168	175	88	92	4.10	ND<5.0	101
m+p Xylenes	ND<6.0	381	357	374	94	98	4.70	ND<5.0	103
Methyl Isobutyl Ketone	ND<30	381	428	453	112	119	6.10	ND<25	132
Methyl Methacrylate	ND<6.0	190	200	221	105	116	10.00	ND<25	128
Methyl-t-Butyl Ether (MTBE)	ND<6.0	190	205	209	108	110	1.80	ND<5.0	124
Methylene Chloride	ND<18	190	180	187	95	98	3.80	6.0	107
n-Butylbenzene	ND<6.0	190	189	179	100	94	5.50	ND<5.0	116
n-Propylbenzene	ND<6.0	190	184	176	97	93	4.40	ND<5..0	112
Naphthalene	ND<6.0	190	157	177	83	93	12.10	ND<5.0	117
o-Xylene	ND<6.0	190	179	189	94	100	5.50	ND<5.0	106
·c-Butylbenzene	ND<6.0	190	182	174	96	92	4.50	ND<5.0	111
rene	ND<6.0	190	158	168	83	88	6.10	ND<5.0	97
ert-Butylbenzene	ND<6.0	190	174	169	92	89	3.00	ND<5.0	106
Tetrachloroethene	ND<6.0	190	200	199	105	105	0.00	ND<5.0	116
Tetrahydrofuran	ND<30	190	208	229	109	121	10.40	ND<25	129
Toluene	ND<6.0	190	205	202	108	106	1.90	ND<5.0	122
trans-1,2-Dichloroethene	ND<6.0	190	201	202	106	106	0.00	ND<5.0	111
trans-1,3-Dichloropropene	ND<6.0	190	190	192	100	101	1.00	ND<5.0	122
Trichloroethene	ND<6.0	190	190	190	100	100	0.00	ND<5.0	120
Trichlorofluoromethane	ND<18	190	164	160	86	84	2.50	ND<5.0	72
Trichlorotrifluoroethane	ND<18	190	164	162	86	85	1.20	ND<25	94
Vinyl Chloride	ND<6.0	190	112	96.8	59	51	14.60	ND<5.0	36

QA Type: Total Metals Date Analyzed: 12/4/2006 QA Sample ID: AD14867

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.200	0.214	0.216	107	108	0.93	ND<0.013	100
Selenium	0.011	0.400	0.474	0.480	116	117	0.86	ND<0.01	104
Cadmium	ND<0.005	0.200	0.189	0.192	94	96	1.57	ND<0.005	100
Chromium	ND<0.05	0.200	0.215	0.212	108	106	1.87	ND<0.05	96
Arsenic	ND<0.004	0.200	0.226	0.229	113	114	0.88	ND<0.004	104
Barium	0.06	0.200	0.264	0.266	102	103	0.98	ND<0.05	89
Silver	ND<0.012	0.100	0.0852	0.0867	85	87	1.75	ND<0.012	99
Mercury	ND<0.0004	0.0050	0.00471	0.00507	94	101	6.97	ND<0.002	93

QA Type: EPA 8082 PCBs Date Analyzed: 12/7/2006 QA Sample ID: AD14730

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
.B-1016	ND<0.50	2.0	1.9	95	ND<0.50	80
PCB-1260	ND<0.50	2.0	2.0	100	ND<0.50	90

QA Type: Total Metals Date Analyzed: 12/6/2006 QA Sample ID: AD14985 Client ID: AOC19-SS-SB01-19

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	7.9	27.8	31.9	32.1	86	87	0.81	ND<2.0	103
Selenium	ND<1.5	55.6	48.7	48.7	88	88	0.00	ND<1.0	104
Cadmium	ND<1.0	27.8	24.0	23.8	86	86	0.81	ND<0.50	100
Chromium	30	27.8	48.9	49.8	68	71	4.60	ND<2.0	101
Arsenic	1.6	27.8	25.4	25.3	86	85	0.35	ND<1.0	102
Barium	100	*	*	*	*	*	*	ND<2.0	99
Silver	ND<2.5	5.56	3.97	3.95	71	71	0.56	ND<2.0	88

*Sample result too high for accurate spike recovery

QA Type: Conn. Extractable TPH Date Analyzed: 12/8/2006 QA Sample ID: AD15034

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
ETPH	ND<0.10	5.0	5.5	110	ND<0.10	112

QA Type: Total Mercury Date Analyzed: 12/6/2006 QA Sample ID: AD14882

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	1.51	1.5	1.6	99	106	6.53	ND<0.002	100

QA Type: Conn. Extractable TPH Date Analyzed: 12/7/2006 QA Sample ID: AD14985 Client ID: AOC19-SS-SB01-19

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<56	1670	1410	1470	84	88	4.18	ND<50	85

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/7/2006 QA Sample ID: AD14986 Client ID: AOC4-SS-SB01-20

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup % Rec	RPD	Blank	LCS% Rec
Pyridine	ND<358	4800	1400	1600	29	33	13.12	ND<300	51
n-Nitroso-dimethylamine	ND<358	4800	1900	2100	40	44	10.07	ND<300	60
bis(2-Chloroethyl)ether	ND<358	4800	1900	2000	40	42	5.17	ND<300	52
Phenol	ND<358	4800	2500	2700	52	56	7.57	ND<300	65
Aniline	ND<358	4800	2300	2600	48	54	12.34	ND<300	73
2-Chlorophenol	ND<358	4800	2400	2600	50	54	8.06	ND<300	65
1,3-Dichlorobenzene	ND<358	4800	1900	2300	40	48	18.97	ND<300	62
1,4-Dichlorobenzene	ND<358	4800	1900	2200	40	46	14.52	ND<300	64
1,2-Dichlorobenzene	ND<358	4800	2000	2300	42	48	13.84	ND<300	65
bis(2-chloroisopropyl)ether	ND<358	4800	2200	2500	46	52	12.87	ND<300	66
Hexachloroethane	ND<358	4800	1800	2200	38	46	19.93	ND<300	62
N-Nitroso-di-n-propylamine	ND<358	4800	2400	2800	50	58	15.33	ND<300	68
2-Methyl Phenol	ND<358	4800	3000	3400	62	71	12.45	ND<300	67
3+4 Methyl Phenol	ND<358	4800	2900	3000	60	62	3.42	ND<300	67
Nitrobenzene	ND<358	4800	2400	2800	50	58	15.33	ND<300	71
Isophorone	ND<358	4800	2600	3000	54	62	14.23	ND<300	70
2-Nitrophenol	ND<358	4800	2300	2600	48	54	12.34	ND<300	64
2,4-Dimethylphenol	ND<358	4800	2800	3000	58	62	6.95	ND<300	66
bis(2-Chloroethoxy)methane	ND<358	4800	2700	3000	56	62	10.62	ND<300	71
2,4-Dichlorophenol	ND<358	4800	2600	2900	54	60	10.82	ND<300	67
1,2,4-Trichlorobenzene	ND<358	4800	2400	2700	50	56	11.68	ND<300	69
›hthalene	ND<358	4800	3000	3400	62	71	12.45	ND<300	85

\ Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/7/2006 QA Sample ID: AD14986 Client ID: AOC4-SS-SB01-20

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup % Rec	RPD	Blank	LCS% Rec
4-Chloroaniline	ND<358	4800	2200	2600	46	54	16.80	ND<300	72
Hexachlorobutadiene	ND<358	4800	2400	2800	50	58	15.33	ND<300	70
4-Chloro-3-methylphenol	ND<358	4800	2800	3000	58	62	6.95	ND<300	67
2-Methyl Naphthalene	ND<358	4800	2900	3300	60	69	13.00	ND<300	72
Hexachlorocyclopentadiene	ND<358	4800	2500	3100	52	65	21.42	ND<300	76
2,4,6-Trichlorophenol	ND<358	4800	2500	2800	52	58	11.23	ND<300	64
2,4,5-Trichlorophenol	ND<358	4800	2800	3000	58	62	6.95	ND<300	66
2-Chloronaphthalene	ND<358	4800	2600	3200	54	67	20.68	ND<300	73
2-Nitroaniline	ND<358	4800	3100	3400	65	71	9.16	ND<300	75
Acenaphthylene	ND<358	4800	3400	3900	71	81	13.68	ND<300	88
Dimethylphthalate	ND<358	4800	2400	3300	50	69	31.65	ND<300	76
2,6-Dinitrotoluene	ND<358	4800	2300	2400	48	50	4.29	ND<300	78
4-Nitroaniline	ND<358	4800	3100	2700	65	56	13.91	ND<300	77
Acenaphthene	ND<358	4800	3500	3900	73	81	10.77	ND<300	90
2,4-Dinitrophenol	ND<358	4800	1700	2000	35	42	16.34	ND<300	55
2,4-Dinitrotoluene	ND<358	4800	3100	3300	65	69	6.30	ND<300	78
4-Nitrophenol	ND<358	4800	2600	2800	54	58	7.29	ND<300	64
Dibenzofuran	ND<358	4800	2900	3200	60	67	9.91	ND<300	74
Fluorene	ND<358	4800	2800	3100	58	65	10.25	ND<300	92
4-Chlorophenyl-phenylether	ND<358	4800	2800	3200	58	67	13.44	ND<300	73
Diethylphthalate	ND<358	4800	3100	3300	65	69	6.30	ND<300	77
3-Nitroaniline	ND<358	4800	4900	4700	102	98	4.10	ND<300	99
4.6-Dinitro-2-methylphenol	ND<358	4800	2200	2500	46	52	12.87	ND<300	64
Iitrosodiphenylamine	ND<358	4800	4200	4100	88	85	2.43	ND<300	116
..zobenzene	ND<358	4800	3000	3400	62	71	12.45	ND<300	81
4-Bromophenyl-phenylether	ND<358	4800	3000	3300	62	69	9.60	ND<300	73
Hexachlorobenzene	ND<358	4800	3300	3600	69	75	8.62	ND<300	75
Pentachlorophenol	ND<358	4800	2700	2900	56	60	7.20	ND<300	59
Phenanthrene	ND<358	4800	3800	4100	79	85	7.53	ND<300	91
Anthracene	ND<358	4800	3900	4100	81	85	5.04	ND<300	97
Di-n-butylphthalate	ND<358	4800	3200	3400	67	71	5.96	ND<300	75
Fluoranthene	ND<358	4800	4500	4800	94	100	6.40	ND<300	96
Pyrene	ND<358	4800	4500	4800	94	100	6.40	ND<300	96
Butylbenzylphthalate	ND<358	4800	3400	3300	71	69	2.87	ND<300	72
Benzo[a]anthracene	ND<358	4800	4500	4400	94	92	2.26	ND<300	91
Chrysene	ND<358	4800	4200	4100	88	85	2.43	ND<300	91
bis(2-Ethylhexyl)phthalate	ND<358	4800	3400	3300	71	69	2.87	ND<300	71
Di-n-octylphthalate	ND<358	4800	3600	3400	75	71	5.76	ND<300	74
Benzo[b]fluoranthene	ND<358	4800	4200	4500	88	94	6.95	ND<300	92
Benzo[k]fluoranthene	ND<358	4800	4200	4400	88	92	4.69	ND<300	98
Benzo[a]pyrene	ND<358	4800	4100	4500	85	94	9.38	ND<300	96
Indeno[1,2,3-cd]pyrene	ND<358	4800	4800	5000	100	104	3.92	ND<300	104
Dibenz[a,h]anthracene	ND<358	4800	4800	5100	100	106	5.83	ND<300	107
Benzo[g,h,i]perylene	ND<358	4800	4900	5000	102	104	1.94	ND<300	103

QA Type: EPA 8082 PCBs Date Analyzed: 12/7/2006 QA Sample ID: AD14985 Client ID: AOC19-SS-SB01-19

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.30	0.556	0.57	0.56	103	101	1.96	ND<0.25	100
PCB-1260	ND<0.30	0.556	0.58	0.56	104	101	2.93	ND<0.25	100

\ Type: Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15053

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	43	86	ND<10	94
Chloromethane	ND<2.7	50.0	37.2	74	ND<2.7	90
Vinyl Chloride	ND<1.6	50.0	36.1	72	ND<1.6	50
Bromomethane	ND<5.0	50.0	39.5	79	ND<5.0	84
Chloroethane	ND<5.0	50.0	40.9	82	ND<5.0	84
Acetone	ND<50	100	87	87	ND<50	118
Acrylonitrile	ND<20	50	45	90	ND<25	104
Trichlorofluoromethane	ND<25	50	45	90	ND<25	110
Trichlorotrifluoroethane	ND<25	50	41	82	ND<25	86
1,1-Dichloroethene	ND<1.0	50.0	42.5	85	ND<1.0	91
Methylene Chloride	ND<5.0	50.0	44.8	90	ND<5.0	98
Carbon Disulfide	ND<5.0	50.0	46.0	92	ND<5.0	101
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	45.7	91	ND<5.0	102
trans-1,2-Dichloroethene	ND<1.0	50.0	45.4	91	ND<1.0	98
1,1-Dichloroethane	1.6	50.0	46.4	90	ND<1.0	98
2-Butanone (MEK)	ND<25	100	85	85	ND<25	108
2,2-Dichloropropane	ND<1.0	50.0	29.9	60	ND<1.0	109
cis-1,2-Dichloroethene	ND<1.0	50.0	45.7	91	ND<1.0	103
Chloroform	ND<1.0	50.0	46.5	93	ND<1.0	100
Tetrahydrofuran	ND<5.0	50.0	50.1	100	ND<5.0	106
1,1,1-Trichloroethane	2.4	50.0	50.6	96	ND<1.0	105
Carbon Tetrachloride	ND<1.0	50.0	47.2	94	ND<1.0	104
1,1-Dichloropropene	ND<1.0	50.0	47.4	95	ND<1.0	106
Benzene	ND<1.0	50.0	47.6	95	ND<1.0	103
1 2-Dichloroethane	ND<1.0	50.0	44.5	89	ND<1.0	96
thyl Isobutyl Ketone	ND<25	100	87	87	ND<25	102
.nchloroethene	1.5	50.0	49.6	96	ND<1.0	108
1,2-Dichloropropane	ND<1.0	50.0	47.4	95	ND<1.0	103
Dibromomethane	ND<1.0	50.0	47.8	96	ND<1.0	107
Bromodichloromethane	ND<0.50	50.0	48.6	97	ND<0.5	102
2-Hexanone	ND<25	100	83	83	ND<25	99
cis-1,3-Dichloropropene	ND<0.50	50.0	43.5	87	ND<0.5	103
Toluene	ND<1.0	50.0	49.2	98	ND<1.0	107
trans-1,3-Dichloropropene	ND<0.50	50.0	43.5	87	ND<0.5	103
1,1,2-Trichloroethane	ND<1.0	50.0	44.7	89	ND<1.0	97
Tetrachloroethene	ND<1.0	50.0	48.4	97	ND<1.0	113
1,3-Dichloropropane	ND<1.0	50.0	46.1	92	ND<1.0	102
Dibromochloromethane	ND<0.50	50.0	48.0	96	ND<0.5	100
1,2-Dibromoethane	ND<0.50	50.0	48.4	97	ND<0.5	103
trans-1,4-Dichloro-2-Butene	ND<10	50	38	76	ND<10	92
Chlorobenzene	ND<1.0	50.0	49.2	98	ND<1.0	104
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	42.1	84	ND<1.0	90
Ethylbenzene	ND<1.0	50.0	48.1	96	ND<1.0	101
m+p Xylenes	ND<1.0	100.0	97.0	97	ND<1.0	106
o-Xylene	ND<1.0	50.0	48.8	98	ND<1.0	101
Styrene	ND<1.0	50.0	48.5	97	ND<1.0	102
Bromoform	ND<1.0	50.0	44.3	89	ND<1.0	96
Isopropylbenzene	ND<1.0	50.0	47.4	95	ND<1.0	100
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	42.1	84	ND<0.5	89
Bromobenzene	ND<1.0	50.0	46.6	93	ND<1.0	93
1,2,3-Trichloropropane	ND<1.0	50.0	47.0	94	ND<1.0	102
n-Propylbenzene	ND<1.0	50.0	47.4	95	ND<1.0	97

\ Type: Volatile Organics Date Analyzed: 12/9/2006 QA Sample ID: AD15053

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
2-Chlorotoluene	ND<1.0	50.0	43.2	86	ND<1.0	105
4-Chlorotoluene	ND<1.0	50.0	54.5	109	ND<1.0	116
1,3,5-Trimethylbenzene	ND<1.0	50.0	46.2	92	ND<1.0	95
tert-Butylbenzene	ND<1.0	50.0	45.4	91	ND<1.0	93
1,2,4-Trimethylbenzene	ND<1.0	50.0	46.2	92	ND<1.0	95
sec-Butylbenzene	ND<1.0	50.0	44.6	89	ND<1.0	93
1,3-Dichlorobenzene	ND<1.0	50.0	45.3	91	ND<1.0	93
4-Isopropyltoluene	ND<1.0	50.0	43.9	88	ND<1.0	94
1,4-Dichlorobenzene	ND<1.0	50.0	45.4	91	ND<1.0	92
1,2-Dichlorobenzene	ND<1.0	50.0	44.1	88	ND<1.0	90
n-Butylbenzene	ND<1.0	50.0	42.0	84	ND<1.0	95
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	37.1	74	ND<1.0	84
1,2,4-Trichlorobenzene	ND<1.0	50.0	38.6	77	ND<1.0	87
Hexachlorobutadiene	ND<0.45	50.00	31.67	63	ND<0.45	78
Naphthalene	ND<1.0	50.0	38.3	77	ND<1.0	83
1,2,3-Trichlorobenzene	ND<1.0	50.0	37.4	75	ND<1.0	80

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Pyridine	ND<20	ND<20	8
n-Nitroso-dimethylamine	ND<20	ND<20	28
bis(2-Chloroethyl)ether	ND<10	ND<10	62
Phenol	ND<20	ND<20	25
^niline	ND<20	ND<20	12
:hlorophenol	ND<20	ND<20	60
,3-Dichlorobenzene	ND<5.0	ND<5.0	65
1,4-Dichlorobenzene	ND<5.0	ND<5.0	68
1,2-Dichlorobenzene	ND<5.0	ND<5.0	70
bis(2-chloroisopropyl)ether	ND<10	ND<10	70
Hexachloroethane	ND<3.0	ND<3.0	65
N-Nitroso-di-n-propylamine	ND<10	ND<10	75
2-Methyl Phenol	ND<20	ND<20	52
3+4 Methyl Phenol	ND<20	ND<20	48
Nitrobenzene	ND<20	ND<20	72
Isophorone	ND<20	ND<20	75
2-Nitrophenol	ND<20	ND<20	70
2,4-Dimethylphenol	ND<20	ND<20	48
bis(2-Chloroethoxy)methane	ND<20	ND<20	75
2,4-Dichlorophenol	ND<20	ND<20	70
1,2,4-Trichlorobenzene	ND<5.0	ND<5.0	75
Naphthalene	ND<1.0	ND<1.0	88
4-Chloroaniline	ND<20	ND<20	60
Hexachlorobutadiene	ND<20	ND<20	78
4-Chloro-3-methylphenol	ND<20	ND<20	72
2-Methyl Naphthalene	ND<1.0	ND<1.0	80
Hexachlorocyclopentadiene	ND<20	ND<20	55
2,4,6-Trichlorophenol	ND<20	ND<20	72
2,4,5-Trichlorophenol	ND<20	ND<20	75
2-Chloronaphthalene	ND<20	ND<20	80
2-Nitroaniline	ND<20	ND<20	82

\ Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/8/2006 QA Sample ID: AD14867

Analyte	SampRes	Blank	LCS%Rec
Acenaphthylene	ND<0.30	ND<0.30	92
Dimethylphthalate	ND<20	ND<20	85
2,6-Dinitrotoluene	ND<75	ND<75	88
4-Nitroaniline	ND<20	ND<20	72
Acenaphthene	ND<1.0	ND<1.0	98
2,4-Dinitrophenol	ND<20	ND<20	82
2,4-Dinitrotoluene	ND<75	ND<75	90
4-Nitrophenol	ND<75	ND<75	35
Dibenzofuran	ND<1.0	ND<1.0	88
Fluorene	ND<1.0	ND<1.0	100
4-Chlorophenyl-phenylether	ND<20	ND<20	85
Diethylphthalate	ND<20	ND<20	88
3-Nitroaniline	ND<20	ND<20	85
4,6-Dinitro-2-methylphenol	ND<20	ND<20	78
n-Nitrosodiphenylamine	ND<20	ND<20	140
Azobenzene	ND<20	ND<20	85
4-Bromophenyl-phenylether	ND<20	ND<20	88
Hexachlorobenzene	ND<0.077	ND<0.077	92
Pentachlorophenol	ND<1.0	ND<1.0	78
Phenanthrene	ND<0.077	ND<0.077	102
Anthracene	ND<1.0	ND<1.0	100
Di-n-butylphthalate	ND<20	ND<20	92
Fluoranthene	ND<1.0	ND<1.0	105
Pyrene	ND<1.0	ND<1.0	105
Butylbenzylphthalate	ND<20	ND<20	85
ızo[a]anthracene	ND<0.06	ND<0.06	98
,ırysene	ND<1.0	ND<1.0	98
bis(2-Ethylhexyl)phthalate	ND<2.0	ND<2.0	88
Di-n-octylphthalate	ND<20	ND<20	82
Benzo[b]fluoranthene	ND<0.08	ND<0.08	98
Benzo[k]fluoranthene	ND<0.30	ND<0.30	108
Benzo[a]pyrene	ND<0.20	ND<0.20	100
Indeno[1,2,3-cd]pyrene	ND<0.20	ND<0.20	102
Dibenz[a,h]anthracene	ND<0.20	ND<0.20	108
Benzo[g,h,i]perylene	ND<1.0	ND<1.0	102

ND is not detected

Narrative

3. Samples were received at 11°C with evidence of cooling.

4. Bromomethane dup and LCS recoveries low for sample AD14984.
   Carbon Disulfide spike recovery high for sample AD14984.
   Chloroethane dup and LCS recoveries low for sample AD14984.
   Chloromethane LCS recovery low for sample AD14984.
   Dichlorodifluoromethane spike, dup and LCS recoveries low for sample AD14984.
   Methyl Isobutyl Ketone LCS recovery high for sample AD14984.
   Vinyl Chloride spike, dup and LCS recoveries low for sample AD14984.
   Total Chromium spike and dup recoveries low for sample AD14985.
   Total Silver spike and dup recoveries low for sample AD14985.
   Pyridine spike recovery low for sample AD14986.
   Vinyl Chloride LCS recovery low for sample AD15053.
   2,2-Dichloropropane spike recovery low for sample AD15053.
   Hexachlorobutadiene spike recovery low for sample AD15053.
   Pyridine LCS recovery low for sample AD14867.
   n-Nitroso-dimethylamine LCS recovery low for sample AD14867.
   Aniline LCS recovery low for sample AD14867.
   n-Nitrosodiphenylamine LCS recovery high for sample AD14867.
   Surrogate recovery high (4-bromofluorobenzene) for AD14988
   Surrogate recovery high (1,2 Dichloroethane-d4 & 4-bromofluorobenzene) for AD14982. This sample was run twice with high surrogate recoveries(matrix effects).

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs - ASE, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC6-SS-SB04-16	12/1/06 820	S				X	X																		5	1
AOC17-SS-SB01-17	840	S				X	X							X		X			X						5	
AOC1-SS-SB01-18	900	S				X	X						X						X						9	2
AOC19-SS-SB01-19	940	S				X	X						X			X			X						5	3
AOC4-SS-SB01-20	1015	S				X	X						X	X											5	4
AOC27-SS-SB01-22	1115	S				X	[illegible]									X									1	
AOC15-SS-SB01-21	1130	S				X	X						X						X						5	
EB02	1300	W				X	X						X	X		X			X						6	
TRIP BLANK	11/29/06	W				X	X																		2	
TEMP BLANK	11/29/06	W																							1	
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)							C						C	C		C			C							
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)							O						G	G	G	G			G							
Soil VOCs Only (M=MeOH B=Sodium Bisulfate W=Water F=Empty Vial E=Encore)							E																			

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/1/06 1500	[signature] 12/1
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	12/1/06	[signature]
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1 - DRY WEIGHT IN 8 OZ. JAR
2 - RUN MS/MSD ON VOCs
3 - RUN MS/MSD ON ETPH, PCBs, METALS
4 - RUN MS/MSD ON SVOCs

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL QA/QC DOC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt ___ °C

SHEET 1 OF 1

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

January 4, 2007

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford
CET #: 06120463
Soil: AOC9-SS-TP02-116; AOC9-SS-TP02-116A
Collection Date(s): 12/15/2006

PREP ANALYSIS:

Acid Digestion [EPA 3050B]

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/20/2006

Accelerated Solvent Extraction [EPA 3545]

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/22/2006

Accelerated Solvent Ext.- PCBs [EPA 3545]

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/21/2006

Closed System P&T Extraction [EPA 5035]

Client ID	AOC9-SS-TP02-116	AOC9-SS-TP02-116A
CET ID	AD16973	AD16974
Date Analyzed	12/22/2006	12/22/2006

NOTES:
ndicates Date Prep Test Completed; ND is Not Detected.

Cet#: 06120463
ɔject: Pitney Bowes Stamford

ANALYSIS:

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/21/2006
Total Mercury	ND < 0.30

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC9-SS-TP02-116	AOC9-SS-TP02-116A
CET ID	AD16973	AD16974
Date Analyzed	12/21/2006	1/4/2007
Total Solids	87	89

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/20/2006
⁻ilution	1.0
.ead	5.5
Selenium	ND < 1.5
Cadmium	1.2
Chromium	34
Arsenic	1.7
Barium	100
Silver	ND < 2.5

EPA 8082 PCBs [EPA 8082] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	1/2/2007
DCB (Surr 2)	83
Dilution	1
PCB-1016	ND < 0.30
PCB-1221	ND < 0.30
PCB-1232	ND < 0.30
PCB-1242	ND < 0.30
PCB-1248	ND < 0.30
PCB-1254	ND < 0.30
PCB-1260	ND < 0.30
TCMX (Surr 1)	68

-.otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

January 4, 2007

Cet#: 06120463
Project: Pitney Bowes Stamford

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/21/2006
Dilution	1
Pyridine	ND < 345
n-Nitroso-dimethylamine	ND < 345
bis(2-Chloroethyl)ether	ND < 345
Phenol	ND < 345
Aniline	ND < 345
2-Chlorophenol	ND < 345
1,3-Dichlorobenzene	ND < 345
1,4-Dichlorobenzene	ND < 345
Benzyl Alcohol	ND < 345
1,2-Dichlorobenzene	ND < 345
bis(2-chloroisopropyl)ether	ND < 345
Hexachloroethane	ND < 345
N-Nitroso-di-n-propylamine	ND < 345
2-Methyl Phenol	ND < 345
3+4 Methyl Phenol	ND < 345
Nitrobenzene	ND < 345
Isophorone	ND < 345
2-Nitrophenol	ND < 345
2,4-Dimethylphenol	ND < 345
bis(2-Chloroethoxy)methane	ND < 345
Benzoic Acid	ND < 345
2,4-Dichlorophenol	ND < 345
1,2,4-Trichlorobenzene	ND < 345
Naphthalene	ND < 345
2,6-Dichlorophenol	ND < 345
4-Chloroaniline	ND < 345
Hexachlorobutadiene	ND < 345
4-Chloro-3-methylphenol	ND < 345
2-Methyl Naphthalene	ND < 345
Hexachlorocyclopentadiene	ND < 345
2,4,6-Trichlorophenol	ND < 345
2,4,5-Trichlorophenol	ND < 345
2-Chloronaphthalene	ND < 345
2-Nitroaniline	ND < 345
Acenaphthylene	ND < 345
Dimethylphthalate	ND < 345
2,6-Dinitrotoluene	ND < 345
4-Nitroaniline	ND < 345
Acenaphthene	ND < 345
2,4-Dinitrophenol	ND < 345
2,4-Dinitrotoluene	ND < 345
4-Nitrophenol	ND < 345
Dibenzofuran	ND < 345
2,3,4,6-Tetrachlorophenol	ND < 345
Fluorene	ND < 345
4-Chlorophenyl-phenylether	ND < 345
Diethylphthalate	ND < 345

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Cet#: 06120463
oject: Pitney Bowes Stamford

January 4, 2007

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116
3-Nitroaniline	ND < 345
4,6-Dinitro-2-methylphenol	ND < 345
n-Nitrosodiphenylamine	ND < 345
Azobenzene	ND < 345
4-Bromophenyl-phenylether	ND < 345
Hexachlorobenzene	ND < 345
Pentachlorophenol	ND < 345
Benzidine	ND < 345
Phenanthrene	ND < 345
Anthracene	ND < 345
Carbazole	ND < 345
Di-n-butylphthalate	ND < 345
Fluoranthene	ND < 345
Pyrene	ND < 345
Butylbenzylphthalate	ND < 345
3,3-Dichlorobenzidine	ND < 345
Benzo[a]anthracene	ND < 345
Chrysene	ND < 345
bis(2-Ethylhexyl)phthalate	ND < 345
Di-n-octylphthalate	ND < 345
enzo[b]fluoranthene	ND < 345
Benzo[k]fluoranthene	ND < 345
Benzo[a]pyrene	ND < 345
Indeno[1,2,3-cd]pyrene	ND < 345
Dibenz[a,h]anthracene	ND < 345
Benzo[g,h,i]perylene	ND < 345
2-Fluorophenol (Surr) 30-130	67.7
Phenol-d5 (Surr) 30-130	69.1
Nitrobenzene-d5(Surr) 30-130	71.3
2-Fluorobiphenyl (Surr) 30-130	70.2
2,4,6-Tribromophenol (Surr) 30-130	62.2
Terphenyl-d14 (Surr) 30-130	63.7

Conn. Extractable TPH [CT DEP] Units: mg/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116
CET ID	AD16973
Date Analyzed	12/21/2006
Dilution	1.0
ETPH	ND < 58
Octacosane (surr)	120

otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Cet#: 06120463
ɔject: Pitney Bowes Stamford

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116	AOC9-SS-TP02-116A
CET ID	AD16973	AD16974
Date Analyzed	12/22/2006	12/22/2006
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 18	ND < 9.0
Chloromethane	ND < 12	ND < 6.0
Vinyl Chloride	ND < 6.0	ND < 3.0
Bromomethane	ND < 12	ND < 6.0
Chloroethane	ND < 12	ND < 6.0
Acetone	ND < 120	ND < 57
Acrylonitrile	ND < 18	ND < 9.0
Trichlorofluoromethane	ND < 18	ND < 9.0
Trichlorotrifluoroethane	ND < 18	ND < 9.0
1,1-Dichloroethene	ND < 6.0	ND < 3.0
Methylene Chloride	ND < 18	ND < 9.0
Carbon Disulfide	ND < 12	ND < 6.0
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 3.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 3.0
1,1-Dichloroethane	ND < 6.0	ND < 3.0
2-Butanone (MEK)	ND < 29	ND < 15
2,2-Dichloropropane	ND < 6.0	ND < 3.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 3.0
Chloroform	ND < 6.0	ND < 3.0
Tetrahydrofuran	ND < 29	ND < 15
1,1-Trichloroethane	ND < 6.0	ND < 3.0
ɔarbon Tetrachloride	ND < 6.0	ND < 3.0
1,1-Dichloropropene	ND < 6.0	ND < 3.0
Benzene	ND < 2.0	ND < 3.0
1,2-Dichloroethane	ND < 6.0	ND < 3.0
Methyl Isobutyl Ketone	ND < 29	ND < 15
Trichloroethene	ND < 6.0	ND < 3.0
1,2-Dichloropropane	ND < 6.0	ND < 3.0
Dibromomethane	ND < 6.0	ND < 3.0
Bromodichloromethane	ND < 6.0	ND < 3.0
2-Hexanone	ND < 29	ND < 15
cis-1,3-Dichloropropene	ND < 6.0	ND < 3.0
Toluene	ND < 6.0	ND < 3.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 3.0
1,1,2-Trichloroethane	ND < 6.0	ND < 3.0
Tetrachloroethene	ND < 6.0	ND < 3.0
1,3-Dichloropropane	ND < 6.0	ND < 3.0
Dibromochloromethane	ND < 6.0	ND < 3.0
1,2-Dibromoethane	ND < 6.0	ND < 3.0
trans-1,4-Dichloro-2-Butene	ND < 29	ND < 15
Chlorobenzene	ND < 6.0	ND < 3.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 3.0
Ethylbenzene	ND < 6.0	ND < 3.0
m+p Xylenes	ND < 6.0	ND < 3.0
o-Xylene	ND < 6.0	ND < 3.0
Styrene	ND < 6.0	ND < 3.0
Bromoform	ND < 6.0	ND < 3.0

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

January 4, 2007

Cet#: 06120463
`-oject: Pitney Bowes Stamford

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC9-SS-TP02-116	AOC9-SS-TP02-116A
Isopropylbenzene	ND < 6.0	ND < 3.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 3.0
Bromobenzene	ND < 6.0	ND < 3.0
1,2,3-Trichloropropane	ND < 6.0	ND < 3.0
n-Propylbenzene	ND < 6.0	ND < 3.0
2-Chlorotoluene	ND < 6.0	ND < 3.0
4-Chlorotoluene	ND < 6.0	ND < 3.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 3.0
tert-Butylbenzene	ND < 6.0	ND < 3.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 3.0
sec-Butylbenzene	ND < 6.0	ND < 3.0
1,3-Dichlorobenzene	ND < 6.0	ND < 3.0
4-Isopropyltoluene	ND < 6.0	ND < 3.0
1,4-Dichlorobenzene	ND < 6.0	ND < 3.0
1,2-Dichlorobenzene	ND < 6.0	ND < 3.0
n-Butylbenzene	ND < 6.0	ND < 3.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 3.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 3.0
Hexachlorobutadiene	ND < 6.0	ND < 3.0
Naphthalene	ND < 6.0	ND < 3.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 3.0
,2 Dichloroethane-d4 (SURR) 70-130	129	126
ɪoluene-d8 (SURR) 70-130	96	95.7
4-bromofluorobenzene (SURR) 70-130	89	90.8

Sincerely,

David Ditta
Laboratory Director

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer	
Client:	
CET:	12-15-06 3:40

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs ASE, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC9-SS-TP02-116	12/15/06 1345	S				X	X						X	X		X			X							
AOC9-SS-TP02-116A	↓ 1345	S				X	X							~~X~~		~~X~~										

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
	12/15/06 1500	
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:

Client / Reporting Information

Company Name: Woodard + Curran

Address: 1520 Highland Ave

City: Cheshire State: CT Zip: 06410

Report To: Don Weeks

E-mail: dweeks@woodardcurran.com

Phone #: 203-271-0379

Fax #:

Project Information

Project Contact: Don Weeks

PO #:

Project: Pitney Bowes

Project #:

Location: Stamford CT

Collector(s): J. Markey

QA/QC: ☒ Std ☐ Site Specific (MS/MSD) * ☐ RCP Pkg *

Data Report: ☒ Email ☒ PDF ☐ Excel ☐ Other

RSR Reporting Limits (check one): ☐ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt: 10 °C

SHEET 1 OF 1

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.***

Sampling Date(s): 12/15/2006 ***CET #:*** 06120463

Laboratory Sample ID(s): AD16973-AD16974

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed (including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents)?	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)?	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the CT DEP Reasonable Confidence Protocol documents achieved?	☐Yes ☒No
5	a) Were reporting limits specified or referenced on the chain-of-custody? b) Were these reporting limits met?	☐Yes ☒ No ☐Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	☒Yes ☐No
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	☐Yes ☒No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized ature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/8/2007

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford
CET#: 06120463

QA Type: Conn. Extractable TPH Date Analyzed: 12/21/2006 QA Sample ID: AD16860

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<59	1740	1720	1880	99	108	8.90	ND<50	99

QA Type: Total Metals Date Analyzed: 12/20/2006 QA Sample ID: AD17309

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	140	*	*	*	*	*	*	ND<2.0	102
Selenium	ND<1.5	54.9	49.7	50.5	90	92	1.60	ND<1.0	102
dmium	1.1	27.5	24.6	25.1	86	87	2.10	ND<0.50	102
romium	18	27.5	42.5	41.4	89	85	4.60	ND<2.0	102
Arsenic	5.2	27.5	31.8	30.3	97	91	5.70	ND<1.0	104
Barium	61	27.5	93.6	93.9	119	120	0.84	ND<2.0	100
Silver	ND<2.5	5.49	5.07	5.22	92	95	3.00	ND<2.0	98

*Sample result too high for accurate spike recovery

QA Type: Total Mercury Date Analyzed: 12/21/2006 QA Sample ID: AD17006

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	1.44	1.4	1.4	97	97	0.00	ND<0.002	100

QA Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16859

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	268	283	273	106	102	3.80	ND<5.0	109
1,1,1-Trichloroethane	ND<6.0	268	251	251	94	94	0.00	ND<5.0	95
1,1,2,2-Tetrachloroethane	ND<6.0	268	251	253	94	94	0.70	ND<5.0	105
1,1,2-Trichloroethane	ND<6.0	268	246	244	92	91	0.90	ND<5.0	104
1,1-Dichloroethane	ND<6.0	268	257	241	96	90	6.50	ND<5.0	92
1,1-Dichloroethene	ND<6.0	268	254	227	95	85	11.30	ND<5.0	92
1,1-Dichloropropene	ND<6.0	268	243	215	91	80	12.30	ND<5.0	100
1,2,3-Trichlorobenzene	ND<6.0	268	88.3	90.7	33	34	2.70	ND<5.0	117
1,2,3-Trichloropropane	ND<6.0	268	464	300	173	112	42.80	ND<5.0	103
1,2,4-Trichlorobenzene	ND<6.0	268	82.6	86.4	31	32	4.40	ND<5.0	120
1,2,4-Trimethylbenzene	ND<6.0	268	173	177	65	66	2.10	ND<5.0	115
1,2-Dibromo-3-Chloropropane	ND<6.0	268	356	299	133	112	17.10	ND<5.0	106
Dibromoethane	ND<6.0	268	202	188	75	70	7.30	ND<5.0	104

QA Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16859

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
1,2-Dichlorobenzene	ND<6.0	268	255	225	95	84	12.40	ND<5.0	108
1,2-Dichloroethane	ND<6.0	268	236	229	88	85	3.10	ND<5.0	100
1,2-Dichloropropane	ND<6.0	268	262	258	98	96	1.50	ND<5.0	102
1,3,5-Trimethylbenzene	ND<6.0	268	206	204	77	76	1.00	ND<5.0	119
1,3-Dichlorobenzene	ND<6.0	268	231	205	86	76	11.90	ND<5.0	108
1,3-Dichloropropane	ND<6.0	268	219	215	82	80	1.90	ND<5.0	104
1,4-Dichlorobenzene	ND<6.0	268	192	174	72	65	9.80	ND<5.0	104
2,2-Dichloropropane	ND<6.0	268	262	264	98	98	0.70	ND<5.0	96
2-Butanone (MEK)	ND<29	536	570	546	106	102	3.80	ND<25	110
2-Chlorotoluene	ND<6.0	268	388	331	145	124	15.60	ND<5.0	105
2-Hexanone	ND<29	536	526	501	98	94	4.80	ND<25	117
4-Chlorotoluene	ND<6.0	268	268	224	100	84	17.90	ND<5.0	106
4-Isopropyltoluene	ND<6.0	268	282	252	105	94	11.10	ND<5.0	116
Acetone	ND<110	536	481	511	90	95	6.10	ND<100	105
Acrylonitrile	ND<18	268	246	243	92	91	1.20	ND<100	86
Benzene	ND<2.0	268	242	232	90	87	4.20	ND<5.0	96
Bromobenzene	ND<6.0	268	325	270	121	101	18.00	ND<5.0	105
Bromochloromethane	ND<6.0	268	238	220	89	82	7.80	ND<5.0	94
Bromodichloromethane	ND<6.0	268	246	241	92	90	2.10	ND<5.0	100
Bromoform	ND<6.0	268	244	230	91	86	5.90	ND<5.0	111
Bromomethane	ND<12	268	272	280	101	104	2.90	ND<5.0	111
Carbon Disulfide	ND<12	268	207	165	77	62	22.50	ND<5.0	71
Carbon Tetrachloride	ND<6.0	268	258	250	96	93	3.20	ND<5.0	96
orobenzene	ND<6.0	268	216	202	81	75	6.70	ND<5.0	109
nloroethane	ND<12	268	235	240	88	90	2.10	ND<5.0	92
Chloroform	ND<6.0	268	249	236	93	88	5.30	ND<5.0	93
Chloromethane	ND<12	268	334	330	125	123	1.60	ND<5.0	128
cis-1,2-Dichloroethene	ND<6.0	268	239	218	89	81	9.30	ND<5.0	97
cis-1,3-Dichloropropene	ND<6.0	268	205	194	76	72	5.50	ND<5.0	107
Dibromochloromethane	ND<6.0	268	258	248	96	92	4.00	ND<5.0	105
Dibromomethane	ND<6.0	268	215	203	80	76	5.80	ND<5.0	103
Dichlorodifluoromethane	ND<18	268	289	298	108	111	2.70	ND<25	116
Ethyl Methacrylate	ND<6.0	268	226	237	84	88	4.70	ND<25	112
Ethylbenzene	ND<6.0	268	248	229	92	85	8.00	ND<5.0	110
Hexachlorobutadiene	ND<6.0	268	195	188	73	70	3.80	ND<5.0	118
Isopropylbenzene	ND<6.0	268	251	236	94	88	6.20	ND<5.0	115
m+p Xylenes	ND<6.0	536	460	431	86	80	6.50	ND<5.0	109
Methyl Isobutyl Ketone	ND<29	536	608	621	113	116	2.60	ND<25	118
Methyl Methacrylate	ND<6.0	268	277	272	103	101	2.00	ND<25	116
Methyl-t-Butyl Ether (MTBE)	ND<6.0	268	292	297	109	111	1.80	ND<5.0	96
Methylene Chloride	ND<18	268	237	224	88	84	5.60	6.0	90
n-Butylbenzene	ND<6.0	268	175	159	65	59	9.60	ND<5.0	113
n-Propylbenzene	ND<6.0	268	328	273	122	102	17.90	ND<5.0	105
Naphthalene	ND<6.0	268	70.7	68.6	26	26	3.10	ND<5.0	111
o-Xylene	ND<6.0	268	251	239	94	89	4.90	ND<5.0	111
sec-Butylbenzene	ND<6.0	268	325	278	121	104	15.10	ND<5.0	112
Styrene	ND<6.0	268	178	171	66	64	4.00	ND<5.0	113
tert-Butylbenzene	ND<6.0	268	438	330	163	123	28.00	ND<5.0	114
Tetrachloroethene	ND<6.0	268	234	213	87	80	9.40	ND<5.0	100
Tetrahydrofuran	ND<29	268	343	339	128	126	1.60	ND<25	109
uene	ND<6.0	268	220	209	82	78	5.10	ND<5.0	97

QA Type: Volatile Organics Date Analyzed: 12/22/2006 QA Sample ID: AD16859

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
trans-1,2-Dichloroethene	ND<6.0	268	236	206	88	77	13.60	ND<5.0	91
trans-1,3-Dichloropropene	ND<6.0	268	174	163	65	61	6.50	ND<5.0	109
trans-1,4-Dichloro-2-Butene	ND<29	268	140	135	52	50	3.50	ND<5.0	114
Trichloroethene	160	268	341	302	68	53	24.10	ND<5.0	104
Trichlorofluoromethane	ND<18	268	328	300	122	112	8.50	ND<5.0	117
Trichlorotrifluoroethane	ND<18	268	227	214	85	80	6.00	ND<25	79
Vinyl Chloride	ND<6.0	268	252	244	94	91	3.20	ND<5.0	94

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/21/2006 QA Sample ID: AD17379

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
Pyridine	ND<341	4500	1600	1600	36	36	0.00	ND<300	36
n-Nitroso-dimethylamine	ND<341	4500	1900	1900	42	42	0.00	ND<300	44
bis(2-Chloroethyl)ether	ND<341	4500	2000	2100	44	47	5.05	ND<300	46
Phenol	ND<341	4500	2400	2400	53	53	0.00	ND<300	55
Aniline	ND<341	4500	1600	1400	36	31	13.49	ND<300	43
2-Chlorophenol	ND<341	4500	2300	2400	51	53	4.22	ND<300	54
1,3-Dichlorobenzene	ND<341	4500	1800	1900	40	42	5.35	ND<300	46
1,4-Dichlorobenzene	ND<341	4500	1900	2000	42	44	5.08	ND<300	47
Benzyl Alcohol	ND<341	4500	350	<300	8	0	0.00	ND<300	53
1,2-Dichlorobenzene	ND<341	4500	2000	2000	44	44	0.00	ND<300	49
bis(2-chloroisopropyl)ether	ND<341	4500	2100	2100	47	47	0.00	ND<300	50
[illegible]xachloroethane	ND<341	4500	1800	1900	40	42	5.35	ND<300	47
[illegible]Nitroso-di-n-propylamine	ND<341	4500	2100	2100	47	47	0.00	ND<300	50
[illegible]-Methyl Phenol	ND<341	4500	2400	2100	53	47	13.20	ND<300	54
3+4 Methyl Phenol	ND<341	4500	2600	2100	58	47	21.24	ND<300	52
Nitrobenzene	ND<341	4500	2400	2300	53	51	4.22	ND<300	51
Isophorone	ND<341	4500	2400	2300	53	51	4.22	ND<300	55
2-Nitrophenol	ND<341	4500	2300	2400	51	53	4.22	ND<300	54
2,4-Dimethylphenol	ND<341	4500	2000	1700	44	38	16.06	ND<300	58
bis(2-Chloroethoxy)methane	ND<341	4500	2300	2300	51	51	0.00	ND<300	54
2,4-Dichlorophenol	ND<341	4500	2400	2400	53	53	0.00	ND<300	58
1,2,4-Trichlorobenzene	ND<341	4500	2100	2200	47	49	4.60	ND<300	53
Naphthalene	ND<341	4500	2700	2700	60	60	0.00	ND<300	64
4-Chloroaniline	ND<341	4500	2200	2100	49	47	4.60	ND<300	60
Hexachlorobutadiene	ND<341	4500	2100	2100	47	47	0.00	ND<300	52
4-Chloro-3-methylphenol	ND<341	4500	2500	2500	56	56	0.00	ND<300	63
2-Methyl Naphthalene	ND<341	4500	2400	2500	53	56	4.22	ND<300	57
Hexachlorocyclopentadiene	ND<341	4500	2600	2400	58	53	8.10	ND<300	64
2,4,6-Trichlorophenol	ND<341	4500	1900	1800	42	40	5.35	ND<300	58
2,4,5-Trichlorophenol	ND<341	4500	2500	2700	56	60	7.61	ND<300	60
2-Chloronaphthalene	ND<341	4500	2200	2200	49	49	0.00	ND<300	52
2-Nitroaniline	ND<341	4500	2400	2600	53	58	8.10	ND<300	63
Acenaphthylene	ND<341	4500	3200	3300	71	73	3.05	ND<300	76
Dimethylphthalate	ND<341	4500	2400	2400	53	53	0.00	ND<300	60
2,6-Dinitrotoluene	ND<341	4500	2100	2300	47	51	9.00	ND<300	55
4-Nitroaniline	ND<341	4500	2600	2700	58	60	3.74	ND<300	65
Acenaphthene	ND<341	4500	2900	3000	64	67	3.51	ND<300	72
2,4-Dinitrophenol	ND<341	4500	1600	1800	36	40	11.64	ND<300	46
[illegible]-Dinitrotoluene	ND<341	4500	2200	2300	49	51	4.40	ND<300	56
[illegible]itrophenol	ND<341	4500	1800	1800	40	40	0.00	ND<300	62

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 12/21/2006 QA Sample ID: AD17379

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
Dibenzofuran	ND<341	4500	2400	2500	53	56	4.22	ND<300	62
Fluorene	ND<341	4500	2800	3000	62	67	6.98	ND<300	75
4-Chlorophenyl-phenylether	ND<341	4500	2200	2300	49	51	4.40	ND<300	59
Diethylphthalate	ND<341	4500	2400	2400	53	53	0.00	ND<300	62
3-Nitroaniline	ND<341	4500	3400	3000	76	67	12.51	ND<300	81
4,6-Dinitro-2-methylphenol	ND<341	4500	2100	2100	47	47	0.00	ND<300	52
n-Nitrosodiphenylamine	ND<341	4500	4700	4500	104	100	3.92	ND<300	83
Azobenzene	ND<341	4500	2700	2500	60	56	7.61	ND<300	67
4-Bromophenyl-phenylether	ND<341	4500	2400	2500	53	56	4.22	ND<300	60
Hexachlorobenzene	ND<341	4500	2500	2600	56	58	3.88	ND<300	62
Pentachlorophenol	ND<341	4500	2300	2300	51	51	0.00	ND<300	50
Phenanthrene	ND<341	4500	3300	3300	73	73	0.00	ND<300	79
Anthracene	ND<341	4500	3100	2800	69	62	10.22	ND<300	77
Di-n-butylphthalate	ND<341	4500	2600	2500	58	56	3.88	ND<300	59
Fluoranthene	ND<341	4500	3500	3300	78	73	5.96	ND<300	72
Pyrene	ND<341	4500	3500	3200	78	71	9.00	ND<300	71
Butylbenzylphthalate	ND<341	4500	2600	2700	58	60	3.74	ND<300	59
Benzo[a]anthracene	ND<341	4500	3300	3200	73	71	3.05	ND<300	75
Chrysene	ND<341	4500	3400	3100	76	69	9.27	ND<300	74
bis(2-Ethylhexyl)phthalate	ND<341	4500	2500	2700	56	60	7.61	ND<300	63
Di-n-octylphthalate	ND<341	4500	2700	2500	60	56	7.61	ND<300	58
Benzo[b]fluoranthene	ND<341	4500	2900	3000	64	67	3.51	ND<300	67
Benzo[k]fluoranthene	ND<341	4500	3300	3400	73	76	3.09	ND<300	77
Benzo[a]pyrene	ND<341	4500	3400	3300	76	73	3.09	ND<300	75
Indeno[1,2,3-cd]pyrene	ND<341	4500	4100	3600	91	80	12.98	ND<300	83
Dibenz[a,h]anthracene	ND<341	4500	4200	3600	93	80	15.35	ND<300	83
Benzo[g,h,i]perylene	ND<341	4500	4200	3500	93	78	18.12	ND<300	85

QA Type: EPA 8082 PCBs Date Analyzed: 12/29/2006 QA Sample ID: AD16962

Analyte	Blank	LCS%Rec
PCB-1016	ND<0.25	113
PCB-1260	ND<0.25	112

ND is not detected

Narrative

3. Samples were received at 16°C.

4. 1,2,3-Trichlorobenzene spike and dup recoveries low for sample AD16859.
   1,2,3-Trichloropropane spike recovery high for sample AD16859.
   1,2,4-Trichlorobenzene spike and dup recoveries low for sample AD16859.
   1,2,4-Trimethylbenzene spike and dup recoveries low for sample AD16859.
   1,2-Dibromo-3-Chloropropane spike recovery high for sample AD16859.
   1,4-Dichlorobenzene dup recovery low for sample AD16859.
   2-Chlorotoluene spike recovery high for sample AD16859.
   Carbon Disulfide dup recovery low for sample AD16859.
   Methylene Chloride found in the blank for sample AD16859.
   n-Butylbenzene spike and dup recoveries low for sample AD16859.
   Naphthalene spike and dup recoveries low for sample AD16859.
   Styrene spike and dup recoveries low for sample AD16859.
   Tert-Butylbenzene spike recovery high for sample AD16859.
   Trans-1,3-Dichloropropene spike and dup recoveries low for sample AD16859.
   Trans-1,4-Dichloro-2-Butene spike and dup recoveries low for sample AD16859.
   Trichloroethene spike and dup recoveries low for sample AD16859.
   Benzyl Alcohol spike and dup recoveries low.

7. Project specific QC was not requested by client.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

January 11, 2007

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: Pitney Bowes Stamford
Project #: 206937
CET #: 07010027
PO #: 206937
Water: EB09; MW-1; MW-2; MW-3; MW-3A; MW-4; MW-5; MW-6; MW-7; MW-7A; MW-8; MW-9; MW-E1; TB09
Collection Date(s): 11/29/2006; 12/28/2006; 12/29/2006

PREP ANALYSIS:

ıcid Digestion of Waters [EPA 3005A]

Client ID	MW-3	MW-4	MW-8	MW-9	MW-3A	EB09
CET ID	AD19291	AD19292	AD19296	AD19297	AD19300	AD19301
Date Analyzed	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	MW-1	MW-3	MW-4	MW-7	MW-8	MW-9
CET ID	AD19289	AD19291	AD19292	AD19295	AD19296	AD19297
Date Analyzed	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007

Liquid-Liquid Ext. PCBs & Pest. [EPA 3510]

Client ID	MW-7A	EB09
CET ID	AD19299	AD19301
Date Analyzed	1/4/2007	1/5/2007

Liquid-Liquid Extraction [EPA 3510]

Client ID	MW-1	MW-6	MW-7	MW-7A	EB09
CET ID	AD19289	AD19294	AD19295	AD19299	AD19301
Date Analyzed	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007

ᵀTES:
ıdicates Date Prep Test Completed; ND is Not Detected.

ANALYSIS:

Total Mercury [EPA 200.8] Units: mg/l

Client ID	MW-3	MW-4	MW-8	MW-9	MW-3A	EB09
CET ID	AD19291	AD19292	AD19296	AD19297	AD19300	AD19301
Date Analyzed	1/5/2007	1/5/2007	1/5/2007	1/5/2007	1/5/2007	1/5/2007
Total Mercury	ND < 0.0004	ND < 0.0004	ND < 0.0004	ND < 0.0004	ND < 0.0004	ND < 0.0004

Total Metals [EPA 200.8] Units: mg/l

Client ID	MW-3	MW-4	MW-8	MW-9	MW-3A	EB09
CET ID	AD19291	AD19292	AD19296	AD19297	AD19300	AD19301
Date Analyzed	1/5/2007	1/5/2007	1/5/2007	1/5/2007	1/5/2007	1/5/2007
Dilution	1.0	1.0	1.0	1.0	1.0	1.0
Lead	ND < 0.013	ND < 0.013	ND < 0.013	ND < 0.013	ND < 0.013	ND < 0.013
Selenium	ND < 0.01	ND < 0.01	ND < 0.01	ND < 0.01	ND < 0.01	ND < 0.01
Cadmium	0.0062	ND < 0.005	ND < 0.005	ND < 0.005	0.0064	ND < 0.005
Chromium	ND < 0.05	ND < 0.05	ND < 0.05	ND < 0.05	ND < 0.05	ND < 0.05
Arsenic	ND < 0.004	ND < 0.004	ND < 0.004	ND < 0.004	ND < 0.004	ND < 0.004
Barium	0.12	0.21	0.13	0.19	0.12	ND < 0.05
Silver	ND < 0.012	ND < 0.012	ND < 0.012	ND < 0.012	ND < 0.012	ND < 0.012

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	MW-1	MW-3	MW-4	MW-7	MW-8	MW-9
CET ID	AD19289	AD19291	AD19292	AD19295	AD19296	AD19297
Date Analyzed	1/11/2007	1/11/2007	1/11/2007	1/11/2007	1/11/2007	1/11/2007
DCB (Surr)	76	103	79	73	111	90
PCB-1016	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
PCB-1221	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
PCB-1232	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
PCB-1242	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
PCB-1248	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
PCB-1254	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
PCB-1260	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
TCMX (Surr)	65	109	73	62	123	76

EPA 8082 PCBs [EPA 8082] Units: ug/l

Client ID	MW-7A	EB09
CET ID	AD19299	AD19301
Date Analyzed	1/11/2007	1/11/2007
DCB (Surr)	85	94
PCB-1016	ND < 0.50	ND < 0.50
PCB-1221	ND < 0.50	ND < 0.50
PCB-1232	ND < 0.50	ND < 0.50
PCB-1242	ND < 0.50	ND < 0.50
PCB-1248	ND < 0.50	ND < 0.50
PCB-1254	ND < 0.50	ND < 0.50
PCB-1260	ND < 0.50	ND < 0.50
TCMX (Surr)	70	100

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	MW-1	MW-6	MW-7	MW-7A	EB09
CET ID	AD19289	AD19294	AD19295	AD19299	AD19301
Date Analyzed	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007
Dilution	1.0	1.0	1.0	1.0	1.0
Pyridine	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
n-Nitroso-dimethylamine	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
bis(2-Chloroethyl)ether	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Phenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Aniline	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2-Chlorophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
1,3-Dichlorobenzene	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
1,4-Dichlorobenzene	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Benzyl Alcohol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
1,2-Dichlorobenzene	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
bis(2-chloroisopropyl)ether	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Hexachloroethane	ND < 3.0	ND < 3.0	ND < 3.0	ND < 3.0	ND < 3.0
N-Nitroso-di-n-propylamine	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
2-Methyl Phenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
3+4 Methyl Phenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Nitrobenzene	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Isophorone	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2-Nitrophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2,4-Dimethylphenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
bis(2-Chloroethoxy)methane	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Benzoic Acid	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2,4-Dichlorophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
1,2,4-Trichlorobenzene	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Naphthalene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2,6-Dichlorophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
4-Chloroaniline	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Hexachlorobutadiene	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
4-Chloro-3-methylphenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2-Methyl Naphthalene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Hexachlorocyclopentadiene	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2,4,6-Trichlorophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2,4,5-Trichlorophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2-Chloronaphthalene	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2-Nitroaniline	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Acenaphthylene	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
Dimethylphthalate	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2,6-Dinitrotoluene	ND < 75	ND < 75	ND < 75	ND < 75	ND < 75
4-Nitroaniline	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Acenaphthene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2,4-Dinitrophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
2,4-Dinitrotoluene	ND < 75	ND < 75	ND < 75	ND < 75	ND < 75
4-Nitrophenol	ND < 75	ND < 75	ND < 75	ND < 75	ND < 75
Dibenzofuran	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2,3,4,6-Tetrachlorophenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Fluorene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

EPA 8270C Semi-Volatile Organics [EPA 8270C] Units: ug/l

Client ID	MW-1	MW-6	MW-7	MW-7A	EB09
4-Chlorophenyl-phenylether	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Diethylphthalate	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
3-Nitroaniline	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
4,6-Dinitro-2-methylphenol	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
n-Nitrosodiphenylamine	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Azobenzene	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
4-Bromophenyl-phenylether	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Hexachlorobenzene	ND < 0.077	ND < 0.077	ND < 0.077	ND < 0.077	ND < 0.077
Pentachlorophenol	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Benzidine	ND < 75	ND < 75	ND < 75	ND < 75	ND < 75
Phenanthrene	0.54	ND < 0.077	ND < 0.077	ND < 0.077	ND < 0.077
Anthracene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Carbazole	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Di-n-butylphthalate	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Fluoranthene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Pyrene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Butylbenzylphthalate	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
3,3-Dichlorobenzidine	ND < 75	ND < 75	ND < 75	ND < 75	ND < 75
Benzo[a]anthracene	ND < 0.06	ND < 0.06	ND < 0.06	ND < 0.06	ND < 0.06
Chrysene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
is(2-Ethylhexyl)phthalate	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0	ND < 2.0
Di-n-octylphthalate	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Benzo[b]fluoranthene	ND < 0.08	ND < 0.08	ND < 0.08	ND < 0.08	ND < 0.08
Benzo[k]fluoranthene	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30	ND < 0.30
Benzo[a]pyrene	ND < 0.20	ND < 0.20	ND < 0.20	ND < 0.20	ND < 0.20
Indeno[1,2,3-cd]pyrene	ND < 0.20	ND < 0.20	ND < 0.20	ND < 0.20	ND < 0.20
Dibenz[a,h]anthracene	ND < 0.20	ND < 0.20	ND < 0.20	ND < 0.20	ND < 0.20
Benzo[g,h,i]perylene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2-Fluorophenol (Surr) 15-110	29	28	35	38	36
Phenol-d5 (Surr) 15-110	18	17	22	24	21
Nitrobenzene-d5(Surr) 30-130	63	66	78	78	81
2-Fluorobiphenyl (Surr) 30-130	72	68	79	83	83
2,4,6-Tribromophenol (Surr) 15-115	84	78	90	86	86
Terphenyl-d14 (Surr) 30-130	57	55	68	69	75

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	MW-1	MW-3	MW-4	MW-5	MW-6	MW-7
CET ID	AD19289	AD19291	AD19292	AD19293	AD19294	AD19295
Date Analyzed	1/5/2007	1/5/2007	1/5/2007	1/5/2007	1/5/2007	1/6/2007
Dilution	1.0	1.0	1.0	1.0	1.0	1.0
ETPH	ND < 0.10	ND < 0.10	ND < 0.10	0.32*	0.14*	0.26*
Octacosane (surr)	92	110	89	110	87	97

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Conn. Extractable TPH [CT DEP] Units: mg/l

Client ID	MW-8	MW-9	MW-7A	EB09
CET ID	AD19296	AD19297	AD19299	AD19301
Date Analyzed	1/6/2007	1/6/2007	1/6/2007	1/6/2007
Dilution	1.0	1.0	1.0	1.0
ETPH	ND < 0.10	0.21*	0.17*	ND < 0.10
Octacosane (surr)	90	94	100	100

*C_9-C_{28} Fuel oil range

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6
CET ID	AD19289	AD19290	AD19291	AD19292	AD19293	AD19294
Date Analyzed	1/3/2007	1/3/2007	1/4/2007	1/4/2007	1/4/2007	1/4/2007
Dilution	1.0	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7	ND < 2.7	ND < 2.7	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6	ND < 1.6	ND < 1.6	20	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
1-Dichloroethene	ND < 1.0	ND < 1.0	ND < 1.0	5.4	ND < 1.0	ND < 1.0
iethylene Chloride	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	9.2	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	6.0	ND < 1.0	4.3	3.0	18	26
Chloroform	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0	4.8	6.3	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
Trichloroethene	24	2.4	88	2.5	ND < 1.0	11
1,2-Dichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0	ND < 1.0	1.5	ND < 1.0	15
3-Dichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6
Dibromochloromethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
,4-Dichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45	ND < 0.45	ND < 0.45	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	97.8	99.4	99.2	100	99.1	97
toluene-d8 (SURR) 70-130	97.9	97.4	97.7	95.7	97	99.7
4-bromofluorobenzene (SURR) 70-130	98.1	96.8	97.2	98.4	98.9	96.7

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	MW-7	MW-8	MW-9	MW-E1	MW-7A	EB09
CET ID	AD19295	AD19296	AD19297	AD19298	AD19299	AD19301
Date Analyzed	1/4/2007	1/4/2007	1/4/2007	1/4/2007	1/5/2007	1/5/2007
Dilution	1.0	1.0	1.0	1.0	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7	ND < 2.7	ND < 2.7	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6	ND < 1.6	4.5	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Acetone	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	MW-7	MW-8	MW-9	MW-E1	MW-7A	EB09
Trichlorotrifluoroethane	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0	6.7	ND < 5.0	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	2.9	46	21	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	1.1	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0	1.8	ND < 1.0	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
Toluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	MW-7	MW-8	MW-9	MW-E1	MW-7A	EB09
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	1.5	ND < 1.0	ND < 1.0	ND < 1.0	1.6	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45	ND < 0.45	ND < 0.45	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	98.7	99.5	96.4	96.8	100	103
toluene-d8 (SURR) 70-130	97.8	98.2	97.6	97.1	95.5	97.3
4-bromofluorobenzene (SURR) 70-130	97.6	98.7	99.3	99.1	100	99.9

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	TB09
CET ID	AD19302
Date Analyzed	1/5/2007
Dilution	1.0
Dichlorodifluoromethane	ND < 10
Chloromethane	ND < 2.7
Vinyl Chloride	ND < 1.6
Bromomethane	ND < 5.0
Chloroethane	ND < 5.0
Acetone	ND < 50
Acrylonitrile	ND < 20
Trichlorofluoromethane	ND < 25
Trichlorotrifluoroethane	ND < 25
1,1-Dichloroethene	ND < 1.0
Methylene Chloride	ND < 5.0
Carbon Disulfide	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0
1,1-Dichloroethane	ND < 1.0
2-Butanone (MEK)	ND < 25
2,2-Dichloropropane	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0
Chloroform	ND < 1.0
Tetrahydrofuran	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0
Carbon Tetrachloride	ND < 1.0
1,1-Dichloropropene	ND < 1.0
Benzene	ND < 1.0
1,2-Dichloroethane	ND < 1.0
Methyl Isobutyl Ketone	ND < 25
Trichloroethene	ND < 1.0
1,2-Dichloropropane	ND < 1.0
Dibromomethane	ND < 1.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	TB09
Bromodichloromethane	ND < 0.50
2-Hexanone	ND < 25
cis-1,3-Dichloropropene	ND < 0.50
Toluene	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0
Tetrachloroethene	ND < 1.0
1,3-Dichloropropane	ND < 1.0
Dibromochloromethane	ND < 0.50
1,2-Dibromoethane	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10
Chlorobenzene	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0
Ethylbenzene	ND < 1.0
m+p Xylenes	ND < 1.0
o-Xylene	ND < 1.0
Styrene	ND < 1.0
Bromoform	ND < 1.0
Isopropylbenzene	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50
Bromobenzene	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0
n-Propylbenzene	ND < 1.0
Chlorotoluene	ND < 1.0
4-Chlorotoluene	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0
tert-Butylbenzene	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0
sec-Butylbenzene	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0
4-Isopropyltoluene	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0
n-Butylbenzene	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0
Hexachlorobutadiene	ND < 0.45
Naphthalene	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	103
toluene-d8 (SURR) 70-130	97.8
4-bromofluorobenzene (SURR) 70-130	98.9

Sincerely,

David Ditta
Laboratory Director

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

SEE T. MAP NOTE 1/8/07

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer
Client:
CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs - ASE, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter.

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter.	TOTAL # OF CONT.	NOTE #
MW-1	12/28/06 1331	W				X	X						X	X		X									13	1
MW-2	12/28/06 1504	W				X	X																		4	
MW-3	12/29/06 1249	W				X	X						X			X			X						9	2
MW-4	12/29/06 1503	W				X	X						X			X			X						7	
MW-5	12/29/06 717	W				X	X						X												5	
MW-6	12/29/06 824	W				X	X						X	X											6	
MW-7	12/29/06 934	W				X	X						X	X		X									7	
MW-8	12/29/06 1813	W				X	X						X			X			X						6	
MW-9	12/29/06 1634	W				X	X						X			X			X						7	
MW-E1	12/28/06 1555	W				X	X																		4	

PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other): Hcl, Hcl, Hcl, N

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other): V, G, G, P

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
	1/2/07 1120	
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
	1/2/07 1740	
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:

NOTES:
1- RUN MS/MSD FOR VOCs, ETPH, SVOCs, PCBs
2- RUN MS/MSD FOR METALS

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: Jesse Edmands PO #:
Project: PITNEY BOWES Project #: 206937
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE FULL DOC
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: TAKE TEMP FROM TEMP BLANK
Evidence of Cooling: Y or N
Temp Upon Receipt: 9.2 °C

SHEET 1 OF 2

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only: Date and Time in Freezer

Client:

CET:

80 Lupes Drive
Stratford, CT 06615
Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
MW-7A	12/29/06 934	W				X	X						X	X		X									7	
MW-3A	12/29/06 1249	W				X													X						1	
EB09	12/29/06	W				X	X						X	X		X			X						8	6
TB09	11/29/06 —	W				X	X																		2	
TEMP BLANK	11/29/06 —	W																								

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs - ASE, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs - ASE	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter
PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other)	Cl												N					
CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other)	V						G	G		G			P					

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	1/2/07 1120	[signature]
[signature]	1-2-07 1740	[signature]

NOTES:

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: 206937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - SEE QUOTE

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other FULL DOC

RSR Reporting Limits (check one): ☐ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: TAKE TEMP FROM TEMP BLANK

Evidence of Cooling: Y or N

Temp Upon Receipt: °C

SHEET 2 OF 2

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 11/29/06, 12/28/06, 12/29/06 ***CET #:*** 07010027

Laboratory Sample ID(s): AD19289-AD19303

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed (including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents)?	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)?	☒Yes ☐ No
4	Were all QA/QC performance criteria specified in the CT DEP Reasonable Confidence Protocol documents achieved?	☐Yes ☒No
5	a) Were reporting limits specified or referenced on the chain-of-custody? b) Were these reporting limits met?	☒Yes ☐ No ☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	☒Yes ☐No
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized Signature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 1/16/2007

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: Pitney Bowes Stamford
CET#: 07010027

QA Type: Volatile Organics Date Analyzed: 1/4/2007 QA Sample ID: AD19289 Client ID: MW-1

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Dichlorodifluoromethane	ND<10	50	46	56	92	112	20.00	ND<10	116
Chloromethane	ND<2.7	50.0	60.3	63.9	121	128	5.60	ND<2.7	118
Vinyl Chloride	ND<1.6	50.0	65.0	66.9	130	134	3.00	ND<1.6	121
Bromomethane	ND<5.0	50.0	57.2	64.9	114	130	13.10	ND<5.0	117
Chloroethane	ND<5.0	50.0	63.3	70.0	127	140	9.70	ND<5.0	120
Acetone	ND<50	100	121	112	121	112	8.00	ND<50	119
ylonitrile	ND<20	50	62	71	124	142	14.00	ND<25	126
ichlorofluoromethane	ND<25	50	64	64	128	128	0.00	ND<25	118
Trichlorotrifluoroethane	ND<25	50	60	63	120	126	5.00	ND<25	132
1,1-Dichloroethene	ND<1.0	50.0	60.0	63.8	120	128	6.50	ND<1.0	123
Methylene Chloride	ND<5.0	50.0	51.6	52.9	103	106	2.90	ND<5.0	105
Carbon Disulfide	ND<5.0	50.0	43.3	46.3	87	93	6.70	ND<5.0	98
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	55.3	59.8	111	120	7.80	ND<5.0	111
trans-1,2-Dichloroethene	ND<1.0	50.0	51.4	54.2	103	108	4.70	ND<1.0	107
1,1-Dichloroethane	ND<1.0	50.0	54.0	55.7	108	111	2.70	ND<1.0	107
2-Butanone (MEK)	ND<25	100	101	106	101	106	5.00	ND<25	107
2,2-Dichloropropane	ND<1.0	50.0	37.0	37.4	74	75	1.10	ND<1.0	120
cis-1,2-Dichloroethene	6.0	50.0	61.2	61.5	110	111	0.90	ND<1.0	111
Chloroform	ND<1.0	50.0	56.7	57.1	113	114	0.90	ND<1.0	109
Tetrahydrofuran	ND<5.0	50.0	57.2	57.3	114	115	0.90	ND<5.0	116
1,1,1-Trichloroethane	ND<1.0	50.0	59.3	58.4	119	117	1.70	ND<1.0	114
Carbon Tetrachloride	ND<1.0	50.0	61.1	60.0	122	120	1.70	ND<1.0	118
1,1-Dichloropropene	ND<1.0	50.0	51.8	51.1	104	102	1.90	ND<1.0	109
Benzene	ND<1.0	50.0	51.5	51.3	103	103	0.00	ND<1.0	104
1,2-Dichloroethane	ND<1.0	50.0	64.2	62.4	128	125	2.40	ND<1.0	119
Methyl Isobutyl Ketone	ND<25	100	115	115	115	115	0.00	ND<25	112
Trichloroethene	24	50.0	73.2	72.3	98	97	1.80	ND<1.0	99
1,2-Dichloropropane	ND<1.0	50.0	52.2	52.7	104	105	1.00	ND<1.0	105
Dibromomethane	ND<1.0	50.0	55.1	55.4	110	111	0.90	ND<1.0	110
Bromodichloromethane	ND<0.50	50.0	59.5	58.8	119	118	0.80	ND<0.5	115
2-Hexanone	ND<25	100	114	114	114	114	0.00	ND<25	114
cis-1,3-Dichloropropene	ND<0.50	50.0	50.4	50.0	101	100	1.00	ND<0.5	110
Toluene	ND<1.0	50.0	51.8	51.4	104	103	1.00	ND<1.0	103
s-1,3-Dichloropropene	ND<0.50	50.0	57.4	57.1	115	114	0.90	ND<0.5	119
2-Trichloroethane	ND<1.0	50.0	56.0	56.0	112	112	0.00	ND<1.0	109

A Type: Volatile Organics Date Analyzed: 1/4/2007 QA Sample ID: AD19289 Client ID: MW-1

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
Tetrachloroethene	ND<1.0	50.0	49.6	48.1	99	96	3.10	ND<1.0	105
1,3-Dichloropropane	ND<1.0	50.0	58.4	57.2	117	114	2.60	ND<1.0	113
Dibromochloromethane	ND<0.50	50.0	55.8	57.0	112	114	1.80	ND<0.5	109
1,2-Dibromoethane	ND<0.50	50.0	51.7	52.8	103	106	2.90	ND<0.5	103
trans-1,4-Dichloro-2-Butene	ND<10	50	61	60	122	120	2.00	ND<10	132
Chlorobenzene	ND<1.0	50.0	50.6	50.4	101	101	0.00	ND<1.0	102
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	54.4	54.7	109	109	0.00	ND<1.0	107
Ethylbenzene	ND<1.0	50.0	51.7	51.6	103	103	0.00	ND<1.0	104
m+p Xylenes	ND<1.0	100.0	98.9	99.0	99	99	0.10	ND<1.0	102
o-Xylene	ND<1.0	50.0	52.2	52.3	104	105	1.00	ND<1.0	105
Styrene	ND<1.0	50.0	50.2	50.8	100	102	2.00	ND<1.0	104
Bromoform	ND<1.0	50.0	59.5	59.3	119	119	0.00	ND<1.0	111
Isopropylbenzene	ND<1.0	50.0	52.6	51.8	105	104	1.00	ND<1.0	106
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	59.8	58.6	120	117	2.50	ND<0.5	113
Bromobenzene	ND<1.0	50.0	46.2	46.4	92	93	0.40	ND<1.0	95
1,2,3-Trichloropropane	ND<1.0	50.0	47.3	49.3	95	99	4.10	ND<1.0	96
n-Propylbenzene	ND<1.0	50.0	43.4	43.8	87	88	0.90	ND<1.0	94
2-Chlorotoluene	ND<1.0	50.0	45.2	45.8	90	92	1.30	ND<1.0	96
4-Chlorotoluene	ND<1.0	50.0	44.6	44.5	89	89	0.20	ND<1.0	94
1,3,5-Trimethylbenzene	ND<1.0	50.0	45.0	45.3	90	91	0.70	ND<1.0	97
tert-Butylbenzene	ND<1.0	50.0	48.6	48.3	97	97	0.60	ND<1.0	102
1,2,4-Trimethylbenzene	ND<1.0	50.0	46.2	46.1	92	92	0.20	ND<1.0	98
sec-Butylbenzene	ND<1.0	50.0	47.5	47.0	95	94	1.10	ND<1.0	102
-Dichlorobenzene	ND<1.0	50.0	46.2	46.0	92	92	0.40	ND<1.0	97
sopropyltoluene	ND<1.0	50.0	45.3	44.8	91	90	1.10	ND<1.0	98
1,4-Dichlorobenzene	ND<1.0	50.0	45.6	45.3	91	91	0.70	ND<1.0	95
1,2-Dichlorobenzene	ND<1.0	50.0	48.5	48.4	97	97	0.20	ND<1.0	99
n-Butylbenzene	ND<1.0	50.0	45.6	45.0	91	90	1.30	ND<1.0	102
1,2-Dibromo-3-Chloropropane	ND<1.0	50.0	56.1	56.8	112	114	1.80	ND<1.0	107
1,2,4-Trichlorobenzene	ND<1.0	50.0	50.3	50.6	101	101	0.00	ND<1.0	110
Hexachlorobutadiene	ND<0.45	50.00	51.34	51.06	103	102	0.98	ND<0.45	114
Naphthalene	ND<1.0	50.0	55.8	56.7	112	113	0.90	ND<1.0	113
1,2,3-Trichlorobenzene	ND<1.0	50.0	53.5	53.7	107	107	0.00	ND<1.0	113

QA Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 1/4/2007 QA Sample ID: AD19289 Client ID: MW-1

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
Pyridine	ND<20	40	7	5	18	12	33.00	ND<20	12
n-Nitroso-dimethylamine	ND<20	40	9	9	22	22	0.00	ND<20	20
bis(2-Chloroethyl)ether	ND<10	40	17	18	42	45	6.00	ND<10	48
Phenol	ND<20	40	7	7	18	18	0.00	ND<20	20
Aniline	ND<20	40	14	15	35	38	7.00	ND<20	20
2-Chlorophenol	ND<20	40	16	17	40	42	6.00	ND<20	50
1,3-Dichlorobenzene	ND<5.0	40	17	18	42	45	5.70	ND<5.0	50
1,4-Dichlorobenzene	ND<5.0	40	18	18	45	45	0.00	ND<5.0	50
Benzyl Alcohol	ND<20	40	16	17	40	42	6.00	ND<20	42
1,2-Dichlorobenzene	ND<5.0	40	18	18	45	45	0.00	ND<5.0	50
bis(2-chloroisopropyl)ether	ND<10	40	18	18	45	45	0.00	ND<10	50
Hexachloroethane	ND<3.0	40	19	19	48	48	0.00	ND<3.0	50
Nitroso-di-n-propylamine	ND<10	40	19	20	48	50	5.00	ND<10	55
ethyl Phenol	ND<20	40	14	15	35	38	7.00	ND<20	42

A Type: EPA 8270C Semi-Volatile Organics Date Analyzed: 1/4/2007 QA Sample ID: AD19289 Client ID: MW-1

Analyte	SampRes	SpkAmt	SpkRes	SpkDup Res	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
3+4 Methyl Phenol	ND<20	40	13	14	32	35	7.00	ND<20	42
Nitrobenzene	ND<20	40	19	20	48	50	5.00	ND<20	55
Isophorone	ND<20	40	19	20	48	50	5.00	ND<20	55
2-Nitrophenol	ND<20	40	20	20	50	50	0.00	ND<20	58
2,4-Dimethylphenol	ND<20	40	19	20	48	50	5.00	ND<20	50
bis(2-Chloroethoxy)methane	ND<20	40	19	19	48	48	0.00	ND<20	55
2,4-Dichlorophenol	ND<20	40	19	20	48	50	5.00	ND<20	58
1,2,4-Trichlorobenzene	ND<5.0	40	19	19	48	48	0.00	ND<5.0	52
Naphthalene	ND<1.0	40	23	23	58	58	0.00	ND<1.0	65
4-Chloroaniline	ND<20	40	23	23	58	58	0.00	ND<20	52
Hexachlorobutadiene	ND<20	40	19	20	48	50	5.00	ND<20	52
4-Chloro-3-methylphenol	ND<20	40	21	22	52	55	5.00	ND<20	60
2-Methyl Naphthalene	ND<1.0	40	21.8	22.4	54	56	2.70	ND<1.0	60
Hexachlorocyclopentadiene	ND<20	40	12	13	30	32	8.00	ND<20	8
2,4,6-Trichlorophenol	ND<20	40	21	22	52	55	5.00	ND<20	58
2,4,5-Trichlorophenol	ND<20	40	22	23	55	58	4.00	ND<20	60
2-Chloronaphthalene	ND<20	40	22	21	55	52	5.00	ND<20	58
2-Nitroaniline	ND<20	40	26	27	65	68	4.00	ND<20	72
Acenaphthylene	ND<0.30	40	27	27	68	68	0.00	ND<0.30	72
Dimethylphthalate	ND<20	40	23	24	58	60	4.00	ND<20	68
2,6-Dinitrotoluene	ND<75	40	24	25	60	62	4.00	ND<75	70
4-Nitroaniline	ND<20	40	27	27	68	68	0.00	ND<20	75
Acenaphthene	ND<1.0	40	27	28	68	70	3.60	ND<1.0	75
'-Dinitrophenol	ND<20	40	33	34	82	85	3.00	ND<20	75
-Dinitrotoluene	ND<75	40	26	27	65	68	4.00	ND<75	75
+-Nitrophenol	ND<75	40	7	7	18	18	0.00	ND<75	20
Dibenzofuran	ND<1.0	40	24.6	25.5	62	64	3.70	ND<1.0	68
Fluorene	ND<1.0	40	28.4	29.3	71	73	3.10	ND<1.0	80
4-Chlorophenyl-phenylether	ND<20	40	23	24	58	60	4.00	ND<20	65
Diethylphthalate	ND<20	40	25	26	62	65	4.00	ND<20	70
3-Nitroaniline	ND<20	40	25	27	62	68	8.00	ND<20	68
4,6-Dinitro-2-methylphenol	ND<20	40	28	28	70	70	0.00	ND<20	65
n-Nitrosodiphenylamine	ND<20	40	28	29	70	72	4.00	ND<20	80
Azobenzene	ND<20	40	23	24	58	60	4.00	ND<20	65
4-Bromophenyl-phenylether	ND<20	40	23	24	58	60	4.00	ND<20	68
Hexachlorobenzene	ND<0.077	40	22	25	55	62	12.77	ND<0.077	70
Pentachlorophenol	ND<1.0	40	22	23	55	58	4.40	ND<1.0	52
Phenanthrene	0.54	40	30	31	74	76	3.47	ND<0.077	85
Anthracene	ND<1.0	40	30.2	31.3	76	78	3.50	ND<1.0	85
Di-n-butylphthalate	ND<20	40	24	26	60	65	8.00	ND<20	72
Fluoranthene	ND<1.0	40	28.0	30.4	70	76	8.20	ND<1.0	85
Pyrene	ND<1.0	40	27.8	30.4	70	76	8.90	ND<1.0	82
Butylbenzylphthalate	ND<20	40	20	23	50	58	14.00	ND<20	68
Benzo[a]anthracene	ND<0.06	40	26	32	65	80	20.69	ND<0.06	92
Chrysene	ND<1.0	40	26	31	65	78	17.50	ND<1.0	92
bis(2-Ethylhexyl)phthalate	ND<2.0	40	18	22	45	55	20.00	ND<2.0	70
Di-n-octylphthalate	ND<20	40	17	21	42	52	21.00	ND<20	60
Benzo[b]fluoranthene	ND<0.08	40	19	21	48	52	10.00	ND<0.08	90
Benzo[k]fluoranthene	ND<0.30	40	21	26	52	65	21.28	ND<0.30	78
Benzo[a]pyrene	ND<0.20	40	21	26	52	65	21.28	ND<0.20	85
' 'eno[1,2,3-cd]pyrene	ND<0.20	40	20	26	50	65	26.09	ND<0.20	80
enz[a,h]anthracene	ND<0.20	40	20	25	50	62	22.22	ND<0.20	80
,enzo[g,h,i]perylene	ND<1.0	40	21.8	27.1	54	68	21.80	ND<1.0	85

QA Type: Total Metals Date Analyzed: 1/5/2007 QA Sample ID: AD19291 Client ID: MW-3

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.200	0.202	0.196	101	98	3.02	ND<0.013	96
Selenium	ND<0.01	0.400	0.424	0.418	106	104	1.90	ND<0.01	102
Cadmium	0.0062	0.200	0.213	0.207	103	100	2.96	ND<0.005	100
Chromium	ND<0.05	0.200	0.204	0.194	102	97	5.03	ND<0.05	98
Arsenic	ND<0.004	0.200	0.209	0.200	104	100	3.92	ND<0.004	102
Barium	0.12	0.200	0.324	0.313	102	96	5.54	ND<0.05	98
Silver	ND<0.012	0.100	0.0818	0.0791	82	79	3.36	ND<0.012	81
Mercury	ND<0.0004	0.0050	0.005	0.00477	100	95	4.71	ND<0.002	94

QA Type: Conn. Extractable TPH Date Analyzed: 1/8/2007 QA Sample ID: AD19289 Client ID: MW-1

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
ETPH	ND<0.10	5.0	4.8	5.2	96	104	8.00	ND<0.10	102

QA Type: EPA 8082 PCBs Date Analyzed: 1/11/2007 QA Sample ID: AD19289 Client ID: MW-1

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
PCB-1016	ND<0.50	1.0	0.54	0.52	54	52	3.77	ND<0.50	89
PCB-1260	ND<0.50	1.0	0.62	0.62	62	62	0.00	ND<0.50	93

ND is not detected

Narrative

4. Bromomethane dup recovery high.
   Chloroethane dup recovery high.
   Acrylonitrile dup recovery high.
   Trichlorotrifluoroethane LCS recovery high.
   Trans-1,4-Dichloro-2-Butene LCS recovery high.
   Pyridine spike, dup and LCS recoveries low.
   n-Nitroso-dimethylamine spike, dup and LCS recoveries low.
   Phenol spike, dup and LCS recoveries low.
   Aniline LCS recovery low.
   Hexachlorocyclopentadiene spike, dup and LCS recoveries low.
   4-Nitrophenol spike, dup and LCS recoveries low.
   PCB-1016 spike and dup recoveries low.
   PCB-1260 spike and dup recoveries low.

COMPLETE ENVIRONMENTAL TESTING, INC.

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

February 27, 2007

Mr. Don Weeks
Woodard & Curran Inc.
1520 Highland Ave.
Cheshire, CT 06410

Project: 206937 Pitney Bowes Stamford
Project #: 206937
CET #: 07020385
PO #: 206937
Soil: AOC12-SS-SB01-121; AOC12-SS-SB02-122; AOC12-SS-SB03-123; AOC12-SS-SB04-124; AOC13-SS-SB01-117; AOC13-SS-SB01-117A; AOC13-SS-SB02-118; AOC14-SS-SB01-119; AOC14-SS-SB01-119A; AOC14-SS-SB02-120
Collection Date(s): 2/17/2007
Water: EB10; Trip Blank
Collection Date(s): 2/17/2007

PREP ANALYSIS:

Acid Digestion of Waters [EPA 3005A]

Client ID	EB10
CET ID	AD24104
Date Analyzed	2/21/2007

Acid Digestion [EPA 3050B]

Client ID	AOC14-SS-SB01-119	AOC14-SS-SB01-119A	AOC14-SS-SB02-120
CET ID	AD24097	AD24098	AD24099
Date Analyzed	2/22/2007	2/22/2007	2/22/2007

NOTES:
Indicates Date Prep Test Completed; ND is Not Detected.

Closed System P&T Extraction [EPA 5035]

Client ID	AOC13-SS-SB01-117	AOC13-SS-SB01-117A	AOC13-SS-SB02-118	AOC14-SS-SB01-119	AOC14-SS-SB02-120
CET ID	AD24094	AD24095	AD24096	AD24097	AD24099
Date Analyzed	2/21/2007	2/21/2007	2/21/2007	2/21/2007	2/21/2007

Closed System P&T Extraction [EPA 5035]

Client ID	AOC12-SS-SB01-121	AOC12-SS-SB02-122	AOC12-SS-SB03-123	AOC12-SS-SB04-124
CET ID	AD24100	AD24101	AD24102	AD24103
Date Analyzed	2/21/2007	2/21/2007	2/21/2007	2/21/2007

ANALYSIS:

Mercury Dup Result [EPA 7470] Units: mg/l

Client ID	EB10
CET ID	AD24104
Date Analyzed	2/27/2007
Mercury Dup Result	ND < 0.002

ercury Dup Result [EPA 7471] Units: mg/kg Dry Wt.

Client ID	AOC14-SS-SB01-119A
CET ID	AD24098
Date Analyzed	2/22/2007
Mercury Dup Result	ND < 0.30

Total Mercury [EPA 7470] Units: mg/l

Client ID	EB10
CET ID	AD24104
Date Analyzed	2/27/2007
Total Mercury	ND < 0.002

Total Mercury [EPA 7471] Units: mg/kg (Dry Wt)

Client ID	AOC14-SS-SB01-119	AOC14-SS-SB01-119A	AOC14-SS-SB02-120
CET ID	AD24097	AD24098	AD24099
Date Analyzed	2/22/2007	2/22/2007	2/22/2007
Total Mercury	ND < 0.30	ND < 0.30	ND < 0.30

.otes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC13-SS-SB01-117	AOC13-SS-SB01-117A	AOC13-SS-SB02-118	AOC14-SS-SB01-119	AOC14-SS-SB01-119A
CET ID	AD24094	AD24095	AD24096	AD24097	AD24098
Date Analyzed	2/22/2007	2/22/2007	2/22/2007	2/22/2007	2/22/2007
Total Solids	93	92	95	99	99

Total Solids [EPA 160.3 mo] Units: percent

Client ID	AOC14-SS-SB02-120	AOC12-SS-SB01-121	AOC12-SS-SB02-122	AOC12-SS-SB03-123	AOC12-SS-SB04-124
CET ID	AD24099	AD24100	AD24101	AD24102	AD24103
Date Analyzed	2/22/2007	2/22/2007	2/22/2007	2/22/2007	2/22/2007
Total Solids	96	97	96	94	95

Total Metals [EPA 200.7] Units: mg/l

Client ID	EB10
CET ID	AD24104
Date Analyzed	2/21/2007
Dilution	1
Lead	ND < 0.013
ˆelenium	ND < 0.01
,admium	ND < 0.005
Chromium	ND < 0.05
Arsenic	ND < 0.004
Barium	ND < 0.05
Silver	ND < 0.012

Total Metals [EPA 6010] Units: mg/kg (Dry Wt)

Client ID	AOC14-SS-SB01-119	AOC14-SS-SB01-119A	AOC14-SS-SB02-120
CET ID	AD24097	AD24098	AD24099
Date Analyzed	2/22/2007	2/22/2007	2/22/2007
Dilution	1.0	1.0	1.0
Lead	3.5	3.4	ND < 2.5
Selenium	ND < 1.5	ND < 1.5	ND < 1.5
Cadmium	ND < 1.0	ND < 1.0	ND < 1.0
Chromium	15	17	10
Arsenic	ND < 1.5	ND < 1.5	ND < 1.5
Barium	82	92	68
Silver	ND < 2.5	ND < 2.5	ND < 2.5

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Metals Dup Result [EPA 6010] Units: mg/kg

Client ID	AOC14-SS-SB01-119A
CET ID	AD24098
Date Analyzed	2/22/2007
Dilution	1.0
Lead	3.5
Selenium	ND < 1.5
Cadmium	ND < 1.0
Chromium	17
Arsenic	ND < 1.5
Barium	96
Silver	ND < 2.5

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB10	Trip Blank
CET ID	AD24104	AD24105
Date Analyzed	2/23/2007	2/23/2007
Dilution	1.0	1.0
Dichlorodifluoromethane	ND < 10	ND < 10
Chloromethane	ND < 2.7	ND < 2.7
Vinyl Chloride	ND < 1.6	ND < 1.6
Bromomethane	ND < 5.0	ND < 5.0
Chloroethane	ND < 5.0	ND < 5.0
cetone	ND < 50	ND < 50
Acrylonitrile	ND < 20	ND < 20
Trichlorofluoromethane	ND < 25	ND < 25
Trichlorotrifluoroethane	ND < 25	ND < 25
1,1-Dichloroethene	ND < 1.0	ND < 1.0
Methylene Chloride	ND < 5.0	ND < 5.0
Carbon Disulfide	ND < 5.0	ND < 5.0
Methyl-t-Butyl Ether (MTBE)	ND < 5.0	ND < 5.0
trans-1,2-Dichloroethene	ND < 1.0	ND < 1.0
1,1-Dichloroethane	ND < 1.0	ND < 1.0
2-Butanone (MEK)	ND < 25	ND < 25
2,2-Dichloropropane	ND < 1.0	ND < 1.0
cis-1,2-Dichloroethene	ND < 1.0	ND < 1.0
Chloroform	ND < 1.0	ND < 1.0
Tetrahydrofuran	ND < 5.0	ND < 5.0
1,1,1-Trichloroethane	ND < 1.0	ND < 1.0
Carbon Tetrachloride	ND < 1.0	ND < 1.0
1,1-Dichloropropene	ND < 1.0	ND < 1.0
Benzene	ND < 1.0	ND < 1.0
1,2-Dichloroethane	ND < 1.0	ND < 1.0
Methyl Isobutyl Ketone	ND < 25	ND < 25
Trichloroethene	ND < 1.0	ND < 1.0
1,2-Dichloropropane	ND < 1.0	ND < 1.0
Dibromomethane	ND < 1.0	ND < 1.0
Bromodichloromethane	ND < 0.50	ND < 0.50
2-Hexanone	ND < 25	ND < 25
cis-1,3-Dichloropropene	ND < 0.50	ND < 0.50

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/l

Client ID	EB10	Trip Blank
Toluene	ND < 1.0	ND < 1.0
trans-1,3-Dichloropropene	ND < 0.50	ND < 0.50
1,1,2-Trichloroethane	ND < 1.0	ND < 1.0
Tetrachloroethene	ND < 1.0	ND < 1.0
1,3-Dichloropropane	ND < 1.0	ND < 1.0
Dibromochloromethane	ND < 0.50	ND < 0.50
1,2-Dibromoethane	ND < 0.50	ND < 0.50
trans-1,4-Dichloro-2-Butene	ND < 10	ND < 10
Chlorobenzene	ND < 1.0	ND < 1.0
1,1,1,2-Tetrachloroethane	ND < 1.0	ND < 1.0
Ethylbenzene	ND < 1.0	ND < 1.0
m+p Xylenes	ND < 1.0	ND < 1.0
o-Xylene	ND < 1.0	ND < 1.0
Styrene	ND < 1.0	ND < 1.0
Bromoform	ND < 1.0	ND < 1.0
Isopropylbenzene	ND < 1.0	ND < 1.0
1,1,2,2-Tetrachloroethane	ND < 0.50	ND < 0.50
Bromobenzene	ND < 1.0	ND < 1.0
1,2,3-Trichloropropane	ND < 1.0	ND < 1.0
n-Propylbenzene	ND < 1.0	ND < 1.0
2-Chlorotoluene	ND < 1.0	ND < 1.0
4-Chlorotoluene	ND < 1.0	ND < 1.0
1,3,5-Trimethylbenzene	ND < 1.0	ND < 1.0
tert-Butylbenzene	ND < 1.0	ND < 1.0
1,2,4-Trimethylbenzene	ND < 1.0	ND < 1.0
sec-Butylbenzene	ND < 1.0	ND < 1.0
1,3-Dichlorobenzene	ND < 1.0	ND < 1.0
4-Isopropyltoluene	ND < 1.0	ND < 1.0
1,4-Dichlorobenzene	ND < 1.0	ND < 1.0
1,2-Dichlorobenzene	ND < 1.0	ND < 1.0
n-Butylbenzene	ND < 1.0	ND < 1.0
1,2-Dibromo-3-Chloropropane	ND < 1.0	ND < 1.0
1,2,4-Trichlorobenzene	ND < 1.0	ND < 1.0
Hexachlorobutadiene	ND < 0.45	ND < 0.45
Naphthalene	ND < 1.0	ND < 1.0
1,2,3-Trichlorobenzene	ND < 1.0	ND < 1.0
1,2 Dichloroethane-d4 (SURR) 70-130	95.5	94.3
toluene-d8 (SURR) 70-130	98.7	99.9
4-bromofluorobenzene (SURR) 70-130	90.7	89.7

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC13-SS-SB01-117	AOC13-SS-SB01-117A	AOC13-SS-SB02-118	AOC14-SS-SB01-119	AOC14-SS-SB02-120
CET ID	AD24094	AD24095	AD24096	AD24097	AD24099
Date Analyzed	2/21/2007	2/21/2007	2/22/2007	2/22/2007	2/22/2007
Dilution	2.0	2.4	2.0	2.2	2.0
Dichlorodifluoromethane	ND < 16	ND < 20	ND < 16	ND < 17	ND < 16
Chloromethane	ND < 11	ND < 13	ND < 11	ND < 12	ND < 11
Vinyl Chloride	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC13-SS-SB01-117	AOC13-SS-SB01-117A	AOC13-SS-SB02-118	AOC14-SS-SB01-119	AOC14-SS-SB02-120
Bromomethane	ND < 11	ND < 13	ND < 11	ND < 12	ND < 11
Chloroethane	ND < 11	ND < 13	ND < 11	ND < 12	ND < 11
Acetone	ND < 110	ND < 130	ND < 100	ND < 110	ND < 100
Acrylonitrile	ND < 16	ND < 20	ND < 16	ND < 17	ND < 16
Trichlorofluoromethane	ND < 16	ND < 20	ND < 16	ND < 17	ND < 16
Trichlorotrifluoroethane	ND < 16	ND < 20	ND < 16	ND < 17	ND < 16
1,1-Dichloroethene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Methylene Chloride	ND < 16	ND < 20	ND < 16	ND < 17	ND < 16
Carbon Disulfide	ND < 11	ND < 13	ND < 11	ND < 12	ND < 11
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1-Dichloroethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
2-Butanone (MEK)	ND < 27	ND < 33	ND < 26	ND < 29	ND < 26
2,2-Dichloropropane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Chloroform	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Tetrahydrofuran	ND < 27	ND < 33	ND < 26	ND < 29	ND < 26
1,1,1-Trichloroethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Carbon Tetrachloride	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1-Dichloropropene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Benzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichloroethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
ſethyl Isobutyl Ketone	ND < 27	ND < 33	ND < 26	ND < 29	ND < 26
.richloroethene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichloropropane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Dibromomethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromodichloromethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
2-Hexanone	ND < 27	ND < 33	ND < 26	ND < 29	ND < 26
cis-1,3-Dichloropropene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Toluene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Tetrachloroethene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,3-Dichloropropane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Dibromochloromethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dibromoethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 27	ND < 33	ND < 26	ND < 29	ND < 26
Chlorobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Ethylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
m+p Xylenes	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
o-Xylene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Styrene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromoform	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Isopropylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Bromobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0

ɔtes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC13-SS-SB01-117	AOC13-SS-SB01-117A	AOC13-SS-SB02-118	AOC14-SS-SB01-119	AOC14-SS-SB02-120
n-Propylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
2-Chlorotoluene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
4-Chlorotoluene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
tert-Butylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
sec-Butylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
4-Isopropyltoluene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
n-Butylbenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Hexachlorobutadiene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
Naphthalene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 7.0	ND < 6.0	ND < 6.0	ND < 6.0
1,2 Dichloroethane-d4 (SURR) 70-130	110	104	97.9	110	108
toluene-d8 (SURR) 70-130	92.3	93.8	93.6	95.7	93.4
4-bromofluorobenzene (SURR) 70-130	89.6	89.3	91.5	90.9	90.9

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC12-SS-SB01-121	AOC12-SS-SB02-122	AOC12-SS-SB03-123	AOC12-SS-SB04-124
CET ID	AD24100	AD24101	AD24102	AD24103
Date Analyzed	2/22/2007	2/22/2007	2/22/2007	2/22/2007
Dilution	2.2	2.2	2.3	2.1
Dichlorodifluoromethane	ND < 17	ND < 17	ND < 19	ND < 17
Chloromethane	ND < 12	ND < 12	ND < 13	ND < 11
Vinyl Chloride	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Bromomethane	ND < 12	ND < 12	ND < 13	ND < 11
Chloroethane	ND < 12	ND < 12	ND < 13	ND < 11
Acetone	ND < 110	ND < 110	ND < 120	ND < 110
Acrylonitrile	ND < 17	ND < 17	ND < 19	ND < 17
Trichlorofluoromethane	ND < 17	ND < 17	ND < 19	ND < 17
Trichlorotrifluoroethane	ND < 17	ND < 17	ND < 19	ND < 17
1,1-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Methylene Chloride	ND < 17	ND < 17	ND < 19	ND < 17
Carbon Disulfide	ND < 12	ND < 12	ND < 13	ND < 11
Methyl-t-Butyl Ether (MTBE)	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,1-Dichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
2-Butanone (MEK)	ND < 28	ND < 29	ND < 31	ND < 28
2,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC12-SS-SB01-121	AOC12-SS-SB02-122	AOC12-SS-SB03-123	AOC12-SS-SB04-124
Chloroform	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Tetrahydrofuran	ND < 28	ND < 29	ND < 31	ND < 28
1,1,1-Trichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Carbon Tetrachloride	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,1-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Benzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2-Dichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Methyl Isobutyl Ketone	ND < 28	ND < 29	ND < 31	ND < 28
Trichloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Dibromomethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Bromodichloromethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
2-Hexanone	ND < 28	ND < 29	ND < 31	ND < 28
cis-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Toluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Tetrachloroethene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,3-Dichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Dibromochloromethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2-Dibromoethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 28	ND < 29	ND < 31	ND < 28
Chlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,1,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Ethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
m+p Xylenes	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
o-Xylene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Styrene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Bromoform	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Isopropylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Bromobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
n-Propylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
2-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
4-Chlorotoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
tert-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2,4-Trimethylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
sec-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
4-Isopropyltoluene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
n-Butylbenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Volatile Organics [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC12-SS-SB01-121	AOC12-SS-SB02-122	AOC12-SS-SB03-123	AOC12-SS-SB04-124
1,2-Dibromo-3-Chloropropane	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2,4-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Hexachlorobutadiene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
Naphthalene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2,3-Trichlorobenzene	ND < 6.0	ND < 6.0	ND < 7.0	ND < 6.0
1,2 Dichloroethane-d4 (SURR) 70-130	107	115	113	116
toluene-d8 (SURR) 70-130	96	96.3	94.8	95.6
4-bromofluorobenzene (SURR) 70-130	90.9	89.6	92	88.8

Vol. Org. Dup Result [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC13-SS-SB01-117
CET ID	AD24094
Date Analyzed	2/21/2007
Dilution	2.0
Dichlorodifluoromethane	ND < 17
Chloromethane	ND < 11
Vinyl Chloride	ND < 6.0
Bromomethane	ND < 11
Chloroethane	ND < 11
cetone	ND < 110
Acrylonitrile	ND < 17
Trichlorofluoromethane	ND < 17
Trichlorotrifluoroethane	ND < 17
1,1-Dichloroethene	ND < 6.0
Methylene Chloride	ND < 17
Carbon Disulfide	ND < 11
Methyl-t-Butyl Ether (MTBE)	ND < 6.0
trans-1,2-Dichloroethene	ND < 6.0
1,1-Dichloroethane	ND < 6.0
2-Butanone (MEK)	ND < 27
2,2-Dichloropropane	ND < 6.0
cis-1,2-Dichloroethene	ND < 6.0
Chloroform	ND < 6.0
Tetrahydrofuran	ND < 27
1,1,1-Trichloroethane	ND < 6.0
Carbon Tetrachloride	ND < 6.0
1,1-Dichloropropene	ND < 6.0
Benzene	ND < 6.0
1,2-Dichloroethane	ND < 6.0
Methyl Isobutyl Ketone	ND < 27
Trichloroethene	ND < 6.0
1,2-Dichloropropane	ND < 6.0
Dibromomethane	ND < 6.0
Bromodichloromethane	ND < 6.0
2-Hexanone	ND < 27
cis-1,3-Dichloropropene	ND < 6.0

Notes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Vol. Org. Dup Result [EPA 8260B] Units: ug/kg (Dry Wt)

Client ID	AOC13-SS-SB01-117
Toluene	ND < 6.0
trans-1,3-Dichloropropene	ND < 6.0
1,1,2-Trichloroethane	ND < 6.0
Tetrachloroethene	ND < 6.0
1,3-Dichloropropane	ND < 6.0
Dibromochloromethane	ND < 6.0
1,2-Dibromoethane	ND < 6.0
trans-1,4-Dichloro-2-Butene	ND < 27
Chlorobenzene	ND < 6.0
1,1,1,2-Tetrachloroethane	ND < 6.0
Ethylbenzene	ND < 6.0
m+p Xylenes	ND < 6.0
o-Xylene	ND < 6.0
Styrene	ND < 6.0
Bromoform	ND < 6.0
Isopropylbenzene	ND < 6.0
1,1,2,2-Tetrachloroethane	ND < 6.0
Bromobenzene	ND < 6.0
1,2,3-Trichloropropane	ND < 6.0
n-Propylbenzene	ND < 6.0
2-Chlorotoluene	ND < 6.0
4-Chlorotoluene	ND < 6.0
1,3,5-Trimethylbenzene	ND < 6.0
·rt-Butylbenzene	ND < 6.0
,2,4-Trimethylbenzene	ND < 6.0
sec-Butylbenzene	ND < 6.0
1,3-Dichlorobenzene	ND < 6.0
4-Isopropyltoluene	ND < 6.0
1,4-Dichlorobenzene	ND < 6.0
1,2-Dichlorobenzene	ND < 6.0
n-Butylbenzene	ND < 6.0
1,2-Dibromo-3-Chloropropane	ND < 6.0
1,2,4-Trichlorobenzene	ND < 6.0
Hexachlorobutadiene	ND < 6.0
Naphthalene	ND < 6.0
1,2,3-Trichlorobenzene	ND < 6.0
1,2 Dichloroethane-d4 (SURR) -	104
toluene-d8 (SURR) -	93
4-bromofluorobenzene (SURR) -	89

Sincerely,

David Ditta
Laboratory Director

ɴotes:
[ ]Indicates Date Prep Test Completed; ND is Not Detected.

Laboratory Analysis
QA/QC Certification Form

Laboratory Name: Complete Environmental Testing, Inc. ***Client.*** Woodard & Curran

Project Location: Pitney Bowes Stamford ***Project Number.*** 206937

Sampling Date(s): 2/17/2007 ***CET #:*** 07020385

Laboratory Sample ID(s): AD24094-AD24106

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed (including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents)?	☒Yes ☐No
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody, document(s)?	☒Yes ☐No
3	Were samples received at an appropriate temperature (4° C ± 2°)?	☐Yes ☒ No
4	Were all QA/QC performance criteria specified in the CT DEP Reasonable Confidence Protocol documents achieved?	☐Yes ☒No
5	a) Were reporting limits specified or referenced on the chain-of-custody? b) Were these reporting limits met?	☒Yes ☐ No ☒Yes ☐ No
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	☒Yes ☐No
7	Are project-specific matrix spikes and laboratory duplicates included in this data set?	☒Yes ☐No

Note: **For all questions to which the response was "No" (with the exception of question #7), additional information must be provided in an attached narrative. If the answer to question #1 is "No", the data package does not meet the requirements for "Reasonable Confidence".**

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized ıature: _____ Position: Laboratory Director

Printed Name: Dave Ditta Date: 3/8/2007

COMPLETE ENVIRONMENTAL TESTING, INC.

80Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

QA Report

Project: 206937 Pitney Bowes Stamford
CET#: 07020385

QA Type: Volatile Organics Date Analyzed: 2/22/2007 QA Sample ID: AD24094 Client ID: AOC13-SS-SB01-117

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk% Rec	Dup% Rec	RPD	Blank	LCS% Rec
1,1,1,2-Tetrachloroethane	ND<6.0	234	217	222	93	95	2.30	ND<5.0	93
1,1,1-Trichloroethane	ND<6.0	234	211	213	90	91	0.90	ND<5.0	86
1,1,2,2-Tetrachloroethane	ND<6.0	234	193	215	82	92	10.80	ND<5.0	88
1,1,2-Trichloroethane	ND<6.0	234	212	218	91	93	2.80	ND<5.0	91
1,1-Dichloroethane	ND<6.0	234	200	227	86	97	12.60	ND<5.0	84
1,1-Dichloroethene	ND<6.0	234	205	227	88	97	10.20	ND<5.0	83
1-Dichloropropene	ND<6.0	234	244	239	104	102	1.90	ND<5.0	100
,3-Trichlorobenzene	ND<6.0	234	227	233	97	100	2.60	ND<5.0	102
,2,3-Trichloropropane	ND<6.0	234	206	239	88	102	14.70	ND<5.0	85
1,2,4-Trichlorobenzene	ND<6.0	234	236	233	101	100	1.40	ND<5.0	101
1,2,4-Trimethylbenzene	ND<6.0	234	233	225	100	96	3.50	ND<5.0	94
1,2-Dibromo-3-Chloropropane	ND<6.0	234	216	283	92	121	26.90	ND<5.0	90
1,2-Dibromoethane	ND<6.0	234	220	235	94	100	6.20	ND<5.0	97
1,2-Dichlorobenzene	ND<6.0	234	226	221	97	94	2.30	ND<5.0	100
1,2-Dichloroethane	ND<6.0	234	208	203	89	87	2.40	ND<5.0	83
1,2-Dichloropropane	ND<6.0	234	216	218	92	93	1.00	ND<5.0	94
1,3,5-Trimethylbenzene	ND<6.0	234	243	234	104	100	3.90	ND<5.0	98
1,3-Dichlorobenzene	ND<6.0	234	228	220	97	94	3.60	ND<5.0	98
1,3-Dichloropropane	ND<6.0	234	222	224	95	96	0.80	ND<5.0	92
1,4-Dichlorobenzene	ND<6.0	234	212	206	91	88	2.90	ND<5.0	91
2,2-Dichloropropane	ND<6.0	234	219	208	94	89	5.20	ND<5.0	85
2-Butanone (MEK)	ND<27	469	532	558	113	119	5.20	ND<25	91
2-Chlorotoluene	ND<6.0	234	250	236	107	101	5.80	ND<5.0	105
2-Hexanone	ND<27	469	458	591	98	126	25.30	ND<25	82
4-Chlorotoluene	ND<6.0	234	208	205	89	88	1.50	ND<5.0	84
4-Isopropyltoluene	ND<6.0	234	243	230	104	98	5.60	ND<5.0	102
Acetone	ND<110	469	474	420	101	90	12.00	ND<100	80
Acrylonitrile	ND<16	234	220	205	94	88	7.00	ND<100	82
Benzene	ND<6.0	234	219	222	94	95	1.40	ND<5.0	96
Bromobenzene	ND<6.0	234	220	215	94	92	2.30	ND<5.0	92
Bromochloromethane	ND<6.0	234	202	213	86	91	5.30	ND<5.0	86
Bromodichloromethane	ND<6.0	234	212	210	91	90	1.00	ND<5.0	89
Bromoform	ND<6.0	234	218	238	93	102	9.00	ND<5.0	91
Bromomethane	ND<11	234	204	209	87	89	2.40	ND<5.0	82
on Disulfide	ND<11	234	197	214	84	92	8.30	ND<5.0	81

. Type: Volatile Organics Date Analyzed: 2/22/2007 QA Sample ID: AD24094 Client ID: AOC13-SS-SB01-117

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk% Rec	Dup %Rec	RPD	Blank	LCS% Rec
Carbon Tetrachloride	ND<6.0	234	213	209	91	89	1.90	ND<5.0	84
Chlorobenzene	ND<6.0	234	219	223	94	95	1.80	ND<5.0	95
Chloroethane	ND<11	234	203	207	87	88	1.90	ND<5.0	83
Chloroform	ND<6.0	234	202	205	86	88	1.50	ND<5.0	82
Chloromethane	ND<11	234	184	221	79	94	18.30	ND<5.0	91
cis-1,2-Dichloroethene	ND<6.0	234	212	219	91	94	3.30	ND<5.0	86
cis-1,3-Dichloropropene	ND<6.0	234	230	230	98	98	0.00	ND<5.0	98
Dibromochloromethane	ND<6.0	234	212	216	91	92	1.90	ND<5.0	92
Dibromomethane	ND<6.0	234	218	228	93	97	4.40	ND<5.0	99
Dichlorodifluoromethane	ND<16	234	189	190	81	81	0.50	ND<25	87
Ethyl Methacrylate	ND<6.0	234	231	233	99	100	0.90	ND<25	99
Ethylbenzene	ND<6.0	234	226	220	97	94	2.70	ND<5.0	94
Hexachlorobutadiene	ND<6.0	234	211	211	90	90	0.00	ND<5.0	99
Isopropylbenzene	ND<6.0	234	248	243	106	104	1.90	ND<5.0	103
m+p Xylenes	ND<6.0	469	457	455	97	97	0.40	ND<5.0	96
Methyl Isobutyl Ketone	ND<27	469	458	519	98	111	12.70	ND<25	89
Methyl Methacrylate	ND<6.0	234	238	255	102	109	6.60	ND<25	102
Methyl-t-Butyl Ether (MTBE)	ND<6.0	234	210	224	90	96	6.50	ND<5.0	88
Methylene Chloride	ND<16	234	197	206	84	88	4.40	ND<5.0	77
n-Butylbenzene	ND<6.0	234	235	220	100	94	6.20	ND<5.0	96
n-Propylbenzene	ND<6.0	234	231	221	99	94	4.50	ND<5.0	96
Naphthalene	ND<6.0	234	222	253	95	108	12.90	ND<5.0	100
o-Xylene	ND<6.0	234	241	239	103	102	1.00	ND<5.0	101
sec-Butylbenzene	ND<6.0	234	235	224	100	96	4.40	ND<5.0	99
:ene	ND<6.0	234	238	239	102	102	0.00	ND<5.0	102
.t-Butylbenzene	ND<6.0	234	234	232	100	99	0.90	ND<5.0	101
Tetrachloroethene	ND<6.0	234	235	229	100	98	2.10	ND<5.0	94
Tetrahydrofuran	ND<27	234	234	295	100	126	23.00	ND<25	90
Toluene	ND<6.0	234	223	219	95	94	1.80	ND<5.0	93
trans-1,2-Dichloroethene	ND<6.0	234	208	231	89	99	10.40	ND<5.0	83
trans-1,3-Dichloropropene	ND<6.0	234	226	220	97	94	2.70	ND<5.0	92
trans-1,4-Dichloro-2-Butene	ND<27	234	222	250	95	107	12.00	ND<5.0	83
Trichloroethene	ND<6.0	234	253	258	108	110	1.80	ND<5.0	101
Trichlorofluoromethane	ND<16	234	223	227	95	97	1.80	ND<5.0	84
Trichlorotrifluoroethane	ND<16	234	210	221	90	94	5.10	ND<25	80
Vinyl Chloride	ND<6.0	234	192	203	82	87	5.60	ND<5.0	79

QA Type: Total Metals Date Analyzed: 2/21/2007 QA Sample ID: AD24116

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	ND<0.013	0.20	0.199	0.206	100	103	3.50	ND<0.013	104
Selenium	ND<0.01	0.40	0.418	0.439	104	110	5.60	ND<0.01	108
Cadmium	ND<0.005	0.20	0.199	0.208	100	104	4.40	ND<0.005	104
Chromium	ND<0.05	0.20	0.200	0.209	100	104	3.90	ND<0.05	105
Arsenic	ND<0.004	0.20	0.206	0.215	103	108	4.70	ND<0.004	108
Barium	ND<0.05	0.20	0.229	0.239	114	120	5.10	ND<0.05	106
Silver	ND<0.012	0.10	0.103	0.106	103	106	2.90	ND<0.012	107

QA Type: Total Metals Date Analyzed: 2/22/2007 QA Sample ID: AD24098 Client ID: AOC14-SS-SB01-119A

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Lead	3.4	25.3	24.4	23.4	83	79	4.80	ND<2.0	98
Selenium	ND<1.5	50.5	44.1	42.4	87	84	3.90	ND<1.0	102
Cadmium	ND<1.0	25.3	20.1	19.4	79	77	3.50	ND<0.50	98
Chromium	17	25.3	36.2	35.6	76	74	3.20	ND<2.0	101
Arsenic	ND<1.5	25.3	22.6	22.8	89	90	0.89	ND<1.0	102
Barium	92	25.3	*	*	*	*	*	ND<2.0	101
Silver	ND<2.5	5.05	4.43	4.31	88	85	2.80	ND<2.0	103

* Sample result too high for accurate spike recovery.

QA Type: Total Mercury Date Analyzed: 2/22/2007 QA Sample ID: AD24098 Client ID: AOC14-SS-SB01-119A

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.30	0.424	0.45	0.43	106	101	4.83	ND<0.002	105

QA Type: Volatile Organics Date Analyzed: 2/23/2007 QA Sample ID: AD24127

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dichlorodifluoromethane	ND<10	50	45	90	ND<10	100
Chloromethane	ND<2.7	50.0	49.2	98	ND<2.7	100
Vinyl Chloride	ND<1.6	50.0	48.3	97	ND<1.6	104
Bromomethane	ND<5.0	50.0	46.0	92	ND<5.0	95
Chloroethane	ND<5.0	50.0	47.2	94	ND<5.0	99
Acetone	ND<50	100	66	66	ND<50	80
Acrylonitrile	ND<20	50	44	88	ND<25	84
Trichlorofluoromethane	ND<25	50	50	100	ND<25	104
chlorotrifluoroethane	ND<25	50	67	134	ND<25	120
-Dichloroethene	ND<1.0	50.0	56.8	114	ND<1.0	107
ethylene Chloride	ND<5.0	50.0	54.9	110	ND<5.0	104
Carbon Disulfide	ND<5.0	50.0	75.1	150	ND<5.0	126
Methyl-t-Butyl Ether (MTBE)	ND<5.0	50.0	48.4	97	ND<5.0	94
trans-1,2-Dichloroethene	ND<1.0	50.0	57.5	115	ND<1.0	109
1,1-Dichloroethane	ND<1.0	50.0	60.5	121	ND<1.0	110
2-Butanone (MEK)	ND<25	100	73	73	ND<25	77
2,2-Dichloropropane	ND<1.0	50.0	64.9	130	ND<1.0	122
cis-1,2-Dichloroethene	ND<1.0	50.0	50.2	100	ND<1.0	98
Chloroform	ND<1.0	50.0	50.8	102	ND<1.0	100
Tetrahydrofuran	ND<5.0	50.0	42.3	85	ND<5.0	81
1,1,1-Trichloroethane	ND<1.0	50.0	62.1	124	ND<1.0	115
Carbon Tetrachloride	ND<1.0	50.0	56.8	114	ND<1.0	107
1,1-Dichloropropene	ND<1.0	50.0	55.6	111	ND<1.0	108
Benzene	ND<1.0	50.0	54.6	109	ND<1.0	106
1,2-Dichloroethane	ND<1.0	50.0	47.5	95	ND<1.0	93
Methyl Isobutyl Ketone	ND<25	100	82	82	ND<25	81
Trichloroethene	ND<1.0	50.0	52.2	104	ND<1.0	103
1,2-Dichloropropane	ND<1.0	50.0	51.2	102	ND<1.0	101
Dibromomethane	ND<1.0	50.0	47.9	96	ND<1.0	94
Bromodichloromethane	ND<0.50	50.0	49.8	100	ND<0.5	99
2-Hexanone	ND<25	100	73	73	ND<25	75
cis-1,3-Dichloropropene	ND<0.50	50.0	50.7	101	ND<0.5	102
Toluene	ND<1.0	50.0	53.6	107	ND<1.0	106
trans-1,3-Dichloropropene	ND<0.50	50.0	48.8	98	ND<0.5	97
1,1,2-Trichloroethane	ND<1.0	50.0	46.9	94	ND<1.0	93
rachloroethene	ND<1.0	50.0	51.5	103	ND<1.0	102
Dichloropropane	ND<1.0	50.0	46.7	93	ND<1.0	94

. Type: Volatile Organics Date Analyzed: 2/23/2007 QA Sample ID: AD24127

Analyte	SampRes	SpkAmt	SpkRes	Spk%Rec	Blank	LCS%Rec
Dibromochloromethane	ND<0.50	50.0	48.7	97	ND<0.5	96
1,2-Dibromoethane	ND<0.50	50.0	46.4	93	ND<0.5	93
trans-1,4-Dichloro-2-Butene	ND<10	50	42	84	ND<10	82
Chlorobenzene	ND<1.0	50.0	51.3	103	ND<1.0	102
1,1,1,2-Tetrachloroethane	ND<1.0	50.0	50.0	100	ND<1.0	99
Ethylbenzene	ND<1.0	50.0	51.1	102	ND<1.0	102
m+p Xylenes	ND<1.0	100.0	104.7	105	ND<1.0	105
o-Xylene	ND<1.0	50.0	52.8	106	ND<1.0	106
Styrene	ND<1.0	50.0	52.6	105	ND<1.0	109
Bromoform	ND<1.0	50.0	45.2	90	ND<1.0	90
Isopropylbenzene	ND<1.0	50.0	53.4	107	ND<1.0	107
1,1,2,2-Tetrachloroethane	ND<0.50	50.0	45.3	91	ND<0.5	89
Bromobenzene	ND<1.0	50.0	48.4	97	ND<1.0	98
1,2,3-Trichloropropane	ND<1.0	50.0	42.8	86	ND<1.0	86
n-Propylbenzene	ND<1.0	50.0	51.7	103	ND<1.0	106
2-Chlorotoluene	ND<1.0	50.0	51.6	103	ND<1.0	103
4-Chlorotoluene	ND<1.0	50.0	48.9	98	ND<1.0	104
1,3,5-Trimethylbenzene	ND<1.0	50.0	52.8	106	ND<1.0	108
tert-Butylbenzene	ND<1.0	50.0	51.1	102	ND<1.0	105
1,2,4-Trimethylbenzene	ND<1.0	50.0	53.3	107	ND<1.0	109
sec-Butylbenzene	ND<1.0	50.0	51.9	104	ND<1.0	107
1,3-Dichlorobenzene	ND<1.0	50.0	50.4	101	ND<1.0	102
4-Isopropyltoluene	ND<1.0	50.0	51.8	104	ND<1.0	106
1,4-Dichlorobenzene	ND<1.0	50.0	48.5	97	ND<1.0	98
1,2-Dichlorobenzene	ND<1.0	50.0	48.2	96	ND<1.0	99
utylbenzene	ND<1.0	50.0	51.7	103	ND<1.0	106
.-Dibromo-3-Chloropropane	ND<1.0	50.0	38.6	77	ND<1.0	77
1,2,4-Trichlorobenzene	ND<1.0	50.0	41.0	82	ND<1.0	86
Hexachlorobutadiene	ND<0.45	50.00	45.73	92	ND<0.45	97
Naphthalene	ND<1.0	50.0	34.9	70	ND<1.0	73
1,2,3-Trichlorobenzene	ND<1.0	50.0	37.4	75	ND<1.0	80

QA Type: Total Mercury Date Analyzed: 2/27/2007 QA Sample ID: AD24104

Analyte	SampRes	SpkAmt	SpkRes	SpkDupRes	Spk%Rec	Dup%Rec	RPD	Blank	LCS%Rec
Total Mercury	ND<0.002	0.0050	0.0052	0.0054	104	108	3.77	ND<0.002	104

ND is not detected

Narrative

3. Samples were received at 7.6°C with evidence of cooling.

4. Total Chromium dup recovery low for sample AD24098.
   Acetone spike recovery low for sample AD24127.
   Trichlorotrifluoroethane spike recovery high for sample AD24127.
   Carbon Disulfide spike recovery high for sample AD24127.

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer	
Client:	2/17/06 1745 -15°C
CET:	2/20/07 10:50

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Turnaround Time ** (check one): Same Day, 24 Hours, 2-3 Days, Standard

Organics: 8260 CT List, 8260 Aromatics, 8260 Halogens, SPLP 8260, TCLP 8260, TPH (418.1), CT ETPH, 8270 CT List, 8270 PNAs, PCBs, Pesticides

Metals (check all that apply): 13 Priority Poll, 8 RCRA, TOTAL, TCLP, SPLP, Field Filtered, Lab To Filter

Additional Analysis

Sample ID	Date/Time	Matrix	Same Day	24 Hours	2-3 Days	Standard	8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	TOTAL # OF CONT.	NOTE #
AOC13-SS-SB01-117	2/17/07 945	S				X	X																		10	1
AOC13-SS-SB01-117A	945	S				X	X																		6	
AOC13-SS-SB02-118	955	S				X	X																		6	
AOC14-SS-SB01-119	1145	S				X	X												X						7	2
AOC14-SS-SB01-119A	1145	S				X													X						1	3
AOC14-SS-SB02-120	1200	S				X	X												X						7	2
AOC12-SS-SB01-121	1420	S				X	X																		6	2
AOC12-SS-SB02-122	1430	S				X	X																		6	2
AOC12-SS-SB03-123	1440	S				X	X																		6	2
AOC12-SS-SB04-124	1445	S				X	X																		6	2
PRESERVATIVE (Cl-HCl, N-HNO_3, S-H_2SO_4, Na-NaOH, C=Cool, O-Other)							C																			
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, O-Other)																										
Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)							F																			

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	2/20/07 855	[signature]
[signature]	2/20/07 950	[signature] 2/20/07 9:50

NOTES:
1. RUN MS/MSD FOR VOCs
2. HOLD 25g ENCORE FOR SPLP
3. RUN MS/MSD FOR METALS

Client / Reporting Information

Company Name: WOODARD + CURRAN
Address: 1520 HIGHLAND AVE
City: CHESHIRE State: CT Zip: 06410
Report To: DON WEEKS E-mail: dweeks@woodardcurran.com
Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE Edmands PO #:
Project: 206937 PITNEY BOWES Project #: 20(93)
Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - FULL QA/QC PER CONTRACT
Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other
RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use:
Evidence of Cooling: Y or N
Temp Upon Receipt 2.6 °C

SHEET 1 OF 2

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06

CET

COMPLETE ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

Volatile Soils Only:

Date and Time in Freezer	
Client:	2/17/07 1745 -15°C
CET:	

80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

Matrix: A=Air, S=Soil, W=Water, DW=Drinking W., C=Cassette, Solid, Wipe, Other (Specify)

Sample ID	Date/Time	Matrix	Turnaround Time ** (check one): Same Day	24 Hours	2-3 Days	Standard	Organics: 8260 CT List	8260 Aromatics	8260 Halogens	SPLP 8260	TCLP 8260	TPH (418.1)	CT ETPH	8270 CT List	8270 PNAs	PCBs	Pesticides	Metals (check all that apply): 13 Priority Poll	8 RCRA	TOTAL	TCLP	SPLP	Field Filtered	Lab To Filter	Additional Analysis	TOTAL # OF CONT.	NOTE #
EB10	2/17/07	W				X	X												X							3	
TRIP BLANK	2/17/07 900	W				X	X																			2	
TEMPERATURE BLANK	2/17/07 900	W																									
↓ TAKE TEMP UPON RECEIPT FROM TEMP BLANK																											

PRESERVATIVE (Cl–HCl, N–HNO_3, S–H_2SO_4, Na–NaOH, C=Cool, O–Other): Ac / N

CONTAINER TYPE (P–Plastic, G–Glass, V–Vial, O–Other): V / P

Soil VOCs Only (M=MeOH B= Sodium Bisulfate W=Water F= Empty Vial E=Encore)

RELINQUISHED BY:	DATE/TIME	RECEIVED BY:
[signature]	2/20/07 855	[signature]
[signature]	2-20-07 950	[signature] 2/20/07 9:50

NOTES:

Client / Reporting Information

Company Name: WOODARD + CURRAN

Address: 1520 HIGHLAND AVE

City: CHESHIRE State: CT Zip: 06410

Report To: DON WEEKS E-mail: dweeks@woodardcurran.com

Phone #: (203) 271-0379 Fax #: (203) 271-7952

Project Information

Project Contact: JESSE EDMANDS PO #:

Project: PITNEY BOWES Project #: J06937

Location: STAMFORD, CT Collector(s):

QA/QC: ☐ Std ☐ Site Specific (MS/MSD) * ☑ RCP Pkg * - Full QA/QC per CONF

Data Report: ☑ Email ☐ PDF ☑ Excel ☐ Other

RSR Reporting Limits (check one): ☑ GA ☐ GB ☐ SWP ☐ Other (Specify)

Lab Use: Evidence of Cooling: Y or N Temp Upon Receipt 4.6 °C

SHEET 2 OF 2

* Additional charge may apply. ** TAT begins when the samples are received at the Lab. TAT for samples received after 3 p.m. will start on the next business day.

REV. 5/9/06